

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Analytical data and sample locality map for
stream water samples from the Iditarod quadrangle, Alaska

By

J. E. Gray, J. L. Ryder, R. F. Sanzolone,
J. B. McHugh, and W. H. Ficklin

Open-File Report 88-55

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards and stratigraphic nomenclature. Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.

1988

CONTENTS

	Page
Studies Related to AMRAP.....	1
Introduction.....	1
General Geology	1
Methods of Study	3
Sample Media.....	3
Sample Collection.....	4
Sample Analysis.....	4
Rock Analysis Storage System (RASS).....	5
References Cited.....	<u>6</u>

ILLUSTRATIONS

Figure 1. Index map of the Iditarod quadrangle, Alaska.....	2
Plate 1. Sample locality map of the Iditarod quadrangle, Alaska.....in pocket	

TABLES

Table 1. Geochemical data of stream water samples from the Iditarod quadrangle, Alaska.....	7
--	---

STUDIES RELATED TO AMRAP

The U.S. Geological Survey is required by the Alaska National Interests Lands Conservation Act (Public Law 96-487, 1980) to survey certain Federal lands to determine their mineral values. Results from the Alaska Mineral Resource Assessment Program (AMRAP) must be made available to the public and be submitted to the President and Congress. This report is one of a series of publications that presents geochemical and mineralogical data determined during the mineral assessment study of the Iditarod quadrangle, Alaska. The analytical results of the stream water samples collected during the study are presented in this report.

INTRODUCTION

During the summers of 1984-86, a reconnaissance geochemical survey was conducted in the Iditarod quadrangle, Alaska (Fig. 1). The quadrangle is bounded by latitude 62°N to 63°N and by longitude 156°W to 159°W. The area comprises approximately 6,700 mi² (17,350 km²) in the west-central portion of the Alaskan interior and includes the Beaver Mountains and part of the Kuskokwim Mountains. Part of the Innoko National Wildlife Refuge is located in the northwestern corner of the quadrangle and is also included in the study area. The quadrangle is sparsely populated with two small communities at Flat and Takotna and a few isolated mining camps. Few roads exist throughout the quadrangle and access to much of the area is limited to travel by air or foot. However, boat access is possible on some of the larger rivers.

The terrain is dominated by low rolling hills and broad sediment filled lowlands. This terrain is best exemplified by the Kuskokwim Mountains in the central portion of the quadrangle. The most rugged topographic expression occurs in the Beaver Mountains and a few other mountain peaks scattered throughout the quadrangle. The maximum elevation, 4,055 ft (1,236 m), in the quadrangle is located in the northern Beaver Mountains. Much of the western portion of the quadrangle is swampy, especially in the Yetna and Iditarod River basins. Most of the quadrangle is covered with vegetation that ranges from northern latitude forests to subarctic tundra.

GENERAL GEOLOGY

Cretaceous sedimentary rocks of the Kuskokwim Group form the dominant bedrock in the Iditarod quadrangle. These rocks consist of thick sequences of intercalated sandstones, shales, and conglomerates (Bundtzen and Laird, 1983). Rocks of the Kuskokwim



Figure 1. Index map of the Iditarod quadrangle, Alaska.

Group primarily represent deep water turbidite facies, but lesser amounts of shallow shoreline facies rocks also occur in the sequences (Miller and Bundtzen, 1987). These rocks have been deformed into northeast trending synclines and anticlines; high-angle faults appear to parallel these folds. A major northeast trending strike-slip transcurrent fault, the Iditarod-Nixon Fork fault, transects the central portion of the quadrangle.

Late Cretaceous to early Tertiary volcanoplutonic complexes intrude or overlie the Kuskokwim sedimentary rocks at several localities. These complexes consist of basalt and andesite volcanic flows that are in fault contact with or overlie monzonite plutons. Emplacement of these rocks is apparently controlled by the high-angle faults. An extensive felsic to mafic volcanic field, that is coeval with the volcanoplutonic complexes, covers much of the western portion of the Iditarod quadrangle (Miller and Bundtzen, 1987).

Precambrian to late Paleozoic rocks that represent parts of the Innoko, Ruby, and possibly Kilbuck terranes are exposed in a narrow belt in the west-central part of the Iditarod quadrangle. The extension of the Innoko terrane in the quadrangle consists of Mississippian to Jurassic chert and volcanic rock (M. L. Miller, written commun., 1987). The Ruby terrane is composed of greenschist facies metamorphic rocks of probable Precambrian to Paleozoic age (Angeloni and Miller, 1985). The possible Kilbuck terrane equivalent consists of amphibolite grade rocks that yield a Proterozoic protolith age, but have a complex metamorphic history (Miller and Bundtzen, 1987). All three units are poorly exposed as narrow northeast-southwest trending belts.

A relatively minor exposure of ultramafic and mafic rocks has been mapped in the northern-most central portion of the quadrangle. These rocks are probably correlative with the Jurassic ophiolites of the Yukon-Koyukuk trend further to the north in the Ophir quadrangle (Miller and Angeloni, 1985).

METHODS OF STUDY

Sample Media

Geophysical results presented in this paper are from stream water samples that were collected from active channels of perennial first-order (unbranched) streams and second-order (below the junction of two first-order) streams, as determined from topographic maps (scale 1:63,360). The area of the drainage basins ranged from 1 mi² (2.59 km²) to about 5 mi² (13 km²). Sampling density was approximately 1 sample site per 9 mi² (23.3 km²). Sample localities are shown on Plate 1.

Sample Collection

Water samples were collected from as many streams as possible in the study area. At each site, both an unfiltered and a filtered water sample was collected. Approximately 250 mL of unfiltered water was taken directly from the stream in polypropylene bottles that were thoroughly rinsed with the stream water at each site. Approximately 100 mL of the stream water was filtered through a 0.45-micron Millipore filter at each sample site. Filtered water samples were stored in polypropylene bottles that were rinsed on site with a liberal amount of the filtered water. The filtered water samples were acidified with about 5 drops of concentrated nitric acid to prevent precipitation of metals and bacterial growth. Duplicate samples were collected randomly throughout the study area and are designated with D1, D2, D3, and D4 suffixes in Table 1.

Sample Analysis

The trace constituents lithium (Li), cadmium (Cd), copper (Cu), iron (Fe), potassium (K), and zinc (Zn) were determined directly from acidified stream water samples (Table 1) by inductively coupled plasma atomic fluorescence spectrometry (ICP-AFS). The ICP-AFS procedure used in this study is described by Sanzolone and Meier (1986). Arsenic (As) was analyzed on acidified stream waters by graphite furnace atomic absorption spectrophotometry (GFAAS) using a method adapted from Perkin-Elmer (1977). The anions sulfate (SO_4^{--}), nitrate (NO_3^-), fluoride (F^-), chloride (Cl^-), and nitrite (NO_2^-) were determined by ion chromatography on unfiltered water samples following the procedure designed by Fishman and Pyen (1979). Uranium (U) was determined on unfiltered water samples by laser excited fluorescence using the method of Scintrex (1979). Replicate analysis of laboratory standards indicates a analytical precision of about ± 5 percent for all analytical procedures used in this study. The lower limits of determination for the elements listed in Table 1 are as follows:

As.....	1 ppb
Li.....	1 ppb
Cd.....	1 ppb
Cu.....	1 ppb
Fe.....	1 ppb
U.....	0.10 ppb
K.....	1 ppb
Zn.....	1 ppb
SO_4^{--}	0.01 ppm
NO_3^-	0.01 ppm
F^-	0.01 ppm
Cl^-	0.01 ppm
NO_2^-	0.1 ppm

ROCK ANALYSIS STORAGE SYSTEM

Upon completion of all analytical work, the geochemical results were entered into a computer-based file called Rock Analysis Storage System (RASS). This data base contains both descriptive geological information and the analytical data. Any or all of this information may be retrieved and converted to a binary form (STATPAC) for computerized statistical analysis or publication (VanTrump and Miesch, 1977).

REFERENCES CITED

- Angeloni, L. M., and Miller, M. L., 1985, Greenschist facies metamorphic rocks of north-central Iditarod quadrangle, in Bartsch-Winkler, Susan, ed., The U.S. Geological Survey in Alaska--Accomplishments during 1984: U.S. Geological Survey Circular 967, p. 19-21.
- Bundtzen, T. K., and Laird, G. M., 1983, Geologic map of the Iditarod D-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys, Professional Report 78, 1 map, scale 1:63,360.
- Fishman, J. J., and Pyen, G., 1979, Determination of selected anions in water by ion chromatography: U. S. Geological Survey Water Resources Investigations 79-101, 30 p.
- Miller, M. L., and Angeloni, L. M., 1985, Ophiolitic rocks of the Iditarod quadrangle, west-central Alaska (abs): American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 669-670.
- Miller, M. L., and Bundtzen, T. K., 1987, Geology and mineral resources of the Iditarod quadrangle, west-central Alaska, in Sachs, J. S., ed., U.S.G.S. Research on Mineral Resources, 1987--Programs and Abstracts: U. S. Geological Survey Circular 995, p. 46-47.
- Perkin-Elmer Corporation, 1977, Analytical methods for atomic-absorption spectrophotometry, using the HGA graphite furnace: Norwalk, Connecticut, Perkin-Elmer Corporation, 208 p.
- Sanzolone, R. F., and Meier, A. L., 1986, Determination of Ca, Mg, Na, Cd, Cu, Fe, K, Li, and Zn in acid mine and reference water samples by inductively coupled plasma atomic fluorescence spectrometry: The Analyst, v. 111, p. 645-649.
- Scintrex Corporation, 1979, UA-3 uranium analyzer: Toronto, Canada, 45 p.
- VanTrump, George, Jr., and Miesch, A. T., 1977, The U. S. Geological Survey RASS-STATPAC system for management and statistical reduction of geochemical data: Computers and Geosciences, v. 3, p. 475-488.

TABLE 1. GEOCHEMICAL DATA FROM 1971-72 FROM THE TOLAPID QUADRANGLE, ALASKA.--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ⁻⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
10073	62 18 22	158 20 49	--	N	N	N	21	<.10	200	2	.75	N	N	.42	N
10074	62 17 44	158 19 25	--	1	N	1	2380	<.10	230	5	--	--	--	--	N
10075	62 16 40	158 18 36	--	2	N	6	1300	<.10	600	N	--	--	--	--	N
10076	62 15 43	158 24 18	--	1	1	4	1980	<.10	190	3	--	--	--	--	N
10077	62 15 47	158 25 20	--	1	1	3	1100	<.10	420	2	--	--	--	--	N
10078	62 15 27	158 11 49	--	1	1	1	1400	<.10	310	3	--	--	--	--	N
10079	62 24 10	158 17 18	--	1	1	2	360	<.10	150	2	--	--	--	--	N
10080	62 22 48	158 17 47	--	1	N	2	780	<.10	190	1	--	--	--	--	N
10081	62 22 41	158 21 39	--	1	N	1	540	<.10	490	1	--	--	--	--	N
10082	62 20 51	158 22 3	--	1	N	1	550	<.10	300	1	1.2	N	.63	.65	N
10083	62 17 39	157 10 38	--	2	1	2	1700	<.10	290	6	1.1	N	.03	6.1	N
10084	62 17 1	157 5 49	--	6	1	4	4300	<.10	280	16	4.1	N	N	.49	N
10085	62 17 3	157 4 15	--	2	N	1	150	<.10	200	1	3.0	N	N	.27	N
10086	62 17 38	157 1 55	--	2	N	1	97	<.10	160	1	--	--	--	--	N
10087	62 18 8	157 1 52	--	1	N	2	110	<.10	170	1	--	--	--	--	N
10088	62 11 35	157 17 13	--	2	1	2	220	.12	280	1	4.3	N	.06	.46	N
10089	62 10 38	157 15 15	--	3	N	4	260	<.10	250	1	--	--	--	--	N
10090	62 11 4	157 14 41	--	3	1	1	480	.14	270	2	4.3	N	.04	.35	N
10091	62 13 8	157 15 51	--	1	N	1	220	<.10	230	N	3.3	N	.04	.30	N
10092	62 25 19	157 49 14	--	3	N	N	69	<.10	490	N	--	--	--	--	N
10093	62 27 21	157 47 9	--	N	N	N	270	<.10	360	3	--	--	--	--	N
10094	62 27 43	157 43 12	--	1	1	1	170	<.10	330	1	1.5	N	.05	.43	N
10095	62 29 21	157 47 39	--	N	N	1	270	<.10	180	1	3.3	N	N	.35	N
10101	62 51 13	157 0 12	--	N	N	2	6	.14	140	1	2.0	N	N	.34	N
10102	62 50 44	157 2 58	--	N	N	2	1	<.10	49	N	1.9	N	N	.28	N
10105	62 53 0	157 2 36	--	1	N	N	N	<.10	100	1	.65	N	N	.34	N
10109	62 52 28	157 4 18	--	N	N	1	N	.10	75	N	.72	N	N	.33	N
10110	62 49 32	156 57 26	--	N	N	2	N	.26	270	N	2.0	N	N	.29	N
10124	62 24 53	157 5 54	--	1	1	1	87	.10	290	1	6.0	1.0	N	.38	N
10125	62 26 5	157 5 20	--	2	N	6	24	.10	200	N	4.4	N	.05	.48	N
10126	62 26 14	157 3 39	--	1	1	3	62	<.10	320	2	13	N	N	.32	N
10127	62 26 33	157 2 58	--	2	1	1	34	<.10	210	1	3.7	N	N	.31	N
10128	62 23 49	157 9 23	--	1	2	5	120	<.10	200	3	1.7	N	.04	.38	N
10129	62 21 6	157 9 37	--	2	N	2	110	.14	380	1	4.8	.44	.07	.41	N
10130	62 19 37	157 8 41	--	2	1	2	130	.12	370	1	3.5	.69	.06	.41	N
10131	62 24 0	157 1 50	--	2	N	N	4	.10	270	N	10	1.8	.04	.28	N
10132	62 21 4	157 3 41	--	1	1	N	77	.10	230	1	6.7	N	.04	.31	N
10133	62 21 5	157 1 49	--	1	2	5	96	.12	260	1	7.2	1.2	N	.37	N
10134	62 20 35	157 3 15	--	2	N	1	26	.14	310	1	5.8	1.1	.06	.31	N
10135	62 19 34	157 15 39	--	2	1	5	71	.14	310	4	4.3	.58	.05	.35	N
10136	62 21 43	157 14 9	--	2	1	1	100	.16	320	1	3.7	N	.04	.31	N
10137	62 22 5	157 16 39	--	1	N	1	40	<.10	290	N	5.4	.52	N	.29	N
10138	62 24 15	157 19 6	--	1	2	3	240	<.10	350	1	1.4	.37	.04	.31	N
10140	62 28 11	156 58 52	--	2	1	5	28	.10	240	1	5.7	.37	.06	.33	N
10141	62 29 18	156 58 55	--	3	N	2	96	<.10	220	37	6.5	N	.04	.28	N
10142	62 29 0	157 5 10	--	2	N	6	78	.10	230	N	8.5	N	.05	.27	N
10143	62 28 11	157 6 48	--	3	N	2	16	.10	370	N	7.4	25	.52	7.1	N
10144	62 27 21	157 11 59	--	2	1	2	90	<.10	320	N	4.4	8.9	.52	5.5	N
10145	62 27 33	157 14 11	--	2	1	1	44	<.10	350	1	3.9	N	.54	6.0	N
10146	62 27 55	157 15 19	--	3	1	1	65	.14	280	1	6.7	27	.49	5.9	N
10147	62 29 15	157 11 48	--	--	--	--	--	--	--	--	4.5	N	N	.28	N
10148	62 29 41	157 21 21	--	1	N	2	74	.16	230	N	7.2	N	.05	.26	N
10149	62 27 8	157 19 42	--	2	N	2	19	.18	370	1	10	N	.04	.30	N
10150	62 26 26	157 19 1	--	3	N	1	24	<.10	370	N	--	--	--	--	N
10151	62 25 38	157 21 38	--	2	N	1	41	.12	300	1	5.9	N	.03	.34	N
10152	62 25 48	157 23 21	--	2	1	1	43	.12	340	1	6.2	1.0	.04	.28	N
10157	62 6 15	158 23 0	--	N	N	2	290	<.10	260	3	--	--	--	--	N
10159	62 11 55	158 21 10	--	1	N	1	1400	<.10	220	N	2.0	N	N	.61	N
10160	62 13 51	158 22 32	--	2	N	4	2000	<.10	550	1	1.0	N	.07	.50	N
10161	62 14 29	158 19 10	--	2	N	6	1500	<.10	190	N	3.0	N	N	.50	N

TABLE 1. GEOCHEMICAL DATA FOR SAMPLES FROM THE COASTAL PLAIN, ALASKA.—Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Co (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	V (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppb)	F ⁻ (ppb)	Cl ⁻ (ppb)	NO ₂ ⁻ (ppb)
10162	62 21 48	157 49 40	--	3	N	3	120	.10	490	N	6.8	N	.05	.47	N
10163	62 23 12	157 47 5	--	3	N	3	11	.12	540	N	11	N	.05	.46	N
10164	62 19 51	157 47 39	--	3	N	2	330	.20	580	N	8.7	N	.09	.52	N
10165	62 20 3	157 42 41	--	3	N	4	72	.20	580	N	7.2	N	.09	.51	N
10166	62 19 51	157 39 12	--	4	N	N	18	.14	450	N	5.1	N	.04	.39	N
10167	62 19 53	157 39 9	--	4	N	5	32	.20	450	N	6.8	N	.04	.37	N
10168	62 22 14	157 40 30	--	4	N	4	32	.10	360	N	11	.87	.05	.42	N
10169	62 21 3	157 32 0	--	1	N	4	14	<.10	150	N	6.0	N	N	.26	N
10170	62 23 48	157 34 17	--	--	--	--	--	--	--	--	1.5	N	N	.30	N
10171	62 24 8	157 36 15	--	1	N	7	40	<.10	150	N	1.6	N	N	.30	N
10172	62 25 4	157 38 2	--	2	N	2	31	<.10	200	N	3.6	.07	N	.29	N
10173	62 28 14	157 38 15	--	3	N	3	23	.16	240	N	10	1.2	.04	.32	N
10174	62 29 39	157 27 47	--	2	N	N	52	.14	240	2	8.2	.45	.04	.29	N
10175	62 28 13	157 32 38	--	1	N	4	50	.12	360	N	8.7	N	.05	.38	N
10176	62 27 41	157 32 17	--	2	N	5	31	.10	300	N	5.9	.87	.04	.39	N
10177	62 27 22	157 34 52	--	1	N	8	64	.12	340	N	10	N	.05	.45	N
10178	62 29 39	157 38 14	--	1	N	3	52	<.10	360	1	1.6	N	N	.37	N
10179	62 26 20	157 37 15	--	2	N	6	22	.12	440	N	8.2	N	.05	.43	N
10180	62 24 18	157 42 1	--	--	--	--	--	--	--	--	9.1	.34	.05	.50	N
10181	62 38 47	157 37 5	--	1	N	2	87	<.10	240	N	3.1	N	.06	.53	N
10182	62 37 18	157 36 8	--	2	2	3	170	<.10	350	1	2.4	N	N	.47	N
10183	62 35 31	157 36 55	--	2	N	1	140	<.10	360	1	4.8	N	.04	.35	N
10184	62 35 50	157 34 28	--	2	N	5	73	.10	490	N	6.1	N	.04	.38	N
10185	62 34 9	157 35 42	--	2	N	3	38	.10	430	N	6.6	N	.04	.39	N
10186	62 32 55	157 31 5	--	1	N	2	29	.12	280	N	15	.88	.16	.68	N
10187	62 32 51	157 31 0	--	2	N	2	98	<.10	230	N	3.7	N	.04	.31	N
10188	62 31 26	157 35 1	--	2	1	2	32	.10	340	N	10	N	.04	.40	N
10189	62 30 21	157 34 45	--	2	N	5	50	<.10	350	N	2.8	N	.05	.34	N
10190	62 33 56	157 28 29	--	3	N	4	68	.10	320	3	8.1	.70	.04	.29	N
10191	62 32 36	157 23 10	--	1	N	N	32	.10	530	N	19	1.9	.06	.40	N
10192	62 31 58	157 24 22	--	1	N	4	24	<.10	230	N	10	1.6	.03	.34	N
10193	62 34 55	157 22 10	--	1	N	1	69	<.10	230	N	7.2	N	N	.24	N
10194	62 35 48	157 26 26	--	2	N	1	110	<.10	350	2	5.6	.39	.03	.34	N
10195	62 37 1	157 22 27	--	3	N	N	53	.12	320	N	12	N	.05	.42	N
10196	62 36 28	157 20 11	--	2	N	5	54	.12	260	N	1.9	N	.06	.10	N
10207	62 35 19	158 11 58	--	1	N	3	330	<.10	1300	2	3.8	N	.07	.53	N
10208	62 32 49	158 4 35	--	2	N	N	3800	<.10	56	10	N	N	N	.32	N
10209	62 33 18	158 12 13	--	N	N	5	2100	<.10	190	2	.44	N	.06	.42	N
10211	62 43 46	158 7 15	--	2	N	N	1800	<.10	750	4	.36	N	N	.48	N
10212	62 43 54	158 1 50	--	N	N	9	1200	<.10	220	4	.19	N	.03	.59	N
10213	62 48 32	158 2 48	--	1	1	2	6800	<.10	230	9	N	N	.08	.60	N
10214	62 48 20	158 10 46	--	1	N	4	2300	<.10	1700	5	N	N	N	.42	N
10215	62 47 22	158 16 18	--	1	N	2	3500	<.10	20	23	N	2.8	.04	.37	N
10218	62 25 38	158 3 31	--	N	2	5	560	<.10	360	4	2.1	N	.05	.41	N
10219	62 25 14	158 6 36	--	N	N	3	1400	<.10	240	4	4.7	N	.14	.79	N
10220	62 27 0	158 10 42	--	N	N	2	2700	<.10	57	8	N	N	N	.34	N
10221	62 23 39	158 13 30	--	N	1	1	3400	<.10	64	5	N	N	N	.41	N
10222	62 21 25	158 14 11	--	1	1	2	150	<.10	290	1	4.9	N	.05	.56	N
10223	62 19 22	158 11 55	--	1	N	2	460	<.10	390	2	3.4	N	.07	.53	N
10224	62 21 32	158 11 44	--	N	2	5	90	<.10	390	2	3.4	N	.12	.73	N
10225	62 26 22	158 1 35	--	N	N	2	160	<.10	440	3	2.4	N	.04	.43	N
10226	62 33 58	157 56 15	--	N	N	4	240	<.10	230	1	1.3	N	N	.51	N
10227	62 31 46	157 57 49	--	N	N	3	930	<.10	560	7	1.0	N	N	.33	N
10228	62 31 8	157 54 11	--	N	N	2	120	<.10	230	N	1.9	N	N	.37	N
10229	62 31 55	157 49 40	--	N	N	1	130	<.10	130	1	.87	N	.05	.51	N
10230	62 35 54	157 51 30	--	N	1000	2	440	<.10	260	2	1.1	N	N	.48	N
10231	62 37 6	157 50 25	--	2	1	3	210	<.10	380	4	4.0	.30	.04	.54	N
10232	62 36 38	157 49 52	--	1	N	1	1000	<.10	190	3	.29	N	N	.35	N
10233	62 38 46	157 51 7	--	N	1	6	670	<.10	160	4	4.6	N	N	.51	N
10234	62 44 12	157 52 11	--	1	1	4	1200	<.10	220	2	3.7	N	.04	.44	N

TABLE 1. GEOLOGICAL DATA AND ANALYSES OF THE DILLARD CONDEPABLE, ALASKA--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
10235	62 43 44	157 46 49	--	1	N	2	1400	<.10	150	3	1.7	N	N	.39	N
10236	62 44 18	157 44 5	--	1	N	1	190	<.10	250	1	1.8	N	.07	.53	N
10237	62 49 50	157 41 50	--	1	N	1	160	<.10	150	1	1.0	N	N	.34	N
10238	62 43 25	157 44 22	--	1	1000	2	120	<.10	110	2	.88	N	N	.44	N
10239	62 46 49	157 42 28	--	1	N	1	210	<.10	490	4	--	--	--	--	N
10240	62 48 44	157 42 21	--	2	N	N	64	.14	390	1	6.3	.98	.05	.51	N
10241	62 51 32	157 33 35	--	1	N	2	310	<.10	240	4	3.8	.78	.04	.50	N
10242	62 51 29	157 33 44	--	2	N	2	1500	<.10	220	6	1.4	N	.05	.41	N
10243	62 49 59	157 37 30	--	1	N	1	250	<.10	560	2	4.9	.72	.05	.41	N
10244	62 47 41	157 39 42	--	1	N	1	10	.10	750	2	2.4	.35	.06	.42	N
10245	62 45 46	157 42 23	--	1	N	2	140	<.10	360	4	3.1	N	.04	.37	N
10246	62 45 19	157 43 51	--	1	N	1	2300	<.10	53	11	N	N	N	.33	N
10248	62 48 59	157 43 17	--	3	N	4	430	<.10	390	N	--	--	--	--	N
10249	62 50 44	157 43 16	--	3	N	5	1700	<.10	160	7	N	N	N	.37	N
10250	62 51 19	157 42 11	--	3	N	2	1400	<.10	330	1	4.3	N	N	.42	N
10251	62 30 2	157 45 22	--	1	2	4	260	<.10	270	2	1.1	N	N	.35	N
10252	62 29 30	157 44 25	--	1	N	1	240	<.10	290	3	2.6	N	N	.35	N
10253	62 30 41	157 43 30	--	1	1	2	110	<.10	160	1	1.4	N	N	.31	N
10254	62 31 39	157 42 45	--	3	N	1	240	<.10	430	N	2.5	N	N	.28	N
10255	62 32 22	157 38 59	--	3	N	N	37	.12	690	N	--	--	--	--	N
10256	62 33 21	157 41 50	--	2	N	3	59	<.10	310	N	4.9	N	N	1.6	N
10257	62 3 43	158 54 21	--	--	--	--	--	--	--	--	1.9	N	N	.53	N
10258	62 3 49	158 59 38	--	N	N	5	1700	<.10	200	3	.51	N	N	.56	N
10259	62 11 9	158 59 10	--	N	N	3	1400	<.10	270	4	2.6	N	N	.52	N
10260	62 10 18	158 50 41	--	3	N	N	570	<.10	570	2	1.8	N	N	.57	N
10261	62 10 19	158 48 59	--	10	N	150	8500	<.10	1700	33	1.1	N	N	.46	N
10262	62 8 2	158 45 21	--	3	N	3	420	<.10	630	N	1.1	N	N	.49	N
10263	62 8 16	158 43 27	--	3	N	5	1100	<.10	480	1	.87	N	N	.59	N
10267	62 8 42	158 40 7	--	N	N	N	720	<.10	220	3	.87	N	.04	.62	N
10268	62 8 30	158 39 10	--	2	N	5	1100	<.10	350	N	.49	N	N	.52	N
10269	62 10 3	158 38 39	--	3	N	6	910	<.10	480	N	1.2	N	N	.66	N
10270	62 11 46	158 37 32	--	3	N	6	4000	<.10	400	10	.21	N	N	.55	N
10271	62 11 34	158 43 58	--	3	N	1	780	<.10	460	1	--	--	--	--	N
10272	62 13 56	158 42 25	--	N	N	2	380	<.10	1000	6	--	--	--	--	N
10273	62 14 41	158 47 43	--	N	N	2	1000	<.10	310	2	--	--	--	--	N
10274	62 14 36	158 52 17	--	1	N	N	1600	<.10	380	5	--	--	--	--	N
10275	62 14 43	158 57 31	--	2	N	1	1200	<.10	350	5	--	--	--	--	N
10276	62 16 26	158 56 40	--	3	N	4	1500	<.10	540	5	--	--	--	--	N
10277	62 18 56	158 57 25	--	3	N	3	540	<.10	1700	2	.55	N	N	.56	N
10278	62 31 38	158 12 20	--	N	N	N	1500	<.10	44	6	.62	N	N	.39	N
10279	62 31 10	158 13 35	--	N	N	4	2100	<.10	62	7	N	N	N	.48	N
10280	62 30 15	158 22 28	--	N	N	1	1900	<.10	220	5	N	N	N	.56	N
10281	62 34 6	158 20 13	--	3	N	2	2200	<.10	410	6	--	--	--	--	N
10282	62 34 6	158 14 5	--	3	N	2	1600	<.10	880	N	.49	N	N	.58	N
10283	62 53 47	157 9 42	--	N	N	N	7	<.10	17	N	--	--	--	--	N
10284	62 56 27	157 7 44	--	N	1	3	78	.18	490	N	--	--	--	--	N
10285	62 58 51	157 7 5	--	2	N	5	560	<.10	180	2	--	--	--	--	N
10288	62 59 25	157 0 22	--	N	1	4	85	<.10	270	N	.65	N	N	.27	N
10291	62 59 48	156 52 49	--	2	N	3	13	.54	780	N	--	--	--	--	N
10296	62 53 22	156 53 13	--	N	N	1	20	.10	190	1	1.5	N	N	.36	N
10297	62 53 25	156 53 19	--	N	1	2	49	<.10	150	N	1.1	N	N	.26	N
10298	62 53 10	156 52 21	--	N	2	1	120	<.10	290	13	--	--	--	--	N
10299	62 52 5	156 49 51	--	N	N	1	35	<.10	80	N	--	--	--	--	N
10300	62 51 44	156 46 56	--	N	1	N	81	<.10	110	2	--	--	--	--	N
10301	62 51 3	156 52 59	--	N	N	N	N	.14	65	N	.87	N	N	.22	N
10302	62 51 27	156 52 40	--	N	2	2	73	<.10	140	N	--	--	--	--	N
10303	62 50 59	156 50 4	--	N	1	8	1200	<.10	230	9	N	N	N	.28	N
10304	62 49 46	156 48 2	--	N	N	N	68	<.10	360	1	N	N	N	.28	N
10308	62 46 4	156 47 26	--	1	N	N	N	<.10	91	1	--	--	--	--	N
10314	62 26 20	156 44 43	--	1	N	2	130	<.10	270	1	3.0	N	.08	.40	N

TABLE 1. IZOTERMAL DATA FOR LATTICE ON THE IDIAPRO CONGRUENCE, ALASKA. --Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
10315	62 26 57	156 46 46	--	3	N	N	52	<.10	360	1	21	N	.05	.33	N
10316	62 28 25	156 48 41	--	3	1	3	86	<.10	230	N	--	--	--	--	N
10317	62 29 24	156 50 15	--	1	2	2	230	<.10	210	1	3.0	N	.19	.61	N
10319	62 29 42	156 51 15	--	2	1	N	18	<.10	240	1	5.0	N	.05	.34	N
10317	62 28 14	156 52 0	--	2	N	1	31	<.10	270	2	4.0	N	.05	.31	N
10320	62 26 17	156 52 0	--	1	2	2	93	<.10	130	N	3.0	N	.04	.31	N
10323	62 26 40	156 55 39	--	3	2	1	70	<.10	470	2	10	N	.04	.33	N
10334	62 1 25	156 14 40	--	2	N	4	370	<.10	530	N	1.7	N	.04	.53	N
10335	62 1 44	156 12 20	--	3	N	4	51	.20	360	24	12	1.6	.07	.64	N
10336	62 0 23	156 9 43	--	3	N	3	120	.10	360	N	2.0	.69	.04	.58	N
10337	62 3 29	156 12 28	--	2	N	3	35	<.10	430	N	13	1.1	.05	.50	N
10339	62 13 8	156 5 15	--	1	N	N	1400	<.10	77	29	--	--	--	--	N
10340	62 12 59	156 5 34	--	3	N	4	210	.12	460	N	7.2	.97	.04	.53	N
10341	62 12 29	156 4 7	--	3	N	1	170	.20	450	N	9.3	.87	.05	.48	N
10342	62 11 22	156 7 8	--	3	N	N	590	<.10	500	2	2.4	N	N	.63	N
10343	62 8 57	156 4 4	--	2	N	2	60	.14	420	N	6.7	.85	.05	.47	N
10344	62 8 3	156 7 56	--	4	N	6	130	.22	920	1	4.8	N	.06	.63	N
10345	62 6 47	156 4 11	--	2	N	5	150	.10	350	4	4.8	.44	N	.41	N
10346	62 6 27	156 8 39	--	2	N	2	430	<.10	470	N	2.1	N	N	.59	N
10347	62 4 24	156 7 51	--	4	N	3	39	.24	440	1	12	1.5	.04	.46	N
10348	62 3 26	156 10 12	--	3	N	5	82	.20	490	1	12	1.7	.06	.51	N
10349	62 0 29	156 4 9	--	3	N	1	34	.20	440	N	15	2.1	.05	.52	N
10350	62 2 32	156 1 45	--	4	N	1	20	.20	450	1	6.4	2.3	.04	.44	N
10351	62 6 19	156 12 1	--	3	N	3	210	<.10	530	N	3.9	N	.06	.46	N
10352	62 9 24	156 12 25	--	3	N	3	470	<.10	640	N	2.6	N	.05	.54	N
10353	62 11 33	156 12 11	--	2	N	3	560	<.10	470	N	2.1	N	N	.61	N
10354	62 13 56	156 10 49	--	1	N	6	2300	<.10	220	1	1.1	.95	N	.65	N
10355	62 11 17	156 15 16	--	1	N	7	1400	<.10	380	1	2.5	N	N	.44	N
10357	62 23 21	157 45 1	--	2	N	2	34	.12	380	N	8.0	N	.04	.43	N
10358	62 24 12	157 36 15	--	1	N	1	56	<.10	260	2	2.2	N	N	.33	N
10359	62 24 47	157 33 58	--	1	N	4	35	<.10	270	N	1.8	N	N	.34	N
10360	62 24 43	157 33 54	--	2	N	4	40	<.10	260	N	4.3	N	.04	.34	N
10361	62 20 39	157 32 59	--	3	N	4	42	.14	270	N	6.3	N	.04	.37	N
10362	62 59 49	157 32 48	--	2	N	2	1800	<.10	79	12	N	N	N	.44	N
10363	62 55 42	157 40 24	--	1	N	7	340	<.10	310	N	7.4	N	.08	.68	N
10364	62 56 51	157 39 11	--	1	N	5	510	<.10	460	N	16	N	.09	.50	N
10365	62 58 46	157 37 2	--	N	N	5	710	<.10	110	N	7.7	.48	N	.53	N
10366	62 59 2	157 40 58	--	1	N	6	1700	<.10	650	1	18	N	.10	.57	N
10367	62 56 21	157 43 51	--	1	N	6	340	<.10	380	N	14	N	.04	.54	N
10368	62 54 6	157 44 25	--	1	N	5	440	.18	290	N	10	N	.09	.69	N
10369	62 54 4	157 44 32	--	1	N	2	1400	<.10	210	1	11	N	N	.58	N
10370	62 53 56	157 37 20	--	2	N	6	1900	<.10	160	5	12	N	N	.39	N
10371	62 53 8	157 38 12	--	2	N	5	1400	<.10	79	2	.34	N	N	.49	N
10372	62 52 50	157 31 30	--	2	N	3	2300	--	180	5	.22	N	N	.51	N
10373	62 28 6	157 57 25	--	N	N	6	74	<.10	1200	N	6.0	.45	N	.51	N
10374	62 28 1	157 56 21	--	2	N	2	17	<.10	850	N	3.6	1.2	N	.44	N
10375	62 45 5	157 37 36	--	1	N	4	32	<.10	300	N	.67	N	N	.33	N
10376	62 43 47	157 38 19	--	1	N	5	65	<.10	180	N	.85	N	N	.35	N
10377	62 41 48	157 38 44	--	1	N	3	39	<.10	190	N	2.1	N	N	.42	N
10378	62 42 41	157 32 51	--	2	N	2	170	<.10	210	N	1.5	N	.04	.39	N
10379	62 40 56	157 32 11	--	2	N	4	170	<.10	180	N	1.4	N	N	.36	N
10380	62 39 47	157 33 32	--	2	N	2	59	<.10	240	N	1.5	N	.04	.35	N
10400	62 30 29	158 6 35	--	2	N	4	920	<.10	270	N	1.3	N	N	.40	N
10401	62 31 1	158 0 50	--	--	--	--	--	--	--	--	.43	N	N	.43	N
10402	62 36 44	158 9 15	--	2	N	N	230	<.10	120	8	N	N	N	.34	N
10403	62 41 30	158 5 54	--	1	N	8	2000	<.10	410	6	.69	N	N	.39	N
10404	62 46 12	158 2 4	--	1	N	N	2200	<.10	210	4	N	1.6	.06	.38	N
10405	62 50 1	158 2 50	--	1	N	1	1600	<.10	520	N	.36	N	.03	.49	N
10406	62 51 52	158 4 9	--	N	N	2	1700	<.10	840	N	.22	N	N	.52	N
10407	62 45 57	158 26 59	--	1	N	2	1700	<.10	51	8	N	N	N	.75	N

TABLE 1. ANALYTICAL DATA FOR 1000 OF THE 100000 LEADERSHIP, 1945-1946--Cont: Led

Sample	Latitude	Longitude	Pb (ppb)	Li (ppb)	Ed (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
10438	62 40 39	158 27 41	--	2	3	1	1300	<.10	410	3	1.0	N	N	.42	N
10439	62 36 52	158 27 31	--	4	N	3	150	.14	120	N	1.1	N	.68	.57	N
10440	62 31 31	158 52 41	1	1	(2)	9	2000	<.10	170	4	.40	<.10	<.10	.70	N
10441	62 30 76	158 49 32	1	1	(2)	<6	710	<.10	230	3	<.10	<.10	<.10	.70	N
10442	62 32 33	158 45 11	1	1	(2)	<6	1030	<.10	170	42	.20	<.10	<.10	.70	N
10443	62 34 8	158 41 9	2	1	(2)	<6	1,500	<.10	150	4	N	<.10	<.10	.60	N
10444	62 34 57	158 42 12	2	1	(2)	<6	1,500	<.10	270	4	.50	<.10	<.10	.60	N
10445	62 33 8	158 45 8	1	1	(2)	<6	1,100	<.10	230	7	.20	<.10	<.10	.60	N
10446	62 31 0	158 42 40	2	1	(2)	<6	1,000	<.10	270	3	.50	<.10	<.10	.70	N
10447	62 35 37	158 42 30	2	3	(2)	5	120	<.10	270	2	.70	<.10	<.10	.60	N
10448	62 32 18	158 33 24	1	2	(2)	<6	720	<.10	290	5	2.0	<.10	<.10	.50	N
10449	62 31 33	158 34 0	1	2	(2)	<6	150	<.10	290	(2)	4.1	<.10	<.10	.60	N
10450	62 34 12	158 34 08	4	6	(2)	<6	140	1.50	470	(2)	8.5	<.10	<.10	.70	N
10451	62 31 28	158 27 0	1	3	(2)	<6	740	.18	200	44	1.6	<.10	.10	.90	N
10452	62 37 11	158 22 28	1	2	(2)	<6	130	<.10	200	2	.50	<.10	<.10	.50	N
10453	62 36 49	158 18 29	1	2	(2)	<6	2,300	<.10	210	3	<.10	<.10	.10	.10	N
10454	62 19 51	158 2 21	1	(1)	(2)	<6	93	<.10	310	2	1.6	<.10	.10	.60	N
10455	62 15 56	158 2 0	1	2	(2)	<6	1,700	<.10	<5.0	4	.50	--	<.10	.60	(.1)
10456	62 18 28	157 57 70	1	(1)	(2)	<6	350	<.10	150	2	6.0	.30	<.10	.60	N
10457	62 19 35	157 51 14	1	(1)	(2)	<6	300	<.10	260	(2)	2.0	<.10	<.10	.60	N
10458	62 20 15	157 56 19	(1)	1	(2)	<6	180	<.10	230	2	1.0	<.10	<.10	.70	N
10459D2	62 20 30	157 52 42	1	1	(2)	<6	130	--	450	(2)	2.0	<.10	<.10	.60	N
10459D3	62 20 30	157 52 42	1	1	(2)	<6	140	<.10	480	(2)	1.9	<.10	.10	.60	N
10461	62 22 0	157 29 21	(1)	2	(2)	<6	21	.14	450	2	7.5	1.8	<.10	.80	N
10462	62 19 1	157 28 51	1	2	(2)	<6	52	.10	270	16	6.3	1.2	<.10	.10	N
10463	62 17 22	157 27 54	(1)	2	(2)	<6	8.0	<.10	--	3	2.5	.80	<.10	.40	N
10464	62 16 43	157 22 56	1	3	(2)	<6	17	.10	180	(2)	5.6	.50	<.10	.40	N
10465	62 19 0	157 23 0	1	1	(2)	<6	28	<.10	190	(1)	4.1	1.3	<.10	.40	N
10466	62 24 23	157 12 10	1	2	(2)	8	54	<.10	280	(2)	1.2	<.10	.10	.50	N
10467D2	62 17 52	157 11 40	2	4	(2)	<6	40	.16	230	(2)	4.7	1.4	<.10	.60	N
10468D3	62 17 52	157 11 40	2	2	(2)	<6	56	.14	290	3	4.4	1.3	<.10	.50	N
10469	62 19 0	157 11 5	1	4	(2)	<6	17	.16	280	(2)	4.8	1.0	<.10	.40	N
10470	62 16 9	157 12 50	2	1	(2)	<6	870	<.10	200	(2)	1.0	<.10	.20	.50	N
10471	62 16 20	157 19 48	(1)	--	(2)	<6	16	<.10	230	2	1.8	<.10	<.10	.40	N
10472	62 13 12	157 22 55	14	1	(2)	<6	16	.10	370	(2)	8.8	1.1	<.10	.50	N
10473	62 12 10	157 24 30	2	2	(2)	<6	50	.26	320	5	12	1.0	.10	.70	N
10474	62 14 53	157 4 59	(1)	2	(2)	<6	30	<.10	200	(2)	3.0	.30	<.10	.40	N
10475	62 14 51	157 5 1	1	1	(2)	<6	26	<.10	220	2	3.0	.50	<.10	.40	N
10476	62 14 10	157 11 13	1	2	(2)	<6	59	<.10	350	(2)	1.4	<.10	<.10	.60	N
10477	62 11 22	157 3 25	(1)	2	(2)	<6	48	.16	290	3	5.1	1.2	<.10	.40	N
10478	62 8 35	157 1 48	1	2	(2)	<6	200	.10	300	(2)	2.4	<.10	.10	.50	N
10479	62 6 6	157 4 8	1	1	(2)	<6	120	<.10	270	(2)	1.6	<.10	<.10	.40	N
10480D2	62 6 40	157 6 15	1	2	(2)	<6	150	<.10	270	2	.90	<.10	.10	.50	N
10480D3	62 6 40	157 6 15	(1)	1	(2)	<6	140	<.10	240	2	1.1	<.10	.10	.70	N
10481	62 6 21	157 8 30	1	1	(2)	<6	99	<.10	500	(2)	1.6	<.10	.10	.50	N
10482	62 4 39	157 8 38	(1)	2	(2)	<6	130	<.10	250	(2)	2.1	.20	<.10	.40	N
10483	62 4 16	157 2 49	1	1	(2)	<6	59	<.10	250	(2)	1.1	<.10	.10	.40	N
10484	62 1 35	157 0 2	(1)	2	(2)	<6	16	.14	230	(2)	4.5	1.0	<.10	.40	N
10485	62 21 41	157 45 2	1	3	(2)	<6	230	.10	390	3	7.8	.50	<.10	.50	N
10486	62 35 51	157 58 18	(1)	1	(2)	<6	750	<.10	--	3	.40	<.10	<.10	.50	N
10487D2	62 35 53	157 58 19	2	(1)	(2)	<6	210	<.10	210	2	2.0	.10	<.10	.20	N
10487D3	62 35 53	157 58 19	(1)	(1)	(2)	<6	190	<.10	170	(2)	2.0	.60	.10	1.4	N
10488	62 35 59	158 2 21	(1)	(1)	(2)	<6	2,700	<.10	69	15	<.10	<.10	<.10	.90	N
10489	62 39 39	157 57 25	1	1	(2)	<6	1,500	<.10	89	2	.50	<.10	<.10	.70	N
10490	62 41 8	157 59 47	1	1	(2)	<6	2,200	--	90	5	<.10	<.10	<.10	.70	N
10491	62 44 12	157 56 1	2	1	(2)	<6	3,200	<.10	75	11	.40	<.10	<.10	.50	N
10492	62 30 21	157 29 40	1	2	(2)	<6	43	<.10	240	2	5.1	1.4	<.10	.60	N
10493	62 33 8	157 18 8	6	(1)	(2)	<6	140	<.10	710	(2)	2.1	.80	<.10	.30	N
10494	62 32 7	157 18 9	1	(1)	(2)	<6	33	<.10	56	2	1.4	<.10	<.10	.40	N
10495	62 34 17	157 13 29	1	2	(2)	<6	64	<.10	130	(2)	2.2	<.10	<.10	.50	N

TABLE 1. GEOCHEMICAL DATA FOR WATERS FROM THE IDITAROD QUADRANGLE, ALASKA.--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ⁻⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
10465D2	62 35 3	157 13 3	1	1	<2	<6	45	--	120	<2	1.1	.20	<.10	.40	N
10465D3	62 35 3	157 13 3	1	1	<2	<6	50	<.10	120	2	1.1	<.10	<.10	.20	N
10466	62 36 8	157 12 17	1	1	<2	<6	50	<.10	140	<2	1.2	.50	<.10	.30	N
10467	62 31 1	157 13 32	1	2	<2	<6	37	<.10	180	3	2.8	.60	<.10	.50	N
10468D2	62 4 55	156 55 55	3	<1	<2	<6	31	<.10	470	<2	1.4	<.10	<.10	.60	N
10468D3	62 4 55	156 55 55	2	1	<2	<6	210	<.10	190	<2	1.0	<.10	<.10	.40	N
10469D2	62 3 54	157 23 31	1	1	<2	<6	170	.10	280	3	3.7	.60	<.10	.50	N
10469D3	62 3 54	157 23 31	1	1	<2	<6	160	<.10	270	<2	3.9	1.4	.10	.70	N
10470	62 3 53	157 23 30	1	2	<2	<6	37	<.10	340	<2	1.1	.90	.10	.50	N
10471	62 2 11	157 20 0	1	1	<2	<6	260	<.10	130	<2	2.6	<.10	<.10	.80	N
10472	62 0 58	157 9 39	1	3	<2	<6	110	.18	290	<2	4.7	1.3	.10	.50	N
10473D2	62 3 4	157 25 40	1	2	<2	<6	170	<.10	350	3	2.4	.60	<.10	.50	N
10473D3	62 3 4	157 25 40	1	1	<2	<6	150	<.10	290	<2	2.4	.60	<.10	.50	N
10474	62 3 5	157 25 48	1	3	<2	<6	17	.32	350	<2	7.9	1.1	.10	.60	N
10475	62 1 15	157 23 16	1	5	<2	<6	82	.16	250	<2	6.5	1.5	.10	.60	N
10476	62 1 7	157 25 26	1	3	<2	<6	240	<.10	220	<2	4.2	.60	<.10	.60	N
10477	62 8 37	157 22 5	<1	3	<2	<6	95	.10	310	<2	2.9	.40	.10	.60	N
10478	62 11 33	157 28 30	2	3	<2	<6	26	.20	290	<2	11	2.1	<.10	.90	N
10479	62 2 12	156 56 0	<1	2	<2	<6	63	<.10	230	2	1.4	.40	<.10	.50	N
10480	62 4 30	156 50 38	<1	2	<2	<6	67	<.10	140	<2	1.2	.30	<.10	.50	N
10481	62 6 38	156 47 49	<1	1	<2	<6	250	<.10	91	<2	.90	<.10	<.10	.90	N
10482	62 6 33	156 42 4	1	1	<2	<6	86	<.10	150	<2	1.0	<.10	.70	.60	N
10483	62 0 40	156 34 19	<1	1	<2	<6	69	<.10	130	37	1.0	<.10	<.10	.50	N
10484	62 6 40	156 56 10	1	2	<2	<6	270	<.10	200	2	1.7	.80	.10	.60	N
10485	62 4 54	156 55 49	<1	1	<2	<6	380	<.10	140	2	.70	<.10	.10	.70	N
10486D2	62 5 15	157 20 55	1	2	<2	<6	72	.18	330	4	6.0	.80	<.10	.60	N
10486D3	62 5 15	157 20 55	1	2	<2	<6	57	.20	270	45	6.5	1.3	<.10	.70	N
10487	62 5 12	157 20 55	1	1	<2	<6	28	<.10	200	5	3.8	1.4	<.10	.40	N
10488	62 3 32	157 19 39	1	2	<2	<6	180	.10	240	<2	4.4	.60	.10	.50	N
10489	62 1 12	157 12 16	2	2	<2	<6	170	.16	310	4	5.5	.70	.10	.60	N
10490D2	62 3 30	157 14 35	1	2	<2	7	1,900	.14	400	3	5.6	.80	<.10	.40	N
10490D3	62 3 30	157 14 35	<1	1	<2	7	38	.16	250	6	5.9	.80	<.10	.40	N
10491	62 4 51	157 14 43	<1	2	<2	<6	270	<.10	250	<2	4.0	.70	<.10	.50	N
10492	62 7 25	157 28 26	2	1	<2	7	2,000	.20	170	5	5.3	1.2	<.10	.50	N
10493	62 9 0	157 26 35	1	3	<2	<6	220	<.10	300	26	4.8	.60	.10	.50	N
10494	62 14 49	157 29 50	2	1	<2	<6	17	<.10	190	<2	3.8	.40	<.10	.50	N
10495	62 1 55	156 54 10	<1	1	<2	<6	32	.10	220	<2	2.0	.50	<.10	.40	N
10496	62 7 20	156 52 10	<1	2	<2	<6	140	<.10	200	<2	1.2	<.10	<.10	.50	N
10497	62 8 3	156 47 3	2	1	<2	7	130	<.10	280	<2	.90	<.10	<.10	.60	N
10498	62 4 15	156 37 46	2	2	<2	<6	18	<.10	210	<2	2.4	.80	<.10	.50	N
10499D2	62 4 17	156 37 45	<1	1	<2	<6	110	<.10	140	<2	1.2	<.10	<.10	.40	N
10499D3	62 4 17	156 37 45	3	2	<2	<6	160	<.10	170	<2	1.1	<.10	<.10	.50	N
10601	62 26 53	157 55 19	--	--	--	--	--	--	--	--	8.1	N	.05	.55	N
10602	62 26 58	157 54 38	--	--	--	--	--	--	--	--	1.7	N	N	.29	N
10607	62 26 58	157 55 32	--	--	--	--	--	--	--	--	12	N	N	.41	N
10608	62 26 38	157 55 35	--	--	--	--	--	--	--	--	.93	N	N	.33	N
10609	62 26 16	157 56 14	--	--	--	--	--	--	--	--	2.2	N	N	.40	N
10610	62 28 6	157 57 26	--	2	N	<6	81	<.10	1,600	4	4.4	N	N	.42	N
10612	62 28 18	158 0 48	1	<1	<2	<6	63	<.10	380	2	1.3	.70	<.10	.60	N
10613	62 26 57	158 1 36	12	1	<2	<6	3,290	<.10	890	11	1.6	<.10	<.10	.40	N
10614	62 26 52	158 7 24	1	1	<2	<6	39	.38	990	3	3.5	<.10	.10	.70	N
10615	62 26 59	158 7 35	1	<1	<2	<6	170	.46	920	<2	4.0	<.10	.10	.70	N
10616	62 26 56	158 6 39	1	4	<2	<6	65	.22	300	<2	5.0	<.10	.10	1.1	N
10617	62 26 39	158 1 35	2	2	<2	<6	290	<.10	220	<2	.90	<.10	<.10	.60	N
10618	62 28 5	158 0 57	<1	1	<2	<6	120	<.10	570	<2	1.3	.50	.10	.60	N
10619	62 28 5	158 0 59	<1	<1	<2	<6	73	<.10	500	<2	1.9	<.10	.10	.70	N
10620	62 3 5	156 34 56	1	2	<2	<6	140	<.10	160	2	1.6	1.2	<.10	.50	N
10621	62 0 50	156 39 20	1	2	<2	<6	130	<.10	220	<2	1.1	.20	<.10	.50	N
10622	62 4 35	156 42 58	<1	1	<2	<6	130	<.10	130	<2	.90	<.10	<.10	.8	N
10623	62 0 38	156 42 0	<1	3	<2	<6	24	<.10	130	<2	3.3	.50	.10	1.4	N

TABLE 1. TRENCH DATA FOR 1973. DATA FOR 1973 TRENCH DATA, STATION A--Continued

Sample	Latitude	Longitude	As (ppb)	Cl (ppb)	Cd (ppb)	Cu (ppb)	Pb (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SD _{As} (ppb)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	Br ⁻ (ppm)
10624	62 5 31	156 32 9	1	3	<2	7	53	<.10	150	<2	1.5	<.10	<.10	2.5	N
10625	62 9 19	156 31 33	1	2	<2	<5	120	<.10	150	3	1.4	<.10	<.10	.60	N
10626	62 23 19	156 37 1	<1	2	<2	<6	150	<.10	150	<2	.90	<.10	<.10	.30	N
10627	62 35 56	157 23 53	2	3	<2	5	14	<.10	170	<2	6.9	.8	<.10	.50	N
10628	62 43 5	157 27 13	1	2	<2	6	2,500	<.10	18	6	2.6	<.10	<.10	.50	N
10629	62 43 39	157 22 40	1	1	<2	<6	99	<.10	110	2	5.2	.50	<.10	.80	N
10630	62 43 22	157 17 18	1	2	<2	8	79	<.10	130	9	3.5	1.0	<.10	.70	N
10631	62 9 10	156 41 41	1	3	<2	6	44	<.10	220	<2	1.1	<.10	<.10	.60	N
10632	62 4 21	156 46 48	<1	2	<2	6	72	<.10	120	<2	1.1	<.10	<.10	1.3	N
10633	62 0 38	156 47 37	1	3	<2	6	57	<.10	130	2	1.5	.40	<.10	.70	N
10634	62 6 17	156 40 2	<1	<1	<2	<6	110	<.10	120	9	1.2	<.10	<.10	.50	N
10635	62 20 55	156 33 52	1	2	<2	5	55	<.10	120	2	1.2	<.10	<.10	.40	N
10636	62 41 10	157 12 30	2	3	<2	7	1,700	<.10	160	2	6.7	.70	<.10	.40	N
10637	62 43 45	157 12 24	<1	<1	<2	<6	120	<.10	320	<1	5.7	<.10	<.10	.40	N
10638	62 38 55	157 15 49	1	2	<2	<6	46	<.16	360	32	7.4	--	<.10	.30	N
10639	62 42 6	157 18 0	1	1	<2	<6	53	<.10	150	5	5.0	.90	<.10	.60	N
10640	62 38 51	157 18 23	1	2	<2	<6	19	<.10	240	2	8.6	.70	<.10	.50	N
10641	62 39 29	157 28 4	2	2	<2	<6	160	<.10	300	3	3.2	.10	<.10	.60	N
10642	62 41 30	157 27 34	<1	2	<2	<6	270	<.10	--	4	4.0	<.10	<.10	.60	N
10643	62 40 19	157 22 21	1	2	<2	<6	71	<.10	270	<2	6.2	.80	<.10	.50	N
10644	62 41 13	157 12 29	3	1	<2	6	1,200	<.10	340	<2	9.8	.60	<.10	.40	N
10645	62 32 30	157 6 39	1	<1	<2	<6	100	<.10	130	<2	1.4	<.10	<.10	.40	N
10646	62 31 16	157 8 26	<1	3	<2	<6	74	<.10	260	3	4.1	.20	<.10	.40	N
10647	62 33 2	157 2 18	1	2	<2	<6	170	<.10	120	<2	1.0	<.10	<.10	.40	N
10648	62 31 30	157 8 16	1	2	<2	<6	52	<.10	190	3	2.0	<.10	<.10	.50	N
10700	62 20 59	158 35 35	1	1	<2	6	820	<.10	470	<2	.80	<.10	<.10	.80	N
10701	62 22 53	158 53 56	1	2	<2	7	980	<.10	340	3	1.3	<.10	<.10	.70	N
10702	62 18 8	158 52 35	2	1	<2	<6	1,400	<.10	340	2	<.10	<.10	<.10	.90	N
10703	62 22 10	158 50 11	1	3	<2	<6	470	<.10	720	<2	.50	<.10	<.10	.90	N
10704	62 23 59	158 46 15	1	2	<2	9	370	<.10	1,200	<2	.60	<.10	<.10	.80	N
10705	62 21 28	158 46 7	1	1	<2	<6	1,900	<.10	220	3	<.10	<.10	<.10	.80	N
10706	62 22 38	158 40 58	<1	<1	<2	<6	280	<.10	960	2	.30	<.10	<.10	.70	N
10707	62 23 2	158 39 3	<1	1	<2	<6	110	<.10	1,500	<2	<.10	<.10	<.10	.60	N
10708	62 24 31	158 42 21	1	1	<2	<6	600	<.10	1,100	2	<.10	<.10	<.10	.70	N
10709	62 24 43	158 36 29	1	1	<2	<6	420	<.10	530	4	<.10	<.10	<.10	.60	N
10710	62 23 50	158 34 13	<1	<1	<2	<6	290	<.10	130	5	<.10	<.10	<.10	.60	N
10711	62 26 49	158 35 32	1	<1	<2	<6	240	<.10	910	<2	.30	<.10	<.10	1.1	N
10712	62 27 38	158 31 41	1	5	<2	<6	240	<.10	580	5	1.1	<.10	<.10	.50	N
10713	62 20 5	158 34 56	1	2	<2	<6	160	<.10	550	4	.40	<.10	<.10	.70	N
10714	62 18 11	158 36 18	1	1	<2	<6	1,300	<.10	390	<2	<.10	--	<.10	.60	N
10715	62 15 55	158 47 52	1	2	<2	<6	880	<.10	1,000	<2	<.10	<.10	<.10	.90	N
10716	62 19 36	158 46 50	1	1	<2	<6	650	<.10	260	5	<.10	<.10	<.10	.70	N
1071702	62 19 12	158 49 12	2	<1	<2	<6	1,300	<.10	93	3	N	<.10	<.10	.70	N
1071703	62 19 12	158 49 12	2	1	<2	<6	1,200	<.10	90	<2	<.10	<.10	<.10	1.1	N
10718	62 26 0	158 18 44	3	2	<2	<6	250	<.10	220	<2	.40	<.10	<.10	.80	N
10719	62 18 25	158 34 0	1	<1	<2	<6	730	<.10	220	<2	.50	.20	<.10	.70	N
10720	62 16 53	158 33 0	2	1	<2	<6	1,300	<.10	53	4	.20	<.10	<.10	.60	N
10721	62 26 9	158 57 45	<1	1	<2	<6	400	<.10	170	2	1.1	<.10	<.10	.50	N
1072202	62 29 6	158 59 42	2	1	<2	<6	410	<.10	130	<2	.80	<.10	<.10	.50	N
1072203	62 29 6	158 59 42	2	1	<2	<6	430	<.10	190	<2	.60	<.10	<.10	.50	N
10723	62 27 44	158 55 25	1	1	<2	<6	210	<.10	130	<2	1.4	<.10	<.10	.50	N
10724	62 29 29	158 51 17	3	<1	<2	<6	1,360	<.10	200	3	.60	<.10	<.10	.70	N
10725	62 17 12	157 53 9	2	1	<2	<6	130	<.10	220	<2	5.3	.50	<.10	.60	N
10726	62 15 0	157 59 5	<1	2	<2	<6	260	<.10	240	5	3.8	.30	<.10	.50	N
10727	62 7 57	156 56 0	1	1	<2	<6	84	<.10	220	<2	1.8	1.0	<.10	.40	N
10728	62 8 38	156 59 0	<1	4	<2	<6	62	<.14	200	<2	2.2	.50	<.10	.40	N
10729	62 12 15	156 59 13	<1	2	<2	<6	69	<.10	160	3	2.3	.60	<.10	.40	N
10730	62 9 49	157 9 21	<1	3	<2	<6	59	<.10	250	2	4.1	1.2	<.10	.40	N
10731	62 8 37	157 7 1	<1	5	<2	<6	200	--	240	2	4.1	<.10	<.10	.50	N
1073102	62 8 12	157 10 38	1	3	<2	<6	150	<.10	280	2	5.6	.60	<.10	.40	N

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Co (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ + NO ₂ ⁻ (ppm)
107323	62 0 12	157 16 38	1	2	2	150	1.10	210	2	5.1	.10	<.10	.40
10733	62 7 47	157 11 44	1	2	2	83	1.10	210	2	4.3	.10	<.10	.50
10734	62 6 1	157 14 59	1	2	2	330	1.10	210	3	1.7	<.10	<.10	.40
10735	62 8 54	157 15 13	1	3	2	21	1.14	210	3	5.0	.10	<.10	.40
10736	62 8 42	157 15 13	1	3	2	420	1.10	210	2	3.2	.10	<.10	.30
107353	62 8 42	157 15 19	1	3	2	400	1.10	210	2	5.4	.10	<.10	.50
10737	62 8 1	157 15 22	1	4	2	73	.29	40	3	1.0	<.10	<.10	.20
10738	62 59 47	158 53 44	1	1	2	1,410	1.10	18	2	1.0	<.10	<.10	.50
10739	62 53 11	158 53 49	2	1	2	1,500	1.10	64	2	1.0	<.10	<.10	.50
10740	62 57 40	158 47 37	2	2	2	37	1.10	180	2	1.0	<.10	<.10	.50
10741	62 56 17	158 45 31	3	2	2	4,400	1.10	910	5	1.0	<.10	<.10	.50
10742	62 55 48	158 50 49	2	1	2	1,500	1.10	340	6	1.0	<.10	<.10	.50
10743	62 55 22	158 55 52	3	1	2	1,100	1.10	73	2	1.0	<.10	<.10	.40
10744	62 54 5	158 55 41	5	1	2	1,200	1.10	85	8	2.2	<.10	<.10	.1.0
10745	62 53 41	158 51 40	2	1	2	3,100	1.10	130	2	1.0	<.10	<.10	.50
10746	62 53 49	158 49 45	4	1	2	3,200	1.10	370	11	1.0	<.10	<.10	.50
10747	62 50 27	158 57 30	1	2	2	3,000	.26	470	2	1.0	<.10	<.10	.40
10748	62 51 17	158 53 57	1	1	2	2,300	1.10	410	3	1.0	<.10	<.10	.40
10749	62 50 32	158 47 33	2	1	2	2,300	1.10	100	7	.40	<.10	<.10	.60
10750	62 49 48	158 47 20	3	1	2	3,500	1.10	210	7	1.0	<.10	<.10	.70
10751	62 49 11	158 50 30	2	1	2	510	1.10	320	2	.70	1.8	<.10	1.0
10752	62 49 30	158 56 20	1	1	2	1,500	1.10	380	3	1.0	<.10	<.10	.70
10753	62 45 40	158 55 30	2	2	2	1,900	1.10	590	4	1.0	<.10	<.10	.60
10754	62 46 46	158 50 26	1	1	2	590	1.10	420	2	.60	<.10	<.10	.80
10755	62 46 13	158 47 15	3	1	2	3,100	1.10	100	7	1.0	<.10	<.10	.80
10756	62 46 28	158 43 5	1	1	2	3,200	1.10	120	7	1.0	<.10	<.10	.80
10757	62 47 18	158 41 24	1	2	2	3,100	1.10	25	6	1.0	<.10	<.10	.80
1075702	62 47 18	158 41 24	1	2	2	3,100	1.10	25	6	1.0	<.10	<.10	.80
1075783	62 47 18	158 41 24	1	2	2	2,600	1.10	370	8	1.0	<.10	<.10	.80
10758	62 44 14	158 44 26	3	4	2	340	1.10	40	2	1.0	<.10	<.10	.80
10759	62 43 23	158 46 42	2	3	2	900	1.10	280	2	2.3	<.10	<.10	1.0
10760	62 43 0	158 52 40	2	2	2	370	1.10	290	2	.40	<.10	<.10	.40
10761	62 44 13	158 56 10	1	3	2	570	1.10	340	2	1.8	<.10	<.10	.60
1076202	62 43 46	158 58 28	1	1	2	510	1.10	1,300	4	.80	<.10	<.10	.70
1076203	62 43 46	158 58 28	1	1	2	550	1.10	1,300	2	1.5	<.10	<.10	.60
10763	62 40 52	158 57 24	1	2	2	920	1.10	500	2	1.3	<.10	<.10	.60
10764	62 41 18	158 50 18	2	1	2	1,700	1.10	210	2	1.0	<.10	<.10	.90
10765	62 58 42	158 42 9	1	1	2	2,900	1.10	60	8	1.0	<.10	<.10	.40
10766	62 58 33	158 36 13	1	2	2	2,600	1.10	40	9	1.0	<.10	<.10	.50
10767	62 58 33	158 34 34	1	1	2	2,600	1.10	40	6	1.0	<.10	<.10	.70
10768	62 57 6	158 32 35	1	1	2	2,800	1.10	98	6	1.0	<.10	<.10	.60
10769	62 55 34	158 38 24	2	1	2	4,000	1.10	320	3	.50	<.10	<.10	.50
10770	62 56 34	158 42 55	13	2	2	3,800	1.10	430	4	1.0	<.10	<.10	.70
10771	62 54 56	158 42 33	3	1	2	1,200	1.10	390	6	.90	<.10	<.10	.40
10772	62 23 45	158 22 26	3	7	2	1,200	1.10	260	5	.60	<.10	<.10	.60
10773	62 52 7	158 32 35	1	1	2	1,800	1.10	66	6	1.0	<.10	<.10	.30
10774	62 53 4	158 38 48	3	1	2	2,400	1.10	150	2	.40	<.10	<.10	.60
10775	62 51 25	158 35 50	2	1	2	2,600	1.10	83	6	1.0	<.10	<.10	.70
10776	62 50 22	158 40 2	2	1	2	2,900	1.10	16	8	1.0	<.10	<.10	.70
10777	62 49 20	158 42 40	2	1	2	3,300	1.10	100	10	.40	<.10	<.10	.80
10778	62 46 52	158 37 10	1	1	2	2,500	1.10	6	8	1.0	<.10	<.10	.90
10779	62 43 1	158 37 0	2	1	2	2,800	1.10	16	5	.10	<.10	<.10	.70
10780	62 38 38	158 41 30	4	1	2	3,000	1.10	830	9	.90	<.10	<.10	.60
1078102	62 38 11	158 41 46	1	1	2	2,000	1.10	720	2	1.0	<.10	<.10	.60
1078103	62 38 11	158 41 46	2	1	2	2,000	1.10	530	3	1.0	<.10	<.10	.60
10782	62 41 25	158 45 33	1	1	2	1,800	1.10	170	4	.30	<.10	<.10	.60
10783	62 40 32	158 45 38	1	1	2	1,700	1.10	210	7	1.0	<.10	<.10	.70
10784	62 41 40	158 38 11	1	1	2	2,400	1.10	58	7	1.0	<.10	<.10	.40
10785	62 43 53	158 31 52	1	1	2	2,800	1.10	21	10	1.0	<.10	<.10	.60
10786	62 41 2	158 33 10	1	2	2	2,500	1.10	66	8	1.0	<.10	<.10	1.1
10787	62 38 18	158 31 1	1	1	2	2,600	1.10	23	9	1.0	<.10	<.10	.60

TABLE 1. THE UNITED STATES, 1989-1994.--Continued

13

TABLE 1. GEOCHEMICAL DATA FOR AREA 1 FROM THE INTEGRATED QUADRANGLE, ALASKA--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ⁻⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
10840	62 9 42	157 50 48	1	2	<2	<6	8	<.10	170	<2	2.9	1.7	<.10	.50	N
10841	62 10 27	157 51 2	1	2	<2	<6	33	<.10	160	3	3.3	1.6	<.10	.50	N
10842	62 13 18	157 54 19	1	3	<2	<6	16	.18	250	<2	11	2.6	.10	.90	N
1084302	62 11 59	157 57 12	1	2	<2	<6	56	<.10	220	2	5.2	1.0	<.10	.40	N
1084303	62 11 58	157 57 12	<1	2	<2	<6	58	<.10	270	<2	5.2	1.1	<.10	.50	N
10844	62 12 3	157 57 28	1	2	<2	<6	42	.20	220	<2	5.2	1.4	<.10	.50	N
10845	62 14 33	157 59 15	2	2	<2	<6	250	<.10	420	2	5.1	1.0	<.10	.60	N
10846	62 2 23	157 59 4	1	2	<2	<6	27	.10	210	2	3.4	2.6	<.10	.60	N
10847	62 0 18	157 56 27	1	1	<2	<6	15	.18	220	<2	5.9	1.2	<.10	.50	N
10848	62 0 5	157 51 6	1	2	<2	<6	100	<.10	240	<2	2.6	--	<.10	.40	1.2
10849	62 5 38	157 58 20	1	2	<2	<6	18	--	190	3	12	1.7	<.10	.40	N
10850	62 5 5	157 53 20	1	1	<2	<6	17	.12	190	4	5.8	1.8	<.10	.40	N
10851	62 6 1	157 53 46	1	1	<2	<6	44	<.10	150	2	5.0	1.1	<.10	.50	N
10852	62 7 18	157 47 50	1	1	<2	<6	34	<.10	150	3	1.6	<.10	<.10	.60	N
10853	62 5 1	157 44 33	2	1	<2	<6	40	.14	210	2	7.1	2.4	<.10	.50	N
10854	62 4 3	157 45 45	<1	2	<2	<6	18	.18	230	<2	6.9	1.6	<.10	.40	N
10855	62 4 32	157 42 51	1	1	<2	<6	62	<.10	180	<2	3.0	.70	<.10	.40	N
1085602	62 1 0	157 42 10	<1	2	<2	<6	78	.16	250	3	5.4	.60	<.10	.40	N
1085603	62 1 0	157 42 10	1	1	<2	<6	82	.14	250	<2	6.0	1.0	<.10	.50	N
10857	62 0 47	157 41 47	1	2	<2	7	3,500	.26	190	8	4.7	1.4	<.10	.50	N
10858	62 3 30	157 37 10	1	<1	<2	<6	210	<.10	77	<1	3.0	1.5	<.10	.40	N
10859	62 1 55	157 46 21	1	1	<2	<6	39	<.10	130	<2	2.1	--	<.10	.40	1.70
10860	62 0 23	157 36 40	1	1	<2	<6	480	<.10	240	<2	4.1	<.10	<.10	.50	N
10861	62 1 11	157 33 45	1	2	<2	<6	91	.22	250	<2	6.9	1.3	<.10	.50	N
10862	62 3 0	157 34 0	3	1	<2	<6	98	<.10	200	<2	5.2	1.2	<.10	.50	N
10863	62 5 55	157 32 7	<1	1	<2	<6	65	<.10	230	2	2.4	1.2	.10	.60	N
10864	62 8 53	157 31 41	<1	2	<2	7	74	.18	260	4	3.6	1.5	<.10	.60	N
10865	62 9 15	157 36 35	1	<1	<2	<6	14	.16	220	<2	6.6	.80	<.10	.40	N
1086603	62 5 27	157 35 20	2	2	<2	<6	110	<.10	140	<2	1.5	.50	<.10	.40	N
1086602	62 5 27	157 35 20	2	2	<2	<6	100	<.10	220	2	3.0	.90	<.10	.40	N
10867	62 6 5	157 34 40	<1	1	<2	<6	98	.12	190	2	5.5	1.1	<.10	.60	N
10868	62 7 2	157 44 10	<1	2	<2	<6	18	.12	--	2	5.9	2.0	<.10	.40	N
10869	62 10 31	157 40 9	<1	1	<2	<6	43	<.10	190	<2	3.4	1.3	<.10	.40	N
10870	62 10 35	157 37 36	<1	1	<2	<6	17	.10	220	<2	4.4	1.6	<.10	.40	N
1087102	62 10 7	157 34 22	<1	<1	<2	<6	46	<.10	170	3	3.0	1.6	<.10	.50	N
1087103	62 10 7	157 34 22	1	1	<2	<6	47	<.10	210	<2	3.0	1.3	.10	.60	N
10872	62 10 15	157 32 0	1	3	<2	<6	48	.14	230	2	4.6	1.3	.10	.60	N
10873	62 7 45	157 47 31	<1	<1	<2	<6	27	<.10	230	3	4.4	2.3	<.10	.60	N
10874	62 14 15	156 58 33	<1	2	<2	<6	46	<.10	150	<2	1.7	1.0	<.10	.70	N
10875	62 14 36	156 55 42	1	3	<2	<6	170	<.10	170	2	2.3	.30	<.10	.40	N
10876	62 12 33	156 54 29	<1	3	<2	<6	67	<.10	140	3	1.3	<.10	<.10	.50	N
10877	62 13 5	156 48 43	<1	1	<2	<6	130	<.10	82	<2	1.1	<.10	<.10	.30	N
10878	62 12 23	156 46 58	<1	2	<2	<6	200	<.10	100	<2	1.3	<.10	<.10	.30	N
10879	62 13 53	156 44 59	1	<1	<2	<6	72	<.10	140	4	2.0	.50	<.10	.40	N
10880	62 14 48	156 39 11	1	2	<2	<6	43	--	120	<2	2.6	1.1	<.10	.40	N
10881	62 14 48	156 37 3	1	1	<2	<6	27	<.10	140	2	1.7	<.10	<.10	.30	N
10882	62 12 58	156 31 21	<1	2	<2	6	26	.10	200	2	3.6	.70	<.10	.40	N
10883	62 10 46	156 32 3	<1	1	<2	<6	14	<.10	160	<1	.80	<.10	.10	.50	N
10884	62 9 39	156 35 41	2	1	<2	<6	62	<.10	150	2	1.3	<.10	<.10	.40	N
10885	62 10 31	156 39 29	<1	2	<2	<6	43	<.10	140	<2	2.0	1.2	.10	.70	N
10887	62 10 58	156 52 22	2	2	<2	<6	83	<.10	52	<2	1.0	<.10	<.10	.40	N
10888	62 10 20	157 44 30	1	2	<2	<6	19	.10	210	2	3.4	1.6	<.10	.50	N
10889	62 12 13	157 44 58	1	2	<2	<6	21	<.10	190	<2	11	1.8	<.10	.50	N
10890	62 13 25	157 47 33	1	1	<2	<6	27	<.10	160	2	3.9	1.0	<.10	.20	N
10891	62 13 43	157 41 50	2	2	<2	<6	50	<.10	150	<2	2.9	.40	<.10	.30	N
10892	62 14 42	157 38 9	2	1	<2	7	19	<.10	150	<2	.50	<.10	<.10	.40	N
10893	62 18 38	157 31 8	1	3	<2	<6	340	<.10	160	<2	5.0	1.0	<.10	.50	N
1089402	62 18 41	157 31 10	2	1	<2	<6	18	<.10	180	<2	2.9	.90	<.10	.50	N
1089403	62 18 41	157 31 10	1	2	<2	<6	14	<.10	200	2	2.8	1.0	<.10	.50	N
10895	62 16 47	157 38 39	1	2	<2	<6	12	<.10	140	3	3.0	1.2	<.10	.40	N

TABLE 1. LEAD-BASED DATA OF 1000 FROM THE CONTINUED SURVEILLANCE, 1985-1990 (continued)

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Pb (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	CO ₃ ²⁻ (ppm)
10396	62 15 33	157 32 34	<1	<1	<2	<6	15	<10	120	<2	2.9	1.1	<10	1.1	N
10397	62 14 0	157 32 1	1	<1	<2	5	13	<10	180	<2	3.1	.70	<10	1.40	N
10398	62 17 4	157 42 0	3	2	<2	<6	28	--	150	2	3.8	.90	<10	1.40	N
10399	62 17 47	157 49 59	<1	2	<2	16	91	<10	170	<2	5.2	1.3	<10	1.26	N
10399	62 45 0	156 51 9	2	1	<2	<6	32	<10	95	2	1.60	.80	<10	1.60	N
10399	62 23 22	158 55 7	1	<1	2	16	580	<10	210	4	6.2	<10	<10	1.60	N
10402	62 37 37	156 12 18	3	3	<2	5	1,200	<10	250	6	1.09	<0.1	1.1	1.20	N
10403	62 39 59	156 3 26	5	18	<2	15	3,300	<10	1,300	4	<0.1	1.0	1.3	1.71	N
10404	62 40 28	156 1 9	12	12	<2	8	1,100	<10	260	6	2.0	<0.1	1.7	1.24	N
10405	62 31 33	156 4 9	5	6	<2	<5	450	<10	250	3	1.8	<0.1	1.5	1.35	N
10406	62 35 58	156 3 41	4	5	<2	<5	1,200	<10	120	3	.47	<0.1	1.6	1.16	N
10407	62 34 58	156 11 9	2	4	<2	6	850	<10	170	3	.51	<0.1	1.7	1.19	N
10409	62 28 29	156 19 49	4	2	<2	<5	65	<10	230	<2	2.8	<0.1	1.2	1.28	N
10411	62 38 55	156 25 59	2	4	<2	7	1,100	<10	80	4	.40	<0.1	1.3	1.18	N
10412	62 36 56	156 22 22	4	8	<2	<5	1,300	<10	220	<2	1.5	<0.1	1.7	1.30	N
10413	62 41 3	156 26 13	4	2	<2	<5	2,500	<10	140	7	<0.1	<0.1	1.0	1.16	N
10415	62 46 17	156 16 10	2	3	<2	<5	410	<10	300	<2	3.4	<0.1	1.1	1.15	N
10416	62 49 39	156 9 39	4	3	<2	<5	370	<10	290	<2	2.5	<0.1	1.4	1.21	N
10417	62 49 9	156 1 53	8	2	<2	<5	350	<10	380	3	1.8	.62	1.3	1.27	N
10418	62 48 28	156 16 56	4	2	<2	<5	250	<10	290	<2	3.7	<0.1	1.7	1.40	N
10419	62 56 4	156 3 32	4	1	<2	<5	<25	<10	370	<2	.53	1.2	.09	1.24	N
10421	62 59 15	156 18 50	1	3	<2	<5	55	<10	170	<2	5.8	.46	1.6	1.30	N
10422	62 54 39	156 14 54	5	2	<2	<5	130	<10	230	<2	2.7	<0.1	1.3	1.27	N
10423	62 55 11	156 27 16	2	4	<2	<5	35	<10	190	<2	7.4	.79	<0.1	1.28	N
10424	62 53 2	156 25 15	3	2	<2	<5	25	<10	200	<2	6.8	.80	1.1	1.28	N
10425	62 48 50	156 29 44	3	4	<2	<5	950	<10	130	<2	<0.1	<0.1	.09	1.14	N
10426	62 45 10	156 30 56	2	4	<2	<5	360	<10	490	2	1.6	<0.1	1.4	1.28	N
10427	62 50 13	156 42 4	2	1	<2	<5	140	<10	130	<2	5.4	<0.1	1.4	1.33	N
10428	62 41 24	157 0 35	2	<1	<2	<5	35	<10	110	<2	.64	<0.1	1.2	1.18	N
10429	62 44 19	157 2 30	1	1	<2	<5	55	<10	150	<2	.91	<0.1	1.5	<0.1	N
10430	62 31 18	157 2 47	1	2	<2	<5	150	<10	140	<2	.99	<0.1	1.6	1.35	N
10431	62 31 34	156 53 0	1	2	<2	<5	200	<10	130	<2	1.1	<0.1	1.4	1.25	N
10432	62 30 41	156 45 5	2	4	<2	<5	270	<10	180	<2	6.1	<0.1	1.3	1.29	N
10433	62 35 42	156 40 41	2	3	<2	5	330	<10	100	<2	1.9	<0.1	1.22	1.42	N
1043402	62 36 2	156 45 11	1	4	<2	<5	80	<10	180	<2	2.1	<0.1	1.4	1.36	N
1043403	62 36 2	156 45 11	2	4	<2	<5	95	<10	140	<2	2.1	<0.1	1.12	1.28	N
1043404	62 36 2	156 45 11	2	4	<2	<5	100	<10	130	<2	2.1	<0.1	1.13	1.28	N
10435	62 38 37	156 55 12	2	4	<2	<5	65	<10	80	<2	.82	<0.1	1.4	1.30	N
10436	62 41 28	156 45 37	1	2	<2	<5	100	<10	150	<2	1.3	<0.1	1.1	1.18	N
10437	62 43 58	156 35 46	3	2	<2	7	360	<10	130	<2	1.1	<0.1	1.1	1.15	N
10438	62 44 4	156 45 16	2	4	<2	<5	170	<10	150	<2	3.0	<0.1	1.1	1.17	N
10439	62 19 53	156 20 21	1	3	<2	<5	130	<10	270	<2	1.5	<0.1	1.7	1.32	N
10440	62 24 9	156 22 58	2	3	<2	<5	65	<10	210	<2	2.2	<0.1	1.3	1.26	N
10441	62 25 33	156 18 2	3	3	<2	6	470	<10	130	<2	.48	<0.1	1.1	1.16	N
10442	62 22 23	156 11 4	1	3	<2	<5	140	<10	200	<2	3.7	<0.1	1.4	1.36	N
10443	62 17 48	156 7 51	1	2	<2	<5	620	<10	170	<2	2.9	<0.1	1.5	1.38	N
10444	62 15 46	156 25 51	2	5	<2	<5	30	<10	210	<2	3.1	<0.1	1.3	1.26	N
10445	62 16 39	156 22 52	2	5	<2	<5	40	<10	140	<2	2.3	<0.1	1.0	1.26	N
10446	62 4 5	156 13 19	3	3	<2	<5	110	<10	230	<2	3.0	1.1	1.1	1.34	N
10447	62 47 39	157 12 15	1	2	<2	<5	110	<10	310	4	4.3	<0.1	1.3	1.34	N
10448	62 46 17	157 23 43	3	3	<2	<5	680	<10	340	22	1.4	<0.1	1.4	1.28	N
10449	62 47 53	157 20 48	3	2	<2	<5	710	<10	210	<2	1.8	<0.1	1.09	1.26	N
10450	62 51 41	157 16 45	3	1	<2	<5	3,100	<10	95	8	<0.1	<0.1	1.1	1.28	N
10451	62 2 29	156 17 18	2	2	<2	<5	210	<10	80	<2	.54	<0.1	1.1	1.15	N
10452	62 6 41	156 7 37	3	2	<2	<5	210	<10	120	<2	.84	<0.1	1.13	1.25	N
10453	62 7 52	156 6 58	4	1	<2	<5	130	<10	130	<2	1.4	<0.1	1.0	1.22	N
10454	62 11 40	156 6 8	3	1	<2	<5	420	<10	280	2	.94	<0.1	1.3	1.16	N
11200	62 38 52	156 18 35	2	4	<2	<5	1,100	<10	240	2	1.5	<0.1	1.1	1.14	N
11201	62 40 27	156 13 59	3	5	<2	6	670	<10	240	<2	1.7	<0.1	1.4	1.21	N
11202	62 40 34	156 6 38	3	9	<2	<5	440	<10	470	2	2.7	<0.1	1.6	1.31	N

TABLE 1. BED-ROCK DATA FOR METALS FROM THE KATIAK COMPLEXES, ALASKA. (Continued)

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Co (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
11203	62 31 37	156 7 25	2	3	<2	<5	310	<10	310	<2	1.5	<.01	.12	.26	N
11204	62 33 18	156 2 39	1	6	<2	<5	250	<10	180	<2	1.3	<.01	.15	.27	N
11205	62 33 25	156 12 37	3	8	<2	<5	440	<10	310	<2	2.4	<.01	.19	.37	N
11206	62 31 51	156 15 40	3	7	<2	<5	130	<10	230	<2	1.5	<.01	.14	.26	N
11207	62 29 55	156 21 39	2	7	<2	<5	50	<10	350	<2	2.2	.44	.11	.30	N
11208	62 28 29	156 27 42	2	5	<2	<5	45	<10	230	<2	3.5	.51	.14	.29	N
112093	62 33 54	156 21 6	3	6	<2	<5	470	<10	230	2	1.9	<.01	.12	.24	N
112094	62 33 54	156 21 5	3	7	<2	<5	430	<10	230	2	1.9	<.01	.15	.26	N
11210	62 38 8	156 24 8	5	2	<2	<5	1,500	<10	230	3	1.2	<.01	.20	.25	N
11211	62 35 8	156 25 8	3	7	<2	<5	150	<10	120	2	1.4	<.01	.11	.16	N
11212	62 43 0	156 23 40	5	3	<2	<5	1,300	<10	200	7	.65	<.01	.10	.13	N
11213	62 43 37	156 12 22	3	3	<2	<5	130	<10	230	<2	1.0	.92	.12	.20	N
11214	62 45 24	156 21 29	3	3	<2	<5	560	<10	150	5	2.2	<.01	.10	.26	N
11216	62 51 41	156 4 3	3	4	<2	<5	250	<10	400	<2	4.2	<.01	.13	.26	N
1121802	62 53 58	156 7 42	1	1	<2	<5	200	<10	290	4	2.8	.50	.15	.31	N
1121803	62 53 58	156 7 42	2	3	<2	<5	180	<10	320	60	2.5	.43	.14	.28	N
1121804	62 53 58	156 7 42	3	4	<2	<5	150	<10	280	60	2.7	.40	.11	.27	N
11220	62 58 30	156 5 51	2	3	<2	<5	90	<10	350	9	3.1	<.01	.14	.45	N
1122102	62 56 54	156 14 25	1	4	<2	<5	45	<10	230	<2	8.3	.45	.20	.44	N
1122103	62 56 54	156 14 25	3	2	<2	<5	25	<10	220	<2	7.6	<.01	.12	.26	N
11223	62 53 21	156 17 57	2	2	<2	<5	65	<10	220	8	3.3	.72	.10	.28	N
11224	62 51 1	156 23 39	2	3	<2	<5	65	<10	170	<2	1.6	<.01	.11	.24	N
11225	62 47 32	156 19 22	2	6	<2	<5	230	<10	340	<2	3.1	<.01	.12	.31	N
11226	62 49 22	156 31 33	2	3	<2	<5	<25	<10	180	<2	1.6	<.01	.13	.31	N
11227	62 48 30	156 37 4	2	2	<2	<5	70	<10	200	5	6.5	.78	.15	.36	N
11228	62 47 49	156 44 9	3	<1	<2	<5	90	<10	150	11	3.5	<.01	.09	.20	N
11229	62 37 8	157 7 32	1	1	<2	<5	140	<10	350	<2	3.0	<.01	.14	.29	N
11230	62 40 45	157 6 50	2	3	<2	<5	55	<10	570	<2	3.5	.49	.12	<.01	N
11231	62 38 54	157 7 33	1	<1	<2	<5	25	<10	710	<2	2.3	.27	.09	.17	N
11232	62 33 44	156 56 28	1	4	<2	<5	<25	<10	200	<2	2.0	<.01	.13	.24	N
11233	62 34 17	156 52 40	2	5	<2	<5	50	<10	220	<2	2.3	<.01	.13	.24	N
1123402	62 35 6	156 44 37	2	4	<2	<5	110	<10	220	<2	4.5	<.01	.16	.30	N
1123403	62 35 6	156 44 37	2	3	<2	<5	150	<10	240	<2	4.2	<.01	.12	.24	N
1123434	62 35 6	156 44 37	2	3	<2	<5	140	<10	240	<2	4.7	<.01	.14	.28	N
11235	62 24 58	156 32 35	2	5	<2	<5	130	<10	140	<2	1.4	<.01	.10	.18	N
11236	62 29 27	156 38 50	2	6	<2	<5	370	<10	180	<2	3.4	<.01	.12	.22	N
11237	62 30 30	156 43 46	2	3	<2	<5	100	<10	190	<2	2.6	<.01	.14	.23	N
11238	62 29 42	156 31 30	3	3	<2	<5	300	<10	210	<2	2.4	<.01	.12	.21	N
11239	62 35 44	156 32 30	2	3	<2	<5	580	<10	200	<2	1.6	<.01	.14	.17	N
1124002	62 37 27	156 30 51	1	2	<2	<5	1,200	<10	70	2	.42	<.01	.10	.18	N
1124003	62 37 27	156 30 51	3	2	<2	<5	1,200	<10	70	<2	.39	<.01	.08	.11	N
1124004	62 37 27	156 30 51	2	2	<2	<5	1,200	<10	60	<2	.40	<.01	.10	.18	N
11241	62 39 2	156 43 0	2	2	<2	<5	360	<10	150	<2	.72	<.01	.15	.20	N
11242	62 15 3	156 18 5	2	6	<2	<5	180	<10	200	<2	1.9	<.01	.14	.35	N
11243	62 21 2	156 24 12	1	3	<2	<5	95	<10	230	<2	1.5	<.01	.13	.33	N
11244	62 21 40	156 18 37	2	5	<2	<5	50	<10	200	<2	2.3	<.01	.12	.37	N
11245	62 19 13	156 14 31	2	3	<2	<5	300	<10	190	<2	1.7	<.01	.15	.23	N
1124602	62 18 32	156 5 49	3	2	<2	<5	160	<10	180	<2	2.5	<.01	.12	.26	N
1124603	62 18 32	156 5 49	2	4	<2	<5	160	<10	180	<2	2.3	<.01	.12	.27	N
1124604	62 18 32	156 5 49	1	3	<2	<5	170	<10	180	<2	2.3	<.01	.13	.26	N
1124702	62 16 20	156 27 13	2	3	<2	<5	60	<10	130	<2	1.6	<.01	.12	.32	N
1124703	62 16 20	156 27 13	2	2	<2	<5	<25	<10	190	<2	1.7	<.01	.12	.28	N
1124704	62 16 20	156 27 13	3	3	<2	<5	70	<10	190	<2	1.6	<.01	.13	.31	N
11248	62 18 31	156 25 58	2	4	<2	<5	<25	<10	190	<2	2.5	<.01	.10	.24	N
11249	62 18 55	156 32 12	2	2	<2	<5	<25	<10	190	<2	3.8	<.01	.13	.32	N
11250	62 13 33	156 23 38	3	4	<2	<5	100	<10	180	<2	2.1	<.01	.10	.28	N
11251	62 10 20	156 22 10	1	3	<2	<5	60	<10	140	<2	2.2	.35	.20	.65	N
11252	62 6 59	156 21 9	3	1	<2	<5	120	<10	140	<2	1.1	<.01	.12	.28	N
1125302	62 6 10	156 16 6	1	2	<2	<5	100	<10	140	<2	2.1	<.01	.12	.30	N
1125303	62 6 10	156 16 6	3	3	<2	<5	65	<10	180	<2	1.9	<.01	.12	.33	N

TABLE 1. ANALYTICAL DATA FOR THE DIT-PED DISPERSED, SLASRA--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Co (ppb)	Pu (ppb)	Pb (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
1125304	62 6 10	156 16 6	2	2	<2	5	55	<.10	150	<2	2.0	<.01	.11	.30	N
11254	62 3 18	156 22 9	1	1	<2	5	110	<.10	150	<2	1.3	<.01	.13	.27	N
11255	62 2 25	156 7 49	2	1	<2	5	150	<.10	150	<2	1.73	<.01	.11	.31	N
1125602	62 3 39	156 5 49	4	2	<2	5	320	<.10	170	<2	1.43	<.01	.19	.29	N
1125603	62 3 39	156 5 49	2	1	<2	5	150	<.10	150	<2	1.91	<.01	.19	.38	N
1125604	62 3 39	156 5 49	2	1	<2	5	150	<.10	150	<2	1.0	<.01	.11	.34	N
11257	62 5 20	156 4 48	3	2	<2	5	150	<.10	150	<2	1.6	<.01	.11	.34	N
11258	62 10 14	156 2 13	2	2	<2	5	30	<.10	150	<2	2.1	<.01	.11	.24	N
11259	62 11 13	156 12 11	3	2	<2	5	30	<.10	150	<2	4.0	<.01	.13	.23	N
1125902	62 13 3	156 2 33	2	2	<2	5	40	<.10	200	<2	3.5	.56	.11	.24	N
1126003	62 13 3	156 2 33	2	1	<2	5	50	<.10	200	<2	4.3	<.01	.10	.34	N
1126004	62 13 3	156 2 33	3	2	<2	5	45	<.10	200	<2	3.8	<.01	.10	.32	N
11261	62 14 5	156 9 59	1	1	<2	5	120	<.10	300	4	1.9	<.01	.12	.29	N
11262	62 15 33	156 4 31	1	3	<2	5	120	<.10	190	<2	2.8	<.01	.11	.41	N
11263	62 20 28	156 6 47	2	2	<2	5	50	<.10	310	<2	2.6	<.01	.18	.40	N
11264	62 26 41	156 9 15	1	2	<2	14	40	<.10	150	2	6.4	.39	.10	.21	N
11265	62 29 31	156 8 51	4	1	<2	5	230	<.10	160	2	1.5	<.01	.09	.26	N
11266	62 28 56	156 55 56	1	3	<2	5	<25	<.10	180	<2	5.7	<.01	.11	.29	N
11267	62 24 31	157 1 52	1	2	<2	5	<25	<.10	320	2	11	2.5	.11	.39	N
11268	62 24 8	156 56 41	2	2	<2	5	45	<.10	310	<2	6.8	1.5	.10	.24	N
11269	62 17 3	156 52 52	2	3	<2	5	<25	<.10	320	<2	4.0	<.01	.16	.42	N
11270	62 18 18	156 49 52	2	3	<2	5	40	<.10	390	<2	2.1	<.01	.12	.33	N
11271	62 21 25	156 45 21	2	2	<2	5	45	<.10	160	<2	3.1	.98	.14	.31	N
11272	62 19 13	156 40 34	6	2	<2	5	<25	<.10	200	<2	.71	<.01	.09	.32	N
11273	62 10 12	157 40 31	2	1	<2	5	110	<.10	210	<2	5.9	1.6	.12	.39	N
11274	62 8 28	157 36 52	2	4	<2	5	<25	.14	290	<2	2.8	1.4	.13	.41	N
11275	62 45 31	156 5 17	2	1	<2	5	25	<.10	150	<2	1.3	<.01	.10	.22	N
11276	62 45 28	156 5 21	2	3	<2	5	<25	<.10	120	<2	1.3	<.01	.09	.25	N
11277	62 46 43	156 4 3	1	4	<2	5	90	<.10	220	<2	1.7	<.01	.15	.36	N
11278	62 50 14	156 10 51	3	1	<2	5	40	<.10	420	<2	1.1	.45	.09	.28	N
11279	62 53 28	156 8 18	2	2	<2	5	<25	<.10	430	<2	2.7	1.8	.13	.33	N
11280	62 53 41	156 1 27	1	1	<2	5	80	<.10	250	<2	5.5	.52	.13	.36	N
11281	62 59 48	156 33 8	2	5	<2	5	<25	.24	380	<2	5.1	1.0	.17	.53	N
11282	62 39 58	156 8 5	4	7	<2	5	990	<.10	730	<2	5.3	<.01	.24	.51	N
11283	62 42 7	156 6 28	2	6	<2	5	620	.10	490	<2	2.4	.46	.14	.30	N
11284	62 38 23	157 2 22	2	1	<2	5	180	<.10	110	<2	1.2	<.01	.09	.26	N
11285	62 36 1	157 0 41	1	3	<2	5	100	<.10	220	<2	1.6	<.01	.13	.26	N
11286	62 14 39	157 11 58	1	3	<2	5	<25	<.10	320	<2	5.1	.65	.10	.35	N
11287	62 26 28	157 52 13	1	4	<2	5	65	<.10	300	<2	1.6	.56	.15	.48	N
11288	62 23 21	157 53 2	3	1	<2	5	40	<.10	1,700	<2	1.5	.86	.10	.40	N
11289	62 31 47	157 52 2	19	2	<2	5	80	<.10	250	<2	1.4	<.01	.14	.59	N
11401	62 41 49	156 11 48	3	2	<2	5	900	<.10	320	<2	1.4	<.01	.12	.13	N
11402	62 43 6	156 6 31	3	4	<2	5	790	<.10	380	21	2.6	<.01	.12	.21	N
11403	62 39 4	156 0 53	3	3	<2	5	1,000	<.10	250	4	.82	<.01	.13	.20	N
11405	62 35 49	156 7 30	5	3	<2	5	1,000	<.10	310	18	2.9	<.01	.15	.20	N
11406	62 36 4	156 12 33	2	3	<2	6	680	<.10	180	<2	1.4	<.01	.16	.19	N
11407	62 36 9	156 15 2	3	6	<2	5	700	<.10	280	<2	1.3	<.01	.16	.23	N
11409	62 31 8	156 29 11	2	5	<2	5	430	<.10	130	<2	1.2	<.01	.14	.30	N
11410	62 34 38	156 23 35	2	4	<2	5	490	<.10	130	2	1.7	<.01	.16	.15	N
11411	62 40 56	156 24 16	5	2	<2	5	1,600	<.10	80	11	<.01	<.01	.09	.24	N
11412	62 34 54	156 28 49	2	5	<2	5	390	<.10	139	<2	.35	<.01	.12	.20	N
11413	62 42 46	156 24 30	4	3	<2	5	1,500	<.10	120	24	.74	<.01	.09	.16	N
11414	62 45 37	156 0 4	3	4	<2	5	890	<.10	250	<2	1.1	<.01	.11	.19	N
11415	62 46 12	156 14 10	2	4	<2	5	300	<.10	240	2	5.4	<.01	.14	.21	N
11416	62 46 43	156 6 53	3	6	<2	5	940	<.10	200	<2	1.5	<.01	.13	.19	N
11417	62 51 28	156 7 35	6	2	<2	5	320	<.10	360	<2	1.6	.94	.10	.24	N
11418	62 53 8	156 11 20	3	6	<2	5	90	<.10	250	2	1.1	1.2	.10	.40	N
11419	62 51 23	156 10 40	4	1	<2	5	70	<.10	540	80	.62	3.7	.10	.27	N
11420	62 54 38	156 7 19	2	2	<2	5	260	<.10	230	<2	3.3	<.01	.10	.21	N
11421	62 56 51	156 9 22	2	5	<2	5	<25	<.10	370	<2	3.1	1.1	.16	.37	N

TABLE 1. 1971 SURVEY OF SELECTED METALS FROM THE LUTHERAN CAMPUS, ALASKA. --Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Ed (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ -- (ppm)	NO ₃ -- (ppm)	F-- (ppm)	Cl-- (ppm)	NO ₂ -- (ppm)
11423	62 56 29	156 10 25	3	1	<2	<5	<25	<.10	140	<2	2.6	.73	.14	.41	N
11424	62 56 48	156 25 42	2	2	<2	<5	45	<.10	150	<2	4.0	.89	.14	.26	N
11425	62 54 4	156 26 3	1	3	<2	<5	<25	<.10	210	<2	6.0	1.7	.13	.41	N
11426	62 55 21	156 26 7	2	3	<2	<5	<25	<.10	240	<2	5.3	.73	.12	.29	N
11427	62 45 40	156 25 18	3	3	<2	<5	<25	<.10	170	4	1.2	<.01	.11	.18	N
11428	62 49 59	156 31 52	3	3	<2	<5	<25	<.10	150	<2	14	1.7	.12	.29	N
11429	62 48 24	156 34 5	2	4	<2	<5	40	<.10	120	<2	8.2	<.01	.10	.21	N
11430	62 46 53	156 39 19	3	8	<2	<5	75	<.10	150	<2	8.6	<.01	.10	.23	N
11431	62 53 26	156 35 19	3	50	<2	<5	80	<.10	170	2	7.0	<.01	.12	.20	N
11432	62 59 37	157 1 51	3	1	<2	<5	85	<.10	170	0	1.2	.78	.16	.25	N
11433	62 45 26	157 9 8	3	<1	<2	<5	40	<.10	770	<2	1.4	<.01	.10	.16	N
11434	62 36 18	157 3 22	2	4	<2	<5	110	<.10	150	<2	1.9	<.01	.14	.21	N
11435	62 31 4	156 57 57	2	3	<2	<5	150	<.10	110	<2	1.0	<.01	.13	.21	N
11436	62 34 22	156 48 4	2	4	<2	<5	45	<.10	170	<2	2.3	<.01	.17	.44	N
11437	62 26 20	156 37 20	2	3	<2	<5	220	<.10	130	<2	2.3	<.01	.15	.35	N
11438	62 31 17	156 31 51	3	1	<2	<5	1,300	<.10	90	2	<.01	<.01	.10	<.01	N
11439	62 33 50	156 40 30	2	3	<2	<5	200	<.10	210	<2	5.6	<.01	.12	.29	N
11440	62 36 35	156 38 15	3	2	<2	<5	620	<.10	130	2	.47	<.01	.12	.24	N
11441	62 33 42	156 37 45	3	2	<2	<5	1,400	<.10	30	4	<.01	<.01	.10	.19	N
11442	62 41 43	156 37 18	2	2	<2	<5	1,600	<.10	95	<2	<.01	<.01	.10	.11	N
11443	62 34 54	156 48 40	2	4	<2	<5	75	<.10	130	<2	2.2	<.01	.22	.37	N
11444	62 36 24	156 52 3	2	3	<2	<5	35	<.10	160	<2	4.7	<.01	.13	.38	N
11445	62 35 45	156 58 7	2	2	<2	<5	100	<.10	150	<2	1.3	.49	.10	.19	N
11446	62 39 47	156 49 29	2	3	<2	<5	<25	<.10	200	<2	1.7	<.01	.13	.27	N
11447	62 41 53	156 42 4	2	3	<2	<5	240	<.10	200	<2	1.1	<.01	.11	.16	N
11448	62 43 21	156 33 21	3	1	<2	5	1,000	<.10	100	<2	.35	<.01	.12	.10	N
11449	62 41 40	156 54 17	1	2	<2	<5	270	<.10	70	<2	.41	<.01	.10	.16	N
11450	62 39 37	156 59 44	2	2	<2	<5	310	<.10	80	<2	.67	.39	.11	.19	N
11451	62 17 41	156 20 41	3	5	<2	<5	160	<.10	170	<2	1.4	<.01	.13	.29	N
11452	62 23 10	156 25 34	2	4	<2	<5	50	<.10	170	<2	4.2	<.01	.13	.45	N
11453	62 23 33	156 15 54	2	3	<2	<5	60	<.10	170	<2	3.6	.38	<.01	.26	N
11454	62 19 59	156 10 39	1	5	<2	<5	65	<.10	210	<2	2.8	<.01	.12	.29	N
11455	62 19 50	156 29 6	3	2	<2	<5	30	<.10	160	<2	2.7	.31	.13	.29	N
11456	62 12 13	156 27 12	3	3	<2	<5	85	<.10	240	<2	2.5	<.01	.11	.26	N
11457	62 10 17	156 16 4	4	5	<2	<5	100	<.10	290	<2	2.7	<.01	.13	.31	N
11458	62 7 47	156 27 8	2	3	<2	<5	45	<.10	180	<2	1.5	<.01	.12	.24	N
11459	62 7 26	156 15 24	2	1	<2	<5	160	<.10	230	<2	1.2	<.01	.10	.25	N
11460	62 3 7	156 29 13	2	3	<2	<5	45	<.10	150	<2	1.8	1.01	.14	.40	N
11461	62 5 46	156 19 31	3	3	<2	<5	130	<.10	230	<2	1.1	<.01	.11	.30	N
11462	62 0 19	156 29 36	2	<1	<2	<5	45	<.10	130	<2	1.3	.65	.11	.26	N
11463	62 3 6	156 18 9	3	4	<2	<5	90	<.10	210	<2	1.8	<.01	.12	.29	N
11464	62 48 54	157 15 30	4	3	<2	<5	320	<.10	210	<2	2.0	<.01	.11	.34	N
11465	62 46 59	157 25 46	2	2	<2	<5	620	<.10	190	<2	2.0	<.01	.12	.31	N
11466	62 50 43	157 28 12	2	2	<2	5	630	<.10	220	<2	.39	<.01	.17	.36	N
11467	62 54 10	157 27 18	1	1	<2	<5	920	<.10	210	<2	.48	<.01	.10	.27	N
11468	62 2 3	156 3 45	2	<1	<2	<5	2,000	<.10	180	13	.34	<.01	.08	.36	N
11469	62 4 19	156 5 20	2	<1	<2	<5	230	<.10	140	<2	.64	<.01	.10	.23	N
11470	62 7 58	156 10 35	2	1	<2	<5	260	<.10	50	<2	.76	<.01	.09	.15	N
11471	62 12 4	156 2 56	2	2	<2	<5	160	<.10	140	<2	1.7	<.01	.10	.42	N
11472	62 12 52	156 5 48	3	1	<2	<5	170	<.10	170	<2	.97	<.01	.09	.26	N
11473	62 14 32	156 1 12	1	<1	<2	<5	40	<.10	160	<2	1.4	<.01	.10	.31	N
11474	62 15 44	156 5 49	3	2	<2	<5	160	<.10	200	<2	1.2	<.01	.10	.32	N
11475	62 21 38	156 3 1	4	2	<2	<5	120	<.10	190	<2	2.4	<.01	.11	.37	N
11476	62 24 33	156 9 13	4	3	<2	<5	80	<.10	230	<2	6.7	.60	.14	.37	N
11477	62 28 9	156 1 18	1	3	<2	<5	70	<.10	250	<2	3.1	.43	.12	.34	N
11478	62 25 8	156 14 59	3	2	<2	<5	110	<.10	210	<2	5.1	.47	.12	.21	N
11479	62 1 49	158 54 10	2	1	<2	<5	290	<.10	300	<2	.68	<.01	.13	.67	N
11480	62 3 38	158 55 49	1	2	<2	<5	90	<.10	250	<2	1.5	.43	.11	.55	N
11481	62 41 52	157 11 49	1	3	<2	<5	55	<.10	390	<2	18	.33	.16	.24	N
11482	62 37 58	157 11 48	4	2	<2	<5	50	<.10	550	<2	3.0	<.01	.13	.29	N

TABLE 1. SELECTED DATA FOR THE 1974-75 SURVEY OF THE ATLANTIC OCEAN, ALABAMA--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Co (ppb)	Pb (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ⁻⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
11483	62 45 16	157 5 18	2	2	<2	<5	30	<.10	240	<2	3.9	<.01	.14	.26	N
11484	62 34 53	157 23 32	1	2	<2	<5	150	<.10	150	<2	4.7	.56	.12	.34	N
11495	62 33 27	157 17 8	2	1	<2	<5	95	<.10	150	<2	2.9	.39	.09	.18	N
11496	62 33 51	157 16 9	2	2	<2	<5	150	<.10	160	<2	1.6	<.01	.12	.13	N
11497	62 32 8	157 10 28	2	3	<2	<5	35	<.10	240	<2	3.4	.62	.13	.24	N
11488	62 34 8	157 2 22	2	4	<2	<5	150	<.10	250	<2	1.4	<.01	.12	.12	N
11489	62 30 48	157 2 39	2	4	<2	<5	60	<.12	170	<2	5.2	<.01	.12	.29	N
11490	62 55 11	156 32 41	2	1	<2	<5	25	<.10	150	<2	4.8	<.01	.12	.12	N
11491	62 55 27	156 40 30	2	2	<2	<5	5	<.12	210	<2	4.6	<.01	.13	.22	N
11492	62 57 16	156 37 15	2	2	<2	<5	25	<.10	320	<2	5.3	.81	.20	.42	N
11493	62 34 18	157 30 31	2	<1	<2	<5	35	<.10	250	<2	6.2	.82	.15	.47	N
11494	62 35 12	157 32 59	3	3	<2	<5	25	<.10	250	<2	3.3	.95	.10	.33	N
11495	62 31 37	157 49 48	3	3	<2	<5	55	<.10	180	<2	.94	.74	.12	.34	N
11496	62 32 29	157 48 3	2	3	<2	<5	55	<.10	210	<2	.68	<.01	.12	.37	N
11497	62 29 52	157 47 48	1	<1	<2	<5	95	<.10	190	<2	1.1	<.01	.13	.42	N
11498	62 23 28	157 49 52	1	3	<2	<5	130	<.10	190	<2	1.6	<.01	.10	.41	N
11499	62 26 33	156 55 55	2	4	<2	<5	<25	<.10	310	<2	10	.49	.13	.29	N
11500	62 26 26	156 34 30	1	3	<2	<5	150	<.10	170	<2	3.2	<.01	.14	.19	N
11501	62 29 43	156 41 20	2	4	<2	<5	55	<.10	150	<2	4.6	<.01	.11	.22	N
11502	62 31 56	156 34 10	2	1	<2	<5	110	<.10	250	2	.52	<.01	.13	.28	N
11503	62 33 0	156 36 25	2	2	<2	<5	110	--	320	2	--	--	--	--	N
11504	62 33 45	156 32 10	3	3	<2	<5	710	<.10	150	<2	.74	<.01	.15	.21	N
1150502	62 40 20	156 38 10	2	1	<2	<5	1,930	<.10	110	3	.41	<.01	.14	.14	N
1150503	62 40 20	156 38 10	4	2	<2	<5	1,900	<.10	110	2	.69	<.01	.12	.22	N
1150504	62 40 20	156 38 10	4	2	<2	<5	1,900	<.10	110	<2	.53	<.01	.12	.11	N
1150602	62 38 20	156 46 50	2	2	<2	<5	85	<.10	180	<2	3.0	<.01	.12	.26	N
1150603	62 38 20	156 46 50	2	2	<2	<5	95	<.10	190	<2	3.4	<.01	.13	.33	N
1150604	62 38 20	156 46 50	1	2	<2	<5	100	<.10	180	<2	3.1	<.01	.14	.22	N
1150702	62 37 11	156 51 1	2	4	<2	<5	30	<.10	190	<2	3.9	<.01	.13	.26	N
1150703	62 37 11	156 51 1	1	3	<2	<5	45	<.10	180	<2	3.9	.42	.13	.33	N
1150704	62 37 11	156 51 1	2	4	<2	<5	50	<.10	170	<2	3.8	.46	.12	.29	N
11508	62 39 47	156 57 9	3	1	<2	<5	70	<.10	120	<2	.95	<.01	.12	.24	N
1150902	62 40 23	156 50 8	2	3	<2	<5	210	<.10	150	<2	1.4	<.01	.13	.26	N
1150903	62 40 23	156 50 8	2	2	<2	<5	210	<.10	160	<2	1.3	<.01	.12	.26	N
1150904	62 40 23	156 50 8	2	1	<2	<5	210	<.10	160	<2	1.3	<.01	.12	.24	N
11510	62 42 46	156 43 17	2	3	<2	<5	75	<.10	180	<2	1.5	<.01	.13	.35	N
1151102	62 43 20	156 40 26	2	3	<2	<5	240	<.10	240	<2	1.4	<.01	.14	.20	N
1151103	62 43 20	156 40 26	2	3	<2	<5	190	<.10	240	<2	1.2	<.01	.12	.31	N
1151104	62 43 20	156 40 26	2	2	<2	<5	190	<.10	240	<2	1.0	<.01	.16	.22	N
11512	62 44 8	156 51 39	6	1	<2	<5	95	<.10	160	<2	.23	<.01	.17	.27	N
11513	62 42 28	156 54 48	3	1	<2	<5	85	<.10	140	<2	.64	.70	.14	.28	N
11514	62 16 3	156 30 52	1	3	<2	<5	150	<.10	230	5	1.3	<.01	.12	.26	N
11515	62 13 37	156 18 44	2	5	<2	<5	230	<.10	260	<2	.79	<.01	.14	.21	N
11516	62 8 26	156 24 38	2	2	<2	<5	95	<.10	190	<2	1.5	<.01	.11	.30	N
1151702	62 9 13	156 17 16	4	4	<2	<5	190	<.10	280	22	2.2	<.01	.12	.30	N
1151703	62 9 13	156 17 16	2	4	<2	<5	120	<.10	250	<2	2.4	<.01	.11	.29	N
1151704	62 9 13	156 17 16	3	3	<2	<5	130	<.10	250	<2	2.3	<.01	.12	.34	N
11518	62 7 11	156 25 53	3	3	<2	<5	45	<.10	170	<2	1.6	<.01	.12	.37	N
11519	62 2 3	156 22 18	2	3	<2	<5	40	<.10	170	<2	1.5	<.01	.12	.29	N
1152002	62 3 58	156 19 20	2	4	<2	<5	80	<.10	250	<2	1.9	<.01	.13	.30	N
1152003	62 3 58	156 19 20	1	3	<2	<5	30	<.10	240	<2	1.7	<.01	.12	.24	N
1152004	62 3 58	156 19 20	2	3	<2	<5	85	<.10	230	<2	1.8	<.01	.15	.35	N
11521	62 46 38	157 13 42	3	2	<2	<5	140	<.10	270	<2	3.4	1.16	.11	.46	N
11522	62 45 47	157 17 49	1	<1	<2	<5	110	<.10	170	<2	1.6	<.01	.11	.26	N
11523	62 48 18	157 28 42	1	1	<2	<5	530	<.10	460	4	.99	<.01	.12	.51	N
11524	62 53 37	157 17 19	3	3	<2	<5	170	<.10	170	<2	2.4	<.01	.12	.26	N
11525	62 16 41	156 8 23	2	2	<2	<5	270	<.10	66	2	1.5	<.01	.13	.21	N
11526	62 18 8	156 1 13	3	2	<2	<5	160	<.10	160	<2	2.3	<.01	.10	.24	N
11527	62 25 19	156 4 22	2	3	<2	<5	430	<.10	270	<2	2.0	<.01	.10	.27	N
11528	62 22 55	156 6 1	2	3	<2	<5	90	<.10	250	<2	2.2	.35	.14	.39	N

TABLE 1. GEOCHEMICAL DATA FOR WILCOX FORMER COIT-100 DIAPHRAGM, ALASKA.--Continued

Sample	Latitude	Longitude	As (ppb)	Li (ppb)	Cd (ppb)	Cu (ppb)	Fe (ppb)	U (ppb)	K (ppb)	Zn (ppb)	SO ₄ ²⁻ (ppm)	NO ₃ ⁻ (ppm)	F ⁻ (ppm)	Cl ⁻ (ppm)	NO ₂ ⁻ (ppm)
11529	62 29 32	156 13 58	1	3	<2	<5	65	<.10	200	<2	5.8	<.01	.14	.35	N
11530	62 2 7	156 51 22	2	4	<2	<5	150	<.10	340	<2	1.2	<.01	.14	.54	N
11531	62 5 47	156 47 21	4	<1	<2	<5	110	<.10	250	<2	1.0	<.01	.11	.49	N
11532	62 41 46	157 14 25	3	2	<2	<5	90	<.10	230	<2	9.7	<.01	.14	.19	N
11533	62 36 24	157 17 10	2	2	<2	<5	70	<.10	610	<2	3.3	<.01	.15	.34	N
11534	62 43 25	157 7 22	2	<1	<2	<5	50	<.10	590	2	3.4	<.01	.11	.12	N
11535	62 35 40	157 22 0	2	<1	<2	<5	150	<.10	130	<2	2.4	<.01	.10	.14	N
11536	62 31 38	157 20 49	2	2	<2	<5	60	<.10	180	<2	3.1	.57	.13	.31	N
11537	62 37 13	157 15 54	3	3	<2	<5	80	<.10	160	<2	1.4	<.01	.12	.32	N
11538	62 30 48	157 16 49	2	4	<2	<5	80	<.10	130	<2	3.2	<.01	.12	.26	N
11539	62 32 53	157 6 49	2	3	<2	<5	70	<.10	190	<2	2.4	<.01	.10	.23	N
11540	62 32 31	157 3 0	3	1	<2	<5	45	<.10	150	<2	.73	<.01	.10	.23	N
11541	62 50 18	156 34 8	2	1	<2	<5	<25	.14	250	<2	6.8	.53	.13	.24	N
11542	62 51 59	156 38 59	2	1	<2	<5	210	<.10	100	<2	2.8	<.01	.11	.14	N
1154302	62 56 32	156 43 17	4	<1	<2	<5	60	<.10	290	<2	.38	<.01	.09	.20	N
1154303	62 56 32	156 43 17	3	3	<2	<5	75	<.10	340	<2	.43	<.01	.12	.29	N
1154304	62 56 32	156 43 17	2	3	<2	<5	75	<.10	330	<2	.43	<.01	.11	.31	N
11544	62 59 36	156 41 26	3	1	<2	5	2,300	<.10	95	3	<.01	<.01	.11	.14	N
11545	62 59 56	156 37 8	2	4	<2	<5	35	.10	370	<2	3.6	.81	<.01	.31	N
11546	62 55 22	157 32 8	2	4	<2	<5	<25	<.10	460	<2	2.9	1.5	.14	.43	N
11547	62 36 3	157 31 46	1	3	<2	<5	35	.12	420	<2	3.8	.36	.18	.51	N
11548	62 31 33	157 49 38	2	<1	<2	<5	<25	<.10	230	<2	1.5	.83	.16	.52	N
11549	62 31 55	157 50 11	3	3	<2	<5	250	<.10	130	<2	.43	<.01	.09	.26	N
11550	62 27 52	157 48 3	2	<1	<2	<5	70	<.10	170	<2	3.9	<.01	.10	.34	N
11551	62 29 42	157 45 30	2	<1	<2	<5	80	<.10	250	<2	.94	<.01	.12	.36	N
11552	62 28 5	156 58 50	2	1	<2	<5	50	<.10	200	<2	3.8	<.01	.10	.26	N
11553	62 28 7	156 58 43	2	6	<2	<5	<25	.10	240	<2	6.3	.37	.11	.32	N
11554	62 26 8	157 1 48	3	1	<2	<5	<25	<.10	310	<2	8.9	1.3	.13	.44	N
11555	62 24 8	157 1 31	1	<1	<2	<5	<25	<.10	160	<2	9.4	1.9	.10	.26	N
11556	62 16 39	156 48 19	2	2	<2	<5	80	<.10	190	<2	1.8	<.01	.14	.45	N
11557	62 17 57	156 51 17	2	4	<2	<5	95	<.10	340	<2	1.8	<.01	.09	.24	N
11558	62 18 46	156 49 42	1	4	<2	<5	45	<.10	250	<2	3.5	.87	.11	.35	N
11559	62 18 8	156 42 3	8	1	<2	<5	420	<.10	160	<2	.48	.41	.11	.33	N
11560	62 9 41	157 39 32	2	3	<2	<5	<25	.20	260	<2	6.5	2.2	.15	.46	N
11561	62 10 14	157 44 20	1	3	<2	<5	<25	.18	230	<2	4.3	2.1	.14	.48	N
11562	62 43 19	156 6 47	2	3	<2	<5	340	<.10	320	<2	3.8	<.01	.15	.36	N
11563	62 43 17	156 6 50	1	2	<2	<5	340	<.10	290	<2	3.5	<.01	.12	.29	N
11564	62 47 4	156 0 2	3	1	<2	<5	2,200	<.10	360	2	1.4	.85	.15	.38	N
11565	62 53 16	156 15 18	3	<1	<2	<5	35	<.10	380	<2	.39	3.1	.12	.38	N
11566	62 53 27	156 4 57	2	4	<2	<5	30	<.10	380	<2	4.7	<.01	.14	.30	N
11567	62 39 56	156 10 35	5	7	<2	<5	70	.20	720	<2	7.0	<.01	.24	.50	N
11568	62 39 8	157 3 51	1	3	<2	<5	<25	.22	200	<2	1.8	1.1	.11	.34	N
11569	62 36 52	157 4 6	1	2	<2	<5	30	<.10	180	<2	1.2	<.01	.12	.26	N
11570	62 28 23	157 52 1	2	1	<2	<5	55	<.10	140	<2	.93	<.01	.09	.33	N
11571	62 24 12	157 53 35	1	2	<2	<5	55	<.10	520	<2	.85	<.01	.11	.42	N