

---

## PUBLICATION LIST FROM THE ALASKA DIVISION OF GEOLOGICAL & GEOPHYSICAL SURVEYS (DGGS) BROOKS RANGE FOOTHILLS AND NORTH SLOPE PROGRAM (1994-PRESENT)

---

- Bigot-Buschendorf, M., Fillon, C., Mouthereau, F., Labrousse, L., Auxietre, J., Wartes, M.A., Moore, T.E., and van der Beek, P., 2012, Dynamics of Orogenic Processes in the Brooks Ranges, Alaska: Insights from Low-T Thermochronology: Geological Society of America Annual Meeting, Abstracts with Programs.
- Brown, P.J. II, Saltus, R.W., Peapples, P., Swenson, R.F., Duncan, A.S., and Wallace, W.K., 2006, Reduction procedures and implications of a high-resolution gravity traverse in the Brooks Range Foothills, Alaska [abs.]: Geological Society of America Abstracts with Programs, Vol. 38, No. 5, p. 83.
- Crowder, R. K., Adams, K. E., and Mull, C. G., 1994, Measured stratigraphic section of the Tingmerkpuk Sandstone (Neocomian), western NPRA, Alaska: Alaska Division of Geological and Geophysical Surveys Public-data file report 94-29, 5 p, 1 sheet (strat. column).
- Crowder, R. K., Mull, C. G., Adams, K. E., 1995, Lowstand Depositional Systems Related to Early Cretaceous Rifting of the Arctic Alaska Plate [abs.]: A New Stratigraphic Play on Alaska's North Slope: AAPG Pacific Section Meeting, AAPG Bulletin, vol. 79, no 4, p. 582,.
- Decker, P.L., 2006, A Brief Overview of Alaska Petroleum Systems: Alaska GeoSurvey News, V. 9, No. 2, p. 1-6.
- Decker, P.L., 2007, Brookian Sequence Stratigraphic Correlations, Umiat Field to Milne Point Field, West-central North Slope, Alaska: DGGS Preliminary Report of Investigations.
- Decker, P.L., and Wartes, M.A., 2008, Geochemistry of the Aupuk gas seep along the Colville River—Evidence for a thermogenic origin, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1E, p. 47-53.
- Decker, P.L., Wartes, M.A., Wallace, W.K., Houseknecht, David, Schenk, Christopher, Gillis, R.J., and Mongrain, Jacob, 2008, Stratigraphic and structural investigations in the Ivishak River and Gilead Creek areas: Progress during 2007, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1F, p. 55-83, 1 sheet.
- Decker, P.L., LePain, D.L., Wartes, M.A., Gillis, R.J., Mongrain, J.R., Kirkham, R.A., and Shellenbaum, D.P. 2009, Sedimentology, Stratigraphy, and Subsurface Expression of Upper Cretaceous Strata in the Sagavanirktok River Area, east-central North Slope, Alaska [abs.]: Alaska Geological Society Technical Conference Abstracts, p. 19.
- Decker, P.L., LePain, D.L., Wartes, M.A., Gillis, R.J., Mongrain, J.R., Kirkham, R.A., and Shellenbaum, D.P. (in press) Sedimentology, Stratigraphy, and Subsurface Expression of Upper Cretaceous Strata in the Sagavanirktok River Area, east-central North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- Decker, P.L., in review., Organic Geochemical and Thermal Maturity Investigations, 2004-2005 Field Programs, North Slope Foothills and Eastern Brooks Range, Alaska: DGGS Preliminary Interpretive Report.
- Delaney, P.R., Loveland, A.M., Clough, J.G., and Wartes, M.A., Strain analysis of elliptical grains from a fold and thrust belt, Kavik River area, northeastern Alaska [abs.]: AAPG annual meeting abstracts, in press.

- Dow, W.G., and Talukdar, S. C., 1995, Geochemical analysis of outcrop samples, Northwestern DeLong Mountains, Brooks Range, Alaska: Alaska Division of Geological and Geophysical Surveys Public-data file report, 95-29, 40 pp.
- Dow, W. G., 1998, Organic geochemistry of Cretaceous, Jurassic, and Triassic shales from the northwestern DeLong Mountains, western Brooks Range, Alaska, 1994-1997: Alaska Division of Geological and Geophysical Surveys Public-data file report 98-35, 181 p., 1 Sheet.
- Dow, W.G., 2000, Geochemical analysis of outcrop samples from Tingmerkpuk 1998 project: Alaska Division of Geological and Geophysical Surveys Raw data file 2000-3, 63 p., 1 Map.
- Dumoulin, J.A., Burruss, R.C., Lillis, P.G., and Parris, T.M., 2005, New field and geochemical evidence on the nature and extent of the Lisburne Petroleum System (Northern Alaska) [abs.]: Geological Society of America Abstracts with Program, v. 37, no. 4, p. 93.
- Dumoulin, J.A., Whalen, M.T., Harris, A.G., and Slack, J.F., 2006, Paleogeographic and metallogenic implications of phosphatic rocks in the Lisburne Group (Permian-Carboniferous), northern Alaska [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5.
- Dumoulin, J.A., 2006, The Lisburne Group of Northern Alaska: Regional Geology and Resource Implications [abs.]: Alaska Geological Society Newsletter.
- Dumoulin, J.A., Whalen, M.T., and Harris, A.G., 2008, Lithofacies, age, and sequence stratigraphy of the Carboniferous Lisburne Group in the Skimo Creek area, central Brooks Range, in, Haeussler, Peter J., and Galloway, John P., eds., Studies by the U.S. Geological Survey in Alaska, 2006: U.S. Geological Survey Professional Paper 1739-B, 64 p.
- Dumoulin, J.A., and Whalen, M.T., in press, Reconnaissance investigation of the the Lisburne Group in the Cobblestone Creek area, Chandler Lake Quadrangle, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- Duncan, A.S., Hanks, C.L., Wallace, W.K., O'Sullivan, P.B., and Parris, T.M., 2005, Evolution and timing of fractures and related map-scale structures of the central Brooks Range fold-and-thrust belt, Northern Alaska [abs.]: Geological Society of America annual meeting.
- Duncan, A.S., Hanks, C.L., Wallace, W.K., and O'Sullivan, P.O., 2005, Evolution and timing of fractures and related map-scale structures of the central Brooks Range fold-and-thrust belt, Northern Alaska [abs.]: Alaska Geological Society Technology Conference Abstract.
- Duncan, A.S., Hanks, C.L., Wallace, W.K., O'Sullivan, P.B., and Parris, T.M., 2006, Evolution and timing of fractures and related map-scale structures of the central Brooks Range fold-and-thrust belt, northern Alaska [abs.]: Geological Society of America Abstracts with Programs, Vol. 38, No. 5, p. 89.
- Duncan, A.S., Evolution of fractures and tertiary fold-and-thrust deformation in the central Brooks Range foothills, Alaska: University of Alaska Fairbanks M.S. Thesis, 159pp.
- Elder, W. P., 1998, Cretaceous and Jurassic megafossil collections, 1994-1996, Tingmerkpuk project, Northwest DeLong Mountains, Western Arctic Slope, Alaska: Alaska Division of Geological and Geophysical Surveys Public-data file report 98-38, 9 p., 1 Map.
- Elder, William P., 1998, Report on coquinoid limestone beds of the western Arctic Slope, Alaska: Alaska Division of Geological and Geophysical Surveys Public-data file report PDF 98-37, 16 pp.
- Elder, W. P., and Mickey, M. B., 1998, Tingmerkpuk River stratigraphic section, western Brooks Range, Alaska: Alaska Division of Geological and Geophysical Surveys Public-data file report PDF 98-32, 4 pp., 1 sheet.
- Finzel, E. S., McCarthy, P. J., Wallace, W. K., and LePain, D. L., 2003, Architectural analysis and fold geometry of syntectonic fluvial conglomerate in the Nanushuk Formation, Brooks Range foothills, Alaska [abs.]: Geological Society of America, Abstracts with Programs, v. 34, no. 7, p. 509.
- Finzel, E. S., McCarthy, P. J. and Wallace, W. K., 2003, Facies architecture and syntectonic fold geometry of fluvial conglomerate in the Cretaceous Nanushuk Formation, Brooks Range foothills, Alaska [abs.]: American Association of Petroleum Geologists, Pacific Section Meeting, Abstracts volume.

*Publication list for DGGG Brooks Range Foothills & North Slope Program (1994-Present)*

- Finzel, E.S., McCarthy, P.J., and Wallace, W.K., 2003, Facies architecture and syntectonic fold geometry of fluvial conglomerates in the Cretaceous Nanushuk Formation, Brooks Range foothills, Alaska [abs.]: Alaska Geological Society Science and Technology Conference, Abstracts volume, p. 33.
- Finzel, E., 2004, Facies Architecture and Syntectonic Fold Geometry of Cretaceous Nanushuk Formation Conglomerate, Brooks Range Foothills, Alaska: University of Alaska, Fairbanks Masters Thesis.
- Finzel, E.S., and McCarthy, P.J., 2005, Architectural analysis of fluvial conglomerate in the Nanushuk Formation, Brooks Range Foothills, Alaska: ADGGG Preliminary Interpretive Report PIR 2005-2, 18 p.
- Finzel, E.S., and Wallace, W.K., in review, Timing and geometry of a fold in syntectonic conglomerate of the Nanushuk Formation, Brooks Range Foothills, Alaska: ADGGG Preliminary Interpretive Report.
- Flaig, P.P., and van der Kolk, D.A., in press, Depositional environment of the Prince Creek Formation along the east side of the Toolik River: Sagavanirktok Quadrangle, North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- Gillis, R.J., Decker, P.L., Wartes, M.A., and Loveland, A.M., 2011, Insights from Recent Geologic Mapping of the South-central Sagavanirktok Quadrangle, North Slope, Alaska: Pacific Section AAPG meeting, Anchorage, AK
- Grow, J.A., Miller, J.J., Mull, C.G. and Bird, K.J., 1995, Seismic stratigraphy near the Tunalik well, North Slope, Alaska [abs.]: AAPG Pacific Section Meeting, AAPG Bulletin , vol. 79, no. 4, p. 586.
- Grow, J. A., Miller, J. J., Mull, C. G., and Bird, K. J., 1995, Seismic stratigraphy near the Tunalik Well, North Slope [abs.]: Geological Society of America, Cordilleran Section, 91st annual meeting, Abstracts with Programs, v. 27, no. 5, p. 23.
- Harris, E.E., Mull, C.G., Montayne, S., and Reifentstuh, R.R., 2002, Geologic map of the Dalton Highway (Atigun Gorge to Slope Mountain) area, southern Arctic Foothills, Alaska: DGGG Preliminary Interpretive Report 2002-2, 1 sheet, scale 1:63,360.
- Harris, E.E., Mull, C.G., Reifentstuh, R.R., LePain, D. L., and Peapples, Paige R., 2002, Detailed geologic mapping of the central Brooks Range foothills: Sagavanirktok River to Nanushuk River [abs.]: American Association of Petroleum Geologists Bulletin, v. 86, no. 6.
- Harris, E.E., Mull, C.G., and Peapples, P., 2009, Geologic map of the Kanayut River area, east-central Brooks Range Foothills, Alaska: DGGG Preliminary Interpretive Report 2009-7, 1 sheet, scale 1:63,360.
- Herriott, T.M., Wartes, M.A., Gillis, R.J., Decker, P.L., Wallace, W.K., Loveland, A.M., Reifentstuh, R.R., and LePain, D.L., 2011, Detailed Geologic Mapping and Overview of Structural and Stratigraphic Studies in the Sagavanirktok, Echooka, and Kavik Rivers Areas, East-central North Slope, Alaska: AAPG 3P Polar Petroleum Potential Meeting, Halifax, Nova Scotia, Canada
- Herriott, T.M., Wartes, M.A., Newberry, R.J., Gillis, R.J., and Wallace, W.K., 2011, Geology, Geochemistry, and Regional Implications of Mafic Igneous Rocks in the Carboniferous Lisburne Group, Ivishak River Area, Northeastern Brooks Range, Alaska: Sixth International Conference on Arctic Margins, Fairbanks, AK.
- Herriott, T.M., Wartes, M.A., Decker, P.L., Wallace, W.K., Gillis, R.J., Reifentstuh, R.R., and Speeter, G., 2011, Structural and Stratigraphic Implications of Detailed Geologic Mapping of Ellesmerian and Brookian units in the Echooka And Ivishak Rivers Region, East-central North Slope, Alaska: Pacific Section AAPG meeting, Anchorage, AK
- Houseknecht, D. W., Schenk, C. J., LePain, D. L., Burruss, R. C., Moore, T. E., and Bird, K. J., 1999, Petroleum Potential of Torok and Nanushuk Depositional Sequences in the National Petroleum Reserve - Alaska (NPR) and Adjacent Areas [abs.]: AAPG Bulletin, v. 83, no. 13.
- Houseknecht, D.W., Schenk, C.J., and Wartes, M.A., 2007, Sedimentology and sequence stratigraphy of the Cretaceous Fortress Mountain and Torok Formation exposed along the Siksikpuk River, north-central Alaska: in, Haeussler, Peter J., and Galloway, John P., eds., Studies by the U.S. Geological Survey in Alaska, 2006: U.S. Geological Survey Professional Paper 1739-D, 20pp.
- Houseknecht, D.W. and Wartes, M.A., 2012, Early Cretaceous Wedgetop-Clinothem Deposition along the Southern Margin of the Colville Foreland Basin, Arctic Alaska: American Association of Petroleum Geologists Annual Meeting.

- Houseknecht, D.W., and Wartes, M.A., 2013, Clinoform Deposition Across a Boundary Between Orogenic Front and Foredeep – an Example from the Lower Cretaceous in Arctic Alaska: *Terra Nova*, v. 0, p. 1-6.
- Kelly, L.N., and Whalen, M.T., 2003, High resolution sequence stratigraphy, geochemistry, and paleoenvironmental interpretation of Triassic upwelling zone deposits, northern, Alaska: implications for paleoredox conditions and paleoceanography [abs.]: *Alaska Geological Society Geology Symposium, Abstracts Volume*, p. 42.
- Kelly, L., 2004, High Resolution Sequence Stratigraphy and Geochemistry of Middle and Upper Triassic Sedimentary Rocks, Northeast and Central Brooks Range, Alaska: University of Alaska, Fairbanks Masters Thesis.
- Kelly, L.N., Whalen, M.T., McRoberts, C.A., Hopkin, E., and Tomisch, C.S., 2007, Sequence Stratigraphy and Geochemistry of the Upper Lower through Upper Triassic of Northern Alaska: Implications for Paleo-redox History, Source Rock Accumulation, and Paleoceanography: ADGGs Report of Investigation 2007-1, 50 pp.
- Kirkham, R., 2001, Petrology of Torok Formation sandstones from the central foothills area, central North Slope, Alaska [abs.]: *Alaska Geological Society Science and Technology Conference, abstracts volume*.
- Kirkham, R., 2002, Composition of outer shelf sandstones in the Torok Formation, Brooks Range foothills, Alaska [abs.]: *Pacific Section AAPG Program and Abstracts*, p. 84.
- Kirkham, R., LePain, D., and McCarthy, P., 2003, Sedimentology, petrology, and reservoir characterization of the Torok Fm., Brooks Range foothills, Alaska [abs.]: *Alaska Geological Society Science and Technology Conference, Abstracts volume, Fairbanks, Alaska*, p. 43.
- Kirkham, R., 2005, Sedimentology, petrology and reservoir characterization of the Torok Formation, Brooks Range foothills, Alaska: M.S. thesis, University of Alaska Fairbanks.
- LePain, D.L., Adams, K., and Mull, C.G., 1999, Outer-shelf to upper slope storm deposits in the Tingmerkpuk sandstone (Neocomian), western North Slope, Alaska [abs.]: *AAPG Bulletin Vol. 83, no.13*.
- LePain, D.L., Adams, K., and Mull, C.G., 1999, Outer-shelf to upper slope storm deposits in the Tingmerkpuk Sandstone (Neocomian), western North Slope, Alaska [abs.]: *Alaska Geological Society Science and Technology Conference*.
- LePain, D. L. and Adams, K. E., 1999, Stratigraphy and depositional setting of the Tingmerkpuk sandstone (Neocomian), northwestern DeLong Mountains, western Arctic Slope, Alaska: *Alaska Division of Geological and Geophysical Surveys Preliminary Interpretive Report 1999-02, 5 p., 1 Sheet*.
- LePain, D.L., Adams, Karen, and Mull, C.G., 2000, Measured section and interpretation of the Tingmerkpuk Sandstone (Neocomian), Northwestern DeLong Mountains, western Arctic Slope, Alaska, in *Short Notes on Alaska Geology, 1999*, Pinney, D. S. and Davis, P. K. (editors): *Alaska Division of Geological and Geophysical Surveys Professional Report 119*, p. 45-62.
- LePain, D. L., Kirkham, R. A., Ryherd, T., Clough, J. G., Reifentstahl, R. R. and McCarthy, P., 2000, Stratigraphic variations in the Nanushuk Group along the Nanushuk River between Arc Mountain and Rooftop Ridge, Brooks Range Foothills, Alaska: Implications for reservoir quality [abs.]: *Alaska Geological Society & Geophysical Society of Alaska Science and Technical Conference, unpaginated Programs and Abstracts*.
- LePain, D.L., and Kirkham R., 2001, Potential reservoir facies in the Nanushuk Formation (Albian-Cenomanian), central North Slope, Alaska: Examples from outcrop and core: in Houseknecht, D.W., ed., *NPRA Core Workshop - Petroleum Plays and Systems in the National Petroleum Reserve-Alaska: SEPM Core Workshop No. 21*, p.19-36.
- LePain, D.L., and Kirkham, R., 2002, Stratigraphy of a Cenomanian estuarine complex in the Upper Nanushuk Formation, Ninuluk Bluff, Alaska [abs.]: *Pacific Section AAPG Program and Abstracts*, p. 87.
- LePain, D.L., Kirkham, R., and McCarthy, P.J., 2002, Shoreline to basin transition (?) in Albian-Cenomanian strata east of the Sagavanirktok River, Brooks Range foothills, Alaska [abs.]: *AAPG Pacific Section/SPE Regional Conference, Program and Abstracts*, p. 87.
- LePain, D.L., McCarthy, P.J., and Kirkham, R., 2004, Outcrop Expression of Sequence Boundaries in the Albian-Cenomanian Nanushuk Formation, Central North Slope, Alaska [abs.]: *AAPG Annual Meeting Abstracts*.
- LePain, D.L., McCarthy, P., and Kirkham, R. 2006, Variations in facies stacking patterns in storm-influenced delta front and shoreface successions, Nanushuk Formation, central North Slope, Alaska [abs.]: *Geological Society of America Abstracts with Program*, v. 38, No. 5.

- LePain, D.L., 2007, Sedimentology and Sequence Stratigraphy of the Nanushuk Formation, South-Central North Slope, Alaska [abs.]: Alaska Geological Society Newsletter.
- LePain, D.L., Decker, P.L., and Wartes, M.A., 2008a, Turonian–Campanian strata east of the Trans-Alaska Pipeline corridor, North Slope foothills, Alaska: Progress during the 2001–02 and 2007 field seasons, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1G, p. 85-134.
- LePain, D.L., Decker, P.L., and Wartes, M.A., 2008c, Measured sections and preliminary interpretations of the Nanushuk Formation exposed along the Colville River near the confluences with the Awuna and Killik rivers, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1D, p. 41-45, 4 sheets.
- LePain, D.L., Decker, P.L., Wartes, M.A., Gillis, R.J., Mongrain, J.R., Kirkham, R., and Shellenbaum, D.P., 2008b, Sedimentology and Stratigraphy of Upper Cretaceous strata in the Sagavanirktok River area, east-central North Slope, Alaska [abs.]: AAPG annual meeting abstracts.
- LePain, D.L., and Wartes, M.A., in press, Measured sections of the Permian Echooka and Triassic Ivishak Formations, Shaviovik River, Eastern Sagavanirktok quadrangle: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- LePain, D.L., McCarthy, P.J., and Kirkham, Russell, 2009, Sedimentology and sequence stratigraphy of the middle Albian-Cenomanian Nanushuk Formation in outcrop, Central North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Report of Investigation 2009-1, 78 p., 1 sheet.
- Loveland, A.M., Gillis, B.G., Decker, P.L., Wartes, M.A., and Hubbard, T.D., 2009, Geologic Map of the south-central Sagavanirktok Quadrangle, North Slope, Alaska [abs.]: Alaska Geological Society Technical Conference Abstracts, p. 31.
- McCarthy, P.J. and LePain, D.L., 2002. Paleosols in the Nanushuk Formation, Brooks Range foothills, Alaska: preliminary observations and sequence stratigraphic implications [abs.]: AAPG Pacific Section /SPE Regional Conference.
- McCarthy, P.J., 2003, Alluvial facies and paleosols in the Cretaceous Nanushuk formation, Kanayut River, North Slope, Alaska, Preliminary results from the 2001 field season: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2003-1, 19 p.
- Mickey, M.B., Haga, Hideyo, and Mull, C.G., 1995, Paleontologic data: Tingmerkpuk Sandstone and related units, northwestern DeLong Mountains, Brooks Range, Alaska: Alaska Division of Geological and Geophysical Surveys Public-data file report 95-31, 42 p.
- Mickey, M.B., and Hideyo Haga, 1998, Micropaleontology of Cretaceous and Jurassic shales from the northwestern DeLong Mountains, western Brooks Range, Alaska, 1994-1997: Alaska Division of Geological and Geophysical Surveys Public-Data File report PDF 98-34, 193 p.
- Mickey, M. B. and Haga, H, 2000, Biostratigraphy report - 129 outcrop samples Western DeLong Mountains (Tingmerkpuk) North Slope, Alaska: Alaska Division of Geological and Geophysical Surveys Preliminary Interpretive Report 2000-8, 112 p., 1 sheet.
- Mowatt, T. C., Mull, C. G., Banet, A. C., Wilson, M. D., and Reeder, J. W., 1995, Petrography of Neocomian sandstones in Western Brooks Range, and Tunalik, Klondike and Burger Wells, Northwestern Arctic Slope-Chukchi Sea: AAPG Bulletin Vol. 79, no. 4, p. 594.
- Mull, C.G., 1995, Preliminary evaluation of the hydrocarbon source rock potential of the Tingmerkpuk Sandstone (Neocomian) and related rocks, northwestern De Long Mountains, Brooks Range, Alaska: ADGGS Public Data File PDF 95-30, 22 p.
- Mull, C. G., Crowder, R.K, and Reifenhstuh, R.R., 1995, Exploration frontiers in Neocomian sandstones in northwest Alaska [abs.]: 1995 Abstracts with Programs, Cordilleran Section, Geological Society of America meeting, p. 66.

- Mull, C.G., Moore, T.E., Werdon, M.B., and Crowder, R.K., 1995, How the central Brooks Range mountain-front and foothills came to be [abs.]: 1995 Abstracts with Programs, Cordilleran Section, Geological Society of America meeting, p. 66.
- Mull, C.G., 1995, The geological distribution of chert in the Brooks Range: Alaska Division of Geological and Geophysical Surveys Public Data-file report 95-32, 13 p.
- Mull, C. G., Reifentstahl, R.R., Harris, E.E., and Crowder, R.K., 1995, Neocomian source and reservoir rocks in the western Brooks Range and Arctic Slope, Alaska [abs.]: AAPG Pacific Section meeting, AAPG Bulletin, vol. 79, no. 4, p. 594.
- Mull, C.G., T.E. Moore, E.E., Harris, and I.L. Tailleir, 1996. Geologic map of the Killik River quadrangle, central Brooks Range, Alaska: USGS Open-File Map 94-679, scale 1:125,000.
- Mull, C.G., Glenn, R.K., and Adams, K.E., 1997, Tectonic evolution of the central Brooks Range mountain front: Evidence from the Atigun Gorge region: *Journal of Geophysical Research*, vol. 102, no. B9, p. 20749–20773.
- Mull, C.G., Harris, A.G., and Carter, J.L., 1997, Lower Mississippian (Kinderhookian) biostratigraphy and lithostratigraphy of the western Endicott Mountains, west-central Brooks Range, in Dumoulin, J.S., and Gray, J.E., eds., *Geological Studies in Alaska by the U.S. Geological Survey, 1995: U.S. Geological Survey Professional Paper 1574*, p. 221-241.
- Mull, C. G., Harris, E., Reifentstahl, R., and Wartes, M., 1998, Exploration frontiers in Neocomian to Upper Jurassic sandstones, National Petroleum Reserve in Alaska (NPR) [abs.]: Alaska Geological Society Science and Technology Conference.
- Mull, C. G. and Harris, E. E., 1998, Western Arctic energy project (Tingmerkpu): Alaska Division of Geological and Geophysical Surveys, Alaska GeoSurvey News, vol. 2, no. 2, June 1998, 3 p., 4 inserts.
- Mull, C.G., Reifentstahl, R.R, Harris, E.E., Kirkham, R.A., and T.E. Moore, 1999, Future exploration plays in the western Colville Basin and National Petroleum Reserve, Alaska (NPR) [abs.]: AAPG Annual meeting, AAPG Bulletin, v. 83, no. 13, p. A97.
- Mull, C. G., 1999, Exploration opportunities for Independents in Alaska: Program and abstracts, Annual Meeting of the Society of Independent Professional Earth Scientists (SIPES).
- Mull, C.G., 2000, Summary report on the geology and hydrocarbon potential of the foothills of the northwestern DeLong Mountains, western Brooks Range, Alaska: Preliminary Interpretive Report PIR 2000-9, 16 p.
- Mull, C.G., Harris, E.E., Reifentstahl, R.R., and Moore, T.E., 2000, Geologic map of the Coke Basin-Kukpowruk River area, DeLong Mountains D-2 and D-3 quadrangles, northwestern Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 2000-2, 1 sheet, scale 1:63,360.
- Mull, C.G., Harris, E.E., Reifentstahl, R.R., and LePain, D.L., 2000, Hydrocarbon source rock potential in the Colville Basin, east-central North Slope foothills belt [abs.]: Alaska Geological Society & Geophysical Society of Alaska Science and Technical Conference.
- Mull, C.G., Harris, E.E., Houseknecht, D., and Freeman, P., 2000, USGS/DGGS North Slope electronic map compilation project [abs.]: Alaska Geological Society-Geophysical Society of Alaska Technology Conference.
- Mull, C.G., Harris, E.E., Whalen, M. T., Mickey, M. B., and Banet, A., 2001, Organic-rich, Oil-prone Triassic-Lower Jurassic Source Rocks and a New Exploration play Type in Southern Colville Basin and East-central Brooks Range Foothills, Northern Alaska [abs.]: AAPG Annual Meeting, AAPG Bulletin, vol. 85, no. 13.
- Mull, C.G., Houseknecht, D.W., and Bird, K.J., 2002, New and revised Cretaceous and Tertiary stratigraphic nomenclature, east-central Colville basin, North Slope, Alaska [abs.]: Pacific Section AAPG.
- Mull, C.G., Harris, E.E., Reifentstahl, R.R., and LePain, D.L., and Peapples, Paige R., 2002, Organic-rich Triassic-Jurassic rocks, thermal maturity anomalies, and oil and gas source rock potential, Brooks Range disturbed belt and southern Colville Basin, North Slope, Alaska [abs.]: Pacific Section AAPG
- Mull, C.G., Houseknecht, D.W., and Bird, K.J., 2003, Revised Cretaceous and Tertiary stratigraphic nomenclature in the Colville basin, Northern Alaska: U.S. Geological Survey Professional Paper 1673, 51 p.
- Mull, C.G., Houseknecht, D.W., Pessel, G.H., and Garrity, C.P., 2004, Geologic map of the Umiat Quadrangle, Alaska: USGS Scientific Investigations Map 2817-A, 1 sheet.

- Mull, C.G., Houseknecht, D.W., Pessel, G.H., and Garrity, C.P., 2005, Geologic map of the Ikpikpuk River Quadrangle, Alaska: USGS Scientific Investigations Map 2817-B, 1 sheet.
- Mull, C.G., Houseknecht, D.W., Pessel, G.H., and Garrity, C.P., 2006a, Geologic map of the Lookout Ridge Quadrangle, Alaska: USGS Scientific Investigations Map 2817-C, 1 sheet.
- Mull, C.G., Houseknecht, D.W., Pessel, G.H., and Garrity, C.P., 2006b, Geologic map of the Utukok River Quadrangle, Alaska: USGS Scientific Investigations Map 2817D, 1 sheet.
- Mull, C.G., Houseknecht, D.W., Pessel, G.H., and Garrity, C.P., in review (a), Geologic map of the Point Lay Quadrangle, Alaska: USGS Scientific Investigations Map, 1 sheet.
- Mull, C. G., Harris, E.E., and Peapples, P.R., 2009, Geologic map of the Cobblestone Creek-May Creek area, east-central Brooks Range foothills, Alaska: DGGS Preliminary Interpretive Report 2009-5, 1 sheet, scale 1:63,360, and booklet.
- Murphy, John, 1998, Apatite fission-track data, 1994 and 1996 samples, Tingmerkpuk project: Alaska Division of Geological and Geophysical Surveys Public-data file report, PDF 98---
- Myers, M. D., Smith, T. N., Krouskop, D. L., and Ryherd, T.J., 1995, Paleogeographic and sequence stratigraphic reconstruction of the Cretaceous Nanushuk Group, central North Slope, Alaska; Slope Mountain outcrop to the Lupine Well [abs.]: Geological Society of America, Cordilleran Section, V. 27 N. 5, p. 67.
- Myers, M.D., 2002, Depositional architecture of slope-apron and basin-floor turbidite systems from the North Slope of Alaska to the Mackenzie Delta of Canada; examples from outcrops and oilfields [abs.]: AAPG Pacific Section and SPE Western Region conference, AAPG Bulletin, V. 86 N. 6, p. 1154-1155.
- Nilsen, T.N., Myers, Mark, and Moore, T.E., 1998, Re-evaluation of the depositional environment of the Tingmerkpuk Sandstone (Neocomian), northwestern DeLong Mountains: Alaska Division of Geological and Geophysical Surveys Public-data file report.
- Peapples, P.R., Saltus, R.W., Swenson, R., Brown, P.J., 2005; Structural implications of new geologic mapping and a detailed gravity traverse in the Brooks Range Foothills, Chandler Lake Quadrangle, northern Alaska [abs.]: Eos Trans. AGU, v. 86, no. 52, Abstract T11B-0380.
- Peapples, P., Harris, E., Reifentstahl, R.R., Wartes, M.A., Finzel, E., Strauch, A, Dumoulin, J.A., and Mull, C.G., 2005, Siksikpuk River Statemap Project [ext. abs.]: Alaska Geology—Newsletter of the Alaska Geological Society, Inc., V. 35, no. 5.
- Peapples, P.R., Wallace, W.K., Finzel, E.S., and Mull, C.G., 2006, New Detailed (1:63,360-scale) Mapping of the Brooks Range Northern Foothills, Siksikpuk River area, Central Brooks Range, Alaska [abs.]: 2006 AAPG Annual Meeting Abstracts.
- Peapples, P.R., Swenson, R., Wartes, M.A., Wallace, W.K., Finzel, E.S., Mull, C.G., Decker, P.L., Dumoulin, J.A., Reifentstahl, R.R., Harris, E.E., 2006, New detailed (1:63,360-scale) mapping of the Brooks Range northern foothills, Siksikpuk River area, central Brooks Range, Alaska [abs]: Geological Society of America Abstracts with Program, v. 38, No. 5.
- Peapples, P.R., Wallace, W.K., Finzel, E.S., Swenson, R., Reifentstahl, R.R., Harris, E.E., Wartes, M.A., Mull, C.G., Decker, P.L., and Dumoulin, J.A., 2006, Siksikpuk River Statemap Project [ext. abs.]: Alaska Geology—Newsletter of the Alaska Geological Society, Inc., v. 36, no. 5.
- Peapples, P.R., Wallace, W.K., Wartes, M.A., Swenson, R., Mull, C.G., Dumoulin, J.A., Harris, E.E., Finzel, E.S., R., Reifentstahl, R.R., and Loveland, A.L., 2007, Geologic map of the Siksikpuk River area, Brooks Range northern foothills, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2007-1, 1 sheet, scale 1:63,360.
- Parrish, J.T., Whalen, M.T., and Hulm, E.J., 2001, Shublik Formation lithofacies, environments, and sequence stratigraphy, Arctic Alaska, U.S.A.: in Houseknecht, D. ed., Petroleum Plays and Systems in the National Petroleum Reserve – Alaska: SEPM Core Workshop No. 21, p. 89-110.
- Pinney, DeAnne S., 2000, Reconnaissance engineering-geologic map of the Sagavanirktok B-1 quadrangle, eastern North Slope Alaska: Report of Investigations - Alaska, Division of Geological & Geophysical Surveys, 2000-1D, p. 2 (1 sheet)..

- Reifenstuhl, R.R., 1994, North Slope foreland basin sedimentation, and Brooks Range fold-and-thrust-belt orogenesis, Northern Alaska [abs.]: Conference on Overthrusting into foreland basins; sedimentologic consequences, *Northeastern Geology*, v. 16 no. 1, p. 40.
- Reifenstuhl, R.R., 1994, Kemik Sandstone; petrology, physical properties, facies, and depositional environments, Northeast North Slope, Alaska [abs.]: Geological Society of America, Cordilleran Section annual meeting.
- Reifenstuhl, R.R., 1995, Lithofacies, petrology, and petrophysics of the Kemik Sandstone (Lower Cretaceous), eastern Arctic Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Professional Report 117, p. 53-67.
- Reifenstuhl, R.R., and Mull, C.G., Allochthonous Kemik Sandstone facies (Neocomian), western Mt. Michelson and E. Sagavanirktok Quads., NE Brooks Range foothills, Alaska [abs.]: 1995 Abstracts with Programs, Cordilleran Section, Geological Society of America meeting, p. 73.
- Reifenstuhl, R.R., Wilson, M. D., and Mull, C.G., 1998, Petrography of the Tingmerkpuuk Sandstone (Neocomian), northwestern Brooks Range, Alaska: A preliminary study: in Clough, J.G. and Larson, F. (eds.), *Short Notes on Alaska Geology*, Alaska Division of Geological and Geophysical Surveys Professional Report PR 118, p. 111-124.
- Reifenstuhl, R. R., Mull, C. G., LePain, D. L., Harris, E. E., and Wallace, W. K., 1999 Sagavanirktok Quadrangle, North Slope, Alaska; new geologic mapping (1:250,000 and 1:63,360 scale) [abs.]: Arctic Science Conference, *Science in the North; 50 years of change*, v. 50, p. 216-217.
- Reifenstuhl, R.R., Mull, C.G., Harris, E.E., LePain, D.L., and Wallace, W.K., 2000, Interpretive Bedrock geologic map of the Sagavanirktok B-1 quadrangle, eastern North Slope, Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 2000-1b, 11 p., 1 Sheet, scale 1:63,360.
- Reifenstuhl, R.R., Mull, C.G., Harris, E.E., LePain, D.L., Pinney, D.S., and Wallace, W.K., 2000, Geologic map of the Sagavanirktok B-1 quadrangle, eastern North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Report of Investigations 2000-1A.
- Reifenstuhl, R. R., Mull, C. G., LePain, D. L., Harris, E. E., and Dickey, D. B., 2000, New Geologic Mapping in Cretaceous rocks of the Brooks Range foothills south of Prudhoe Bay, Sagavanirktok quadrangle, Alaska [abs.]: Alaska Geological Society & Geophysical Society of Alaska Science and Technical Conference.
- Reifenstuhl, R. R., Mull, C. G., LePain, D. L., Harris, E. E., and Dickey, D. B., 2000, New Geologic Mapping in Cretaceous rocks of the Brooks Range foothills south of Prudhoe Bay, Alaska, USA: AAPG Annual Meeting, *AAPG Bulletin*, v. 84, no. 13.
- Reifenstuhl, R. R., 2001, Tectonic setting and provenance, petrography and reservoir characteristics of nine siliciclastic sandstone formations, Mississippian to Tertiary age, Sagavanirktok Quadrangle, east-central Brooks Range Foothills and Arctic Slope, Alaska [abs.]: AAPG Annual Meeting *AAPG Bulletin* vol. 85, no. 13.
- Reifenstuhl, R. R., 2002, Reservoir characterization pilot study: porosity, permeability, petrography, and facies analysis of 75 Tertiary to Mississippian age outcrop samples, east-central Brooks Range Foothills and North Slope, Alaska [abs.]: AAPG Annual Meeting, *AAPG Bulletin* vol. 85, no. 13.
- Reifenstuhl, R.R., and Reifenstuhl, A.E., 2003, Preliminary petrographic study of 11 Mississippian to Tertiary age sandstones, Sagavanirktok Quadrangle, Brooks Range foothills and North Slope, Alaska: in Clautice, K. H. and Davis, P. K. (eds): *Short notes on Alaska geology 2003*: Alaska Division of Geological and Geophysical Surveys, Professional Report 120, 119 pp.
- Reifenstuhl, R.R., and Loveland, A.L., 2004, Reservoir characterization study: porosity and permeability of 148 Tertiary to Mississippian age outcrop samples, east-central Brooks Range Foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Investigative Report 2004-5, 21 pp.
- Saltus, R.W., Potter, C.J., and Phillips, J.D., 2006, Crustal insights from gravity and aeromagnetic analysis: Central North Slope, Alaska: *AAPG Bulletin*.
- Speeter, G., Wallace, W.K., and Decker, P.L., (in review) Preliminary geologic map of the Gilead syncline area, northeast Brooks Range, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- Speeter, G., Wallace, W.K., and Decker, P.L., 2009, Preliminary geologic map of the Gilead syncline area, northeast Brooks Range, Alaska [abs.]: Alaska Geological Society Technical Conference Abstracts, p. 41.

- Speeter, G. and Wallace, W.K., 2009, Analysis of mechanical stratigraphy and structural architecture of the Gilead Creek area, northeastern Brooks Range, Alaska: Geological Society of America Annual Meeting abstracts, V. 41, No. 7, p. 570.
- Spicer, R.A., Herman, A.B., 2001, The Albian flora of the Kukpowruk River, western North Slope, Alaska: stratigraphy, palaeofloristics, and plant communities: *Cretaceous Research*, v. 22, p. 1-40.
- Strauch, A.L., Hanks, C.L., Wallace, W.K., O'Sullivan, P.B., and Parris, T.M., 2005, Fracture evolution in a fold-and-thrust belt and the associated deformed foreland basin: An example from the northeastern Brooks Range and Colville Basin, Alaska [abs.]: Geological Society of America annual meeting.
- Strauch, A.L., Hanks, C.L., Wallace, W.K., O'Sullivan, P.B., and Parris, T.M., 2006, Constraints on fracture evolution in the northeastern Brooks Range fold-and-thrust belt and Colville Basin, Alaska [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5.
- van der Kolk, D.A., Whalen, M.T., Wartes, M.A., and Newberry, R.J., 2007a, A Characterization of the Pebble Shale Unit within the Northeast Brooks Range, Alaska: What's with the High Radioactive Zone? [abs.]: AAPG Annual Meeting Abstracts.
- van der Kolk, D.A., Newberry, R.J., Whalen, M.T., and Wartes, M.A., 2007b, A Characterization of the Pebble Shale Unit within the Northeast Brooks Range, Alaska: What's with the High Radioactive Zone? [abs.]: Alaska Geological Society Annual Technical Conference Abstracts.
- van der Kolk, D.A., Whalen, M.T., Wartes, M.A., Newberry, R.J., and McCarthy, P.J. 2009, A surface to subsurface correlation of the lower Cretaceous Pebble Shale unit, northeastern Alaska [abs.]: Alaska Geological Society Annual Technical Conference Abstracts.
- van der Kolk, D.A., Whalen, M.T., and Wartes, M.A., in press, Source Rock Potential of the Lower Cretaceous Pebble Shale Unit, Northeastern Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- van der Kolk, D.A., Whalen, M.T., and Wartes, M.A., Newberry, R.J., McCarthy, P.J., 2010, Geochemistry, sedimentology and stratigraphy of the Lower Cretaceous Pebble Shale Unit, northeastern Alaska: AAPG International conference and exhibition, Calgary Canada
- Wallace, W. K., 2003, Geometry and evolution of detachment folds in deformed foreland basin deposits of the Brooks Range foothills, northern Alaska [abs.]: AAPG Annual Meeting, v. 12, p. A177.
- Wallace, W.K., Duncan, A.S., Peapples, P.R., Swenson, R.F., Wartes, M.A., O'Sullivan, P.B., and Finzel, E.S., 2006, Geometry and evolution of the frontal part of an orogenic wedge, central Brooks Range foothills, Alaska [abs.]: Geological Society of America Abstracts with Programs, Vol. 38, No. 5, p. 24.
- Wallace, W.K., Polkowski, S.J., Swenson, R.F., Wartes, M.A., 2009, Relations at the leading edge of the Endicott Mountains Allochthon, east-central Brooks Range [abs.]: Alaska Geological Society Technical Conference Abstracts, p. 43.
- Wallace, W.K., Wartes, M.A., Decker, P.L., Delaney, P., Duncan, A., Gillis, R.J., Herriott, T.M., Loveland, A., Polkowski, S., Reifentstahl, R.R., Sanders, C.M., Speeter, G., Swenson, R., 2011, Contrast in Style and evolution of Structures Between the Central and Eastern Foothills of the Brooks Range: Pacific Section AAPG meeting, Anchorage, AK
- Wallace, W.K., (with contributions from mapping by M. Wartes, P. Decker, P. Delaney, R. Gillis, A. Loveland, and R. Reifentstahl), 2014, Interpretations of seismic reflection data and structural cross sections for the Kavik River Map area, northeastern Brooks Range, Alaska, DGGs Report of Investigations 2011-3B.
- Wartes, M. A., 1997, Mesozoic stratigraphy at Surprise Creek: preliminary evidence for anomalous Brookian tectonism and burial history, northwestern Brooks Range, Alaska [abs.]: Geological Society of America, Abstracts with Programs, v. 29, no. 6, p. 274.
- Wartes, M. A., 1997, Stratigraphy, organic geochemistry, and structural implications of Upper Jurassic to Lower Cretaceous rocks at Surprise Creek, northwestern DeLong Mountains, Brooks Range, Alaska: Alaska Division of Geological & Geophysical Surveys Public Data File Rep., 52 pp.
- Wartes, M. A., and Reifentstahl, R. R., 1998, Preliminary petrography and provenance of six Lower Cretaceous sandstones, northwestern Brooks Range, Alaska: in Clough, J.G. and Larson, F. (editors), Short Notes on

- Alaska Geology 1997, Alaska Division of Geological and Geophysical Surveys Professional Report 118, p. 131-140.
- Wartes, M. A., and Carroll, A. R., 2002, Detailed facies analysis of the Lower Cretaceous Fortress Mountain Formation, Atigun Syncline, northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 86, no. 6, p. 1162.
- Wartes, M.A., 2002, Deposition of the Lower Cretaceous Fortress Mountain Formation: constraints on the tectonic evolution of the Brooks Range [abs.]: Alaska Geology—October Newsletter of the Alaska Geological Society.
- Wartes, M. A., and Carroll, A. R., 2003, Provenance analysis of the Lower Cretaceous Colville Foreland Basin; new constraints on the unroofing history of the Brooks Range, Northern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 35, no. 6, p. 514-515.
- Wartes, M. A., 2003, Exploring the possible role of slab detachment in the mid-Cretaceous tectonic and sedimentary evolution of northern Alaska [abs.]: Fourth International Conference on Arctic Margins, Halifax NS, Canada.
- Wartes, M.A., and Swenson, R., 2005, New Constraints on the structural and stratigraphic development of the proximal Colville foreland basin: Implications for burial history and oil and gas exploration in the central Brooks Range foothills, northern Alaska [abs.]: Pacific Section AAPG Annual Meeting.
- Wartes, M.A., and Swenson, R., 2005, Reconstructing the Evolution of the Brooks Range Orogenic Wedge: Preliminary Structural and Stratigraphic Evidence from the Siksikpuk River Area, Northern Alaska [abs.]: Alaska Geological Society Technical Conference Abstract.
- Wartes, M.A., Reifenhstahl, R.R., Finzel, E., Peapples, P., Harris, E., Swenson, B., Schafer, D., Mull, C.G., 2005, Brooks Range Foothills and North Slope Program [ext. abs.]: Alaska Geology—Newsletter of the Alaska Geological Society, v. 36, no. 5.
- Wartes, M.A., O’Sullivan, P.B., and Carroll, A.R., 2006, Enigmatic Permian U-Pb zircon ages from igneous clasts found in mid-Cretaceous deposits of the Colville Foreland Basin, northern Alaska [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5.
- Wartes, M.A., 2006, Slab detachment—an explanation for the mid-Cretaceous evolution of the Brookian Orogeny, northern Alaska [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5
- Wartes, M.A., Decker, P.L., Reifenhstahl, R.R., Peapples, P., Finzel, E., Swenson, R., and Mull, C.G., 2006, Brooks Range foothills and North Slope Program [ext. abs.] Alaska Geology—Newsletter of the Alaska Geological Society, Volume 36, no. 5, p. 1-5.
- Wartes, M.A., Loveland, A.L., Wallace, W.K., Gillis, R. Peapples, P.R., Reifenhstahl, R.R., and Mull, C.G., 2007, Geology of the Kavik River Area, East-central North Slope, Alaska: Preliminary Results of the 2006 STATEMAP project [abs.]: Alaska Geological Society Annual Technical Conference Abstracts.
- Wartes, M.A., and Decker, P.L., ed., 2008a, Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1, 206 pp., 8 sheets.
- Wartes, M.A., and Decker, P.L., 2008b, Overview of recent geologic field investigations, north Slope and Brooks Range foothills, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1A, p. 1-10, 1 sheet.
- Wartes, M.A., 2008a, Measured section and facies analysis of the Lower Cretaceous Fortress Mountain Formation, Atigun Syncline, northern Alaska, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1B, p. 11-24, 1 sheet.
- Wartes, M.A., 2008b, Evaluation of stratigraphic continuity between the Fortress Mountain and Nanushuk Formations in the Central Brooks Range foothills—Are they partly correlative?, *in* Wartes, M.A., and Decker, Paul, eds., Preliminary results of recent geologic field investigations in the Brooks Range foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2008-1C, p. 25-39.

- Wartes, M.A., Decker, P.L., LePain, D.L., Gillis, R.J., and O'Sullivan, P., 2009, New constraints on the evolution of Late Cretaceous depositional systems in the Colville Foreland Basin, east-central North Slope, Alaska: Geological Society of America Abstracts with Program, v. 41, No. 7, p. 301.
- Wartes, M.A., Decker, P.L., LePain, D.L., Gillis, R.J., and O'Sullivan, P., 2009, Evolution of Late Cretaceous depositional systems in the Colville Foreland Basin, east-central North Slope, Alaska: Alaska Geological Society Annual Technical Meeting, Abstracts with Program.
- Wartes, M.A., Decker, P.L., Gillis, R., and Loveland, A. (in review) Overview of 2008 Field Investigations, North Slope and Brooks Range Foothills, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X
- Wartes, M.A., and Decker, P.L., eds. (in review) Preliminary Results of Recent Geologic Field Investigations in the Brooks Range Foothills and North Slope, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X (nine chapters, 5 sheets)
- Wartes, M.A., LePain, D.L., and Decker, P.L., in review, Geochemical, reservoir quality, and age data from measured sections of the Nanushuk formation along the Colville River between the confluences with the Awuna and Killik Rivers: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report 2009-X.
- Wartes, M.A., Wallace, W.K., Loveland, A.M., Gillis, R.J., Decker, P.L., Reifenhohl, R.R., Delaney, P.R., Lepain, D.L., and Carson, E.C., 2011, Geologic map of the Kavik River area, northeastern Brooks Range, Alaska: Alaska Division of Geological & Geophysical Surveys Report of Investigation 2011-3A, 14 p., 1 sheet, scale 1:63,360.
- Wartes, M.A., Decker, P.L., Houseknecht, D.W., Gillis, R.J., and LePain, D.L., 2011, Foreland Basin Response to Paleocene Rejuvenation in the Brooks Range, Northern Alaska: AAPG 3P Polar Petroleum Potential Meeting, Halifax, Nova Scotia, Canada
- Wartes, M.A., Wallace, W.K., Houseknecht, D.W., Swenson, R.F., Mull, C.G., Decker, P.L., and O'Sullivan, P.B., 2011, The Early to Middle Cretaceous Foreland Basin Record of Brooks Range Tectonics, Northern Alaska: Sixth International Conference on Arctic Margins, Fairbanks, AK
- Wartes, M.A., Decker, P.L., and Gillis, 2011, Improving the Nomenclature of the Brookian Depositional System in Northern Alaska: the Role of Sequence Stratigraphy: Pacific Section AAPG meeting, Anchorage, AK
- Wartes, M.A., 2012, Stratigraphy of Northern Alaska, with an Emphasis on the Cretaceous – Cenozoic Foreland Basin: Alaska Geological Society Fold & Thrust Belt Workshop, Anchorage, AK.
- Wartes, M.A., 2012, Summary of fossil fuel and geothermal resource potential in the North Slope energy region, in Swenson, R.F., Wartes, M.A., LePain, D.L., and Clough, J.G., Fossil fuel and geothermal energy sources for local use in Alaska: Summary of available information: Alaska Division of Geological & Geophysical Surveys Special Report 66H, p. 73-82.
- Wartes, M.A., Decker, P.L., Gillis, R.J., Herriott, T.M., and LePain, D.L., 2013, Predicting Deep Water Reservoirs in the Brookian Sequence: Underexplored Plays on the North Slope, Alaska: American Association of Petroleum Geologists 3P Arctic Conference.
- Wartes, M.A., Decker, P.L., Gillis, R.J., Herriott, T.M., and LePain, D.L., 2014, Regional Stratigraphy of the Brookian Sequence: A Summary of Underexplored Deep-water Plays on the North Slope, Alaska: Alaska Geological Society Annual Technical Conference Abstracts
- Whalen, M. T., Kelly, L.N., Mull, C. G., Mickey, M., Banet, A., and Hulm, E.J., 2002, High Resolution Outcrop Stratigraphy and Surface-to-Subsurface Correlation of Upper Triassic Rocks, Northern Alaska [abs.]: American Association of Petroleum Geologists Pacific Section.
- Whalen, M. T., and Kelly, L., 2002, High resolution sequence stratigraphy, geochemistry, and paleoenvironmental interpretation of Triassic upwelling zone deposits, northern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 34, p. 15-16.
- Whalen, M.T., Dumoulin, J.A., Lukasic, J.J., McGee, M.M., White, J.G., and Toendel, T.D., 2005, Carboniferous phosphorite deposition and carbonate platform drowning, Lisburne Group, central Brooks Range, Alaska [abs.]: Geological Society of America Abstracts with Program, v. 37, no. 4, p. 93.

*Publication list for DGGs Brooks Range Foothills & North Slope Program (1994-Present)*

- Whalen, M.T., Kelly, L., Hulm, E., Burruss, R.C., and Dumoulin, J.A., 2006, Sequence stratigraphy and geochemistry of the marine Triassic of Arctic Alaska, implications for Mesozoic paleogeography and oceanography [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5
- Whalen, M.T., Dumoulin, J.A., Lukasic, J.J., and White, J.G., 2006, Simultaneous carbonate platform progradation and drowning, Lisburne Group, eastern and central Brooks Range, Alaska [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5
- White, J.G., 2005, Preliminary investigation of the Lisburne Group, upper Nanushuk River region, central Brooks Range, Alaska: Alaska Division of Geological & Geophysical Surveys Preliminary Interpretive Report, PIR 2005-3, 28 p.
- White, J.G., and Whalen, M.T., 2006, Accumulation history, facies analysis, and reservoir potential of the Carboniferous Lisburne Group, Upper Nanushuk River drainage, central Brooks Range, Alaska [abs.]: Geological Society of America Abstracts with Program, v. 38, No. 5
- Wright, A.M., Ratcliffe, K.T., Decker, P.L., and Wartes, M.A., 2009, Chemostratigraphic characterization of Lower Cretaceous to Paleocene Formations of the Brookian sequence, Alaskan North Slope Foothills [abs.]: Alaska Geological Society Technical Conference Abstracts, p. 46.
- Wright, A.M., Ratcliffe, K.T., Decker, P.L., and Wartes, M.A., 2010, Stratigraphic characterization of Lower Cretaceous to Paleocene formations of the Brookian Sequence, Alaskan North Slope foothills using a combined chemostratigraphic and sequence stratigraphic approach: AAPG annual meeting abstracts.
- Wright, A., Martinez-Kulikowski, N., Decker, P.L., and Wartes, M.A., 2011, A Combined Chemostratigraphic, Lithostratigraphic and Sequence Stratigraphic Approach to the Characterization of Lower Cretaceous to Paleocene Formations of the Brookian Sequence, Alaskan North Slope Foothills: Geological Society of America Annual Meeting.