

ALASKA AMBLER RIVER C-6





A REGIONAL TREND OF 3.37 GAMMAS/MILE NORTH AND 2.35 GAMMAS / MILE EAST EXISTED AND WAS REMOVED USING THE 1965 IGRF UPDATED TO 1974

49000 49020 FLIGHT PATH WITH CAMERA FIDUCIAL NUMBERS

True North Magnetic North

SCALE 1: 63,360 AEROMAGNETIC SURVEY

AMBLER RIVER C-6, ALASKA

DEPARTMENT OF NATURAL RESOURCES DIVISION OF GEOLOGICAL AND GEOPHYSICAL SURVEY

STATE OF ALASKA SHUNGNAK SELAWIK Copies of this map may be obtained from The Division at 3001 Porcupine Drive, Anchorage, Alaska 99501

BAIRD-MTN-AMBLER-RIVER



ALASKA

The magnetic contours shown on this map represent the total anomalous magnetic field of the earth. Variations in this field are caused by the variable magnetic character of rock units crossed by the survey flights, and hence, can be used to estimate the apparent location of rocks rich in magnetic minerals. Such rock units may be either at the surface of the ground or buried beneath it. Anomalies show both positive and negative variations depending on the shape, attitude, and constituents of local rocks. Geophysical aepenang on the snape, arrivate, and constituents of local rocks, seephysic interpretation will be helpful in determining boundaries or depth of burial of anomaly-causing rock units. Some anomalies may be impossible to interpret without further geologic information. Basic profile data is retained at the Division of Geological Survey and should be consulted for detailed analysis.