

P-1 50 50 X 5347

FLIGHT LINE SPACING 3/4 MILE

FLIGHT ALTITUDE NOMINALLY 1000 FEET ABOVE GROUND

REGIONAL FIELD REMOVED. THE FIELD INCREASES

APPROXIMATELY 4.5 GAMMAS/MILE, N 55° E

APPROXIMATE FIELD INCLINATION: +77.2°

REGIONAL MAGNETIC FIELD SW SHEET CORNER: 57,037 GAMMAS

10 GAMMA CONTOUR
20 GAMMA CONTOUR
100 GAMMA CONTOUR
500 GAMMA CONTOUR
MAGNETIC LOW

FLIGHT LINE AND DIRECTION WITH BEGINNING AND ENDING PHOTO NUMBERS MAGNETIC MAXIMUM/MINIMUM APPROXIMATE MEAN DECLINATION, 1958


EAST ALASKA RANGE BIG DELTA(C-3), ALASKA

STATE OF ALASKA

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF GEOLOGICAL AND GEOPHYSICAL SURVEYS

Copies of this map may be obtained from the Division at: 3001 Porcupine Drive, Anchorage, Alaska, 99501, and Box 80007, College, Alaska, 99701.



The magnetic contours shown on this map represent the total anomalous magnetic field of the earth. Variations in this field are caused by the variable magnetic character of rock units crossed by the survey flights, and hence, can be used to estimate the apparent location of rocks rich in magnetic minerals. Such rock units may be either at the surface of the ground or buried beneath it. Anomalies show both positive and negative variations depending on the shape, attitude, and constituents of local rocks. Geophysical interpretation will be helpful in determining boundaries or depth of burial of anomaly-causing rock units. Some anomalies may be impossible to interpret without further geologic information. Basic profile data is retained at the Division of Geological and Geophysical Surveys and should be consulted for detailed analysis.

Base map from U.S.G.S. 1:63 360 Topographic map series. Flown and compiled in 1973 by: LOCKWOOD, KESSLER & BARTLETT, INC., 2476 Huntington Drive, San Marino, California, 91108.