

Hard-rock geochemical data of core from the FL-001, FL-003, and FL-004 holes of the Fish Lake Property in the Alaska Range of the Mount Hayes Quadrangle.



Received 2 July 2002

Total of 9 pages in report

Alaska Geologic Materials Center Data Report No. 304

# ACNC Drill Hole Data

FL-001 FX#	FROM	TO	INT.	Au ppb	Pt ppb	Pd ppb	Cu ppm	Ni ppm	Mg %	MgO cal %	Ag ppm	Al %	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	
FX536656	51.0	56.0	5.0		4	24	13	171.7	1390	10.65	17.6577	0.66	2.27	28	0.95	0.12	1.45	0.18	124.5	1990
FX536657	56.0	61.0	5.0		18	9.5	8	584	798	9.89	16.39762	0.26	1.81	54	0.4	0.1	5.6	0.2	89.7	2020
FX366658	61.0	68.0	7.0		5	3	2	471	545	10.7	17.7406	0.24	1.93	35	0.65	0.08	7.3	0.06	70.4	2760
FX536601	68.0	70.0	2.0		10	<10	<4	440	530	11.55	19.1499	0.5	2.25	50	5	10	7.95	5	70	1280
FX536659	70.0	75.0	5.0		2	4.5	9	83	568	8.38	13.89404	0.46	5.06	162	0.4	0.08	3.7	0.16	65.4	1335
FX536660	75.0	80.0	5.0		7	6.5	4	83	540	12.25	20.3105	0.16	3.63	31	0.15	0.04	4.7	0.02	54.2	1885
FX536661	80.0	85.0	5.0		2	10.5	11	15.6	913	7.1	11.7718	0.08	6.48	63.5	0.35	0.04	5.6	0.02	97.5	722
FX536662	85.0	90.0	5.0		5	9.5	5	93.1	835	13.05	21.6369	0.3	2.68	17.5	0.2	0.04	5.2	0.06	69.8	2400
FX536663	90.0	95.0	5.0		38	8	3	163.9	1090	14.25	23.6265	0.26	1.61	47	0.2	0.05	2.2	0.1	123.2	1915
FX536664	95.0	100.0	5.0		5	3.5	2	164.5	1030	14.8	24.5384	0.22	1.89	122	0.2	0.05	2.1	0.04	133.5	2050
FX536665	100.0	105.0	5.0		5	7.5	3	74.5	1065	13.85	22.9633	0.18	1.65	79	0.2	0.05	2.5	0.02	125	1980
FX536666	105.0	110.0	5.0		2	30.5	14	119.4	1150	15	24.87	0.16	1.52	73	0.25	0.05	2.9	0.02	118.7	1950
FX536667	110.0	115.0	5.0		13	30	14	367	1290	14.95	24.7871	0.28	1.59	69	0.2	0.08	3.6	0.08	136.4	2070
FX536668	115.0	120.0	5.0		9	30.5	13	200.6	1055	15	24.87	0.26	1.59	63	0.15	0.06	2.9	0.04	113.1	2200
FX536669	120.0	125.0	5.0		3	10.5	3	347	1050	14.45	23.9581	0.26	1.66	104	0.2	0.04	3.6	0.06	122.3	1995
FX536670	125.0	129.2	4.2		13	10	3	734	1155	14.05	23.2949	0.3	1.5	79.5	0.15	0.04	4.6	0.08	117.8	1750
FX536671	130.2	135.0	4.8		6	15	6	367	1260	15	24.87	0.2	1.72	623.4	0.2	0.04	3.3	0.04	128.5	2100
FX536672	135.0	139.0	4.0		6	38	17	296	1020	14.9	24.7042	0.2	1.62	105	0.2	0.04	3.3	0.06	135.7	2160
FX536673	139.0	143.0	4.0		7	5.5	2	191.6	715	15	24.87	0.16	1.62	120	0.2	0.03	2.5	0.02	125.8	1835
FX536002	143.0	146.0	3.0		2	<10	<4	170	650	18.3	30.3414	0.5	1.95	100	5	10	2.45	5	120	1140
FX536674	146.0	151.0	5.0		280	2.5	2	289	673	15	24.87	0.22	1.89	123	0.25	0.03	2.7	0.04	127	1815
FX536675	151.0	158.0	7.0		5	0.5	1	313	611	15	24.87	0.2	1.81	130.5	0.3	0.02	3.3	0.04	120.8	1865
FX536003	158.0	163.0	5.0		2	<10	<4	340	760	16.8	27.8544	0.5	1.85	100	5	10	3.35	5	140	1020
FX536004	163.0	168.0	5.0		4	<10	<4	420	720	17.6	29.1808	1	1.85	100	5	10	3	5	130	1830
FX536676	168.0	173.0	5.0		4	0.5	1	314	619	13.05	21.6369	0.2	1.65	91.5	0.3	0.03	3.4	0.06	104.6	1970
FX536677	173.0	178.0	5.0		5	0.5	1	255	563	11.1	18.4038	0.22	1.87	44.5	0.35	0.04	5	0.08	96.8	2220
FX536678	178.0	183.0	5.0		10	1	2	385	567	10.4	17.2432	0.22	2.03	33.5	0.25	0.04	5	0.1	96.3	2300
FX536679	183.0	188.0	5.0		6	1	1	300	875	12.3	20.3934	0.18	1.74	200.5	0.3	0.05	2.7	0.08	119.6	1785
FX536680	188.0	193.0	5.0		5	1.5	1	244.7	900	14.55	24.1239	0.16	1.71	143	0.3	0.05	2.5	0.04	106.3	1495
FX536005	193.0	198.0	5.0		2	<10	<4	300	1100	16.6	27.5228	0.5	2.1	100	5	10	3.65	5	120	930
FX536681	198.0	203.0	5.0		6	12.5	7	244	987	13.2	21.8856	0.24	1.93	155.5	0.25	0.04	3.3	0.06	107.4	2210
FX536682	203	208.7	5.7		12	1.5	1	292	649	8.38	13.89404	0.44	3.95	573.8	0.5	0.09	3.7	0.12	88.4	1505
FX536683	209.7	215.0	5.3		13	3.5	1	186.5	946	13.85	22.9633	0.2	1.62	147	0.2	0.04	2.7	0.06	106	1700
FX536684	215.0	220.0	5.0		9	3	1	100.1	984	13.85	22.9633	0.16	1.62	148.5	0.25	0.03	2.8	0.02	99.4	1695
FX536685	220.0	224.0	4.0		9	3	1	89.2	1105	13.95	23.1291	0.2	1.69	138	0.2	0.04	3.2	0.02	104.8	1705
FX536686	224.0	228.5	4.5		13	2.5	1	91.7	1120	13.9	23.0462	0.2	1.83	71	0.3	0.02	3.1	0.04	103.3	1775
FX536687	229.5	235.0	5.5		10	5.5	2	122.8	1240	12.3	20.3934	0.26	2.12	90.5	0.4	0.04	3.3	0.12	123.4	2020
FX536688	235.0	240.0	5.0		11	17.5	6	83.6	1415	10.35	17.1603	0.24	2.3	94	0.35	0.05	3.8	0.14	137.4	2210
FX536689	240.0	245.0	5.0		16	40	19	157.9	1450	9.76	16.18208	0.28	2.88	160.5	0.4	0.05	3.3	0.06	114.8	1970
FX536690	245.0	250.0	5.0		100	71	32	306	1830	11.8	19.5644	0.32	2.54	162	0.35	0.04	4.5	0.14	130	2610
FX536691	250.0	255.0	5.0		20	38	22	232.6	1595	11.1	18.4038	0.24	2.1	104	0.35	0.04	3.7	0.12	126.6	2130
FX536692	255.0	260.0	5.0		13	23	10	196.9	1000	10	16.58	0.26	1.94	60	0.35	0.06	3.8	0.1	83.8	2000
FX536693	260.0	265.0	5.0		28	16.5	7	272	1265	10.55	17.4919	0.28	2.16	99	0.35	0.06	3.5	0.08	122.2	1955
FX536694	265.0	270.0	5.0		20	7.5	9	197.6	640	7.42	12.30236	0.34	4.39	892.5	0.45	0.06	2.7	0.06	86.4	1365
FX536695	270.0	275.0	5.0		1	4.5	14	42	125	3.54	5.86932	0.32	7.15	1019	0.55	0.03	4.4	0.02	45	166
FX536696	275.0	280.0	5.0		1	4.5	15	24.2	125.5	3.79	6.28382	0.26	7.54	579	0.45	0.02	5.4	<.02	41.8	154
FX536697	280.0	285.0	5.0		1	4	13	36	395	4.85	8.0413	0.24	6.43	699.6	0.5	0.03	3.7	0.04	54.3	133
FX536698	285.0	290.0	5.0		17	4	14	81	96.1	3.41	5.65378	0.38	7.37	411.5	0.5	0.03	5.5	<.02	39.8	148
FX536699	290.0	295.0	5.0		26	25.5	19	603	843	7.19	11.92102	0.52	5.57	417.5	0.45	0.09	4.2	0.18	86.8	1130
FX536700	295.0	300.0	5.0		12	52.5	25	290	1335	10.8	17.9064	0.26	1.96	105	0.4	0.13	3.2	0.08	106.7	1900
FX536701	300.0	305.0	5.0		5	2.5	1	373	1520	12.25	20.3105	0.28	2.25	79	0.3	0.18	1.15	0.12	161.4	2030
FX536702	305.0	309.0	4.0		34	1.5	1	293	816	9.76	16.18208	0.26	2.24	101	0.4	0.04	3.1	0.1	114.1	2110
FX536703	309.0	313.0	4.0		30	1.5	1	608	1065	9.04	14.98832	0.46	2.15	123	0.35	0.05	3.4	0.2	128.8	1975
FX536006	313.0	315.0	2.0		12	<10	<4	310	780	15.9	26.3622	0.5	2.4	50	5	10	3.7	5	110	520
FX536704	315.0	320.0	5.0	15.0	18.5	8	559	1350	10.6	17.5748	0.44	2.32	99	0.45	0.07	3.1	0.18	129.9	2010	

FL-001	FROM	TO	INT.	Au	Pt	Pd	Cu	Ni	Mg	MgO	Ag	Al	Ba	Be	Bi	Ca	Cd	Co	Cr	
FX#				ppb	ppb	ppb	ppm	ppm	%	cal %	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
FX536705	320.0	326.5	6.5	15.0		41.5	20	363	1160	10.35	17.1603	0.4	2.28	109	0.45	0.06	3.4	0.16	115.6	1835
FX536007	326.5	332.5	6.0		14	35	12	240	970	15.35	25.4503	0.5	2.3	50	5	10	3.55	5	120	600
FX536706	332.5	338.5	6.0		9	33	14	130.4	1095	10.75	17.8235	0.28	2.51	107	0.5	0.05	3.4	0.06	123.9	2000
FX536707	338.5	344.5	6.0		33	33.5	10	306	951	10.4	17.2432	0.32	2.28	67	0.5	0.05	3.7	0.16	103.8	1650
FX536708	344.5	350.5	6.0		22	50.5	22	279	960	11.1	18.4038	0.36	2.38	88.5	0.5	0.05	3.4	0.1	106.5	1780
FX536709	351.5	356.5	5.0		13	41	15	374	1015	10.95	18.1551	0.4	2.48	109	0.4	0.06	3.4	0.14	117.2	1755
FX536710	356.5	361.5	5.0		20	42	13	111.4	1040	10.25	16.9945	0.22	2.62	157	0.55	0.05	3.2	0.06	117.6	1920
FX536711	361.5	366.5	5.0		9	62.5	32	171	1060	10.05	16.6629	0.26	2.56	126	0.4	0.07	3.4	0.06	118.2	1810
FX536712	366.5	371.5	5.0		6	42.5	16	140.3	1040	11.05	18.3209	0.24	2.85	145.5	0.55	0.04	3.8	0.04	113.3	1780
FX536713	371.5	376.5	5.0		4	21	8	128.3	910	11.45	18.9841	0.24	2.49	158.5	0.35	0.06	3.3	0.04	110.9	1235
FX536714	376.5	381.5	5.0		9	9	4	356	837	9.09	15.07122	0.48	2.66	94.5	0.45	0.17	4	0.18	120.2	1260
FX536715	381.5	386.5	5.0		1	1	1	321	237	7.09	11.75522	0.48	4.18	810.4	0.5	0.09	6	0.22	54.8	1350
FX536716	386.5	391.5	5.0		5	10.5	3	304	434	9.03	14.97174	0.46	3.57	239.5	0.65	0.1	6	0.16	87.7	879
FX536717	391.5	396.5	5.0		5	33	12	108.4	592	9.77	16.19866	0.22	2.94	59	0.7	0.05	4.6	0.04	95.2	1100
FX536718	396.5	401.5	5.0		22	45.5	20	470	633	9.5	15.751	0.48	3.07	57.5	0.65	0.09	4.4	0.14	94	853
FX536719	401.5	406.5	5.0		7	38.5	16	259	585	10.7	17.7406	0.34	3.34	35	0.55	0.08	5.3	0.1	86.6	706
FX536720	406.5	411.5	5.0		9	26	10	288	518	9.7	16.0826	0.34	3.43	288	0.7	0.05	5.4	0.08	79.8	660
FX536721	411.5	416.5	5.0		7	23.5	8	323	503	9.99	16.56342	0.4	3.42	233.5	0.6	0.06	5.4	0.08	84	1070
FX536722	418.2	423.0	4.8		6	28.5	10	295	574	11.15	18.4867	0.3	3.63	35.5	0.5	0.05	5.7	0.04	81.2	1375
FX536723	423.0	428.0	5.0		2	26	9	146.9	521	10.25	16.9945	0.26	3.21	46.5	0.5	0.05	5.4	0.06	77	1280
FX536724	428.0	432.0	4.0		1	17	7	98.8	593	11.1	18.4038	0.28	3.38	39.5	0.6	0.06	5.5	0.02	73.5	1520
FX536725	432.0	436.2	4.2		2	10	4	216.7	563	10.85	17.9893	0.3	3.49	51.5	0.65	0.05	5.6	0.04	78.3	1480
FX536726	437.2	443.0	5.8		5	2	2	261	700	10.3	17.0774	0.34	3.5	44	0.55	0.07	5.6	0.1	75	1445
FX536727	443.0	448.0	5.0		1	2	1	127.2	766	11.15	18.4867	0.3	3.97	60.5	0.55	0.05	5.5	0.06	83.1	1270
FX536728	448.0	453.0	5.0		2	5.5	2	142.5	751	10.15	16.8287	0.32	3.74	157.5	0.65	0.11	5.4	0.1	78.4	1280
FX536729	453.0	458.0	5.0		1	10.5	3	92	728	10.4	17.2432	0.32	3.67	35	0.75	0.06	5.7	0.06	75.1	1330
FX536730	458.0	463.0	5.0		1	7	3	60.2	335	6.45	10.6941	0.2	2.1	26	0.55	0.06	3.4	0.04	37.9	801
FX536731	463.0	468.0	5.0		2	4	2	136.3	749	10.1	16.7458	0.34	4.11	63	0.85	0.07	4.6	0.08	87.4	1500
FX536732	468.0	473.0	5.0		8	15.5	6	262	672	9.96	16.51368	0.42	3.65	100.5	0.8	0.1	5.4	0.12	75.2	1285
FX536733	473.0	478.0	5.0		6	12	4	250	737	10.25	16.9945	0.42	3.98	73.5	0.85	2.59	5	0.12	83.6	1315
FX536734	478.0	483.0	5.0		1	14	7	157.4	626	9.07	15.03806	0.36	4.45	262.5	0.8	0.09	5.2	0.1	77.4	1195
FX536735	486.0	487.2	1.2		1	<1		181.1	137	3.39	5.62062	0.66	7.75	490	1.8	0.12	3.4	0.12	39.6	211
FX536008	522.0	523.0	1.0		10	2.5	1	2500	670	2.4	3.9792	0.5	3.95	50	5	10	8.85	5	230	70

FL-001	Fe	K	Mn	Mo	Na	Pb	Sr	Ti	V	Zn	S	Y	La	Th	U	Zr	
FX#	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
FX536656	9.82	0.03	1480	0.65	0.07	9.5	46.2	<.02		129	68	0.01	11.5	5	<.2	0.3	17.5
FX536657	6.92	0.06	1245	0.45	0.25	11	74.2	<.02		154	52	0.03	14.6	5	<.2	0.2	23
FX536658	5.88	0.1	1115	0.35	0.28	30.5	76.6	<.02		178	64	0.03	11.5	4.5	<.2	0.1	25.5
FX536001	7.15	0.05	1050	5	0.35	0.011	60	0.45	190	100		11.08	4.58	0.61	0.20	34.27	
FX536659	4.59	0.22	1115	0.5	1.21												
FX536660	4.59	0.08	840	0.2	0.23	6	29.6	0.02	171	48	0.02	6.9	1.5	0.5	0.1	12	
FX536661	8.97	0.29	1115	0.2	0.78	5	311	0.06	216	72	0.02	14.1	16	0.1	0.1	11	
FX536662	6.38	0.06	1030	0.2	0.35	4	49.2	<.02		150	52	0.03	7.9	4	0.6	0.1	19
FX536663	8.92	0.05	1255	0.2	0.14	3.5	30.4	0.02	106	50	0.02	5.9	4.5	0.7	0.1	17	
FX536664	8.11	0.06	1320	0.3	0.17	5	38.8	0.06	110	46	0.04	7	5	1	0.1	27	
FX536665	7.9	0.1	1685	0.3	0.2	2	71.7	0.04	102	46	0.07	6.7	4.5	0.7	0.1	27	
FX536666	7.52	0.11	1330	0.3	0.17	2	81.9	0.02	100	38	0.1	7	4.5	0.7	0.2	26.5	
FX536667	7.65	0.05	1390	0.25	0.15	3.5	35.8	0.02	102	38	0.05	7.2	4	0.6	0.1	24	
FX536668	7.45	0.07	1510	0.2	0.05	3	25.2	0.02	93	38	0.03	6.2	4	0.6	0.1	18.5	
FX536669	7.49	0.07	1130	0.25	0.23	2.5	102.5	0.02	102	36	0.04	7.1	4.5	0.8	0.2	36	
FX536670	7.46	0.09	1195	0.2	0.21	2	149.5	0.02	90	40	0.09	6.1	4	0.6	0.2	26	
FX536671	7.73	0.18	1090	0.3	0.24	21	147.5	0.02	103	40	0.27	6.8	5.5	2	0.3	26	
FX536672	7.26	0.16	1185	0.3	0.2	1.5	64.1	0.04	100	36	0.14	7	4	0.8	0.3	27.5	
FX536673	7.75	0.21	1175	0.35	0.2	1.5	51	0.04	93	38	0.15	6.9	4	0.8	0.4	28	
FX536002	9.25	0.2	1240	5	0.2	0.009	40	0.35	110	60		6.75	3.36	0.58	0.23	23.91	
FX536674	7.64	0.24	1305	0.25	0.14	2.5	40.6	0.06	99	48	0.19	7.6	5	0.9	0.3	24.5	
FX536675	7.95	0.23	1200	0.25	0.19	1.5	80.9	0.04	101	42	0.13	8	5	0.7	0.2	28	
FX536003	9.75	0.1	1210	5	0.25	0.01	100	0.4	120	80							
FX536004	10	0.2	1320	5	0.2	0.009	60	0.35	120	80							
FX536676	7.27	0.14	1165	0.5	0.18	2.5	101.5	0.04	108	38	0.36	8.3	5	0.8	0.2	29.5	
FX536677	6.73	0.07	1070	0.55	0.36	2.5	55.3	0.02	129	38	0.34	11	6	0.9	0.4	36.5	
FX536678	6.73	0.05	980	0.6	0.34	2.5	55.7	0.02	151	44	0.37	8.6	5.5	1	0.4	35.5	
FX536679	8.47	0.24	1300	0.65	0.23	2.5	64.5	0.08	104	54	0.45	5.7	4.5	0.8	0.5	24	
FX536680	8.01	0.25	1145	0.35	0.24	2	114	0.08	97	46	0.26	6.6	5	0.8	0.2	27.5	
FX536005	9.35	0.3	1300	5	0.3	0.009	200	0.45	130	60							
FX536681	7.73	0.34	1175	0.6	0.3	3	145.5	0.1	113	44	0.24	8.6	6	1	0.3	32	
FX536682	7.18	1.02	1255	0.7	0.81	37.5	362	0.32	162	66	0.27	10.9	10	1.8	1	36	
FX536683	7.62	0.25	1150	0.35	0.19	2.5	109.5	0.06	93	38	0.16	5.9	5	0.8	0.1	22	
FX536684	7.22	0.27	1140	0.35	0.18	3	124.5	0.08	96	38	0.11	7	5	0.8	0.1	21.5	
FX536685	7.58	0.25	1210	0.4	0.12	7.5	113	0.1	95	42	0.11	7.2	5	0.8	0.3	24	
FX536686	7.73	0.12	1225	0.5	0.13	6.5	116.5	0.1	102	48	0.12	8.1	5	0.8	0.3	21.5	
FX536687	8.74	0.14	1350	0.4	0.16	17.5	136	0.2	116	52	0.12	9.6	6	0.9	0.3	26	
FX536688	9.14	0.11	1755	0.4	0.26	9	117.5	0.32	128	54	0.12	10.4	6.5	1	0.2	29.5	
FX536689	7.7	0.51	1225	0.6	0.21	5	64.5	0.56	151	52	0.17	11	6.5	0.9	0.2	25.5	
FX536690	6.99	0.36	1225	1.2	0.27	3.5	46.2	0.8	131	46	0.29	10.1	5.5	0.9	0.3	24.5	
FX536691	8.38	0.22	1550	0.7	0.23	3	64.8	0.6	111	42	0.26	9.3	6	1	0.3	24.5	
FX536692	6.33	0.11	865	0.35	0.22	3	54	0.34	105	38	0.14	9	5	0.8	0.1	25.5	
FX536693	8.02	0.16	1330	0.4	0.22	4.5	74.5	0.24	112	52	0.16	9.6	6	1	0.3	26.5	
FX536694	8.22	1.52	1090	0.45	0.91	11.5	206	0.72	206	70	0.06	17.2	8	1.2	0.4	29.5	
FX536695	7.22	1.82	975	0.6	2.27	4	477	0.64	322	60	0.02	23.8	9.5	1	0.3	25.5	
FX536696	7.37	1.44	935	0.5	2.36	3	602	0.32	332	50	0.03	20.5	10	1.5	0.4	28.5	
FX536697	7.83	2.23	955	0.4	1.37	4	280	0.68	301	66	0.02	18.5	12	0.8	0.4	24	
FX536698	6.84	1.17	820	0.5	2.47	2.5	538	0.22	326	44	0.03	20.9	8	0.9	0.3	19.5	
FX536699	7.18	1.13	915	0.7	1.4	17.5	338	0.4	267	64	0.3	16.5	7.5	0.9	0.6	26	
FX536700	6.65	0.17	1165	1.65	0.15	3.5	89.6	0.08	110	42	0.82	7.2	5	0.9	1	17.5	
FX536701	7.44	0.14	910	1.55	0.07	4.5	38	0.06	124	68	0.98	4.7	5.5	1	0.9	15	
FX536702	9.5	0.08	1300	3.95	0.18	4	98.5	0.06	133	56	0.31	8.9	6	4	0.6	25.5	
FX536703	9.64	0.16	1565	1.55	0.27	5.5	59.2	0.12	127	60	0.56	10.7	6	3	0.9	23	
FX536006	9.3	0.05	1410	5	0.3	0.009	40	0.45	130	80		8.52	4.23	0.87	0.26	22.08	
FX536704	8.94	0.11	10.6	1.5	0.22	340	66.6	0.16	133	56	0.62	10.1	8	1.4	0.9	24.5	

FL-001	Fe	K	Mn	Mo	Na	Pb	Sr	Tl	V	Zn	S	Y	La	Th	U	Zr
FX#	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
FX536705	8.55	0.12	10.35	1.05	0.24	390	101	0.14	128	52	0.41	9.8	8.5	1.4	0.4	26
FX536007	9.2	0.05	1310	5	0.3	0.009	100	0.5	130	80	7.96	5.48	0.93	0.28	24.48	
FX536706	9.15	0.13	1290	0.8	0.28	4	86.4	0.12	151	48	0.28	11	9	1.3	0.5	30.5
FX536707	8	0.08	1265	1.05	0.27	3.5	55	0.12	126	46	0.48	10	7.5	1.1	0.8	25.5
FX536708	8.26	0.11	1210	0.7	0.29	3.5	74.2	0.12	141	46	0.31	10.7	9	1.2	0.4	28.5
FX536709	8.58	0.14	1340	0.85	0.28	4.5	61.9	0.14	146	46	0.39	12.1	9.5	1.5	0.4	28.5
FX536710	8.8	0.25	1265	0.75	0.32	2.5	68.6	0.14	150	42	0.25	11.6	10	2.9	0.4	33
FX536711	7.71	0.17	1125	0.9	0.35	2.5	67.2	0.14	148	38	0.29	12.3	10	1.9	0.5	35
FX536712	7.97	0.25	1195	0.8	0.35	3	68.1	0.16	155	40	0.34	11.7	10	1.6	0.4	34
FX536713	9.06	0.3	1310	0.55	0.28	3.5	62.3	0.18	124	48	0.35	9.7	8	1.3	0.4	27
FX536714	6.63	0.16	1080	3.55	0.28	67	56.5	0.18	155	60	0.71	11.4	9	1.6	2.8	33.5
FX536715	5.33	0.9	1050	0.95	1.17	24	327	0.24	221	60	0.08	15.9	11.5	1.9	1.2	26
FX536716	6.48	0.45	1225	2.95	0.93	26.5	189	0.16	207	56	0.5	16.1	12	1.8	1.2	30.5
FX536717	6.88	0.09	1015	0.75	0.57	2.5	77.1	0.06	145	32	0.31	11.6	10	1.5	0.4	43
FX536718	8.73	0.09	1285	1.3	0.47	2.5	88.2	0.14	160	38	0.3	14.5	11.5	1.7	0.9	39
FX536719	6.6	0.07	925	0.35	0.55	2	95.7	0.04	180	34	0.21	13.1	10	1.4	0.4	37.5
FX536720	6.45	0.26	1045	0.95	0.65	1.5	188	0.06	188	38	0.22	13.2	11	1.6	0.4	37
FX536721	7.09	0.51	1130	1.4	0.57	1.5	104.5	0.12	195	46	0.32	14.1	11.5	8.8	0.6	45
FX536722	6.5	0.09	945	0.5	0.61	0.5	94.3	0.02	194	38	0.31	12.2	9.5	1.7	0.4	44
FX536723	6.2	0.09	980	0.8	0.61	1.5	105.5	0.02	177	36	0.32	13.1	9	1.5	0.4	46.5
FX536724	5.98	0.07	990	0.9	0.6	0.5	101	0.04	185	32	0.22	13.2	9.5	1.6	0.4	41
FX536725	6.63	0.1	1045	0.6	0.69	1	117	0.06	190	40	0.35	14.2	11	1.6	0.4	48.5
FX536726	5.38	0.09	950	1.35	0.58	1.5	95.4	0.06	188	48	0.29	14.4	11.5	1.9	0.5	46
FX536727	6.46	0.13	1070	0.65	0.57	2.5	101.5	0.06	199	42	0.18	15.3	12.5	2.1	0.5	45.5
FX536728	6	0.54	1080	0.7	0.52	2	89.5	0.2	203	54	0.27	14.5	13	1.9	0.6	40.5
FX536729	6.07	0.12	1110	0.8	0.5	1.5	77	0.08	195	52	0.32	14.2	13.5	1.9	0.7	43.5
FX536730	3.43	0.06	635	0.95	0.29	0.5	46.2	0.02	119	34	0.11	8.3	6	1.2	0.3	27.5
FX536731	6.58	0.16	1120	0.75	0.45	2	82.5	0.1	210	58	0.29	15.8	13.5	1.8	0.8	41.5
FX536732	5.89	0.44	980	1.35	0.5	2	68.6	0.14	184	60	0.48	14.5	13	2.4	0.9	44
FX536733	6.71	0.26	1130	2.95	0.42	2	66.8	0.08	204	68	0.36	15.6	14	2.4	1.1	43
FX536734	6.75	0.66	1260	4.25	0.61	2	102.5	0.16	209	80	0.26	16.3	15	2.2	0.8	34
FX536735	4.4	0.88	775	1.9	3.18	8.5	500	0.14	315	64	0.64	26.1	30	5.7	2.8	40.5
FX536008	18.45	0.1	2670	5	0.25	0.01	370	0.15	70	200						

FILLS/INTERVALS SAMPLING			Au	Pt	Pd	Ni	Cu	Co	Cr	Fe	MnO	S	CR2O3	FE2O3	Fe2O3	Mg
FROM	TO	INTERVAL	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	% calc	%	%	%	%	%
30.0	35.0	5.0	1	13.5	16	165	166	32	689	2.9	9.9	<0.1				5.96
35.0	40.0	5.0	5	42	52	336	340	61	1115	3.5	11.6	0.21				7
40.0	45.0	5.0	9	65.5	81	321	397	56	1365	3.5	12.1	0.19				7.27
45.0	50.0	5.0	8	34	51	341	287	52	1000	3.5	10.1	0.08				6.11
50.0	55.0	5.0	7	36	50	356	285	55	1070	3.6	10.2	0.09				6.18
55.0	60.0	5.0	20	30	48	483	284	58	1268	3.6	15.1		0.16	7.23	6.99	7.65
60.0	65.0	5.0	4	10	18	250	200	40	600	3.6	12.7					7.65
65.0	70.0	5.0	8	20	30	300	270	50	640	4.1	14.3					8.65
70.0	76.0	6.0	8	60	90	430	410	60	500	4.4	13.9					8.4
76.0	81.0	5.0	24	115	198	2184	1794	106	2501	15.3			0.32	8.84	8.74	
81.0	86.0	5.0	7	36.5	50	343	292	55	1040	3.4	9.8	0.08				5.94
86.0	91.0	5.0	11	37.5	65	371	247	60	874	3.8	11.4	0.52				6.87
91.0	95.0	4.0	11	42	65	379	250	58	1070	3.8	11.2	0.53				6.75
95.0	99.0	4.0	13	50	76	956	728	97	2570	5.2	14.9	1.23				6.92
99.0	104.0	5.0	8	30	48	837	453	86	3410	19.2			0.51	8.01	7.70	
104.0	109.0	5.0	4	30	38	670	430	110	3140	6.6	22.9					11.4
109.0	114.0	5.0	12	50.5	79	676	511	85	2320	4.6	14.6	0.98				11.4
114.0	119.0	5.0	9	33	53	701	492	107	1970	5.9	19.8	0.94				11.5
119.0	124.0	5.0	11	40.5	61	897	600	108	2360	6.0	19.1	1.05				11.5
124.0	129.0	5.0	23	65	110	1276	928	98	2960	4.6	13.2	1.24				7.49
129.0	132.0	4.0	20	66.5	110	1425	1060	108	3510	5.1	14.6	1.38				11.4
132.0	137.0	5.0	16	80	92	1480	940	130	4150	7.4	24.5					11.25
137.0	143.0	6.0	1	30	58	1700	850	150	1560	9.6	33.3					21.1
143.0	149.0	6.0	1	45	80	2226	695	173	2174	33.8			0.61	13.98	13.07	11.76
149.0	154.0	5.0	22	87.5	145	1500	1015	103	3470	4.9	14.0	1.42				8.43
154.0	158.0	4.0	27	82.5	135	1485	979	99	3330	4.8	13.6	1.4				11.7
158.0	163.0	4.0	2	19	37	1345	475	131	585	6.4	24.9	0.52				15.01
163.0	166.0	4.0	3	34	69	1765	510	148	789	7.8	24.9	0.84				15.01
166.0	170.0	4.0	1	20	46	1370	427	115	1267	32.1			0.4	11.45	10.77	
170.0	175.0	5.0	3	35.5	68	2080	537	163	610	8.0	24.9	0.69				15.01
175.0	180.0	5.0	3	38.5	73	2000	517	155	535	7.8	24.9	0.69				15.01
180.0	185.0	5.0	2	19.5	34	1290	327	129	1295	7.1	24.9	0.62				15.01
185.0	190.0	5.0	1	14.5	28	1315	325	131	1300	7.3	24.9	0.64				15.01
190.0	195.0	5.0	2	19.5	35	1315	322	127	678	6.7	24.9	0.48				15.01
195.0	197.5	2.5	1	15	12	613	82	61	1482	19.8			0.23	8.93	8.75	15.01
197.5	202.0	4.5	1	25	46	1867	325	157	1461	35.0			0.43	12.18	11.83	
202.0	207.0	5.0	2	50	84	2260	500	170	1420	9.5	21.3					
207.0	212.0	5.0	3	48.5	83	2010	577	154	640	7.9	24.9	0.72				15.01
212.0	217.0	5.0	3	48.5	88	1915	546	148	614	7.6	24.9	0.71				15.01
217.0	222.0	5.0	3	47.5	86	2050	398	157	646	8.1	24.9	0.73				15.01
222.0	227.0	5.0	2	39.5	78	1885	414	154	616	7.7	24.9	0.71				15.01
227.0	232.0	5.0	2	35.5	75	1920	381	149	583	7.5	24.9	0.69				15.01
232.0	237.0	5.0	1	55	108	2246	514	171	1666	35.1			0.46	13.31	12.95	
237.0	242.0	5.0	2	44.5	90	1700	425	139	1204	2.1	7.9	0.21				4.79
242.0	247.0	5.0	3	49.5	105	1975	505	148	685	7.3	24.9	0.77				15.01
247.0	252.0	5.0	2	45.5	95	2070	533	161	695	7.5	24.9	0.78				15.01
252.0	257.0	5.0	2	47.5	89	1975	361	129	636	6.2	24.9	0.52				15.01
257.0	262.0	5.0	2	42.5	82	1690	385	141	583	6.8	24.9	0.58				15.01
262.0	268.0	6.0	2	37	74	2090	439	155	703	7.9	24.9	0.72				15.01
268.0	273.0	5.0	1	40	88	2152	327	152	1220	35.2			0.59	13.26	12.24	
273.0	278.0	5.0	2	45	91	1915	451	157	704	8.0	24.9	0.71				15.01
278.0	283.0	5.0	2	44.5	87	1904	423	149	732	7.6	24.9	0.69				15.01
283.0	288.0	5.0	2	33	71	1500	340	120	614	6.8	24.9	0.5				15.01
288.0	293.0	5.0	1	32.5	60	1555	332	124	688	6.7	24.9	0.5				15.01
293.0	297.0	4.0	2	33	61	1648	383	137	657	7.4	24.9	0.59				15.01
297.0	300.0	3.0	1	45	94	1733	220	166	1840	36.1			0.61	13.59	13.09	
300.0	305.0	5.0	2	36.5	71	1515	365	130	690	7.0	24.9	0.56				15.01
305.0	310.0	5.0	1	35.5	77	1850	288	145	738	8.3	24.9	0.55				15.01
310.0	315.0	5.0	2	39	92	1820	290	142	757	7.8	24.9	0.53				15.01
315.0	320.0	5.0	2	41	91	1745	251	133	697	7.3	24.9	0.41				15.01
320.0	325.0	5.0	1	37.5	83	1855	257	141	641	7.4	24.9	0.41				15.01
325.0	330.0	5.0	2	44.5	96	1914	292	140	609	7.6	24.9	0.54				15.01
330.0	335.0	5.0	6	41	96	1944	336	143	693	7.7	24.9	0.26				15.01
335.0	340.0	4.0	15	53	110	1915	649	137	624	7.5	24.9	0.3				15.01
340.0	345.0	4.0	11	37	87	1920	689	144	662	8.4	24.9	0.36				15.01
345.0	347.0	4.0	10	36	84	1970	614	139	685	8.1	24.9	0.33				15.01
347.0	350.0	3.0	14	58	128	2307	938	146	1477	35.5			0.75	14.26	13.17	
350.0	355.0	5.0	18	56.5	115	2050	895	133	612	7.8	24.9	0.32				15.01
355.0	360.0	5.0	5	49	94	2150	461	148	491	8.8	24.9	0.33				15.01

MINERALIZED/SAMPLING INTERVALS																			
WATER SAMPLE #	BH3598	(FL-003)	INTERVAL	REMARKS	Au	Pt	Pd	Ni	Cu	Co	Cr	Fe	MgO	S	CR2O3	FE2O3	Fe2O3	Mg	
FROM (feet)	TO (feet)				ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	Calc %	%	%	%	%	%	
FL-001	365.0	370.0	5.0	Fill-in Samples	15	58	105	2330	950	144	617	8.4	24.9					15.01	
FL-002	365.0	370.0	5.0	Fill-in Samples	7	55.5	100	2100	526	138	674	7.9	24.9					15.01	
FL-003	370.0	374.0	4.0	Fill-in Samples	19	50.5	93	2300	1015	138	705	7.9	24.9					15.01	
FL-004	374.0	378.0	4.0	Fill-in Samples	19	52.5	98	2420	1125	142	708	7.8	24.9					15.01	
FL-005	378.0	382.0	4.0	Fill-in Samples	21	60.5	110	2250	1115	138	647	8.1	24.9					15.01	
FL-006	382.0	386.0	4.0		24	60	132	2700	1390	150	1500	9.4	24.9					15.01	
FL-007	386.0	390.0	4.0	Fill-in Samples	12	55.5	105	2240	805	140	1010	8.0	24.9					15.01	
FL-008	390.0	395.0	5.0	Fill-in Samples	14	60.5	110	2180	850	137	920	8.0	24.9					15.01	
FL-009	395.0	400.0	5.0	Fill-in Samples	19	58.5	115	2240	977	136	646	7.7	24.9					15.01	
FL-010	400.0	405.0	5.0		16	65	132	2636	918	154	1327	7.6	24.9		0.97	14.62	13.35	15.01	
FL-011	405.0	410.0	5.0	Fill-in Samples	19	49.5	110	2240	997	133	627	7.6	24.9					15.01	
FL-012	410.0	415.0	5.0	Fill-in Samples	11	43.5	88	2050	668	136	644	7.7	24.9					15.01	
FL-013	415.0	420.0	5.0	Fill-in Samples	12	36	83	1975	630	133	702	7.6	24.9					15.01	
FL-014	420.0	425.0	5.0	Fill-in Samples	9	49	115	2280	430	144	616	8.4	24.9					15.01	
FL-015	425.0	430.0	5.0	Fill-in Samples	10	51	115	2220	423	140	591	8.3	24.9					15.01	
FL-016	430.0	435.0	5.0	Fill-in Samples	10	45.5	105	2240	678	145	567	8.5	24.9					15.01	
FL-017	435.0	440.0	5.0	Fill-in Samples	12	48.5	120	2240	634	142	551	8.5	24.9					15.01	
FL-018	440.0	445.0	5.0	Fill-in Samples	19	67	150	2700	684	152	509	8.6	24.9					15.01	
FL-019	445.0	450.0	5.0	Fill-in Samples	19	77	175	2370	656	143	515	8.0	24.9					15.01	
FL-020	450.0	455.0	5.0	Fill-in Samples	6	40.5	95	1750	232	142	404	8.1	24.9					15.01	
FL-021	455.0	460.0	5.0	Fill-in Samples	1	36	83	1655	114	140	573	7.6	24.9					15.01	
FL-022	460.0	465.0	5.0	Fill-in Samples	7	46	115	1810	272	142	456	7.9	24.9					15.01	
FL-023	465.0	470.0	5.0	Fill-in Samples	2	53.5	140	2100	337	151	496	8.4	24.9					15.01	
FL-024	470.0	475.0	5.0	Fill-in Samples	3	56.5	125	2290	387	157	536	8.7	24.9					15.01	
FL-025	475.0	480.0	5.0	Fill-in Samples	3	41.5	88	1495	187	126	445	8.3	24.9					15.01	
FL-026	480.0	485.0	5.0	Fill-in Samples	4	41.5	110	1675	278	130	751	7.6	24.9					15.01	
FL-027	485.0	490.0	5.0	Fill-in Samples	3	25.5	70	1620	235	143	607	7.9	24.9					15.01	
FL-028	490.0	495.0	5.0	Fill-in Samples	4	32.5	90	1655	114	142	539	7.8	24.9					15.01	
FL-029	495.0	499.0	4.0		2	40	80	1690	220	140	1210	9.4	22.1					15.01	
FL-030	499.0	505.0	6.0	Fill-in Samples	2	38	97	1915	236	152	622	8.2	24.9					15.01	
FL-031	505.0	510.0	5.0	Fill-in Samples	17	59	165	2430	888	163	629	8.6	24.9					15.01	
FL-032	510.0	516.0	6.0	Fill-in Samples	11	50.5	125	2030	555	151	498	8.2	24.9					15.01	
FL-033	516.0	522.0	6.0	Fill-in Samples	12	40.5	110	1800	477	142	511	8.0	24.9					15.01	
FL-034	522.0	525.0	3.0		1	40	84	1780	310	150	790	9.5	22.3					15.01	
FL-035	525.0	530.0	5.0	Fill-in Samples	14	40	120	1710	170	137	897	7.6	24.9					15.01	
FL-036	530.0	535.0	5.0	Fill-in Samples	13	43.5	115	2400	916	194	1065	10.7	24.9					15.01	
FL-037	535.0	540.0	5.0	Fill-in Samples	6	53	150	1945	512	142	1020	8.3	24.9					15.01	
FL-038	540.0	545.0	5.0	Fill-in Samples	1	56	150	1545	190	130	752	7.2	24.9					15.01	
FL-039	545.0	550.0	5.0	Fill-in Samples	2	43.5	110	1590	380	125	822	8.0	24.9					15.01	
FL-040	550.0	556.0	6.0	Fill-in Samples	3	49.5	135	1825	310	142	941	7.6	24.9					15.01	
FL-041	556.0	562.0	6.0	Fill-in Samples	2	55	135	2090	409	160	690	8.5	24.9					15.01	
FL-042	562.0	565.0	3.0		10	60	142	2188	422	178	1294	9.7	24.9		0.58	14.23	13.68	15.01	
FL-043	565.0	570.0	5.0	Fill-in Samples	1	27.5	48	1190	153	121	705	8.1	24.9					15.01	
FL-044	570.0	575.0	5.0	Fill-in Samples	17	57.5	110	1990	1010	168	394	8.1	24.9					15.01	
FL-045	575.0	580.0	5.0	Fill-in Samples	18	61.5	120	2230	1020	175	378	8.5	24.9					15.01	
FL-046	580.0	585.0	5.0	Fill-in Samples	25	58	115	2150	1680	159	302	8.2	24.9					15.01	
FL-047	585.0	591.0	6.0	Fill-in Samples	22	57	120	2420	1320	160	467	8.5	24.9					15.01	
FL-048	591.0	597.0	6.0	Fill-in Samples	1	54.5	105	1530	237	126	623	7.7	24.9					15.01	
FL-049	597.0	603.0	6.0		16	65	152	2943	1389	204	1187	9.4	24.9		0.52	14.79	14.20	15.01	
FL-050	603.0	608.0	5.0		20	65	126	2410	1510	170	470	9.8	22.1					15.01	
FL-051	608.0	613.0	5.0	Fill-in Samples	18	54.5	135	1550	954	129	375	8.4	24.9					13.95	
FL-052	613.0	618.0	5.0	Fill-in Samples	22	69	165	2290	1540	177	447	8.6	24.9					15.01	
FL-053	618.0	623.0	5.0	Fill-in Samples	19	68.5	140	2180	1440	168	407	8.7	24.9					15.01	
FL-054	623.0	628.0	5.0	Fill-in Samples	20	63	150	2460	1665	181	510	9.6	24.9					15.01	
FL-055	628.0	633.0	5.0	Fill-in Samples	18	70.5	140	2260	1370	178	472	9.0	24.9					15.01	
FL-056	633.0	638.0	5.0	Fill-in Samples	17	35	74	1685	1075	156	445	8.2	24.9					15.01	
FL-057	638.0	643.0	5.0	Fill-in Samples	12	34.5	76	1515	1070	139	460	7.5	24.9					15.01	
FL-058	643.0	649.0	6.0	Fill-in Samples	13	40	87	1615	1155	159	576	8.4	24.9					15.01	
FL-059	649.0	654.0	5.0		18	45	92	1580	1310	150	600	9.8	24.9					22	
FL-060	654.0	659.0	5.0		20	60	116	1870	1280	180	1620	9.9	24.9					21.7	
FL-061	659.0	664.0	5.0		16	70	128	1980	1500	170	1170	10.0	24.9					21.7	
FL-062	664.0	669.0	5.0		20	65	148	2300	1557	167	1398	10.9	24.9		0.41	15.06	14.49	21.7	
FL-063	669.0	674.0	5.0		28	60	152	2120	1840	170	1330	10.5	24.9					21.6	
FL-064	674.0	679.0	5.0		20	70	144	2140	1810	170	1120	10.8	24.9					21.6	
FL-065	679.0	684.0	5.0		28	70	158	2190	1670	170	1450	10.7	24.9					21.9	
FL-066	684.0	689.0	5.0		20	70	148	2160	1520	160	1090	10.6	24.9					22	
FL-067	689.0	694.0	5.0		26	90	188	2360	1520	180	590	10.7	24.9					21.6	
FL-068	694.0	699.0	5.0		26	60	152	2254	1417	174	1511	9.6	24.9		0.45	14.9	14.35	21.6	

MINERALIZED/SAMPLING INTERVALS				ANALYTICAL DATA													
BOREHOLE #	BH63598	(L-003)		Au	Pt	Pd	Ni	Cu	Co	Cr	Fe	MgO	S	CR2O3	FE2O3	Fe2O3h	Mq
FROM (feet)	TO (feet)	INTERVAL	REMARKS	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	calc	%	%	%	%	%
F2516102	699.0	704.0	5.0	16	60	140	2090	1570	170	1210	11.0	37.6					22.7
F2516103	704.0	708.0	4.0	8	70	148	1950	1340	190	1010	11.1	37.8					22.8
F2516253	708.0	713.0	5.0	24	70	146	2150	940	220	1220	10.4	36.3					21.9
F2516254	713.0	718.0	5.0	12	80	182	1800	540	200	2150	10.5	34.1					23.6
F2516255	718.0	723.0	5.0	12	80	132	2420	1130	250	1150	11.7	38.5	1.75				23.2
F2516256	723.0	728.0	5.0	8	85	238	2800	800	230	820	10.9	40.0					22.6
F2516257	728.0	733.0	5.0	8	100	168	1860	560	190	1160	10.9	40.5					24.3
F2516258	733.0	738.0	5.0	8	60	100	1410	300	170	1160	10.6	40.5					24.4
F2516259	738.0	742.0	4.0	8	50	96	1420	370	170	740	10.4	34.5					23.7
F2516260	742.0	745.0	3.0	8	50	74	1380	310	160	1730	10.5	41.0	0.57				24.7
F2516261	745.0	748.0	3.0	2	70	178	2481	981	230	1608	10.7	34.7		0.46	16.83	15.89	
F2516262	748.0	753.0	5.0	8	75	170	2450	1370	270	1180	10.9	34.7					20.9
F2516263	753.0	758.0	5.0	10	85	156	2120	1840	260	950	12.3	39.3					21.7
F2516264	758.0	763.0	5.0	10	105	164	2120	1800	290	990	12.1	34.0					21.5
F2516265	763.0	768.0	5.0	14	80	162	2090	1870	260	1350	12.1	39.8					21.9
F2516266	768.0	773.0	5.0	12	80	180	2440	2040	280	1290	12.3	39.3	1.93				21.7
F2516267	773.0	778.0	5.0	16	85	184	2420	1930	240	1500	12.0	38.1					23.0
F2516268	778.0	782.0	4.0	16	75	172	2550	1820	260	1540	11.7	34.0					21.5
F2516269	782.0	785.0	3.0	20	100	196	2930	2170	260	1300	11.7	39.1					21.6
F2516270	785.0	788.0	3.0	8	90	196	2840	2400	250	980	11.8	37.8					22.8
F2516271	788.0	793.0	5.0	8	100	168	2360	1220	170	800	7.8	26.7					16.1
F2516272	793.0	798.0	5.0	10	80	164	2780	1270	220	2140	10.5	39.0	1.57				21.5
F2516273	798.0	803.0	5.0	64	100	224	4340	2460	240	1360	11.1	34.6					21.1
F2516274	803.0	808.0	5.0	32	70	186	3410	1650	210	570	10.3	39.1					21.6
F2516275	808.0	813.0	5.0	16	75	170	2940	1600	210	1490	9.7	17.0					22.9
F2516276	813.0	818.0	5.0	52	80	206	3210	1560	240	1920	10.3	37.8					22.8
F2516277	818.0	823.0	5.0	12	90	228	3400	1010	230	2840	10.1	37.8	0.98				22.4
F2516278	823.0	828.0	5.0	20	55	124	2660	800	190	2030	9.6	30.0					23.4
F2516279	828.0	833.0	5.0	16	50	118	2380	820	180	1300	9.9	39.3					21.7
F2516280	833.0	838.0	5.0	12	40	110	2670	930	190	2070	10.7	42.4					25.4
F2516281	838.0	843.0	5.0	8	30	108	2260	380	180	620	9.6	40.1					24.3
F2516282	843.0	848.0	5.0	20	50	136	2630	1190	200	1040	9.7	40.3	0.68				24.1
F2516283	848.0	853.0	5.0	24	50	132	3320	1460	210	720	10.1	41.0					24.7
F2516284	853.0	858.0	5.0	24	40	90	2600	1100	190	960	9.9	41.3					24.4
F2516285	858.0	863.0	5.0	20	40	116	2800	1030	190	1330	9.8	41.3					24.0
F2516286	863.0	868.0	5.0	16	50	104	2300	720	180	960	9.7	41.8					25.2
F2516287	868.0	873.0	5.0	20	40	112	2520	790	180	1140	8.8	40.0	1.08				24.1
F2516288	873.0	878.0	5.0	12	30	84	2290	590	170	700	9.1	38.8					21.4
F2516289	878.0	883.0	5.0	24	50	116	2510	1040	180	950	9.7	41.3					24.1
F2516290	883.0	888.0	5.0	12	30	90	2820	560	160	1510	9.2	34.3					23.7
F2516291	888.0	892.0	4.0	12	40	92	2330	630	180	540	9.3	40.1					24.2
F2516292	892.0	897.0	5.0	2	30	28	1680	195	164	701	91.8		0.29	13.57	13.80		
F2516293	897.0	902.0	5.0	26	35	88	2218	913	176	824	94.4		0.48	14.02	13.45		
F2516294	902.0	907.0	5.0	22	25	50	1802	704	158	657	36.6		0.34	13.84	13.42		
F2516295	907.0	912.0	5.0	16	40	108	2505	1011	172	649	30.0		0.37	14.06	13.78		
F2516296	912.0	917.0	5.0	22	30	54	2069	953	170	741	38.6		0.45	13.85	13.35		
F2516297	917.0	922.0	5.0	10	30	50	2274	467	163	976	31.7		0.54	13.67	12.89		
F2516298	922.0	927.0	5.0	18	25	68	2575	635	160	876	17.6		0.51	13.54	12.97		
F2516299	927.0	932.0	5.0	8	20	50	1918	663	185	765	37.0		0.43	15.74	15.06		
F2516300	932.0	937.0	5.0	1	20	40	2246	328	181	1294	37.0		0.44	16.52	16.37		
F2516301	937.0	942.0	5.0	10	30	14	1397	351	151	1590	35.5		0.63	14.71	14.25		
F2516302	942.0	947.0	5.0	8	25	14	1381	462	137	2073	31.1		0.54	13.42	13.36		
F2516303	947.0	952.0	5.0	4	20	10	1350	200	147	1760	36.4		0.65	14.81	14.02		
F2516304	952.0	957.0	5.0	2	15	8	1270	252	148	1976	35.4		0.61	14.99	13.74		
F2516305	957.0	962.0	5.0	2	10	8	1281	204	146	1480	35.3		0.61	14	13.67		
F2516306	962.0	967.0	5.0	2	20	8	1330	115	152	1026	37.7		0.69	15.16	14.58		
F2516307	967.0	972.0	5.0	2	20	12	1459	269	160	884	41.7		0.77	15.76	15.01		
F2516308	972.0	977.0	5.0	2	20	12	1466	100	155	1076	37.9		0.72	14.74	14.25		
F2516309	977.0	982.0	5.0	2	30	12	1776	183	162	693	36.6		0.73	14.71	14.46		



BOREHOLE # 83599		(FL-004)		INTERVAL	REMARKS	AU	PT	PD	NI	CU	CO	CR	FE	MG	S% (CMQ)
FX#	FROM (feet)	TO (feet)	PPB			PPB	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%(calc)
FX536127	33.0	36.0	3.0			34	70	72	2417	138	152	838		38.5	
FX536128	60.0	63.0	3.0			14	45	36	1815	138	139	1025		36.7	
FX536129	76.0	78.0	2.0			6	40	32	1787	558	143	921		37.3	
FX536130	103.0	107.0	4.0			1	40	22	1799	111	139	979		36.6	
FX536131	114.0	118.0	4.0			1	55	28	1461	213	157	1347		37.2	
FX536132	126.0	128.0	2.0			2	60	22	2395	405	150	1054		36.7	
FX536133	158.0	161.0	3.0			2	45	30	1996	176	142	878		38.4	
FX536134	200.0	204.0	4.0			1	50	30	1887	86	141	1066		38.2	
FX536135	231.0	234.0	3.0			1	65	22	1962	87	147	945		39.2	
FX536137	378.5	381.5	3.0			20	65	34	2142	221	148	946		38.7	
FX536138	319.0	322.0	3.0			12	50	28	2012	154	145	883		39.5	
FX536139	357.0	360.0	3.0			18	55	34	2319	275	150	1008		39.5	
FX536140	398.0	401.0	3.0			4	50	30	2296	95	143	952		39.3	
FX536141	430.0	433.0	3.0			20	50	32	2252	213	146	924		39.1	
FX536142	471.0	474.0	3.0			8	40	20	2143	149	139	904		38.1	
FX536143	485.0	489.0	4.0			8	40	18	2240	111	143	1096		38.3	
FX536144	514.0	518.0	4.0			4	60	40	2443	191	157	1224		39.5	
FX536145	518.0	523.0	5.0			22	65	38	2314	1012	156	2365		37.1	
FX536146	538.0	543.0	5.0			20	30	16	1919	173	143	1116		37.2	
FX536147	572.0	575.0	3.0			22	35	18	1944	189	152	988		37.8	
FX536148	584.5	600.0	5.5			18	65	36	2010	420	150	1210	10.95	37.3	
FX536839	600.0	604.0	4.0	Fill-in Samples		14	30	17	1405	235	141	729	8.65	15.0	0.19
FX536840	604.0	608.0	4.0	Fill-in Samples		4	20	10	1345	122	147	856	8.81	15.0	0.1
FX536149	608.0	612.0	4.0			12	20	12	1330	150	140	850	10.25	37.8	
FX536841	612.0	616.0	4.0	Fill-in Samples		4	19	9	1260	122	141	696	8.63	15.0	0.09
FX536150	616.0	621.0	5.0			14	25	14	1310	210	140	510	9.95	36.8	
FX536151	621.0	626.0	5.0			18	45	26	1490	420	140	480	10	36.6	
FX536842	626.0	630.0	4.0	Fill-in Samples		11	56	32	1550	396	148	569	8.48	15.0	0.29
FX536152	630.0	633.0	3.0			16	25	14	1610	270	190	690	12.7	46.4	
FX536843	633.0	637.0	4.0	Fill-in Samples		2	18	9	3320	1840	167	1180	8.73	15.0	1.05
FX536153	637.0	640.0	3.0			8	20	8	1170	120	140	480	9.4	37.6	
FX536483	640.0	645.0	5.0			10	25	12	1330	210	150	1520	8.95	40.0	
FX536484	645.0	650.0	5.0			14	35	16	1450	340	150	1290	9.15	40.3	
FX536485	650.0	655.0	5.0			2	20	10	1310	180	130	1140	9.2	39.3	
FX536486	655.0	660.0	5.0			18	30	16	1520	390	140	830	9.6	39.1	
FX536487	660.0	663.0	3.0			10	20	12	1340	260	140	800	9.3	39.3	0.19
FX536154	663.0	666.0	3.0			102	300	448	1453	267	152	1322		36.2	
FX536488	666.0	671.0	5.0			20	55	32	2000	780	160	1390	10	37.8	
FX536489	671.0	676.0	5.0			18	30	22	1630	560	140	1250	9.1	36.9	
FX536490	676.0	681.0	5.0			202	25	24	1780	2680	150	1690	10.3	35.6	
FX536491	681.0	686.0	5.0			88	25	14	1830	430	130	1390	10.05	36.8	
FX536492	686.0	688.0	2.0			10	35	24	2170	440	140	2120	10.05	38.1	0.33
FX536155	688.0	691.0	3.0			26	110	58	3417	1347	174	1602		33.5	
FX536844	691.0	696.0	5.0	Fill-in Samples		51	129	75	1115	88	137	658	7.8	15.0	0.15
FX536845	696.0	701.0	5.0	Fill-in Samples		6	29	15	1785	317	139	858	7.84	15.0	0.29
FX536846	701.0	706.0	5.0	Fill-in Samples		17	34	20	1995	554	145	757	8.12	15.0	0.36
FX536847	706.0	711.0	5.0	Fill-in Samples		8	26	14	1775	298	135	684	7.99	15.0	0.22
FX536848	711.0	716.0	5.0	Fill-in Samples		8	26	16	1720	295	134	622	7.37	15.0	0.21
FX536156	716.0	720.5	4.5			14	25	14	1760	340	130	440	9.15	35.6	
FX536849	720.5	726.0	5.5	Fill-in Samples		10	38	22	1995	387	143	627	7.76	15.0	0.28
FX536850	726.0	733.0	7.0	Fill-in Samples		14	38	22	1945	438	142	665	7.41	15.0	0.31
FX536157	733.0	738.0	5.0			14	35	18	1944	349	148	1330		32.4	
FX536851	736.0	739.0	3.0	Fill-in Samples		16	89	59	2650	668	152	930	7.63	15.0	0.54
FX536159	739.0	742.0	3.0			18	55	42	2300	640	150	2220	9.7	35.7	
FX536852	742.0	747.0	5.0	Fill-in Samples		2	43	28	2040	147	129	1265	7.43	15.0	0.18
FX536853	747.0	751.5	4.5	Fill-in Samples		59	41	28	2050	1015	139	1665	9.45	15.0	0.29
FX536160	751.5	755.0	3.5			2	50	34	2562	211	163	2821		35.1	
FX536854	755.0	760.0	5.0	Fill-in Samples		3	32	24	1815	83	122	1625	9.07	15.0	0.23
FX536855	760.0	765.0	5.0	Fill-in Samples		4	40	26	1730	165	128	1545	8.93	15.0	0.27
FX536856	765.0	769.0	4.0	Fill-in Samples		3	45	28	1875	182	145	1435	8.98	15.0	0.23
FX536857	769.0	773.5	4.5	Fill-in Samples		5	77	53	2440	325	156	1420	9.04	15.0	0.34
FX536161	773.5	776.0	2.5			24	140	100	4338	964	220	2066		35.2	

BOREHOLE # 83599		(FL-004)			AU	PT	PD	NI	CU	CO	CR	FE	MGO	S% (CMQ)
FX#	FROM (feet)	TO (feet)	INTERVAL	REMARKS	PPB	PPB	PPB	PPM	PPM	PPM	PPM	%	% (+calc)	
FX536858	776.0	781.0	5.0	Fill-in Samples	39	116	80	3350	1395	171	680	9.26	15.0	0.70
FX536859	781.0	786.0	5.0	Fill-in Samples	110	185	115	4540	2530	209	470	9.13	15.0	1.04
FX536860	786.0	791.0	5.0	Fill-in Samples	51	173	115	4510	1625	215	613	10	15.0	1.01
FX536861	791.0	796.0	5.0	Fill-in Samples	6	82	68	1480	309	106	2750	7.08	13.6	0.53
FX536862	796.0	801.0	5.0	Fill-in Samples	4	10	7	322	493	51	3340	4.03	8.6	0.33
FX536863	801.0	805.0	4.0	Fill-in Samples	15	11	8	306	399	50	3230	3.92	8.3	0.39
FX536162	805.0	809.0	4.0		1	10	4	507	673	74	3307		16.8	
FX536864	809.0	814.0	5.0	Fill-in Samples	5	3	2	298	357	52	3370	4.1	8.6	0.14
FX536865	814.0	818.0	4.0	Fill-in Samples	11	4	2	239	188	55	4160	4.45	9.1	0.3
FX536866	818.0	822.0	4.0	Fill-in Samples	9	2	1	230	304	59	4010	4.42	8.6	0.32
FX536163	822.0	827.0	5.0		22	10	1	440	710	80	2720	6.35	18.3	
FX536164	827.0	832.0	5.0		22	15	4	690	1080	120	2880	9.1	25.1	
FX536165	832.0	837.0	5.0		26	25	6	1030	1440	180	1870	11.3	30.4	
FX536166	837.0	842.0	5.0		64	20	6	730	1120	170	700	11.4	31.8	
FX536167	842.0	847.0	5.0		26	25	6	920	1560	160	1310	10.55	28.1	
FX536168	847.0	852.0	5.0		34	65	14	690	1370	160	720	10.8	30.7	
FX536867	852.0	857.0	5.0	Fill-in Samples	105	48	11	408	800	103	2170	6.8	11.9	0.6
FX536868	857.0	862.0	5.0	Fill-in Samples	28	25	5	316	686	84	3060	5.25	10.1	0.52
FX536869	862.0	867.0	5.0	Fill-in Samples	19	15	4	293	658	84	2650	5.51	10.5	0.52
FX536870	867.0	872.0	5.0	Fill-in Samples	19	8	2	321	800	79	2910	5.14	9.8	0.55
FX536871	872.0	877.0	5.0	Fill-in Samples	16	6	1	303	825	70	3100	4.88	9.8	0.5
FX536872	877.0	882.0	5.0	Fill-in Samples	23	7	2	406	931	82	2820	4.98	9.1	0.78
FX536873	882.0	886.0	4.0	Fill-in Samples	17	5	2	326	991	79	3100	5.02	9.4	0.8
FX536169	886.0	889.5	3.5		18	3	4	200	540	80	3534	5.6	18.5	
FX536874	889.5	895.0	5.5	Fill-in Samples	9	5	1	226	291	60	2580	4.6	9.4	0.28
FX536875	895.0	900.0	5.0	Fill-in Samples	8	6	2	251	254	54	2320	4.22	8.8	0.21
FX536876	900.0	905.0	5.0	Fill-in Samples	9	9	3	281	227	55	2490	4.66	9.9	0.21
FX536877	905.0	910.0	5.0	Fill-in Samples	5	8	3	346	357	56	2230	4.46	9.4	0.2
FX536878	910.0	915.0	5.0	Fill-in Samples	6	1	1	357	548	59	2290	4.35	9.0	0.24
FX536879	915.0	920.0	5.0	Fill-in Samples	5	2	1	272	246	59	2290	4.03	9.3	0.23
FX536880	920.0	925.0	5.0	Fill-in Samples	13	1	1	364	350	61	2490	4.41	10.3	0.27
FX536881	925.0	930.0	5.0	Fill-in Samples	9	4	1	481	448	59	3070	4.26	10.1	0.28
FX536882	930.0	935.0	5.0	Fill-in Samples	21	67	12	694	617	81	2820	5.39	11.1	0.4
FX536170	935.0	938.0	3.0		26	230	50	1210	560	155	1575	9.1	20.9	
FX536883	938.0	943.0	5.0	Fill-in Samples	8	13	2	345	280	49	2460	4.04	9.6	0.21
FX536884	943.0	948.0	5.0	Fill-in Samples	21	142	26	777	398	99	1820	6.67	13.2	0.32
FX536885	948.0	953.0	5.0	Fill-in Samples	7	108	13	769	220	83	2530	5.94	12.2	0.26
FX536886	953.0	958.0	5.0	Fill-in Samples	3	66	18	473	51	62	2920	5.12	10.4	0.1
FX536171	958.0	961.0	3.0		34	175	52	1140	390	142	3120	9.25	30.8	
FX536887	961.0	966.0	5.0	Fill-in Samples	19	219	48	1150	249	146	1905	9.25	15.0	0.3
FX536888	966.0	971.0	5.0	Fill-in Samples	11	221	48	1040	279	140	1850	9.06	15.0	0.25
FX536889	971.0	976.0	5.0	Fill-in Samples	61	270	51	1185	492	148	1420	9.14	15.0	0.36
FX536890	976.0	981.0	5.0	Fill-in Samples	27	252	42	1150	386	143	1435	8.96	15.0	0.34
FX536891	981.0	986.0	5.0	Fill-in Samples	22	102	17	919	479	102	2560	6.89	13.9	0.35
FX536892	986.0	991.0	5.0	Fill-in Samples	12	11	2	554	343	62	4030	4.65	10.4	0.24
FX536893	991.0	997.0	6.0	Fill-in Samples	9	41	18	1025	248	125	1440	7.91	15.0	0.24
FX536172	997.0	1000.0	3.0		36	35	18	1290	350	150	2304	9.1	31.3	
FX536894	1000.0	1005.0	5.0	Fill-in Samples	13	15	6	961	422	101	2740	6.61	13.9	0.31
FX536895	1005.0	1010.0	5.0	Fill-in Samples	12	39	16	1120	250	128	2300	8.06	15.0	0.19
FX536896	1010.0	1015.0	5.0	Fill-in Samples	15	37	17	1100	315	127	1900	8.72	15.0	0.28
FX536897	1015.0	1020.0	5.0	Fill-in Samples	12	37	16	1035	248	118	1655	8.3	15.0	0.24
FX536898	1020.0	1024.0	4.0	Fill-in Samples	8	42	18	977	212	122	1855	8.62	15.0	0.24
FX536173	1024.0	1028.0	4.0		16	35	22	1240	320	148	1690	9.45	32.0	
FX536899	1028.0	1033.0	5.0	Fill-in Samples	5	19	10	597	333	59	2990	4.98	10.2	0.12
FX536900	1033.0	1038.0	5.0	Fill-in Samples	3	11	4	473	149	58	2810	5.05	11.2	0.07
FX536174	1055.0	1058.0	3.0		20	2.5	4	510	360	77	3818	5.7	20.2	
FX536175	1092.0	1096.0	4.0		8	2.5	6	520	240	79	3757	5.95	21.9	
FX536176	1130.0	1133.0	3.0		12	2.5	6	940	270	116	3159	7.75	27.9	
FX536177	1222.0	1225.0	3.0		36	90	66	1210	320	148	1691	9.5	32.3	
FX536178	1256.5	1259.0	2.5		12	2.5	8	840	300	106	3048	7.5	27.3	