



Mapped, edited, and published by the Geological Survey
 Control by USC&GS and USCE
 Topography by photogrammetric methods from aerial photographs taken 1950. Field check 1952
 Selected hydrographic data compiled from USC&GS Charts 8557 and 8553 (1:194,154 scale). This information is not intended for navigational purposes
 Universal Transverse Mercator projection, 1927 North American datum 10,000 foot grid based on Alaska coordinate system, zone 4 1000 meter Universal Transverse Mercator grid ticks, zone 6, shown in blue
 Red tint indicates areas in which only landmark buildings are shown
 Land lines printed in gray represent unsurveyed and unmarked locations predetermined by the Bureau of Land Management, Folio S-13, Seward Meridian
 Swamps, as portrayed, indicate only the wetter areas, usually of low relief, as interpreted from aerial photographs

SCALE 1:63,360
 0 1 2 3 4 MILES
 0 3000 6000 9000 12000 15000 18000 21000 FEET
 0 1 2 3 4 5 KILOMETERS

CONTOUR INTERVAL 50 FEET
 DOTTED LINES REPRESENT 25 FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL
 DEPTH CURVES IN FEET DATUM IS MEAN LOWER LOW WATER
 SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
 THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 27 FEET

TRUE NORTH
 MAGNETIC NORTH
 APPROXIMATE MEAN DECLINATION, 1952

ROAD CLASSIFICATION
 Medium duty ——— Light-duty ———
 Unimproved dirt - - - - -
 State Route ○

ANCHORAGE (A-B), ALASKA
 N6100-W14937.5/15X22.5
 1952
 MINOR REVISIONS 1963

FOR SALE BY U.S. GEOLOGICAL SURVEY
 FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST