



Mapped, edited, and published by the Geological Survey
Control by USC&GS and USCE
LEGISLATIVE DESIGNATED AREA
Selected hydrographic data compiled from USC&GS Charts
H3196C, H32053, H32064, and H35941. Contour interval, 50 feet.
This information is not intended for navigational purposes.

Universal Transverse Mercator projection, 1927 North American datum
10,000 foot grid based on Alaska coordinate system, zone 4
1000-meter Universal Transverse Mercator grid ticks,
zone 5, shown in blue
Gray land lines represent unsurveyed and unmarked locations



CONTOUR INTERVAL 50 FEET
DOTTED LINES REPRESENT 25 FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 17 FEET
FOR SALE BY U.S. GEOLOGICAL SURVEY



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt ———
State Route ○

KENAI (A-5) 1977
KENAI (A-5), ALASKA
N6000-W15130/15X22.5
1951