ALASKA DIVISION OF GEOLOGICAL & GEOPHYSICAL SURVEYS
IN COOPERATION WITH U.S. BUREAU OF LAND MANAGEMENT



Section lines from U.S. Geological Survey
Chandalar A-6; 1982, B-6; 1975, C-6, 1975
Wiseman A-1; 1975, A-2; 1970, B-1; 1975, B-2; 1971, C-1,C-2; 1971;
Quadrangles, Alaska.
Projected in UTM zone 6

ALASKA

SCALE 1:63 360

1 0 1 2 3 4 5 MILES

1 0 1 2 3 4 5 KILOMETERS

DESCRIPTIVE NOTES

The geophysical data were acquired with a SIGHEM-5 Electromagnetic (EM) system, a Scintrex cesium CS2 magnetometer, and a Herz VLF system installed in a LAMA-N48087 Squirrel helicopter. In addition, the survey recorded data from a radar altimeter (TERRA), GPS navigation system, 50/60 Hz monitors, and video camera. Flights were performed at a mean terrain clearance of 200 ft along survey flight lines with a spacing of a quarter of a mile. Tie lines were flown perpendicular to the flight lines at intervals of approximately three miles.

Two Trimble-4000 SE Differential Post-processing Global Positioning Systems were used for both navigation and flight path recovery. The helicopter position was derived every one second to a relative accuracy of better than 10 m. Flight path positions were projected onto the Clarke 1866 (UTM) spheroid, 1927 North American datum using a Central Meridian (CM) of 147° W, a north constant of 0 and an east constant of 500,000. Positional accuracy of the presented data is better than 10 m with respect to the UTM grid.

MAGNETIC CONTOURS

500
100
25
5
L . . . . . magnetic low
H . . . . . magnetic high

TOTAL FIELD MAGNETICS
FOR THE NORTHEASTERN PORTION OF THE KOYUKUK MINING DISTRICT, EASTERN BROOKS RANGE, ALASKA

1998

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1971

57300
57200
57150
57100
57075
57050
57030
57010
56990
56975
56960
56950
56945
56935
56925
56910
56895
56875
56860
56840
56820
56800
56775
56725
nanoTeslas

LOCATION INDEX

SURVEY HISTORY

This map has been compiled and drawn under contract between the State of Alaska, Department of Natural Resources, Division of Geological & Geophysical Surveys, and On-Line Exploration Services, Inc. Airborne geophysical data for the area were acquired by Sial Geosciences, Inc., in 1997. Funding for the project was provided by the U.S. Department of Interior Bureau of Land Management (BLM).

This map and other products from this survey are available from the Alaska Division of Geological & Geophysical Surveys, 794 University Ave., Suite 200, Fairbanks, Alaska, 99709.

TOTAL FIELD MAGNETICS

The total field magnetic data were acquired with a sampling interval of 0.1 seconds, and were (1) corrected for diurnal variations by subtraction of the digitally recorded base station magnetic data, (2) leveled to the tie line data, and (3) interpolated onto a regular 100 m grid using a modified Akima (1970) technique. A regional trend (IGRF 1995, updated to August 1997) was then removed from the leveled magnetic data.

Akima, H., 1970. A new method of interpolation and smooth curve fitting based on local procedures: Journal of the Association of Computing Machinery, v. 17, no.4, p.589-602.