




BASE BY U.S. GEOLOGICAL SURVEY, 1965

10 GAMMA CONTOUR  
20 GAMMA CONTOUR  
100 GAMMA CONTOUR  
500 GAMMA CONTOUR  
MAGNETIC LOW  
FLIGHT LINE AND DIRECTION  
  
FLIGHT LINE SPACING 3/4 MILES  
FLIGHT ALTITUDE NOMINALLY 1000 FEET ABOVE GROUND  
REGIONAL MAGNETIC FIELD SHEET CENTER 57,033 GAMMAS  
REGIONAL FIELD REMOVED. THE FIELD INCREASES  
APPROXIMATELY 5.2 GAMMAS/MILE, N 57° E  
APPROXIMATE FIELD INCLINATION: +78.4°



The magnetic contours shown on this map represent the total anomalous magnetic field of the earth. Variations in this field are caused by the variable magnetic character of rock units crossed by the survey flights, and hence, can be used to estimate the apparent location of rocks rich in magnetic minerals. Such rock units may be either on the surface of the ground or buried beneath it. Anomalies show both positive and negative variations depending on the shape, attitude, and constituents of local rocks. Geophysical interpretation will be helpful in determining boundaries or depth of burial of anomaly-causing rock units. Some anomalies may be impossible to interpret without further geologic information. Basic profile data is retained at the Division of Geological Survey and should be consulted for detailed analysis.

Contact specifications written in consultation with United States Geological Survey. Flown and compiled in 1971 by: Lockwood, Kessler & Bartlett, Inc. Pasadena, California.

## AEROMAGNETIC MAP OF THE NABESNA QUADRANGLE, ALASKA

STATE OF ALASKA

DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF GEOLOGICAL AND GEOPHYSICAL SURVEYS

1975

SEE SHEET 2 FOR DISCUSSION OF THIS MAP

Background information for this folio is published as U.S. Geological Survey Circular 718, available free of charge from the U.S. Geological Survey, Reston, Va. 22092.

For sale by U. S. Geological Survey, price \$1.00 per set