


**DEPARTMENT OF THE INTERIOR  
UNITED STATES GEOLOGICAL SURVEY**

**OPEN-FILE REPORT  
79-837-C**



Base from U.S. Geological Survey, 1956

SCALE 1:250000

CONTOUR INTERVAL 200 FEET  
DATUM IS MEAN SEA LEVEL


INTERIOR-GEOLOGICAL SURVEY WASHINGTON, D.C. 1977

**DISTRIBUTION AND ABUNDANCE OF COPPER IN THE MINUS-80-MESH FRACTION  
OF STREAM-SEDIMENT SAMPLES, SURVEY PASS 1°X3° QUADRANGLE, ALASKA**

By

J. B. Cathrall, T. M. Billings, E. F. Cooley

1979



79-837-C

Figure 1.--Histogram for copper in 1493 minus-80-mesh stream-sediment samples, Survey Pass 1° x 3° quadrangle, Alaska, showing map symbols corresponding to anomalous concentrations in parts per million, percentages of total samples, and letters corresponding to non-anomalous concentrations in parts per million. N, not detected at value shown; >, greater than value shown; <, detected, but less than value shown. Arithmetic mean, 58; standard deviation, 395; geometric mean, 35; and geometric deviation, 2.2, based on unqualified values within the sample population.

**EXPLANATION**

COPPER SAMPLE SITES--Letters and size of symbols are explained on histogram (fig. 1)

- Anomalous
- A Not anomalous

**NOTE**

This map is one in a series of geochemical maps concerning the Survey Pass 1° x 3° quadrangle, Alaska. For discussion of analyses and sampling see Cathrall and others, 1979.

Cathrall, J. B., Cooley, E. F., O'Leary, R. M., Billings, T. M. and McDanal, S. K., 1979, A listing and statistical summary of spectrographic and chemical analyses of stream-sediment samples from the Survey Pass quadrangle, Alaska: U.S. Geological Survey Open-File Report 79-837-A.