



Figure 2.--Histogram for arsenic in 355 ash of aquatic-bryophyte samples, Medfra quadrangle, Alaska, showing symbols denoting concentrations and percentage of total number of samples represented by each range.

EXPLANATION OF SAMPLE-SITE SYMBOLS
SAMPLE SITES

- Ash of aquatic-bryophyte samples and minus-80-mesh stream-sediment samples
- Minus-80-mesh stream-sediment samples
- △ Ash of aquatic-bryophyte samples

Base from U.S. Geological Survey, 1959

SCALE 1:250,000

Geology generalized from Patton and others, 1980

ARSENIC IN MINUS-80-MESH STREAM-SEDIMENT AND ASH OF AQUATIC-BRYOPHYTE SAMPLES

DISTRIBUTION AND ABUNDANCE OF ARSENIC AND BISMUTH IN NONMAGNETIC AND MODERATELY MAGNETIC HEAVY-MINERAL-CONCENTRATE SAMPLES AND ARSENIC IN MINUS-80-MESH STREAM-SEDIMENT AND ASH OF AQUATIC-BRYOPHYTE SAMPLES, MEDFRA QUADRANGLE, ALASKA

By
H. D. King, E. F. Cooley, and D. L. Spiesman, Jr.
1983