ADDITIONAL TABULATED GRAVITY DATA FROM THE PORT ALEXANDER, SITKA, JUNEAU, MT. FAIRWEATHER AND SKAGWAY QUADRANGLES, ALASKA

by

DAVID F. BARNES, MARILYN J. ERWIN, KENNETH D. HOLDEN AND ROBERT L. MORIN

UNITED STATES GEOLOGICAL SURVEY
Menlo Park, California
January 1975
Open File Report 75-6

Prepared in cooperation with the
STATE OF ALASKA
Division of Geological & Geophysical Surveys
and
U.S. ARMY, TOPOCOM

This report is preliminary and has not been edited or reviewed for conformity with Geological Survey standards

Note: General information about the processing and presentation of U.S. Geological Survey Alaskan gravity data and explanation of all the symbols in the following tables may be found in a separate report:

Barnes, D. F., 1972, Notes on the processing and presentation of U.S. Geological Survey Alaskan gravity data: U.S. Geol. Survey, Open-file Rept., 25 p.

Some of the base stations used in this report were described in:

Barnes, D. F., 1972, Southeast Alaska gravity base station network: U.S. Geol. Survey, Open-file Rept., 40 p.

Descriptions of specific additional base stations used in this report may be obtained from the author. The gravity datum, scale and reduction ellipsoid are the same in this data release as those used in the previous Southeastern Alaskan gravity data releases.

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SITKA RD 1 PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS03

DATE: 6/ 7/72, METER: G-08, OBSERVERS: MORIN HOLDEN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:-.01, OTHER BASES:

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB	OTHER ELEV	ELEV TYPE	SBA 2.67
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1320	981706.91	A	22.4	21.7	4	21.8	STKP	31	T	22.5
SE01		57 4.35	135 22.10	A	0	0	T	1347	981708.51	C	23.5	22.4	5	22.5	SE01			
SE02		57 5.56	135 23.35	A	2	14	T	1413	981710.71	C	22.3	21.7	5	21.8	SE02			
SE03		57 6.48	135 23.90	A	1	8	T	1520	981713.26	C	22.9	22.6	5	22.6	SE03			
SE04	/HAR	57 7.64	135 23.30	A	9	7	C	1545	981716.65	C	24.6	24.3	5	24.3	SE04			
SE05		57 7.97	135 22.00	A	0	-4	T	1610	981724.53	C	30.9	31.1	5	31.1	SE05			
SE06		57 7.41	135 19.30	A	0	149	T	1640	981699.61	C	21.2	15.8	5	16.1	SE06			
SE07		57 2.83	135 17.65	A	3	3	T	1727	981702.31	C	16.5	16.4	5	16.4	SE07			
SE08		57 3.07	135 13.70	A	2	0	T	1755	981697.14	C	16.5	16.4	5	16.4	SE08			
SE09		57 2.73	135 12.05	A	2	0	T	1810	981692.56	C	16.5	16.4	5	10.9	SE09			
SE10		57 3.56	135 18.40	A	0	78	T	1909	981700.10	C	20.4	17.5	5	17.7	SE10			

DATA SUMMARY

NUMBER OF STATIONS: 11

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 2.73	135 12.05	-4	981692.56	16.5	10.9
MAXIMUM:	57 7.97	135 23.90	149	981724.53	30.9	31.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: E CHANNEL PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS04

DATE: 06/08/72, METER: G-08, OBSERVERS: MORIN HOLDEN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:-.25, OTHER BASES:

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1515	981706.91	A	22.4	21.7	5	21.8	STKP
SE11		57 2.43	135 19.60	A	2	0	C	1639	981707.28	C	21.7	21.7	5	21.7	SE11
SE12		57 1.59	135 19.25	A	10	8	C	1706	981705.77	C	22.1	21.8	5	21.8	SE12
SE13		57 0.71	135 19.35	A	10	9	C	1736	981706.00	C	23.6	23.3	5	23.3	SE13
SE14	/COB	57 0.88	135 17.65	A	14	14	C	1800	981703.51	C	21.4	20.9	5	20.9	SE14
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1854	981706.91	A	22.4	21.7	5	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 6

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 0.71	135 17.65	0	981703.51	21.4	20.9
MAXIMUM:	57 2.95	135 20.23	19	981707.28	23.6	23.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SILVER BAY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS05

DATE: 06/09/72, METER: G-84, OBSERVERS: HOLDEN MORIN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT: -.05, OTHER BASES:

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.
STKP	TB22	57 2.95	135 20.23	A	0	19	A	0944	981706.91	A	22.4	21.7	5	21.8	STKP
SE15	/MAR	57 1.93	135 16.25	A	8	11	C	1125	981701.52	C	17.7	17.3	5	17.3	SE15
SE16	/MAN	57 1.98	135 14.90	A	6	9	C	1146	981698.53	C	14.4	14.1	5	14.1	SE16
SE17	/JUP	57 1.79	135 12.40	A	4	6	C	1204	981691.57	C	7.4	7.2	5	7.2	SE17
SE18	/VIR	57 1.38	135 10.35	A	4	5	C	1302	981685.76	C	2.1	1.9	5	1.9	SE18
SE19		57 0.82	135 9.90	A	1	2	C	1316	981682.87	C	-0.3	-0.4	5	-0.4	SE19
SE20	/GRE	56 59.46	135 8.00	A	4	5	C	1337	981685.07	C	4.1	3.9	5	3.9	SE20
SE21		56 59.07	135 7.15	A	2	2	C	1348	981682.93	C	2.2	2.1	5	2.1	SE21
SE22		56 58.64	135 8.75	A	0	0	C	1409	981686.36	C	6.0	6.0	5	6.0	SE22
SE23	/ZAN	56 59.74	135 9.65	A	4	3	C	1434	981686.40	C	4.8	4.7	5	4.7	SE23
SE24		57 0.65	135 10.35	A	1	0	C	1448	981685.69	C	2.6	2.6	5	2.6	SE24
SE25		57 1.35	135 11.85	A	0	-1	C	1500	981691.17	C	7.0	7.0	5	7.0	SE25
SE26		57 2.01	135 13.60	A	6	4	C	1521	981695.31	C	10.7	10.5	5	10.6	SE26
SE27	/SUG	57 1.28	135 14.75	A	7	5	C	1544	981699.68	C	16.2	16.0	5	16.0	SE27
SE28		57 1.09	135 13.85	A	2	0	C	1619	981697.66	C	13.9	13.9	5	13.9	SE28
SE29	/MIL	57 0.50	135 14.55	A	2	0	C	1642	981699.10	C	16.2	16.2	5	16.2	SE29
SE30	/CAM	57 0.27	135 13.15	A	2	0	C	1708	981695.40	C	12.8	12.8	5	12.8	SE30
SE31	/OFF	57 0.91	135 15.85	A	12	10	C	1750	981701.64	C	19.1	18.7	5	18.8	SE31
SE14	/COB	57 0.88	135 17.65	A	0	0	C	1810	981703.59	C	20.2	20.2	5	20.2	SE14
SE32		57 0.29	135 16.40	A	3	2	C	1835	981702.66	C	20.2	20.2	5	20.2	SE32
SE33	/FIN	56 59.92	135 16.85	A	8	8	C	1845	981702.01	C	20.6	20.4	5	20.4	SE33
SE34	/MRT	57 0.31	135 18.15	A	8	8	C	1905	981705.31	C	23.4	23.1	5	23.1	SE34
STKP	TB22	57 2.95	135 20.23	A	0	19	A	2012	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 23

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 58.64	135 7.15	-1	981682.87	-0.3	-0.4
MAXIMUM:	57 2.95	135 20.23	19	981706.91	23.4	23.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: VITSKARI 1 PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS06

DATE: 6/10/72, METER: G-00, OBSERVERS: HOLDEN,MORIN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:-.05, OTHER BASES: ,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
STKP	TB22	57 2.95	135 20.23	A	0	19	A	0950	981706.91	A	22.4	21.7	4	21.8	STKP
SE35		57 2.46	135 20.75	A	4	6	A	1033	981708.65	A	23.6	23.4	5	23.4	SE35
SE36		57 1.64	135 20.50	A	1	3	A	1100	981709.06	A	24.9	24.8	5	24.8	SE36
SE37	/LTA	57 0.67	135 23.55	A	6	9	A	1124	981708.32	A	26.8	25.7	5	25.7	SE37
SE38	/SOB	56 59.51	135 26.55	A	0	0	A	1207	981713.02	A	31.5	31.5	5	31.5	SE38
SE39		57 0.08	135 32.55	A	3	5	A	1317	981717.86	A	36.0	35.8	5	35.8	SE39
SE40	/RUN	56 59.04	135 23.50	A	4	5	A	1410	981712.25	A	31.8	31.6	5	31.6	SE40
SE41	/PTR	56 59.33	135 21.95	A	14	14	A	1505	981708.83	A	28.8	28.3	5	28.4	SE41
SE42		56 59.78	135 20.85	A	1	0	A	1527	981708.87	A	28.3	28.3	5	28.3	SE42
SE43		56 59.08	135 19.15	A	10	8	A	1553	981705.75	A	25.5	25.3	5	25.3	SE43
SE44	/HAM	56 58.91	135 17.40	A	2	0	A	1612	981698.95	A	18.2	18.2	5	18.2	SE44
SE45	/GET	56 59.93	135 19.35	A	12	10	A	1641	981705.50	A	24.3	23.9	5	24.0	SE45
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1713	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 13

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 58.78	135 17.40	0	981698.95	18.2	18.2
MAXIMUM:	57 2.95	135 32.55	19	981717.86	36.0	35.8

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: BIORKA IS PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS07

DATE: 06/11/72, METER: G-08, OBSERVERS: BARNES MORTN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.04, OTHER BASES: ,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1310	981706.91	A	22.4	21.7	4	21.8	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1312	981706.91	A	22.4	21.7	4	21.8	STKP
SE46		56 58.17	135 22.70	A	2	5	C	1405	981712.59	D	33.4	33.2	5	33.2	SE46
SE47		56 57.03	135 22.75	A	2	4	C	1424	981714.25	D	36.5	36.4	5	36.4	SE47
SE48		56 56.38	135 22.30	A	3	4	C	1450	981714.31	D	37.5	37.3	5	37.3	SE48
SE49		56 55.58	135 21.15	A	8	9	C	1505	981711.60	D	36.3	36.0	5	36.0	SE49
SE50	/GAT	56 54.51	135 19.75	A	3	4	C	1520	981707.15	D	32.9	32.7	5	32.7	SE50
SE51		56 53.18	135 17.50	A	3	3	C	1555	981703.16	D	30.6	30.5	5	30.5	SE51
SE52		56 54.33	135 22.00	A	2	1	C	1628	981715.36	D	41.0	41.0	5	41.0	SE52
SE53	/CEN	56 53.32	135 20.80	A	2	1	C	1646	981713.38	D	40.5	40.4	5	40.4	SE53
SE54	/HEA	56 52.69	135 19.30	A	4	2	C	1705	981708.19	D	36.2	36.2	5	36.2	SE54
SE55		56 53.20	135 23.55	A	5	3	C	1730	981717.45	D	44.9	44.8	5	44.8	SE55
SE56		56 52.20	135 22.40	A	2	0	C	1738	981716.09	D	44.6	44.6	5	44.6	SE56
SE57		56 51.26	135 23.15	A	3	1	C	1753	981715.72	D	45.6	45.6	5	45.6	SE57
LOST	/LOS	56 50.00	135 24.05	A	5	3	C	1808	981714.00	D	45.8	45.7	5	45.7	LOST
SE59		56 50.08	135 26.65	A	3	1	C	1826	981717.45	D	49.0	49.0	5	49.0	SE59
SE60	TBM1	56 49.83	135 29.60	A	0	10	C	1905	981720.41	D	53.2	52.8	5	52.8	SE60
SE61	TBM2	56 51.37	135 31.25	A	0	10	C	1945	981721.44	D	52.0	51.7	5	51.7	SE61
SE62		56 53.63	135 26.45	A	3	3	C	2015	981719.25	D	46.1	46.0	5	46.0	SE62
STKP	TB22	57 2.95	135 20.23	A	0	19	A	2113	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 20

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 49.83	135 17.50	0	981703.16	22.4	21.8
MAXIMUM:	57 2.95	135 31.25	19	981721.44	53.2	52.8

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA. TRAVERSE: NAKWASINA PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS10

DATE: 06/12/72. METER: G-08. OBSERVERS: MORIN HOLDEN * MAIN BASE: STKP. VALUE: 981706.91. DRIFT:0.08. OTHER BASES:

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1100	981706.91	A	22.4	21.7	4	21.8	STKP
SE63	TBM1	57 7.66	135 23.00	A	0	8	A	1225	981717.97	D	26.0	25.7	4	25.7	SE63
SE64		57 9.59	135 20.55	A	2	5	C	1255	981716.71	D	21.8	21.6	5	21.6	SE64
SE65	/MAG	57 9.76	135 17.10	A	5	9	C	1345	981718.29	D	23.5	23.2	5	23.2	SE65
SE66	/ADO	57 10.59	135 19.30	A	4	8	C	1412	981724.62	D	28.6	28.3	5	28.3	SE66
SE67		57 9.63	135 22.26	A	2	5	C	1445	981719.18	D	24.2	24.0	5	24.0	SE67
SE68	/KAT	57 8.62	135 23.55	A	2	5	C	1504	981719.71	D	26.1	25.9	5	25.9	SE68
SE69	TBM1	57 9.91	135 25.10	A	4	7	C	1520	981722.00	D	26.8	26.5	5	26.6	SE69
SE70		57 11.41	135 23.75	A	2	5	C	1538	981734.86	D	37.4	37.2	5	37.2	SE70
SE71		57 12.90	135 24.00	A	2	4	C	1558	981738.84	D	39.3	39.1	5	39.1	SE71
SE72		57 13.89	135 22.20	A	2	3	C	1612	981735.04	D	34.0	33.9	5	33.9	SE72
SE73		57 15.44	135 20.75	A	2	2	C	1642	981722.27	D	19.0	18.9	5	18.9	SE73
SE74		57 14.71	135 23.20	A	1	1	C	1705	981736.89	D	34.5	34.5	5	34.5	SE74
SE75	/PAS	57 15.05	135 25.35	A	3	2	C	1725	981736.27	D	33.5	33.5	5	33.5	SE75
SE76	/FAB	57 15.34	135 28.85	A	5	4	C	1745	981739.79	D	36.9	36.7	5	36.7	SE76
SE77	/OLG	57 13.77	135 32.10	A	0	-2	C	1830	981734.93	B	33.6	33.7	5	33.7	SE77
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1950	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 17

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 2.95	135 17.10	-2	981706.91	19.0	18.9
MAXIMUM:	57 15.44	135 32.10	19	981739.79	39.3	39.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: NEVA STH PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS11

DATE: 06/13/72, METER: G-08, OBSERVERS: HOLDEN BARNES * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:-.01, OTHER BASES:

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1014	981706.86	A	22.4	21.7	4	21.7	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1016	981706.86	A	22.4	21.7	4	21.7	STKP
SE78		57 3.50	135 24.25	A	1	-1	C	1135	981713.81	D	26.7	26.7	5	26.7	SE78
SE79		57 5.30	135 26.30	A	3	2	C	1200	981715.94	D	26.6	26.5	5	26.5	SE79
SE80	/LIT	57 7.24	135 25.90	A	19	19	C	1225	981715.50	D	25.1	24.4	5	24.5	SE80
SE81		57 8.49	135 26.60	A	3	3	C	1237	981723.52	D	29.2	29.1	5	29.1	SE81
SE82		57 11.12	135 26.35	A	4	5	C	1252	981728.04	D	31.0	30.8	5	30.8	SE82
SE83		57 11.51	135 28.40	A	3	5	C	1307	981726.07	D	28.5	28.3	5	28.3	SE83
SE84		57 12.67	135 29.50	A	6	8	C	1325	981732.07	D	33.2	32.9	5	32.9	SE84
SE77	/OLG	57 13.77	135 32.10	A	11	15	C	1435	981734.90	B	35.2	34.6	5	34.6	SE77
SE85	TBM	57 13.56	135 32.50	A	0	8	A	1453	981734.18	D	34.1	33.8	4	33.8	SE85
SE86	LITE	57 15.32	135 34.10	A	1	5	C	1515	981738.00	D	35.2	35.0	5	35.0	SE86
SE87		57 16.47	135 35.60	A	2	6	C	1533	981737.12	D	32.8	32.6	5	32.6	SE87
SE88		57 17.49	135 36.10	A	4	7	C	1542	981737.42	D	31.8	31.6	5	31.6	SE88
SE89		57 17.18	135 33.05	A	4	7	C	1555	981739.27	D	34.1	33.8	5	33.9	SE89
SE90		57 18.17	135 38.35	A	3	6	C	1612	981734.82	D	28.2	28.0	5	28.0	SE90
SE91		57 19.50	135 38.00	A	2	4	C	1625	981739.47	D	30.8	30.7	5	30.7	SE91
SE92	/BAL	57 20.23	135 43.25	A	3	5	C	1642	981738.40	D	28.9	28.7	5	28.7	SE92
SE93	TBM3	57 20.20	135 43.35	A	3	4	A	1722	981738.30	D	28.7	28.6	5	28.6	SE93
SE94	/BIG	57 19.37	135 41.70	A	5	6	A	1735	981737.66	D	29.4	29.2	5	29.2	SE94
SE95		57 18.03	135 41.05	A	2	2	C	1745	981735.25	D	29.4	28.4	5	28.4	SE95
SE96		57 16.75	135 41.20	A	3	3	C	1754	981734.87	D	29.9	29.8	5	29.8	SE96
SE97		57 15.85	135 39.30	A	2	1	C	1817	981734.86	D	30.9	30.9	5	30.9	SE97
SE98		57 14.62	135 38.20	A	4	3	C	1834	981733.77	D	31.7	31.6	5	31.6	SE98
SE99	/TOM	57 13.78	135 35.70	A	3	2	C	1845	981732.68	D	31.7	31.6	5	31.6	SE99
SE77	/OLG	57 13.77	135 32.10	A	0	-1	C	1858	981734.97	B	33.7	33.8	5	33.8	SE77
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1959	981706.89	A	22.4	21.7	4	21.7	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	2000	981706.89	A	22.4	21.7	4	21.7	STKP

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 2.95	135 20.23	-1	981706.86	22.4	21.7
NUMBER OF STATIONS: 28	MAXIMUM:	57 20.23	135 43.35	19	981739.47	35.2	35.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PAPER MILL PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS12

DATE: 06/13/72, METER: G-17, OBSERVERS: MORIN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.01, OTHER BASES:

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 0.0	ANOM ACC.	SBA 2.67	STAT. NUMBER
STKP	TB22	57 2.95	135 20.23		0	19		1435	981706.91		22.4	22.4	0	21.8	STKP
SE00		57 2.73	135 13.73		0	15		1556	981698.18		13.6	13.6	0	13.1	SE00
STKP	TB22	57 2.95	135 20.23		0	19		1625	981706.91		22.4	22.4	0	21.8	STKP
STKM	MARK	57 2.99	135 20.28		0	15		1630	981707.06		22.1	22.1	0	21.6	STKM

DATA SUMMARY

NUMBER OF STATIONS: 4

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 2.73	135 13.73	15	981698.18	13.6	13.1
MAXIMUM:	57 2.99	135 20.28	19	981707.06	22.4	21.8

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SITKA SNO PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS13

DATE: 06/14/72, METER: G-08, OBSERVERS: HOLDEN MORIN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.12, OTHER BASES:

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.05	ANOM ACC.	SBA 2.67	STAT. NUMBER
STKP	TB22	57 2.95	135 20.23	A	0	19	A	0915	981706.93	A	22.4	21.7	4	21.8	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	0920	981706.93	A	22.4	21.7	4	21.8	STKP
SF01		57 5.30	135 29.95	A	3	-2	C	1045	981718.25	D	28.5	28.6	5	28.6	SF01
SF02	/CRO	57 7.11	135 28.30	A	14	10	C	1112	981717.71	D	26.6	26.3	5	26.3	SF02
SF03		57 9.99	135 29.10	A	5	2	C	1141	981719.54	D	23.8	23.7	5	23.7	SF03
SF04		57 8.50	135 30.65	A	3	1	C	1200	981720.94	D	27.1	27.1	5	27.1	SF04
SF05		57 10.54	135 32.85	A	3	2	C	1227	981721.56	D	25.0	25.0	5	25.0	SF05
SF06		57 12.09	135 32.75	A	6	6	C	1256	981726.87	D	28.6	28.4	5	28.4	SF06
SE85	TBM	57 13.56	135 32.50	A	0	0	C	1358	981734.14	D	33.3	33.3	5	33.3	SE85
SE77	/OLG	57 13.77	135 32.10	A	0	0	C	1407	981734.98	D	33.8	33.8	5	33.8	SE77
SF07		57 12.37	135 36.85	A	5	8	C	1427	981728.30	D	29.8	29.5	5	29.6	SF07
SF08		57 10.49	135 36.85	A	2	5	C	1444	981720.92	D	24.7	24.6	5	24.6	SF08
SF09		57 9.23	135 36.05	A	2	5	C	1502	981720.73	D	26.3	26.1	5	26.1	SF09
SF10		57 8.22	135 33.70	A	3	7	C	1535	981721.81	D	28.9	28.7	5	28.7	SF10
SF11		57 6.89	135 34.25	A	1	4	C	1600	981721.13	D	29.8	29.7	5	29.7	SF11
SF12	/TRO	57 5.61	135 34.00	A	5	8	C	1630	981721.02	D	31.8	31.5	5	31.6	SF12
SF13	FOTO	57 3.89	135 36.20	A	17	19	C	1700	981718.45	D	32.7	32.0	5	32.0	SF13
SF14	TBM2	57 1.69	135 37.55	A	0	10	A	1750	981720.63	D	37.0	36.7	5	36.7	SF14
SF15		57 2.41	135 23.20	A	2	1	C	1845	981711.63	D	26.2	26.1	4	26.1	SF15
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1919	981706.91	A	22.4	21.7	4	21.8	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1922	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 21

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 1.69	135 20.23	-2	981706.91	22.4	21.8
MAXIMUM:	57 13.77	135 37.55	19	981734.98	37.0	36.7

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: LITUYA FLT PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS15

DATE: 06/14/72, METER: G130, OBSERVERS: BARNES * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.02, OTHER BASES: CHIC, PELN

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB	OTHER ELEV	ELEV TYPE	SBA 2.67
FS25		57 48.90	136 7.75	K	1	219	T	1403	981776.54	C	48.0	40.0	6	40.6	FS25			
FS29	/SUN	58 39.10	137 34.50	K	0	23	T	1652	981795.03	C	-19.6	-20.5	5	-20.4	FS29			
FS30		58 40.20	137 29.25	K	2	0	T	1711	981815.29	C	-19.6	-20.5	5	-21.7	FS30			

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 48.90	136 7.75	0	981776.54	-19.6	-21.7
NUMBER OF STATIONS: 3	MAXIMUM:	58 40.20	137 34.50	219	981815.29	48.0	40.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SITKA TBMS PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS16

DATE: 06/15/72, METER: G-03, OBSERVERS: HOLDEN MORIN * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.26, OTHER BASES:

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
STKP	TB22	57 2.95	135 20.23	A	0	19	A	0911	981706.91	A	22.4	21.7	4	21.8	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	0916	981706.91	A	22.4	21.7	4	21.8	STKP
SF16	TBM1	57 1.49	135 21.25	A	17	26	A	1010	981708.80	C	27.0	26.0	5	26.1	SF16
SF17	TBM1	56 56.38	135 26.00	A	0	11	A	1130	981716.53	C	40.3	39.9	5	39.9	SF17
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1300	981706.91	A	22.4	21.7	4	21.8	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1303	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	56 56.38	135 20.23	11	981706.91	22.4	21.8
NUMBER OF STATIONS: 6	MAXIMUM:	57 2.95	135 26.00	26	981716.53	40.3	39.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: AUK-SWANSN PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS24

DATE: 7/ 8/72, METER: G-08, OBSERVERS: ELIASON,ROBINS * MAIN BASE: AUKE, VALUE: 981778.04, DRIFT:0.0 , OTHER BASES: QT87, SG11

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
AUKE	JUN3	58 23.13	134 39.35	A	0	25	C	1004	981778.04	A	-15.0	-15.9	5	-15.9	AUKE
AUKE	JUN3	58 23.13	134 39.35	A	0	25	C	1004	981777.99	A	-15.1	-16.0	5	-15.9	AUKE
QT87	MARK	58 24.66	134 57.20	A	0	10	C	1138	981783.61	A	-12.9	-13.3	5	-13.3	QT87
QT87	MARK	58 24.66	134 57.20	A	0	10	C	1138	981783.56	A	-13.0	-13.3	5	-13.3	QT87
SG1	/AID	58 22.20	134 58.15	A	20	24	C	1215	981772.38	D	-19.5	-20.4	5	-20.4	SG1
SG2		58 20.63	134 57.25	A	1	4	C	1256	981777.29	D	-14.4	-14.5	5	-14.5	SG2
SG3	/ACT	58 18.65	134 57.35	A	24	24	C	1424	981770.77	D	-16.4	-17.2	5	-17.2	SG3
SG4		58 16.91	134 56.75	A	2	1	C	1452	981773.24	D	-13.7	-13.7	5	-13.7	SG4
SG5	FOTO	58 15.38	134 56.65	A	37	35	C	1522	981762.76	D	-18.9	-20.2	5	-20.1	SG5
QL38		58 15.33	134 53.85	A	18	14	C	1628	981776.45	D	-7.2	-7.7	5	-7.6	QL38
SG6	/FUN	58 12.92	134 54.70	A	27	23	C	1706	981762.83	D	-16.7	-17.5	5	-17.5	SG6
SG7	/DON	58 11.72	134 53.80	A	30	27	C	1748	981763.43	D	-14.1	-15.1	5	-15.0	SG7
SG8		58 10.47	134 51.05	A	6	3	C	1806	981764.76	D	-13.3	-13.4	5	-13.4	SG8
SG9		58 8.94	134 49.60	A	2	0	C	1822	981764.25	D	-12.0	-12.0	5	-12.0	SG9
SG10		58 7.68	134 45.75	A	2	0	C	1835	981764.53	D	-10.1	-10.1	5	-10.1	SG10
SG11	/CAL	58 6.30	134 48.00	A	29	29	C	1905	981763.92	D	-6.1	-7.1	5	-7.1	SG11
SG11	FOTO	58 6.30	134 48.00	A	29	29	C	1905	981763.99	D	-6.0	-7.1	5	-7.0	SG11
SF26	TBM3	58 12.73	135 7.25	A	4	12	A	2157	981771.48	B	-8.8	-9.2	4	-9.2	SF26
SF26	TBM3	58 12.73	135 7.25	A	4	12	A	2157	981771.60	B	-8.7	-9.1	4	-9.1	SF26

DATA SUMMARY

NUMBER OF STATIONS: 19

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 6.30	134 39.35	0	981762.76	-19.5	-20.4
MAXIMUM:	58 24.66	135 7.25	35	981783.61	-6.0	-7.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SW LYNN CN PROJ CHIEF: BARNES DATUM: BARNES 1972 DATA SET: AS22

DATE: 7/ 8/72, METER: G-17, OBSERVERS: SIKORA,BARNES * MAIN BASE: JUNL, VALUE: 981767.78, DRIFT:0.0 , OTHER BASES: QT87, SF26

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
AUKE	JUN3	58 23.13	134 39.35	A	0	25	C	1034	981778.01	A	-15.1	-16.0	5	-15.9	AUKE
AUKE	JUN3	58 23.13	134 39.35	A	0	25	C	1034	981778.04	A	-15.0	-15.9	5	-15.9	AUKE
JUND	MARK	58 18.33	134 25.41	A	0	17	C	1311	981753.64	A	-33.7	-34.3	5	-34.3	JUND
JUND	MARK	58 18.33	134 25.41	A	0	17	C	1311	981753.63	A	-33.7	-34.3	5	-34.3	JUND
JUNL	MARK	58 21.68	134 34.94	A	0	20	C	1350	981767.78	A	-23.8	-24.5	5	-24.5	JUNL
QT87	MARK	58 24.66	134 57.20	A	0	10	C	1709	981783.53	A	-13.0	-13.4	5	-13.4	QT87
QT87	MARK	58 24.66	134 57.20	A	0	10	C	1709	981783.56	A	-13.0	-13.3	5	-13.3	QT87
QT88		58 22.16	135 3.85	A	0	0	C	1834	981767.46	B	-26.6	-26.6	5	-26.6	QT88
SF21		58 19.92	135 2.90	A	2	5	C	1955	981762.81	C	-27.8	-28.0	5	-28.0	SF21
SF22		58 17.41	135 3.33	A	2	6	C	2021	981767.50	C	-19.7	-19.9	5	-19.9	SF22
SF23		58 15.85	135 5.02	A	1	6	C	2035	981769.16	C	-15.9	-16.1	5	-16.1	SF23
SF24		58 13.97	135 5.35	A	3	9	C	2049	981769.06	C	-13.2	-13.5	5	-13.5	SF24
SF25		58 11.52	135 3.20	A	2	8	C	2106	981769.26	C	-9.8	-10.0	5	-10.0	SF25
SF26	TBM3	58 12.73	135 7.25	A	0	7	A	2145	981771.63	B	-9.1	-9.4	5	-9.4	SF26
SF26	TBM3	58 12.73	135 7.25	A	0	7	A	2145	981776.60	B	-4.1	-4.4	5	-4.4	SF26
SF27	TBM4	58 12.66	135 7.05	A	9	18	A	2202	981771.54	B	-8.1	-8.7	5	-8.7	SF27

DATA SUMMARY

NUMBER OF STATIONS: 16

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 11.52	134 25.41	0	981753.63	-33.7	-34.3
MAXIMUM:	58 24.66	135 7.25	25	981783.56	-4.1	-4.4

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: ICY STR 15 PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS26

DATE: 7/ 9/72, METER: G-08, OBSERVERS: ELIASON,BARNES * MAIN BASE: SF26, VALUE: 981771.60, DRIFT:0.0 , OTHER BASES: ERIC, SF32

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
SF26	THM3	58 12.73	135 7.25	A	15	15	A	0950	981771.60	B	-8.4	-8.9	4	-8.9	SF26
SF28	/PEA	58 10.69	135 3.00	A	48	50	C	1027	981765.75	C	-8.2	-10.0	5	-9.9	SF28
SF29		58 7.90	134 59.85	A	4	7	C	1053	981760.74	C	-13.5	-13.7	5	-13.7	SF29
ERIC	MARK	58 9.98	135 14.95	A	16	21	C	1330	981764.80	2	-10.9	-11.7	5	-11.6	ERIC
ERIC	MARK	58 9.98	135 14.95	A	16	21	C	1330	981764.65	2	-11.1	-11.8	5	-11.8	ERIC
SF30		58 6.29	135 17.40	A	15	18	C	1405	981766.53	C	-4.5	-5.1	5	-5.1	SF30
SF31		58 7.91	135 18.25	A	4	6	C	1427	981767.62	C	-6.7	-6.9	5	-6.9	SF31
ERIC	MARK	58 9.98	135 14.95	A	13	14	C	1445	981764.93	C	-11.4	-12.0	5	-11.9	ERIC
ERIC	MARK	58 9.98	135 14.95	A	13	14	C	1445	981764.65	C	-11.7	-12.2	5	-12.2	ERIC
SF32	BASE	58 19.06	135 27.10	A	0	10	C	1853	981782.94	B	-6.1	-6.4	5	-6.4	SF32
SF32	BASE	58 19.06	135 27.10	A	0	10	C	1853	981782.76	B	-6.2	-6.6	5	-6.6	SF32
SF33		58 20.59	135 29.20	A	7	4	C	1925	981786.51	C	-5.1	-5.3	5	-5.3	SF33
SF34		58 20.40	135 32.15	A	5	3	C	1950	981790.07	C	-1.4	-1.5	5	-1.5	SF34
SF35		58 19.67	135 35.75	A	3	2	C	2005	981790.51	8	-0.1	-0.1	5	-0.1	SF35
SF36		58 19.54	135 34.85	A	3	3	C	2035	981792.61	C	2.2	2.1	5	2.1	SF36
SF32	BASE	58 19.06	135 27.10	A	0	10	C	2110	981782.94	B	-6.1	-6.4	5	-6.4	SF32
SF32	BASE	58 19.06	135 27.10	A	0	10	C	2110	981782.76	B	-6.2	-6.6	5	-6.6	SF32

DATA SUMMARY

NUMBER OF STATIONS: 17

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 6.29	134 59.85	2	981760.74	-13.5	-13.7
MAXIMUM:	58 20.59	135 38.85	50	981792.61	2.2	2.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: NE ICY STR PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS25

DATE: 7/ 9/72, METER: G-17, OBSERVERS: FAREWELL,ROBBN * MAIN BASE: SF26, VALUE: 981771.60, DRIFT:0.0 , OTHER BASES: SG20, SF32

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB
SF26	TBM3	58 12.73	135 7.25	A	4	10	A	1225	981771.60	B	-8.9	-9.2	5	-9.2	SF26
SG12		58 13.41	135 11.65	A	1	7	C	1251	981772.74	C	-8.9	-9.2	5	-9.2	SG12
SG13		58 14.11	135 15.10	A	2	7	C	1305	981772.10	C	-10.5	-10.8	5	-10.7	SG13
SG14		58 14.59	135 18.45	A	1	6	C	1326	981774.23	C	-9.1	-9.3	5	-9.3	SG14
SG15		58 16.19	135 20.45	A	0	4	C	1341	981776.41	C	-9.3	-9.4	5	-9.4	SG15
SG16		58 17.88	135 21.65	A	1	4	C	1403	981777.10	C	-10.9	-11.0	5	-11.0	SG16
SG17		58 19.75	135 23.75	A	1	4	C	1417	981778.40	C	-12.1	-12.2	5	-12.2	SG17
SG18		58 21.28	135 24.65	A	1	3	C	1435	981777.08	C	-15.6	-15.7	5	-15.7	SG18
SG19		58 23.20	135 25.55	A	2	2	C	1507	981778.54	C	-16.8	-16.9	5	-16.9	SG19
SG20	TBM4	58 24.99	135 26.70	A	0	13	A	1612	981776.04	B	-20.7	-21.1	5	-21.1	SG20
SG20	TBM4	58 24.99	135 26.70	A	0	13	A	1617	981776.08	B	-20.6	-21.1	5	-21.1	SG20
SG21		58 26.79	135 27.35	A	3	0	C	1633	981776.61	C	-23.7	-23.7	5	-23.7	SG21
SG22		58 27.83	135 27.60	A	1	-3	C	1649	981772.78	C	-29.2	-29.1	5	-29.1	SG22
SG23		58 29.30	135 29.25	A	3	-1	C	1707	981775.23	C	-28.6	-28.5	5	-28.5	SG23
SG24		58 28.57	135 30.85	A	4	-1	C	1731	981777.21	C	-25.6	-25.6	5	-25.6	SG24
SG25		58 27.14	135 30.05	A	8	3	C	1745	981776.38	C	-24.2	-24.3	5	-24.3	SG25
SG26		58 25.61	135 28.55	A	5	0	C	1806	981775.46	C	-23.3	-23.3	5	-23.3	SG26
SG27		58 23.85	135 27.65	A	7	2	C	1823	981778.05	C	-18.2	-18.2	5	-18.2	SG27
SG28		58 22.51	135 28.90	A	4	0	C	1843	981783.75	C	-10.8	-10.8	5	-10.8	SG28
SF32	BASE	58 19.06	135 27.10	A	0	10	A	2115	981782.73	B	-6.3	-6.6	5	-6.6	SF32
SF32	BASE	58 19.06	135 27.10	A	0	10	A	2115	981782.76	B	-6.2	-6.6	5	-6.6	SF32

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	58 12.73	135 7.25	-3	981771.60	-29.2	-29.1
NUMBER OF STATIONS: 21	MAXIMUM:	58 29.30	135 30.85	13	981783.75	-6.2	-6.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: POMPS-PARK PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS28

DATE: 7/10/72, METER: G-03, OBSERVERS: FAREWELL,ELISN * MAIN BASE: SF32, VALUE: 981782.76, DRIFT:0.0 , OTHER BASES: SG20, PARK

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
SF32	BASE	58 19.06	135 27.10	A	0	10	C	0924	981782.76	B	-6.2	-6.6	5	-6.6	SF32
SG20	TBM4	58 24.99	135 26.70	A	0	13	A	1005	981776.05	B	-20.7	-21.1	4	-21.1	SG20
SG20	TBM4	58 24.99	135 26.70	A	0	13	A	1005	981776.08	B	-20.6	-21.1	4	-21.1	SG20
SF37		58 23.80	135 32.00	A	6	6	C	1045	981785.99	D	-9.8	-10.0	5	-10.0	SF37
SF38	/MIG	58 24.47	135 34.50	A	15	16	C	1105	981789.21	D	-6.5	-7.1	5	-7.1	SF38
SF39		58 23.70	135 40.75	A	2	6	C	1144	981793.53	D	-2.1	-2.3	5	-2.3	SF39
SF40		58 23.89	135 43.55	A	1	6	C	1201	981790.95	D	-4.9	-5.2	5	-5.1	SF40
SF41		58 23.03	135 48.85	A	2	8	C	1235	981787.67	D	-6.9	-7.2	5	-7.1	SF41
SF42		58 22.79	135 55.05	A	2	9	C	1315	981788.00	D	-6.1	-6.4	5	-6.4	SF42
SF43		58 24.49	135 54.15	A	2	8	C	1345	981787.63	D	-8.9	-9.2	5	-9.1	SF43
SF44	/TEL	58 25.40	135 54.10	A	6	12	C	1410	981785.97	D	-11.6	-12.1	5	-12.1	SF44
SF45	/COV	58 26.93	135 53.75	A	3	4	C	1540	981785.38	D	-14.8	-14.9	5	-14.9	SF45
PARK	BASE	58 27.24	135 53.05	A	3	3		1605	981784.63	A	-16.0	-16.1	4	-16.1	PARK
PARK	BASE	58 27.24	135 53.05	A	3	3		1605	981784.64	A	-16.0	-16.1	4	-16.1	PARK
SF46	/HER	58 27.63	135 52.20	A	6	5	C	1620	981785.83	D	-15.2	-15.4	5	-15.3	SF46
SF47		58 29.32	135 50.50	A	2	0	C	1652	981785.86	D	-17.9	-17.9	5	-17.9	SF47
SF48		58 29.12	135 53.75	A	3	-1	C	1755	981786.07	D	-17.5	-17.5	5	-17.5	SF48
PARK	BASE	58 27.24	135 53.05	A	0	26		1825	981784.59	A	-13.9	-14.9	4	-14.8	PARK

DATA SUMMARY

NUMBER OF STATIONS: 18

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 19.06	135 26.70	-1	981776.05	-20.7	-21.1
MAXIMUM:	58 29.32	135 55.05	26	981793.53	-2.1	-2.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: XCRSN-PARK PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS27

DATE: 7/10/72, METER: G-17, OBSERVERS: SIKORA,ROBBINS * MAIN BASE: SG20, VALUE: 981776.08, DRIFT:0.0 , OTHER BASES: PARK, SF32

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
SF32	BASE	58 19.06	135 27.10	A	0	10	C	0927	981782.72	B	-6.3	-6.6	5	-6.6	SF32
SF32	BASE	58 19.06	135 27.10	A	0	10	C	0927	981782.76	B	-6.2	-6.6	5	-6.6	SF32
SG20	TBM4	58 24.99	135 26.70	A	0	13	A	1001	981776.08	B	-20.6	-21.1	4	-21.1	SG20
SG29		58 22.01	135 34.95	A	4	5	C	1055	981793.82	D	0.4	0.2	5	0.2	SG29
SG30	FOTO	58 23.20	135 37.65	A	12	14	C	1115	981794.28	D	0.1	-0.4	5	-0.4	SG30
SG31		58 22.80	135 41.10	A	3	7	C	1143	981796.37	D	2.0	1.8	5	1.8	SG31
SG32	/ANT	58 22.06	135 43.90	A	16	21	C	1201	981794.26	D	2.2	1.5	5	1.5	SG32
SG33		58 20.81	135 42.35	A	1	7	C	1235	981793.24	D	1.6	1.3	5	1.4	SG33
SG34	LITE	58 17.18	135 46.90	A	33	39	C	1331	981782.45	D	-1.3	-2.7	5	-2.6	SG34
SG34	LITE	58 17.18	135 46.90	A	33	39	C	1331	981782.45	D	-1.3	-2.7	5	-2.6	SG34
SG35		58 16.13	135 50.00	A	1	7	C	1355	981779.64	D	-5.7	-6.0	5	-5.9	SG35
SG36	/DAP	58 14.79	135 54.30	A	19	24	C	1416	981782.44	D	0.5	-0.4	5	-0.3	SG36
SG37		58 13.19	135 56.55	A	2	7	C	1527	981784.80	D	3.4	3.2	5	3.2	SG37
SG38		58 11.50	135 58.95	A	1	5	C	1541	981784.51	D	5.2	5.1	5	5.1	SG38
SG39		58 13.03	136 2.00	A	2	0	C	1642	981784.25	D	2.4	2.4	5	2.4	SG39
SG40	/BAD	58 16.45	136 2.20	A	15	11	C	1709	981786.40	D	1.0	0.6	5	0.6	SG40
SG41		58 17.69	136 2.15	A	2	-2	C	1730	981790.20	D	1.9	2.0	5	2.0	SG41
SG42	/DAM	58 19.15	136 2.45	A	22	17	C	1750	981795.00	D	6.5	5.9	5	6.0	SG42
SG43		58 21.52	136 4.95	A	1	-4	C	1818	981792.96	D	-0.7	-0.5	5	-0.5	SG43
SG44		58 23.00	136 2.30	A	16	11	C	1847	981793.00	D	-1.2	-1.6	5	-1.6	SG44
PARK	BASE	58 27.24	135 53.05	A	0	26	[illegible]	1943	981784.63	A	-13.9	-14.8	5	-14.8	PARK
PARK	BASE	58 27.24	135 53.05	A	0	26	[illegible]	1943	981784.64	A	-13.9	-14.8	5	-14.8	PARK

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	58 11.50	135 26.70	-4	981776.08	-20.6	-21.1
NUMBER OF STATIONS: 22	MAXIMUM:	58 27.24	136 4.95	39	981796.37	6.5	6.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: LEMESURIER PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS31

DATE: 7/11/72, METER: [illegible], OBSERVERS: FARRAR,ROBBINS * MAIN BASE: PARK, VALUE: [illegible],64, DRIFT:0.07, OTHER BASES: PARK,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB			
GUST	BASE	58 25.33	135 42.62	A	0	32	T	2115	981787.76	A	-7.5	-8.8	5	-8.7	GUST	31	F	-8.8
W 94		58 25.55	135 [illegible].25	A	0	35	T	2130	981787.89	B	-7.5	-8.8	5	-8.7	W 94	29	F	-9.1
SF70		58 27.13	135 45.95	A	0	45	T	2144	981784.53	C	-12.0	-13.7	5	-13.6	SF70	40	P	-13.9
PARK	BASE	58 27.24	135 53.05	A	0	29	T	2158	981784.64	A	-13.5	-14.6	5	-14.5	PARK	26	M	-14.8

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	58 25.33	135 42.25	29	981784.53	-13.5	-14.5
NUMBER OF STATIONS: 4	MAXIMUM:	58 27.24	135 53.05	45	981787.89	-7.5	-8.7

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SW GLACIER PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS30

DATE: 7/11/76, METER: G-176, OBSERVERS: SIKONA BARNES * MAIN BASE: PARK, VALUE: 981784.64, DRIFT: 0.09, OTHER BASES: PARK, PARK

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.			
PARK	BASE	58 27.24	135 53.05	A	0	26	W	0935	981784.64	A	-13.9	-14.8	5	-14.8	PARK			
PARK	BASE	58 27.24	135 53.05	A	0	26	W	0933	981784.64	A	-13.9	-14.8	5	-14.8	PARK			
SG45	/TOW	58 24.82	136 3.15	A	33	30	C	1028	981794.56	D	-0.3	-1.4	5	-1.3	SG45			
SG45	/TOW	58 24.82	136 3.15	A	33	30	C	1035	981794.53	D	-0.3	-1.4	5	-1.4	SG45			
SG46		58 26.40	136 4.05	A	2	0	C	1052	981799.55	D	-0.3	-0.3	5	-0.3	SG46			
SG47		58 28.05	136 4.25	A	4	3	C	1116	981799.82	D	-1.9	-2.0	5	-2.0	SG47			
SG48		58 29.64	136 6.05	A	4	3	C	1125	981799.78	D	-4.1	-4.2	5	-4.2	SG48			
SG49		58 31.42	136 7.35	A	3	4	C	1138	981797.55	D	-8.6	-8.8	5	-8.8	SG49			
SG50		58 30.85	136 9.70	A	6	8	C	1150	981800.71	D	-4.3	-4.6	5	-4.6	SG50			
SG51	/NON	58 31.10	136 12.80	A	18	21	C	1203	981799.34	D	-4.8	-5.6	5	-5.6	SG51			
SG52		58 32.30	136 10.40	A	7	11	C	1222	981801.88	D	-4.8	-5.2	5	-5.2	SG52			
SG53	/SPT	58 32.83	136 8.35	A	19	25	C	1255	981796.89	D	-9.2	-10.1	5	-10.1	SG53			
SG54	/ZEA	58 33.88	136 7.30	A	22	28	C	1310	981792.80	D	-14.4	-15.5	5	-15.4	SG54			
SG55		58 34.08	136 12.00	A	5	12	C	1332	981797.29	D	-11.7	-12.2	5	-12.1	SG55			
SG55		58 34.08	136 12.00	A	5	12	C	1335	981797.29	D	-11.7	-12.2	5	-12.1	SG55			
SG56		58 35.66	136 13.45	A	2	10	C	1424	981796.31	D	-15.3	-15.6	5	-15.6	SG56			
SG57		58 37.05	136 12.45	A	2	9	C	1452	981792.68	D	-20.6	-20.9	5	-20.9	SG57			
SG58	/GOL	58 37.91	136 14.55	A	17	24	C	1507	981790.84	D	-22.2	-23.1	5	-23.0	SG58			
SG59		58 39.13	136 16.35	A	1	8	C	1520	981790.63	D	-25.5	-25.8	5	-25.8	SG59			
SG60		58 40.31	136 18.95	A	5	11	C	1535	981797.14	D	-20.3	-20.7	5	-20.7	SG60			
SG61		58 37.34	136 18.45	A	2	6	C	1600	981794.30	D	-19.6	-19.9	5	-19.9	SG61			
SG62		58 38.62	136 20.50	A	1	4	C	1620	981808.46	D	-7.7	-7.8	5	-7.8	SG62			
SG63	/VEI	58 37.36	136 22.95	A	4	6	C	1646	981803.75	D	-10.2	-10.4	5	-10.4	SG63			
SG63	FOTO	58 37.36	136 22.95	A	4	6	C	1649	981803.74	D	-10.2	-10.5	5	-10.4	SG63			
SG64		58 35.23	136 21.25	A	2	3	C	1703	981800.69	D	-10.7	-10.8	5	-10.8	SG64			
SG65	/BAL	58 37.20	136 26.30	A	10	10	C	1722	981810.69	D	-2.7	-3.1	5	-3.0	SG65			
SG66		58 35.51	136 29.00	A	3	1	C	1750	981811.45	D	-0.5	-0.6	5	-0.5	SG66			
SG67		58 36.16	136 31.80	A	2	0	C	1804	981807.58	D	-5.5	-5.5	5	-5.5	SG67			
SG68		58 38.10	136 28.90	A	1	-1	C	1826	981812.89	D	-2.9	-2.8	5	-2.8	SG68			
SG69	/ARC	58 39.24	136 23.70	A	13	8	C	1847	981811.51	D	-4.8	-5.1	5	-5.1	SG69			
PARK	BASE	58 27.24	135 53.05	A	0	26	W	2012	981784.64	A	-13.9	-14.8	5	-14.8	PARK			
PARK	BASE	58 27.24	135 53.05	A	0	26	W	2014	981784.64	A	-13.9	-14.8	5	-14.8	PARK			
PARK	BASE	58 27.24	135 53.05	A	0	26	W	2014	981784.64	A	-13.9	-14.8	5	-14.8	PARK			
GUST	BASE	58 25.33	135 42.62	A	0	33	T	2112	981787.75	A	-7.5	-8.7	5	-8.7	GUST	31	F	-8.8
W 94		58 25.55	135 42.25	A	0	35	T	2130	981787.87	H	-7.5	-8.8	5	-8.7	W 94	0	F	-10.8
PARK	BASE	58 27.24	135 53.05	A	0	0	T	2155	981784.87	Z	-16.1	-16.1	5	-16.1	PARK	26	W	-14.5

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV.	FAA	SBA-2.67
	MINIMUM:	58 24.82	135 42.25	-3	981784.74	-25.5	-25.8
NUMBER OF STATIONS: 40	MAXIMUM:	58 40.31	136 31.80	35	981812.89	-0.3	-0.3

USGS GRAVITY DATA SHEET: SOUTHEAST ALASKA, TRAVERSE: ADAMS INLET PROJ CHIEF: BARNES DATUM: BARNES 1972 DATA SET: AS33

DATE: 7/12/72, OBSERVER: BARNES, MAIN BASE: PARK, VALUE: 981784.64, DRIFT: 0.0 , OTHER BASES: DANC,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HTS REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
PAT5	TR45	58 27.25	135 53.15	A	0	13	C	1000	981784.98	A	-14.8	-15.3	5	-15.3	PAT5
PARK	BASE	58 27.24	135 53.05	A	0	26	C	1003	981784.64	A	-13.9	-14.8	5	-14.8	PARK
SF71		58 33.60	136 1.10	A	1	0	C	1202	981786.78	D	-22.7	-22.7	5	-22.7	SF71
SF72		58 36.66	135 59.05	A	2	3	C	1235	981788.55	D	-24.8	-24.9	5	-24.9	SF72
SF73		58 37.09	135 54.55	A	2	5	C	1252	981790.95	D	-22.8	-22.9	5	-22.9	SF73
SF74		58 38.41	135 55.05	A	1	5	C	1307	981792.48	D	-23.0	-23.2	5	-23.2	SF74
/LIT	FOTO	58 38.98	135 55.25	A	27	32	C	1325	981788.34	D	-25.4	-26.5	5	-26.5	/LIT
SF75		58 39.60	135 56.55	A	2	8	C	1340	981784.46	D	-28.3	-28.6	5	-28.6	SF75
SF76		58 40.70	135 57.15	A	3	10	C	1353	981789.86	D	-28.2	-28.6	5	-28.6	SF76
SF77		58 42.11	135 57.05	A	4	12	C	1408	981791.82	D	-28.0	-28.4	5	-28.4	SF77
DANC	/DAN	58 42.46	135 59.75	A	15	23	C	1433	981797.94	A	-21.3	-22.1	5	-22.1	DANC
DANC	FOTO	58 42.46	135 59.75	A	15	23	C	1433	981798.03	A	-21.2	-22.0	5	-22.0	DANC
DANC	/DAN	58 42.46	135 59.75	A	6	14	C	1525	981796.03	A	-21.2	-22.0	5	-22.0	DANC
SF78		58 45.22	136 1.50	A	17	25	C	1550	981787.78	D	-34.9	-35.8	5	-35.8	SF78
SF79		58 46.83	136 2.55	A	2	9	C	1608	981775.78	D	-50.6	-50.9	5	-50.9	SF79
SF80		58 47.51	136 4.60	A	1	7	C	1621	981791.65	D	-35.8	-36.1	5	-36.1	SF80
SF81		58 49.11	136 5.15	A	3	8	C	1648	981786.18	D	-43.3	-43.6	5	-43.6	SF81
SF82		58 50.48	136 2.75	A	8	11	C	1714	981792.12	D	-38.9	-39.3	5	-39.3	SF82
SF83		58 50.90	136 0.15	A	1	3	C	1730	981786.80	D	-45.6	-45.7	5	-45.7	SF83
SF84		58 51.34	135 59.00	A	2	3	C	1744	981791.16	D	-41.8	-41.9	5	-41.9	SF84
SF85		58 52.53	135 56.95	A	3	3	C	1758	981793.03	D	-41.5	-41.6	5	-41.6	SF85
SF86		58 52.16	135 54.45	A	2	1	C	1810	981793.39	D	-40.8	-40.9	5	-40.9	SF86
SF87		58 53.18	135 52.60	A	6	4	C	1832	981792.81	D	-42.5	-42.7	5	-42.6	SF87
SF88		58 53.05	135 48.90	A	3	0	C	1850	981790.69	D	-44.8	-44.8	5	-44.8	SF88
SF89		58 53.55	135 47.40	B	3	0	C	1900	981792.63	D	-43.6	-43.6	5	-43.6	SF89
SF90		58 54.54	135 50.30	A	2	-3	C	1922	981795.45	D	-42.3	-42.2	5	-42.2	SF90
SF91		58 54.28	135 53.85	A	5	0	C	1936	981794.59	D	-42.6	-42.6	5	-42.6	SF91
SF92		58 53.71	135 56.50	A	3	-3	C	1955	981786.84	D	-49.8	-49.7	5	-49.7	SF92
DANC	/DAN	58 42.46	135 59.75	A	0	23	C	2113	981797.94	A	-21.2	-22.1	5	-22.0	DANC

DATA SUMMARY

NUMBER OF STATIONS: 29

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 27.24	135 47.40	-3	981775.78	-50.6	-50.9
MAXIMUM:	58 54.54	136 5.15	32	981798.03	-13.9	-14.8

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PARK-SANDY PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS32

DATE: 7/12/72, METER: G-17, OBSERVERS: STROHA ROBBINS * MAIN BASE: PARK, VALUE: 981784.64, DRIFT: 0.0 , OTHER BASES: DANC,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
PARK	BASE	58 27.24	135 53.05	A	0	26	.	0934	981784.62	A	-13.9	-14.8	5	-14.8	PARK
PAT5	TBM5	58 27.25	135 53.15	A	0	13	A	0951	981784.94	B	-14.8	-15.3	5	-15.2	PAT5
PARK	BASE	58 27.24	135 53.05	A	0	26	A	1000	981784.64	A	-13.9	-14.8	5	-14.8	PARK
SG70	/STA	58 33.67	136 5.40	A	30	24	C	1100	981789.93	D	-17.4	-18.3	5	-18.2	SG70
SG71		58 35.40	136 5.65	A	3	-1	C	1126	981789.82	D	-22.2	-22.2	5	-22.2	SG71
SG72	TBM3	58 36.45	136 5.85	A	24	22	C	1149	981791.26	D	-20.0	-20.8	5	-20.8	SG72
G72A	TBM1	58 36.46	136 6.85	A	0	-1	C	1157	981791.22	B	-22.2	-22.2	5	-22.2	G72A
SG73	/ELS	58 35.64	136 9.05	A	36	37	C	1222	981788.29	D	-20.5	-21.8	5	-21.7	SG73
SG74	/FRA	58 37.50	136 10.65	A	26	28	C	1247	981790.46	D	-21.6	-22.7	5	-22.6	SG74
SG75		58 38.85	136 12.50	A	3	7	C	1312	981795.69	D	-20.2	-20.4	5	-20.4	SG75
SG76		58 40.65	136 13.80	A	1	8	C	1400	981792.72	D	-25.5	-25.8	5	-25.7	SG76
SG77	/LON	58 43.34	136 17.60	A	74	82	C	1428	981786.30	D	-28.5	-31.5	5	-31.3	SG77
SG78		58 41.09	136 21.25	A	3	11	C	1500	981805.00	D	-13.5	-13.9	5	-13.9	SG78
SG79		58 42.51	136 22.90	A	1	9	C	1521	981802.65	D	-17.9	-18.3	5	-18.2	SG79
SG80		58 43.62	136 25.15	A	3	11	C	1536	981797.28	D	-24.6	-25.0	5	-25.0	SG80
SG81		58 44.30	136 28.30	A	2	9	C	1600	981809.63	D	-13.4	-13.7	5	-13.7	SG81
SG82		58 45.32	136 30.75	A	2	8	C	1617	981810.50	D	-13.9	-14.2	5	-14.2	SG82
SG83		58 43.60	136 31.90	A	3	9	C	1634	981808.71	D	-13.3	-13.7	5	-13.6	SG83
SG84		58 41.82	136 30.30	A	1	5	C	1649	981807.68	D	-12.4	-12.5	5	-12.5	SG84
SG85		58 40.65	136 27.60	A	2	6	C	1703	981807.72	D	-10.7	-10.9	5	-10.9	SG85
SG86		58 45.79	136 37.40	A	3	5	C	1735	981805.60	D	-19.7	-19.9	5	-19.9	SG86
SG87		58 45.50	136 34.60	A	3	4	C	1747	981808.16	D	-16.9	-17.0	5	-17.0	SG87
SG88		58 47.34	136 37.40	A	2	2	C	1805	981806.69	D	-21.0	-21.1	5	-21.1	SG88
SG89		58 48.92	136 39.10	A	3	2	C	1817	981810.09	D	-19.7	-19.8	5	-19.8	SG89
SG90		58 49.10	136 36.30	A	2	0	C	1828	981804.64	B	-25.6	-25.6	5	-25.6	SG90
SG91		58 47.41	136 33.00	A	3	0	C	1848	981806.97	D	-21.0	-21.0	5	-21.0	SG91
SG92		58 45.63	136 26.30	A	3	-1	C	1910	981804.85	D	-20.9	-20.8	5	-20.8	SG92
DANC	/DAN	58 42.46	135 59.75	A	0	23	C	2125	981798.05	A	-21.2	-22.0	5	-21.9	DANC
DANC	/DAN	58 42.46	135 59.75	A	0	23	C	2125	981797.99	A	-21.2	-22.1	5	-22.0	DANC

DATA SUMMARY

NUMBER OF STATIONS: 24

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 27.24	135 53.05	-1	981784.62	-28.5	-31.3
MAXIMUM:	58 49.10	136 39.10	82	981810.50	-10.7	-10.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: TIDAL INLT PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS35

DATE: 7/13/72, METER: G-88, OBSERVERS: ELIASON,SOBINS * MAIN BASE: DANC, VALUE: 981797.99, DRIFT:0.0 , OTHER BASES: SI9A, SI10

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
DANC	/DAN	58 42.46	135 59.75	A	0	23	C	1040	981797.99	A	-21.2	-22.1	5	-22.0	DANC
SG93	/TLI	58 45.02	136 10.45	A	36	30	C	1139	981799.23	D	-22.7	-23.8	5	-23.8	SG93
SG94		58 45.11	136 13.85	A	2	-2	C	1201	981796.62	D	-28.5	-28.4	5	-28.4	SG94
SG95		58 46.08	136 16.25	A	2	-1	C	1217	981788.97	D	-37.3	-37.3	5	-37.3	SG95
SG96		58 46.73	136 16.85	A	3	1	C	1232	981792.28	D	-34.7	-34.7	5	-34.7	SG96
SG97		58 47.49	136 20.50	A	2	1	C	1245	981795.17	D	-32.8	-32.9	5	-32.9	SG97
SG98		58 48.44	136 22.50	A	3	4	C	1301	981798.74	D	-30.3	-30.4	5	-30.4	SG98
SG99		58 49.65	136 21.30	A	8	10	C	1326	981791.97	D	-38.1	-38.4	5	-38.4	SG99
SI1		58 49.27	136 19.20	A	3	6	C	1341	981796.25	D	-33.7	-33.9	5	-33.9	SI1
SI2		58 49.67	136 16.85	A	6	14	C	1517	981791.37	D	-38.3	-38.8	5	-38.8	SI2
SI3		58 49.98	136 23.85	A	4	12	C	1545	981798.85	D	-31.4	-31.9	5	-31.9	SI3
SI4		58 49.11	136 25.35	A	2	10	C	1600	981799.95	D	-29.4	-29.7	5	-29.7	SI4
SI5		58 49.88	136 28.30	A	1	9	C	1617	981795.19	D	-35.3	-35.6	5	-35.6	SI5
SI6		58 51.31	136 29.90	A	1	9	C	1634	981801.28	D	-31.1	-31.4	5	-31.4	SI6
SI7		58 52.38	136 30.30	A	5	12	C	1649	981790.85	D	-42.7	-43.1	5	-43.1	SI7
SI8		58 53.96	136 30.90	A	2	8	C	1707	981799.79	D	-36.2	-36.5	5	-36.5	SI8
SI9		58 53.01	136 34.20	A	6	10	C	1741	981802.73	D	-31.8	-32.2	5	-32.1	SI9
SI9A	TBM1	58 52.99	136 34.10	A	4	11	A	1755	981802.69	B	-31.7	-32.1	5	-32.1	SI9A
SI9A	TBM1	58 52.99	136 34.10	A	4	11	A	1755	981802.68	H	-31.7	-32.1	5	-32.1	SI9A
SI10	MARK	58 47.70	136 29.50	A	4	8	C	1839	981805.51	A	-22.1	-22.4	5	-22.4	SI10
SI10	MARK	58 47.70	136 29.50	A	4	8	C	1839	981805.52	A	-22.1	-22.4	5	-22.4	SI10

DATA SUMMARY

NUMBER OF STATIONS: 21

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 42.46	135 59.75	-2	981788.97	-42.7	-43.1
MAXIMUM:	58 53.96	136 34.20	30	981805.52	-21.2	-22.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: MUIR INLET PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS34

DATE: 7/13/72, METER: G-17, OBSERVERS: BARNES STROBA * MAIN BASE: DANC, VALUE: 981797.99, DRIFT: 0.0 , OTHER BASES: ,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV EFEI	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.
DANC	/DAN	58 42.46	135 58.75	A	26	17	C	1051	981797.94	A	-21.8	-22.5	5	-22.4	DANC
DANC	/DAN	58 42.46	135 58.75	A	26	17	C	1055	981797.94	A	-21.8	-22.5	5	-22.4	DANC
SF93		58 43.41	136 3.45	A	1	-7	C	1111	981800.15	D	-23.1	-22.9	5	-22.9	SF93
SF94		58 43.61	135 58.95	A	1	-5	C	1143	981792.19	D	-31.2	-31.0	5	-31.0	SF94
SF95		58 48.00	136 8.95	A	2	0	C	1223	981796.59	D	-32.2	-32.2	5	-32.2	SF95
SF96		58 49.41	136 7.30	A	2	0	C	1235	981792.94	D	-37.7	-37.7	5	-37.7	SF96
SF97		58 50.40	136 6.85	A	2	2	C	1248	981787.36	D	-45.1	-45.2	5	-45.2	SF97
SF98		58 51.86	136 6.30	A	3	5	C	1310	981784.04	D	-49.4	-49.6	5	-49.6	SF98
SF99		58 53.47	136 6.95	A	5	8	C	1325	981777.10	D	-58.2	-58.5	5	-58.5	SF99
QJ01		58 54.88	136 6.60	A	14	18	C	1350	981781.06	D	-55.2	-55.9	5	-55.8	QJ01
QJ02		58 56.37	136 4.75	A	2	8	C	1422	981775.73	D	-63.5	-63.8	5	-63.7	QJ02
QJ03		58 57.58	136 6.35	A	3	10	C	1435	981786.99	D	-53.6	-54.0	5	-54.0	QJ03
QJ04		58 58.04	136 6.40	A	4	12	C	1452	981787.52	D	-54.3	-54.8	5	-54.7	QJ04
QJ05		56 59.40	136 6.35	A	4	12	C	1547	981782.90	D	-60.6	-61.1	5	-61.0	QJ05
QJ06		59 1.25	136 7.85	A	2	10	C	1603	981782.67	D	-62.8	-63.2	5	-63.2	QJ06
QJ07		59 2.33	136 9.30	A	2	10	C	1617	981777.72	D	-69.2	-69.6	5	-69.6	QJ07
QJ08		59 3.51	136 10.65	A	2	9	C	1633	981781.78	D	-66.8	-67.2	5	-67.1	QJ08
QJ09		59 3.88	136 16.55	A	1	7	C	1657	981783.74	D	-65.4	-65.7	5	-65.7	QJ09
QJ10		59 3.19	136 13.60	A	17	21	C	1727	981779.90	D	-67.2	-67.9	5	-67.9	QJ10
QJ11		59 0.16	136 9.55	A	2	5	C	1754	981784.65	D	-59.9	-60.1	5	-60.0	QJ11
QJ12		58 58.75	136 8.40	A	17	19	C	1812	981780.84	D	-60.5	-61.2	5	-61.1	QJ12
QJ13		58 57.59	136 9.40	A	4	5	C	1827	981777.65	D	-63.5	-63.6	5	-63.6	QJ13
QJ14	TBM3	58 54.88	136 6.60	A	6	6	C	1855	981780.22	D	-57.2	-57.4	5	-57.4	QJ14
QJ15		58 56.09	136 7.50	A	5	4	C	1908	981778.88	D	-60.3	-60.5	5	-60.5	QJ15
QJ16		58 55.83	136 10.55	A	5	3	C	1921	981778.96	D	-60.0	-60.1	5	-60.1	QJ16
QJ17		58 55.92	136 13.55	A	2	-1	C	1933	981780.16	D	-59.3	-59.2	5	-59.3	QJ17
QJ18		58 55.53	136 17.40	A	4	-3	C	2107	981775.05	D	-64.1	-64.0	5	-64.0	QJ18

DATA SUMMARY

NUMBER OF STATIONS: 27

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 42.46	135 58.95	-7	981775.05	-69.2	-69.6
MAXIMUM:	59 3.80	136 17.40	21	981800.15	-21.8	-22.4

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: TARK INLET PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS36

DATE: 7/14/72, METER: G-08, OBSERVERS: FAREWELL,ROBNS * MAIN BASE: SI10, VALUE: 981805.52, DRIFT:-.07, OTHER BASES: ,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUM
SI10	MARK	58 47.70	136 29.50	A	0	8	C	0947	981805.52	A	-22.1	-22.4	5	-22.4	SI10
SI11		58 48.51	136 31.10	A	1	-9	C	1004	981797.26	D	-33.0	-32.7	5	-32.7	SI11
SI12		58 49.49	136 32.95	A	2	-8	C	1019	981800.14	D	-31.4	-31.1	5	-31.1	SI12
SI13		58 50.41	136 35.25	A	2	-8	C	1034	981804.70	D	-28.1	-27.8	5	-27.8	SI13
SI14		58 50.63	136 38.85	A	1	-8	C	1054	981809.35	D	-23.7	-23.4	5	-23.4	SI14
SI15		58 51.52	136 41.50	A	3	-6	C	1112	981811.59	D	-22.5	-22.2	5	-22.3	SI15
SI16	/TIN	58 52.21	136 43.70	A	31	23	C	1130	981812.20	D	-20.0	-20.9	5	-20.8	SI16
SI17		58 52.62	136 47.20	A	2	-4	C	1153	981816.02	D	-19.3	-19.2	5	-19.2	SI17
SI18		58 51.01	136 48.15	A	1	-4	C	1214	981811.68	D	-21.5	-21.3	5	-21.4	SI18
SI19		58 52.67	136 50.00	A	1	-3	C	1232	981810.26	D	-25.0	-24.9	5	-24.9	SI19
SI20		58 53.30	136 52.55	A	2	-1	C	1247	981813.09	D	-22.9	-22.8	5	-22.8	SI20
SI21		58 54.00	136 55.20	A	16	15	C	1310	981813.52	D	-21.9	-22.4	5	-22.4	SI21
SI22		58 54.00	136 59.30	A	3	4	C	1336	981806.22	D	-30.2	-30.3	5	-30.3	SI22
SI23		58 54.23	137 0.85	A	2	4	C	1348	981805.90	D	-30.8	-31.0	5	-31.0	SI23
SI24		58 53.47	137 1.25	A	5	11	C	1459	981799.35	D	-35.7	-36.1	5	-36.1	SI24
SI25		58 55.47	137 0.40	A	2	10	C	1523	981803.11	D	-34.7	-35.1	5	-35.0	SI25
SI26		58 55.42	136 57.05	A	1	9	C	1539	981807.16	D	-30.7	-31.0	5	-31.0	SI26
SI27		58 56.50	136 54.85	A	7	15	C	1559	981801.14	D	-37.6	-38.1	5	-38.1	SI27
SI28		58 58.38	136 56.75	A	1	9	C	1618	981801.42	D	-40.3	-40.6	5	-40.6	SI28
SI29		58 59.24	136 59.15	A	1	9	C	1640	981795.77	D	-47.2	-47.5	5	-47.5	SI29
SI30		59 0.64	137 0.30	A	2	10	C	1654	981791.71	D	-53.0	-53.3	5	-53.3	SI30
SI31		59 1.36	137 2.75	A	1	8	C	1710	981784.00	D	-61.8	-62.1	5	-62.1	SI31
SI32		59 3.64	137 1.65	A	1	7	C	1736	981787.75	D	-61.2	-61.5	5	-61.5	SI32
SI33		59 2.27	136 59.50	A	3	8	C	1754	981788.61	D	-58.4	-58.7	5	-58.7	SI33
SI10	MARK	58 47.70	136 29.50	A	0	8	C	2244	981805.52	A	-22.1	-22.4	5	-22.4	SI10

DATA SUMMARY

NUMBER OF STATIONS: 25

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 47.70	136 29.50	-9	981784.00	-61.8	-62.1
MAXIMUM:	59 3.64	137 2.75	23	981816.02	-19.3	-19.2

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: RENDU INLT PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS37

DATE: 7/14/72, METER: G-17, OBSERVERS: BARNES,ELIASON * MAIN BASE: SI10, VALUE: 981805.52, DRIFT:0.04, OTHER BASES: SI9A,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
SI10	MARK	58 47.70	136 29.50	A	20	10	C	1031	981805.52	A	-21.9	-22.3	5	-22.3	SI10
QJ20		58 56.20	136 34.30	A	6	-2	C	1135	981802.07	D	-37.8	-37.8	5	-37.8	QJ20
QJ21		58 57.45	136 34.20	A	0	-6	C	1152	981791.69	D	-50.3	-50.0	5	-50.1	QJ21
QJ22		58 58.09	136 32.50	A	7	2	C	1200	981785.09	D	-57.0	-57.0	5	-57.0	QJ22
QJ23		58 57.05	136 31.70	A	4	-1	C	1212	981786.48	D	-54.5	-54.4	5	-54.4	QJ23
QJ24		58 55.44	136 31.45	A	6	2	C	1222	981796.15	D	-42.4	-42.4	5	-42.4	QJ24
QJ25		58 54.57	136 35.00	A	1	-2	C	1235	981808.09	D	-29.6	-29.6	5	-29.6	QJ25
QJ26		58 56.53	136 37.40	A	1	-1	C	1252	981796.85	D	-43.4	-43.4	5	-43.4	QJ26
QJ27		58 58.99	136 40.05	A	3	3	C	1308	981789.45	D	-53.7	-53.8	5	-53.8	QJ27
QJJ1		59 0.72	136 41.90	A	3	3	C	1323	981789.74	D	-55.7	-55.8	5	-55.8	QJJ1
QJ28		58 59.22	136 42.00	A	3	4	C	1340	981786.94	D	-56.4	-56.6	5	-56.6	QJ28
QJ29		58 57.67	136 40.25	A	4	6	C	1351	981789.25	D	-51.9	-52.1	5	-52.1	QJ29
QJ30		58 55.40	136 37.95	A	2	5	C	1406	981802.16	D	-36.0	-36.2	5	-36.2	QJ30
SI9A	TBM1	58 53.01	136 34.20	A	0	11	A	1430	981802.67	B	-31.8	-32.2	5	-32.1	SI9A
SI9A	TBM1	58 53.01	136 34.20	A	0	11	A	1430	981802.68	B	-31.8	-32.2	5	-32.1	SI9A
QJ31		58 53.44	136 37.75	A	2	8	C	1445	981807.58	D	-27.7	-28.0	5	-28.0	QJ31
QJ32		58 53.82	136 40.65	A	1	8	C	1505	981804.64	D	-31.2	-31.4	5	-31.4	QJ32
QJ33		58 55.30	136 43.10	A	2	10	C	1521	981800.37	D	-37.2	-37.6	5	-37.6	QJ33
QJ34		58 56.03	136 45.50	A	1	9	C	1535	981800.43	D	-38.2	-38.6	5	-38.5	QJ34
QJ35		58 55.51	136 48.60	A	1	9	C	1555	981809.71	D	-28.2	-28.6	5	-28.6	QJ35
QJ36		58 56.99	136 48.65	A	1	8	C	1710	981803.64	D	-36.4	-36.7	5	-36.6	QJ36
QJ37		58 57.77	136 51.75	A	4	11	C	1725	981800.83	D	-39.9	-40.3	5	-40.3	QJ37
QJ38		58 59.00	136 53.90	A	3	9	C	1737	981793.12	D	-49.5	-49.8	5	-49.8	QJ38
QJ39		59 0.05	136 56.05	A	4	10	C	1747	981794.62	D	-49.3	-49.7	5	-49.6	QJ39
QJ40		59 1.59	136 58.35	A	2	7	C	1800	981788.06	D	-58.2	-58.4	5	-58.4	QJ40
QJ41		58 56.17	136 51.60	A	2	1	C	1940	981804.86	D	-34.7	-34.8	5	-34.8	QJ41
QJ42		58 54.36	136 47.30	A	10	8	C	2000	981811.46	D	-25.1	-25.3	5	-25.3	QJ42
SI10	MARK	58 47.70	136 29.50	A	0	8	C	2241	981805.52	A	-22.1	-22.4	5	-22.4	SI10

DATA SUMMARY

NUMBER OF STATIONS: 28

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 47.70	136 29.50	-6	981785.09	-58.2	-58.4
MAXIMUM:	59 1.59	136 58.35	11	981811.46	-21.9	-22.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: MOUSE-ELFN PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS38

DATE: 7/15/72, METER: G-17, OBSERVERS: BARNES,STKORA * MAIN BASE: PARK, VALUE: 981784.64, DRIFT:-.01, OTHER BASES: SI10, ELFN

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.
SI10	MARK	58 47.70	136 29.50	A	0	8	C	0755	981805.48	A	-22.1	-22.4	5	-22.4	SI10
SI10	MARK	58 47.70	136 29.50	A	0	8	C	0755	981805.52	A	-22.1	-22.4	5	-22.4	SI10
QJ43		58 40.50	136 3.95	A	0	0	C	0942	981796.25	C	-22.5	-22.5	5	-22.5	QJ43
DANC	/DAN	58 42.46	135 59.75	A	0	23	C	1000	981798.00	A	-21.2	-22.0	5	-22.0	DANC
DANC	/DAN	58 42.46	135 59.75	A	0	23	C	1000	981797.99	A	-21.2	-22.1	5	-22.0	DANC
QJ44		58 38.80	136 2.82	A	0	0	C	1025	981794.02	C	-22.4	-22.4	5	-22.4	QJ44
PARK	BASE	58 27.24	135 53.05	A	0	26	*	1223	981784.64	A	-13.9	-14.8	5	-14.8	PARK
PARK	BASE	58 27.24	135 53.05	A	0	26	*	1316	981784.64	A	-13.9	-14.8	5	-14.8	PARK
PAT5	TBM5	58 27.25	135 53.15	A	0	13	A	1330	981784.94	A	-14.8	-15.3	5	-15.2	PAT5
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	1843	981804.47	A	25.7	25.2	5	25.2	ELFN
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	1843	981804.42	A	25.6	25.2	5	25.2	ELFN

DATA SUMMARY

NUMBER OF STATIONS: 11

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 11.65	135 53.05	0	981784.64	-22.5	-22.5
MAXIMUM:	58 47.70	136 29.50	26	981805.52	25.7	25.2

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: DUNDAS BAY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS41

DATE: 7/16/72, METER: G-08, OBSERVERS: FAREWELL STKOR * MAIN BASE: ELFN, VALUE: 981804.42, DRIFT: 0.0 , OTHER BASES: SI37, ELFN

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	1015	981804.42	A	25.6	25.2	5	25.2	ELFN
SI34		58 12.91	136 21.20	A	3	-2	C	1041	981812.13	Z	30.3	30.4	5	30.4	SI34
SI35		58 14.71	136 20.35	A	2	-3	C	1058	981815.46	Z	31.1	31.2	5	31.2	SI35
SI36		58 12.60	136 18.35	A	1	-4	C	1120	981808.43	Z	26.8	27.0	5	27.0	SI36
SI37	TBM7	58 15.89	136 19.45	A	15	12	A	1218	981814.45	B	29.9	29.5	5	29.5	SI37
SI37	TBM7	58 15.89	136 19.45	A	15	12	A	1218	981816.79	B	32.2	31.8	5	31.8	SI37
SI37	TBM7	58 15.89	136 19.45	A	15	12	A	1218	981816.77	B	32.2	31.8	5	31.8	SI37
SI38		58 17.98	136 22.70	A	3	1	C	1254	981809.36	D	21.0	20.9	5	20.9	SI38
SI39		58 19.82	136 21.35	A	10	8	C	1321	981813.05	D	22.8	22.5	5	22.6	SI39
SI40		58 21.38	136 22.35	A	3	2	C	1339	981812.46	D	19.6	19.5	5	19.5	SI40
SI41		58 22.17	136 23.80	A	5	6	C	1425	981816.75	D	23.2	23.0	5	23.0	SI41
SI42		58 23.86	136 27.65	A	6	7	C	1444	981816.90	D	21.4	21.1	5	21.2	SI42
SI43		58 23.00	136 29.55	A	2	4	C	1500	981818.06	D	23.2	23.0	5	23.0	SI43
SI44		58 21.59	136 29.35	A	3	5	C	1516	981825.35	D	32.5	32.3	5	32.3	SI44
SI45		58 20.29	136 28.50	A	5	8	C	1530	981822.03	D	31.2	30.9	5	30.9	SI45
SI46		58 21.05	136 30.55	A	3	6	C	1546	981831.53	D	39.5	39.2	5	39.3	SI46
SI47		58 22.29	136 32.60	A	3	7	C	1604	981825.24	D	31.6	31.4	5	31.4	SI47
SI48		58 23.00	136 33.40	A	6	10	C	1619	981821.05	D	26.7	26.4	5	26.4	SI48
SI49		58 24.23	136 29.45	A	3	7	C	1657	981809.07	D	12.9	12.6	5	12.6	SI49
SI50		58 25.91	136 31.50	A	3	7	C	1727	981792.88	D	-7.0	-7.2	5	-7.2	SI50
SI51		58 25.68	136 29.90	A	2	6	C	1745	981803.04	D	4.7	4.5	5	4.5	SI51
SI52		58 23.90	136 25.60	A	3	7	C	1812	981812.38	D	16.6	16.3	5	16.3	SI52
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	2140	981804.42	A	25.6	25.2	5	25.2	ELFN

DATA SUMMARY

NUMBER OF STATIONS: 23

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 11.65	136 18.35	-4	981792.88	-7.0	-7.2
MAXIMUM:	58 26.91	136 33.40	12	981831.53	39.5	39.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: CROSS SND PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS40

DATE: 7/16/72, METER: G-17, OBSERVERS: BARNES,ELIASON • MAIN BASE: ELFN, VALUE: 981804.42, DRIFT:0.04, OTHER BASES: SI37,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	OT-REE	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	1002	981804.42	A	25.6	25.2	5	25.2	ELFN
QJ45		58 10.65	136 24.55	A	5	0	C	1033	981788.54	D	9.9	9.9	5	9.9	QJ45
QJ46		58 11.91	136 23.95	A	5	0	C	1048	981804.19	D	23.9	23.9	5	23.9	QJ46
QJ47		58 14.33	136 22.15	A	4	0	C	1115	981818.15	D	34.6	34.6	5	34.6	QJ47
QJ48		58 16.33	136 23.55	A	7	3	C	1143	981814.20	D	28.2	28.1	5	28.1	QJ48
SI37	TBM7	58 15.49	136 19.45	A	15	12	A	1225	981816.81	B	32.3	31.8	5	31.9	SI37
SI37	TBM7	58 15.89	136 19.45	A	15	12	A	1225	981816.79	B	32.2	31.8	5	31.8	SI37
QJ49		58 18.77	136 24.65	A	4	3	C	1320	981815.98	D	26.7	26.6	5	26.6	QJ49
QJ50		58 18.44	136 27.15	A	2	2	C	1340	981828.46	D	39.5	39.5	5	39.5	QJ50
QJ51		58 17.03	136 28.65	A	5	5	C	1350	981810.43	D	23.7	23.5	5	23.5	QJ51
QJ52		58 18.38	136 30.45	A	4	6	C	1445	981819.08	D	30.6	30.4	5	30.4	QJ52
QJ53		58 19.18	136 32.75	A	4	7	C	1530	981797.33	D	7.9	7.6	5	7.6	QJ53
QJ54		58 17.05	136 34.75	A	5	8	C	1550	981795.58	D	9.1	8.8	5	8.8	QJ54
QJ55		58 15.57	136 33.85	A	4	8	C	1620	981793.65	D	9.2	8.9	5	8.9	QJ55
QJ56		58 13.77	136 35.05	A	5	4	C	1639	981794.85	D	12.9	12.6	5	12.6	QJ56
QJ57		58 12.77	136 36.75	A	2	6	C	1715	981800.59	D	19.7	19.5	5	19.5	QJ57
QJ58		58 14.46	136 37.25	A	1	5	C	1730	981793.92	D	10.6	10.5	5	10.5	QJ58
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	2015	981804.42	A	25.6	25.2	5	25.2	ELFN

DATA SUMMARY

NUMBER OF STATIONS: 19

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 10.65	136 19.45	0	981788.54	7.9	7.6
MAXIMUM:	58 19.18	136 38.75	12	981828.46	39.5	39.5

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: LISIANSKI PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS43

DATE: 7/17/72, METER: G-08, OBSERVERS: SIKORA ROBBINS * MAIN BASE: ELFN, VALUE: 981804.42, DRIFT:0.0 , OTHER BASES: QJ71, PELN

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	0936	981804.42	A	25.6	25.2	5	25.2	ELFN
SI53		58 10.52	136 20.05	A	5	2	C	1000	981801.52	D	23.3	23.2	5	23.2	SI53
SI54		58 9.30	136 18.95	A	3	0	C	1015	981798.00	D	21.2	21.2	5	21.2	SI54
SI55		58 8.83	136 16.65	A	3	-1	C	1026	981797.64	D	21.4	21.4	5	21.4	SI55
SI56		58 7.43	136 17.20	A	3	-1	C	1039	981788.88	D	14.5	14.6	5	14.6	SI56
SI57		58 6.17	136 16.95	A	2	-2	C	1050	981785.84	D	13.1	13.2	5	13.2	SI57
SI58	TBM5	58 7.89	136 20.00	A	12	8	C	1114	981790.56	D	16.4	16.2	5	16.2	SI58
SI59		58 8.91	136 21.85	A	3	-1	C	1132	981786.42	D	10.1	10.1	5	10.1	SI59
SI60		58 6.01	136 28.20	A	3	0	C	1205	981796.78	D	24.5	24.5	5	24.5	SI60
SI61		58 5.45	136 25.95	A	3	0	C	1217	981785.65	D	14.1	14.1	5	14.1	SI61
SI62		58 4.17	136 26.25	A	5	2	C	1230	981799.01	D	29.4	29.3	5	29.3	SI62
SI63		58 3.87	136 23.65	A	2	0	C	1324	981785.76	D	16.3	16.3	5	16.3	SI63
SI64		58 2.79	136 23.60	A	3	2	C	1334	981796.80	D	29.0	29.0	5	29.0	SI64
SI65		58 2.80	136 20.75	A	2	1	C	1346	981784.69	D	16.8	16.8	5	16.8	SI65
SI66		58 1.71	136 21.45	A	2	2	C	1355	981795.65	D	29.3	29.3	5	29.3	SI66
SI67		58 1.21	136 18.95	A	3	3	C	1407	981788.82	D	23.3	23.2	5	23.2	SI67
SI68	/MIN	58 0.50	136 20.15	A	16	16	A	1424	981800.35	D	37.0	36.4	5	36.4	SI68
SI69	/KNO	57 59.91	136 18.90	A	9	10	C	1445	981800.30	D	37.2	36.8	5	36.8	SI69
SI70		57 58.90	136 18.25	A	4	5	C	1456	981797.36	D	35.1	34.9	5	35.0	SI70
SI71		57 59.16	136 15.60	A	3	5	C	1509	981795.32	D	32.7	32.6	5	32.6	SI71
SI72		57 57.81	136 16.25	A	5	8	C	1526	981793.86	D	33.4	33.1	5	33.1	SI72
SI73		57 56.21	136 13.15	A	1	3	C	1542	981788.12	D	29.3	29.2	5	29.2	SI73
SI74		57 55.89	136 10.85	A	2	5	C	1553	981788.58	D	30.4	30.3	5	30.3	SI74
SI75		57 54.40	136 9.95	A	1	4	C	1610	981785.69	D	29.5	29.3	5	29.3	SI75
SI76		57 53.65	136 7.80	A	1	4	C	1620	981784.85	D	29.6	29.5	5	29.5	SI76
SI77		57 52.37	136 6.65	A	3	6	C	1632	981780.85	D	27.6	27.4	5	27.4	SI77
SI78		57 51.89	136 4.15	A	3	7	C	1643	981778.77	D	26.2	26.0	5	26.0	SI78
SI79		57 50.77	136 1.80	A	1	5	C	1700	981775.26	D	24.1	23.9	5	23.9	SI79
SI80		58 0.0	136 22.35	A	1	5	C	1806	981800.76	D	37.0	36.9	5	36.9	SI80
SI81		57 58.52	136 22.00	A	1	5	C	1827	981799.80	D	38.1	37.9	5	37.9	SI81
SI82		57 56.94	136 22.95	A	3	6	C	1840	981801.37	D	41.9	41.7	5	41.7	SI82
SI83		57 55.99	136 21.20	A	4	7	C	1851	981795.67	D	37.6	37.3	5	37.3	SI83
SI84		57 55.04	136 19.35	A	2	5	C	1905	981791.59	D	34.6	34.4	5	34.4	SI84
SI85		57 54.32	136 16.25	A	2	5	C	1917	981791.01	D	35.0	34.8	5	34.8	SI85
SI86		57 55.26	136 23.20	A	3	5	C	1937	981791.10	D	33.8	33.6	5	33.6	SI86
SI87		57 53.98	136 22.85	A	2	4	C	1951	981790.84	D	35.2	35.0	5	35.1	SI87
SI88		57 52.93	136 25.00	A	2	3	C	2004	981800.44	D	46.1	46.0	5	46.0	SI88
SI89		57 51.48	136 24.45	A	3	4	C	2016	981804.95	D	52.7	52.5	5	52.6	SI89
QJ71	MARK	57 51.87	136 24.55	A	5	5	C	2045	981803.70	A	51.0	50.8	5	50.8	QJ71
QJ71	MARK	57 51.87	136 24.55	A	5	5	C	2045	981803.80	A	51.1	50.9	5	50.9	QJ71
PELN	BASE	57 57.65	136 13.60	K	0	4	C	2245	981789.89	A	29.3	29.1	5	29.1	PELN
PELN	BASE	57 57.65	136 13.60	K	0	4	C	2245	981790.00	A	29.4	29.2	5	29.2	PELN

DATA SUMMARY

NUMBER OF STATIONS: 47

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 50.77	136 1.80	-2	981775.26	10.1	10.1
MAXIMUM:	58 11.65	136 28.20	16	981804.95	52.7	52.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: YAKOBI IS PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS42

DATE: 7/17/72, METER: G-17, OBSERVERS: FAREWELL BARNS * MAIN BASE: ELFN, VALUE: 981804.42, DRIFT:0.0 , OTHER BASES: PELN, QJ71

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
ELFN	TBM3	58 11.65	136 20.55	A	0	12	A	1020	981804.36	A	25.5	25.1	5	25.1	ELFN
QJL6	TBM3	58 11.84	136 23.75	A	18	14	C	1114	981803.92	D	25.0	24.5	5	24.6	QJL6
QJL7		58 9.48	136 23.05	A	4	1	C	1144	981786.83	D	9.9	9.9	5	9.9	QJL7
QJL8		58 6.13	136 29.40	A	2	-1	C	1230	981805.63	D	33.1	33.1	5	33.1	QJL8
QJ59		58 5.13	136 32.45	A	2	0	C	1300	981803.15	D	32.0	32.0	5	32.0	QJ59
QJ60		58 3.52	136 33.15	A	2	1	C	1340	981811.78	D	42.9	42.9	5	42.9	QJ60
QJ61		58 2.20	136 33.90	A	2	3	C	1440	981810.27	D	43.4	43.3	5	43.3	QJ61
QJ62		58 1.07	136 31.80	A	6	9	C	1615	981806.53	D	41.7	41.4	5	41.4	QJ62
QJ63		57 58.24	136 33.20	A	3	6	C	1655	981819.44	D	58.2	58.0	5	58.0	QJ63
QJ64		57 56.35	136 33.10	A	3	7	C	1720	981820.49	D	61.9	61.7	5	61.7	QJ64
QJ65		57 55.71	136 31.05	A	5	4	C	1825	981815.19	D	57.6	57.3	5	57.3	QJ65
QJ66		57 54.09	136 29.65	A	9	12	C	1855	981814.39	D	59.3	58.9	5	58.9	QJ66
QJ67		57 52.65	136 28.75	A	2	5	C	1910	981819.14	D	65.4	65.2	5	65.2	QJ67
QJ68		57 51.63	136 27.75	A	2	4	C	1921	981819.97	D	66.5	66.4	5	66.4	QJ68
QJ70		57 50.82	136 26.95	A	2	4	C	1937	981819.62	D	68.3	68.1	5	68.1	QJ70
QJ71	MARK	57 51.87	136 24.60	A	6	7	C	2026	981803.90	A	51.4	51.1	5	51.2	QJ71
QJ71	MARK	57 51.87	136 24.60	A	6	7	C	2026	981803.80	A	51.3	51.0	5	51.1	QJ71
PELN	BASE	57 57.65	136 13.60	A	0	4	C	2240	981789.99	A	29.4	29.2	5	29.2	PELN
PELN	BASE	57 57.65	136 13.60	A	0	4	C	2240	981790.00	A	29.4	29.2	5	29.2	PELN

DATA SUMMARY

NUMBER OF STATIONS: 19

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 50.82	136 13.60	-1	981786.83	9.9	9.9
MAXIMUM:	58 11.84	136 33.90	14	981820.49	68.3	68.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PORTLOCK H PROJ CHIEF: BARNES DATUM: BARNES 1971 DATA SET: AS46

DATE: 7/18/72, METER: G-03, OBSERVERS: ELTASON,ROBINS * MAIN BASE: PELN, VALUE: 981790.00, DRIFT:0.0 , OTHER BASES: QJ71, QC07

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
PELN	BASE	57 57.65	136 13.60	K	0	4	C	1002	981790.00	A	29.4	29.2	5	29.2	PELN
PELN	BASE	57 57.65	136 13.60	K	0	4	C	1002	981790.00	A	29.4	29.2	5	29.2	PELN
QJ71	MARK	57 51.87	136 24.55	A	11	9	C	1336	981803.80	A	51.5	51.2	5	51.2	QJ71
QJ71	MARK	57 51.87	136 24.55	A	11	9	C	1336	981803.80	A	51.5	51.2	5	51.2	QJ71
SI90		57 46.01	136 17.55	A	1	1	C	1455	981801.45	D	56.3	56.3	5	56.3	SI90
SI91		57 47.43	136 15.10	A	2	2	C	1510	981798.17	D	51.2	51.2	5	51.2	SI91
SI92		57 47.49	136 13.25	A	2	3	C	1520	981799.71	D	52.8	52.7	5	52.7	SI92
SI93		57 46.42	136 14.90	A	4	5	C	1531	981800.50	D	55.2	55.0	5	55.0	SI93
SI94	/11P	57 45.18	136 14.20	A	10	11	C	1545	981798.96	D	55.9	55.5	5	55.6	SI94
SI95		57 46.31	136 12.00	A	2	3	C	1601	981795.71	D	50.4	50.3	5	50.3	SI95
SI96		57 44.32	136 12.65	A	3	5	C	1614	981796.94	D	54.5	54.3	5	54.3	SI96
SI97		57 44.89	136 11.15	A	4	6	C	1625	981796.30	D	53.2	53.0	5	53.0	SI97
SI98		57 43.68	136 10.60	A	1	3	C	1635	981793.43	D	51.7	51.6	5	51.6	SI98
SI99		57 42.58	136 4.25	A	1	3	C	1647	981790.64	D	50.4	50.3	5	50.3	SI99
QC1		57 42.67	136 7.10	A	2	5	C	1658	981789.59	D	49.1	49.0	5	49.0	QC1
QC2		57 40.87	136 8.85	A	3	6	C	1748	981781.86	D	44.2	44.0	5	44.0	QC2
QC3		57 39.41	136 7.75	A	1	4	C	1759	981777.75	D	41.9	41.8	5	41.8	QC3
QC4		57 39.71	136 10.15	A	2	5	C	1816	981783.12	D	47.0	46.8	5	46.8	QC4
QC5		57 38.30	136 11.45	A	1	4	C	1830	981785.41	D	51.1	50.9	5	50.9	QC5
QC6		57 37.70	136 8.60	A	4	7	C	1842	981778.12	D	44.9	44.6	5	44.7	QC6
QC7	BASE	57 41.19	136 6.35	A	3	5	C	2002	981776.21	B	38.0	37.9	5	37.9	QC7
QC7	BASE	57 41.19	136 6.35	A	3	5	C	2002	981776.12	B	38.0	37.8	5	37.8	QC7

DATA SUMMARY

NUMBER OF STATIONS: 22

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 37.70	136 6.35	1	981776.12	29.4	29.2
MAXIMUM:	57 57.65	136 24.55	11	981803.80	56.3	56.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: DRY PASS PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS45

DATE: 7/18/72, METER: G-17, OBSERVERS: SIKORA BARNES * MAIN BASE: PELN, VALUE: 981790.00, DRIFT: 0.0 , OTHER BASES: QJ71, QC07

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
PELN	BASE	57 57.65	136 11.60	A	6	4	C	0958	981789.98	A	29.4	29.2	5	29.2	PELN
QJ72		57 49.62	136 25.30	A	2	1	C	1425	981816.89	D	66.9	66.8	5	66.8	QJ72
QJ73		57 49.91	136 21.10	A	3	2	C	1517	981799.07	D	48.8	48.7	5	48.7	QJ73
QJ74		57 48.10	136 22.65	A	3	4	C	1540	981805.69	D	58.0	57.9	5	57.9	QJ74
QJ75		57 48.31	136 20.45	A	3	4	C	1555	981801.26	D	53.3	53.2	5	53.2	QJ75
QJ76		57 47.05	136 18.65	A	3	5	C	1627	981805.82	D	59.7	59.5	5	59.5	QJ76
QJ77		57 45.73	136 17.45	A	2	5	C	1735	981801.73	D	57.4	57.2	5	57.2	QJ77
QJ78		57 44.76	136 15.25	A	5	8	C	1803	981797.53	D	54.8	54.5	5	54.5	QJ78
QJ79		57 43.60	136 16.40	A	2	5	C	1827	981799.15	D	57.4	57.3	5	57.3	QJ79
QJ80		57 42.71	136 14.10	A	3	6	C	1849	981793.10	D	53.0	52.7	5	52.8	QJ80
QC07	BASE	57 41.19	136 6.35	A	3	5	C	1957	981776.16	H	38.0	37.8	5	37.8	QC07
QC07	BASE	57 41.19	136 6.35	A	3	5	C	1957	981776.09	H	37.9	37.7	5	37.8	QC07

DATA SUMMARY

NUMBER OF STATIONS: 12

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 41.19	136 6.35	1	981776.09	29.4	29.2
MAXIMUM:	57 57.65	136 25.30	8	981816.89	66.9	66.8

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: E SLOCUM A PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A548

DATE: 7/19/72, METER: G-04, OBSERVERS: FADEWELL,BORNS * MAIN BASE: CHIC, VALUE: 981773.15, DRIFT:0.0 , OTHER BASES: QC07, DBLE

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QC7	BASE	57 41.19	136 6.35	A	0	5	C	1011	981776.04	B	37.9	37.7	5	37.7	QC7
QC7	FOTO	57 41.19	136 6.35	A	0	5	C	1011	981776.12	B	38.0	37.8	5	37.8	QC7
QC8		57 36.91	136 4.90	A	2	1	C	1054	981770.98	C	38.3	38.2	5	38.2	QC8
QC9		57 38.24	136 6.25	A	1	0	C	1106	981774.61	C	40.0	40.0	5	40.0	QC9
CHIC	MARK	57 39.80	136 5.70	A	18	16	C	1121	981773.15	B	37.9	37.3	5	37.4	CHIC
CHIB	TBM2	57 39.80	136 5.70	A	18	16	C	1130	981773.17	A	37.9	37.3	5	37.4	CHIB
QC10		57 37.92	136 3.75	A	2	0	C	1217	981770.67	C	36.5	36.5	5	36.5	QC10
QC11		57 38.90	136 2.65	A	2	0	C	1227	981772.30	C	36.9	36.9	5	36.9	QC11
QC12		57 38.17	136 0.25	A	1	-1	C	1238	981774.92	C	40.3	40.3	5	40.3	QC12
QC13		57 37.42	135 58.75	A	1	-1	C	1321	981766.56	C	33.0	33.0	5	33.0	QC13
QC14		57 36.80	136 1.80	A	2	1	C	1340	981766.40	C	33.8	33.8	5	33.8	QC14
QC15		57 35.32	136 0.35	A	1	0	C	1353	981760.76	C	30.1	30.1	5	30.1	QC15
DBLE	MARK	57 35.80	136 3.50	A	9	10	C	1530	981767.28	A	36.9	36.6	5	36.6	DBLE
DBLE	MARK	57 35.80	136 3.50	A	9	10	C	1530	981767.25	A	36.9	36.5	5	36.6	DBLE
QC16		57 34.39	136 2.65	A	3	4	C	1546	981764.32	C	35.3	35.2	5	35.2	QC16
QC17		57 33.30	136 0.30	A	3	4	C	1601	981758.13	C	30.6	30.5	5	30.5	QC17
QC18		57 33.95	135 58.75	A	1	2	C	1611	981755.26	C	26.7	26.6	5	26.6	QC18
QC19		57 35.53	135 57.60	A	1	3	C	1623	981758.93	C	28.3	28.2	5	28.2	QC19
QC20		57 35.33	135 55.45	A	1	3	C	1635	981756.39	C	26.0	25.9	5	25.9	QC20
QC21		57 34.08	135 55.15	A	1	3	C	1650	981755.69	C	27.0	26.9	5	26.9	QC21
QC22		57 32.22	135 58.25	A	2	4	C	1713	981752.92	C	26.9	26.7	5	26.8	QC22
QC23		57 32.84	135 56.15	A	1	4	C	1722	981747.36	C	20.5	20.3	5	20.3	QC23
QC24		57 31.52	135 55.20	A	2	5	C	1739	981749.53	C	24.6	24.4	5	24.4	QC24
QC25		57 30.01	135 53.75	A	1	4	C	1753	981747.75	C	24.7	24.6	5	24.6	QC25
QC26		57 29.08	135 51.57	A	2	5	C	1808	981751.29	C	29.6	29.5	5	29.5	QC26
DBLE	MARK	57 35.80	136 3.50	A	6	9	C	1934	981767.25	A	36.8	36.5	5	36.5	DBLE

DATA SUMMARY

NUMBER OF STATIONS: 26

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 29.08	135 51.57	-1	981747.36	20.5	20.3
MAXIMUM:	57 41.19	136 6.35	16	981776.12	40.3	40.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: KHAZ BAY PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS47

DATE: 7/19/76, METER: G-17, OBSERVERS: BARNES,ELIASON * MAIN BASE: QC07, VALUE: 981776.12, DRIFT: 0.0 , OTHER BASES: DBLE,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
QC07	BASE	57 41.19	136 6.55	A	7	6	C	1040	981776.12	H	38.0	37.8	5	37.8	QC07
QJ81		57 42.91	136 11.50	A	3	2	C	1108	981792.41	D	51.6	51.5	5	51.5	QJ81
QJ82		57 41.69	136 12.20	A	4	2	C	1120	981789.54	D	50.4	50.3	5	50.3	QJ82
QJ83		57 41.63	136 15.30	A	3	1	C	1134	981796.76	D	57.6	57.6	5	57.6	QJ83
QJ84		57 40.41	136 14.25	A	2	0	C	1153	981793.22	D	55.6	55.6	5	55.6	QJ84
QJ85		57 38.79	136 13.85	A	3	1	C	1208	981791.51	D	56.2	56.2	5	56.2	QJ85
QJ86		57 37.52	136 13.65	A	2	0	C	1237	981786.97	D	53.3	53.3	5	53.3	QJ86
QJ87		57 35.39	136 11.65	A	4	2	C	1254	981781.26	D	49.9	49.8	5	49.8	QJ87
QJ88		57 36.07	136 8.75	A	3	1	C	1320	981775.64	D	44.1	44.0	5	44.0	QJ88
QJ89		57 34.08	136 9.12	A	6	4	C	1335	981774.57	D	46.0	45.9	5	45.9	QJ89
QJ90		57 35.51	136 6.37	A	3	1	C	1355	981770.92	D	40.1	40.1	5	40.1	QJ90
DBLE	MARK	57 35.80	136 3.50	A	9	9	C	1520	981767.35	A	36.9	36.6	5	36.6	DBLE
DBLE	FOTO	57 35.80	136 3.50	A	9	9	C	1520	981767.25	A	36.8	36.5	5	36.5	DBLE
QJ91		57 33.87	136 4.75	A	5	5	C	1545	981766.17	D	38.0	37.8	5	37.8	QJ91
QJ92		57 32.60	136 4.00	A	6	7	C	1601	981766.55	D	40.3	40.0	5	40.0	QJ92
QJ93		57 31.35	136 2.55	A	4	5	C	1616	981764.51	D	39.8	39.6	5	39.6	QJ93
QJ94		57 30.28	136 0.65	A	3	4	C	1630	981762.16	D	38.8	38.6	5	38.6	QJ94
QJ95		57 31.78	135 59.95	A	4	6	C	1657	981755.35	D	30.1	29.9	5	29.9	QJ95
QJ96		57 30.84	135 57.95	A	4	6	C	1706	981750.66	D	26.7	26.5	5	26.5	QJ96
QJ97		57 29.88	135 55.50	A	1	3	C	1716	981751.20	D	28.3	28.2	5	28.2	QJ97
QJ98		57 28.79	135 53.70	A	3	6	C	1730	981747.92	D	26.8	26.5	5	26.6	QJ98
QJ99		57 27.98	135 51.25	A	2	5	C	1743	981747.24	D	27.1	26.9	5	26.9	QJ99
QJ00		57 26.69	135 48.65	A	1	4	C	1755	981747.55	D	29.1	28.9	5	28.9	QJ00
QD01		57 28.45	135 49.63	A	2	5	C	1810	981751.05	D	30.3	30.1	5	30.1	QD01
DBLE	MARK	57 35.80	136 3.50	A	6	9	C	1939	981767.25	A	36.8	36.5	5	36.5	DBLE

DATA SUMMARY

NUMBER OF STATIONS: 25

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 26.69	135 48.65	0	981747.24	26.7	26.5
MAXIMUM:	57 42.91	136 15.30	9	981796.76	57.6	57.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: KHAZ COAST PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A550

DATE: 7/20/72, METER: G-08, OBSERVERS: SIKORA,ROBBINS * MAIN BASE: SE93, VALUE: 981738.33, DRIFT:0.0 , OTHER BASES: DBLE, STKP

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.
DBLE	MARK	57 35.80	135 3.50	A	8	8	C	0934	981767.39	A	36.9	36.6	5	36.6	DBLE
DBLE	MARK	57 35.80	135 3.50	A	8	8	C	0934	981767.25	A	36.7	36.4	5	36.4	DBLE
QC27		57 28.77	135 58.25	A	1	1	C	1020	981760.24	C	38.6	38.6	5	38.6	QC27
QC28		57 27.54	135 56.10	A	1	1	C	1048	981757.30	C	37.4	37.3	5	37.4	QC28
QC29		57 24.94	135 53.35	A	2	2	C	1126	981746.08	C	29.8	29.7	5	29.7	QC29
QC30		57 25.68	135 51.45	A	1	1	C	1141	981746.30	C	28.9	28.9	5	28.9	QC30
QC31		57 24.37	135 51.90	A	6	5	C	1154	981744.59	C	29.4	29.2	5	29.2	QC31
SE93	TBM3	57 20.20	135 43.35	A	7	7	A	1502	981738.33	A	29.0	28.8	4	28.8	SE93
SE93	TBM3	57 20.20	135 43.35	A	7	7	A	1502	981738.32	A	29.0	28.8	4	28.8	SE93
QC32		57 20.84	135 45.60	A	1	1	C	1528	981738.70	C	28.0	27.9	5	27.9	QC32
QC33		57 18.88	135 47.05	A	1	1	C	1544	981735.89	C	27.8	27.8	5	27.8	QC33
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1914	981706.92	A	22.4	21.7	4	21.8	STKP
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1914	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 2.95	135 3.50	1	981706.91	22.4	21.8
NUMBER OF STATIONS: 13	MAXIMUM:	57 35.80	135 58.25	19	981767.39	38.6	38.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: N SALSBRY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A549

DATE: 7/20/72, METER: G-17, OBSERVERS: ELIASON,BARNES * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.0 , OTHER BASES: DBLE, SE93

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.
DBLE	MARK	57 35.80	136 3.50	A	9	9	C	0945	981767.25	A	36.8	36.5	5	36.5	DBLE
CHIC	MARK	57 39.20	136 5.70	A	20	20	A	1023	981773.20	A	38.3	37.6	5	37.7	CHIC
CHIC	MARK	57 39.80	136 5.70	A	20	20	A	1023	981773.15	A	38.3	37.6	5	37.6	CHIC
DBLE	MARK	57 35.80	136 3.50	A	10	10	C	1120	981767.25	A	36.9	36.5	5	36.6	DBLE
DBLE	MARK	57 35.80	136 3.50	A	10	10	C	1120	981767.18	A	36.8	36.5	5	36.5	DBLE
QD 2		57 23.41	135 49.75	A	3	2	C	1415	981736.86	D	22.7	22.6	5	22.6	QD 2
QD 3		57 23.28	135 47.00	A	6	5	C	1429	981737.49	D	23.8	23.6	5	23.6	QD 3
QD 4		57 22.61	135 43.85	A	1	0	C	1455	981741.71	D	28.4	28.4	5	28.4	QD 4
SE93	TBM3	57 20.20	135 43.35	A	8	8	C	1515	981738.42	D	29.2	28.9	5	28.9	SE93
SE93	TBM3	57 20.20	135 43.35	A	8	8	C	1515	981738.33	D	29.1	28.8	5	28.8	SE93
STKP	TB22	57 2.95	135 20.23	A	0	19	A	1917	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 2.95	135 20.23	0	981706.91	22.4	21.8
NUMBER OF STATIONS: 11	MAXIMUM:	57 39.80	136 5.70	20	981773.20	38.3	37.7

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: KRUZOF IS PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS51

DATE: 7/21/72, METER: G-17, OBSERVERS: ROBBINS * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.02, OTHER BASES: ,

STAT. MAIN	NUS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB.
STKP	T822	57 2.95	135 20.23	A	0	19	A	1005	981706.91	A	22.4	21.7	4	21.8	STKP
QC34		57 1.00	135 40.40	A	1	2	C	1110	981726.55	D	43.1	43.1	5	43.1	QC34
QC35		56 59.19	135 42.35	A	6	7	C	1125	981730.03	D	49.6	49.3	5	49.3	QC35
QC36		57 0.24	135 45.80	A	1	1	C	1142	981733.78	D	51.3	51.3	5	51.3	QC36
QC37		56 59.97	135 51.40	A	1	1	C	1158	981727.08	D	45.0	45.0	5	45.0	QC37
QC38		57 2.34	135 50.45	A	3	3	C	1209	981734.75	D	49.6	49.5	5	49.5	QC38
QC39		57 4.53	135 50.75	A	3	3	C	1224	981741.03	D	52.9	52.7	5	52.7	QC39
QC40		57 6.47	135 48.20	A	3	3	C	1236	981737.75	D	46.9	46.8	5	46.8	QC40
QC41		57 7.67	135 45.05	A	11	11	C	1249	981729.88	D	38.1	37.7	5	37.8	QC41
QC42		57 10.11	135 44.95	A	3	3	C	1308	981727.23	D	31.4	31.3	5	31.3	QC42
QC43		57 10.27	135 49.20	A	3	2	C	1324	981735.18	D	39.0	39.0	5	39.0	QC43
QC44		57 12.38	135 49.00	A	19	18	C	1339	981732.20	D	34.6	34.0	5	34.0	QC44
QC45		57 14.21	135 47.95	A	5	4	C	1359	981728.85	D	27.5	27.3	5	27.3	QC45
QC46		57 15.07	135 49.83	A	8	7	C	1419	981731.88	D	29.6	29.3	5	29.4	QC46
QC47		57 17.68	135 49.99	A	6	5	C	1434	981739.85	D	33.8	33.6	5	33.6	QC47
QC48		57 20.31	135 49.60	A	11	10	C	1459	981740.74	D	31.6	31.2	5	31.2	QC48
QC49		57 15.59	135 45.62	A	0	330	H	1522	981714.03	D	41.4	29.4	5	30.1	QC49
QC50		57 12.43	135 40.75	A	0	558	H	1543	981689.89	D	43.0	22.7	5	24.0	QC50
QC51		57 9.18	135 38.75	A	0	1020	H	1559	981643.93	D	45.0	7.8	5	10.2	QC51
STKP	T822	57 2.95	135 20.23	A	0	19	A	1630	981706.91	A	22.4	21.7	4	21.8	STKP

DATA SUMMARY

NUMBER OF STATIONS: 20

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 59.19	135 20.23	1	981643.93	22.4	10.2
MAXIMUM:	57 20.31	135 51.40	1020	981741.03	52.9	52.7

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: LODGE IS PROJ CHIEF: BARNES DATUM: BARNES 73 DATA SET: AS53

DATE: 07/22/72, METER: G-[illegible], OBSERVERS: NORIN ROBINS * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.0 , OTHER BASES: LOST, QC58

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
STKP	T822	57 2.95	135 20.23	A	0	19	A	1330	981706.91	A	22.4	21.7	4	21.8	STKP
LOST	/LOS	56 50.00	135 24.05	A	6	7	C	1754	981714.01	A	46.2	46.0	5	46.0	LOST
LOST	/LOS	56 50.00	135 24.05	A	6	7	C	1754	981714.00	A	46.2	46.0	5	46.0	LOST
QC52		56 47.44	135 20.42	A	4	5	C	1838	981719.27	C	54.8	54.7	5	54.7	QC52
QC53		56 47.87	135 24.57	A	1	3	C	1858	981716.16	C	50.9	50.8	5	50.8	QC53
QC54		56 46.91	135 23.39	A	2	4	C	1924	981716.23	C	52.4	52.3	5	52.3	QC54
QC55		56 45.90	135 21.32	A	3	5	C	1945	981713.83	C	51.5	51.3	5	51.4	QC55
QC56		56 44.89	135 18.62	A	3	6	C	2006	981710.51	C	49.7	49.5	5	49.5	QC56
QC57		56 43.67	135 16.63	A	1	4	C	2031	981709.53	C	50.2	50.1	5	50.1	QC57
QC58	MARK	56 45.82	135 14.57	A	5	8	C	2052	981703.80	A	41.9	41.6	5	41.6	QC58
QC58	MARK	56 45.82	135 14.57	A	5	8	C	2052	981703.80	A	41.9	41.6	5	41.6	QC58

DATA SUMMARY

NUMBER OF STATIONS: 11

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 43.67	135 14.57	3	981703.80	22.4	21.8
MAXIMUM:	57 2.95	135 26.42	19	981719.27	54.8	54.7

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: CRAWFISH PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS52

DATE: 07/22/72, METER: G-17, OBSERVERS: ELIASON,FARWEL * MAIN BASE: STKP, VALUE: 981706.91, DRIFT:0.0 , OTHER BASES: QC58, LOST

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
STKP	T822	57 2.95	135 20.23	A	0	19	A	1336	981706.91	A	22.4	21.7	4	21.8	STKP
QD5		56 56.97	135 12.89	A	2	1	C	1525	981691.35	C	13.4	13.4	5	13.4	QD5
QD6		56 57.61	135 16.05	A	2	1	C	1542	981695.62	C	16.8	16.7	5	16.7	QD6
LOST	/LOS	56 50.00	135 24.05	A	6	5	C	1752	981714.03	A	46.1	45.9	5	45.9	LOST
LOST	/LOS	56 50.00	135 24.05	A	6	5	C	1752	981714.00	A	46.0	45.8	5	45.9	LOST
QD7		56 48.96	135 21.97	A	2	3	C	1805	981712.50	C	45.8	45.7	5	45.7	QD7
QD8		56 48.02	135 19.20	A	3	4	C	1820	981708.97	C	43.6	43.5	5	43.5	QD8
QD9		56 46.77	135 18.42	A	5	6	C	1835	981708.59	C	45.2	45.0	5	45.0	QD9
QD10		56 47.23	135 15.46	A	3	5	C	1847	981701.36	C	37.2	37.0	5	37.1	QD10
QD11		56 48.34	135 13.13	A	3	5	C	1859	981695.20	C	29.5	29.3	5	29.3	QD11
QD12		56 50.96	135 11.31	A	3	5	C	1920	981687.80	C	18.5	18.3	5	18.3	QD12
QD13		56 49.20	135 11.23	A	3	5	C	1933	981694.58	C	27.7	27.5	5	27.5	QD13
QD14		56 51.00	135 6.80	A	3	6	C	1955	981681.56	C	12.3	12.1	5	12.1	QD14
QD15		56 49.37	135 6.60	A	2	5	C	2006	981685.88	C	18.8	18.6	5	18.6	QD15
QD16		56 49.70	135 8.54	A	5	8	C	2015	981686.86	C	19.6	19.3	5	19.3	QD16
QD17		56 48.38	135 10.84	A	6	9	C	2030	981695.45	C	30.1	29.8	5	29.8	QD17
QC58	MARK	56 45.82	135 14.57	A	5	8	C	2058	981703.86	A	41.9	41.7	5	41.7	QC58
QC58	MARK	56 45.82	135 14.57	A	5	8	C	2058	981703.80	A	41.9	41.6	5	41.6	QC58

DATA SUMMARY

NUMBER OF STATIONS: 18

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 45.82	135 6.60	1	981681.56	12.3	12.1
MAXIMUM:	57 2.95	135 24.05	19	981714.03	46.1	45.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: YAKANI IS PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS55

DATE: 07/23/72, METER: G-08, OBSERVERS: BARNES,MOOTH * MAIN BASE: QC58, VALUE: 981703.80, DRIFT:0.0 , OTHER BASES: QC63, QD36

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	OB-SEE	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
QC58	MARK	56 45.82	135 14.57	A	0	8	C	0955	981703.84	B	41.9	41.6	6	41.7	QC58
QC59		56 44.02	135 14.01	A	2	3	C	1023	981703.58	C	43.7	43.6	6	43.6	QC59
QC60		56 42.30	135 16.48	A	1	2	C	1050	981709.72	C	52.1	52.0	6	52.0	QC60
QC61		56 42.14	135 13.77	A	3	5	C	1113	981708.03	C	50.9	50.7	6	50.8	QC61
QC62		56 40.67	135 13.75	A	3	5	C	1128	981708.54	C	53.5	53.3	6	53.3	QC62
QC63	MARK	56 40.23	135 10.73	A	10	12	C	1157	981704.72	B	50.9	50.5	6	50.5	QC63
QC63	MARK	56 40.23	135 10.73	A	10	12	C	1157	981704.95	B	51.1	50.7	6	50.7	QC63
QC63	MARK	56 40.23	135 10.73	A	0	12	C	1414	981704.82	B	51.0	50.6	6	50.6	QC63
QC63	MARK	56 40.23	135 10.73	A	0	12	C	1414	981704.95	B	51.1	50.7	6	50.7	QC63
QC64		56 40.83	135 8.13	A	2	2	C	1431	981698.68	C	43.1	43.0	6	43.0	QC64
QC65		56 41.86	135 6.74	A	2	2	C	1442	981692.60	C	35.6	35.5	6	35.5	QC65
QC66	TBM3	56 43.23	135 4.42	A	6	6	C	1505	981689.51	C	31.0	30.8	6	30.8	QC66
QC67		56 44.35	135 2.05	A	2	1	C	1540	981683.38	C	22.8	22.8	6	22.8	QC67
QC68		56 45.45	134 59.56	A	2	1	C	1552	981672.83	C	10.8	10.7	6	10.7	QC68
QC69		56 46.78	135 2.09	A	5	4	C	1612	981674.24	C	10.6	10.5	6	10.5	QC69
QC70		56 44.73	135 4.19	A	4	3	C	1635	981681.46	C	20.6	20.5	6	20.5	QC70
QC71		56 43.27	135 6.97	A	5	4	C	1650	981686.56	C	27.8	27.6	6	27.7	QC71
QC63	MARK	56 40.23	135 10.73	A	0	12	C	1716	981704.95	B	51.1	50.7	6	50.7	QC63
QC63	MARK	56 40.23	135 10.73	A	13	12	C	1716	981704.95	B	51.1	50.7	5	50.7	QC63
QC63	MARK	56 40.23	135 10.73	A	13	12	C	1716	981704.99	B	51.2	50.8	5	50.8	QC63
QC72		56 38.88	135 7.91	A	3	3	C	1800	981702.59	C	49.8	49.7	5	49.7	QC72
QC73		56 36.65	135 7.78	A	2	3	C	1817	981704.42	C	54.7	54.6	5	54.6	QC73
QC74		56 36.42	135 4.60	A	1	2	C	1843	981700.12	C	50.6	50.6	5	50.6	QC74
QC75		56 37.57	135 2.09	A	2	3	C	1858	981690.99	C	40.0	39.9	5	39.9	QC75
QC76	/MOS	56 38.91	135 0.26	A	11	13	C	1914	981678.92	C	27.0	26.6	5	26.6	QC76
QC77		56 40.10	134 59.60	A	4	6	C	1928	981682.52	C	28.3	28.1	5	28.1	QC77
QC78		56 41.93	134 58.70	A	3	5	C	1942	981676.55	C	19.7	19.6	5	19.6	QC78
QC79		56 43.52	134 58.80	A	3	6	C	1955	981671.40	C	12.5	12.3	5	12.3	QC79
QC80	/OM	56 41.05	135 0.08	A	5	8	C	2014	981684.11	C	28.8	28.5	5	28.5	QC80
QD36	TBM3	56 34.12	134 58.75	A	6	10	A	2055	981691.95	B	46.4	46.1	5	46.1	QD36
QD36	TBM3	56 34.12	134 58.75	A	6	10	A	2055	981692.35	B	46.8	46.5	5	46.5	QD36

DATA SUMMARY

NUMBER OF STATIONS: 31

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 34.12	134 58.70	1	981671.40	10.6	10.5
MAXIMUM:	56 46.78	135 16.48	13	981709.72	54.7	54.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: WHALE BAY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A554

DATE: 07/23/76, METER: G-17, OBSERVERS: FARRELL,ELIASON * MAIN BASE: QC58, VALUE: 981703.80, DRIFT:0.0 , OTHER BASES:QD34, QC63

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
QC58	MARK	56 45.82	135 14.57	A	9	9	A	0935	981703.80	A	42.0	41.7	5	41.7	QC58
QD18		56 46.94	135 10.36	A	4	5	C	1011	981695.09	E	31.3	31.2	5	31.2	QD18
QD19		56 45.41	135 11.10	A	4	5	C	1021	981697.64	E	36.0	35.8	5	35.8	QD19
QD20		56 46.58	135 8.26	A	5	6	C	1032	981686.71	E	23.6	23.3	5	23.4	QD20
QD21		56 47.45	135 6.25	A	6	7	C	1048	981685.80	E	21.5	21.3	5	21.3	QD21
QD22		56 48.70	135 3.25	A	5	6	C	1055	981672.05	E	6.0	5.8	5	5.8	QD22
QD23		56 49.17	135 0.96	A	4	6	C	1104	981669.33	E	2.6	2.4	5	2.4	QD23
QD24		56 44.71	135 11.88	A	10	12	C	1135	981699.61	E	39.6	39.2	5	39.2	QD24
QD25		56 43.07	135 11.66	A	3	5	C	1154	981702.11	E	43.7	43.5	5	43.5	QD25
QD26		56 42.02	135 10.03	A	3	5	C	1201	981700.57	E	43.6	43.4	5	43.5	QD26
QC63	MARK	56 40.23	135 10.73	A	3	3	C	1420	981705.08	B	50.4	50.3	5	50.3	QC63
QC63	MARK	56 40.23	135 10.73	A	3	3	C	1420	981704.95	B	50.3	50.2	5	50.2	QC63
QD27		56 36.99	134 58.40	A	4	3	C	1534	981688.70	E	38.5	38.4	5	38.4	QD27
QD28		56 38.09	134 56.60	A	2	1	C	1546	981681.87	E	30.0	30.0	5	30.0	QD28
QD29		56 38.70	134 55.45	A	1	0	C	1603	981672.23	E	19.4	19.4	5	19.4	QD29
QD30		56 40.30	134 54.75	A	3	2	C	1615	981676.94	E	22.1	22.0	5	22.0	QD30
QD31		56 40.93	134 51.05	A	4	3	C	1630	981667.00	E	11.4	11.3	5	11.3	QD31
QD32		56 41.24	134 53.55	A	4	3	C	1715	981668.12	E	12.1	12.0	5	12.0	QD32
QD33		56 42.95	134 52.15	A	4	3	C	1728	981663.30	E	4.9	4.8	5	4.8	QD33
QD34		56 43.99	134 50.35	A	5	4	C	1737	981659.12	E	-0.6	-0.8	5	-0.8	QD34
QD35		56 44.72	134 49.80	A	3	3	C	1755	981660.59	E	-0.3	-0.4	5	-0.4	QD35
QD36	TBM3	56 34.12	134 58.75	A	5	9	A	2020	981692.35	B	46.7	46.4	5	46.4	QD36
QD36	TBM3	56 34.12	134 58.75	A	6	9	A	2020	981692.35	B	46.7	46.4	5	46.4	QD36

DATA SUMMARY

NUMBER OF STATIONS: 23

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 34.12	134 49.80	0	981659.12	-0.6	-0.8
MAXIMUM:	56 49.17	135 14.57	12	981705.08	50.4	50.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: BANKS-ALEX PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS57

DATE: 07/24/72, METER: G-08, OBSERVERS: FAREWELL,ROBIN * MAIN BASE: QD36, VALUE: 981692.35, DRIFT:-.35, OTHER BASES: QC87, PTAL

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QD36	TBM3	56 34.12	134 58.75	A	0	10	C	1027	981692.35	B	46.8	46.5	6	46.5	QD36
QC81		56 36.10	135 0.05	A	1	2	C	1042	981694.26	C	45.2	45.2	6	45.2	QC81
QC82		56 34.83	134 56.30	A	1	2	C	1056	981683.82	C	36.6	36.5	6	36.5	QC82
QC83		56 35.57	134 57.85	A	2	4	C	1106	981689.67	C	41.6	41.4	6	41.4	QC83
QC84		56 34.93	135 2.30	A	3	5	C	1124	981699.56	C	52.4	52.3	6	52.3	QC84
QC85		56 33.53	135 3.00	A	1	3	C	1141	981701.68	C	56.3	56.2	6	56.2	QC85
QC86		56 32.50	135 0.56	A	2	4	C	1153	981698.93	C	55.1	54.9	6	54.9	QC86
QC87	BASE	56 19.31	134 50.83	A	0	8	C	1526	981691.43	B	66.3	66.0	6	66.0	QC87
QC87	FOTO	56 19.31	134 50.83	A	0	8	C	1526	981690.75	B	65.6	65.3	6	65.3	QC87
QD36	TBM3	56 34.12	134 58.75	A	0	10	C	1221	981692.36	C	46.8	46.5	6	46.5	QD36
QD36	TBM3	56 34.12	134 58.75	A	0	10	C	1221	981692.35	C	46.8	46.5	6	46.5	QD36
QC88		56 21.02	134 49.38	A	3	3	C	1542	981677.60	B	49.6	49.5	6	49.5	QC88
QC89		56 22.01	134 48.50	A	1	0	C	1551	981677.63	C	48.0	48.0	6	48.0	QC89
QC90		56 23.17	134 48.49	A	1	0	C	1601	981678.62	C	47.3	47.3	6	47.3	QC90
QC91		56 18.43	134 52.18	A	3	2	C	1627	981692.57	C	68.1	68.0	6	68.0	QC91
QC92		56 20.18	134 51.87	A	4	3	C	1639	981690.40	C	63.6	63.5	6	63.5	QC92
QC93		56 21.40	134 51.37	A	1	-1	C	1652	981688.88	C	60.0	60.0	6	60.0	QC93
QC94		56 18.07	134 49.93	A	3	1	C	1727	981687.11	C	63.0	63.0	6	63.0	QC94
QC95		56 18.82	134 48.69	A	3	1	C	1737	981685.85	C	60.7	60.7	6	60.7	QC95
QC96		56 19.87	134 47.48	A	2	0	C	1750	981677.30	C	50.6	50.6	6	50.6	QC96
QC87	BASE	56 19.31	134 50.83	A	10	8	C	1815	981690.75	B	65.6	65.3	6	65.3	QC87
QC87	BASE	56 19.31	134 50.83	A	10	8	C	1815	981690.82	B	65.7	65.4	6	65.4	QC87
QC97		56 16.10	134 48.86	A	1	0	C	1905	981685.31	C	63.9	63.9	6	63.9	QC97
QC98		56 16.63	134 46.06	A	1	2	C	2000	981676.80	C	54.8	54.7	6	54.7	QC98
PTAL	TBM1	56 14.74	134 38.72	A	0	11	C	2201	981673.91	A	55.4	55.0	6	55.0	PTAL

DATA SUMMARY

NUMBER OF STATIONS: 25

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 14.74	134 38.72	-1	981673.91	36.6	36.5
MAXIMUM:	56 36.10	135 3.00	11	981701.68	68.1	68.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SW BARANOF PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: 4556

DATE: 07/24/72, METER: G-17, OBSERVERS: BARNES,MORIN * MAIN BASE: PTAL, VALUE: 981673.91, DRIFT:0.0 , OTHER BASES: QD36, QC87

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
QD36	TBM3	56 34.12	134 58.75	A	0	11	A	1056	981692.28	B	46.8	46.4	5	46.5	QD36
QD36	TBM3	56 34.12	134 58.75	A	0	11	A	1056	981692.35	B	46.9	46.5	5	46.5	QD36
QD37		56 32.06	135 3.14	A	1	3	C	1143	981702.50	E	59.2	59.1	5	59.1	QD37
QD38		56 30.80	135 1.12	A	5	7	C	1159	981700.15	E	58.9	58.7	5	58.7	QD38
QD39		56 29.21	135 0.59	A	1	3	C	1225	981700.00	E	60.6	60.5	5	60.5	QD39
QD40		56 30.28	134 58.25	A	3	5	C	1254	981689.97	E	49.3	49.1	5	49.1	QD40
QD41		56 28.76	134 58.70	A	2	4	C	1309	981697.46	E	58.8	58.7	5	58.7	QD41
QD42		56 28.47	134 56.45	A	1	3	C	1321	981690.16	E	51.8	51.7	5	51.7	QD42
QD43	TBM2	56 27.41	134 57.97	A	3	4	C	1350	981696.61	E	59.1	59.0	5	59.0	QD43
QD44		56 26.47	134 58.10	A	1	2	C	1416	981698.41	E	62.7	62.7	5	62.7	QD44
QD45		56 27.30	134 53.57	A	1	1	C	1457	981682.79	E	45.9	45.8	5	45.8	QD45
QD46		56 25.51	134 54.06	A	2	1	C	1603	981686.81	E	52.3	52.3	5	52.3	QD46
QD47		56 25.47	134 57.00	A	3	2	C	1620	981693.47	E	59.2	59.1	5	59.1	QD47
QD48		56 22.76	134 55.78	A	5	3	C	1655	981696.39	E	66.0	65.9	5	65.9	QD48
QD49		56 23.71	134 54.93	A	3	1	C	1710	981692.46	E	60.5	60.5	5	60.5	QD49
QD50		56 21.22	134 53.80	A	1	-1	C	1733	981694.61	E	66.0	66.0	5	66.0	QD50
QD51		56 19.32	134 53.16	A	2	0	C	1752	981692.84	E	66.9	66.9	5	66.9	QD51
QC87	BASE	56 19.31	134 50.83	A	10	9	A	1825	981690.63	B	65.6	65.2	5	65.3	QC87
QC87	BASE	56 19.31	134 50.83	A	10	9	A	1825	981690.75	B	65.7	65.4	5	65.4	QC87
QD52		56 14.33	134 47.75	A	45	44	C	1917	981677.59	E	62.7	61.1	5	61.2	QD52
QD53		56 14.11	134 45.90	A	2	2	C	1930	981674.54	E	56.1	56.0	5	56.0	QD53
QD54		56 13.01	134 44.60	A	4	4	C	1950	981670.85	E	54.1	53.9	5	54.0	QD54
QD55		56 13.87	134 42.35	A	3	4	C	2005	981671.98	E	54.0	53.9	5	53.9	QD55
QD56		56 12.60	134 41.30	A	2	3	C	2020	981673.55	E	57.3	57.2	5	57.2	QD56
QD57		56 11.02	134 41.95	A	3	5	C	2054	981671.56	E	57.7	57.5	5	57.5	QD57
QD58		56 10.10	134 40.05	A	4	6	C	2115	981672.21	E	59.7	59.5	5	59.5	QD58
QD59		56 12.18	134 39.30	A	8	11	C	2135	981672.77	E	57.8	57.4	5	57.4	QD59
QD60		56 13.82	134 38.85	A	2	5	C	2152	981673.87	E	56.1	55.9	5	55.9	QD60
PTAL	TBM1	56 14.74	134 38.75	A	0	11	A	2227	981673.93	A	55.4	55.0	5	55.0	PTAL
W176		56 14.80	134 38.75	B	0	12	C	2238	981673.91	E	55.4	55.0	5	55.0	W176

DATA SUMMARY

NUMBER OF STATIONS: 30

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 10.10	134 38.75	-1	981670.85	45.9	45.8
MAXIMUM:	56 34.12	135 3.14	44	981702.50	66.9	66.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PORT ALEX PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS6P

DATE: 07/25/72, METER: G-98, OBSERVERS: MORIN,ELIASON * MAIN BASE: PTAL, VALUE: 981673.91, DRIFT:0.11, OTHER BASES: QE13,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
PTAL	TBM1	56 14.74	134 38.72	A	0	11	A	1006	981673.91	A	55.4	55.0	5	55.0	PTAL
QE01		56 15.83	134 38.70	A	2	2	C	1032	981674.23	C	53.3	53.3	5	53.3	QE01
QE02		56 14.38	134 40.95	A	1	7	C	1045	981673.96	C	54.4	54.3	5	54.3	QE02
QE03		56 16.63	134 40.60	A	2	3	C	1106	981674.33	C	52.4	52.3	5	52.3	QE03
QE04	TBM5	56 17.20	134 39.70	A	0	9	A	1126	981675.35	C	52.4	52.1	5	52.1	QE04
QE05		56 19.90	134 39.55	A	14	17	C	1157	981674.30	C	49.2	48.5	5	48.6	QE05
PTAL	TBM1	56 14.74	134 38.72	A	0	11	A	1454	981673.91	A	55.4	55.0	5	55.0	PTAL
PTAL	TBM1	56 14.74	134 38.72	A	0	11	A	1454	981674.08	A	55.6	55.2	5	55.2	PTAL
QE06		56 19.93	134 40.55	A	2	2	C	1558	981675.29	C	48.6	48.6	5	48.6	QE06
QE07		56 19.20	134 42.40	A	2	1	C	1608	981676.60	C	50.9	50.9	5	50.9	QE07
QE08		56 18.05	134 44.75	A	1	8	C	1618	981677.06	C	52.9	52.9	5	52.9	QE08
QE09		56 21.58	134 38.20	A	4	2	C	1647	981676.43	C	47.6	47.5	5	47.5	QE09
QE10		56 23.58	134 39.65	A	1	-2	C	1825	981677.21	C	45.2	45.3	5	45.2	QE10
QE11		56 22.83	134 41.25	A	1	-2	C	1837	981679.22	C	48.2	48.3	5	48.3	QE11
QE12		56 22.77	134 43.90	A	1	-1	C	1855	981675.14	C	44.3	44.4	5	44.4	QE12
QE13	MARK	56 22.95	134 38.95	A	9	8	C	2010	981678.63	A	48.4	48.1	5	48.1	QE13

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	56 14.74	134 38.20	-2	981673.91	44.3	44.4
NUMBER OF STATIONS: 16	MAXIMUM:	56 23.58	134 44.75	17	981679.22	55.6	55.2

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: BAKER FLT PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS5R

DATE: 07/25/72, METER: G-17, OBSERVERS: ROBBINS BARNES * MAIN BASE: PTAL, VALUE: 981673.91, DRIFT:0.01, OTHER BASES: BAKR, QM43

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
PTAL	TBM1	56 14.74	134 38.75	A	0	9	A	1450	981673.91	A	55.2	54.9	4	54.9	PTAL
QY99	BASE	56 21.60	133 52.00	A	0	4	C	1630	981638.86	A	10.6	10.3	4	10.3	QY99
QY99	BASE	56 21.60	133 52.00	A	0	4	C	1630	981638.85	A	10.6	10.3	4	10.3	QY99
BAKR	MARK	56 21.25	133 37.17	A	0	7	C	1648	981638.14	A	10.2	9.9	4	10.0	BAKR
BAKR	MARK	56 21.25	133 37.17	A	0	7	C	1648	981638.15	A	10.2	9.9	4	10.0	BAKR
QM43	TBM?	56 25.04	134 7.89	A	0	10	A	1712	981652.63	A	19.7	19.3	4	19.4	QM43
QM43	TBM?	56 25.04	134 7.89	A	0	10	A	1712	981652.62	A	19.7	19.3	4	19.3	QM43
PTAL	TBM1	56 14.74	134 38.75	A	0	11	A	1742	981673.91	A	55.4	55.0	4	55.0	PTAL
QE13	MARK	56 22.95	134 38.95	A	9	1	C	1814	981678.60	A	47.7	47.7	5	47.7	QE13
QE13	MARK	56 22.95	134 38.95	A	9	1	C	1814	981678.63	A	47.8	47.7	5	47.7	QE13

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	56 14.74	133 37.17	1	981638.14	10.2	10.0
NUMBER OF STATIONS: 10	MAXIMUM:	56 25.04	134 38.95	11	981678.63	55.4	55.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PETROF BAY PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS62

DATE: 07/26/72, METER: G-17, OBSERVERS: FARFWELL * MAIN BASE: QE13, VALUE: 981678.63, DRIFT:0.0 , OTHER BASES: QN99, QM43

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QE13	MARK	56 22.95	134 38.95	A	0	8	C	0915	981678.63	A	48.4	48.1	5	48.1	QE13
QN99	TBM1	56 18.39	134 14.25	A	10	11	C	1136	981656.55	A	33.0	32.6	5	32.6	QN99
QN99	TBM1	56 18.39	134 14.25	A	10	11	C	1136	981656.56	A	33.0	32.6	5	32.6	QN99
QE14		56 19.00	134 17.20	A	3	5	C	1206	981657.96	C	32.9	32.8	5	32.8	QE14
QE15		56 20.68	134 17.55	A	3	4	C	1223	981658.50	C	31.2	31.0	5	31.0	QE15
QE16		56 22.00	134 15.75	A	0	4	C	1242	981657.56	C	27.9	27.9	5	27.9	QE16
QE17		56 21.73	134 13.75	A	2	5	C	1254	981657.20	C	28.4	28.2	5	28.2	QE17
QE18		56 23.37	134 13.70	A	2	6	C	1350	981657.70	C	26.7	26.5	5	26.5	QE18
QE19		56 25.00	134 14.85	A	3	7	C	1401	981659.74	C	26.6	26.3	5	26.3	QE19
QE20		56 26.65	134 14.75	A	3	6	C	1415	981660.52	C	25.0	24.8	5	24.8	QE20
QE21		56 28.47	134 15.65	A	2	5	C	1431	981660.14	C	22.0	21.8	5	21.8	QE21
QE22		56 27.44	134 11.[illegible]	A	0	0	C	1444	981657.66	C	20.5	20.5	5	20.5	QE22
QE23		56 25.37	134 11.00	A	2	5	C	1501	981657.21	C	23.3	23.2	5	23.2	QE23
QE24		56 26.43	134 [illegible].85	A	0	6	C	1517	981655.00	C	19.7	19.5	5	19.5	QE24
QE25		56 23.07	134 9.10	A	5	6	C	1604	981652.94	C	21.3	21.0	5	21.1	QE25
QE26		56 21.88	134 10.35	A	1	1	C	1618	981655.83	C	26.4	26.4	5	26.4	QE26
QE27		56 22.55	134 3.25	A	4	4	C	1645	981650.03	C	20.0	19.8	5	19.9	QE27
QE28		56 23.70	134 5.65	A	5	3	C	1731	981650.25	C	18.5	18.4	5	18.4	QE28
QE29		56 20.51	134 3.45	A	2	0	C	1757	981648.16	C	20.4	20.4	5	20.4	QE29
QE30		56 22.40	134 2.60	A	4	3	C	1615	981645.18	C	15.3	15.2	5	15.2	QE30
QM43	TB17	56 25.04	134 7.09	A	11	8	C	1854	981653.00	A	19.9	19.6	5	19.6	QM43
QM43	TB17	56 25.64	134 7.89	A	11	8	C	1854	981652.62	A	19.5	19.2	5	19.2	QM43

DATA SUMMARY

NUMBER OF STATIONS: 22

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 18.39	134 2.60	0	981645.18	15.3	15.2
MAXIMUM:	56 28.47	134 38.95	11	981678.63	48.4	48.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: SW KUIU IS PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS61

DATE: 07/26/72, METER: G-17, OBSERVERS: WOLDEN,ROBBINS * MAIN BASE: QE13, VALUE: 981678.63, DRIFT:0.0 , OTHER BASES: ,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QE13	MARK	56 22.95	134 38.95	A	0	8	C	0915	981678.63	A	48.4	48.1	5	48.1	QE13
QD61		56 13.08	134 15.55	A	1	3	C	1155	981655.26	D	38.3	38.2	5	38.2	QD61
QD62		56 11.92	134 15.00	A	1	4	C	1215	981653.87	D	38.6	38.5	5	38.5	QD62
QD63		56 [illegible].07	134 15.00	A	3	6	C	1242	981654.18	D	42.1	41.9	5	41.9	QD63
QD64		56 8.46	134 14.65	A	2	[illegible]	C	1300	981652.72	D	42.5	42.3	5	42.3	QD64
QD65		56 6.02	134 12.60	A	1	5	C	1329	981651.97	D	45.1	44.9	5	44.9	QD65
QD66		56 2.58	134 10.55	A	2	[illegible]	C	1402	981650.08	D	47.9	47.7	5	47.8	QD66

DATA SUMMARY

NUMBER OF STATIONS: 7

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 2.58	134 10.55	3	981650.08	38.3	38.2
MAXIMUM:	56 22.95	134 38.95	8	981678.63	48.4	48.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: TERENKOFF PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A564

DATE: 07/27/7[illegible], METER: [illegible], OBSERVERS: ELIASON,FARWEL * MAIN BASE: QM43, VALUE: 981652.62, DRIFT:0.0 , OTHER BASES: QE13,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
QM43	TB17	56 25.02	134 7.90	A	18	14	C	1005	981652.62	A	20.1	19.6	5	19.6	QM43
QE31		56 24.76	134 8.15	A	4	1	C	1032	981649.85	C	16.5	16.4	5	16.4	QE31
QE32		56 23.89	134 2.85	A	4	2	C	1050	981647.19	C	15.1	15.0	5	15.0	QE32
QE33		56 26.40	134 4.70	A	3	2	C	1107	981651.53	C	16.0	15.9	5	15.9	QE33
QE34		56 26.50	134 6.50	A	4	4	C	1125	981652.90	C	17.4	17.2	5	17.2	QE34
QE35		56 28.10	134 7.65	A	3	3	C	1140	981655.02	C	17.2	17.1	5	17.1	QE35
QE36		56 28.19	134 4.70	A	5	6	C	1157	981653.49	C	15.8	15.6	5	15.6	QE36
QE37		56 27.65	134 2.30	A	4	7	C	1255	981649.92	C	13.1	12.8	5	12.8	QE37
QE38		56 29.27	134 2.50	A	2	6	C	1307	981654.46	C	15.3	15.1	5	15.1	QE38
QE39		56 30.24	134 4.05	A	2	6	C	1317	981658.63	C	18.1	17.9	5	17.9	QE39
QE40		56 33.13	134 4.80	A	2	6	C	1335	981673.38	C	28.8	28.6	5	28.6	QE40
QE41		56 31.37	134 5.90	A	3	7	C	1347	981662.02	C	20.0	19.8	5	19.8	QE41
QE42		56 30.95	134 6.45	A	6	11	C	1400	981658.58	C	18.7	18.3	5	18.4	QE42
QE43		56 29.38	134 8.65	A	2	6	C	1425	981656.97	C	17.6	17.4	5	17.4	QE43
QE44		56 30.97	134 10.10	A	3	7	C	1438	981659.19	C	19.0	18.7	5	18.8	QE44
QE45		56 32.50	134 11.30	A	0	0	C	1459	981664.19	C	20.0	20.0	5	20.0	QE45
QE46		56 33.68	134 15.00	A	0	0	C	1520	981666.23	C	20.4	20.4	5	20.4	QE46
QE13	MARK	56 22.95	134 38.95	A	0	8	C	1858	981678.67	A	48.4	48.2	5	48.2	QE13
QE13	MARK	56 22.95	134 38.95	A	0	8	C	1858	981678.63	A	48.4	48.1	5	48.1	QE13

DATA SUMMARY

NUMBER OF STATIONS: 19

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 22.95	134 2.30	0	981647.19	13.1	12.8
MAXIMUM:	56 33.68	134 38.95	14	981678.67	48.4	48.2

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: BAY PILLAR PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS63

DATE: 07/27/72, PTEP: G-17, OBSERVERS: MORIN, HOLDEN * MAIN BASE: QM43, VALUE: 981652.62, DRIFT:0.0 , OTHER BASES: QE13,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
QM43	TB17	56 25.04	134 7.89	A	19	16	A	1010	981652.62	A	20.3	19.7	5	19.7	QM43
QD67		56 34.00	134 18.85	A	2	2	C	1103	981669.00	D	22.9	22.8	5	22.8	QD67
QD68		56 35.11	134 16.85	A	1	1	C	1117	981669.60	D	21.8	21.8	5	21.8	QD68
QD69		56 35.93	134 14.50	A	2	3	C	1146	981671.35	D	22.6	22.5	5	22.5	QD69
QD70		56 36.93	134 11.70	A	1	3	C	1201	981675.13	D	25.0	24.9	5	24.9	QD70
QD71		56 37.99	134 9.45	A	3	5	C	1215	981676.69	D	25.3	25.1	5	25.2	QD71
QD72		56 37.28	134 6.40	A	1	4	C	1232	981681.73	D	31.3	31.1	5	31.1	QD72
QD73		56 38.77	134 5.05	A	4	7	C	1243	981679.88	D	27.6	27.4	5	27.4	QD73
QD74		56 39.76	134 7.30	A	1	5	C	1255	981678.60	D	24.8	24.6	5	24.6	QD74
QD75		56 37.45	134 13.70	A	1	5	C	1315	981673.95	D	23.3	23.2	5	23.2	QD75
QD76		56 37.14	134 16.70	A	1	5	C	1338	981673.48	D	23.3	23.1	5	23.1	QD76
QD77		56 39.08	134 16.00	A	1	5	C	1355	981676.89	D	24.0	23.8	5	23.8	QD77
QD78		56 40.12	134 13.00	A	2	6	C	1410	981675.85	D	21.6	21.4	5	21.4	QD78
QD79		56 40.43	134 15.35	A	1	5	C	1423	981680.46	D	25.0	24.8	5	24.9	QD79
QD80		56 38.98	134 18.05	A	1	5	C	1450	981671.24	D	22.7	22.5	5	22.5	QD80
QE13	MARK	56 22.95	134 38.95	A	0	8	C	1902	981678.63	A	48.4	48.1	5	48.1	QE13
QE13	MARK	56 22.95	134 38.95	A	0	8	C	1902	981678.63	A	48.4	48.1	5	48.1	QE13

DATA SUMMARY

NUMBER OF STATIONS: 17

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 22.95	134 5.05	1	981652.62	20.3	19.7
MAXIMUM:	56 40.93	134 38.95	16	981681.73	48.4	48.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA. TRAVERSE: WALT-BARNE PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS64

DATE: 07/28/72. METER: G-UM, OBSERVERS: ELIASON MORIN * MAIN BASE: QE13, VALUE: 981678.63, DRIFT:0.0 , OTHER BASES: QD97.

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
QE13	MARK	56 22.95	134 38.95	A	0	8	C	0915	981678.63	A	48.4	48.1	5	48.1	QE13
QE47		56 25.17	134 38.60	A	5	-1	C	0939	981676.93	D	42.8	42.8	5	42.8	QE47
QE48		56 26.03	134 40.80	A	2	-4	C	0952	981670.51	D	34.9	35.0	5	35.0	QE48
QE49		56 26.12	134 42.90	A	2	-3	C	1008	981673.57	D	37.9	38.0	5	38.0	QE49
QE50		56 26.36	134 45.30	A	2	-3	C	1017	981673.54	D	37.6	37.7	5	37.7	QE50
QE51		56 26.40	134 38.65	A	4	0	C	1041	981677.67	D	41.9	41.9	5	41.9	QE51
QE52		56 28.38	134 38.50	A	5	2	C	1055	981677.88	D	39.6	39.5	5	39.5	QE52
QE53		56 29.79	134 39.70	A	3	1	C	1115	981680.45	D	40.1	40.0	5	40.0	QE53
QE54	TBM5	56 31.10	134 40.10	A	0	7	A	1151	981681.19	D	39.6	39.3	5	39.3	QE54
QE55		56 32.68	134 42.90	A	2	3	C	1230	981674.47	D	30.3	30.2	5	30.2	QE55
QE56		56 32.36	134 45.60	A	1	3	C	1243	981671.12	D	27.4	27.3	5	27.3	QE56
QE57		56 32.99	134 38.75	A	3	7	C	1322	981682.29	D	38.0	37.8	5	37.8	QE57
QE58		56 32.77	134 40.15	A	7	11	C	1333	981683.11	D	39.5	39.1	5	39.2	QE58
QE59		56 34.24	134 40.10	A	5	9	C	1348	981684.21	D	38.4	38.1	5	38.1	QE59
QE60		56 36.17	134 40.20	A	3	8	C	1406	981678.79	D	30.2	29.9	5	30.0	QE60
QE61		56 37.61	134 40.65	A	2	7	C	1417	981674.18	D	23.5	23.3	5	23.3	QE61
QE62		56 52.52	134 42.15	A	3	4	C	1717	981685.29	D	13.7	13.6	5	13.6	QE62
QE63		56 54.11	134 41.87	A	4	4	C	1731	981674.89	D	1.2	1.0	5	1.0	QE63
QE64		56 54.68	134 43.74	A	2	2	C	1745	981676.74	D	2.0	2.0	5	2.0	QE64
QE65		56 55.57	134 44.68	A	1	0	C	1755	981676.30	D	0.3	0.3	5	0.3	QE65
QE66		56 56.87	134 44.18	A	3	1	C	1816	981677.12	D	-0.7	-0.7	5	-0.7	QE66
QE67		56 58.68	134 45.10	A	2	0	C	1833	981672.60	D	-7.8	-7.8	5	-7.8	QE67
QE68		57 0.83	134 45.10	A	2	-2	C	1855	981664.51	D	-19.0	-19.0	5	-19.0	QE68
QE69		57 2.76	134 46.12	A	2	-3	C	1923	981666.46	D	-19.8	-19.7	5	-19.7	QE69
QE70		57 4.28	134 47.61	A	4	-1	C	1940	981662.83	D	-25.4	-25.3	5	-25.4	QE70
QD97	TBM5	57 5.37	134 49.90	A	0	7	A	1959	981669.45	A	-19.5	-19.8	5	-19.7	QD97
QD97	TBM5	57 5.37	134 49.90	A	0	7	A	1959	981669.33	A	-19.6	-19.9	5	-19.9	QD97

DATA SUMMARY

NUMBER OF STATIONS: 27

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 22.95	134 38.50	-4	981662.83	-25.4	-25.4
MAXIMUM:	57 5.37	134 49.90	11	981685.29	48.4	48.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: LONDS-RED PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS65

DATE: 07/28/74, METER: G-17, OBSERVERS: HOLDEN FARRWEL * MAIN BASE: QE13, VALUE: 981678.63, DRIFT:0.0 , OTHER BASES: QD97,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMBER
QE13	MARK	56 22.95	134 38.95	A	0	0	C	0750	981678.63	A	48.4	48.1	5	48.1	QE13
QD81		56 35.72	134 37.78	A	4	-1	C	1010	981696.21	D	47.4	47.5	5	47.5	QD81
QD82		56 37.52	134 37.72	A	2	-2	C	1040	981689.32	D	38.0	38.0	5	38.0	QD82
QD83		56 39.30	134 37.76	A	3	0	C	1100	981680.95	D	27.3	27.3	5	27.3	QD83
QD84		56 41.89	134 37.87	A	2	0	C	1118	981675.10	D	17.9	17.9	5	17.9	QD84
QD85		56 43.31	134 38.25	A	1	1	C	1150	981680.49	D	20.7	20.7	5	20.7	QD85
QD86		56 42.43	134 44.93	A	0	0	C	1215	981669.51	D	11.5	11.5	5	11.5	QD86
QD87		56 43.10	134 41.43	A	2	3	C	1230	981680.13	D	21.5	21.4	5	21.4	QD87
QD88		56 45.08	134 39.06	A	2	4	C	1250	981681.10	D	19.8	19.7	5	19.7	QD88
QD89		56 46.13	134 41.04	A	4	7	C	1315	981684.54	D	22.1	21.9	5	21.9	QD89
QD90		56 47.31	134 44.93	A	2	7	C	1400	981677.60	D	13.5	13.3	5	13.3	QD90
QD91		56 46.97	134 39.56	A	3	8	C	1425	981682.67	D	19.2	18.9	5	18.9	QD91
QD92		56 49.64	134 40.50	A	3	8	C	1450	981683.81	D	18.0	17.7	5	17.7	QD92
QD93		56 50.39	134 41.42	A	6	11	C	1510	981690.16	D	22.3	21.9	5	22.0	QD93
QD94	THM1	56 51.39	134 43.42	A	0	5	A	1545	981689.89	D	20.0	19.8	5	19.8	QD94
QD95		56 51.79	134 45.60	A	3	7	C	1600	981685.36	D	15.2	14.9	5	14.9	QD95
QD96		56 52.03	134 48.47	A	6	9	C	1620	981682.09	D	11.7	11.4	5	11.4	QD96
QD97	TBM5	57 5.37	134 49.90	A	6	1	C	1930	981669.37	D	-20.2	-20.2	5	-20.2	QD97
QD98		57 5.84	134 46.76	A	5	-1	C	2010	981669.00	D	-21.1	-21.0	5	-21.0	QD98
QD97	TBM5	57 5.37	134 49.96	A	0	7	A	2020	981669.34	A	-19.6	-19.9	5	-19.9	QD97
QD97	TBM5	57 5.37	134 49.90	A	0	7	A	2020	981669.30	A	-19.7	-19.9	5	-19.9	QD97

DATA SUMMARY

NUMBER OF STATIONS: 21

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	56 22.95	134 37.72	-2	981669.00	-21.1	-21.0
MAXIMUM:	57 5.64	134 49.90	11	981696.21	48.4	48.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: S PERIL EN PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS68

DATE: 07/29/72, METER: G-08, OBSERVERS: MORIN HOLDEN * MAIN BASE: QD97, VALUE: 981669.33, DRIFT:0.0 , OTHER BASES: QF26,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUMB.
QD97	TBM5	57 5.37	134 49.90	A	16	9	C	1010	981669.33	A	-19.4	-19.8	5	-19.7	QD97
QE71		57 17.63	134 49.79	A	2	-1	C	1110	981725.23	C	18.7	18.7	5	18.7	QE71
QE72		57 18.69	134 48.40	A	3	1	C	1130	981724.38	C	16.6	16.5	5	16.5	QE72
QE73		57 20.27	134 48.10	A	1	1	C	1201	981727.25	C	17.3	17.2	5	17.2	QE73
QE74		57 21.97	134 49.35	A	1	2	C	1219	981731.88	C	19.7	19.6	5	19.6	QE74
QE75		57 23.50	134 50.05	A	0	2	C	1235	981737.61	C	23.3	23.2	5	23.2	QE75
QE76	/THA	57 25.01	134 49.83	A	25	29	C	1306	981736.72	C	22.9	21.8	5	21.9	QE76
QE77		57 26.60	134 52.14	A	3	9	C	1410	981741.94	C	24.1	23.7	5	23.8	QE77
QE78		57 25.55	134 53.75	A	1	8	C	1424	981740.19	C	23.7	23.4	5	23.4	QE78
QE79	/KIT	57 26.06	134 56.06	A	11	18	C	1437	981740.49	C	24.2	23.5	5	23.6	QE79
QE80		57 25.56	134 56.92	A	6	13	C	1452	981734.74	C	18.7	18.2	5	18.2	QE80
QE81		57 24.60	135 1.10	A	4	11	C	1508	981729.77	C	14.8	14.4	5	14.4	QE81
QE82	/NAP	57 25.31	135 3.60	A	4	11	C	1529	981732.88	C	17.0	16.6	5	16.6	QE82
QE83		57 26.07	135 6.70	A	2	8	C	1548	981730.14	C	12.9	12.6	5	12.6	QE83
QE84		57 26.70	135 9.35	A	3	9	C	1602	981728.47	C	10.5	10.1	5	10.1	QE84
QE85		57 24.73	135 12.77	A	1	6	C	1626	981717.26	C	1.7	1.4	5	1.5	QE85
QE86		57 26.48	135 12.65	A	1	5	C	1640	981720.47	C	2.4	2.2	5	2.2	QE86
QE87		57 28.22	135 11.19	A	1	4	C	1702	981739.24	C	18.7	18.5	5	18.5	QE87
QE88		57 29.29	135 13.67	A	2	4	C	1722	981747.08	C	25.1	24.9	5	24.9	QE88
QE89		57 28.24	135 15.82	A	1	2	C	1752	981736.56	C	15.8	15.7	5	15.7	QE89
QE90		57 27.70	135 18.08	A	1	1	C	1805	981730.37	C	10.2	10.2	5	10.2	QE90
QE91		57 28.27	135 21.00	A	2	1	C	1825	981729.21	C	8.3	8.3	5	8.3	QE91
QE92		57 25.93	135 23.65	A	2	0	C	1845	981724.27	C	6.5	6.5	5	6.5	QE92
QE93		57 28.09	135 23.50	A	2	-1	C	1905	981728.04	C	7.2	7.2	5	7.2	QE93
QE94		57 29.43	135 19.04	A	2	-2	C	1920	981733.65	C	10.9	10.9	5	10.9	QE94
QE95		57 30.68	135 17.47	A	3	-2	C	1936	981738.72	C	14.2	14.3	5	14.3	QE95
QF26	BASE	57 33.80	135 24.63	A	14	8	C	2008	981756.13	A	28.3	28.0	5	28.0	QF26
QF26	BASE	57 33.80	135 24.63	A	14	8	C	2008	981756.12	A	28.3	28.0	5	28.0	QF26

DATA SUMMARY

NUMBER OF STATIONS: 28

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 5.37	134 48.10	-2	981669.33	-19.4	-19.7
MAXIMUM:	57 33.80	135 24.63	29	981756.13	28.3	28.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: KELP BAY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS67

DATE: 07/29/72, METER: G-17, OBSERVERS: FAREWEL,ROBINS * MAIN BASE: QD97, VALUE: 981669.33, DRIFT:-.13, OTHER BASES: QF26,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QD97	TBM5	57 5.37	134 49.90	A	16	9	A	1002	981669.33	A	-19.4	-19.8	5	-19.7	QD97
QD99		57 7.06	134 47.50	A	3	-3	C	1023	981674.58	D	-17.6	-17.5	5	-17.5	QD99
QF01		57 8.51	134 47.90	A	2	-3	C	1036	981684.74	D	-9.5	-9.4	5	-9.4	QF01
QF02		57 8.14	134 51.65	A	2	-2	C	1054	981674.29	D	-19.3	-19.2	5	-19.3	QF02
QF03		57 9.15	134 50.20	A	1	-2	C	1106	981676.69	D	-18.3	-18.2	5	-18.2	QF03
QF04		57 10.11	134 48.20	A	1	-2	C	1117	981679.52	D	-16.8	-16.7	5	-16.7	QF04
QF05		57 11.50	134 49.45	A	2	0	C	1129	981683.46	D	-14.6	-14.6	5	-14.6	QF05
QF06		57 12.28	134 50.55	A	3	1	C	1138	981685.80	D	-13.2	-13.3	5	-13.3	QF06
QF07	TBM2	57 13.08	134 52.15	A	17	18	C	1221	981685.53	D	-13.0	-13.6	5	-13.6	QF07
QF08		57 14.15	134 50.40	A	1	3	C	1239	981694.33	D	-7.1	-7.2	5	-7.2	QF08
QF09		57 14.54	134 53.00	A	2	5	C	1252	981693.17	D	-8.6	-8.7	5	-8.7	QF09
QF10		57 15.53	134 50.84	A	2	6	C	1307	981702.43	D	-0.6	-0.8	5	-0.8	QF10
QF11		57 17.00	134 52.43	A	2	8	C	1408	981712.00	D	7.2	6.9	5	6.9	QF11
QF12		57 15.71	134 54.57	A	1	8	C	1420	981700.38	D	-2.7	-3.0	5	-3.0	QF12
QF13		57 16.40	134 56.81	A	1	8	C	1445	981699.61	D	-4.4	-4.7	5	-4.7	QF13
QF14		57 18.03	134 57.10	A	1	8	C	1457	981711.84	D	5.6	5.3	5	5.3	QF14
QF15		57 15.82	135 0.67	A	1	8	C	1516	981694.70	D	-8.5	-8.8	5	-8.8	QF15
QF16		57 17.49	135 0.59	A	1	8	C	1527	981694.34	D	-11.1	-11.4	5	-11.4	QF16
QF17		57 19.81	134 57.33	A	1	8	C	1544	981716.86	D	8.2	7.9	5	7.9	QF17
QF18		57 20.01	134 59.50	A	3	9	C	1553	981710.62	D	1.8	1.4	5	1.5	QF18
QF19		57 20.62	135 4.55	A	2	8	C	1610	981704.46	D	-5.3	-5.6	5	-5.6	QF19
QF20		57 21.09	135 2.20	A	1	6	C	1620	981705.77	D	-4.8	-5.1	5	-5.1	QF20
QF21		57 18.21	134 54.38	A	3	7	C	1646	981716.30	D	9.7	9.5	5	9.5	QF21
QF22		57 19.10	134 51.50	A	1	4	C	1657	981722.25	D	14.2	14.0	5	14.0	QF22
QF23		57 20.44	134 53.74	A	2	5	C	1710	981725.92	D	16.1	15.9	5	15.9	QF23
QF24		57 21.73	134 56.20	A	1	3	C	1724	981726.88	D	15.1	15.0	5	15.0	QF24
QF25		57 22.96	134 57.97	A	1	3	C	1734	981727.00	D	13.5	13.4	5	13.4	QF25
QF26	/COV	57 33.80	135 24.63	A	14	8	A	2002	981756.35	A	28.5	28.2	5	28.3	QF26
QF26	/COV	57 33.80	135 24.63	A	14	6	A	2002	981756.12	A	29.3	28.0	5	28.0	QF26

DATA SUMMARY

NUMBER OF STATIONS: 28

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 5.37	134 47.50	-3	981669.33	-19.4	-19.7
MAXIMUM:	57 33.80	135 24.63	18	981756.35	28.5	28.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PERIL N AK PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A570

DATE: 07/30/72. METER: G-08. OBSERVERS: HOLDEN ELIASON * MAIN BASE: QF26. VALUE: 981756.12, DRIFT: -.03, OTHER BASES:

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT. NUM.
QF26	/COV	57 33.80	135 24.63	A	18	10	C	0906	981756.12	A	28.5	28.1	5	28.2	QF26
QG00		57 35.17	135 23.51	A	22	14	C	0924	981752.46	D	23.3	22.8	5	22.9	QG00
QG01		57 36.75	135 25.39	A	1	-7	C	0939	981747.68	D	14.4	14.7	5	14.7	QG01
QG02		57 37.92	135 28.56	A	18	10	C	1000	981745.76	D	12.5	12.2	5	12.2	QG02
QG03		57 38.97	135 31.63	A	1	-7	C	1017	981751.75	D	15.5	15.7	5	15.7	QG03
QG04		57 40.30	135 33.36	A	2	-5	C	1032	981750.07	D	12.2	12.4	5	12.3	QG04
QG05		57 41.80	135 36.53	A	4	-3	C	1045	981751.68	D	11.9	12.0	5	12.0	QG05
QG06		57 42.71	135 34.33	A	13	8	C	1105	981753.19	D	13.2	12.9	5	13.0	QG06
QG07		57 43.67	135 42.25	A	2	-2	C	1120	981757.91	D	15.7	15.8	5	15.8	QG07
QG08		57 44.90	135 45.30	A	10	7	C	1138	981759.19	D	16.2	15.9	5	15.9	QG08
QG09		57 46.08	135 49.48	A	3	1	C	1158	981764.17	D	19.0	18.9	5	18.9	QG09
QG10		57 44.86	135 47.99	A	1	0	C	1212	981763.98	D	20.3	20.3	5	20.3	QG10
QG11		57 42.62	135 43.45	A	3	3	C	1234	981759.95	D	19.6	19.5	5	19.5	QG11
QG12		57 40.30	135 37.13	A	4	6	C	1307	981756.73	D	19.9	19.6	5	19.7	QG12
QG13		57 38.39	135 37.09	A	2	7	C	1401	981754.90	D	20.7	20.5	5	20.5	QG13
QG14		57 40.77	135 41.03	A	1	7	C	1422	981756.23	D	18.8	18.6	5	18.6	QG14
QG15		57 41.24	135 44.00	A	1	8	C	1435	981761.58	D	23.6	23.3	5	23.4	QG15
QG16		57 39.20	135 48.29	A	1	8	C	1640	981766.66	D	31.5	31.2	5	31.2	QG16
QG17		57 39.46	135 45.59	A	1	7	C	1654	981764.06	Z	28.4	28.2	5	28.2	QG17
QG18		57 39.55	135 42.07	A	1	7	C	1707	981759.78	Z	24.0	23.8	5	23.8	QG18
QG19		57 37.35	135 41.61	A	0	5	C	1726	981760.41	Z	27.5	27.3	5	27.3	QG19
QG20		57 37.00	135 37.71	A	1	4	C	1758	981757.83	Z	25.3	25.1	5	25.1	QG20
QG21		57 36.98	135 34.72	A	4	6	C	1812	981757.96	Z	25.6	25.4	5	25.4	QG21
QG22	/JOG	57 35.74	135 30.57	A	8	9	C	1835	981752.91	Z	22.5	22.2	5	22.2	QG22
QG23		57 35.12	135 33.47	A	3	3	C	1852	981757.43	Z	27.3	27.2	5	27.2	QG23
QG24		57 34.72	135 37.38	A	2	0	C	1916	981757.56	Z	27.8	27.8	5	27.8	QG24
QG25		57 33.33	135 40.26	A	1	-1	C	1932	981754.88	Z	26.9	26.9	5	26.9	QG25
QG26		57 33.23	135 35.07	A	2	-1	C	1950	981755.46	Z	27.6	27.6	5	27.6	QG26
QF26	/COV	57 33.80	135 24.63	A	16	11	C	2025	981756.12	A	28.6	28.2	5	28.2	QF26

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 33.23	135 23.51	-7	981745.76	11.9	12.0
NUMBER OF STATIONS: 29	MAXIMUM:	57 46.08	135 49.48	14	981766.66	31.5	31.2

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: FISH BAY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A569

DATE: 07/30/72, METER: G-17, OBSERVERS: MORIN,ROBBINS * MAIN BASE: SE93, VALUE: 981738.33, DRIFT:0.0 , OTHER BASES: QF26, QF27

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QF26	/COV	57 33.80	135 24.63	A	20	12	C	0933	981756.09	A	28.7	28.2	5	28.2	QF26
QF26	/COV	57 33.80	135 24.63	A	20	12	C	0933	981756.12	A	28.7	28.3	5	28.3	QF26
QF27	TBM3	57 30.89	135 33.18	A	25	17	A	1007	981752.19	B	29.2	28.6	5	28.6	QF27
QF27	TBM3	57 30.89	135 33.18	A	25	17	A	1007	981752.27	B	29.3	28.7	5	28.7	QF27
SE93	TBM3	57 20.29	135 43.50	A	12	9	C	1114	981738.33	D	29.1	28.8	5	28.8	SE93
QF28		57 22.32	135 40.87	A	2	-1	C	1137	981743.94	D	31.0	31.0	5	31.0	QF28
QF29		57 22.45	135 38.50	A	3	1	C	1152	981739.46	D	26.5	26.5	5	26.5	QF29
QF30	/HAL	57 22.34	135 36.21	A	12	11	C	1208	981737.26	D	25.4	25.0	5	25.0	QF30
QF31		57 21.92	135 33.27	A	3	2	C	1225	981739.11	D	27.0	26.9	5	26.9	QF31
QF32		57 21.33	135 29.60	A	2	2	C	1238	981738.23	D	26.9	26.8	5	26.8	QF32
QF33		57 22.35	135 30.95	A	1	1	C	1250	981738.59	D	25.8	25.7	5	25.7	QF33
QF34		57 23.13	135 34.39	A	1	2	C	1304	981739.43	D	25.6	25.6	5	25.6	QF34
QF35		57 24.61	135 40.71	A	1	3	C	1324	981740.19	D	24.5	24.4	5	24.4	QF35
QF36	/SHO	57 24.60	135 37.40	A	0	3	C	1426	981739.81	D	24.1	24.0	5	24.0	QF36
QF26	/COV	57 33.80	135 24.63	A	10	8	A	1915	981756.15	A	28.3	28.1	5	28.1	QF26
QF26	/COV	57 33.80	135 24.63	A	10	8	A	1915	981756.12	A	28.3	28.0	5	28.0	QF26

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 20.29	135 24.63	-1	981737.26	24.1	24.0
NUMBER OF STATIONS: 16	MAXIMUM:	57 33.80	135 43.50	17	981756.15	31.0	31.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: N PERIL EN PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS72

DATE: 07/31/72, METER: G-03, OBSERVERS: HOLDEN ELIASON * MAIN BASE: QF26, VALUE: 981756.12, DRIFT: 0.0 , OTHER BASES: TENB,

STAT. MAIN	NOS. AUX.	*	LATITUDE	LONGITUDE	LOC. TYPE	*	HT-REF	ELEV FEET	ELEV TYPE	*	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	*	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	*	STAT NUMBER
QF26	/COV	*	57 33.80	135 24.63	A	*	0	15	C	*	1005	981756.12	A	*	29.0	28.4	5	28.5	*	QF26
QE96		*	57 34.58	135 19.75	A	*	1	-5	C	*	1046	981748.68	D	*	18.6	18.8	5	18.8	*	QE96
QE97		*	57 33.48	135 16.66	A	*	1	-5	C	*	1109	981739.58	D	*	11.0	11.2	5	11.2	*	QE97
QE98		*	57 31.76	135 12.81	A	*	3	-2	C	*	1127	981740.61	D	*	14.6	14.7	5	14.7	*	QE98
QE99	/HUR	*	57 30.42	135 9.42	A	*	19	15	C	*	1142	981734.94	D	*	12.4	11.9	5	11.9	*	QE99
QG27		*	57 29.38	135 6.87	A	*	1	-2	C	*	1202	981739.16	D	*	16.4	16.5	5	16.5	*	QG27
QG28		*	57 27.95	135 5.10	A	*	2	0	C	*	1220	981738.93	D	*	18.4	18.4	5	18.4	*	QG28
QG29		*	57 27.66	135 2.35	A	*	14	13	C	*	1245	981734.60	D	*	15.6	15.2	5	15.2	*	QG29
QG30		*	57 27.68	134 59.67	A	*	1	3	C	*	1347	981737.89	D	*	18.0	17.9	5	17.9	*	QG30
QG31	/OF2	*	57 27.58	134 55.76	A	*	23	27	C	*	1408	981738.08	D	*	20.6	19.6	5	19.6	*	QG31
QG32		*	57 27.85	134 52.60	A	*	2	7	C	*	1422	981739.01	D	*	19.2	19.0	5	19.0	*	QG32
QG33		*	57 29.31	134 53.69	A	*	1	6	C	*	1435	981739.27	D	*	17.4	17.2	5	17.2	*	QG33
QG34		*	57 31.02	134 56.02	A	*	1	7	C	*	1448	981744.10	D	*	20.7	20.4	5	20.4	*	QG34
QG35		*	57 32.52	134 59.45	A	*	1	8	C	*	1505	981744.63	D	*	18.6	18.3	5	18.3	*	QG35
QG36		*	57 30.41	134 52.84	A	*	3	10	C	*	1536	981732.67	D	*	9.7	9.3	5	9.3	*	QG36
QG37	/QUE	*	57 28.63	134 49.62	A	*	11	14	C	*	1604	981728.58	D	*	8.9	8.2	5	8.2	*	QG37
QG38		*	57 30.78	134 49.94	A	*	1	8	C	*	1645	981724.97	D	*	1.3	1.0	5	1.0	*	QG38
QG39		*	57 32.09	134 51.46	A	*	1	8	C	*	1659	981729.36	D	*	3.9	3.6	5	3.6	*	QG39
QG40		*	57 34.21	134 51.10	A	*	1	8	C	*	1715	981723.89	D	*	-4.5	-4.8	5	-4.7	*	QG40
TENB	BASE	*	57 46.80	135 12.35	A	*	0	10	C	*	2145	981756.83	A	*	11.5	11.1	5	11.2	*	TENB
TENB	BASE	*	57 46.80	135 12.35	A	*	0	10	C	*	2145	981756.72	A	*	11.4	11.0	5	11.0	*	TENB

DATA SUMMARY

NUMBER OF STATIONS: 21

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 27.58	134 49.62	-5	981723.89	-4.5	-4.7
MAXIMUM:	57 46.80	135 24.63	27	981756.83	29.0	28.5

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PERIL-ANGN PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A571

DATE: 07/31/72, METER: G-17, OBSERVERS: FARENEL,ROBINS * MAIN BASE: QF26, VALUE: 981756.12, DRIFT:0.03, OTHER BASES: QM76, QF57

STAT. MAIN	NOS. AUX.	*	LATITUDE	LONGITUDE	LOC. TYPE	*	HT-REF	ELEV FEET	ELEV TYPE	*	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	*	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	*	STAT. NUMBER	*
QF26	/COV	*	57 33.80	135 24.63	A	*	20	13	F	*	0943	981756.12	A	*	28.8	28.3	5	28.3	*	QF26	*
QF36		*	57 24.60	135 37.40	A	*	8	1	C	*	1037	981739.73	D	*	23.8	23.8	5	23.8	*	QF36	*
QF37		*	57 25.14	135 35.13	A	*	12	5	C	*	1049	981742.03	D	*	25.8	25.6	5	25.6	*	QF37	*
QF38		*	57 27.05	135 34.14	A	*	2	-4	C	*	1107	981741.21	D	*	21.5	21.6	5	21.6	*	QF38	*
QF39		*	57 26.60	135 35.17	A	*	2	-3	C	*	1123	981744.05	D	*	24.8	24.9	5	24.9	*	QF39	*
QF40		*	57 27.05	135 31.95	A	*	3	-3	C	*	1134	981746.05	D	*	26.4	26.5	5	26.5	*	QF40	*
QF41		*	57 28.33	135 31.85	A	*	3	-3	C	*	1151	981746.58	D	*	25.4	25.4	5	25.4	*	QF41	*
QF42		*	57 29.49	135 33.15	A	*	6	3	C	*	1212	981750.28	D	*	27.9	27.8	5	27.8	*	QF42	*
QF43		*	57 31.32	135 35.54	A	*	2	0	C	*	1224	981748.05	D	*	22.9	22.9	5	22.9	*	QF43	*
QF27	TBM3	*	57 30.89	135 33.18	A	*	26	25	C	*	1236	981752.29	D	*	30.1	29.1	5	29.2	*	QF27	*
QF27	TBM3	*	57 30.89	135 33.18	A	*	26	25	C	*	1236	981752.27	D	*	30.0	29.1	5	29.2	*	QF27	*
QF44		*	57 31.18	135 30.10	A	*	3	3	C	*	1250	981755.66	D	*	31.0	30.8	5	30.9	*	QF44	*
QF45		*	57 32.50	135 28.42	A	*	0	0	C	*	1300	981757.62	D	*	30.8	30.8	5	30.8	*	QF45	*
QF46		*	57 33.75	135 27.09	A	*	9	9	C	*	1312	981756.74	D	*	29.1	28.8	5	28.8	*	QF46	*
QF26	/COV	*	57 33.80	135 24.63	A	*	22	24	C	*	1332	981756.12	D	*	29.8	28.9	5	29.0	*	QF26	*
QF26	/COV	*	57 33.80	135 24.63	A	*	22	24	C	*	1332	981756.15	D	*	29.8	29.0	5	29.0	*	QF26	*
QF47		*	57 33.27	135 21.98	A	*	0	2	C	*	1346	981756.26	D	*	28.6	28.5	5	28.5	*	QF47	*
QF48		*	57 32.28	135 19.36	A	*	18	21	C	*	1401	981745.22	D	*	20.7	19.9	5	20.0	*	QF48	*
QM76	MARK	*	57 29.83	134 34.25	A	*	0	10	C	*	1658	981732.69	A	*	10.5	10.1	5	10.1	*	QM76	*
QM76	MARK	*	57 29.83	134 34.25	A	*	0	10	C	*	1658	981732.75	A	*	10.6	10.2	5	10.2	*	QM76	*
QF49		*	57 32.41	134 35.85	A	*	2	8	C	*	1716	981731.89	D	*	6.0	5.7	5	5.7	*	QF49	*
QF50		*	57 34.07	134 36.98	A	*	4	16	C	*	1729	981732.30	D	*	4.3	3.9	5	4.0	*	QF50	*
QF51		*	57 35.74	134 39.00	A	*	1	7	C	*	1743	981732.39	D	*	1.8	1.6	5	1.6	*	QF51	*
QF52		*	57 37.40	134 40.30	A	*	2	7	C	*	1756	981736.88	D	*	4.1	3.8	5	3.8	*	QF52	*
QF53		*	57 39.04	134 41.04	A	*	1	5	C	*	1807	981744.99	D	*	9.7	9.5	5	9.5	*	QF53	*
QF54		*	57 40.68	134 41.80	A	*	1	5	C	*	1819	981748.70	D	*	11.2	11.0	5	11.1	*	QF54	*
QF55		*	57 42.16	134 42.30	A	*	1	5	C	*	1829	981745.11	D	*	5.6	5.4	5	5.5	*	QF55	*
QF56		*	57 43.87	134 42.72	A	*	1	4	C	*	1840	981740.87	D	*	-1.0	1.2	5	-1.2	*	QF56	*
QF57	/SAD	*	57 45.40	134 43.71	A	*	11	13	C	*	1859	981740.72	B	*	-2.4	-2.9	5	-2.9	*	QF57	*
QF57	/SAD	*	57 45.40	134 43.71	A	*	11	13	C	*	1859	981740.75	B	*	-2.4	-2.9	5	-2.8	*	QF57	*

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 24.60	134 34.25	-4	981731.89	-2.4	-2.9
NUMBER OF STATIONS: 8	MAXIMUM:	57 45.40	135 38.14	25	981757.62	31.0	30.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA. TRAVERSE: TENAKEE INL PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS75

DATE: 08/01/72. METER: G-10. OBSERVERS: FARRELL MORIN * MAIN BASE: TENB, VALUE: 981756.72, DRIFT:-.05, OTHER BASES: TENP,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
TENB	BASE	57 46.80	135 12.35	A	0	10	C	1016	981756.72	A	11.4	11.0	5	11.0	TENB
QG41		57 47.70	135 15.80	A	1	-5	C	1034	981756.70	D	8.7	8.9	5	8.9	QG41
QG42		57 48.47	135 18.80	A	2	-4	C	1046	981757.94	D	9.0	9.2	5	9.2	QG42
QG43	/HIH	57 49.52	135 21.10	A	11	5	C	1101	981753.09	D	3.6	3.4	5	3.4	QG43
QG44		57 50.80	135 23.20	A	1	-5	C	1114	981756.40	D	4.2	4.4	5	4.4	QG44
QG45		57 51.72	135 25.38	A	1	-4	C	1124	981753.69	D	0.4	0.5	5	0.5	QG45
QG46		57 52.14	135 28.39	A	2	-3	C	1144	981756.94	D	3.1	3.2	5	3.2	QG46
QG47		57 53.86	135 32.57	A	2	-2	C	1203	981759.42	D	3.4	3.4	5	3.4	QG47
QG48		57 54.40	135 36.12	A	16	15	C	1308	981766.95	D	11.8	11.2	5	11.3	QG48
QG49		57 55.44	135 38.50	A	1	0	C	1328	981762.77	D	4.8	4.8	5	4.8	QG49
QG50		57 56.08	135 40.70	A	0	0	C	1337	981768.90	D	10.0	10.0	5	10.0	QG50
QG51		57 56.48	135 43.43	A	1	1	C	1346	981772.82	D	13.5	13.5	5	13.5	QG51
QG52		57 57.09	135 45.41	A	0	1	C	1356	981775.02	D	14.9	14.8	5	14.8	QG52
QG53		57 57.88	135 47.69	A	1	2	C	1404	981777.01	D	15.9	15.8	5	15.8	QG53
TENP	BASE	57 59.38	135 50.00	A	12	15	C	1446	981776.49	B	14.6	14.0	5	14.0	TENP
TENP	BASE	57 59.38	135 50.00	A	12	15	C	1446	981776.57	B	14.6	14.1	5	14.1	TENP
QG55		57 59.79	135 52.61	A	0	4	C	1505	981775.26	D	11.7	11.6	5	11.6	QG55
QG56		57 56.30	135 48.29	A	2	8	C	1558	981777.67	D	19.3	19.0	5	19.0	QG56
QG57		57 55.81	135 46.11	A	0	7	C	1613	981775.33	D	17.5	17.2	5	17.2	QG57
QG58		57 55.08	135 43.50	A	3	10	C	1632	981772.33	D	15.7	15.4	5	15.4	QG58
QG59		57 54.95	135 40.28	A	3	10	C	1657	981773.73	D	17.3	17.0	5	17.0	QG59
QG60		57 53.69	135 38.27	A	1	8	C	1719	981772.07	D	16.9	16.6	5	16.6	QG60
QG61		57 53.25	135 35.14	A	4	11	C	1732	981766.54	D	12.5	12.1	5	12.2	QG61
QG62		57 51.26	135 39.69	A	0	6	C	1803	981764.47	D	12.7	12.5	5	12.5	QG62
QG63		57 51.95	135 36.13	A	4	10	C	1822	981764.01	D	11.7	11.3	5	11.3	QG63
QG64		57 51.91	135 31.90	A	2	8	C	1839	981762.53	D	10.1	9.8	5	9.8	QG64
QG65		57 49.45	135 34.90	A	1	6	C	1902	981760.18	D	10.9	10.7	5	10.7	QG65
QG66		57 50.11	135 32.36	A	8	12	C	1913	981759.27	D	9.6	9.2	5	9.2	QG66
QG67		57 50.32	135 29.08	A	2	5	C	1935	981762.15	D	11.6	11.4	5	11.4	QG67
QG68		57 49.70	135 26.23	A	4	7	C	1946	981761.57	D	12.0	11.8	5	11.8	QG68
QG69		57 48.71	135 24.34	A	0	2	C	1957	981760.92	D	12.2	12.2	5	12.2	QG69
QG70		57 47.41	135 22.28	A	1	2	C	2010	981761.16	D	14.3	14.2	5	14.2	QG70
QG71		57 46.30	135 25.10	A	0	0	C	2025	981756.04	D	10.4	10.4	5	10.4	QG71
TENB	BASE	57 46.80	135 12.35	A	0	10	C	2103	981756.72	A	11.4	11.0	5	11.0	TENB

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 46.30	135 12.35	-5	981753.09	0.4	0.5
NUMBER OF STATIONS: 34	MAXIMUM:	57 59.79	135 52.61	15	981777.67	19.3	19.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: N CHATH SR PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: A573

DATE: 08/01/72, METER: G-17, OBSERVERS: ELIASON * MAIN BASE: TEN8, VALUE: 981756.72, DRIFT: 0.27, OTHER BASES: QF57, S811

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
TEN8	BASE	57 46.80	135 12.35	A	16	11	C	1004	981756.72	A	11.5	11.1	5	11.1	TEN8
QF58		57 35.90	134 51.45	A	1	-4	C	1121	981729.45	D	-2.3	-2.2	5	-2.2	QF58
QF59		57 37.36	134 52.34	A	1	-4	C	1134	981731.37	D	-2.4	-2.3	5	-2.3	QF59
QF60		57 38.85	134 53.25	A	2	-3	C	1148	981730.40	D	-5.3	-5.2	5	-5.2	QF60
QF61		57 40.16	134 56.15	A	1	-3	C	1202	981740.66	D	3.1	3.3	5	3.2	QF61
QF62		57 41.32	134 54.50	A	2	-2	C	1219	981741.20	D	2.2	2.3	5	2.3	QF62
QF63		57 42.82	134 54.98	A	1	-2	C	1234	981740.99	D	-0.1	0.0	5	0.0	QF63
QF64		57 44.57	134 54.95	A	3	3	C	1331	981742.77	D	-0.2	-0.3	5	-0.3	QF64
QF65		57 45.46	134 55.81	A	2	2	C	1346	981746.87	D	2.6	2.5	5	2.5	QF65
QF57	/SAD	57 45.40	134 43.71	A	16	18	C	1420	981740.89	B	-1.8	-2.4	5	-2.4	QF57
QF57	FOTO	57 45.40	134 43.71	A	16	18	C	1420	981740.75	B	-1.9	-2.6	5	-2.5	QF57
QF66		57 47.90	134 42.40	A	3	5	C	1437	981749.22	D	3.2	3.0	5	3.0	QF66
QF67		57 48.45	134 42.64	A	2	4	C	1452	981752.84	D	3.9	3.8	5	3.8	QF67
QF68		57 49.98	134 42.27	A	1	4	C	1504	981749.63	D	-0.6	-0.7	5	-0.7	QF68
QF69		57 52.12	134 43.30	A	1	5	C	1518	981748.66	D	-4.4	-4.6	5	-4.5	QF69
QF70		57 53.60	134 44.04	A	0	4	C	1529	981749.85	D	-5.5	-5.6	5	-5.6	QF70
QF71		57 55.10	134 44.82	A	1	6	C	1542	981750.28	D	-6.7	-6.9	5	-6.9	QF71
QF72		57 56.71	134 44.67	A	2	7	C	1557	981753.29	D	-5.8	-6.0	5	-6.0	QF72
QF73		57 58.67	134 45.53	A	1	7	C	1615	981753.70	D	-8.0	-8.3	5	-8.3	QF73
QF74		58 0.07	134 46.05	A	2	8	C	1627	981755.52	D	-8.0	-8.3	5	-8.3	QF74
QF75		58 1.88	134 47.92	A	4	10	C	1642	981756.13	D	-7.7	-8.0	5	-8.0	QF75
QF76		58 4.24	134 47.50	A	1	7	C	1659	981763.26	D	-6.0	-6.3	5	-6.3	QF76
S811	/CAL	58 6.30	134 48.00	A	28	26	C	1728	981764.11	B	-6.2	-7.1	5	-7.1	S811
S811	/CAL	58 6.30	134 48.08	A	28	26	C	1720	981763.99	B	-6.3	-7.2	5	-7.2	S811
QF77		58 7.53	134 45.18	A	0	6	C	1738	981762.84	D	-11.0	-11.2	5	-11.2	QF77
QF78		58 9.53	134 45.70	A	1	1	C	1752	981764.84	D	-12.1	-12.2	5	-12.2	QF78
TEN8	BASE	57 46.80	135 12.35	A	7	9	C	1950	981756.72	A	11.3	11.0	5	11.0	TEN8

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 35.90	134 42.27	-4	981729.45	-12.1	-12.2
NUMBER OF STATIONS: 27	MAXIMUM:	58 9.53	135 12.35	26	981764.84	11.5	11.1

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: TENEKE-HOO PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS77

DATE: 08/02/72, METER: 5-[illegible], OBSERVERS: ELIASON FAREVE * MAIN BASE: QM77, VALUE: 981767.75, DRIFT:0.0 , OTHER BASES: TENB, HOOB

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	OBS. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
TENB	BASE	57 46.00	135 12.35	A	0	10	C	0935	981756.72	A	11.4	11.0	S	11.1	TENB
TENB	BASE	57 46.80	135 12.35	A	0	10	C	0935	981756.72	A	11.4	11.0	S	11.0	TENB
TENT	TBM1	57 46.84	135 13.19	A	14	11	A	1001	981757.17	B	11.9	11.5	S	11.5	TENT
TENT	TBM1	57 46.84	135 13.19	A	14	11	A	1001	981757.05	B	11.8	11.4	S	11.4	TENT
Q672		57 45.79	135 20.04	A	1	-2	C	1035	981760.28	C	15.8	15.9	S	15.9	Q672
Q673		57 44.87	135 19.53	A	1	-2	C	1046	981762.74	C	18.9	19.0	S	19.0	Q673
Q674		57 44.13	135 21.14	A	1	-3	C	1056	981763.71	C	20.8	20.9	S	20.9	Q674
Q675		57 44.10	135 [illegible].35	A	1	-3	C	1114	981760.54	C	17.7	17.8	S	17.8	Q675
Q676		57 44.20	135 26.00	A	1	-3	C	1126	981761.58	C	18.6	18.7	S	18.7	Q676
Q677		57 44.36	135 16.95	A	0	-4	C	1155	981761.63	C	18.3	18.5	S	18.4	Q677
Q678		57 43.95	135 14.95	A	0	-3	C	1210	981758.11	C	15.4	15.5	S	15.5	Q678
Q679	/MOR	57 44.40	135 9.90	A	13	10	C	1234	981753.35	C	11.3	10.9	S	10.9	Q679
Q680	/FOO	57 45.05	135 6.33	A	15	12	C	1256	981752.44	C	8.9	8.5	S	8.5	Q680
Q681	/ART	57 45.35	135 2.70	A	16	14	C	1316	981749.77	C	6.8	6.3	S	6.3	Q681
Q682	/HAR	57 45.79	134 56.43	A	14	15	C	1340	981751.77	C	8.3	7.7	S	7.8	Q682
Q683		57 50.17	134 59.18	A	2	2	C	1412	981765.70	C	15.0	15.0	S	15.0	Q683
QM77	MARK	57 50.53	135 1.87	A	11	14	C	1527	981767.75	A	17.8	17.2	S	17.3	QM77
QM77	MARK	57 50.51	135 1.87	A	11	14	C	1527	981767.75	A	17.7	17.2	S	17.3	QM77
Q684		57 52.48	135 3.92	A	1	5	C	1552	981763.29	D	9.8	9.6	S	9.6	Q684
Q685		57 53.07	135 7.05	A	4	8	C	1604	981758.18	D	4.1	3.8	S	3.9	Q685
Q686		57 53.93	135 9.39	A	2	7	C	1640	981759.71	D	4.4	4.2	S	4.2	Q686
Q687		57 55.21	135 10.10	A	1	7	C	1655	981763.34	D	6.3	6.0	S	6.1	Q687
Q688		57 56.99	135 13.39	A	2	8	C	1709	981764.08	D	4.7	4.4	S	4.5	Q688
Q689		57 56.46	135 10.70	A	1	7	C	1720	981761.81	D	3.1	2.8	S	2.8	Q689
Q690		57 55.27	135 7.10	A	11	17	C	1737	981759.31	D	3.1	2.5	S	2.6	Q690
Q691		57 54.40	135 4.30	A	1	8	C	1758	981757.90	D	2.1	1.8	S	1.8	Q691
Q692		57 54.00	135 1.80	A	0	0	C	1815	981760.41	D	4.4	4.4	S	4.4	Q692
Q693		57 52.49	134 59.21	A	4	10	C	1845	981759.88	D	6.8	6.5	S	6.5	Q693
Q694		57 51.50	134 57.60	A	4	10	C	1832	981758.46	D	6.7	6.4	S	6.4	Q694
HOOB	TBM6	58 7.78	135 27.55	A	0	18	C	2340	981769.59	A	-3.4	-4.1	S	-4.0	HOOB
HOOB	TBM6	58 7.78	135 27.55	A	0	18	C	2340	981769.35	A	-3.7	-4.3	S	-4.3	HOOB

DATA SUMMARY

NUMBER OF STATIONS: 31

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 43.95	134 57.60	-4	981749.77	-3.7	-4.3
MAXIMUM:	58 7.78	135 27.55	18	981769.59	20.8	20.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: TEN-HOONAH PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: 6S76

DATE: 08/02/72, METER: G-17, OBSERVERS: HOLDEN,MORIN * MAIN BASE: QM77, VALUE: 981767.75, DRIFT:0.0 , OTHER BASES: TENB, TENT

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMBER
TENB	BASE	57 46.80	135 12.35	A	0	10	C	0938	981756.70	D	11.4	11.0	5	11.0	TENB
TENB	BASE	57 46.80	135 12.35	A	0	10	C	0938	981756.72	D	11.4	11.0	5	11.0	TENB
TENT	TBM1	57 46.84	135 13.19	A	14	16	A	1004	981756.97	B	12.1	11.6	5	11.6	TENT
TENT	TBM1	57 46.84	135 13.19	A	14	16	A	1004	981757.05	B	12.2	11.6	5	11.7	TENT
TENB	BASE	57 46.80	135 12.35	A	0	10	C	1024	981756.70	A	11.4	11.0	5	11.0	TENB
TENB	BASE	57 46.80	135 12.35	A	0	10	C	1024	981756.72	A	11.4	11.0	5	11.0	TENB
QF79		57 46.58	135 9.05	A	2	-1	C	1041	981756.44	D	10.4	10.4	5	10.4	QF79
QF80		57 47.11	135 5.78	A	2	-2	C	1054	981755.85	D	9.0	9.0	5	9.0	QF80
QF81		57 46.90	135 2.55	A	3	-1	C	1108	981756.88	D	10.4	10.4	5	10.4	QF81
QF82		57 47.60	134 59.87	A	2	-2	C	1122	981760.95	D	13.4	13.5	5	13.5	QF82
QF83	/AID	57 48.33	134 56.74	A	17	13	C	1141	981754.61	D	7.5	7.0	5	7.0	QF83
QM77	MARK	57 50.51	135 1.87	A	13	13	C	1207	981767.71	D	17.3	17.0	5	17.0	QM77
QM77	MARK	57 50.51	135 1.87	A	12	[illegible]	C	1217	981767.71	A	17.3	17.0	5	17.0	QM77
QF84		57 53.73	134 58.85	A	1	-2	C	1354	981761.10	D	5.2	5.3	5	5.3	QF84
QF85		57 55.05	134 56.31	A	3	3	C	1406	981756.43	D	-0.8	-0.9	5	-0.9	QF85
QF86		57 57.10	134 55.94	A	3	4	C	1426	981746.74	D	-13.1	-13.3	5	-13.3	QF86
QF87		57 58.74	134 54.76	A	2	3	C	1441	981749.48	D	-12.7	-12.8	5	-12.8	QF87
QF88		58 0.88	134 55.90	A	2	4	C	1459	981749.36	D	-15.5	-15.7	5	-15.7	QF88
QF89	/PAC	58 2.03	134 58.04	A	14	17	C	1528	981754.08	D	-12.3	-13.0	5	-12.9	QF89
QF90		58 3.27	135 1.80	A	2	6	C	1548	981759.61	D	-8.4	-8.7	5	-8.7	QF90
QF91		58 3.58	135 4.27	A	1	5	C	1603	981763.93	D	-4.6	-4.8	5	-4.8	QF91
QF92		58 5.45	135 6.90	A	7	12	C	1645	981765.59	D	-4.9	-5.3	5	-5.3	QF92
QF93		58 5.24	135 10.42	A	1	7	C	1705	981766.86	D	-3.8	-4.0	5	-4.0	QF93
QF94		58 5.60	135 13.59	A	2	8	C	1717	981766.79	D	-4.2	-4.5	5	-4.5	QF94
QF95		58 6.75	135 20.45	A	2	8	C	1739	981767.50	D	-5.1	-5.4	5	-5.3	QF95
QF96		58 7.93	135 22.04	A	2	9	C	1759	981766.77	D	-7.3	-7.6	5	-7.6	QF96
QF97		58 8.66	135 24.59	A	2	9	C	1812	981768.23	D	-6.8	-7.2	5	-7.1	QF97
QF98	LITE	58 7.93	135 27.79	A	5	11	C	1828	981771.10	A	-2.8	-3.2	5	-3.2	QF98
QF98	LITE	58 7.93	135 27.79	A	5	11	C	1828	981770.92	A	-3.0	-3.4	5	-3.3	QF98
HOOR	TBM6	58 7.78	135 27.55	A	0	18	A	2345	981769.34	A	-3.7	-4.3	5	-4.3	HOOR
HOOR	TBM6	58 7.78	135 27.55	A	0	18	A	2345	981769.35	A	-3.7	-4.3	5	-4.3	HOOR

DATA SUMMARY

NUMBER OF STATIONS: 31

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 46.58	134 54.76	-2	981746.74	-15.5	-15.7
MAXIMUM:	58 8.66	135 27.79	18	981771.10	17.3	17.0

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: ADOLPHUS PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: A579

DATE: 08/03/72, METER: G-08, OBSERVERS: FARFWELL * MAIN BASE: QF98, VALUE: 981770.92, DRIFT:0.0 * OTHER BASES: HOOB, HOOF

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
HOOB	TBM6	58 7.78	135 27.55	A	0	18	C	1019	981769.01	A	-4.0	-4.7	5	-4.6	HOOB
HOOB	TBM6	58 7.78	135 27.55	A	0	18	C	1019	981769.35	A	-3.7	-4.3	5	-4.3	HOOB
QF98	LITE	58 8.66	135 24.59	A	9	7	C	1104	981770.59	A	-4.7	-4.9	5	-4.9	QF98
QF98	LITE	58 8.66	135 24.59	A	9	7	C	1104	981770.92	A	-4.3	-4.6	5	-4.6	QF98
SG34	BASE	58 17.18	135 46.90	A	0	39	C	1208	981782.11	A	-1.6	-3.1	5	-3.0	SG34
SG34	BASE	58 17.18	135 46.90	A	0	39	C	1208	981782.45	A	-1.3	-2.7	5	-2.6	SG34
QG95		58 16.03	135 45.19	A	2	-1	C	1231	981782.64	D	-3.3	-3.3	5	-3.3	QG95
QG96		58 14.48	135 43.27	A	3	0	C	1249	981779.31	D	-4.5	-4.5	5	-4.5	QG96
QG97		58 13.67	135 40.82	A	1	-2	C	1302	981776.80	D	-6.1	-6.0	5	-6.0	QG97
QG98	/EAG	58 13.92	135 38.60	A	24	21	C	1321	981776.93	D	-4.1	-4.9	5	-4.8	QG98
QG99		58 12.42	135 35.96	A	1	-2	C	1337	981775.91	D	-5.3	-5.2	5	-5.2	QG99
QI01		58 11.58	135 33.04	A	1	-1	C	1355	981774.64	D	-5.3	-5.3	5	-5.3	QI01
QI02		58 11.34	135 29.88	A	18	17	C	1450	981773.39	D	-4.5	-5.2	5	-5.1	QI02
QI03		58 9.98	135 30.21	A	1	1	C	1507	981774.65	D	-3.0	-3.0	5	-3.0	QI03
QI04		58 8.37	135 31.17	A	2	2	C	1527	981772.63	D	-2.7	-2.8	5	-2.8	QI04
QI05		58 6.60	135 32.10	A	1	2	C	1545	981774.17	D	1.2	1.2	5	1.2	QI05
QI06		58 5.48	135 33.60	A	1	3	C	1600	981774.70	D	3.4	3.3	5	3.3	QI06
QI07		58 3.90	135 36.27	A	7	9	C	1617	981767.74	D	-0.9	-1.2	5	-1.2	QI07
QI08		58 3.11	135 38.98	A	3	5	C	1634	981768.06	C	0.1	-0.1	5	-0.0	QI08
QH10		58 3.33	135 41.30	A	21	25	C	1701	981767.79	A	1.4	0.5	5	0.6	QH10
QI09		58 2.87	135 44.57	A	1	5	C	1719	981775.66	C	8.1	7.9	5	7.9	QI09
QF98	LITE	58 8.66	135 24.59	A	9	15	C	1808	981770.92	A	-3.6	-4.1	5	-4.1	QF98
HOOF	MARK	58 6.83	135 26.79	A	0	17	C	1822	981767.93	A	-3.9	-4.5	5	-4.5	HOOF
HOOF	MARK	58 6.83	135 26.79	A	0	17	C	1822	981768.85	A	-3.0	-3.6	5	-3.6	HOOF
JUND	MARK	58 18.33	134 25.41	A	0	17	C	3444	981753.63	A	-33.7	-34.3	5	-34.3	JUND

DATA SUMMARY

NUMBER OF STATIONS: 25

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	58 2.87	134 25.41	-2	981753.63	-33.7	-34.3
MAXIMUM:	58 18.33	135 46.90	39	981782.64	8.1	7.9

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: HOONAH PROJ CHIEF: BARNES DATUM: BARNES '73 DATA SET: AS78

DATE: 08/03/72, METER: G-17, OBSERVERS: HOLDEN,MORIN * MAIN BASE: QF98, VALUE: 981770.92, DRIFT:0.0 , OTHER BASES: HOOB, HOOF

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
HOOB	TBM6	58 7.78	135 27.55	A	0	18	A	1041	981769.34	A	-3.7	-4.3	5	-4.3	HOOB
HOOB	TBM6	58 7.78	135 27.55	A	0	18	A	1041	981769.35	A	-3.7	-4.3	5	-4.3	HOOB
HOOF	MARK	58 6.83	135 26.79	A	0	17	C	1122	981767.83	B	-4.0	-4.6	5	-4.6	HOOF
HOOF	MARK	58 6.83	135 26.79	A	0	17	C	1122	981768.85	B	-3.0	-3.6	5	-3.6	HOOF
QF98	LITE	58 8.66	135 24.59	A	0	11	C	1101	981770.92	A	-4.0	-4.4	5	-4.3	QF98
QH00		58 5.69	135 25.28	A	2	0	C	1145	981769.98	D	-1.9	-1.9	5	-1.9	QH00
QF99		58 5.32	135 29.61	A	2	-1	C	1205	981772.51	D	1.0	1.1	5	1.1	QF99
QF00		58 3.86	135 31.31	A	3	0	C	1310	981767.31	D	-2.1	-2.1	5	-2.1	QF00
QH01		58 2.66	135 33.53	A	2	-1	C	1324	981768.10	D	0.2	0.2	5	0.2	QH01
QH02		58 0.29	135 34.58	A	5	2	C	1344	981768.92	D	4.5	4.4	5	4.5	QH02
QH03		57 59.11	135 39.00	A	2	0	C	1401	981767.88	D	4.9	4.9	5	4.9	QH03
QH04		57 57.43	135 39.30	A	2	0	C	1428	981767.80	D	7.1	7.1	5	7.1	QH04
QH05		57 58.90	135 42.17	A	2	1	C	1447	981770.53	D	7.9	7.9	5	7.9	QH05
QH06		57 59.39	135 46.35	A	1	1	C	1504	981776.02	D	12.8	12.7	5	12.7	QH06
QH07		58 0.37	135 43.74	A	2	2	C	1529	981771.07	D	6.6	6.5	5	6.5	QH07
QH08		58 1.39	135 36.60	A	4	6	C	1622	981770.61	D	5.1	4.9	5	4.9	QH08
QH09		58 1.79	135 41.46	A	0	3	C	1643	981770.43	D	4.1	4.0	5	4.0	QH09
QH10	BASE	58 3.34	135 41.30	A	17	21	C	1714	981768.46	D	1.7	1.0	5	1.0	QH10

DATA SUMMARY

NUMBER OF STATIONS: 18

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 57.43	135 24.59	-1	981767.31	-4.0	-4.6
MAXIMUM:	58 8.66	135 46.35	21	981776.02	12.8	12.7

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: PYBUS BAY PROJ CHIEF: BARNES DATUM: BARNES 1973 DATA SET: AS87

DATE: 08/11/72, METER: G-88, OBSERVERS: FAREWELL,MORIN * MAIN BASE: QH11, VALUE: 981711.75, DRIFT:0.0 , OTHER BASES: QI18,

STAT. MAIN	NOS. AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QH11	/DEE	57 19.09	134 0.39	A	0	13	A	1003	981711.75	A	4.5	4.1	5	4.1	QH11
QH12		57 17.55	134 1.16	A	17	12	C	1026	981712.52	D	7.3	6.9	5	6.9	QH12
QH13		57 19.99	134 3.48	A	7	4	C	1050	981712.55	D	3.2	3.1	5	3.1	QH13
QH14		57 21.95	134 4.86	A	5	3	C	1102	981710.67	D	-1.4	-1.5	5	-1.5	QH14
QH15		57 19.42	134 6.29	A	15	15	C	1126	981711.31	D	3.8	3.3	5	3.3	QH15
QH16		57 21.32	134 8.03	A	2	3	C	1147	981711.08	D	-0.1	-0.2	5	-0.2	QH16
QH17		57 23.29	134 10.41	A	2	4	C	1201	981712.12	D	-1.7	-1.8	5	-1.8	QH17
QH18		57 21.77	134 9.65	A	4	7	C	1212	981710.96	D	-0.5	-0.8	5	-0.7	QH18
QH19		57 19.97	134 9.35	A	3	6	C	1225	981711.19	D	2.1	1.9	5	1.9	QH19
QH20	TRMS	57 18.40	134 8.03	A	0	9	A	1353	981712.30	D	5.6	5.3	5	5.3	QH20
QH21		57 17.77	134 5.26	A	1	5	C	1405	981712.66	D	6.9	6.5	5	6.6	QH21
QH22		57 15.74	134 3.71	A	0	8	C	1428	981713.83	D	10.7	10.4	5	10.5	QH22
QH23		57 15.48	134 6.36	A	1	9	C	1440	981716.26	D	13.6	13.3	5	13.3	QH23
QH24		57 15.11	134 8.25	A	0	8	C	1500	981717.20	D	15.0	14.7	5	14.7	QH24
QH25		57 9.75	134 21.15	A	1	3	C	1702	981701.58	D	6.2	6.1	5	6.1	QH25
QH26		57 7.46	134 19.75	A	2	0	C	1812	981707.16	D	14.7	14.7	5	14.7	QH26
QH27		57 6.98	134 22.80	A	1	-2	C	1826	981707.25	D	15.2	15.3	5	15.3	QH27
QH28		57 5.69	134 22.32	A	8	5	C	1841	981700.72	D	11.1	11.0	5	11.0	QH28
QH29		57 4.51	134 24.37	A	4	-1	C	1859	981699.23	D	10.7	10.7	5	10.7	QH29
QH30		57 3.59	134 27.13	A	1	-4	C	1915	981690.54	C	3.0	3.1	5	3.1	QH30
QI18	MARK	57 9.42	134 20.80	A	0	10	C	1955	981704.13	A	9.9	9.5	5	9.6	QI18
QI18	MARK	57 9.42	134 20.80	A	0	10	C	1955	981704.10	A	9.9	9.5	5	9.5	QI18

DATA SUMMARY

NUMBER OF STATIONS: 22

RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
MINIMUM:	57 3.59	134 0.39	-4	981690.54	-1.7	-1.8
MAXIMUM:	57 23.29	134 27.13	15	981717.20	15.2	15.3

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: GAMBIER SW PROJ CHIEF: BARNES DATUM: BARNES 1922 DATA SET: A586

DATE: 08/11/72, METER: G-17, OBSERVERS: ROBBINS * MAIN BASE: QH11, VALUE: 981711.75, DRIFT:-.01, OTHER BASES: QI18, QP79

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QH11	/DEE	57 19.09	134 0.39	A	0	13	C	0959	981711.75	A	4.5	4.1	5	4.1	QH11
QV63	/PYB	57 22.03	133 51.68	A	37	38	C	1146	981708.61	B	-0.3	-1.7	5	-1.6	QV63
QP79	TBM5	57 28.82	133 57.61	A	0	11	A	1234	981723.05	A	2.3	1.9	5	1.9	QP79
QP79	TBM5	57 28.82	133 57.61	A	0	11	A	1234	981723.05	A	2.3	1.9	5	1.9	QP79
QI10		57 23.89	133 53.00	A	1	8	C	1352	981713.16	D	-1.1	-1.4	5	-1.4	QI10
QI11		57 20.66	133 54.40	A	2	10	C	1417	981711.79	D	2.1	1.8	5	1.8	QI11
QI12		57 19.33	133 56.72	A	3	11	C	1435	981711.30	D	3.6	3.2	5	3.2	QI12
QH11	/DEE	57 19.09	134 0.39	A	0	11	C	1458	981711.75	D	4.3	3.9	5	4.0	QH11
QI13		57 12.87	134 4.97	A	4	11	C	1541	981712.79	D	13.9	13.5	5	13.5	QI13
QI14		57 13.87	134 9.00	A	6	9	C	1657	981716.23	D	15.8	15.5	5	15.5	QI14
QI15		57 11.80	134 10.45	A	1	2	C	1729	981708.33	D	10.1	10.0	5	10.0	QI15
QI16		57 10.48	134 13.00	A	4	3	C	1756	981710.83	D	14.5	14.4	5	14.4	QI16
QI17		57 8.87	134 16.69	A	1	-3	C	1841	981705.96	D	11.3	11.4	5	11.4	QI17
QI18	MARK	57 9.42	134 20.80	A	0	10	C	2001	981704.02	A	9.8	9.4	5	9.4	QI18
QI18	MARK	57 9.42	134 20.80	A	0	10	C	2001	981704.10	A	9.9	9.5	5	9.5	QI18

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	57 8.87	133 51.68	-3	981704.02	-1.1	-1.6
NUMBER OF STATIONS: 15	MAXIMUM:	57 28.82	134 20.80	38	981723.05	15.8	15.5

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: YASHA IS PROJ CHIEF: BARNES DATUM: BARNES 1972 DATA SET: A588

DATE: 08/12/72, METER: G-[illegible], OBSERVERS: FAREWELL,MORIN * MAIN BASE: QI18, VALUE: 981704.10, DRIFT:0.0 , OTHER BASES: QV37,

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	LOC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QI18	MARK	57 9.42	134 20.80	A	15	7	C	0924	981704.10	A	9.6	9.3	5	9.3	QI18
QH31		57 1.51	134 28.86	A	4	-3	C	1016	981694.98	C	10.4	10.5	5	10.5	QH31
QH32		57 2.40	134 32.73	A	4	2	C	1134	981694.25	C	8.9	8.8	5	8.8	QH32
QH33		57 0.84	134 34.30	A	6	6	C	1203	981690.65	C	7.8	7.6	5	7.6	QH33
QH34		57 2.19	134 34.43	A	3	4	C	1214	981691.34	C	6.5	6.3	5	6.3	QH34
QH35		57 0.97	134 36.65	A	3	5	C	1228	981685.18	C	2.1	1.9	5	1.9	QH35
QH36		57 2.02	134 36.50	A	2	4	C	1242	981688.26	C	2.5	2.4	5	2.4	QH36
QH37		57 4.24	134 36.95	A	1	4	C	1252	981688.23	C	0.5	0.4	5	0.4	QH37
QH38		57 5.51	134 37.53	A	1	5	C	1300	981688.85	C	-0.5	-0.7	5	-0.7	QH38
QH39		56 57.07	134 33.58	A	1	7	C	1350	981689.47	C	10.8	10.6	5	10.6	QH39
QI18	MARK	57 9.42	134 20.80	A	6	14	C	1450	981704.14	C	10.3	9.8	5	9.8	QI18
QH11	/DEE	57 19.09	134 0.39	A	6	10	A	1702	981711.62	A	4.1	3.8	5	3.8	QH11
QV37	MARK	57 8.74	133 10.33	A	0	6	C	2155	981686.90	A	-4.8	-5.0	5	-5.0	QV37
QV37	MARK	57 8.74	133 10.33	A	0	6	C	2155	981689.45	A	-4.2	-4.5	5	-4.4	QV37

DATA SUMMARY	RANGES OF:	LATITUDE	LONGITUDE	ELEVATION	OBSV GRAV	FAA	SBA-2.67
	MINIMUM:	56 57.07	133 10.33	-3	981685.18	-4.8	-5.0
NUMBER OF STATIONS: 14	MAXIMUM:	57 19.09	134 37.53	14	981711.62	10.8	10.6

USGS GRAVITY DATA FROM: SOUTHEAST ALASKA, TRAVERSE: ELIZA MBR PROJ CHIEF: BARNES DATUM: BARNES 1972 DATA SET: AS89

DATE: 08/12/72, METER: G-17, OBSERVERS: WOBBINS * MAIN BASE: QI18, VALUE: 981704.10, DRIFT: 0.05, OTHER BASES: QH11, QV37

STAT. NOS. MAIN	AUX.	LATITUDE	LONGITUDE	ACC. TYPE	HT-REF	ELEV FEET	ELEV TYPE	OBSV TIME	OBSV GRAV MILLIGALS	GRAV TYPE	FAA MGALS	SBA 2.85	ANOM ACC.	SBA 2.67	STAT NUMB
QI18	MARK	57 9.42	134 20.80	A	15	7	C	0927	981704.10	A	9.6	9.3	5	9.3	QI18
QI19		57 9.40	134 17.96	A	3	-4	C	0959	981709.96	D	13.7	13.9	5	13.9	QI19
QI20		57 11.87	134 16.05	A	4	-2	C	1019	981712.69	D	14.0	14.0	5	14.0	QI20
QI21		57 13.16	134 16.85	A	3	-3	C	1032	981710.49	D	9.9	10.0	5	10.0	QI21
QI22		57 14.17	134 17.95	A	3	-2	C	1042	981710.97	D	9.1	9.2	5	9.2	QI22
QI23		57 15.05	134 17.50	A	3	-1	C	1101	981710.80	D	7.6	7.8	5	7.8	QI23
QI24		57 11.10	134 15.45	A	3	1	C	1138	981714.08	D	16.7	16.6	5	16.6	QI24
QI18	MARK	57 9.42	134 20.80	A	15	16	C	1218	981704.10	D	10.4	9.8	5	9.9	QI18
QH11	/DEE	57 19.09	134 0.39	A	6	9	C	1706	981711.70	A	4.1	3.8	5	3.8	QH11
QH11	/DEE	57 19.09	134 0.39	A	6	9	C	1706	981711.75	A	4.2	3.8	5	3.8	QH11
QV37	MARK	57 8.74	133 10.33	A	0	6	C	2200	981689.15	A	-4.5	-4.8	5	-4.7	QV37
QV37	MARK	57 8.74	133 10.33	A	0	6	C	2200	981689.45	A	-4.2	-4.5	5	-4.4	QV37