

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ALASKAN PAPERS AND ABSTRACTS PUBLISHED IN  
AMERICAN ASSOCIATION OF PETROLEUM GEOLOGISTS  
BULLETIN, 1950-1978, INDEXED BY QUADRANGLE

By

Edward H. Cobb

Open-file Report 79-1475

1979

This report is preliminary  
and has not been edited or  
reviewed for conformity with  
Geological Survey standards.

# Contents

	<u>Page</u>
Introduction -----	1
Alaska - General -----	3
Offshore Areas -----	23
Adak quadrangle -----	28
Afognak quadrangle -----	28
Amukta quadrangle -----	29
Anchorage quadrangle -----	29
Arctic quadrangle -----	30
Atka quadrangle -----	30
Attu quadrangle -----	30
Barrow quadrangle -----	31
Barter Island quadrangle -----	31
Beechey Point quadrangle -----	32
Bering Glacier quadrangle -----	34
Bethel quadrangle -----	34
Black quadrangle -----	35
Black River quadrangle -----	35
Blying Sound quadrangle -----	35
Cape Mendenhall quadrangle -----	36
Chandalar quadrangle -----	36
Chandler Lake quadrangle -----	37
Charley River quadrangle -----	39
Chignik quadrangle -----	39
Christian quadrangle -----	40
Cold Bay quadrangle -----	40
Cordova quadrangle -----	40
Craig quadrangle -----	41
De Long Mountains quadrangle -----	42
Demarcation Point quadrangle -----	43
Dillingham quadrangle -----	43
Eagle quadrangle -----	44
Fairbanks quadrangle -----	44
False Pass quadrangle -----	45
Flaxman Island quadrangle -----	45
Goodnews quadrangle -----	45
Gulkana quadrangle -----	46
Hagemeister Island quadrangle -----	46
Harrison Bay quadrangle -----	47
Healy quadrangle -----	47
Hooper Bay quadrangle -----	48
Howard Pass quadrangle -----	48
Icy Bay quadrangle -----	49
Ikpikpuk River quadrangle -----	50
Iliamna quadrangle -----	51
Juneau quadrangle -----	52
Kaguyak quadrangle -----	52
Karluk quadrangle -----	52
Kenai quadrangle -----	53
Killik River quadrangle -----	54


	<u>Page</u>
Kiska quadrangle -----	55
Kuskokwim Bay quadrangle -----	55
Kwiguk quadrangle -----	55
Livengood quadrangle -----	56
Lookout Ridge quadrangle -----	56
McCarthy quadrangle -----	56
Meade River quadrangle -----	56
Middleton Island quadrangle -----	57
Misheguk Mountain quadrangle -----	58
Mount Fairweather quadrangle -----	58
Mount Hayes quadrangle -----	59
Mount Michelson quadrangle -----	59
Nabesna quadrangle -----	60
Naknek quadrangle -----	60
Nome quadrangle -----	61
Norton Bay quadrangle -----	61
Nunivak Island quadrangle -----	61
Nushagak Bay quadrangle -----	62
Petersburg quadrangle -----	62
Philip Smith Mountains quadrangle -----	62
Point Hope quadrangle -----	63
Point Lay quadrangle -----	64
Port Alexander quadrangle -----	64
Port Moller quadrangle -----	64
Pribilof Islands quadrangle -----	65
Prince Rupert quadrangle -----	65
Rat Islands quadrangle -----	65
Russian Mission quadrangle -----	65
Sagavanirktok quadrangle -----	66
Saint Lawrence quadrangle -----	66
Saint Matthew quadrangle -----	67
Saint Michael quadrangle -----	67
Samalga Island quadrangle -----	67
Seguam quadrangle -----	67
Seldovia quadrangle -----	68
Seward quadrangle -----	69
Simeonof Island quadrangle -----	69
Sitka quadrangle -----	69
Sleetmute quadrangle -----	69
Solomon quadrangle -----	69
Stepovak Bay quadrangle -----	70
Table Mountain quadrangle -----	70
Talkeetna Mountains quadrangle -----	70
Taylor Mountains quadrangle -----	70
Teller quadrangle -----	71
Teshkepuk quadrangle -----	71
Trinity Islands quadrangle -----	72
Tyonek quadrangle -----	72
Ugashik quadrangle -----	73
Umiat quadrangle -----	74

	<u>Page</u>
Umnak quadrangle -----	75
Unalakleet quadrangle -----	75
Unalaska quadrangle -----	75
Unimak quadrangle -----	76
Utukok River quadrangle -----	76
Valdez quadrangle -----	76
Wainwright quadrangle -----	77
Yakutat quadrangle -----	77

## Introduction

This open-file report lists all papers and abstracts on the geology and mineral resources of Alaska published in the American Association of Petroleum Geologists Bulletin from 1950 through 1978. They are listed by the quadrangles (scale 1:250,000) into which Alaska has been subdivided for topographic mapping (p. 2).

Reports that deal with regional tectonic hypotheses, regional syntheses, Alaska as a whole, or with areas that can not be identified with specific quadrangles, and the annual reports of developments in Alaska are listed under Alaska - General. Most abstracts appear in this section because they are so worded that locations can not be determined accurately enough to restrict areas discussed to specific quadrangles. Reports that deal with offshore areas not within quadrangle boundaries are listed under Offshore Areas. The Alaska - General and Offshore Areas lists appear before the alphabetically arranged quadrangle listings.



Map showing quadrangles of Alaska Topographic Series (1:250,000)

- Adams, W. D., 1972, Developments in Alaska in 1971: American Association of Petroleum Geologists Bulletin, v. 56, no. 7, p. 1175-1187.
- Allen, C. R., 1962, Crustal structure in regions bordering Pacific Ocean [abs.]: American Association of Petroleum Geologists Bulletin, v. 46, no. 2, p. 259.
- Anderson, R. E., 1970, Tectonic overview of Bering Sea-Aleutian Ridge region [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2467.
- Arbenz, J. K., 1977, Overview of Alaska plate tectonics [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 463-464.
- Armstrong, A. K., 1970, Foraminifera and rugose coral zones of Mississippian-Pennsylvanian Lisburne Group, Brooks Range, arctic Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 3, p. 559.
- Armstrong, A. K., 1973, Carboniferous colonial rugose corals, biostratigraphy, and paleoecology, Lisburne Group, arctic Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 768.
- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., Mamet, B. L., Brosgé, W. P., and Reiser, H. N., 1976, Carboniferous section and unconformity at Mount Doonerak, Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 962-972.
- Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698.
- Barnes, D. F., 1976, Gravitational evidence for more Alaskan sedimentary basins [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2174-2175.
- Barnes, D. F., Lucas, W. H., Mace, E. V., and Malloy, R. J., 1966, Reconnaissance gravity and other geophysical data from continental and of Aleutian arc [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 644.

- Barnes, Ivan, 1978, Provenance and geochemistry of carbon dioxide-rich ground waters, Circum-Pacific region [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1208-1209.
- Barnes, Peter, Reimnitz, Erk, Melchior, John, and Toimil, Lawrence, 1977, Rates of ice gouging and sediment reworking, Beaufort Sea, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 71, no. 5, p. 764.
- Bedford, J. W., 1965, Great Alaskan earthquake and its after effects [abs.]: American Association of Petroleum Geologists Bulletin, v. 49, no. 7, p. 1079-1080.
- Bergen, F. W., and O'Neil, Philip, 1978, Distribution of Holocene Foraminifera in Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 9, p. 1754.
- Bergen, F. W., and O'Neil, Phil, 1978, Distribution of Recent Foraminifera in Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2350-2351.
- Bergquist, H. R., 1970, Foraminiferal biostratigraphy of Mesozoic of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2468-2469.
- Bird, K. J., 1976, Environment and time significance of local guide fossils, Lisburne Group, northeast Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2175.
- Bird, K. J., and Jordan, C. F., 1976, Lisburne Group - Potential major objective of eastern Arctic Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 649-650.
- Bird, K. J., and Jordan, C. F., 1977, Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512.
- Biske, S. F., 1970, Correlation of Tertiary nonmarine sediments in Alaska and northeastern Asia [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2569-2470.
- Blocher, R. L., 1957, Developments in Alaska in 1956: American Association of Petroleum Geologists Bulletin, v. 41, no. 6, p. 1311-1315.
- Bogush, E. L., and Yuferev, O. V., 1970, Carboniferous deposits of northeastern Asia, Alaska, and Yukon [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2470.

- Boothroyd, J. C., and Ashley, G. M., 1972, Continental sedimentation in tectonically active geosynclinal basin, glacial outwash plain of northeastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 604-605.
- Bostrom, R. C., 1967, Ocean-ridge system in northwest America: American Association of Petroleum Geologists Bulletin, v. 51, no. 9, p. 1816-1832.
- Boucot, A. J., 1970, Silurian biogeography and lithofacies of Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2472.
- Brosigé, W. P., and Dutro, J. T., Jr., 1970, Paleozoic of northern and central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2473.
- Brosigé, W. P., and Tailleux, I. L., 1970, Depositional history of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 837-838.
- Brosigé, W. P., Tailleux, I. L., and Gryc, George, 1969, Mineral resources of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 709-710.
- Bruce, D. D., 1961, Developments in Alaska in 1960: American Association of Petroleum Geologists Bulletin, v. 45, no. 6, p. 993-998.
- Bruns, T. R., and Plafker, George, 1977, Structure of continental shelf, eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 773.
- Burk, C. A., 1966, Geologic history of Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 645.
- Bush, E. R., 1962, Developments in Alaska in 1961: American Association of Petroleum Geologists Bulletin, v. 46, no. 6, p. 1032-1041.
- Calderwood, K. W., 1963, Developments in Alaska in 1962: American Association of Petroleum Geologists Bulletin, v. 47, no. 6, p. 1200-1212.
- Calderwood, K. W., and Fackler, W. C., 1966, Significant oil and gas developments in Alaska, 1965-1966 [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 9, p. 2029-2030.

- Carlson, P. R., 1978, Holocene slump on continental shelf off Malaspina Glacier, Gulf of Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 12, p. 2412-2426.
- Carsola, A. J., 1954, Microrelief on Arctic sea floor: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1587-1601.
- Chereshkova, S. V., 1970, Silurian-Devonian boundary and correlation of Lower Devonian of Soviet and Canadian Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2474.
- Churkin, Michael, Jr., 1970, Correlation of fold belts of Alaska, Canada, and Siberia [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 841.
- Churkin, Michael, Jr., 1975, Basement rocks of Barrow Arch, Alaska, and circum-Arctic Paleozoic mobile belt: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 451-456.
- Clarke, R. H., 1967, Climatic control of deposition at Prudhoe Bay, Alaska, during late Cenozoic [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 657.
- Coleman, J. M., 1976, Coal environments [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 658-659.
- Couch, Richard, 1973, Gravity and structure of continental margin: Oregon to southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 2, p. 432.
- Craig, R. W., 1966, Alaska, new frontier for oil [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 609.
- Crane, R. C., and Wiggins, V. D., 1976, Ipewick Formation, significant Jurassic-Neocomian map unit in northern Brooks Range fold belt [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2177.
- Creager, J. S., Echols, R. J., Holmes, M. L., and McManus, Dean, 1970, Chukchi Sea continental shelf sedimentation [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2475.
- Grory, F. E., 1970, Settlement associated with thawing of permafrost [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2475-2476.

- Day, P. S., Gryc, George, Dobey, P. L., and Erwin, Margaret, 1974, Developments in Alaska in 1973: American Association of Petroleum Geologists Bulletin, v. 58, no. 8, p. 1506-1517.
- Detterman, R. L., 1956, New and redefined nomenclature of Nanushuk group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 233-244.
- Detterman, R. L., 1970, Mesozoic sequence in Arctic Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2477.
- Detterman, R. L., and Jones, D. L., 1974, Mesozoic fossils from Augustine Island, Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 5, p. 868-870.
- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Dutro, J. T., Jr., and Armstrong, A. K., 1970, Biostratigraphy of Carboniferous of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2478.
- Dutro, J. T., Jr., Brosgé, W. P., Lanphere, M. A., and Reiser, H. N., 1976, Geologic significance of Doonerak structural high, central Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 952-961.
- Dutro, J. T., Jr., and Saldukas, R. B., 1970, Permian paleogeography of Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2478.
- Eardley, A. J., 1951, Tectonic divisions of North America: American Association of Petroleum Geologists Bulletin, v. 35, no. 10, p. 2229-2237.
- Eardley, A. J., 1967, Western cordillera - Alaska to Mexico [abs.]: American Association of Petroleum Geologists Bulletin, v. 51, no. 9, p. 1900-1901.
- East, E. H., 1967, Developments in Alaska in 1966: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 1137-1151.
- Echols, R. J., and Fowler, G. A., 1972, Tintinnids in shelf sediments from Alaska, Oregon, and California [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 616.

- Egiazarov, B. K., Ermakov, B. V., Vaker, V. A., Zagorskaya, N. G., Kemeneva, G. I., Kopilova, T. N., Litvinov, E. M., Pichugina, G. K., Anikeyev, N. P., Drabkin, I. E., Titov, V. A., Gershano-  
vich, L. V., Grigorenko, Y. P., and Erlich, E. N., 1970, Main  
tectonic features of northern part of Pacific mobile belt [abs.]:  
American Association of Petroleum Geologists Bulletin, v. 54,  
no. 12, p. 2479-2480.
- Eittreim, S. L., Grantz, Arthur, and Whitney, O. T., 1977, Cenozoic  
sedimentation and tectonics of Hope basin, southern Chukchi Sea  
[abs.]: American Association of Petroleum Geologists Bulletin,  
v. 61, no. 3, p. 465.
- Erwin, Margaret, 1970, Selected bibliography of geological publica-  
tions - 1969, in Soronen, G. S., Developments in Alaska in 1969:  
American Association of Petroleum Geologists Bulletin, v. 54,  
no. 6, p. 1080-1083.
- Erwin, Margaret, 1971, Selected bibliography of geologic publications -  
1970, in Lian, E. B., Developments in Alaska in 1970: American  
Association of Petroleum Geologists Bulletin, v. 55, no. 7, p.  
952-957.
- Erwin, Margaret, 1972, Selected bibliography of State and Federal  
geologic publications, 1971, in Adams, W. D., Developments in  
Alaska in 1971: American Association of Petroleum Geologists  
Bulletin, v. 56, no. 7, p. 1180-1183.
- Fackler, W. C., 1972, 1971 geologic and geophysical activities of  
State of Alaska Division of Geological Survey, in Adams, W. D.,  
Developments in Alaska in 1971: American Association of Petroleum  
Geologists Bulletin, v. 56, no. 7, p. 1179.
- Fay, L. F., 1966, Developments in Alaska in 1965: American Association  
of Petroleum Geologists Bulletin, v. 50, no. 6, p. 1311-1323.
- Field, M. E., Clarke, S. H., Jr., Greene, H. G., Molnia, B. F.,  
Carlson, P. R., Hampton, M. A., and Bouma, A. H., 1978, Sea-  
floor instability on Pacific continental margin [abs.]:  
American Association of Petroleum Geologists Bulletin, v. 62,  
no. 7, p. 1216-1217.
- Fisher, M. A., 1978, Structure and tectonic setting of continental  
shelf southwest of Kodiak Island, Alaska [abs.]: American Associ-  
ation of Petroleum Geologists Bulletin, v. 62, no. 3, p. 513.
- Fisher, M. A., and Magoon, L. B., 1978, Geologic framework of lower  
Cook Inlet, Alaska: American Association of Petroleum Geologists  
Bulletin, v. 62, no. 3, p. 373-402.

- Flower, R. H., 1970, Arctic Ordovician cephalopod faunas [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2480.
- Forbes, R. B., Hamilton, Thomas, Tailleux, I. L., Miller, T. P., and Patton, W. W., 1970, Tectonic implications of recently discovered "blueschist facies" metamorphic terranes in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2480.
- Foster, H. L., Brabb, E. E., Weber, F. R., and Forbes, R. B., 1970, Regional geology of Yukon-Tanana Upland, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2480-2481.
- Fraser, G. S., and Clarke, R. H., 1976, Transgressive-regressive shelf deposition, Shublik Formation, Prudhoe Bay area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 672.
- Galloway, W. E., 1972, Significance of reservoir diagenetic alteration for petroleum exploration, Gulf of Alaska Tertiary basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 9, p. 1898.
- Galloway, W. E., 1977, Diagenetic control of reservoir quality in arc-derived sandstones - implications for petroleum exploration [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 8, p. 1378-1379.
- Gates, G. O., 1954, Developments in Alaska in 1953: American Association of Petroleum Geologists Bulletin, v. 38, no. 6, p. 1254-1265.
- Gates, G. O., 1955, Developments in Alaska in 1954: American Association of Petroleum Geologists Bulletin, v. 39, no. 6, p. 1118-1123.
- Gates, G. O., 1956, Developments in Alaska in 1955: American Association of Petroleum Geologists Bulletin, v. 40, no. 6, p. 1390-1394.
- Gates, G. O., and Gryc, George, 1961, Structure and tectonic history of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 3, p. 418-419.
- Grantz, Arthur, and Eickreim, S. L., 1977, Geologic framework and related hydrocarbon potential of Beaufort and Chukchi Seas [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 465-466.

- Grantz, Arthur, Hanna, W. F., Holmes, M. L., and Cresager, J. S., 1970, Reconnaissance geology of Chukchi Sea as determined by acoustic and magnetic profiling [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2483.
- Greene, H. G., 1972, Sedimentary features and nearshore processes of Arctic and sub-arctic beaches [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 620.
- Gryc, George, 1952, Developments in Alaska in 1951: American Association of Petroleum Geologists Bulletin, v. 36, no. 6, p. 1242-1251.
- Gryc, George, 1956, Introduction and summary, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-213.
- Gryc, George, 1969, Geological and geophysical investigations by the U.S. Geological Survey in Alaska in 1968, in Kirkpatrick, T. D., Developments in Alaska in 1968: American Association of Petroleum Geologists Bulletin, v. 53, no. 6, p. 1324-1328.
- Gryc, George, 1970, Geological and geophysical investigations by the U.S. Geological Survey in Alaska in 1969, in Soronen, G. S., Developments in Alaska in 1969: American Association of Petroleum Geologists Bulletin, v. 54, no. 6, p. 1079-1080.
- Gryc, George, 1971, Geological and geophysical investigations by the U.S. Geological Survey in Alaska in 1970, in Lian, E. B., Developments in Alaska in 1970: American Association of Petroleum Geologists Bulletin, v. 55, no. 7, p. 951-952.
- Gryc, George, 1972, Geologic and geophysical investigations by U.S. Geological Survey in Alaska in 1971, in Adams, W. D., Developments in Alaska in 1971: American Association of Petroleum Geologists Bulletin, v. 56, no. 7, p. 1179-1180.
- Gryc, George, and Cobb, E. H., 1968, Review of trends in development of Alaskan mineral resources [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 562.
- Gryc, George, and Jensen, R. C., 1953, Results of petroleum exploration in Naval Reserve No. 4 and adjacent area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 37, no. 5, p. 1133.
- Gryc, George, and Miller, D. J., 1953, Developments in Alaska in 1952: American Association of Petroleum Geologists Bulletin, v. 37, no. 6, p. 1477-1484.

Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.

Gryc, George, Mull, C. G., and Tailleur, I. L., 1978, Petroleum exploration of National Petroleum Reserve in Alaska (NPRA) [abs.]: American Association of Petroleum Geologists Bulletin, v. 67, no. 7, p. 1218-1219.

Gryc, George, and others, 1956, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-254.

Hamilton, Warren, 1970, Continental drift in Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2484.

Hardin, G. C., Jr., and Mygdal, Karl, 1968, Geologic success and economic failure: American Association of Petroleum Geologists Bulletin, v. 52, no. 11, p. 2079-2091.

Harrison, C. R., Dobey, P. L., Gryc, George, Erwin, Margaret, and Scott, E. W., 1973, Developments in Alaska in 1972: American Association of Petroleum Geologists Bulletin, v. 57, no. 8, p. 1406-1420.

Hayes, M. O., 1972, Diagnostic sedimentary structures of mesotidal barrier beaches [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 624.

Hayes, M. O., and Gundlach, E. R., 1976, Great Patagonian oil spill [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 678.

Hayes, M. O., Henry, R. L., Hobbs, C. H., III, Raffaldi, F. J., and Hague, P. R., 1972, Coastline sedimentation in tectonically active geosynclinal basin, glacial outwash-plain shoreline of northeastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 624-625.

Herrera, R. C., 1977, Developments in Alaska in 1976: American Association of Petroleum Geologists Bulletin, v. 61, no. 8, p. 1157-1165.

Herrera, R. C., 1978, Developments in Alaska in 1977: American Association of Petroleum Geologists Bulletin, v. 62, no. 8, p. 1311-1321.

Hiles, R. M., Gryc, George, Dobey, P. L., and Erwin, M. I., 1975, Developments in Alaska in 1974: American Association of Petroleum Geologists Bulletin, v. 59, no. 8, p. 1311-1321.

- Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no 5, p. 594-611.
- Hoare, J. M., 1970, Bering Sea basalts: their sequence and origin [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2486.
- Hollister, V. F., 1974, Evolution of porphyry copper province of northern cordilleran orogen [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1441.
- Hopkins, D. M., Nelson, C. H., and Scholl, D. W., 1972, Proposed model for Cenozoic sedimentary history of Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 629.
- Hopkins, D. M., and Scholl, D. W., 1970, Tectonic development of Beringia, late Mesozoic to Holocene [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2486-2487.
- Hoskin, C. M., 1968, Progress report on two unusual Alaskan sediments - Recent beach carbonate from Three Entrance Bay, and polished grains from Easter Egg Hill [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 532.
- Imlay, R. W., 1970, Jurassic paleogeography of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2487.
- Imlay, R. W., and Detterman, R. L., 1977, Some Lower and Middle Jurassic beds in Puale Bay-Alinchak Bay area, Alaska Peninsula: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 607-611.
- Itsikson, M. I., and Berger, V. J., 1971, Comparative analysis of metallogeny of eastern Asiatic and Alaskan-Canadian links of northern part of Pacific rim [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 1, p. 168.
- Ivanhoe, L. F., 1961, Bouguer gravity map of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 45, no. 1, p. 128-129.
- Jones, D. L., MacKevett, E. M., Jr., and Plafker, George, 1970, Speculations on late Mesozoic tectonic history of part of southern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2489.

- Kent, P. E., 1970, Worldwide development in exploration field [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 855.
- Kiparisova, L. D., and Okuneva, T. M., 1971, Paleozoogeographic zonation of Triassic marine basins of Arctic and adjacent regions [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 1, p. 169.
- Kirk, M. V., 1959, Summary of Jurassic stratigraphy of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 1, p. 260.
- Kirkpatrick, T. D., 1969, Developments in Alaska in 1968: American Association of Petroleum Geologists Bulletin, v. 53, no. 6, p. 1318-1328.
- Kirschner, C. E., 1958, Developments in Alaska in 1957: American Association of Petroleum Geologists Bulletin, v. 42, no. 6, p. 1434-1444.
- Kirschner, C. E., and Grantz A[rthur], 1974, Tectonic framework of petroliferous rocks in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1446-1447.
- Kugler, H. W., 1976 Developments in Alaska in 1975: American Association of Petroleum Geologists Bulletin, v. 60, no. 8, p. 1189-1195.
- Lathram, E. H., 1970, Tectonic framework of northern and central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2493.
- Lathram, E. H., and Gryc, George, 1966, New look at geology and petroleum potential of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 622.
- Leonard, J. E., and Cameron, Barry, 1976, Marine "cold-water" carbonate deposits as paleoclimatic indicators [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 692.
- Lian, E. B., 1971, Developments in Alaska in 1970: American Association of Petroleum Geologists Bulletin, v. 55, no. 7, p. 943-957.
- Lian, H. M., 1960, Developments in Alaska in 1959: American Association of Petroleum Geologists Bulletin, v. 44, no. 6, p. 940-945.
- MacNeil, F. S., Wolfe, J. A., Miller, D. J., and Hopkins, D. M., 1961, Correlation of Tertiary formations of Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1801-1809.

- Magoon, L. B., Adkinson, W. L., Wolfe, J. A., et al., 1976, Geologic framework of lower Cook Inlet, Alaska, with emphasis on onshore geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2185.
- Magoon, L. B., and Claypool, G. E., 1978, Petroleum geology of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1225-1226.
- Mamet, B. L., 1970, Foraminiferal biostratigraphy and Carboniferous microfacies, northern Alaska and Yukon [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2194.
- Mancini, E. A., and Deeter, T. M., 1977, Alaska Peninsula Late Cretaceous fore-arc deposition [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 811.
- Mann, H[erbert], 1959, Developments in Alaska in 1958: American Association of Petroleum Geologists Bulletin, v. 43, no. 6, p. 1427-1436.
- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.
- Meyer, R. F., 1970, Geologic provinces code map for computer use: American Association of Petroleum Geologists Bulletin, v. 54, no. 7, p. 1301-1305.
- Meyerhoff, A. A., and Meyerhoff, H. A., 1972, "The new global tectonics": major inconsistencies; American Association of Petroleum Geologists Bulletin, v. 56, no. 2, p. 269-336.
- Meyerhoff, A. A., and Meyerhoff, H. A., 1972, "The new global tectonics": age of linear magnetic anomalies of ocean basins: American Association of Petroleum Geologists Bulletin, v. 56, no. 2, p. 337-359.
- Migliaccio, R. R., and Rooney, J. W., 1970, Engineering geologic and subsurface soil investigations for Trans-Alaska Pipeline System [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2496.
- Miller, D. J., 1953, Geology and petroleum possibilities of Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 37, no. 5, p. 1132-1133.
- Miller, R. L., 1950, Developments in Alaska in 1949: American Association of Petroleum Geologists Bulletin, v. 34, no. 6, p. 1226-1234.

- Miller, R. L., 1951, Developments in Alaska in 1950: American Association of Petroleum Geologists Bulletin, v. 35, no. 6, p. 1369-1379.
- Miller, T. P., 1970, Preliminary correlation of Mesozoic plutonic rocks in Bering Sea region [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2496.
- Miller, T. P. and Barnes, I[van], 1974, Potential for geothermal energy development in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1450.
- Molnia, B. F., 1978, Impact of shoreline processes on resource development [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1228.
- Moody, J. D., 1973, Petroleum exploration aspects of wrench-fault tectonics: American Association of Petroleum Geologists Bulletin, v. 57, no. 3, p. 449-476.
- Moore, J. C., 1978, Plate-tectonic interpretation of Mesozoic and Cenozoic rocks of Aleutian Islands, Alaska Peninsula, and Shumagin-Kodiak shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1228-1229.
- Moore, J. C., and Connelly, William, 1977, Mesozoic magmatism and accretion, southwest Alaska margin [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 466-467.
- Morgridge, D. L., 1970, Geology and discovery of Prudhoe Bay field, eastern Arctic Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 10, p. 1969.
- Neel, T. H., 1976, Alaska exploration potential [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2186-2187.
- Nelson, C. H., 1970, Late Cenozoic history of deposition of northern Bering shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2498.
- Nelson, C. H., 1976, Sedimentary facies and structures of Bering epicontinental shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 702.

- Nummedal, Dag, Knoth, J. S., Fischer, I. A., and Fahnestock, R. K., 1978, Transgressive barriers of Beaufort Sea coast [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 550.
- Okuneva, T. M., and Sey, I. I., 1971, Paleogeography and stratigraphy of Triassic and Jurassic of eastern part of USSR and adjacent areas [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 1, p. 269.
- Owens, E. H., 1977, Variations in coastal environments and beach morphology of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 818-819.
- Patterson, S. O., and Harris, J. R., 1978, Summary of recent exploration and evaluation work on NPRA [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2359.
- Patton, W. W., Jr., 1956, New formation of Jurassic age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 213-218.
- Patton, W. W., Jr., 1956, New and redefined formations of Early Cretaceous age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 219-223.
- Patton, W. W., Jr., 1970, Mesozoic tectonics and correlations in Yukon-Koyukuk province, west-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2500.
- Patton, W. W., Jr., and Grantz, Arthur, 1962, Tectonic implications of some new Mesozoic stratigraphic data on Alaska [abs.]: American Association of Petroleum Geologists Bulletin, vol. 46, no. 2, p. 274-275.
- Péwé, T. L., 1954, Evidence for possible marine Tertiary(?) sediments in central Alaska: American Association of Petroleum Geologists Bulletin, v. 38, no. 10, p. 2222-2225.
- Péwé, T. L., 1970, Permafrost and environmental-engineering problems in Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2501.
- Plafker, George, 1973, Yakutat Group, an upper Mesozoic flysch and mélange sequence in southern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 800.

- Plafker, George, Bruns, Terry, and Winkler, Gary, 1978, Plate tectonics in evaluation of southern Alaska continental margin [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1231-1232.
- Porter, S. C., 1966, Stratigraphy and deformation of Paleozoic section at Anaktuvuk Pass, central Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 50, no. 5, p. 952-980.
- Rau, W. W., Plafker, George, and Winkler, G. R., 1978, Foraminiferal biostratigraphy in the Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2360.
- Reber, S. J., 1976, Use of IR color photography and canyon photos in photogeologic mapping, central Brooks Range, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2188.
- Reed, B. L., and Lanphere, M. A., 1970, Plutonic belts of central and southern Alaska Range and Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502.
- Reso, Anthony, 1971, Tectonics and sedimentation in relation to occurrence of prolific Cretaceous oil fields [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 2, p. 359.
- Richards, H. G., 1974, Tectonic evolution of Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 1, p. 79-105.
- Richter, D. H., and Jones, D. L., 1970, Structure and stratigraphy of eastern Alaska Range, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502.
- Robinson, F. M., Rucker, F. P., and Bergquist, H. R., 1956, Two subsurface formations of Early Cretaceous age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 223-233.
- Roeder, Dietrich, and Mull, C. G., 1978, Tectonics of Brooks Range ophiolites, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 9, p. 1696-1702.
- Ross, R. J., 1961, Distribution of Ordovician graptolites in eugeosynclinal facies in western North America and its paleogeographic implications: American Association of Petroleum Geologists Bulletin, v. 45, no. 3, p. 330-341.

- Rowett, C. L., 1965, Present status of geological studies in the Alaska Range [abs.]: American Association of Petroleum Geologists Bulletin, v. 49, no. 3, p. 356-357.
- Sable, E. G., 1956, New and redefined Cretaceous formations in western part of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 11, p. 2635-2643.
- Sainsbury, C. L., and Bloomstein, Edward, 1977, Compressive interaction of Siberian and North American plates, Bering Strait region, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 467.
- Sainsbury, C. L., Hedge, C. E., and Bunker, C. M., 1970, Structure, stratigraphy, and isotopic composition of rocks of Seward Peninsula, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502-2503.
- Saunders, R. A., 1965, Developments in Alaska in 1964: American Association of Petroleum Geologists Bulletin, v. 49, no. 6, p. 854-865.
- Schoennagel, F. R., 1977, Mississippian unconformities in northern Alaska related to Antler tectonic pulses: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 435-442.
- Scholl, D. W., and Buffington, E. C., 1970, Structural evolution of Bering continental margin: Cretaceous to Holocene [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2503.
- Scholl, D. W., Cooper, A. A., and Marlow, M. S., 1977, Indicators of plate tectonics in southern Alaska and adjacent deep-sea area, late Paleozoic through Cenozoic time [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 467-468.
- Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.
- Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1974, Cenozoic and Mesozoic petroleum prospects, Aleutian-Bering Sea region [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1457.
- Sharma, G. D., 1970, Cationic balance and early diagenesis of glaciomarine sediments [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 869-870.

- Sheldon, R. P., 1978, Phosphogenic provinces of Circum-Pacific region [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1234-1235.
- Sherman, W. B., and Watson, J. W., 1959, Recent developments in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 7, p. 1779-1780.
- Silberling, N. J., 1970, Biostratigraphy of marine Triassic in northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2504.
- Simonson, R. R. and Pichel, G. B., 1967, Alaskan exploration [abs.]: American Association of Petroleum Geologists Bulletin, v. 51, no. 3, p. 481-482.
- Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.
- Smiley, C. J., 1970, Cretaceous floral sequences in Alaskan Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2504.
- Snelson, Sigmund, and Tailleux, I. L., 1968, Large-scale thrusting and migrating Cretaceous foredeeps in western Brooks Range and adjacent regions of northwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 567.
- Soronen, G. S., 1970, Developments in Alaska in 1969: American Association of Petroleum Geologists Bulletin, v. 54, no. 6, p. 1070-1083.
- Stanley, E. A., 1970, Maestrichtian plant microfossil assemblages and their paleogeographic and paleoclimatic implications for latest Mesozoic time [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2506.
- Stewart, R. J., 1978, Neogene volcanoclastic sediments from Atka basin, Aleutian Ridge: American Association of Petroleum Geologists Bulletin, v. 62, no. 1, p. 87-97.
- Stone, D. B., 1977, Paleomagnetism and paleogeographic reconstruction of southern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 468-369.
- Sweet, J. M., 1964, Developments in Alaska in 1963: American Association of Petroleum Geologists Bulletin, v. 48, no. 6, p. 1035-1049.

- Sweet, J. M., 1965, Developments in Alaska in 1963 [abs.]: American Association of Petroleum Geologists Bulletin, v. 49, no. 10, p. 1767.
- Tailleur, I. L., 1970, Probable rift origin of Canada Basin, Arctic Ocean [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2508.
- Tailleur, I. L., 1970, Structure and stratigraphy of western Arctic Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2508.
- Tailleur, I. L., Mamet, B. L., and Dutro, J. T., Jr., 1973, Revised age and structural interpretations of Nuka Formation at Nuka Ridge, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 57, no. 7, p. 1348-1352.
- Tailleur, I. L., and Pessel, G. H., 1976, Subsurface geology and some implications concerning future petroleum exploration in eastern Arctic Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2190.
- Tanner, W. F., 1973, Deep-sea trenches and the compression assumption: American Association of Petroleum Geologists Bulletin, v. 57, no. 11, p. 2195-2206.
- Tappan, Helen, 1961, Foraminifera from Pleistocene Gubik Formation of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 45, no. 1, p. 132.
- Thompson, T. L., 1974, Hypothesis for petroleum generation at convergent plate boundaries [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1459-1460.
- Thompson, T. L., 1976, Plate tectonics in oil and gas exploration of continental margins: American Association of Petroleum Geologists Bulletin, v. 60, no. 9, p. 1463-1501.
- Tillman, S. M., 1970, Tectonics and geologic history of Arctic sector of east Asia and America [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2508-2509.
- Tkatchenko, B. V., Egiazarov, B. K., Atlasov, I. P., Bondarev, V. I., Lazurkin, V. M., Markov, F. M., Ravich, M. G., Romanovich, B. S., and Sokolov, V. N., 1970, Main structural features of Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2509.
- Triplehorn, D. M., 1976, Volcanic-ash partings in coal: characteristics and stratigraphic significance [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2191.

- Ustritskiy, V. L., and Chernyak, G. E., 1970, Marine upper Paleozoic deposits of Arctic [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2510.
- Varnes, D. J., 1978, Slope-stability problems of Circum-Pacific region as related to mineral and energy resources [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1238.
- von Huene, Roland, 1977, Structural interpretation of eastern Aleutian Trench and adjacent continental margin off Kodiak Island, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 838-839.
- von Huene, Roland, and Bruns, T. R., 1977, Late Tertiary Gulf of Alaska plate-tectonic model based on continental margin geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 469.
- Wanek, A. A., 1974, Coal in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1461.
- Whittington, C. L., 1956, Revised stratigraphic nomenclature of Colville group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 244-253.
- Wilson, J. L., 1970, North Slope potential and effect on domestic exploration in the seventies [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 9, p. 1793.
- Wilson, Thomas, Jr., 1968, Developments in Alaska in 1967: American Association of Petroleum Geologists Bulletin, v. 52, no. 6, p. 1068-1080.
- Witten, Wesley, 1978, Harnessing Arctic energy - trans-Alaska pipeline [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1239.
- Wolfe, J. A., 1970, Biostratigraphy of nonmarine Tertiary of northern Pacific basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2512-2513.
- Wood, G. V., 1972, Chert in Lisburne Limestone of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 663.

Woolson, J. R., 1959, Geophysical exploration in northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 1, p. 260.

Yeats, R. S., 1972, Continental intersections with oceanic rises and petroleum provinces of Pacific slope of Americas [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 663-664.

Zietz, I[sadore], Andreasen, G. E., and Dempsey, W. J., 1959, Regional geologic interpretations of aeromagnetic profiles of selected areas in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 1, p. 260.

- Anderson, R. E., 1970, Tectonic overview of Bering Sea-Aleutian Ridge region [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2467.
- Barnes, D. F., Lucas, W. H., Mace, E. V., and Malloy, R. J., 1966, Reconnaissance gravity and other geophysical data from continental end of Aleutian arc [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 644.
- Blanton, S. L., Jr., 1976, Geology of Bering Shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 11, p. 2067.
- Blanton, S. L., 1977, Geology of Bering Shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 465.
- Bruns, T. R., and Plafker, George, 1976, Structural elements of offshore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.
- Bruns, T. R., and Plafker, George, 1977, Structure of continental shelf, eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 773.
- Campbell, W. J., and Ramseier, R. O., 1978, Structure and motion of Bering and Okhotsk sea ice covers by microwave satellite imagery [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1211.
- Carroll, Dorothy, 1968, Clay minerals in Arctic Ocean sea-floor sediments [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 522.
- Carsola, A. J., 1954, Recent marine sediments from Alaskan and northwest Canadian Arctic: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1552-1586.
- Carsola, A. J., 1954, Microrelief on Arctic sea floor: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1587-1601.
- Churkin, Michael, Jr., 1970, Geologic concepts of Arctic Ocean basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2474.
- Clark, D. L., 1973, Progress in Arctic Ocean sediment studies [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 773.

- Clark, D. L., Mullen, R. E., and Fagerlin, S. C., 1970, Arctic Ocean foraminifera and correlation of Pleistocene climatic changes [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2474-2475.
- Creager, J. S., Echols, R. J., Holmes, M. L., and McManus, Dean, 1970, Chukchi Sea continental shelf sedimentation [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2475.
- Dow, W. G., 1978, Petroleum source beds on continental slopes and rises: American Association of Petroleum Geologists Bulletin, v. 62, no. 9, p. 1584-1606.
- Echols, R. J., Creager, J. S., Holmes, M. L., and McManus, D. A., 1969, Holocene oceanography of Chukchi Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 716.
- Echols, R. J., and Fowler, G. A., 1972, Tintinnids in shelf sediments from Alaska, Oregon, and California [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 616.
- Eittreim, S. L., Grantz, Arthur, and Whitney, O. T., 1977, Cenozoic sedimentation and tectonics of Hope basin, southern Chukchi Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 465.
- Fisher, M. A., 1978, Structure and tectonic setting of continental shelf southwest of Kodiak Island, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 513.
- Grantz, Arthur, and Eittreim, S. L., 1977, Geologic framework and related hydrocarbon potential of Beaufort and Chukchi Seas [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 465-466.
- Grantz, Arthur, Hanna, W. F., Holmes, M. L., and Creager, J. S., 1970, Reconnaissance geology of Chukchi Sea as determined by acoustic and magnetic profiling [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2483.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Harman, R. A., and Cooper, S. C., 1969, Distribution of foraminifera on Alaskan and Siberian continental shelves [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 466.

- Hopkins, D. M., Nelson, C. H., and Scholl, D. W., 1972, Proposed model for Cenozoic sedimentary history of Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 629.
- Knebel, H. J., and Creager, J. S., 1970, Holocene sedimentary framework of east-central Bering shelf: preliminary results [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2491.
- Kummer, J. T., Holmes, M. L., and Creager, J. S., 1970, Continental shelf structure and sediments of Gulf of Anadyr [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2492-2493.
- Lagoe, M. B., 1978, Recent benthonic foraminiferal biofacies in Arctic Ocean [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2357.
- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.
- Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.
- Moore, J. C., 1974, Sedimentary and tectonic history of Cretaceous flysch in southwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 795-796.
- Naidu, A. S., 1971, Clay mineral composition of Beaufort Sea sediments, Arctic Ocean [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 2, p. 355.
- Naidu, A. S., Burrell, D. C., and Dygas, Joe, 1970, Texture, organic carbon, and clay mineralogy of western Beaufort Sea sediments [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2497-2498.
- Neel, T. H., 1976, Alaska exploration potential [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2186-2187.
- Nelson, C. H., 1970, Late Cenozoic history of deposition of northern Bering shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2498.

- Nelson, C. H., 1976, Sedimentary facies and structures of Bering epicontinental shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 702.
- Schneider, E. D., and Johnson, G. L., 1970, Deep-ocean diapir occurrences: American Association of Petroleum Geologists Bulletin, v. 54, no. 11, p. 2151-2169.
- Scholl, D. W., and Buffington, E. C., 1970, Structural evolution of Bering continental margin: Cretaceous to Holocene [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2503.
- Scholl, D. W., and Cooper, A. K., 1978, VAMPs - possible hydrocarbon-bearing structures in Bering Sea basin: American Association of Petroleum Geologists Bulletin, v. 62, no. 12, p. 2481-2488.
- Scholl, D. W., Cooper, A. A., and Marlow, M. S., 1977, Indicators of plate tectonics in southern Alaska and adjacent deep-sea area, late Paleozoic through Cenozoic time [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 467-468.
- Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.
- Scholl, D. W., Hopkins, D. M., Greene, H. G., and Buffington, E. C., 1968, New petroleum prospects, shallow and deep Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 566-567.
- Scholl, D. W., and Marlow, M. S., 1970, Diapirs and diapirlike structures, southeastern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 3, p. 555-556.
- Scholl, D. W., and Marlow, M. S., 1970, Diapirlike structures in southeastern Bering Sea: American Association of Petroleum Geologists Bulletin, v. 54, no. 9, p. 1644-1650.
- Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1974, Cenozoic and Mesozoic petroleum prospects, Aleutian-Bering Sea region [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1457.
- Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

- Scholl, D. W., and von Huene, R. E., 1969, Geologic implications of Cenozoic subsidence and fragmentation of continental margins [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 740-741.
- Sharma, G. D., 1970, Recent sedimentation on southern Bering shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2503-2504.
- Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.
- Shor, G. G., Jr., 1963, Crustal structure under continental terrace of western North America [abs.]: American Association of Petroleum Geologists Bulletin, v. 47, no. 2, p. 370.
- Stewart, R. J., 1978, Neogene volcaniclastic sediments from Atka basin, Aleutian Ridge: American Association of Petroleum Geologists Bulletin, v. 62, no. 1, p. 87-97.
- Thompson, T. L., 1974, Hypothesis for petroleum generation at convergent plate boundaries [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1459-1460.
- Thompson, T. L., 1976, Plate tectonics in oil and gas exploration of continental margins: American Association of Petroleum Geologists Bulletin, v. 60, no. 9, p. 1463-1501.
- Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.
- von Huene, Roland, 1977, Structural interpretation of eastern Aleutian Trench and adjacent continental margin off Kodiak Island, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 838-839.
- von Huene, Roland, and Bruns, T. R., 1977, Late Tertiary Gulf of Alaska plate-tectonic model based on continental margin geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 469.

Lattman, L. H., and Segovia, A. V., 1961, Analysis of fracture trace pattern of Adak and Kagalaska Islands, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 2, p. 249-251.

Miller, T. P., Hoover, D. B., Smith, R. L., and Long, Carl, 1978, Geothermal exploration of Adak Island, Alaska - a case history [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1227.

Scholl, D. W., Greene, H. G., Addicott, W. O., Evitt, W. R., Pierce, R. L., Mamay, S. H., and Marlow, M. S., 1969, Adak "Paleozoic" site, Aleutians - in fact of Eocene age [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 459.

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Afognak quadrangle

Fisher, M. A., 1976, Geology of offshore lower Cook Inlet, Alaska, from seismic data [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2180-2181.

Fisher, M. A., and Magoon, L. B., 1978, Geologic framework of lower Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 373-402.

Hazzard, J. C., Bryah, J. J., Borax, Eugene, and Shoemaker, Richard, 1950, Geology of Kamishak Bay area, Cook Inlet [abs.]: American Association of Petroleum Geologists Bulletin, v. 39, no. 12, p. 2377.

Magoon, L. B., Adkinson, W. L., Wolfe, J. A., et al., 1976, Geologic framework of lower Cook Inlet, Alaska, with emphasis on onshore geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2185.

- Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Anchorage quadrangle

- Andreasen, G. E., Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic study of Copper River Basin, Alaska [abs.]; American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219.

- Andreasen, Gordon, Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic reconnaissance of Cook Inlet area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219-220.

- Bergquist, H. R., 1961, Foraminiferal zonation in Matanuska Formation, Squaw Creek-Nelchina River area, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1994-2011.

- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.

- Grantz, Arthur, and Wolfe, J. A., 1961, Age of Arkose Ridge Formation, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 10, p. 1762-1765.

- Kelly, T. E., 1961, General geology and hydrocarbons of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 3, p. 419

- Sharma, G. D., and Burrell, D. C., 1970, Sedimentary environment and sediments of Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 4, p. 647-654.

Arctic quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Brosigé, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.

Dutro, J. T., Jr., Brosigé, W. P., and Reiser, H. N., 1972, Significance of recently discovered Cambrian fossils and reinterpretation of Neruokpuk Formation, northeastern Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 808-815.

Atka quadrangle

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Attu quadrangle

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Carsola, A. J., 1954, Recent marine sediments from Alaskan and northwest Canadian Arctic: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1552-1586.
- Carsola, A. J., 1954, Microrelief on Arctic sea floor: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1587-1601.
- Carter, Claire, and Laufeld, Sven, 1975, Ordovician and Silurian fossils in well cores from North Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 457-464.
- Churkin, Michael, Jr., 1975, Basement rocks of Barrow Arch, Alaska, and circum-Arctic Paleozoic mobile belt: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 451-456.
- Clarke, R. H., 1967, Climatic control of deposition at Prudhoe Bay, Alaska, during late Cenozoic [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 657.
- Gryc, George, and Jensen, R. C., 1953, Results of petroleum exploration in Naval Reserve No. 4 and adjacent area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 37, no. 5, p. 1133.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Barter Island quadrangle

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Carsola, A. J., 1954, Recent marine sediments from Alaskan and northwest Canadian Arctic: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1552-1586.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., and Mamet, B. L., 1974, Carboniferous biostratigraphy, Prudhoe Bay Scare 1 to northeastern Brooks Range, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 646-660.
- Bird, K. J., 1978, New information on Lisburne Group (Carboniferous and Permian) in Naval Petroleum Reserve Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 5, p. 880.
- Bird, K. J., and Jordan, C. F., 1977, Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512.
- Carsola, A. J., 1954, Recent marine sediments from Alaskan and northwest Canadian Arctic: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1552-1586.
- Carter, Claire, and Laufeld, Sven, 1975, Ordovician and Silurian fossils in well cores from North Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 457-464.
- Churkin, Michael, Jr., 1975, Basement rocks of Barrow Arch, Alaska, and circum-Arctic Paleozoic mobile belt: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 451-456.
- Clarke, R. H., 1967, Climatic control of deposition at Prudhoe Bay, Alaska, during late Cenozoic [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 657.
- Dygas, J. A., Burrell, D. C., and Naidu, A. S., 1972, Sediment transport and shoreline changes along Alaskan Arctic coast [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 776.
- Fraser, G. S., and Clarke, R. H., 1976, Transgressive-regressive shelf deposition, Shublik Formation, Prudhoe Bay area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 672.
- Holder, G. D., Katz, D. L., and Hand, J. H., 1976, Hydrate formation in subsurface environments: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 981-994.

- Howitt, Frank, and Clegg, M. W., 1970, Permafrost in Prudhoe Bay field: geology and physical characteristics [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2487.
- Kelly, T. E., 1971, Prudhoe Bay - greatest geologic explosion of our time [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 2, p. 246.
- Morgridge, D. L., 1970, Geology and discovery of Prudhoe Bay field, eastern Arctic Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 10, p. 1969.
- Mull, C. G., and Mangus, M. D., 1972, Itkilyariak Formation: New Mississippian formation of Endicott Group, Arctic Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1364-1369.
- Naidu, A. S., and Mowatt, T. C., 1973, Lateral variations of clay minerals in deltaic sediments of Colville and adjacent rivers, North Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 796-797.
- Norman, C. A., 1970, Economics of Prudhoe Bay field - comparison with Bell Creek field [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2499.
- Penttila, Bill, 1970, Sadlerochit reservoir at Prudhoe Bay, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2500.
- Powell, T. G., Cook, P. J., and McCurdy, D. M., 1975, Organic geochemistry of phosphorites: relevance to petroleum genesis: American Association of Petroleum Geologists Bulletin, v. 59, no. 4, p. 618-632.
- Schoennagel, F. H., 1977, Mississippian unconformities in northern Alaska related to Antler tectonic pulses: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 435-442.
- Young, Allen, Monaghan, P. H., and Schweissberger, R. T., 1977, Calculation of ages of hydrocarbons in oils - physical chemistry applied to petroleum geology: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 573-600.

Bering Glacier quadrangle

- Carlson, P. R., Molnia, B. F., and Bruns, T. R., 1976, Preliminary study of sea-floor instability in offshore Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 655.
- Carlson, P. R., Molnia, B. F., and Reimnitz, Erk, 1976, Dispersal, distribution, and thickness of Holocene sediments on continental shelf, northern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176-2177.
- Galloway, W. E., 1972, Significance of reservoir diagenetic alteration for petroleum exploration, Gulf of Alaska Tertiary basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 9, p. 1898.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Halbouty, M. T., 1976, Application of LANDSAT imagery to petroleum and mineral exploration: American Association of Petroleum Geologists Bulletin, v. 60, no. 5, p. 745-793.
- Miller, D. J., 1957, Tertiary sequence on northeast coast of Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 353-354.
- Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.
- Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.
- Molnia, B. F., and Fuller, P. T., 1977, Clay mineralogy of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 815.

Bethel quadrangle

- Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 594-611.

Black quadrangle

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Black River quadrangle

Brabb, E. E., 1965, Stratigraphy and oil possibilities of Mesozoic rocks in Kandik basin, east-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 49, no. 10, p. 1757-1758.

Blying Sound quadrangle

Bruns, T. R., and Plafker, George, 1976, Structural elements of offshore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.

Carlson, P. R., Molnia, B. F., and Reimnitz, Erk, 1976, Dispersal, distribution, and thickness of Holocene sediments on continental shelf, northern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176-2177.

Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.

Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.

Molnia, B. F., and Fuller, P. T., 1977, Clay mineralogy of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 815.

Cape Mendenhall quadrangle

Hoare, J. M., 1970, Bering Sea basalts: their sequence and origin [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2486.

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Chandalar quadrangle

Armstrong, A. K., Mamet, B. L., Brosgé, W. P., and Reiser, H. N., 1976, Carboniferous section and unconformity at Mount Doonerak, Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 962-972.

Brosgé, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.

Dutro, J. T., Jr., Brosgé, W. P., Lanphere, M. A., and Reiser, H. N., 1976, Geologic significance of Doonerak structural high, central Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 952-961.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698.
- Brosgé, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.
- Detterman, R. L., 1956, New and redefined nomenclature of Nanushuk group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 233-244.
- Detterman, R. L., 1956, New member of Seabee formation, Colville group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 253-254.
- Dutro, J. T., Jr., and Armstrong, A. K., 1970, Biostratigraphy of Carboniferous of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2478.
- Dutro, J. T., Jr., Brosgé, W. P., Lanphere, M. A., and Reiser, H. N., 1976, Geologic significance of Doonerak structural high, central Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 952-961.
- Gryc, George, 1956, Introduction and summary, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-213.
- Gryc, George, and others, 1956, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-254.
- Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474.

- Mull, C. G., and Mangus, M. D., 1972, Itkilyariak Formation: New Mississippian formation of Endicott Group, Arctic Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1364-1369.
- Patton, W. W., Jr., 1956, New formation of Jurassic age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 213-218.
- Patton, W. W., Jr., 1956, New and redefined formations of Early Cretaceous age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 219-223.
- Porter, S. C., 1966, Stratigraphy and deformation of Paleozoic section at Anaktuvuk Pass, central Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 50, no. 5, p. 952-980.
- Sable, E. G., and Dutro, J. T., Jr., 1961, New Devonian and Mississippian formations in De Long Mountains, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 585-593.
- Schoennagel, F. H., 1977, Mississippian unconformities in northern Alaska related to Antler tectonic pulses: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 435-442.
- Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.
- Smiley, C. J., 1969, Cretaceous floras of Chandler-Colville region, Alaska: Stratigraphy and preliminary floristics: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 482-502.
- Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

## Charley River quadrangle

- Brabb, E. E., 1965, Stratigraphy and oil possibilities of Mesozoic rocks in Kandik basin, east-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 49, no. 10, p. 1757-1758.
- Brabb, E. E., and Churkin, Michael, Jr., 1969, Age of Nation River Formation, east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 430-433.
- Churkin, Michael, Jr., and Brabb, E. E., 1965, Ordovician, Silurian, and Devonian biostratigraphy of east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 49, no. 2, p. 172-185.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Laudon, L. R., Hartwig, A. E., Morgridge, D. L., and Omernik, J. B., 1966, Middle and late Paleozoic stratigraphy, Alaska-Yukon border area between Yukon and Porcupine Rivers: American Association of Petroleum Geologists Bulletin, v. 50, no. 9, p. 1868-1889.
- Payne, M. W., and Allison, C. W., 1978, Precambrian-Cambrian sedimentary rocks from east-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 553.

## Chignik quadrangle

- Mancini, E. A., and Deeter, T. M., 1977, Alaska Peninsula Late Cretaceous fore-arc deposition [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 811.
- Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Christian quadrangle

Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.

Cold Bay quadrangle

McLean, Hugh, 1978, Stratigraphy and sedimentology of Tertiary strata in Cold Bay area of Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2357.

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Cordova quadrangle

Boothroyd, J. C., 1970, Recent braided-stream sedimentation, south-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 836.

Bruns, T. R., and Plafker, George, 1976, Structural elements of off-shore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.

Carlson, P. R., 1977, Submarine-slump features seaward of Icy Bay and Malaspina Glacier, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 774.

Carlson, P. R., Molnia, B. F., and Bruns, T. R., 1976, Preliminary study of sea-floor instability in offshore Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 655.

Carlson, P. R., Molnia, B. F., and Reimnitz, Erk, 1976, Dispersal, distribution, and thickness of Holocene sediments on continental shelf, northern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176-2177.

Cordova quadrangle

- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Kvenvolden, K. A., Redden, G. D., and Carlson, P. R., 1977, Hydrocarbon gases in sediments of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 806.
- Miller, D. J., 1953, Geology and petroleum possibilities of Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 37, no. 5, p. 1132-1133.
- Miller, D. J., 1957, Tertiary sequence on northeast coast of Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 353-354.
- Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.
- Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.
- Molnia, B. F., and Fuller, P. T., 1977, Clay mineralogy of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 815.
- Thompson, T. L., 1974, Hypothesis for petroleum generation at convergent plate boundaries [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1459-1460.

Craig quadrangle

- Douglass, R. C., 1970, Pennsylvanian fusulinids from southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 845.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., and Dutro, J. T., Jr., 1969, Carbonate facies and coral zonation, Mississippian, Kogruk Formation, Lisburne Group, De Long Mountains, Brooks Range, northwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 704.
- Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474.
- Roeder, Dietrich, and Mull, C. G., 1978, Tectonics of Brooks Range ophiolites, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 9, p. 1696-1702.
- Sable, E. G., and Dutro, J. T., Jr., 1961, New Devonian and Mississippian formations in De Long Mountains, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 585-593.
- Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.
- Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kukpowruk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698.

Brosigé, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.

Dutro, J. T., Jr., Brosigé, W. P., and Reiser, H. N., 1972, Significance of recently discovered Cambrian fossils and reinterpretation of Neruokpuk Formation, northeastern Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 808-815.

Mull, C. G., and Mangus, M. D., 1972, Itkilyariak Formation: New Mississippian formation of Endicott Group, Arctic Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1364-1369.

Dillingham quadrangle

Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no 5, p. 594-611.

- Brabb, E. E., 1965, Stratigraphy and oil possibilities of Mesozoic rocks in Kandik basin, east-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 49, no. 10, p. 1757-1758.
- Brabb, E. E., and Churkin, Michael, Jr., 1969, Age of Nation River Formation, east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 430-433.
- Churkin, Michael, Jr., and Brabb, E. E., 1965, Ordovician, Silurian, and Devonian biostratigraphy of east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 49, no. 2, p. 172-185.
- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Laudon, L. R., Hartwig, A. E., Morgridge, D. L., and Omernik, J. B., 1966, Middle and late Paleozoic stratigraphy, Alaska-Yukon border area between Yukon and Porcupine Rivers: American Association of Petroleum Geologists Bulletin, v. 50, no. 9, p. 1868-1889.
- Payne, M. W., and Allison, C. W., 1978, Precambrian-Cambrian sedimentary rocks from east-central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 553.

Fairbanks quadrangle

- Gilbert, W. G., and Bundtzen, T. K., 1977, Tectonics, middle Paleozoic volcanism, and sulfide mineralization in north-central Alaska Range [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 465.
- Péwé, T. L., 1954, Evidence for possible marine Tertiary(?) sediments in central Alaska: American Association of Petroleum Geologists Bulletin, v. 38, no. 10, p. 2222-2225.

False Pass quadrangle

- Moore, J. C., 1974, Sedimentary and tectonic history of Cretaceous flysch in southwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 795-796.

Flaxman Island quadrangle

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Bird, K. J., and Jordan, C. F., 1977, Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512.
- Carsola, A. J., 1954, Recent marine sediments from Alaskan and northwest Canadian Arctic: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1552-1586.

Goodnews quadrangle

- Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 594-611.

Gulkana quadrangle

Andreasen, G. E., Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic study of Copper River Basin, Alaska [abs.]; American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219.

Bergquist, H. R., 1961, Foraminiferal zonation in Matanuska Formation, Squaw Creek-Nelchina River area, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1994-2011.

Frischknecht, F. C., and Stanley, W. D., 1970, Airborne and ground electrical resistivity studies along proposed trans-Alaska Pipeline System (TAPS) route [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2481.

Grantz, Arthur, White, D. E., Whitehead, H. C., and Tagg, A. R., 1962, Saline springs, Copper River Lowland, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 11, p. 1990-2002.

Hagemeister Island quadrangle

Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no 5, p. 594-611.

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Bird, K. J., 1978, New information on Lisburne Group (Carboniferous and Permian) in Naval Petroleum Reserve Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 5, p. 880.
- Bird, K. J., and Jordan, C. F., 1977, Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512.
- Carsola, A. J., 1954, Recent marine sediments from Alaskan and northwest Canadian Arctic: American Association of Petroleum Geologists Bulletin, v. 38, no. 7, p. 1552-1586.
- Mull, C. G., and Mangus, M. D., 1972, Itkilyariak Formation: New Mississippian formation of Endicott Group, Arctic Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1364-1369.
- Naidu, A. S., and Mowatt, T. C., 1973, Lateral variations of clay minerals in deltaic sediments of Colville and adjacent rivers, North Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 796-797.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Healy quadrangle

- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Gilbert, W. G., and Bundtzen, T. K., 1977, Tectonics, middle Paleozoic volcanism, and sulfide mineralization in north-central Alaska Range [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 465.

Hooper Bay quadrangle

- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Howard Pass quadrangle

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., 1970, Mississippian dolomites from Lisburne Group, Killik River, Mount Bupto region, Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 2, p. 251-264.
- Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474.
- Roeder, Dietrich, and Mull, C. G., 1978, Tectonics of Brooks Range ophiolites, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 9, p. 1696-1702.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

- Bruns, T. R., and Plafker, George, 1976, Structural elements of off-shore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.
- Carlson, P. R., 1977, Submarine-slump features seaward of Icy Bay and Malaspina Glacier, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 774.
- Carlson, P. R., 1978, Holocene slump on continental shelf off Malaspina Glacier, Gulf of Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 12, p. 2412-2426.
- Carlson, P. R., Molnia, B. F., and Bruns, T. R., 1976, Preliminary study of sea-floor instability in offshore Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 655.
- Carlson, P. R., Molnia, B. F., and Reimnitz, Erk, 1976, Dispersal, distribution, and thickness of Holocene sediments on continental shelf, northern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176-2177.
- Galloway, W. E., 1972, Significance of reservoir diagenetic alteration for petroleum exploration, Gulf of Alaska Tertiary basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 56, no. 9, p. 1898.
- Halbouty, M. T., 1976, Application of LANDSAT imagery to petroleum and mineral exploration: American Association of Petroleum Geologists Bulletin, v. 60, no. 5, p. 745-793.
- Miller, D. J., 1957, Tertiary sequence on northeast coast of Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 353-354.
- Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.
- Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.
- Molnia, B. F., and Fuller, P. T., 1977, Clay mineralogy of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 815.

- Stephen, M. F., Hayes, M. O., Ruby, C. H., and Wilson, S. J., 1976, Littoral processes and geomorphic variability on storm-dominated, glacial shoreline, Malaspina foreland, Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 726-727.

Ikpikpuk River quadrangle

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Detterman, R. L., 1956, New and redefined nomenclature of Nanushuk group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 233-244.
- Gryc, George, 1956, Introduction and summary, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-213.
- Gryc, George, and others, 1956, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-254.
- Robinson, F. M., Rucker, F. P., and Bergquist, H. R., 1956, Two subsurface formations of Early Cretaceous age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 223-233.
- Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.
- Smiley, C. J., 1969, Cretaceous floras of Chandler-Colville region, Alaska: Stratigraphy and preliminary floristics: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 482-502.
- Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

- Andreasen, Gordon, Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic reconnaissance of Cook Inlet area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219-220.
- Buffler, R. T., 1976, Geology of south Augustine Island, lower Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 654.
- Detterman, R. L., and Jones, D. L., 1974, Mesozoic fossils from Augustine Island, Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 5, p. 868-870.
- Fisher, M. A., 1976, Geology of offshore lower Cook Inlet, Alaska, from seismic data [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2180-2181.
- Fisher, M. A., and Magoon, L. B., 1978, Geologic framework of lower Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 373-402.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Hazzard, J. C., Bryan, J. J., Borax, Eugene, and Shoemaker, Richard, 1950, Geology of Kamishak Bay area, Cook Inlet [abs.]: American Association of Petroleum Geologists Bulletin, v. 39, no. 12, p. 2377.
- Kelly, T. E., 1961, General geology and hydrocarbons of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 3, p. 419
- Magoon, L. B., Adkinson, W. L., Wolfe, J. A., et al., 1976, Geologic framework of lower Cook Inlet, Alaska, with emphasis on onshore geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2185.
- Magoon, L. B., and Claypool, G. E., 1977, Origin of Cook Inlet oil [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 466.

Juneau quadrangle

- Sharma, G. D., 1967, Silica: Source and distribution in southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 51, no. 3, p. 480.

Kaguyak quadrangle

- Kirschner, C. E., 1957, Reconnaissance observations on geology of Trinity Islands, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 354.

Karluk quadrangle

- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.

- Hanson, B. M., 1957, Middle Permian limestone on Pacific side of Alaska Peninsula; American Association of Petroleum Geologists Bulletin, v. 41, no. 10, p. 2376-2378.

- Imlay, R. W., and Detterman, R. L., 1977, Some Lower and Middle Jurassic beds in Puale Bay-Alinchak Bay area, Alaska Peninsula: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 607-611.

- Andreasen, Gordon, Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic reconnaissance of Cook Inlet area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219-220.
- Calderwood, K. W., and Fackler, W. C., 1972, Proposed stratigraphic nomenclature for Kenai Group, Cook Inlet basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 739-754.
- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Fisher, M. A., and Magoon, L. B., 1978, Geologic framework of lower Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 373-402.
- Halbouty, M. T., 1966, Stratigraphic-trap possibilities in Upper Jurassic rocks, San Marcos arch, Texas: American Association of Petroleum Geologists Bulletin, v. 50, no. 1, p. 3-24.
- Kelly, T. E., 1961, General geology and hydrocarbons of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 3, p. 419
- Kirschner, C. E., and Lyon, C. A., 1970, Stratigraphy and tectonic development of Cook Inlet petroleum province [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2490.
- Laughbaum, G. H., Jr., 1968, Oil fields of Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 563-564.
- Lian, H. M., and Simonson, R. R., 1962, Cook Inlet basin - Structure, stratigraphy, exploration techniques, logistics, discoveries [abs.]: American Association of Petroleum Geologists Bulletin, v. 46, no. 2, p. 271.
- Magoon, L. B., Adkinson, W. L., Wolfe, J. A., et al., 1976, Geologic framework of lower Cook Inlet, Alaska, with emphasis on onshore geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2185.
- Magoon, L. B., and Claypool, G. E., 1977, Origin of Cook Inlet oil [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 466.

Sharma, G. D., and Burrell, D. C., 1970, Sedimentary environment and sediments of Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 4, p. 647-654.

Young, Allen, Monaghan, P. H., and Schweissberger, R. T., 1977, Calculation of ages of hydrocarbons in oils - physical chemistry applied to petroleum geology: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 573-600.

Killik River quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Detterman, R. L., 1956, New and redefined nomenclature of Nanushuk group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 233-244.

Gryc, George, 1956, Introduction and summary, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-213.

Gryc, George, and others, 1956, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-254.

Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474.

Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.

Smiley, C. J., 1969, Cretaceous floras of Chandler-Colville region, Alaska: Stratigraphy and preliminary floristics: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 482-502.

Killik River quadrangle

Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Kiska quadrangle

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Kuskokwim Bay quadrangle

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Kwiguk quadrangle

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Livengood quadrangle

Frischknecht, F. C., and Stanley, W. D., 1970, Airborne and ground electrical resistivity studies along proposed trans-Alaska Pipeline System (TAPS) route [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2481.

Péwé, T. L., 1954, Evidence for possible marine Tertiary(?) sediments in central Alaska: American Association of Petroleum Geologists Bulletin, v. 38, no. 10, p. 2222-2225.

Lookout Ridge quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

McCarthy quadrangle

Armstrong, A. K., and MacKevett, E. M., Jr., 1977, Relations between Triassic carbonate sabkha and Kennecott-type copper deposits, Wrangell Mountains, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 761.

Meade River quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

- Bruns, T. R., and Plafker, George, 1976, Structural elements of offshore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.
- Carlson, P. R., Molnia, B. F., and Bruns, T. R., 1976, Preliminary study of sea-floor instability in offshore Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 655.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Kvenvolden, K. A., Redden, G. D., and Carlson, P. R., 1977, Hydrocarbon gases in sediments of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 806.
- Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.
- Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.
- Molnia, B. F., and Fuller, P. T., 1977, Clay mineralogy of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 815.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., and Dutro, J. T., Jr., 1969, Carbonate facies and coral zonation, Mississippian, Kogruk Formation, Lisburne Group, De Long Mountains, Brooks Range, northwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 704.
- Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474.
- Roeder, Dietrich, and Mull, C. G., 1978, Tectonics of Brooks Range ophiolites, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 9, p. 1696-1702.
- Sable, E. G., and Dutro, J. T., Jr., 1961, New Devonian and Mississippian formations in De Long Mountains, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 585-593.
- Tailleux, I. L., Mamet, B. L., and Dutro, J. T., Jr., 1973, Revised age and structural interpretations of Nuka Formation at Nuka Ridge, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 57, no. 7, p. 1348-1352.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Mount Fairweather quadrangle

- Bruns, T. R., and Plafker, George, 1976, Structural elements of offshore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.
- Miller, D. J., 1957, Tertiary sequence on northeast coast of Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 353-354.
- Sharma, G. D., 1967, Silica: Source and distribution in southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 51, no. 3, p. 480.

Mount Hayes quadrangle

- Bond, G. C., 1970, Early Permian sedimentation and paleogeogeography in east-central Alaska Range, and regional implications [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2470-2471.
- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Link, D. A., 1976, Factors controlling suspended sediment in streams draining currently glaciated basins [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 693.
- Richter, D. H., and Jones, D. L., 1970, Structure and stratigraphy of eastern Alaska Range, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502.

Mount Michelson quadrangle

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., and Mamer, B. L., 1974, Carboniferous biostratigraphy, Prudhoe Bay Statel to northeastern Brooks Range, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 646-660.
- Armstrong, A. K., Mamer, B. L., and Dutro, J. T., Jr., 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698.
- Bird, K. J., and Jordan, C. F., 1977, Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512.
- Brosge, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.

Mount Michelson quadrangle

Churkin, Michael, Jr., 1975, Basement rocks of Barrow Arch, Alaska, and circum-Arctic Paleozoic mobile belt: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 451-456.

Dutro, J. T., Jr., and Armstrong, A. K., 1970, Biostratigraphy of Carboniferous of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2478.

Dutro, J. T., Jr., Brosigé, W. P., and Reiser, H. N., 1972, Significance of recently discovered Cambrian fossils and reinterpretation of Neruokpuk Formation, northeastern Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 808-815.

Mull, C. G., and Mangus, M. D., 1972, Itkilyariak Formation: New Mississippian formation of Endicott Group, Arctic Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1364-1369.

Nabesna quadrangle

Richter, D. H., and Jones, D. L., 1970, Structure and stratigraphy of eastern Alaska Range, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502.

Naknek quadrangle

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Nome quadrangle

Greene, H. G., 1969, Portable refraction seismography survey of gold placer areas near Nome, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 471.

Kvenvolden, K. A., Rapp, J. A., and Nelson, Hans, 1978, Hydrocarbons of low molecular weight in sediments from Norton Sound, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 534.

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Norton Bay quadrangle

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Nunivak Island quadrangle

Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.

Hoare, J. M., 1970, Bering Sea basalts: their sequence and origin [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2486.

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Nushagak Bay quadrangle

Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no 5, p. 594-611.

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Petersburg quadrangle

Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.

Philip Smith Mountains quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698.

Brosigé, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.

Dutro, J. T., Jr., Brosigé, W. P., Lanphere, M. A., and Reiser, H. N., 1976, Geologic significance of Doonerak structural high, central Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 952-961.

Halbouty, M. T., 1976, Application of LANDSAT imagery to petroleum and mineral exploration: American Association of Petroleum Geologists Bulletin, v. 60, no. 5, p. 745-793.

Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474.

Schoennagel, F. H., 1977, Mississippian unconformities in northern Alaska related to Antler tectonic pulses: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 435-442.

Point Hope quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Creager, J. S., Echols, R. J., Holmes, M. L., and McManus, Dean, 1970, Chukchi Sea continental shelf sedimentation [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2475.

Owens, E. H., 1977, Variations in coastal environments and beach morphology of northern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 818-819.

Sable, E. G., 1956, New and redefined Cretaceous formations in western part of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 11, p. 2635-2643.

Sable, E. G., and Ductro, J. T., Jr., 1961, New Devonian and Mississippian formations in De Long Mountains, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 585-593.

Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.

Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kukpowruk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Point Lay quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Sable, E. G., 1956, New and redefined Cretaceous formations in western part of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 11, p. 2635-2643.

Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.

Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.

Port Alexander quadrangle

Hoskin, C. M., 1968, Progress report on two unusual Alaskan sediments - Recent beach carbonate from Three Entrance Bay, and polished grains from Easter Egg Hill [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 532.

Sharma, G. D., 1967, Silica: Source and distribution in southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 51, no. 3, p. 480.

Fort Moller quadrangle

McLean, Hugh, 1978, Stratigraphy and sedimentology of Tertiary strata in Cold Bay area of Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2357.

Moore, J. C., 1974, Sedimentary and tectonic history of Cretaceous flysch in southwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 795-796.

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Pribilof Islands quadrangle

Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Prince Rupert quadrangle

Irvine, T. N., 1964, Sedimentary structures in layered ultrabasic rocks [abs.]: American Association of Petroleum Geologists Bulletin, v. 48, no. 4, p. 533.

Rat Islands quadrangle

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Russian Mission quadrangle

Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no 5, p. 594-611.

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.
- Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698.
- Bird, K. J., and Jordan, C. F., 1977, Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512.
- Brosge, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.
- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Halbouty, M. T., 1976, Application of LANDSAT imagery to petroleum and mineral exploration: American Association of Petroleum Geologists Bulletin, v. 60, no. 5, p. 745-793.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Saint Lawrence quadrangle

- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.
- Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.
- Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Saint Matthew quadrangle

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Saint Michael quadrangle

Matthews, M. D., 1972, Aggregate particles in sediments of Yukon River, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 792.

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Samalga Island quadrangle

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Seguam quadrangle

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

- Andreasen, Gordon, Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic reconnaissance of Cook Inlet area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219-220.
- Calderwood, K. W., and Fackler, W. C., 1972, Proposed stratigraphic nomenclature for Kenai Group, Cook Inlet basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 739-754.
- Carlson, P. R., Molnia, B. F., and Reimnitz, Erk, 1976, Dispersal, distribution, and thickness of Holocene sediments on continental shelf, northern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176-2177.
- Dorr, J. A., Jr., 1964, Tertiary non-marine vertebrates in Alaska - The lack thereof: American Association of Petroleum Geologists Bulletin, v. 48, no. 7, p. 1198-1203.
- Fisher, M. A., 1976, Geology of offshore lower Cook Inlet, Alaska, from seismic data [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2180-2181.
- Fisher, M. A., and Magoon, L. B., 1978, Geologic framework of lower Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 373-402.
- Kelly, J. S., 1978, Lithofacies in Lower Jurassic volcanoclastic rocks adjacent to lower Cook Inlet, southwestern Kenai Peninsula, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2356.
- Kelly, T. E., 1961, General geology and hydrocarbons of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 3, p. 419.
- Magoon, L. B., Adkinson, W. L., Wolfe, J. A., et al., 1976, Geologic framework of lower Cook Inlet, Alaska, with emphasis on onshore geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2185.
- Magoon, L. B., and Claypool, G. E., 1977, Origin of Cook Inlet oil [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 466.
- Young, Allen, Monaghan, P. H., and Schweissberger, R. T., 1977, Calculation of ages of hydrocarbons in oils - physical chemistry applied to petroleum geology: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 573-600.

Seward quadrangle

Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.

Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.

Simeonof Island quadrangle

Moore, J. C., 1974, Sedimentary and tectonic history of Cretaceous flysch in southwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 795-796.

Sitka quadrangle

Sharma, G. D., 1967, Silica: Source and distribution in southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 51, no. 3, p. 480.

Sleetmute quadrangle

Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 594-611.

Solomon quadrangle

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Venkataraman, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

## Stepovak Bay quadrangle

- Moore, J. C., 1974, Sedimentary and tectonic history of Cretaceous flysch in southwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 795-796.

## Table Mountain quadrangle

- Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

- Brosgé, W. P., Dutro, J. T., Jr., Mangus, M. D., and Reiser, H. N., 1962, Paleozoic sequence in eastern Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 12, p. 2174-2198.

- Dutro, J. T., Jr., Brosgé, W. P., and Reiser, H. N., 1972, Significance of recently discovered Cambrian fossils and reinterpretation of Neruokpuk Formation, northeastern Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 808-815.

## Talkeetna Mountains quadrangle

- Andreasen, G. E., Zietz, Isidore, and Grantz, Arthur, 1958, Aeromagnetic study of Copper River Basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219.

- Grantz, Arthur, and Wolfe, J. A., 1961, Age of Arkose Ridge Formation, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 10, p. 1762-1765.

## Taylor Mountains quadrangle

- Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 594-611.

Creager, J. S., Echols, R. J., Holmes, M. L., and McManus, Dean, 1970, Chukchi Sea continental shelf sedimentation [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2475.

Nelson, C. H., Cacchione, D. A., Field, M. E., et al., 1977, Complex ridge and trough topography on shallow, current-dominated shelf, northwest Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 817.

Venkatarathnam, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Teshekpuk quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Bird, K. J., 1978, New information on Lisburne Group (Carboniferous and Permian) in Naval Petroleum Reserve Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 5, p. 880.

Churkin, Michael, Jr., 1975, Basement rocks of Barrow Arch, Alaska, and circum-Arctic Paleozoic mobile belt: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 451-456.

Gryc, George, 1956, Introduction and summary, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-213.

Gryc, George, and others, 1956, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-254.

Mull, C. G., and Mangus, M. D., 1972, Itkilyariak Formation: New Mississippian formation of Endicott Group, Arctic Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1364-1369.

Robinson, F. M., Rucker, F. P., and Bergquist, H. R., 1956, Two sub-surface formations of Early Cretaceous age, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 223-233.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Trinity Islands quadrangle

Kirschner, C. E., 1957, Reconnaissance observations on geology of Trinity Islands, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 354.

Tyonek quadrangle

Andreasen, Gordon, Zietz, Isidore, and Grantz, Arthur, 1958, Aero-magnetic reconnaissance of Cook Inlet area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219-220.

Calderwood, K. W., and Fackler, W. C., 1972, Proposed stratigraphic nomenclature for Kenai Group, Cook Inlet basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 739-754.

Halbouty, M. T., 1966, Stratigraphic-trap possibilities in Upper Jurassic rocks, San Marcos arch, Texas: American Association of Petroleum Geologists Bulletin, v. 50, no. 1, p. 3-24.

Kelly, T. E., 1961, General geology and hydrocarbons of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 3, p. 419

Kirschner, C. E., and Lyon, C. A., 1970, Stratigraphy and tectonic development of Cook Inlet petroleum province [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2490.

Tyonek quadrangle

Laughbaum, G. H., Jr., 1968, Oil fields of Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 52, no. 3, p. 563-564.

Magoon, L. B., and Claypool, G. E., 1977, Origin of Cook Inlet oil [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 466.

Sharma, G. D., and Burrell, D. C., 1970, Sedimentary environment and sediments of Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 54, no. 4, p. 647-654.

Story, R. F., 1966, Middle Ground Shoal field, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 651.

Young, Allen, Monaghan, P. H., and Schweissberger, R. T., 1977, Calculation of ages of hydrocarbons in oils - physical chemistry applied to petroleum geology: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 573-600.

Ugashik quadrangle

Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: American Association of Petroleum Geologists Bulletin, v. 35, no. 2, p. 151-168.

Imlay, R. W., and Detterman, R. L., 1977, Some Lower and Middle Jurassic beds in Puale Bay-Alinchak Bay area, Alaska Peninsula: American Association of Petroleum Geologists Bulletin, v. 61, no. 4, p. 607-611.

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Gryc, George, 1956, Introduction and summary, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-213.

Gryc, George, and others, 1956, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 209-254.

Halbouty, M. T., 1976, Application of LANDSAT imagery to petroleum and mineral exploration: American Association of Petroleum Geologists Bulletin, v. 60, no. 5, p. 745-793.

McGaw, R. W., Anderson, D. M., Brown, Jerry, Haugen, R. K., and Tice, A. R., 1970, Bentonitic debris flows near Umiat, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2495.

Morgridge, D. L., 1970, Geology and discovery of Prudhoe Bay field, eastern Arctic Slope, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 10, p. 1969.

Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.

Smiley, C. J., 1969, Cretaceous floras of Chandler-Colville region, Alaska: Stratigraphy and preliminary floristics: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 482-502.

Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Whittington, C. L., 1956, Revised stratigraphic nomenclature of Colville group, in Gryc, George, and others, Mesozoic sequence in Colville River region, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 40, no. 2, p. 244-253.

Umnak quadrangle

Scholl, D. W., and Marlow, M. S., 1970, Diapirs and diapirlike structures, southeastern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 3, p. 555-556.

Scholl, D. W., and Marlow, M. S., 1970, Diapirlike structures in southeastern Bering Sea: American Association of Petroleum Geologists Bulletin, v. 54, no. 9, p. 1644-1650.

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Unalakleet quadrangle

Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2067-2078.

Venkataraman, K[olla], and McManus, D. A., 1969, Heavy minerals on continental shelf of northern Bering Sea [abs.]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 464.

Unalaska quadrangle

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Scholl, D. W., Marlow, M. S., and Buffington, E. C., 1975, Summit basins of Aleutian Ridge, North Pacific: American Association of Petroleum Geologists Bulletin, v. 59, no. 5, p. 799-816.

Unimak quadrangle

Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.

Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: American Association of Petroleum Geologists Bulletin, v. 56, no. 10, p. 2000-2012.

Utukok River quadrangle

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.

Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kupuk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.

Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297.

Valdez quadrangle

Andreasen, G. E., Zietz, Isidore, and Grantz, Arthur, 1958, Aeromagnetic study of Copper River Basin, Alaska [abs.]; American Association of Petroleum Geologists Bulletin, v. 42, no. 1, p. 219.

Bergquist, H. R., 1961, Foraminiferal zonation in Matanuska Formation, Squaw Creek-Nelchina River area, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1994-2011.

Grantz, Arthur, White, D. E., Whitehead, H. C., and Tagg, A. R., 1962, Saline springs, Copper River Lowland, Alaska: American Association of Petroleum Geologists Bulletin, v. 46, no. 11, p. 1990-2002.

Armstrong, A. K., 1974, Carboniferous carbonate depositional models, preliminary lithofacies and paleotectonic maps, Arctic Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 4, p. 621-645.

Smiley, C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863.

Smiley, C. J., 1969, Floral zones and correlations of Cretaceous Kukpowruk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093.

Yakutat quadrangle

Bruns, T. R., and Plafker, George, 1976, Structural elements of offshore Gulf of Alaska Tertiary Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.

Carlson, P. R., 1977, Submarine-slump features seaward of Icy Bay and Malaspina Glacier, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 774.

Carlson, P. R., 1978, Holocene slump on continental shelf off Malaspina Glacier, Gulf of Alaska: American Association of Petroleum Geologists Bulletin, v. 62, no. 12, p. 2412-2426.

Carlson, P. R., Molnia, B. F., and Bruns, T. R., 1976, Preliminary study of sea-floor instability in offshore Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 655.

Miller, D. J., 1957, Tertiary sequence on northeast coast of Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 353-354.

Molnia, B. F., and Carlson, P. R., 1978, Surface sedimentary units of northern Gulf of Alaska continental shelf: American Association of Petroleum Geologists Bulletin, v. 62, no. 4, p. 633-643.

Molnia, B. F., Carlson, P. R., and Levy, W. P., 1978, Holocene sediment volume and modern sediment yield, northeast Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 545.

Molnia, B. F., and Fuller, P. T., 1977, Clay mineralogy of eastern Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 815.

Stephen, M. F., Hayes, M. O., Ruby, C. H., and Wilson, S. J., 1976, Littoral processes and geomorphic variability on storm-dominated, glacial shoreline, Malaspina foreland, Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 726-727.