

# UNITED STATES DEPARTMENT OF THE INTERIOR

## GEOLOGICAL SURVEY

### PRELIMINARY GEOMAGNETIC DATA


### COLLEGE OBSERVATORY

### FAIRBANKS, ALASKA

MARCH 1985

OPEN FILE REPORT 85-0300C

ALASKAN GEOLOGY BRANCH  
TECHNICAL DATA FILE



THIS REPORT WAS PREPARED UNDER THE DIRECTION OF JOHN B. TOWNSHEND, CHIEF OF THE COLLEGE OBSERVATORY; WITH THE ASSISTANCE OF THE OBSERVATORY STAFF MEMBERS: J.E. PAPP, E.A. SAUTER, L.Y. TORRENCE, P.A. FRANKLIN AND IN COOPERATION WITH THE GEOPHYSICAL INSTITUTE OF THE UNIVERSITY OF ALASKA. THE COLLEGE OBSERVATORY IS A PART OF THE BRANCH OF GLOBAL SEISMOLOGY AND GEOMAGNETISM OF THE U.S. GEOLOGICAL SURVEY.

Explanation of Data and Reports

Magnetic Activity Report

Outstanding Magnetic Effects

Principal Magnetic Storms

Preliminary Calibration Data and Monthly Mean Absolute Values

Magnetogram Hourly Scalings

Sample Format for Normal and Storm Magnetograms

Normal Magnetograms

Storm Magnetograms (When Normal is too disturbed to read)

# COLLEGE OBSERVATORY PRELIMINARY GEOMAGNETIC DATA

## EXPLANATION OF DATA AND REPORTS

### INTRODUCTION

The preliminary geomagnetic data included here is made available to scientific personnel and organizations as part of a cooperative effort and on a data exchange basis because of the early need by some users. To avoid delay, all of the data is copied from original forms processed at the observatory; therefore it should be regarded as preliminary. Inquiries about this report or about the College Observatory should be addressed to:

Chief, College Observatory  
U.S. Geological Survey  
800 Yukon Drive  
Fairbanks, Alaska 99701

Requests for copies of the magnetograms except for the current month should be addressed to:

World Data Center A  
NOAA D63, 325 Broadway  
Boulder, Colorado 80303

### GEOMAGNETIC DATA

Normal, Storm and Rapid Run magnetograms and appropriate calibration data are processed daily at the observatory and are available for analysis or copying. Also available, are mean hourly scalings, K-Indices, selected magnetic phenomena reports and on a real-time basis are recordings from a 3-component fluxgate magnetometer and F-component proton magnetometer.

#### Magnetic Activity

The K-Index: The K-Index is a logarithmic measurement of the range of the most disturbed component (D or H) of the geomagnetic field for eight intervals beginning 0000-0300, 0300-0600...2100-2400 UT. It is a measure of the difference between the highest and lowest deviation from a smooth curve to be expected for a component on a magnetically quiet day, within a three hour interval.

The Equivalent Daily Amplitude, AK: The K-Index is converted into an equivalent range, ak, which is near the center of the limiting gamma ranges for a given K. The average of the eight values is called equivalent daily amplitude AK. The unit 10γ has been chosen so as not to give the illusion of an accuracy not justified.

The schedule for converting gamma range to K, and K to ak is as follows:

Gamma Range	K - Index	ak
0 < 25	0	0
25 < 50	1	3
50 < 100	2	7
100 < 200	3	15
200 < 350	4	27
350 < 600	5	48
600 < 1000	6	80
1000 < 1650	7	140
1650 < 2500	8	240
2500+	9	400 (10γ)

The Magnetic Daily Character Figure, C: To each Universal day a character is assigned on the basis C=0, if it is quiet; C=1, if it is moderately disturbed; C=2, if it is greatly disturbed. The method used to assign characters at the College Observatory is based on AK as follows:

AK Range	C
0-11	0
11-50	1
50+	2

Routine assignment of C was discontinued at College on January 1, 1976.

### OBSERVATORY LOCATION

The College Observatory, operated by the U.S. Geological Survey, is located at the University of Alaska, Fairbanks, Alaska. It is near the Auroral Zone and the northern limit of the world's greatest earthquake belt, the circum-Pacific Seismic belt. Although the observatory's basic operation is in geomagnetism and seismology, it cooperates with other scientists and organizations in areas where the facility and personnel can be of service.

The observatory is one of three operated by the USGS in Alaska. The others are located at Barrow and Sitka.

The position of the observatory site is:

Geographic latitude.....64° 51.6' N  
Geographic longitude.....147° 50.2' W  
Geomagnetic latitude.....+64.6°  
Geomagnetic longitude.....+256.9°  
Elevation.....200 meters

#### Selected Phenomena & Outstanding Magnetic Effects

Prior to January 1, 1976, the Normal and Rapid Run records were reviewed at the observatory for selected magnetic phenomena and the events identified were forwarded to the IUGG Commission on Magnetic Variations and Disturbances. This was discontinued on January 1, 1976, but a report on Outstanding Magnetic Effects is prepared monthly for this report.

#### Principal Magnetic Storms

Gradual and sudden commencement magnetic disturbances with at least one K-Index of 5 or greater, which are believed to be part of a world-wide disturbance, are classified as principal magnetic storms. The time of the storm beginning and ending; direction and amplitude of sudden commencements; period of maximum activity; and storm range are reported. Monthly reports of these data are forwarded to the World Data Center A in Boulder, Colorado.

#### Magnetogram Hourly Scalings

Magnetogram hourly scalings are averages for successive periods of one hour for the D, H and Z elements. The Value in the column headed "01" is the average for the hour beginning 0000 and ending 0100. Note that the values on the scaling sheets are in tenths of mm with the decimal point omitted. The user of these scalings should keep in mind that the tabular values are hourly means and if he is interested in the detailed morphology of the magnetic field, he should refer directly to the magnetograms.

#### Magnetograms

The normal magnetograms in this report are reproduced at about one-third the size of the originals. Preliminary base-line values and scale values adopted for use with the original magnetograms are included. For days when the magnetic field is too disturbed for the Normal magnetogram to be readable, Storm magnetograms are reproduced.

#### Absolutes, Base-lines and Scale Values

To determine the absolute value of the magnetic field from the hourly means or from point scalings the following equations should be used:

$D = B_D + d \cdot S_D$ ;  $H = B_H + h \cdot S_H$ ;  $Z = B_Z + z \cdot S_Z$   
where D, H and Z are absolute values;  
 $B_D$ ,  $B_H$  and  $B_Z$  are base-line values;  
 $S_D$ ,  $S_H$  and  $S_Z$  are scale values;  
and d, h and z are scalings in millimeters.

**MAGNETIC ACTIVITY**

(Greenwich civil time, counted from midnight to midnight)

MONTH AND YEAR

MARCH 1985

DATE	K-INDICES								SUM	AK	TIME SCALE ON MAGNETOGRAMS  20 mm/hr
	00-03	03-06	06-09	09-12	12-15	15-18	18-21	21-24			
1	2	4	5	4	2	1	0	1	19	15	SUDDEN COMMENCEMENTS d h m
2	1	2	4	6	5	6	4	4	32	37	
3	2	4	4	2	3	2	1	2	20	13	
4	2	1	0	3	3	3	1	2	15	08	
5	2	2	7	6	4	6	6	3	36	55	
6	4	3	6	5	6	4	2	3	33	37	
7	3	1	4	6	5	5	5	4	33	37	
8	3	4	6	6	5	3	2	2	31	35	
9	3	2	1	0	0	0	0	2	08	04	
10	1	1	1	1	1	2	2	3	12	06	
11	2	1	1	2	5	2	0	0	13	09	
12	0	1	0	0	4	3	2	2	12	07	
13	0	0	3	4	1	0	0	0	08	06	
14	0	0	0	4	5	2	1	1	13	11	
15	1	2	6	4	4	1	1	2	21	20	
16	1	1	1	2	6	4	1	1	17	16	
17	1	0	0	1	0	0	1	2	05	02	
18	4	2	1	0	1	0	1	2	11	06	
19	2	1	3	5	4	4	2	1	22	17	
20	0	0	0	2	3	1	0	0	06	03	
21	0	0	0	0	1	1	1	0	03	01	
22	1	1	0	1	3	0	0	0	06	03	
23	2	2	0	0	0	0	0	1	05	02	
24	1	0	0	3	3	0	0	1	08	05	
25	1	0	0	0	2	2	1	1	07	03	
26	2	1	2	5	4	1	1	0	16	12	
27	1	2	3	4	4	2	2	1	19	12	
28	3	4	4	2	2	2	2	2	21	13	
29	1	0	1	1	1	2	2	1	09	04	
30	2	1	0	0	4	1	1	0	09	05	
31	2	1	5	5	2	0	1	0	16	15	

POSSIBLE SOLAR-FLARE  
EFFECTS BASED ON  
INSPECTION OF GRAMS  
ALONE (WITHOUT  
REFERENCE TO DATA  
FROM OTHER SOURCES)

BEGIN

END

d b m

d b m

K SCALE USED:

LOWER LIMIT FOR K = 9.....

CURRENT SCALE VALUE.....

LOWER LIMIT FOR K = 9.....

D

675.7

3.72

2510

H

322.2

7.83

2520

Z

(mm)

(γ/mm)

(to nearest 10γ)

SCALINGS AND COMPUTATIONS HAVE BEEN CHECKED.

APPROVED JOHN B. TOWNSHEND, CHIEF, COLLEGE OBSERVATORY

OBSERVER IN CHARGE

OUTSTANDING MAGNETIC EFFECTS

OBSERVATORY  
COLLEGE, ALASKA

MONTH  
MARCH

YEAR  
1985

DATE	TIME U.T.	NATURE OF PHENOMENON <sup>1</sup>	REMARKS
04	09XX	pi2	With small bays.
09	02XX	pc5	
10	15XX	pc5	
14	10XX	pi2	
18	02XX	pc5	
26	22XX	pg	

IDENTIFIED BY: JEP

VERIFIED BY: JBT

1. NATURE OF PHENOMENON: ssc, ssc\*, si, si\*, b, bp, bs, bps, pc1, pc2 - - - pc5, pg, pi 1, pi 2, sfe.

PRINCIPAL MAGNETIC STORMS  
COLLEGE OBSERVATORY, COLLEGE, ALASKA  
MARCH 1985

WDC-4 FOR SOLAR-TERRRESTRIAL PHYSICS  
ENVIRONMENTAL DATA SERVICE, NOAA  
BOULDER, COLORADO 80502 U.S.A.

Data from Individual Observatories:

Obs. 2 letter IAGA code	Geomag. lat.	Commencement		SC - amplitudes			Max. 3 hr - index K			Ranges			UT End	
		day	hr min (UT)	type	D(')	H(Y)	Z(Y)	day	(3 hr - period)	K	D(')	H(Y)	Z(Y)	day
CO	64°6 N	02	07XX	..	..	..	02	4, 6	6	175	1010	580	03	14
		05	05XX	..	..	..	05	3	7	261	1260	890	09	03

NORMAL MAGNETOGRAPHS					
COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		BASELINE
D	0000 U.T., 3-1-85	2400 U.T., 3-31-85	1.0/mm	3.7 x/mm	27° 16.7 E
H	0000 U.T., 3-1-85	2400 U.T., 3-31-85	7.8 x/mm		12671 x
Z	0000 U.T., 3-1-85	2400 U.T., 3-18-85	7.6 x/mm		55175 x
	0000 U.T., 3-19-85	2400 U.T., 3-31-85	"		55183 x

STORM MAGNETOGRAPHS					
COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		BASELINE
D	0000 U.T., 3-1-85	2400 U.T., 3-31-85	7.9/mm	29.5 x/mm	23° 46.6 E
H	0000 U.T., 3-1-85	1408 U.T., 3-9-85	43.8 x/mm		10778 x
	1409 U.T., 3-9-85	2400 U.T., 3-31-85	"		10706 x
Z	0000 U.T., 3-1-85	2400 U.T., 3-18-85	48.2 x/mm		54097 x
	0000 U.T., 3-19-85	2400 U.T., 3-31-85	"		54114 x

RAPID RUN MAGNETOGRAPHS					
COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		
D					
H					
Z					

MONTHLY MEAN ABSOLUTE VALUES*		
D	H	Z
27° 41.2 E	12904 x	55343 x

\* COMPUTED FROM TEN QUIETEST DAYS DURING MONTH.

DAYS USED: MAR 9, 17, 20, 21, 22, 23, 24, 25, 29, 30

FORM C63-100A

MAGNETOGRAH HOURLY SCALINGS

Values are in units of 1000 and are corrected for excessive periods of one hour by dividing at intervals. Hour of local day (LST) is T.L. to hour 00 of the DATE universal day.

W. L. MONTGOMERY OF WASHINGTON  
 Geological Survey, Analytical Division  
 Belmont, Maryland, U. S. A.

C	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	YEAR	MONTH	DAY	E.L.T. - MAGNET
01	243	243	227	185	200	219	245	261	290	253	200	139	251	252	251	251	269	275	276	287	278	256	224	219	85	24	24	183
02	222	229	221	229	252	235	246	276	283	226	312	37	431	535	431	278	526	399	160	257	179	182	203	210	85	24	24	183
03	227	217	195	204	222	276	271	269	275	245	239	239	242	247	240	244	278	286	268	268	257	206	212	200	85	24	24	183
04	219	221	241	243	221	269	245	249	231	247	244	261	256	285	248	239	274	306	301	294	263	251	172	172	85	24	24	183
05	185	178	208	199	235	302	230	257	384	54	166	209	269	306	357	347	459	399	224	138	215	186	210	258	85	24	24	183
06	210	197	246	216	234	271	248	368	224	137	221	250	262	328	242	265	271	264	266	265	240	202	212	204	85	24	24	183
07	220	242	234	248	241	239	251	240	300	2	313	106	267	296	481	204	382	296	217	207	190	170	210	196	85	24	24	183
08	210	231	232	231	402	224	399	320	296	98	257	288	287	258	230	267	261	244	282	273	262	242	250	237	85	24	24	183
09	236	229	228	239	242	247	249	251	261	240	249	250	253	251	254	247	260	270	281	289	283	279	250	239	85	24	24	183
10	219	218	227	230	240	241	243	239	241	242	248	250	254	269	279	291	309	279	332	337	347	259	168	219	85	24	24	183
11	212	237	228	230	239	239	240	233	230	224	258	238	332	359	342	290	267	305	288	289	282	259	248	139	85	24	24	183
12	221	217	209	217	220	226	228	240	249	250	260	269	279	288	282	276	276	290	287	253	220	146	178	228	85	24	24	183
13	229	228	230	228	236	229	235	218	214	314	279	249	260	260	267	261	274	286	295	291	288	269	239	239	85	24	24	183
14	229	228	230	228	236	229	235	218	214	240	270	271	260	260	267	261	274	286	295	291	288	269	239	239	85	24	24	183
15	211	218	212	229	221	205	174	114	100	275	265	250	302	264	237	243	274	284	284	278	269	241	227	210	85	24	24	183
16	204	210	220	221	228	240	240	257	226	248	230	259	258	304	244	243	275	310	286	279	262	230	206	208	85	24	24	183
17	199	213	223	228	226	234	238	235	239	242	241	259	257	283	287	269	286	305	306	304	275	238	201	179	85	24	24	183
18	188	162	189	216	188	232	234	258	230	239	250	246	260	259	260	276	283	286	286	292	222	179	154	190	85	24	24	183
19	208	218	215	202	226	221	219	221	225	257	254	332	310	294	274	293	320	340	320	289	272	195	205	198	85	24	24	183
20	196	197	209	217	228	237	235	234	231	240	258	260	288	303	288	302	254	299	301	288	275	248	236	221	85	24	24	183
21	211	200	200	218	231	232	231	232	231	239	247	249	274	260	274	271	299	320	324	311	268	250	219	204	85	24	24	183
22	189	190	211	215	226	227	224	220	226	232	238	268	262	267	269	274	283	310	320	304	290	276	208	200	85	24	24	183
23	194	170	189	176	198	222	228	227	228	233	240	260	279	273	270	289	309	310	314	290	265	249	203	179	85	24	24	183
24	176	157	151	189	204	211	220	220	227	232	239	246	266	270	287	286	310	316	316	290	252	209	188	168	85	24	24	183
25	190	194	216	205	200	204	236	238	230	240	247	260	260	291	316	320	352	340	348	270	267	224	201	195	85	24	24	183
26	172	170	165	190	180	190	218	228	218	228	219	267	280	307	280	280	310	326	304	249	226	220	190	172	85	24	24	183
27	168	149	139	148	170	197	174	205	205	258	210	230	292	312	292	291	400	356	344	356	237	253	218	213	85	24	24	183
28	193	169	118	131	177	188	267	163	248	237	243	243	240	251	263	271	283	293	272	203	197	180	213	219	85	24	24	183
29	220	216	212	227	233	231	232	228	237	237	237	243	247	257	253	263	291	298	311	297	242	231	217	213	85	24	24	183
30	170	189	197	210	223	223	212	232	234	243	243	243	263	313	275	287	288	298	271	287	259	239	217	202	85	24	24	183
31	207	201	187	203	228	220	210	179	278	26	223	240	243	267	269	280	294	289	243	243	223	223	221	213	85	24	24	183

( ) Unreported  
 ( ) Significant portion of magnetic storm.  
 ( ) Record off chart for part of all of hours of value to which, correction estimated for missing part.  
 ( ) No record at all values available because of faulty recording.  
 ( ) Derived from STORM. Mag. - corrected to Mean | Night.

Scale Value  
 Base-line Value  
 Preliminary base-line and scale values:  
 Invert) Base-line Value  
 Base-line Value

MAILED BY JEP, LTT, EAT  
 CHECKED BY ERS, JEP  
 LISTING RE-VIEWED BY JEP  
 PENC-489 BY



CD	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	YEAR	MONTH	DATE
01	244	250	252	254	257	259	263	265	268	270	273	275	277	279	282	284	287	289	291	294	297	299	302	305	85	MAR	24
02	287	298	305	310	313	316	319	322	325	328	331	334	337	340	343	346	349	352	355	358	361	364	367	370	85	MAR	25
03	265	269	274	278	282	286	290	294	298	302	306	310	314	318	322	326	330	334	338	342	346	350	354	358	85	MAR	26
04	249	255	257	249	248	249	259	256	253	246	246	249	259	265	268	271	274	277	281	285	289	293	297	301	85	MAR	27
05	239	250	270	265	279	286	287	251	245	245	249	255	259	263	267	271	275	279	283	287	291	295	299	303	85	MAR	28
06	274	276	282	262	268	267	259	248	242	238	238	242	246	250	254	258	262	266	270	274	278	282	286	290	85	MAR	29
07	260	259	251	247	248	244	239	234	229	224	220	216	212	208	204	200	196	192	188	184	180	176	172	168	85	MAR	30
08	268	283	283	308	303	349	349	344	344	348	348	348	348	348	348	348	348	348	348	348	348	348	348	348	85	MAR	31
09	249	244	240	241	239	238	238	240	245	238	235	230	226	222	218	214	210	206	202	198	194	190	186	182	85	MAR	31
10	289	241	240	236	232	231	230	231	231	230	230	230	229	228	227	226	225	224	223	222	221	220	219	218	85	MAR	31
11	240	236	234	231	233	233	232	235	246	244	243	242	241	240	239	238	237	236	235	234	233	232	231	230	85	MAR	31
12	231	232	234	239	238	240	243	248	241	243	246	249	250	250	250	250	250	250	250	250	250	250	250	250	85	MAR	31
13	226	232	237	239	240	240	245	251	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	85	MAR	31
14	230	230	230	230	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	85	MAR	31
15	231	237	236	239	239	241	228	224	224	224	224	224	224	224	224	224	224	224	224	224	224	224	224	224	85	MAR	31
16	229	235	238	238	239	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	85	MAR	31
17	227	233	239	230	224	221	222	229	229	229	221	209	209	209	209	209	209	209	209	209	209	209	209	209	85	MAR	31
18	218	220	229	246	246	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	85	MAR	31
19	225	283	232	239	230	241	235	235	230	234	241	235	226	223	218	218	218	218	218	218	218	218	218	218	85	MAR	31
20	228	234	239	230	231	229	223	230	225	225	225	225	225	225	225	225	225	225	225	225	225	225	225	225	85	MAR	31
21	226	230	231	241	237	229	224	235	235	235	235	235	235	235	235	235	235	235	235	235	235	235	235	235	85	MAR	31
22	221	239	241	238	235	230	230	231	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	85	MAR	31
23	214	216	230	284	251	243	230	240	239	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	85	MAR	31
24	226	230	244	251	243	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	85	MAR	31
25	217	222	220	219	220	219	219	219	219	219	219	219	219	219	219	219	219	219	219	219	219	219	219	219	85	MAR	31
26	220	230	240	249	251	253	252	252	252	252	252	252	252	252	252	252	252	252	252	252	252	252	252	252	85	MAR	31
27	220	226	239	249	249	249	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	85	MAR	31
28	223	226	236	276	270	292	261	270	267	267	267	267	267	267	267	267	267	267	267	267	267	267	267	267	85	MAR	31
29	223	228	221	218	220	219	221	233	227	227	227	227	227	227	227	227	227	227	227	227	227	227	227	227	85	MAR	31
30	241	266	248	229	223	221	227	230	225	223	217	217	217	217	217	217	217	217	217	217	217	217	217	217	85	MAR	31
31	219	221	220	237	237	223	224	223	223	223	223	223	223	223	223	223	223	223	223	223	223	223	223	223	85	MAR	31

SCALED BY: JEP, 4/7, 4/85  
 CHECKED BY: EPS, JEP  
 SCALE RECORDED BY: JEP  
 PURCHASED BY:

Scale Value: \_\_\_\_\_  
 Base-line Value: \_\_\_\_\_  
 Interval Beginning: \_\_\_\_\_

( ) Interpolated ( ) Significant portion of record off sheet; if value is available because of false zero  
 ( ) Spalling occurred because of magnetic storm  
 <> Record off sheet; if value is false, same was estimated for missing part  
 \* Derived from STORM Magnet. converted to Normal Magp.

FORM 2000

MAGNETOGRAM HOURLY SCALINGS

(UNIVERSAL TIME)

Values are in tenths of gauss, and are averages for successive periods of one hour beginning at midnight. Hour 01 of each day (2358 M.T.) is hour 09 of the preceding day.

Small corrections have been applied. Magnetic values are in red, with minor signs shown.

C. I. Q.	01		02		03		04		05		06		07		08		09		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		SUM
	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45				
01	309	295	310	323	484	496	895	444	401	245	219	290	01	300	309	295	302	297	303	295	290	289	287	268	269	774.9																							
02	309	308	311	298	292	318	839	360	450	410	-31	-266	02	367	-75	-184	-30	-244	-165	253	358	261	332	319	316	391.7																							
03	319	309	300	316	416	419	403	336	328	298	297	296	03	177	281	281	276	287	309	299	290	288	288	299	299	743.3																							
04	308	303	316	312	309	301	318	341	348	332	299	299	04	311	277	251	265	318	331	326	310	303	291	280	289	716.3																							
05	308	296	289	344	819	379	419	414	54	-9	335	373	05	263	209	169	113	-82	-204	-202	115	281	321	327	343	495.1																							
06	315	283	305	321	351	342	338	325	181	350	248	176	06	-5	-266	76	290	256	282	320	310	283	262	294	292	597.9																							
07	316	319	306	320	322	342	389	392	109	188	188	178	07	29	88	-109	-40	-72	-82	32	201	258	289	301	319	482.5																							
08	301	310	328	471	290	411	344	359	219	409	177	18	08	1	-64	194	275	220	269	299	290	298	298	290	304	587.4																							
09	309	310	318	310	310	308	301	299	297	301	300	302	09	306	307	302	302	302	303	301	299	297	292	289	289	737.0																							
10	279	292	299	309	311	315	311	315	311	310	318	319	10	320	321	313	308	299	281	310	309	290	292	294	298	722.1																							
11	309	290	289	300	299	307	305	310	221	347	346	307	11	207	165	169	305	317	304	309	300	299	289	288	290	697.2																							
12	292	298	303	306	301	308	310	304	307	302	301	299	12	290	198	142	261	312	299	280	242	242	261	266	301	673.1																							
13	289	290	290	207	309	314	310	324	380	379	374	317	13	305	302	304	301	300	299	294	290	289	289	288	283	744.1																							
14	288	294	300	308	305	310	310	310	311	311	319	194	14	29	185	264	266	319	318	292	291	287	280	279	281	664.5																							
15	284	289	293	311	318	340	455	281	296	273	272	266	15	142	169	263	325	300	290	290	290	291	285	282	282	674.5																							
16	282	282	294	303	310	305	306	302	319	319	312	310	16	301	221	-195	202	317	311	309	295	290	280	298	294	656.7																							
17	290	288	295	306	310	309	310	306	285	306	313	300	17	318	312	311	309	309	305	300	291	283	270	270	280	719.9																							
18	286	293	293	319	317	318	319	310	312	307	307	308	18	298	301	313	309	309	301	295	286	285	284	281	291	720.6																							
19	296	300	310	321	313	313	319	320	327	340	351	335	19	132	196	243	196	230	219	296	291	240	279	283	664.6																								
20	298	301	299	303	303	303	310	311	320	324	331	309	20	210	224	282	272	282	299	310	300	291	289	285	290	704.6																							
21	296	302	308	291	301	306	312	309	309	310	312	312	21	317	319	302	300	308	306	294	281	280	282	280	280	721.2																							
22	290	286	303	311	310	310	307	303	300	301	303	308	22	280	262	320	311	319	310	300	289	280	281	282	282	716.0																							
23	277	300	316	340	300	310	302	298	307	305	309	288	23	300	299	301	297	291	291	287	281	275	279	276	280	708.6																							
24	289	300	300	300	310	306	309	307	302	305	309	288	24	258	310	301	301	303	302	291	291	288	270	281	283	705.3																							
25	270	282	291	300	301	304	307	309	310	311	311	320	25	308	273	266	274	309	311	290	291	288	270	281	280	708.1																							
26	286	303	314	316	317	323	311	320	310	325	329	340	26	147	77	218	289	292	291	280	261	270	277	281	290	692.1																							
27	300	313	319	310	322	344	400	371	406	371	406	371	27	160	222	302	330	260	259	269	302	285	280	298	731.1																								
28	269	303	360	413	454	571	491	556	402	321	392	292	28	295	297	281	300	303	289	269	235	255	269	280	281	807.8																							
29	299	302	307	300	300	302	309	310	310	312	309	312	29	313	309	249	293	278	297	287	271	277	277	280	281	710.7																							
30	280	292	294	297	298	310	318	311	306	302	311	310	30	173	230	318	320	310	308	303	293	288	281	285	287	702.6																							
31	290	292	310	303	300	319	314	368	269	208	267	337	31	230	321	307	308	307	298	279	287	302	300	293	293	730.2																							

(1) Interpreted  
 (2) Significant portion of hour incorporated.  
 (3) Significant portion of hour incorporated. No record or no value available because of faulty record.  
 (4) Derived from STORM Night, corrected to Universal Time.


(5) Scaling uncertain because of magnetic storm.  
 (6) Reached off chart for part or all of hour; if value is given, curve was estimated for missing part.

Scale Value  
 Base-line Value  
 Preliminary base-line and scale values:  
 Interval Beginning

SCALED BY: JEP, LYT, EAS  
 CHECKED BY: JEP, JEP  
 FROM RE-PIECED BY: JEP  
 PUNCHER BY: JEP


MONTHLY SUM: 210.97  
 MONTHLY MEAN: 283  
 DATES WITH GAUGE:

## FORMAT FOR NORMAL & STORM MAGNETOGRAMS (SAMPLE ONLY)




SEE PRELIMINARY CALIBRATION DATA FOR SCALE VALUES & BASELINE VALUES


NORMAL MAGNETOGRAMS




NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS



NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS




NORMAL MAGNETOGRAMS



NORMAL MAGNETOGRAMS



# STORM MAGNETOGRAMS



# STORM MAGNETOGRAMS

