

# UNITED STATES DEPARTMENT OF THE INTERIOR

## GEOLOGICAL SURVEY


### PRELIMINARY GEOMAGNETIC DATA

### COLLEGE OBSERVATORY

### FAIRBANKS, ALASKA

APRIL 1985

OPEN FILE REPORT 85-0300D



THIS REPORT WAS PREPARED UNDER THE DIRECTION OF JOHN B. TOWNSHEND, CHIEF OF THE COLLEGE OBSERVATORY; WITH THE ASSISTANCE OF THE OBSERVATORY STAFF MEMBERS: J.E. PAPP, E.A. SAUTER, L.Y. TORRENCE, P.A. FRANKLIN AND IN COOPERATION WITH THE GEOPHYSICAL INSTITUTE OF THE UNIVERSITY OF ALASKA. THE COLLEGE OBSERVATORY IS A PART OF THE BRANCH OF GLOBAL SEISMOLOGY AND GEOMAGNETISM OF THE U.S. GEOLOGICAL SURVEY.

Explanation of Data and Reports

Magnetic Activity Report

Outstanding Magnetic Effects

Principal Magnetic Storms

Preliminary Calibration Data and Monthly Mean Absolute Values

Magnetogram Hourly Scalings

Sample Format for Normal and Storm Magnetograms

Normal Magnetograms

Storm Magnetograms (When Normal is too disturbed to read)

# COLLEGE OBSERVATORY PRELIMINARY GEOMAGNETIC DATA

## EXPLANATION OF DATA AND REPORTS

### INTRODUCTION

The preliminary geomagnetic data included here is made available to scientific personnel and organizations as part of a cooperative effort and on a data exchange basis because of the early need by some users. To avoid delay, all of the data is copied from original forms processed at the observatory; therefore it should be regarded as preliminary. Inquiries about this report or about the College Observatory should be addressed to:

Chief, College Observatory  
U.S. Geological Survey  
800 Yukon Drive  
Fairbanks, Alaska 99701

Requests for copies of the magnetograms except for the current month should be addressed to:

World Data Center A  
NOAA D63, 325 Broadway  
Boulder, Colorado 80303

### OBSERVATORY LOCATION

The College Observatory, operated by the U.S. Geological Survey, is located at the University of Alaska, Fairbanks, Alaska. It is near the Auroral Zone and the northern limit of the world's greatest earthquake belt, the circum-Pacific Seismic belt. Although the observatory's basic operation is in geomagnetism and seismology, it cooperates with other scientists and organizations in areas where the facility and personnel can be of service.

The observatory is one of three operated by the USGS in Alaska. The others are located at Barrow and Sitka.

The position of the observatory site is:  
Geographic latitude..... $64^{\circ}51.6'N$   
Geographic longitude..... $147^{\circ}50.2'W$   
Geomagnetic latitude..... $+64.6^{\circ}$   
Geomagnetic longitude..... $+236.5^{\circ}$   
Elevation.....200 meters

### GEOMAGNETIC DATA

Normal, Storm and Rapid Run magnetograms and appropriate calibration data are processed daily at the observatory and are available for analysis or copying. Also available, are mean hourly scalings, K-Indices, selected magnetic phenomena reports and on a real-time basis are recordings from a 3-component fluxgate magnetometer and F-component proton magnetometer.

#### Magnetic Activity

The K-Index: The K-Index is a logarithmic measurement of the range of the most disturbed component (D or H) of the geomagnetic field for eight intervals beginning 0000-0300, 0300-0600...2100-2400 UT. It is a measure of the difference between the highest and lowest deviation from a smooth curve to be expected for a component on a magnetically quiet day, within a three hour interval.

The Equivalent Daily Amplitude, AK: The K-Index is converted into an equivalent range, ak, which is near the center of the limiting gamma ranges for a given K. The average of the eight values is called equivalent daily amplitude AK. The unit 10γ has been chosen so as not to give the illusion of an accuracy not justified.

The schedule for converting gamma range to K, and K to ak is as follows:

Gamma Range	K - Index	ak
0 < 25	0	0
25 < 50	1	3
50 < 100	2	7
100 < 200	3	15
200 < 350	4	27
350 < 600	5	48
600 < 1000	6	80
1000 < 1650	7	140
1650 < 2500	8	240
2500+	9	400 (10γ)

The Magnetic Daily Character Figure, C: To each Universal day a character is assigned on the basis C=0, if it is quiet; C=1, if it is moderately disturbed; C=2, if it is greatly disturbed. The method used to assign characters at the College Observatory is based on AK as follows:

AK Range	C
0-11	0
11-50	1
50+	2

Routine assignment of C was discontinued at College on January 1, 1976.

#### Selected Phenomena & Outstanding Magnetic Effects

Prior to January 1, 1976, the Normal and Rapid Run records were reviewed at the observatory for selected magnetic phenomena and the events identified were forwarded to the IUGG Commission on Magnetic Variations and Disturbances. This was discontinued on January 1, 1976, but a report on Outstanding Magnetic Effects is prepared monthly for this report.

#### Principal Magnetic Storms

Gradual and sudden commencement magnetic disturbances with at least one K-Index of 5 or greater, which are believed to be part of a world-wide disturbance, are classified as principal magnetic storms. The time of the storm beginning and ending; direction and amplitude of sudden commencements; period of maximum activity; and storm range are reported. Monthly reports of these data are forwarded to the World Data Center A in Boulder, Colorado.

#### Magnetogram Hourly Scalings

Magnetogram hourly scalings are averages for successive periods of one hour for the D, H and Z elements. The value in the column headed "01" is the average for the hour beginning 0000 and ending 0100. Note that the values on the scaling sheets are in tenths of mm with the decimal point omitted. The user of these scalings should keep in mind that the tabular values are hourly means and if he is interested in the detailed morphology of the magnetic field, he should refer directly to the magnetograms.

#### Magnetograms

The normal magnetograms in this report are reproduced at about one-third the size of the originals. Preliminary base-line values and scale values adopted for use with the original magnetograms are included. For days when the magnetic field is too disturbed for the Normal magnetogram to be readable, Storm magnetograms are reproduced.

#### Absolutes, Base-lines and Scale Values

To determine the absolute value of the magnetic field from the hourly means or from point scalings the following equations should be used:

$$D = B_D + d \cdot S_D; \quad H = B_H + h \cdot S_H; \quad Z = B_Z + z \cdot S_Z$$

where D, H and Z are absolute values;  
 $B_D$ ,  $B_H$  and  $B_Z$  are base-line values;  
 $S_D$ ,  $S_H$  and  $S_Z$  are scale values;  
and d, h and z are scalings in millimeters.

**MAGNETIC ACTIVITY**

(Greenwich civil time, counted from midnight to midnight)

MONTH AND YEAR

APRIL 1985

DATE	K-INDICES								SUM	AK	TIME SCALE ON MAGNETOGRAMS 20 mm/hr
	00-03	03-06	06-09	09-12	12-15	15-18	18-21	21-24			
1	1	2	4	4	6	6	4	2	29	32	SUDDEN COMMENCEMENTS d h m
2	2	3	4	4	3	4	4	2	26	19	
3	3	3	2	5	3	3	4	2	25	19	
4	2	3	5	5	4	5	3	2	29	27	
5	2	2	1	4	3	0	1	1	14	08	
6	0	1	1	3	2	0	2	1	10	05	
7	1	1	5	4	2	1	1	0	15	12	
8	1	0	1	4	3	1	3	4	17	12	
9	3	4	7	7	6	7	2	1	37	69	
10	0	2	3	6	5	4	1	2	23	23	
11	3	3	1	3	3	2	1	1	17	10	
12	1	1	0	1	0	0	1	0	04	02	
13	0	1	0	3	0	1	1	2	08	04	
14	3	4	3	4	4	2	1	0	21	15	
15	1	1	0	2	1	0	0	0	05	02	
16	2	1	1	5	5	1	1	2	18	15	
17	1	0	1	0	0	0	0	0	02	01	
18	1	0	0	1	1	0	0	0	03	01	
19	2	3	5	5	5	5	5	4	34	36	
20	3	5	6	4	3	4	5	4	34	36	
21	5	5	8	5	6	6	6	3	44	80	
22	3	2	5	5	3	3	2	2	25	20	
23	2	2	4	4	3	4	2	2	23	16	
24	3	4	6	5	4	2	2	2	28	27	
25	3	3	4	6	5	2	2	2	27	26	
26	4	5	6	6	2	3	3	3	32	36	
27	4	4	6	6	5	6	3	3	37	47	
28	5	4	7	7	6	4	2	2	37	60	
29	3	5	4	1	3	3	1	0	20	16	
30	1	0	0	4	8	4	4	3	24	42	
31											

POSSIBLE SOLAR-FLARE EFFECTS BASED ON INSPECTION OF GRAMS ALONE (WITHOUT REFERENCE TO DATA FROM OTHER SOURCES)

BEGIN			END		
d	h	m	d	h	m

K SCALE USED:

LOWER LIMIT FOR K = 9.....

CURRENT SCALE VALUE.....

LOWER LIMIT FOR K = 9.....

D	H	Z
675.7	322.2	
3.72	7.83	
2510	2520	

(mm)  
(γ/mm)  
(to nearest 10γ)

SCALINGS AND COMPUTATIONS HAVE BEEN CHECKED.

APPROVED JOHN B. TOWNSEND, CHIEF, COLLEGE OBSERVATORY

OBSERVER IN CHARGE

# OUTSTANDING MAGNETIC EFFECTS

OBSERVATORY  
COLLEGE, ALASKA

MONTH  
APRIL

YEAR  
1985

DATE	TIME U.T.	NATURE OF PHENOMENON <sup>1</sup>	REMARKS
05	22XX	pc4	
06	13XX	pc4	
15	07XX	pi2	
17	09XX	pi2	
30	0923	ssc*	

IDENTIFIED BY: JEP

VERIFIED BY: EAS

1. NATURE OF PHENOMENON: ssc, ssc\*, si, si\*, b, bp, bs, bps, pcl, pc2 - - - pc5, pg, pi 1, pi 2, sfe.

PRINCIPAL MAGNETIC STORMS  
COLLEGE OBSERVATORY, COLLEGE, ALASKA

APRIL 19 85

WDC-A FOR SOLAR-TERRRESTRIAL PHYSICS  
ENVIRONMENTAL DATA SERVICE, NOAA  
BOULDER, COLORADO 80502 U.S.A.

Data from Individual Observatories:

Obs. station	Geomag. lat.	Commencement		SC - amplitudes			Max. 3 hr - index K			Ranges			UT End day hr
		day	hr min (UT)	type	D(')	H(Y)	Z(Y)	day	(3 hr - period)	K	D(')	H(Y)	
C0	64.96 N	08	19xx	..	..	..	09	3, 4, 6	7	272	1750	760	09 21
		19	00xx	..	..	..	21	3	8	320	2380	1590	22 11
		25	19xx	..	..	..	28	3, 4	7	296	2100	1340	29 08
		30	0923	s.c.*	-7	+53	30	5	8	161	1770	510	30 22
						Polar Event							

NORMAL MAGNETOGRAPH

COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		BASELINE
D	0000 U.T., 4-1-85	2400 U.T., 4-30-85	1.0/mm	3.7 x/mm	27° 16.8 E
H	0000 U.T., 4-1-85	2400 U.T., 4-20-85	7.8 x/mm		12668 x
	0000 U.T., 4-21-85	2400 U.T., 4-30-85	"		12673 x
Z	0000 U.T., 4-1-85	2400 U.T., 4-12-85	7.6 x/mm		55181 x
	0000 U.T., 4-13-85	2400 U.T., 4-30-85	"		55176 x

STORM MAGNETOGRAPH

COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		BASELINE
D	0000 U.T., 4-1-85	2400 U.T., 4-30-85	7.9/mm	29.5 x/mm	23° 47.2 E
H	0000 U.T., 4-1-85	2400 U.T., 4-30-85	43.8 x/mm		10700 x
Z	0000 U.T., 4-1-85	2400 U.T., 4-30-85	48.2 x/mm		54110 x

RAPID RUN MAGNETOGRAPH

COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		
D					
H					
Z					

MONTHLY MEAN ABSOLUTE VALUES\*

D	H	Z
27° 40.5 E	12906 x	55340 x

\* COMPUTED FROM TEN QUIETEST DAYS DURING MONTH.

DAYS USED: APR 5, 6, 7, 8, 11, 12, 13, 15, 17, 18





FORM CARS-606

MAGNETIC GRAN NOISELY SCALINGS

Values are in words of one and are percentages for successive periods of one hour beginning at midnight, from 01 of local day 2328 (L.T.) to hour 09 of the 2329. All values are in percent.

C	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																			
01	220	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500

1) Interpolated  
 2) Significant portion of non-magnetic noise  
 3) Significant portion of magnetic noise  
 4) Significant portion of all noise  
 5) Significant portion of all noise  
 6) Significant portion of all noise  
 7) Significant portion of all noise  
 8) Significant portion of all noise  
 9) Significant portion of all noise  
 10) Significant portion of all noise  
 11) Significant portion of all noise  
 12) Significant portion of all noise  
 13) Significant portion of all noise  
 14) Significant portion of all noise  
 15) Significant portion of all noise  
 16) Significant portion of all noise  
 17) Significant portion of all noise  
 18) Significant portion of all noise  
 19) Significant portion of all noise  
 20) Significant portion of all noise  
 21) Significant portion of all noise  
 22) Significant portion of all noise  
 23) Significant portion of all noise  
 24) Significant portion of all noise  
 25) Significant portion of all noise  
 26) Significant portion of all noise  
 27) Significant portion of all noise  
 28) Significant portion of all noise  
 29) Significant portion of all noise  
 30) Significant portion of all noise  
 31) Significant portion of all noise  
 32) Significant portion of all noise  
 33) Significant portion of all noise  
 34) Significant portion of all noise  
 35) Significant portion of all noise  
 36) Significant portion of all noise  
 37) Significant portion of all noise  
 38) Significant portion of all noise  
 39) Significant portion of all noise  
 40) Significant portion of all noise  
 41) Significant portion of all noise  
 42) Significant portion of all noise  
 43) Significant portion of all noise  
 44) Significant portion of all noise  
 45) Significant portion of all noise  
 46) Significant portion of all noise  
 47) Significant portion of all noise  
 48) Significant portion of all noise  
 49) Significant portion of all noise  
 50) Significant portion of all noise  
 51) Significant portion of all noise  
 52) Significant portion of all noise  
 53) Significant portion of all noise  
 54) Significant portion of all noise  
 55) Significant portion of all noise  
 56) Significant portion of all noise  
 57) Significant portion of all noise  
 58) Significant portion of all noise  
 59) Significant portion of all noise  
 60) Significant portion of all noise  
 61) Significant portion of all noise  
 62) Significant portion of all noise  
 63) Significant portion of all noise  
 64) Significant portion of all noise  
 65) Significant portion of all noise  
 66) Significant portion of all noise  
 67) Significant portion of all noise  
 68) Significant portion of all noise  
 69) Significant portion of all noise  
 70) Significant portion of all noise  
 71) Significant portion of all noise  
 72) Significant portion of all noise  
 73) Significant portion of all noise  
 74) Significant portion of all noise  
 75) Significant portion of all noise  
 76) Significant portion of all noise  
 77) Significant portion of all noise  
 78) Significant portion of all noise  
 79) Significant portion of all noise  
 80) Significant portion of all noise  
 81) Significant portion of all noise  
 82) Significant portion of all noise  
 83) Significant portion of all noise  
 84) Significant portion of all noise  
 85) Significant portion of all noise  
 86) Significant portion of all noise  
 87) Significant portion of all noise  
 88) Significant portion of all noise  
 89) Significant portion of all noise  
 90) Significant portion of all noise  
 91) Significant portion of all noise  
 92) Significant portion of all noise  
 93) Significant portion of all noise  
 94) Significant portion of all noise  
 95) Significant portion of all noise  
 96) Significant portion of all noise  
 97) Significant portion of all noise  
 98) Significant portion of all noise  
 99) Significant portion of all noise  
 100) Significant portion of all noise

SCALED BY: LYT  
 CHECKED BY: JEP  
 NAME OF: JEP  
 VIEWED BY: JEP  
 PLOTTED BY:

Form CAS-206a

MAGNETOGRAM HOURLY SCALINGS  
(UNIVERSAL TIME)U.S. DEPARTMENT OF INTERIOR  
Geological Survey, Geologic Division  
Denver Federal Center  
Bldg. 200, Denver, CO 80215

OBSV. YEAR MONTH ELEMENT

COL 85 APR H

Values are in tenths of mm. and are averages for successive periods of one hour beginning at midnight, Hour 01 of local day (135W M.T.) is hour 09 of the same universal day.  
Shrinkage corrections have been applied. Negative values are in red, with minus signs shown.

C	Q	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	SUM			
		01	295	295	311	301	310	317	332	364	371	313	300	266	01	-341*	212	-492*	-116*	208	287	325	322	290	309	309	303	4967	
		02	300	306	295	330	310	326	343	347	262	217	216	273	02	200	222	180	149	245	307	187	261	311	286	289	307	6469	
		03	348	306	313	328	330	320	300	317	320	323	136	268	03	305	291	259	257	279	270	107	160	239	271	287	300	6634	
		04	303	311	316	330	363	357	381	249	330	269	160	-147*	04	235	300	276	170	27	220	243	277	262	298	306	310	6146	
		05	315	303	302	328	328	313	310	311	320	328	252	282	05	244	237	323	320	311	309	301	294	290	289	287	283	7173	
		06	300	299	307	311	307	307	309	308	312	307	296	290	06	261	310	324	323	320	317	298	283	273	275	281	288	7226	
		07	291	300	309	317	318	319	380	400	341	482	380	310	07	313	303	300	301	285	283	285	300	299	287	275	274	7652	
		08	281	289	305	300	310	310	309	318	329	327	303	100	08	260	291	316	300	300	297	280	227	243	259	251	218	6722	
		09	249	309	300	317	378	509	519	547*	93*	65	-125*	24	09	159	121	-527*	-774*	-466*	289*	319	327	331	307	301	302	3874	
		10	298	293	302	310	328	399	386	450	402	171	4	220	10	193	160	-97	71	289	305	310	303	287	285	281	293	6103	
		11	297	339	332	350	386	407	307	311	297	320	293	291	11	251	209	271	308	247	275	299	303	297	290	290	290	7260	
		12	289	290	298	300	306	310	310	320	320	312	312	313	12	316	310	314	303	301	295	296	290	296	288	283	283	7255	
		13	280	285	292	304	311	313	312	319	319	319	281	329	13	323	312	319	320	310	313	310	305	293	289	264	286	7308	
		14	314	297	353	373	400	504	515	533	422	367	293	210	14	121	81	265	316	320	313	315	313	309	295	293	292	7814	
		15	289	293	298	298	304	307	313	315	322	321	319	313	15	271	300	307	304	307	303	305	303	302	298	285	273	7250	
		16	282	290	309	301	313	310	303	328	320	350	316	-2	16	83	229	321	317	312	307	308	297	285	278	274	276	6707	
		17	284	288	293	304	306	303	307	313	313	313	316	324	17	314	309	319	313	311	303	299	294	283	273	270	277	7229	
		18	285	290	295	294	295	299	307	302	307	314	319	303	18	313	310	309	310	313	310	302	296	295	287	283	286	7224	
		19	293	301	319	341	368	413	374	410	337	202	270	221	19	208	57	-12	-185*	-212*	-134*	80	209	219	250	321	404	5054	
		20	453	440	436	593*	571*	649*	487*	270	146*	290	319	268	20	284	247	222	174	74	31	11	7	48	113	262	351	6746	
		21	548*	420*	448	414*	303*	101*	17*	-45*	-1253*	157*	178	282	21	150	-475*	-420*	-447*	-503*	-151*	-74	416	346	323	320	323	1378	
		22	300	327	305	292	300	319	317	308	240	-34	129	333	22	279	275	167	125	231	288	308	284	297	297	283	308	6279	
		23	308	332	300	292	284	303	321	321	309	271	228	212	23	203	260	219	253	123	100	290	291	291	284	283	286	6365	
		24	292	302	330	373	347	448	512	444*	308	244	112	111	24	106	212	241	299	280	282	298	289	278	279	283	285	7016	
		25	290	288	360	388	315	307	325	344	329	319	-20	-317*	25	-28	88	192	279	309	293	272	277	283	290	282	280	5745	
		26	321	313	440	547*	401	595*	630*	545*	287	103	-65	300	26	338	309	307	317	330	299	294	318	277	235	250	294	8005	
		27	312	257	374	544	618	607	517*	221	237	-165*	-221	-322*	27	-221	-126*	-282*	-187*	123	342	334	315	283	300	333	331	4574	
		28	503	494	595*	539*	395	450*	416*	-120*	-232*	-411*	-188*	-534*	28	294	345*	-188*	184	311	311	240	269	308	297	308	310	3618	
		29	315	322	329	651*	557*	567*	347	309	279	312	300	297	29	260	211	199	180	286	289	270	288	289	283	286	279	7705	
		30	277	270	275	280	289	296	303	307	309	360	352	305	30	-43	-512*	-42	250	318	263	319	311	292	282	281	276	5518	
		31													31														

SCALED BY LYT  
CHECKED BY JEP  
FILMS RE-VIEWED BY JEP  
PUNCHED BY

Preliminary base-line and scale values:  
Interval Base-line Value Scale Value

( ) Interpolated

[ ] Significant portion of hour interpolated.

□ No record; or no values available because of faulty record.

\* Derived from STORM Mgh., converted to Normal Mgh.

[ ] Scaling uncertain because of magnetic storm.


<> Record off sheet for part or all of hour; if value is given, curve was estimated for missing part.

MONTHLY SUM 189016

MONTHLY MEAN 263


DATED WITH GAPS:

## FORMAT FOR NORMAL & STORM MAGNETOGRAMS (SAMPLE ONLY)







SEE PRELIMINARY CALIBRATION DATA FOR SCALE VALUES & BASELINE VALUES





NORMAL MAGNETOGRAMS




NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS



NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS










NORMAL MAGNETOGRAMS




NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS




STORM MAGNETOGRAMS



STORM MAGNETOGRAMS



STORM MAGNETOGRAMS



# STORM MAGNETOGRAMS

