

The following symbols appear on at least one of the six map sheets in this guidebook set but may not be present on other map sheets

- 3** Stops

 -  Moraine limit, Naptowne undifferentiated
 -  Moraine limit, Moosehorn stage
 -  Moraine limit, Killey stage
 -  Moraine limit, Skilak stage
 -  Moraine limit, Elmendorf stage
 -  Glacial lake shoreline, Moosehorn stage
 -  Glacial lake shoreline, Killey stage
 -  Glacial lake shoreline, Skilak stage
 -  Meltwater drainage, pre-Naptowne glaciation
 -  Meltwater drainage, Moosehorn stage
 -  Meltwater drainage, Killey stage
 -  Meltwater drainage, Skilak stage
 -  Limit of alluvial fan, Killey stage
 -  Hanging delta, Moosehorn stage
 -  Margin of fluvial terrace, Moosehorn stage
 -  Margin of fluvial terrace, Killey stage
 -  Margin of fluvial terrace, Skilak stage
 -  Margin of fluvial terrace, Elmendorf stage
 -  Landslide complex, post-Naptowne
 -  Ice-shoved rampart complex, post-Naptowne

References Cited

Karlstrom, T.N.V., 1964, Quaternary geology of the Kenai Lowland and glacial history of the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 443, 69 p., 2 pls., 5 sheets, various scales.

Miller, R.D., and Dobrovolsky, Ernest, 1959, Surficial geology of Anchorage and vicinity, Alaska: U.S. Geological Survey Bulletin 1093, 128 p., 1 sheet, scale 1:63,360.

Reger, R.D., and Pinney, D.S., 1996, Late Wisconsin glaciation of the Cook Inlet region with emphasis on Kenai Lowland and implications for early peopling, *in* Davis, N.Y., and Davis, W.E., eds., *Adventures through time: Readings in the anthropology of Cook Inlet, Alaska*: Anchorage, Cook Inlet Historical Society, p.15-35.


———1997, Last major glaciation of Kenai Lowland, in Karl, S.M., Vaughn, N.R., and Ryherd, T.J., eds., 1997 guide to the geology of the Kenai Peninsula, Alaska: Anchorage, Alaska Geological Society, p. 54-67.

Reger, R.D., and Updike, R.G., 1983, Upper Cook Inlet and the Matanuska Valley, in P    , T.L., and Reger, R.D., eds., Guidebook to permafrost and Quaternary geology along the Richardson and Glenn Highways between Fairbanks and Anchorage, Alaska: Alaska Division of Geological & Geophysical Surveys Guidebook 1, p. 185-263, 1 sheet, scale 1:250,000.

Schmoll, H.R., and Yehle, L.A., 1986, Pleistocene glaciation of the upper Cook Inlet basin, in Hamilton, T.D., Reed, K.M., and Thorson, R.M., eds., *Glaciation in Alaska; the geologic record*: Anchorage, Alaska Geological Society, p. 193-218.

Schmoll, H.R., Yehle, L.A., Gardner, C.A., and Odum, J.K., 1984, Guide to surficial geology and glacial stratigraphy in the upper Cook Inlet basin: Anchorage, Alaska Geological Society guidebook, 89 p.

Schmoll, H.R., Yehle, L.A., and Updike, R.G., 1999, Summary of Quaternary geology of the Municipality of Anchorage, Alaska: Quaternary International, v. 60, p. 3-36.



Index map

Affiliations:

¹ Reger's Geologic Consulting
P.O. Box 3326, Soldotna, AK 99669
rdreger@acsalaska.net

² State of Alaska, Division of Geological & Geophysical Surveys
3354 College Road, Fairbanks, AK 99709

³ U.S. Fish and Wildlife Service, Kenai National Wildlife Refuge
P.O. Box 2139, Soldotna, AK 99669

Paleogeographic map of Skilak Lake—Hidden Lake area, northeastern Kenai Peninsula lowland, Alaska

by

Richard D. Reger¹, Alfred G. Sturmann², Edward E. Berg³, and Patricia A. C. Burns²

2007