

Hard-rock geochemical data of core from the FL-001, FL-003, and FL-004 holes of the Fish Lake Property in the Alaska Range of the Mount Hayes Quadrangle.



Received 2 July 2002

Total of 9 pages in report

Alaska Geologic Materials Center Data Report No. 304

ACNC Drill Hole Data

FL-001				Au	Pt	Pd	Cu	Ni	Mg	MgO	Ag	Al	Ba	Be	Bi	Ca	Cd	Co	Cr
FX#	FROM	TO	INT.	ppb	ppb	ppb	ppm	ppm	%	cal %	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
FX536656	51.0	56.0	5.0	4	24	13	171.7	1390	10.65	17.6577	0.66	2.27	28	0.95	0.12	1.45	0.18	124.5	1990
FX536657	56.0	61.0	5.0	18	9.5	8	584	798	9.89	16.39762	0.26	1.81	54	0.4	0.1	5.6	0.2	89.7	2020
FX536658	61.0	68.0	7.0	5	3	2	471	545	10.7	17.7406	0.24	1.93	35	0.65	0.08	7.3	0.06	70.4	2760
FX536601	68.0	70.0	2.0	10	<10.	<4.	440	530	11.55	19.1499	0.5	2.25	50	5	10	7.95	5	70	1280
FX536659	70.0	75.0	5.0	2	4.5	9	83	568	8.38	13.89404	0.46	5.06	162	0.4	0.08	3.7	0.16	65.4	1335
FX536660	75.0	80.0	5.0	7	6.5	4	83	540	12.25	20.3105	0.16	3.63	31	0.15	0.04	4.7	0.02	54.2	1885
FX536661	80.0	85.0	5.0	2	10.5	11	15.6	913	7.1	11.7718	0.08	6.48	63.5	0.35	0.04	5.6	0.02	97.5	722
FX536662	85.0	90.0	5.0	5	9.5	5	93.1	835	13.05	21.6369	0.3	2.68	17.5	0.2	0.04	5.2	0.06	69.8	2400
FX536663	90.0	95.0	5.0	38	8	3	163.9	1090	14.25	23.6265	0.26	1.61	47	0.2	0.05	2.2	0.1	123.2	1915
FX536664	95.0	100.0	5.0	5	3.5	2	164.5	1030	14.8	24.5384	0.22	1.89	122	0.2	0.05	2.1	0.04	133.5	2050
FX536665	100.0	105.0	5.0	5	7.5	3	74.5	1065	13.85	22.9633	0.18	1.65	79	0.2	0.05	2.5	0.02	125	1980
FX536666	105.0	110.0	5.0	2	30.5	14	119.4	1150	15	24.87	0.16	1.52	73	0.25	0.05	2.9	0.02	118.7	1950
FX536667	110.0	115.0	5.0	13	30	14	367	1290	14.95	24.7871	0.28	1.59	69	0.2	0.08	3.6	0.08	136.4	2070
FX536668	115.0	120.0	5.0	9	30.5	13	200.6	1055	15	24.87	0.26	1.59	63	0.15	0.06	2.9	0.04	113.1	2200
FX536669	120.0	125.0	5.0	3	10.5	3	347	1050	14.45	23.9581	0.26	1.66	104	0.2	0.04	3.6	0.06	122.3	1995
FX536670	125.0	129.2	4.2	13	10	3	734	1155	14.05	23.2949	0.3	1.5	79.5	0.15	0.04	4.6	0.08	117.8	1750
FX536671	130.2	135.0	4.8	6	15	6	367	1260	15	24.87	0.2	1.72	623.4	0.2	0.04	3.3	0.04	128.5	2100
FX536672	135.0	139.0	4.0	6	38	17	296	1020	14.9	24.7042	0.2	1.62	105	0.2	0.04	3.3	0.06	135.7	2160
FX536673	139.0	143.0	4.0	7	5.5	2	191.6	715	15	24.87	0.16	1.62	120	0.2	0.03	2.5	0.02	125.8	1835
FX536002	143.0	146.0	3.0	2	<10.	<4.	170	650	18.3	30.3414	0.5	1.95	100	5	10	2.45	5	120	1140
FX536674	146.0	151.0	5.0	260	2.5	2	289	673	15	24.87	0.22	1.89	123	0.25	0.03	2.7	0.04	127	1815
FX536675	151.0	158.0	7.0	5	0.5	1	313	611	15	24.87	0.2	1.81	130.5	0.3	0.02	3.3	0.04	120.8	1865
FX536003	158.0	163.0	5.0	2	<10.	<4.	340	760	16.8	27.8544	0.5	1.85	100	5	10	3.35	5	140	1020
FX536004	163.0	168.0	5.0	4	<10.	<4.	420	720	17.6	29.1808	1	1.85	100	5	10	3.5	5	130	1830
FX536676	168.0	173.0	5.0	4	0.5	1	314	619	13.05	21.6369	0.2	1.65	91.5	0.3	0.03	3.4	0.06	104.6	1970
FX536677	173.0	178.0	5.0	5	0.5	1	255	563	11.1	18.4038	0.22	1.87	44.5	0.35	0.04	5	0.08	96.8	2220
FX536678	178.0	183.0	5.0	10	1	2	385	567	10.4	17.2432	0.22	2.03	33.5	0.25	0.04	5	0.1	96.3	2300
FX536679	183.0	188.0	5.0	6	1	1	300	875	12.3	20.3934	0.18	1.74	200.5	0.3	0.05	2.7	0.08	119.6	1785
FX536680	188.0	193.0	5.0	5	1.5	1	244.7	900	14.55	24.1239	0.16	1.71	143	0.3	0.05	2.5	0.04	106.3	1495
FX536005	193.0	198.0	5.0	2	<10.	<4.	300	1100	16.6	27.5228	0.5	2.1	100	5	10	3.65	5	120	930
FX536681	198.0	203.0	5.0	6	12.5	7	244	987	13.2	21.8856	0.24	1.93	155.5	0.25	0.04	3.3	0.06	107.4	2210
FX536682	203	208.7	5.7	12	1.5	1	292	649	8.38	13.89404	0.44	3.95	573.8	0.5	0.09	3.7	0.12	88.4	1505
FX536683	209.7	215.0	5.3	13	3.5	1	186.5	946	13.85	22.9633	0.2	1.62	147	0.2	0.04	2.7	0.06	106	1700
FX536684	215.0	220.0	5.0	9	3	1	100.1	984	13.85	22.9633	0.16	1.62	148.5	0.25	0.03	2.8	0.02	99.4	1695
FX536685	220.0	224.0	4.0	9	3	1	89.2	1105	13.95	23.1291	0.2	1.69	138	0.2	0.04	3.2	0.02	104.8	1705
FX536686	224.0	228.5	4.5	13	2.5	1	91.7	1120	13.9	23.0462	0.2	1.83	71	0.3	0.02	3.1	0.04	103.3	1775
FX536687	229.5	235.0	5.5	10	5.5	2	122.8	1240	12.3	20.3934	0.26	2.12	90.5	0.4	0.04	3.3	0.12	123.4	2020
FX536688	235.0	240.0	5.0	11	17.5	6	83.6	1415	10.35	17.1603	0.24	2.3	94	0.35	0.05	3.8	0.14	137.4	2210
FX536689	240.0	245.0	5.0	16	40	19	157.9	1450	9.76	16.18208	0.28	2.88	160.5	0.4	0.05	3.3	0.06	114.8	1970
FX536690	245.0	250.0	5.0	100	71	32	306	1830	11.8	19.5644	0.32	2.54	162	0.35	0.04	4.5	0.14	130	2610
FX536691	250.0	255.0	5.0	20	38	22	232.6	1595	11.1	18.4038	0.24	2.1	104	0.35	0.04	3.7	0.12	126.6	2130
FX536692	255.0	260.0	5.0	13	23	10	196.9	1000	10	16.58	0.26	1.94	60	0.35	0.06	3.8	0.1	83.8	2000
FX536693	260.0	265.0	5.0	28	16.5	7	272	1265	10.55	17.4919	0.28	2.16	99	0.35	0.06	3.5	0.08	122.2	1955
FX536694	265.0	270.0	5.0	20	7.5	9	197.6	640	7.42	12.30236	0.34	4.39	892.5	0.45	0.06	2.7	0.06	86.4	1365
FX536695	270.0	275.0	5.0	1	4.5	14	42	125	3.54	5.86932	0.32	7.15	1019	0.55	0.03	4.4	0.02	45	166
FX536696	275.0	280.0	5.0	1	4.5	15	24.2	125.5	3.79	6.28382	0.26	7.54	579	0.45	0.02	5.4	<0.2	41.8	154
FX536697	280.0	285.0	5.0	1	4	13	36	395	4.85	8.0413	0.24	6.43	699.6	0.5	0.03	3.7	0.04	54.3	133
FX536698	285.0	290.0	5.0	17	4	14	81	96.1	3.41	5.65378	0.38	7.37	411.5	0.5	0.03	5.5	<0.2	39.8	148
FX536699	290.0	295.0	5.0	26	25.5	19	603	843	7.19	11.92102	0.52	5.57	417.5	0.45	0.09	4.2	0.18	86.8	1130
FX536700	295.0	300.0	5.0	12	52.5	25	290	1335	10.8	17.9064	0.26	1.96	105	0.4	0.13	3.2	0.08	106.7	1900
FX536701	300.0	305.0	5.0	5	2.5	1	373	1520	12.25	20.3105	0.28	2.25	79	0.3	0.18	1.15	0.12	161.4	2030
FX536702	305.0	309.0	4.0	34	1.5	1	293	816	9.76	16.18208	0.26	2.24	101	0.4	0.04	3.1	0.1	114.1	2110
FX536703	309.0	313.0	4.0	30	1.5	1	608	1065	9.04	14.98832	0.46	2.15	123	0.35	0.05	3.4	0.2	128.8	1975
FX536006	313.0	315.0	2.0	12	<10.	<4.	310	780	15.9	26.3622	0.5	2.4	50	5	10	3.7	5	110	520
FX536704	315.0	320.0	5.0	15.0	18.5	8	559	1350	10.6	17.5748	0.44	2.32	99	0.45	0.07	3.1	0.18	129.9	2010

FL-001				Au	Pt	Pd	Cu	Ni	Mg	MgO	Ag	Al	Ba	Be	Bi	Ca	Cd	Co	Cr
FX#	FROM	TO	INT.	ppb	ppb	ppb	ppm	ppm	%	cal %	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
FX536705	320.0	326.5	6.5	15.0	41.5	20	363	1160	10.35	17.1603	0.4	2.28	109	0.45	0.06	3.4	0.16	115.6	1835
FX536007	326.5	332.5	6.0	14	35	12	240	970	15.35	25.4503	0.5	2.3	50	5	10	3.55	5	120	600
FX536706	332.5	338.5	6.0	9	33	14	130.4	1095	10.75	17.8235	0.28	2.51	107	0.5	0.05	3.4	0.06	123.9	2000
FX536707	338.5	344.5	6.0	33	33.5	10	306	951	10.4	17.2432	0.32	2.26	67	0.5	0.05	3.7	0.16	103.8	1650
FX536708	344.5	350.5	6.0	22	50.5	22	279	960	11.1	18.4038	0.36	2.38	88.5	0.5	0.05	3.4	0.1	106.5	1780
FX536709	351.5	356.5	5.0	13	41	15	374	1015	10.95	18.1551	0.4	2.48	109	0.4	0.06	3.4	0.14	117.2	1755
FX536710	356.5	361.5	5.0	20	42	13	111.4	1040	10.25	16.9945	0.22	2.62	157	0.55	0.05	3.2	0.06	117.6	1920
FX536711	361.5	366.5	5.0	9	62.5	32	171	1060	10.05	16.6629	0.26	2.56	126	0.4	0.07	3.4	0.06	118.2	1810
FX536712	366.5	371.5	5.0	6	42.5	16	140.3	1040	11.05	18.3209	0.24	2.85	145.5	0.55	0.04	3.8	0.04	113.3	1780
FX536713	371.5	376.5	5.0	4	21	8	128.3	910	11.45	18.9841	0.24	2.49	158.5	0.35	0.06	3.3	0.04	110.9	1235
FX536714	376.5	381.5	5.0	9	9	4	356	837	9.09	15.07122	0.48	2.66	94.5	0.45	0.17	4	0.18	120.2	1260
FX536715	381.5	386.5	5.0	1	1	1	321	237	7.09	11.75522	0.48	4.18	810.4	0.5	0.09	6	0.22	54.8	1350
FX536716	386.5	391.5	5.0	5	10.5	3	304	434	9.03	14.97174	0.46	3.57	239.5	0.65	0.1	6	0.16	87.7	879
FX536717	391.5	396.5	5.0	5	33	12	108.4	592	9.77	16.19866	0.22	2.94	59	0.7	0.05	4.6	0.04	95.2	1100
FX536718	396.5	401.5	5.0	22	45.5	20	470	633	9.5	15.751	0.48	3.07	57.5	0.65	0.09	4.4	0.14	94	853
FX536719	401.5	406.5	5.0	7	38.5	16	259	585	10.7	17.7406	0.34	3.34	35	0.55	0.08	5.3	0.1	86.6	706
FX536720	406.5	411.5	5.0	9	26	10	288	518	9.7	16.0826	0.34	3.43	288	0.7	0.05	5.4	0.08	79.8	660
FX536721	411.5	416.5	5.0	7	23.5	8	323	503	9.99	16.56342	0.4	3.42	233.5	0.6	0.06	5.4	0.08	84	1070
FX536722	418.2	423.0	4.8	6	28.5	10	295	574	11.15	18.4867	0.3	3.63	35.5	0.5	0.05	5.7	0.04	81.2	1375
FX536723	423.0	428.0	5.0	2	26	9	146.9	521	10.25	16.9945	0.26	3.21	46.5	0.5	0.05	5.4	0.06	77	1280
FX536724	428.0	432.0	4.0	1	17	7	98.8	593	11.1	18.4038	0.28	3.38	39.5	0.6	0.06	5.5	0.02	73.5	1520
FX536725	432.0	436.2	4.2	2	10	4	216.7	563	10.85	17.9893	0.3	3.49	51.5	0.65	0.05	5.6	0.04	78.3	1480
FX536726	437.2	443.0	5.8	5	5	2	261	700	10.3	17.0774	0.34	3.5	44	0.55	0.07	5.6	0.1	75	1445
FX536727	443.0	448.0	5.0	1	2	1	127.2	766	11.15	18.4867	0.3	3.97	60.5	0.55	0.05	5.5	0.06	83.1	1270
FX536728	448.0	453.0	5.0	2	5.5	2	142.5	751	10.15	16.8287	0.32	3.74	157.5	0.65	0.11	5.4	0.1	78.4	1280
FX536729	453.0	458.0	5.0	1	10.5	3	92	728	10.4	17.2432	0.32	3.67	35	0.75	0.06	5.7	0.06	75.1	1330
FX536730	458.0	463.0	5.0	1	7	3	60.2	335	6.45	10.6941	0.2	2.1	26	0.55	0.06	3.4	0.04	37.9	801
FX536731	463.0	468.0	5.0	2	4	2	136.3	749	10.1	16.7458	0.34	4.11	63	0.85	0.07	4.6	0.08	87.4	1500
FX536732	468.0	473.0	5.0	8	15.5	6	262	672	9.96	16.51368	0.42	3.65	100.5	0.8	0.1	5.4	0.12	75.2	1285
FX536733	473.0	478.0	5.0	6	12	4	250	737	10.25	16.9945	0.42	3.98	73.5	0.85	2.59	5	0.12	83.6	1315
FX536734	478.0	483.0	5.0	1	14	7	157.4	626	9.07	15.03806	0.36	4.45	262.5	0.8	0.09	5.2	0.1	77.4	1195
FX536735	486.0	487.2	1.2	1	1	<1	181.1	137	3.39	5.62062	0.66	7.75	490	1.8	0.12	3.4	0.12	39.6	211
FX536008	522.0	523.0	1.0	10	2.5	1	2500	670	2.4	3.9792	0.5	3.95	50	5	10	8.85	5	230	70

FL-001	Fe	K	Mn	Mo	Na	Pb	Sr	Tl	V	Zn	S	Y	La	Th	U	Zr
FX#	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
FX536656	9.82	0.03	1480	0.65	0.07	9.5	46.2	<.02	129	68	0.01	11.5	5	<.2	0.3	17.5
FX536657	6.92	0.06	1245	0.45	0.25	11	74.2	<.02	154	52	0.03	14.6	5	<.2	0.2	23
FX536658	5.88	0.1	1115	0.35	0.28	30.5	76.6	<.02	178	64	0.03	11.5	4.5	<.2	0.1	25.5
FX5366001	7.15	0.05	1050	5	0.35	0.011	60	0.45	190	100		11.08	4.58	0.61	0.20	34.27
FX536659	4.59	0.22	1115	0.5	1.21											
FX536660	4.59	0.08	840	0.2	0.23	6	29.6	0.02	171	48	0.02	6.9	1.5	0.5	0.1	12
FX536661	8.97	0.29	1115	0.2	0.78	5	311	0.06	216	72	0.02	14.1	16	0.1	0.1	11
FX536662	6.38	0.06	1030	0.2	0.35	4	49.2	<.02	150	52	0.03	7.9	4	0.6	0.1	19
FX536663	8.92	0.05	1255	0.2	0.14	3.5	30.4	0.02	106	50	0.02	5.9	4.5	0.7	0.1	17
FX536664	8.11	0.06	1320	0.3	0.17	5	38.8	0.06	110	46	0.04	7	5	1	0.1	27
FX536665	7.9	0.1	1685	0.3	0.2	2	71.7	0.04	102	46	0.07	6.7	4.5	0.7	0.1	27
FX536666	7.52	0.11	1330	0.3	0.17	2	81.9	0.02	100	38	0.1	7	4.5	0.7	0.2	26.5
FX536667	7.65	0.05	1390	0.25	0.15	3.5	35.8	0.02	102	38	0.05	7.2	4	0.6	0.1	24
FX536668	7.45	0.07	1510	0.2	0.05	3	25.2	0.02	93	38	0.03	6.2	4	0.6	0.1	18.5
FX536669	7.49	0.07	1130	0.25	0.23	2.5	102.5	0.02	102	36	0.04	7.1	4.5	0.8	0.2	36
FX536670	7.46	0.09	1195	0.2	0.21	2	149.5	0.02	90	40	0.09	6.1	4	0.6	0.2	26
FX536671	7.73	0.18	1090	0.3	0.24	21	147.5	0.02	103	40	0.27	6.8	5.5	2	0.3	26
FX536672	7.26	0.16	1185	0.3	0.2	1.5	64.1	0.04	100	36	0.14	7	4	0.8	0.3	27.5
FX536673	7.75	0.21	1175	0.35	0.2	1.5	51	0.04	93	38	0.15	6.9	4	0.8	0.4	28
FX5366002	9.25	0.2	1240	5	0.2	0.009	40	0.35	110	60		6.75	3.36	0.58	0.23	23.91
FX536674	7.64	0.24	1305	0.25	0.14	2.5	40.6	0.06	99	48	0.19	7.6	5	0.9	0.3	24.5
FX536675	7.95	0.23	1200	0.25	0.19	1.5	80.9	0.04	101	42	0.13	8	5	0.7	0.2	28
FX5366003	9.75	0.1	1210	5	0.25	0.01	100	0.4	120	80						
FX5366004	10	0.2	1320	5	0.2	0.009	60	0.35	120	80						
FX536676	7.27	0.14	1165	0.5	0.18	2.5	101.5	0.04	108	38	0.36	8.3	5	0.8	0.2	29.5
FX536677	6.73	0.07	1070	0.55	0.36	2.5	55.3	0.02	129	38	0.34	11	6	0.9	0.4	36.5
FX536678	6.73	0.05	980	0.6	0.34	2.5	55.7	0.02	151	44	0.37	8.6	5.5	1	0.4	35.5
FX536679	8.47	0.24	1300	0.65	0.23	2.5	64.5	0.08	104	54	0.45	5.7	4.5	0.8	0.5	24
FX536680	8.01	0.25	1145	0.35	0.24	2	114	0.08	97	46	0.26	6.6	5	0.8	0.2	27.5
FX5366005	9.35	0.3	1300	5	0.3	0.009	200	0.45	130	60						
FX536681	7.73	0.34	1175	0.6	0.3	3	145.5	0.1	113	44	0.24	8.6	6	1	0.3	32
FX536682	7.18	1.02	1255	0.7	0.81	37.5	362	0.32	162	66	0.27	10.9	10	1.8	1	36
FX536683	7.62	0.25	1150	0.35	0.19	2.5	109.5	0.06	93	38	0.16	5.9	5	0.8	0.1	22
FX536684	7.22	0.27	1140	0.35	0.18	3	124.5	0.08	96	38	0.11	7	5	0.8	0.1	21.5
FX536685	7.58	0.25	1210	0.4	0.12	7.5	113	0.1	95	42	0.11	7.2	5	0.8	0.3	24
FX536686	7.73	0.12	1225	0.5	0.13	6.5	116.5	0.1	102	48	0.12	8.1	5	0.8	0.3	21.5
FX536687	8.74	0.14	1350	0.4	0.16	17.5	136	0.2	116	52	0.12	9.6	6	0.9	0.3	26
FX536688	9.14	0.11	1755	0.4	0.26	9	117.5	0.32	128	54	0.12	10.4	6.5	1	0.2	29.5
FX536689	7.7	0.51	1225	0.6	0.21	5	64.5	0.56	151	52	0.17	11	6.5	0.9	0.2	25.5
FX536690	6.99	0.36	1225	1.2	0.27	3.5	46.2	0.8	131	46	0.29	10.1	5.5	0.9	0.3	24.5
FX536691	8.38	0.22	1550	0.7	0.23	3	64.8	0.6	111	42	0.26	9.3	6	1	0.3	24.5
FX536692	6.33	0.11	865	0.35	0.22	3	54	0.34	105	38	0.14	9	5	0.8	0.1	25.5
FX536693	8.02	0.16	1330	0.4	0.22	4.5	74.5	0.24	112	52	0.16	9.6	6	1	0.3	26.5
FX536694	8.22	1.52	1090	0.45	0.91	11.5	206	0.72	206	70	0.06	17.2	8	1.2	0.4	29.5
FX536695	7.22	1.82	975	0.6	2.27	4	477	0.64	322	60	0.02	23.8	9.5	1	0.3	25.5
FX536696	7.37	1.44	935	0.5	2.36	3	602	0.32	332	50	0.03	20.5	10	1.5	0.4	26.5
FX536697	7.83	2.23	955	0.4	1.37	4	280	0.68	301	66	0.02	18.5	12	0.8	0.4	24
FX536698	6.84	1.17	820	0.5	2.47	2.5	538	0.22	326	44	0.03	20.9	8	0.9	0.3	19.5
FX536699	7.18	1.13	915	0.7	1.4	17.5	338	0.4	267	64	0.3	16.5	7.5	0.9	0.6	26
FX536700	6.65	0.17	1165	1.65	0.15	3.5	89.6	0.08	110	42	0.82	7.2	5	0.9	1	17.5
FX536701	7.44	0.14	910	1.55	0.07	4.5	38	0.06	124	68	0.98	4.7	5.5	1	0.9	15
FX536702	9.5	0.08	1300	3.95	0.18	4	98.5	0.06	133	56	0.31	8.9	6	4	0.6	25.5
FX536703	9.64	0.16	1565	1.55	0.27	5.5	59.2	0.12	127	60	0.56	10.7	6	3	0.9	23
FX536006	9.3	0.05	1410	5	0.3	0.009	40	0.45	130	80		8.52	4.23	0.87	0.26	22.08
FX536704	8.94	0.11	10.6	1.5	0.22	340	66.6	0.16	133	56	0.62	10.1	8	1.4	0.9	24.5

FL-001	Fe	K	Mn	Mo	Na	Pb	Sr	Tl	V	Zn	S	Y	La	Th	U	Zr
FX#	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
FX536705	8.55	0.12	10.35	1.05	0.24	390	101	0.14	128	52	0.41	9.8	8.5	1.4	0.4	26
FX536007	9.2	0.05	1310	5	0.3	0.009	100	0.5	130	80		7.96	5.48	0.93	0.28	24.48
FX536706	9.15	0.13	1290	0.8	0.28	4	86.4	0.12	151	48	0.28	11	9	1.3	0.5	30.5
FX536707	8	0.08	1265	1.05	0.27	3.5	55	0.12	126	46	0.48	10	7.5	1.1	0.8	25.5
FX536708	8.26	0.11	1210	0.7	0.29	3.5	74.2	0.12	141	46	0.31	10.7	9	1.2	0.4	28.5
FX536709	8.58	0.14	1340	0.85	0.28	4.5	61.9	0.14	146	46	0.39	12.1	9.5	1.5	0.4	28.5
FX536710	8.8	0.25	1265	0.75	0.32	2.5	68.6	0.14	150	42	0.25	11.6	10	2.9	0.4	33
FX536711	7.71	0.17	1125	0.9	0.35	2.5	67.2	0.14	148	38	0.29	12.3	10	1.9	0.5	35
FX536712	7.97	0.25	1195	0.8	0.35	3	68.1	0.16	155	40	0.34	11.7	10	1.6	0.4	34
FX536713	9.06	0.3	1310	0.55	0.28	3.5	62.3	0.18	124	48	0.35	9.7	8	1.3	0.4	27
FX536714	6.63	0.16	1080	3.55	0.28	67	56.5	0.18	155	60	0.71	11.4	9	1.6	2.8	33.5
FX536715	5.33	0.9	1050	0.95	1.17	24	327	0.24	221	60	0.08	15.9	11.5	1.9	1.2	26
FX536716	6.48	0.45	1225	2.95	0.93	26.5	189	0.16	207	56	0.5	16.1	12	1.8	1.2	30.5
FX536717	6.88	0.09	1015	0.75	0.57	2.5	77.1	0.06	145	32	0.31	11.6	10	1.5	0.4	43
FX536718	8.73	0.09	1285	1.3	0.47	2.5	88.2	0.14	160	38	0.3	14.5	11.5	1.7	0.9	39
FX536719	6.6	0.07	925	0.35	0.55	2	95.7	0.04	180	34	0.21	13.1	10	1.4	0.4	37.5
FX536720	6.45	0.26	1045	0.95	0.65	1.5	188	0.06	188	38	0.22	13.2	11	1.6	0.4	37
FX536721	7.09	0.51	1130	1.4	0.57	1.5	104.5	0.12	195	46	0.32	14.1	11.5	8.8	0.6	45
FX536722	6.5	0.09	945	0.5	0.61	0.5	94.3	0.02	194	38	0.31	12.2	9.5	1.7	0.4	44
FX536723	6.2	0.09	980	0.8	0.61	1.5	105.5	0.02	177	36	0.32	13.1	9	1.5	0.4	46.5
FX536724	5.98	0.07	990	0.9	0.6	0.5	101	0.04	185	32	0.22	13.2	9.5	1.6	0.4	41
FX536725	6.63	0.1	1045	0.6	0.69	1	117	0.06	190	40	0.35	14.2	11	1.6	0.4	48.5
FX536726	5.38	0.09	950	1.35	0.58	1.5	95.4	0.06	188	48	0.29	14.4	11.5	1.9	0.5	46
FX536727	6.46	0.13	1070	0.65	0.57	2.5	101.5	0.06	199	42	0.18	15.3	12.5	2.1	0.5	45.5
FX536728	6	0.54	1080	0.7	0.52	2	89.5	0.2	203	54	0.27	14.5	13	1.9	0.6	40.5
FX536729	6.07	0.12	1110	0.8	0.5	1.5	77	0.08	195	52	0.32	14.2	13.5	1.9	0.7	43.5
FX536730	3.43	0.06	635	0.95	0.29	0.5	46.2	0.02	119	34	0.11	8.3	6	1.2	0.3	27.5
FX536731	6.58	0.16	1120	0.75	0.45	2	82.5	0.1	210	58	0.29	15.8	13.5	1.8	0.8	41.5
FX536732	5.89	0.44	980	1.35	0.5	2	68.6	0.14	184	60	0.48	14.5	13	2.4	0.9	44
FX536733	6.71	0.26	1130	2.95	0.42	2	66.8	0.08	204	68	0.36	15.6	14	2.4	1.1	43
FX536734	6.75	0.66	1260	4.25	0.61	2	102.5	0.16	209	80	0.26	16.3	15	2.2	0.8	34
FX536735	4.4	0.88	775	1.9	3.18	8.5	500	0.14	315	64	0.64	26.1	30	5.7	2.8	40.5
FX536008	18.45	0.1	2670	5	0.25	0.01	370	0.15	70	200						

MINERALIZED/SAMPLING INTERVALS																		
BOREHOLE #	(FL-003)		INTERVAL	REMARKS	Au	Pt	Pd	Ni	Cu	Co	Cr	Fe	MgO	S	CR2O3	FE2O3	Fe2O3t	Mg
FX#	FROM (feet)	TO (feet)			ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	calc %	%				
FX536736	30.0	35.0	5.0	Fill-in Samples	1	13.5	16	155	166	32	689	2.9	9.9	<.01				5.96
FX536737	35.0	40.0	5.0	Fill-in Samples	5	42	52	336	340	61	1115	3.5	11.6	0.21				7
FX536738	40.0	45.0	5.0	Fill-in Samples	9	65.5	81	321	397	56	1365	3.5	12.1	0.18				7.27
FX536739	45.0	50.0	5.0	Fill-in Samples	8	34	51	341	287	52	1000	3.5	10.1	0.08				6.11
FX536740	50.0	55.0	5.0	Fill-in Samples	7	36	50	356	285	55	1070	3.6	10.2	0.09				6.18
FX536066	55.0	60.0	5.0		20	30	46	463	284	58	1298		15.1		0.16	7.23	6.99	
FX536067	60.0	65.0	5.0		4	10	18	250	200	40	600	3.6	12.7					7.65
FX536068	65.0	70.0	5.0		8	20	30	300	270	50	640	4.1	14.3					8.65
FX536069	70.0	76.0	6.0		8	60	90	430	410	60	500	4.4	13.9					8.4
FX536070	76.0	81.0	5.0		24	115	198	2184	1794	106	2501		15.3		0.32	8.84	8.74	
FX536741	81.0	86.0	5.0	Fill-in Samples	7	36.5	50	343	292	55	1040	3.4	9.8	0.08				5.94
FX536742	86.0	91.0	5.0	Fill-in Samples	11	37.5	65	371	247	60	874	3.8	11.4	0.52				6.87
FX536743	91.0	95.0	4.0	Fill-in Samples	11	42	65	379	256	58	1070	3.8	11.2	0.53				6.75
FX536744	95.0	99.0	4.0	Fill-in Samples	13	50	76	956	728	97	2570	5.2	14.9	1.23				8.97
FX536071	99.0	104.0	5.0		8	30	48	837	453	86	3410		19.2		0.51	8.01	7.70	
FX536072	104.0	109.0	5.0		4	30	38	670	430	110	3140	6.6	22.9					13.8
FX536745	109.0	114.0	5.0	Fill-in Samples	12	50.5	79	676	511	85	2320	4.6	14.6	0.98				8.8
FX536746	114.0	119.0	5.0	Fill-in Samples	9	33	53	701	492	107	1970	5.9	19.8	0.94				11.95
FX536747	119.0	124.0	5.0	Fill-in Samples	11	40.5	61	897	600	108	2360	6.0	19.1	1.05				11.55
FX536748	124.0	128.0	4.0	Fill-in Samples	22	65	110	1275	928	99	2950	4.6	13.2	1.24				7.99
FX536749	128.0	132.0	4.0	Fill-in Samples	20	68.5	110	1425	1060	108	3510	5.1	14.6	1.38				8.8
FX536073	132.0	137.0	5.0		16	80	92	1480	940	130	4150	7.4	24.5					14.75
FX536074	137.0	143.0	6.0		1	30	58	1700	850	150	1560	9.6	33.3					20.1
FX536075	143.0	149.0	6.0		1	45	80	2226	695	173	2174		33.8		0.61	13.98	13.07	33.76
FX536750	149.0	154.0	5.0	Fill-in Samples	22	87.5	145	1500	1015	103	3470	4.9	14.0	1.42				8.44
FX536751	154.0	158.0	4.0	Fill-in Samples	27	82.5	135	1485	979	99	3330	4.8	13.6	1.4				8.2
	124.0	158.0	34.0															
FX536752	158.0	162.0	4.0	Fill-in Samples	2	19	37	1345	475	131	585	6.4	24.9	0.52				15.01
FX536753	162.0	166.0	4.0	Fill-in Samples	3	34	69	1765	510	148	789	7.8	24.9	0.84				15.01
FX536076	166.0	170.0	4.0		1	20	46	1370	427	115	1267		32.1		0.4	11.45	10.77	
FX536754	170.0	175.0	5.0	Fill-in Samples	3	35.5	66	2080	537	163	610	8.0	24.9	0.69				15.01
FX536755	175.0	180.0	5.0	Fill-in Samples	3	38.5	73	2000	517	155	535	7.8	24.9	0.69				15.01
FX536756	180.0	185.0	5.0	Fill-in Samples	2	19.5	34	1290	327	129	1295	7.1	24.9	0.62				15.01
FX536757	185.0	190.0	5.0	Fill-in Samples	1	14.5	28	1315	325	131	1300	7.3	24.9	0.64				15.01
FX536758	190.0	195.0	5.0	Fill-in Samples	2	19.5	35	1315	322	127	678	6.7	24.9	0.48				15.01
FX536077	195.0	197.5	2.5		1	15	12	613	82	61	1482		19.8		0.23	8.93	8.75	
FX536078	197.5	202.0	4.5		1	25	46	1867	325	157	1461		35.0		0.43	12.18	11.83	
FX536079	202.0	207.0	5.0		2	50	84	2260	500	170	1420	9.5	21.3					
FX536759	207.0	212.0	5.0	Fill-in Samples	3	48.5	83	2010	577	154	640	7.9	24.9	0.72				15.01
FX536760	212.0	217.0	5.0	Fill-in Samples	3	48.5	88	1915	546	148	614	7.6	24.9	0.71				15.01
FX536761	217.0	222.0	5.0	Fill-in Samples	3	47.5	86	2050	598	157	646	8.1	24.9	0.73				15.01
FX536762	222.0	227.0	5.0	Fill-in Samples	2	39.5	79	1985	414	154	616	7.7	24.9	0.71				15.01
FX536763	227.0	232.0	5.0	Fill-in Samples	2	35.5	75	1920	381	149	583	7.5	24.9	0.69				15.01
FX536080	232.0	237.0	5.0		1	55	108	2246	514	171	1666		35.1		0.46	13.31	12.95	
FX536764	237.0	242.0	5.0	Fill-in Samples	2	44.5	90	570	125	39	204	2.1	7.9	0.21				4.79
FX536765	242.0	247.0	5.0	Fill-in Samples	3	49.5	105	1975	505	148	685	7.3	24.9	0.77				15.01
FX536766	247.0	252.0	5.0	Fill-in Samples	2	45.5	95	2070	533	161	695	7.5	24.9	0.78				15.01
FX536767	252.0	257.0	5.0	Fill-in Samples	2	47.5	89	1575	361	129	636	6.2	24.9	0.52				15.01
FX536768	257.0	262.0	5.0	Fill-in Samples	2	42.5	82	1690	385	141	583	6.8	24.9	0.56				15.01
FX536769	262.0	268.0	6.0	Fill-in Samples	2	37	74	2000	439	155	703	7.9	24.9	0.72				15.01
FX536081	268.0	273.0	5.0		1	40	88	2152	327	152	1220		35.2		0.59	13.26	12.24	
FX536770	273.0	278.0	5.0	Fill-in Samples	2	45	91	1965	451	157	704	8.0	24.9	0.71				15.01
FX536771	278.0	283.0	5.0	Fill-in Samples	2	44.5	87	1900	423	149	732	7.6	24.9	0.69				15.01
FX536772	283.0	288.0	5.0	Fill-in Samples	2	33	71	1500	340	120	614	6.8	24.9	0.5				15.01
FX536773	288.0	293.0	5.0	Fill-in Samples	1	32.5	60	1555	352	124	688	6.7	24.9	0.5				15.01
FX536774	293.0	297.0	4.0	Fill-in Samples	2	33	61	1680	383	137	657	7.4	24.9	0.59				15.01
FX536083	297.0	300.0	3.0		1	45	94	2233	220	156	1840		36.1		0.61	13.59	13.09	
FX536775	300.0	305.0	5.0	Fill-in Samples	2	36.5	71	1595	365	130	580	7.0	24.9	0.56				15.01
FX536776	305.0	310.0	5.0	Fill-in Samples	1	35.5	77	1850	288	145	738	8.3	24.9	0.55				15.01
FX536777	310.0	315.0	5.0	Fill-in Samples	2	39	92	1820	280	142	757	7.8	24.9	0.53				15.01
FX536778	315.0	320.0	5.0	Fill-in Samples	2	41	91	1745	251	133	597	7.3	24.9	0.41				15.01
FX536779	320.0	325.0	5.0	Fill-in Samples	1	37.5	83	1855	257	141	541	7.4	24.9	0.41				15.01
FX536780	325.0	330.0	5.0	Fill-in Samples	2	44.5	96	1910	292	140	609	7.6	24.9	0.54				15.01
FX536781	330.0	335.0	5.0	Fill-in Samples	6	41	96	1940	335	143	693	7.7	24.9	0.28				15.01
FX536782	335.0	339.0	4.0	Fill-in Samples	15	53	110	1955	649	137	624	7.5	24.9	0.3				15.01
FX536783	339.0	343.0	4.0	Fill-in Samples	11	37	87	1920	689	144	562	8.4	24.9	0.36				15.01
FX536784	343.0	347.0	4.0	Fill-in Samples	10	35	84	1870	614	139	685	8.1	24.9	0.33				15.01
FX536084	347.0	350.0	3.0		14	55	128	2397	938	146	1477		35.5		0.75	14.26	13.17	
FX536785	350.0	355.0	5.0	Fill-in Samples	18	56.5	115	2050	895	133	612	7.8	24.9	0.32				15.01
FX536786	355.0	360.0	5.0	Fill-in Samples	5	49	94	2150	461	148	491	8.8	24.9	0.33				15.01

MINERALIZED/SAMPLING INTERVALS					Au	Pt	Pd	Ni	Cu	Co	Cr	Fe	MgO	S		CR2O3	FE2O3	Fe2O3t	Mg
BOREHOLE #	FROM (feet)	TO (feet)	INTERVAL	REMARKS	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	calc %	%		%	%	%	%
FX536787	360.0	365.0	5.0	Fill-in Samples	15	58	105	2330	950	144	617	8.4	24.9	0.45					15.01
FX536788	365.0	370.0	5.0	Fill-in Samples	7	55.5	100	2100	526	138	674	7.9	24.9	0.4					15.01
FX536789	370.0	374.0	4.0	Fill-in Samples	19	50.5	93	2300	1015	138	705	7.9	24.9	0.4					15.01
FX536790	374.0	378.0	4.0	Fill-in Samples	19	52.5	98	2420	1125	142	708	7.8	24.9	0.41					15.01
FX536791	378.0	382.0	4.0	Fill-in Samples	21	60.5	110	2250	1115	138	647	8.1	24.9	0.41					15.01
FX536085	382.0	386.0	4.0		24	60	132	2700	1390	150	1500	9.4	20.9						
FX536792	386.0	390.0	4.0	Fill-in Samples	12	56.5	105	2240	808	140	1010	8.0	24.9	0.44					15.01
FX536794	390.0	395.0	5.0	Fill-in Samples	14	60.5	110	2180	860	137	920	8.0	24.9	0.43					15.01
FX536795	395.0	400.0	5.0	Fill-in Samples	19	58.5	115	2240	977	136	646	7.7	24.9	0.41					15.01
FX536086	400.0	405.0	5.0		16	65	132	2636	918	154	1327		36.2			0.97	14.62	13.35	
FX536796	405.0	410.0	5.0	Fill-in Samples	19	49.5	110	2240	997	133	627	7.6	24.9	0.41					15.01
FX536797	410.0	415.0	5.0	Fill-in Samples	11	43.5	88	2050	668	136	644	7.7	24.9	0.37					15.01
FX536798	415.0	420.0	5.0	Fill-in Samples	12	36	83	1975	630	133	702	7.6	24.9	0.35					15.01
FX536799	420.0	425.0	5.0	Fill-in Samples	9	49	115	2260	430	144	616	8.4	24.9	0.29					15.01
FX536800	425.0	430.0	5.0	Fill-in Samples	10	51	115	2220	423	140	591	8.3	24.9	0.28					15.01
FX536801	430.0	435.0	5.0	Fill-in Samples	10	45.5	105	2240	678	145	567	8.5	24.9	0.33					15.01
FX536802	435.0	440.0	5.0	Fill-in Samples	12	48.5	120	2240	634	142	551	8.5	24.9	0.32					15.01
FX536803	440.0	445.0	5.0	Fill-in Samples	19	67	150	2700	684	152	509	8.6	24.9	0.42					15.01
FX536804	445.0	450.0	5.0	Fill-in Samples	19	77	175	2370	656	143	515	8.0	24.9	0.32					15.01
FX536805	450.0	455.0	5.0	Fill-in Samples	6	40.5	95	1730	232	142	404	8.1	24.9	0.2					15.01
FX536806	455.0	460.0	5.0	Fill-in Samples	1	36	83	1655	114	140	579	7.6	24.9	0.15					15.01
FX536807	460.0	465.0	5.0	Fill-in Samples	7	46	115	1810	272	142	456	7.9	24.9	0.26					15.01
FX536808	465.0	470.0	5.0	Fill-in Samples	2	53.5	140	2190	337	151	496	8.4	24.9	0.42					15.01
FX536809	470.0	475.0	5.0	Fill-in Samples	3	56.5	125	2290	387	157	536	8.7	24.9	0.46					15.01
FX536810	475.0	480.0	5.0	Fill-in Samples	3	41.5	88	1495	187	126	445	8.3	24.9	0.22					15.01
FX536811	480.0	485.0	5.0	Fill-in Samples	4	41.5	110	1675	278	130	751	7.6	24.9	0.19					15.01
FX536812	485.0	490.0	5.0	Fill-in Samples	3	25.5	70	1620	235	143	607	7.9	24.9	0.25					15.01
FX536813	490.0	495.0	5.0	Fill-in Samples	4	32.5	90	1655	211	142	539	7.8	24.9	0.23					15.01
FX536087	495.0	499.0	4.0		2	40	80	1690	220	140	1210	9.4	22.1						
FX536814	499.0	505.0	6.0	Fill-in Samples	2	38	97	1915	236	152	622	8.2	24.9	0.29					15.01
FX536815	505.0	510.0	5.0	Fill-in Samples	17	59	165	2490	888	163	629	8.6	24.9	0.52					15.01
FX536816	510.0	516.0	6.0	Fill-in Samples	11	50.5	125	2030	555	151	498	8.2	24.9	0.42					15.01
FX536817	516.0	522.0	6.0	Fill-in Samples	12	40.5	110	1800	477	142	511	8.0	24.9	0.4					15.01
FX536088	522.0	525.0	3.0		1	40	84	1780	310	150	790	9.5	22.3						
FX536818	525.0	530	5.0	Fill-in Samples	14	40	120	1710	770	137	687	7.6	24.9	0.43					15.01
FX536819	530.0	535	5.0	Fill-in Samples	13	43.5	115	2400	916	194	1065	10.7	24.9	0.79					15.01
FX536820	535.0	540	5.0	Fill-in Samples	6	53	150	1945	512	142	1020	8.3	24.9	0.45					15.01
FX536821	540.0	545	5.0	Fill-in Samples	1	56	150	1545	190	130	752	7.2	24.9	0.27					15.01
FX536822	545.0	550	5.0	Fill-in Samples	2	43.5	110	1590	380	125	822	8.0	24.9	0.42					15.01
FX536823	550.0	556	6.0	Fill-in Samples	3	49.5	135	1825	310	142	941	7.6	24.9	0.53					15.01
FX536824	556.0	562	6.0	Fill-in Samples	2	55	135	2050	409	160	690	8.5	24.9	0.58					15.01
FX536089	562.0	565	3.0		10	60	142	2188	422	178	1284		37.2			0.58	14.23	13.68	
FX536825	565.0	570	5.0	Fill-in Samples	1	27.5	48	1190	153	121	705	8.1	24.9	0.36					15.01
FX536826	570.0	575	5.0	Fill-in Samples	17	57.5	110	1990	1010	168	304	8.1	24.9	0.68					15.01
FX536827	575.0	580	5.0	Fill-in Samples	18	61.5	120	2230	1020	175	378	8.5	24.9	0.69					15.01
FX536828	580.0	585	5.0	Fill-in Samples	25	58	115	2150	1680	159	302	8.2	24.9	0.85					15.01
FX536829	585.0	591	6.0	Fill-in Samples	22	57	120	2420	1320	160	467	8.5	24.9	0.8					15.01
FX536830	591.0	597	6.0	Fill-in Samples	1	54.5	105	1530	237	126	623	7.7	24.9	0.43					15.01
FX536090	597.0	603	6.0		16	65	152	2943	1389	204	1187		37.4			0.52	14.79	14.20	
FX536091	603.0	608	5.0		20	65	126	2410	1510	170	470	9.8	22.1						
FX536831	608.0	613	5.0	Fill-in Samples	18	54.5	135	1550	954	129	375	6.4	23.1	0.56					13.95
FX536832	613.0	618	5.0	Fill-in Samples	22	69	165	2290	1540	177	447	8.6	24.9	0.9					15.01
FX536833	618.0	623	5.0	Fill-in Samples	19	68.5	140	2180	1440	168	407	8.7	24.9	0.91					15.01
FX536834	623.0	628	5.0	Fill-in Samples	20	63	150	2460	1665	181	510	9.6	24.9	1.04					15.01
FX536835	628.0	633	5.0	Fill-in Samples	18	70.5	140	2260	1370	178	472	9.0	24.9	0.95					15.01
FX536836	633.0	638	5.0	Fill-in Samples	17	35	74	1685	1075	156	445	8.2	24.9	0.81					15.01
FX536837	638.0	643	5.0	Fill-in Samples	12	34.5	76	1515	1070	139	460	7.5	24.9	0.5					15.01
FX536838	643.0	649	6.0	Fill-in Samples	13	40	87	1615	1155	159	576	8.4	24.9	0.86					15.01
FX536092	649.0	654.0	5.0		18	45	92	1580	1310	150	600	9.8	36.5						22
FX536093	654.0	659.0	5.0		20	60	116	1870	1280	180	1620	9.9	36.0						21.7
FX536094	659.0	664.0	5.0		16	70	128	1980	1500	170	1170	10.0	36.0						21.7
FX536095	664.0	669.0	5.0		20	65	148	2300	1557	167	1398		35.9			0.41	15.06	14.49	
FX536096	669.0	674.0	5.0		28	60	152	2120	1640	170	1330	10.5	36.0						21.7
FX536097	674.0	679.0	5.0		20	70	144	2140	1910	170	1120	10.6	35.8						21.6
FX536098	679.0	684.0	5.0		28	70	156	2190	1670	170	1450	10.7	36.3						21.9
FX536099	684.0	689.0	5.0		20	70	148	2160	1520	160	1000	10.6	36.5						22
FX536100	689.0	694.0	5.0		28	90	188	2360	1520	180	590	10.7	35.8						21.6
FX536101	694.0	699.0	5.0		26	60	152	2254	1417	174	1511		36.5			0.45	14.9	14.35	

MINERALIZED/SAMPLING INTERVALS				Au	Pt	Pd	Ni	Cu	Co	Cr	Fe	MgO	S	CR2O3	FE2O3	Fe2O3t	Mg
BOREHOLE #	BH83598	(FL-003)		ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	calc %	%	%	%	%	%
FX#	FROM (feet)	TO (feet)	INTERVAL	REMARKS													
FX536102	699.0	704.0	5.0		16	60	140	2090	1570	170	1210	11.0	37.6				22.7
FX536103	704.0	708.0	4.0		8	70	148	1950	1340	190	1010	11.1	37.8				22.8
FX536253	708.0	713.0	5.0		24	70	146	2150	940	220	1220	10.4	36.3				21.9
FX536254	713.0	718.0	5.0		12	80	182	1800	540	200	2150	10.5	39.1				23.6
FX536255	718.0	723.0	5.0		12	80	132	2420	1130	250	1150	11.7	38.5	1.75			23.2
FX536256	723.0	728.0	5.0		8	85	238	2800	800	230	820	10.9	38.0				22.9
FX536257	728.0	733.0	5.0		8	100	168	1860	560	190	1160	10.9	40.3				24.3
FX536258	733.0	738.0	5.0		8	60	100	1410	300	170	1160	10.6	40.5				24.4
FX536259	738.0	742.0	4.0		8	50	96	1420	370	170	740	10.4	39.3				23.7
FX536260	742.0	745.0	3.0		8	50	74	1380	310	160	1730	10.5	41.0	0.57			24.7
FX536104	745.0	748.0	3.0		2	70	178	2481	981	230	1608		37.1		0.46	16.83	15.89
FX536261	748.0	753.0	5.0		8	75	170	2450	1370	270	1180	10.9	34.7				20.9
FX536262	753.0	758.0	5.0		10	85	156	2120	1840	260	950	12.3	39.3				23.7
FX536263	758.0	763.0	5.0		10	105	164	2120	1800	290	990	12.1	39.0				23.5
FX536264	763.0	768.0	5.0		14	80	162	2090	1870	260	1350	12.1	39.6				23.9
FX536265	768.0	773.0	5.0		12	80	180	2440	2040	280	1290	12.3	39.3	1.93			23.7
FX536266	773.0	778.0	5.0		16	85	184	2420	1930	240	1500	12.0	39.1				23.6
FX536267	778.0	782.0	4.0		16	75	172	2550	1820	260	1540	11.7	39.0				23.5
FX536268	782.0	785.0	3.0		20	100	196	2900	2170	260	1300	11.7	39.1				23.6
FX536105	785.0	788.0	3.0		8	90	196	2840	2490	250	980	11.8	37.8				22.8
FX536269	788.0	793.0	5.0		8	100	188	2360	1220	170	800	7.8	26.7				16.1
FX536270	793.0	798.0	5.0		10	80	164	2780	1270	220	2140	10.5	39.0	1.57			23.5
FX536271	798.0	803.0	5.0		64	100	224	4340	2460	240	1360	11.1	38.6				23.3
FX536272	803.0	808.0	5.0		32	70	186	3410	1650	210	570	10.3	39.1				23.6
FX536273	808.0	813.0	5.0		16	75	170	2940	1600	210	1490	9.7	37.8				22.8
FX536274	813.0	818.0	5.0		52	80	206	3210	1560	240	1920	10.3	37.8				22.8
FX536275	818.0	823.0	5.0		12	90	228	3400	1010	230	2040	10.1	37.8	0.98			22.8
FX536276	823.0	828.0	5.0		20	55	124	2660	800	190	2030	9.6	38.8				23.4
FX536277	828.0	833.0	5.0		16	50	118	2380	820	180	1300	9.9	39.3				23.7
FX536278	833.0	838.0	5.0		12	40	110	2670	930	190	2070	10.7	42.9				25.9
FX536279	838.0	843.0	5.0		8	30	108	2260	380	180	620	9.6	40.3				24.3
FX536280	843.0	848.0	5.0		20	50	136	2830	1190	200	1040	9.7	40.3	0.68			24.3
FX536281	848.0	853.0	5.0		24	50	132	3320	1460	210	720	10.1	41.0				24.7
FX536282	853.0	858.0	5.0		24	40	90	2600	1100	190	960	9.9	41.3				24.9
FX536283	858.0	863.0	5.0		20	40	116	2600	1030	190	1330	9.8	41.3				24.9
FX536284	863.0	868.0	5.0		16	50	104	2300	720	180	960	9.7	41.8				25.2
FX536285	868.0	873.0	5.0		20	40	112	2520	790	180	1140	8.8	40.0	1.08			24.1
FX536286	873.0	878.0	5.0		12	30	84	2290	590	170	700	9.1	38.8				23.4
FX536287	878.0	883.0	5.0		24	50	116	2510	1040	180	950	9.7	41.3				24.9
FX536288	883.0	888.0	5.0		12	30	90	2020	560	160	1510	9.2	39.3				23.7
FX536289	888.0	892.0	4.0		12	40	92	2330	630	180	540	9.3	40.1				24.2
FX536108	892.0	897.0	5.0		2	30	28	1680	195	164	701		39.8		0.28	13.57	13.80
FX536109	952.0	955.0	3.0		26	35	88	2218	913	176	824		38.4		0.38	14.02	13.45
FX536110	974.0	977.0	3.0		22	25	50	1802	704	158	657		39.6		0.39	13.89	13.42
FX536111	998.0	1000.0	2.0		16	40	108	2505	1011	172	649		38.0		0.47	14.06	13.78
FX536112	1042.0	1045.0	3.0		22	30	54	2069	953	170	741		38.6		0.45	13.85	13.35
FX536113	1082.0	1085.0	3.0		10	30	50	2271	467	163	976		39.3		0.54	13.67	12.89
FX536114	1164.0	1167.0	3.0		18	25	68	2375	635	160	876		37.6		0.53	13.54	12.97
FX536115	1204.0	1207.0	3.0		8	20	50	1918	663	185	765		37.0		0.43	15.74	15.06
FX536116	1287.0	1290.0	3.0		1	20	46	2246	326	181	1294		37.6		0.49	16.52	16.37
FX536117	1367.0	1371.0	4.0		10	30	14	1397	351	151	1590		35.5		0.63	14.71	14.25
FX536118	1376.0	1381.0	5.0		8	25	14	1381	462	137	2073		33.1		0.54	13.42	13.36
FX536119	1442.0	1445.0	3.0		4	20	10	1350	200	147	1760		36.6		0.65	14.81	14.02
FX536120	1497.0	1500.0	3.0		2	15	8	1270	252	148	1976		35.4		0.61	14.19	13.71
FX536121	1541.0	1544.0	3.0		2	10	8	1281	204	146	1480		35.3		0.61	14	13.67
FX536122	1604.0	1607.0	3.0		2	20	8	1330	115	152	1026		37.7		0.69	15.18	14.58
FX536123	1682.0	1685.0	3.0		2	20	12	1459	269	160	884		38.2		0.7	15.76	15.01
FX536124	1727.0	1730.0	3.0		2	20	12	1466	100	155	1076		37.9		0.72	14.74	14.25
FX536125	1764.0	1767.0	3.0		2	30	12	1776	183	162	693		38.6		0.73	14.74	14.46

BOREHOLE # 83599		(FL-004)			AU	PT	PD NI	CU	CO CR	FE	MGO	S% (CMQ)
FX#	FROM (feet)	TO (feet)	INTERVAL	REMARKS	PPB	PPB	PPB PPM	PPM	PPM PPM	%	% (+calc)	
FX536127	33.0	36.0	3.0		34	70	72	2417	138	152	838	38.5
FX536128	60.0	63.0	3.0		14	45	36	1815	138	1025		36.7
FX536129	76.0	78.0	2.0		6	40	32	1787	558	143	921	37.3
FX536130	103.0	107.0	4.0		1	40	22	1799	111	139	979	36.6
FX536131	114.0	118.0	4.0		1	55	28	1461	213	157	1347	37.2
FX536132	126.0	128.0	2.0		2	60	22	2395	405	150	1054	36.7
FX536133	158.0	161.0	3.0		2	45	30	1996	176	142	878	38.4
FX536134	200.0	204.0	4.0		1	50	30	1887	86	141	1066	38.2
FX536135	231.0	234.0	3.0		1	65	22	1962	87	147	945	39.2
FX536137	378.5	381.5	3.0		20	65	34	2142	221	148	946	38.7
FX536138	319.0	322.0	3.0		12	50	28	2012	154	145	883	39.5
FX536139	357.0	360.0	3.0		18	55	34	2319	275	150	1008	39.5
FX536140	398.0	401.0	3.0		4	50	30	2296	95	143	952	39.3
FX536141	430.0	433.0	3.0		20	50	32	2252	213	146	924	39.1
FX536142	471.0	474.0	3.0		8	40	20	2143	149	139	904	38.1
FX536143	485.0	489.0	4.0		8	40	18	2240	111	143	1096	38.3
FX536144	514.0	518.0	4.0		4	60	40	2443	191	157	1224	39.5
FX536145	518.0	523.0	5.0		22	65	38	2314	1012	156	2365	37.1
FX536146	538.0	543.0	5.0		20	30	16	1919	173	143	1116	37.2
FX536147	572.0	575.0	3.0		22	35	18	1944	189	152	988	37.8
FX536148	594.5	600.0	5.5		18	65	36	2010	420	150	1210	10.95
FX536839	600.0	604.0	4.0	Fill-in Samples	14	30	17	1405	235	141	729	8.65
FX536840	604.0	608.0	4.0	Fill-in Samples	4	20	10	1345	122	147	856	8.81
FX536149	608.0	612.0	4.0		12	20	12	1330	150	140	850	10.25
FX536841	612.0	616.0	4.0	Fill-in Samples	4	19	9	1260	122	141	696	8.63
FX536150	616.0	621.0	5.0		14	25	14	1310	210	140	510	9.95
FX536151	621.0	626.0	5.0		18	45	26	1490	420	140	480	10
FX536842	626.0	630.0	4.0	Fill-in Samples	11	56	32	1550	396	148	569	8.48
FX536152	630.0	633.0	3.0		16	25	14	1610	270	190	690	12.7
FX536843	633.0	637.0	4.0	Fill-in Samples	2	18	9	3320	1840	167	1180	8.73
FX536153	637.0	640.0	3.0		8	20	8	1170	120	140	480	9.4
FX536483	640.0	645.0	5.0		10	25	12	1330	210	150	1520	8.95
FX536484	645.0	650.0	5.0		14	35	16	1450	340	150	1280	9.15
FX536485	650.0	655.0	5.0		2	20	10	1310	180	130	1140	9.2
FX536486	655.0	660.0	5.0		18	30	16	1520	390	140	830	9.6
FX536487	660.0	663.0	3.0		10	20	12	1340	260	140	800	9.3
FX536154	663.0	666.0	3.0		102	300	448	1453	267	152	1322	
FX536488	666.0	671.0	5.0		20	55	32	2000	780	160	1390	10
FX536489	671.0	676.0	5.0		18	30	22	1630	560	140	1250	9.1
FX536490	676.0	681.0	5.0		202	25	24	1780	2680	150	1690	10.3
FX536491	681.0	686.0	5.0		88	25	14	1830	430	130	1390	10.05
FX536492	686.0	688.0	2.0		10	35	24	2170	440	140	2120	10.05
FX536155	688.0	691.0	3.0		26	110	58	3417	1347	174	1602	
FX536844	691.0	696.0	5.0	Fill-in Samples	51	129	75	1115	88	137	658	7.8
FX536845	696.0	701.0	5.0	Fill-in Samples	6	29	15	1785	317	139	858	7.84
FX536846	701.0	706.0	5.0	Fill-in Samples	17	34	20	1995	554	145	757	8.12
FX536847	706.0	711.0	5.0	Fill-in Samples	8	26	14	1775	298	135	684	7.99
FX536848	711.0	716.0	5.0	Fill-in Samples	8	26	16	1720	295	134	622	7.37
FX536156	716.0	720.5	4.5		14	25	14	1760	340	130	440	9.15
FX536849	720.5	726.0	5.5	Fill-in Samples	10	38	22	1995	387	143	627	7.76
FX536850	726.0	733.0	7.0	Fill-in Samples	14	38	22	1945	438	142	665	7.41
FX536157	733.0	738.0	5.0		14	35	18	1944	349	148	1330	
FX536851	736.0	739.0	3.0	Fill-in Samples	16	89	59	2650	668	152	930	7.63
FX536159	739.0	742.0	3.0		18	55	42	2300	640	150	2220	9.7
FX536852	742.0	747.0	5.0	Fill-in Samples	2	43	28	2040	147	129	1265	7.43
FX536853	747.0	751.5	4.5	Fill-in Samples	59	41	28	2050	1015	139	1665	9.45
FX536160	751.5	755.0	3.5		2	50	34	2562	211	163	2821	
FX536854	755.0	760.0	5.0	Fill-in Samples	3	32	24	1815	83	122	1625	9.07
FX536855	760.0	765.0	5.0	Fill-in Samples	4	40	26	1730	165	128	1545	8.93
FX536856	765.0	769.0	4.0	Fill-in Samples	3	45	28	1875	182	145	1435	8.98
FX536857	769.0	773.5	4.5	Fill-in Samples	5	77	53	2440	325	156	1420	9.04
FX536161	773.5	776.0	2.5		24	140	100	4338	964	220	2066	

BOREHOLE # 83599		(FL-004)			AU	PT	PD	NI	CU	CO	CR	FE	MGO	S% (CMQ)
FX#	FROM (feet)	TO (feet)	INTERVAL	REMARKS	PPB	PPB	PPB	PPM	PPM	PPM	PPM	%	% (+calc)	
FX536858	776.0	781.0	5.0	Fill-in Samples	39	116	80	3350	1395	171	680	9.26	15.0	0.79
FX536859	781.0	786.0	5.0	Fill-in Samples	110	185	115	4540	2530	209	470	9.13	15.0	1.04
FX536860	786.0	791.0	5.0	Fill-in Samples	51	173	115	4510	1625	215	613	10	15.0	1.01
FX536861	791.0	796.0	5.0	Fill-in Samples	6	82	68	1480	309	106	2750	7.08	13.6	0.53
FX536862	796.0	801.0	5.0	Fill-in Samples	4	10	7	322	493	51	3340	4.03	8.6	0.33
FX536863	801.0	805.0	4.0	Fill-in Samples	15	11	8	306	399	50	3230	3.92	8.3	0.39
FX536162	805.0	809.0	4.0		1	10	4	507	673	74	3307		16.8	
FX536864	809.0	814.0	5.0	Fill-in Samples	5	3	2	298	357	52	3370	4.1	8.6	0.14
FX536865	814.0	818.0	4.0	Fill-in Samples	11	4	2	239	188	55	4160	4.45	9.1	0.3
FX536866	818.0	822.0	4.0	Fill-in Samples	9	2	1	230	304	59	4010	4.42	8.6	0.32
FX536163	822.0	827.0	5.0		22	10	1	440	710	80	2720	6.35	18.3	
FX536164	827.0	832.0	5.0		22	15	4	690	1080	120	2880	9.1	25.1	
FX536165	832.0	837.0	5.0		26	25	6	1030	1440	180	1870	11.3	30.4	
FX536166	837.0	842.0	5.0		64	20	6	730	1120	170	700	11.4	31.8	
FX536167	842.0	847.0	5.0		26	25	6	920	1560	160	1310	10.55	28.1	
FX536168	847.0	852.0	5.0		34	65	14	690	1370	160	720	10.8	30.7	
FX536867	852.0	857.0	5.0	Fill-in Samples	105	48	11	408	800	103	2170	6.8	11.9	0.6
FX536868	857.0	862.0	5.0	Fill-in Samples	28	25	5	316	686	84	3060	5.25	10.1	0.52
FX536869	862.0	867.0	5.0	Fill-in Samples	19	15	4	293	658	84	2650	5.51	10.5	0.52
FX536870	867.0	872.0	5.0	Fill-in Samples	19	8	2	321	800	79	2910	5.14	9.8	0.55
FX536871	872.0	877.0	5.0	Fill-in Samples	16	6	1	303	825	70	3100	4.88	9.8	0.5
FX536872	877.0	882.0	5.0	Fill-in Samples	23	7	2	406	931	82	2820	4.98	9.1	0.78
FX536873	882.0	886.0	4.0	Fill-in Samples	17	5	2	326	991	79	3100	5.02	9.4	0.8
FX536169	886.0	889.5	3.5		18	3	4	200	540	80	3534	5.6	18.5	
FX536874	889.5	895.0	5.5	Fill-in Samples	9	5	1	226	291	60	2580	4.6	9.4	0.28
FX536875	895.0	900.0	5.0	Fill-in Samples	8	6	2	251	254	54	2320	4.22	8.8	0.21
FX536876	900.0	905.0	5.0	Fill-in Samples	9	9	3	261	227	55	2490	4.66	9.9	0.21
FX536877	905.0	910.0	5.0	Fill-in Samples	5	8	3	346	357	56	2230	4.46	9.4	0.2
FX536878	910.0	915.0	5.0	Fill-in Samples	6	1	1	357	548	59	2290	4.35	9.0	0.24
FX536879	915.0	920.0	5.0	Fill-in Samples	5	2	1	272	246	59	2290	4.03	9.3	0.23
FX536880	920.0	925.0	5.0	Fill-in Samples	13	1	1	364	350	61	2490	4.41	10.3	0.27
FX536881	925.0	930.0	5.0	Fill-in Samples	9	4	1	481	448	59	3070	4.26	10.1	0.28
FX536882	930.0	935.0	5.0	Fill-in Samples	21	67	12	694	617	81	2820	5.39	11.1	0.4
FX536170	935.0	938.0	3.0		26	230	50	1210	560	155	1575	9.1	29.9	
FX536883	938.0	943.0	5.0	Fill-in Samples	8	13	2	345	280	49	2460	4.04	9.6	0.21
FX536884	943.0	948.0	5.0	Fill-in Samples	21	142	26	777	398	99	1820	6.67	13.2	0.32
FX536885	948.0	953.0	5.0	Fill-in Samples	7	108	13	769	220	83	2530	5.94	12.2	0.26
FX536886	953.0	958.0	5.0	Fill-in Samples	3	66	18	473	51	62	2920	5.12	10.4	0.1
FX536171	958.0	961.0	3.0		34	175	52	1140	390	142	3120	9.25	30.8	
FX536887	961.0	966.0	5.0	Fill-in Samples	19	219	48	1150	249	146	1905	9.25	15.0	0.3
FX536888	966.0	971.0	5.0	Fill-in Samples	11	221	48	1040	279	140	1850	9.06	15.0	0.25
FX536889	971.0	976.0	5.0	Fill-in Samples	61	270	51	1185	492	148	1420	9.14	15.0	0.36
FX536890	976.0	981.0	5.0	Fill-in Samples	27	252	42	1150	386	143	1435	8.96	15.0	0.34
FX536891	981.0	986.0	5.0	Fill-in Samples	22	102	17	919	479	102	2560	6.89	13.9	0.35
FX536892	986.0	991.0	5.0	Fill-in Samples	12	11	2	554	343	62	4030	4.65	10.4	0.24
FX536893	991.0	997.0	6.0	Fill-in Samples	9	41	16	1025	248	125	1440	7.91	15.0	0.24
FX536172	997.0	1000.0	3.0		36	35	18	1290	350	150	2304	9.1	31.3	
FX536894	1000.0	1005.0	5.0	Fill-in Samples	13	15	6	961	422	101	2740	6.61	13.9	0.31
FX536895	1005.0	1010.0	5.0	Fill-in Samples	12	39	16	1120	250	128	2300	8.06	15.0	0.19
FX536896	1010.0	1015.0	5.0	Fill-in Samples	15	37	17	1100	315	127	1900	8.72	15.0	0.28
FX536897	1015.0	1020.0	5.0	Fill-in Samples	12	37	16	1035	248	118	1655	8.3	15.0	0.24
FX536898	1020.0	1024.0	4.0	Fill-in Samples	8	42	18	977	212	122	1855	8.62	15.0	0.24
FX536173	1024.0	1028.0	4.0		16	35	22	1240	320	148	1690	9.45	32.0	
FX536899	1028.0	1033.0	5.0	Fill-in Samples	5	19	10	597	333	59	2990	4.98	10.2	0.12
FX536900	1033.0	1038.0	5.0	Fill-in Samples	3	11	4	473	149	58	2810	5.05	11.2	0.07
FX536174	1055.0	1058.0	3.0		20	2.5	4	510	360	77	3818	5.7	20.2	
FX536175	1092.0	1096.0	4.0		8	2.5	6	520	240	79	3757	5.95	21.9	
FX536176	1130.0	1133.0	3.0		12	2.5	6	940	270	116	3159	7.75	27.9	
FX536177	1222.0	1225.0	3.0		36	90	66	1210	320	148	1691	9.5	32.3	
FX536178	1256.5	1259.0	2.5		12	2.5	8	840	300	106	3048	7.5	27.3	