



STATE OF ALASKA
DEPARTMENT OF NATURAL RESOURCES

Alaska Geologic Materials Center *Data Report No. 402*

No. 402

Full Metal Minerals 2012, Borehole inventory, assay results, drilling data, lithologic descriptions, and Microsoft Access file for the Grizzly Butte Prospect, Valdez Creek Mining District, Alaska

Zip file available for download

Received June 2012

All data reports may be downloaded free of charge from the [DGGs website](#).

GMC: Grizzly Butte Core Inventory

| Hole I.D. | Box # | Interval | | |
|-----------|-------|---------------|--|--|
| GB-10-001 | 1 | 5.65-10.06 | | |
| GB-10-001 | 2 | 10.06-14.08 | | |
| GB-10-001 | 3 | 14.08-18.29 | | |
| GB-10-001 | 4 | 18.29-22.43 | | |
| GB-10-001 | 5 | 22.43-26.62 | | |
| GB-10-001 | 6 | 26.62-30.72 | | |
| GB-10-001 | 7 | 30.72-34.70 | | |
| GB-10-001 | 8 | 34.70-38.67 | | |
| GB-10-001 | 9 | 38.67-42.86 | | |
| GB-10-001 | 10 | 42.86-47.51 | | |
| GB-10-001 | 11 | 47.51-51.82 | | |
| GB-10-001 | 12 | 51.82-58.54 | | |
| GB-10-001 | 13 | 58.54-62.55 | | |
| GB-10-001 | 14 | 62.55-66.63 | | |
| GB-10-001 | 15 | 66.63-70.63 | | |
| GB-10-001 | 16 | 70.63-74.72 | | |
| GB-10-001 | 17 | 74.72-78.64 | | |
| GB-10-001 | 18 | 78.64-83.21 | | |
| GB-10-001 | 19 | 83.21-89.75 | | |
| GB-10-001 | 20 | 89.75-95.50 | | |
| GB-10-001 | 21 | 95.50-101.18 | | |
| GB-10-001 | 22 | 101.18-105.86 | | |
| GB-10-001 | 23 | 105.86-109.44 | | |
| GB-10-001 | 24 | 109.44-113.40 | | |
| GB-10-001 | 25 | 113.40-117.17 | | |
| GB-10-001 | 26 | 117.17-121.21 | | |
| GB-10-001 | 27 | 121.21-124.97 | | |
| GB-10-001 | 28 | 124.97-129.24 | | |
| GB-10-001 | 29 | 129.24-133.08 | | |
| GB-10-001 | 30 | 133.08-136.70 | | |
| GB-10-001 | 31 | 136.70-140.83 | | |
| GB-10-001 | 32 | 140.83-144.91 | | |
| GB-10-001 | 33 | 144.91-149.05 | | |
| GB-10-001 | 34 | 149.05-153.06 | | |
| GB-10-001 | 35 | 153.06-157.31 | | |
| GB-10-001 | 36 | 157.31-161.43 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|----|---------------|--|--|
| GB-10-001 | 37 | 161.43-165.39 | | |
| GB-10-001 | 38 | 165.39-169.32 | | |
| GB-10-001 | 39 | 169.32-173.42 | | |
| GB-10-001 | 40 | 173.42-177.66 | | |
| GB-10-001 | 41 | 177.66-181.74 | | |
| GB-10-001 | 42 | 181.74-185.83 | | |
| GB-10-001 | 43 | 185.83-189.74 | | |
| GB-10-001 | 44 | 189.74-193.73 | | |
| GB-10-001 | 45 | 193.73-197.84 | | |
| GB-10-001 | 46 | 197.84-201.93 | | |
| GB-10-001 | 47 | 201.93-206.16 | | |
| GB-10-001 | 48 | 206.16-210.31 | | |
| GB-10-001 | 49 | 210.31-214.31 | | |
| GB-10-001 | 50 | 214.31-218.52 | | |
| GB-10-001 | 51 | 218.52-222.69 | | |
| GB-10-001 | 52 | 222.69-226.74 | | |
| GB-10-001 | 53 | 226.74-231.05 | | |
| GB-10-001 | 54 | 231.05-235.39 | | |
| GB-10-001 | 55 | 235.39-239.55 | | |
| GB-10-001 | 56 | 239.55-243.89 | | |
| GB-10-001 | 57 | 243.89-247.88 | | |
| GB-10-001 | 58 | 247.88-251.87 | | |
| GB-10-001 | 59 | 251.87-255.97 | | |
| GB-10-001 | 60 | 255.97-259.96 | | |
| GB-10-001 | 61 | 259.96-262.13 | | |
| | | | | |
| Gb-10-002 | 1 | 3.01-5.59 | | |
| Gb-10-002 | 2 | 5.59-8.20 | | |
| Gb-10-002 | 3 | 8.20-10.95 | | |
| Gb-10-002 | 4 | 10.95-13.83 | | |
| Gb-10-002 | 5 | 13.83-16.37 | | |
| Gb-10-002 | 6 | 16.37-19.24 | | |
| Gb-10-002 | 7 | 19.24-22.20 | | |
| Gb-10-002 | 8 | 22.20-25.11 | | |
| Gb-10-002 | 9 | 25.11-28.01 | | |
| Gb-10-002 | 10 | 28.01-30.90 | | |
| Gb-10-002 | 11 | 30.90-33.76 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|----|---------------|--|--|
| Gb-10-002 | 12 | 33.76-36.60 | | |
| Gb-10-002 | 13 | 36.60-39.54 | | |
| Gb-10-002 | 14 | 39.54-42.30 | | |
| Gb-10-002 | 15 | 42.30-45.24 | | |
| Gb-10-002 | 16 | 45.24-47.90 | | |
| Gb-10-002 | 17 | 47.90-50.52 | | |
| Gb-10-002 | 18 | 50.52-53.32 | | |
| Gb-10-002 | 19 | 53.32-56.00 | | |
| Gb-10-002 | 20 | 56.00-58.79 | | |
| Gb-10-002 | 21 | 58.79-61.33 | | |
| Gb-10-002 | 22 | 61.33-64.12 | | |
| Gb-10-002 | 23 | 64.12-66.19 | | |
| Gb-10-002 | 24 | 66.79-69.46 | | |
| Gb-10-002 | 25 | 69.46-72.08 | | |
| Gb-10-002 | 26 | 72.08-74.85 | | |
| Gb-10-002 | 27 | 74.85-77.68 | | |
| Gb-10-002 | 28 | 77.68-80.43 | | |
| Gb-10-002 | 29 | 80.43-83.17 | | |
| Gb-10-002 | 30 | 83.17-86.04 | | |
| Gb-10-002 | 31 | 86.04-88.75 | | |
| Gb-10-002 | 32 | 88.75-91.57 | | |
| Gb-10-002 | 33 | 91.57-94.32 | | |
| Gb-10-002 | 34 | 94.32-97.04 | | |
| Gb-10-002 | 35 | 97.04-99.89 | | |
| Gb-10-002 | 36 | 99.89-102.73 | | |
| Gb-10-002 | 37 | 102.73-105.69 | | |
| Gb-10-002 | 38 | 105.69-108.24 | | |
| Gb-10-002 | 39 | 108.24-111.22 | | |
| Gb-10-002 | 40 | 111.22-114.06 | | |
| Gb-10-002 | 41 | 114.06-116.89 | | |
| Gb-10-002 | 42 | 116.89-119.89 | | |
| Gb-10-002 | 43 | 119.89-122.61 | | |
| Gb-10-002 | 44 | 122.61-125.55 | | |
| Gb-10-002 | 45 | 125.55-128.50 | | |
| Gb-10-002 | 46 | 128.50-131.36 | | |
| Gb-10-002 | 47 | 131.36-134.26 | | |
| Gb-10-002 | 48 | 134.26-137.16 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|----|---------------|--|--|
| Gb-10-002 | 49 | 137.16-140.10 | | |
| Gb-10-002 | 50 | 140.10-143.00 | | |
| Gb-10-002 | 51 | 143.00-145.77 | | |
| Gb-10-002 | 52 | 145.77-148.12 | | |
| Gb-10-002 | 53 | 148.12-151.25 | | |
| Gb-10-002 | 54 | 151.25-154.16 | | |
| Gb-10-002 | 55 | 154.16-157.14 | | |
| Gb-10-002 | 56 | 157.14-159.54 | | |
| Gb-10-002 | 57 | 159.54-162.32 | | |
| Gb-10-002 | 58 | 162.32-165.18 | | |
| Gb-10-002 | 59 | 165.18-168.05 | | |
| Gb-10-002 | 60 | 168.05-171.0 | | |
| Gb-10-002 | 61 | 171.0-173.89 | | |
| Gb-10-002 | 62 | 173.89-176.47 | | |
| Gb-10-002 | 63 | 176.47-179.20 | | |
| Gb-10-002 | 64 | 179.20-182.05 | | |
| Gb-10-002 | 65 | 182.05-184.76 | | |
| Gb-10-002 | 66 | 184.76-187.58 | | |
| Gb-10-002 | 67 | 187.58-190.32 | | |
| Gb-10-002 | 68 | 190.32-193.16 | | |
| Gb-10-002 | 69 | 193.16-195.77 | | |
| Gb-10-002 | 70 | 195.77-198.53 | | |
| Gb-10-002 | 71 | 198.53-201.33 | | |
| Gb-10-002 | 72 | 201.33-204.22 | | |
| Gb-10-002 | 73 | 204.22-207.06 | | |
| Gb-10-002 | 74 | 207.06-209.59 | | |
| Gb-10-002 | 75 | 209.59-212.34 | | |
| Gb-10-002 | 76 | 212.34-214.70 | | |
| Gb-10-002 | 77 | 214.70-217.66 | | |
| Gb-10-002 | 78 | 217.66-220.60 | | |
| Gb-10-002 | 79 | 220.60-223.34 | | |
| Gb-10-002 | 80 | 223.34-226.26 | | |
| Gb-10-002 | 81 | 226.26-229.04 | | |
| Gb-10-002 | 82 | 229.04-231.83 | | |
| Gb-10-002 | 83 | 231.83-234.30 | | |
| Gb-10-002 | 84 | 234.30-237.18 | | |
| Gb-10-002 | 85 | 237.18-240.52 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|----|---------------|--|--|
| Gb-10-002 | 86 | 240.52-243.34 | | |
| Gb-10-002 | 87 | 243.34-246.35 | | |
| Gb-10-002 | 88 | 246.35-249.21 | | |
| Gb-10-002 | 89 | 249.21-252.00 | | |
| Gb-10-002 | 90 | 252.00-254.75 | | |
| Gb-10-002 | 91 | 254.75-257.46 | | |
| Gb-10-002 | 92 | 257.46-260.30 | | |
| Gb-10-002 | 93 | 260.30-263.18 | | |
| Gb-10-002 | 94 | 263.18-265.95 | | |
| Gb-10-002 | 95 | 265.95-268.82 | | |
| Gb-10-002 | 96 | 268.82-271.79 | | |
| Gb-10-002 | 97 | 271.79-274.62 | | |
| Gb-10-002 | 98 | 274.62-277.37 | | |
| | | | | |
| GB-10-003 | 1 | 4.40-6.84 | | |
| GB-10-003 | 2 | 6.84-9.88 | | |
| GB-10-003 | 3 | 9.88-12.40 | | |
| GB-10-003 | 4 | 12.40-15.08 | | |
| GB-10-003 | 5 | 15.08-17.49 | | |
| GB-10-003 | 6 | 17.49-20.10 | | |
| GB-10-003 | 7 | 20.10-23.06 | | |
| GB-10-003 | 8 | 23.06-25.77 | | |
| GB-10-003 | 9 | 25.77-28.58 | | |
| GB-10-003 | 10 | 28.58-31.50 | | |
| GB-10-003 | 11 | 31.50-34.16 | | |
| GB-10-003 | 12 | 34.16-36.83 | | |
| GB-10-003 | 13 | 36.83-39.62 | | |
| GB-10-003 | 14 | 39.62-42.30 | | |
| GB-10-003 | 15 | 42.30-45.04 | | |
| GB-10-003 | 16 | 45.04-47.93 | | |
| GB-10-003 | 17 | 47.93-50.47 | | |
| GB-10-003 | 18 | 50.47-53.35 | | |
| GB-10-003 | 19 | 53.35-55.85 | | |
| GB-10-003 | 20 | 55.85-58.45 | | |
| GB-10-003 | 21 | 58.45-61.25 | | |
| GB-10-003 | 22 | 61.25-64.01 | | |
| GB-10-003 | 23 | 64.01-66.67 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|----|----------------|--|--|
| GB-10-003 | 24 | 66.67-69.43 | | |
| GB-10-003 | 25 | 69.43-71.94 | | |
| GB-10-003 | 26 | 71.94-74.67 | | |
| GB-10-003 | 27 | 74.67-77.42 | | |
| GB-10-003 | 28 | 77.42-80.20 | | |
| GB-10-003 | 29 | 80.20-82.77 | | |
| GB-10-003 | 30 | 82.77-85.70 | | |
| GB-10-003 | 31 | 85.70-88.80 | | |
| GB-10-003 | 32 | 88.80-91.69 | | |
| GB-10-003 | 33 | 91.69-94.39 | | |
| GB-10-003 | 34 | 94.39-96.78 | | |
| GB-10-003 | 35 | 96.78-99.12 | | |
| GB-10-003 | 36 | 99.12-101.22 | | |
| GB-10-003 | 37 | 101.22-104.11 | | |
| GB-10-003 | 38 | 104.11-106.79 | | |
| GB-10-003 | 39 | 106.79-109.48 | | |
| GB-10-003 | 40 | 109.48-112.06 | | |
| GB-10-003 | 41 | 112.06-114.72 | | |
| GB-10-003 | 42 | 114.72-117.48 | | |
| GB-10-003 | 43 | 117.48-120.25 | | |
| GB-10-003 | 44 | 120.25-123.00 | | |
| GB-10-003 | 45 | 123.00-125.70 | | |
| GB-10-003 | 46 | 125.70-128.39 | | |
| GB-10-003 | 47 | 128.39-131.13 | | |
| GB-10-003 | 48 | 131.13-134.09 | | |
| GB-10-003 | 49 | 134.09-136.63 | | |
| GB-10-003 | 50 | 136.63-1389.21 | | |
| GB-10-003 | 51 | 139.21-141.80 | | |
| GB-10-003 | 52 | 141.80-144.40 | | |
| GB-10-003 | 53 | 144.40-147.23 | | |
| GB-10-003 | 54 | 147.23-149.58 | | |
| GB-10-003 | 55 | 149.58-152.34 | | |
| GB-10-003 | 56 | 152.34-155.05 | | |
| GB-10-003 | 57 | 155.05-157.76 | | |
| GB-10-003 | 58 | 157.76-160.48 | | |
| GB-10-003 | 59 | 160.48-163.03 | | |
| GB-10-003 | 60 | 163.03-165.87 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|----|---------------|--|--|
| GB-10-003 | 61 | 165.87-168.41 | | |
| GB-10-003 | 62 | 168.41-171.08 | | |
| GB-10-003 | 63 | 171.08-173.74 | | |
| GB-10-003 | 64 | 173.74-176.25 | | |
| GB-10-003 | 65 | 176.25-178.68 | | |
| GB-10-003 | 66 | 178.68-181.38 | | |
| GB-10-003 | 67 | 181.38-184.35 | | |
| GB-10-003 | 68 | 184.35-187.06 | | |
| GB-10-003 | 69 | 187.06-189.74 | | |
| GB-10-003 | 70 | 189.74-192.42 | | |
| GB-10-003 | 71 | 192.42-195.13 | | |
| GB-10-003 | 72 | 195.13-198.03 | | |
| GB-10-003 | 73 | 198.03-200.61 | | |
| GB-10-003 | 74 | 200.61-203.60 | | |
| GB-10-003 | 75 | 203.60-206.10 | | |
| GB-10-003 | 76 | 206.10-208.57 | | |
| GB-10-003 | 77 | 208.57-211.20 | | |
| GB-10-003 | 78 | 211.20-214.09 | | |
| GB-10-003 | 79 | 214.09-216.32 | | |
| GB-10-003 | 80 | 216.32-218.94 | | |
| GB-10-003 | 81 | 218.94-221.63 | | |
| GB-10-003 | 82 | 221.63-224.46 | | |
| GB-10-003 | 83 | 224.46-227.37 | | |
| GB-10-003 | 84 | 227.37-229.29 | | |
| GB-10-003 | 85 | 229.29-232.69 | | |
| GB-10-003 | 86 | 232.69-235.25 | | |
| GB-10-003 | 87 | 235.25-238.10 | | |
| GB-10-003 | 88 | 238.10-240.92 | | |
| GB-10-003 | 89 | 240.92-243.70 | | |
| GB-10-003 | 90 | 243.70-246.40 | | |
| GB-10-003 | 91 | 246.40-248.81 | | |
| GB-10-003 | 92 | 248.81-251.27 | | |
| GB-10-003 | 93 | 251.27-253.89 | | |
| GB-10-003 | 94 | 253.89-256.23 | | |
| GB-10-003 | 95 | 256.23-258.87 | | |
| GB-10-003 | 96 | 258.87-261.58 | | |
| GB-10-003 | 97 | 261.58-264.34 | | |

GMC: Grizzly Butte Core Inventory

| | | | | |
|-----------|-----|---------------|--|--|
| GB-10-003 | 98 | 264.34-266.88 | | |
| GB-10-003 | 99 | 266.88-269.67 | | |
| GB-10-003 | 100 | 269.67-272.22 | | |
| GB-10-003 | 101 | 272.22-274.87 | | |
| GB-10-003 | 102 | 274.87-277.56 | | |
| GB-10-003 | 103 | 277.56-280.25 | | |
| GB-10-003 | 104 | 280.25-282.97 | | |
| GB-10-003 | 105 | 282.97-285.75 | | |
| GB-10-003 | 106 | 285.75-288.37 | | |
| GB-10-003 | 107 | 288.37-291.20 | | |
| GB-10-003 | 108 | 291.20-293.94 | | |
| GB-10-003 | 109 | 293.94-296.45 | | |
| GB-10-003 | 110 | 296.45-299.05 | | |
| GB-10-003 | 111 | 299.05-301.68 | | |
| GB-10-003 | 112 | 301.68-301.75 | | |