Public-data File 86-91

STEESE/WHITE MOUNTAINS PROJECT ANALYTICAL DATA

By

DGGS STAFF

Alaska Division of
Geological and Geophysical Surveys

November 1986

THIS REPORT HAS NOT BEEN REVIEWED FOR
TECHNICAL CONTENT (EXCEPT AS NOTED IN
TEXT) OR FOR CONFORMITY TO THE
EDITORIAL STANDARDS OF DMGGS.

794 University Avenue, Suite 200
Fairbanks, Alaska 99709-3645

ANALYTICAL DATA FOR SAMPLES COLLECTED IN THE LIME PEAK-MT PRINDLE AREA, CIRCLE QUADRANGLE, ALASKA in July-August, 1986

PUBLIC DATA FILE 86-91

CONTENTS:

pg

Table 5-1. Elemental analysis of stream-sediment samples.....1

Table 5-2. Elemental analysis of nonmagnetic heavy minerals (pan-concentrate samples).....161

Table 5-3. Elemental analysis of rock grab and composit chip samples.....193

Table 5-4. Elemental analysis of soil samples 247

Table 5-1. Elemental analyses of stream-sediment samples collected in the Lime Peak-Mt. Prindle area of the Circle quadrangle, Alaska. Analyses are reported in ppm unless stated otherwise. Negative numbers indicate that the element was not detected at a concentration level equal to the absolute value of the negative number reported. NA = not analyzed.

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
15586S	65.619	146.293	C-5	9	7	9	0	-0.5	9.0	-6.0	700.0	1.1	15.0	60.0	5.0	26.0
15587S	65.621	146.302	C-5	9	7	9	0	-0.5	6.0	10.0	700.0	1.8	15.0	90.0	5.0	24.0
15588S	65.623	146.313	C-5	9	7	9	0	-0.5	10.0	-6.0	600.0	-1.0	20.0	110.0	4.0	34.0
15590S	65.624	146.323	C-5	9	7	8	0	-0.5	14.0	-6.0	900.0	-1.0	27.0	100.0	4.0	36.0
15591S	65.627	146.331	C-5	9	7	8	0	-0.5	8.0	-5.0	500.0	-0.9	14.0	80.0	2.0	18.0
15592S	65.630	146.331	C-5	9	7	5	0	-0.5	8.0	-5.0	700.0	-0.9	15.0	60.0	2.0	18.0
15742S	65.590	146.762	C-6	9	5	20	0	0.5	14.0	-11.0	900.0	-2.5	7.0	60.0	8.0	37.0
15743S	65.642	146.868	C-6	9	4	2	0	-0.5	8.0	-6.0	400.0	-1.9	7.0	20.0	5.0	11.0
15752S	65.510	145.845	C-4	8	9	23	0	-0.5	6.0	-5.0	500.0	1.1	13.0	30.0	3.0	14.0
15754S	65.447	146.697	B-6	7	5	10	0	-0.5	4.0	-7.0	600.0	-1.7	12.0	60.0	2.0	13.0
15755S	65.412	145.634	B-4	7	9	26	0	-0.5	6.0	-11.0	400.0	3.0	30.0	110.0	2.0	69.0
15758S	65.586	146.455	C-5	9	6	23	0	-0.5	9.0	-7.0	700.0	1.3	19.0	100.0	3.0	34.0
15759S	65.659	146.799	C-6	10	5	30	0	-0.5	12.0	-6.0	900.0	-1.5	23.0	90.0	7.0	31.0
15761S	65.496	146.758	B-6	8	5	29	0	-0.5	12.0	-5.0	300.0	-0.7	12.0	30.0	6.0	14.0
15762S	65.662	146.888	C-6	10	4	22	0	-0.5	11.0	-5.0	700.0	-1.2	10.0	40.0	4.0	14.0
15763S	65.596	146.895	C-6	9	4	22	0	-0.5	11.0	-14.0	1200.0	-3.4	12.0	80.0	8.0	17.0
15764S	65.424	146.760	B-6	7	5	20	0	-0.5	7.0	-7.0	700.0	-1.7	17.0	100.0	8.0	18.0
15766S	65.583	146.791	C-6	9	5	30	0	-0.5	5.0	7.0	700.0	-1.9	14.0	90.0	3.0	12.0
15768S	65.557	146.737	C-6	9	5	32	0	-0.5	8.0	-9.0	900.0	-2.3	15.0	60.0	5.0	18.0
15773S	65.623	146.373	C-5	9	7	7	0	-0.5	13.0	-5.0	800.0	-0.9	14.0	70.0	3.0	24.0
15776S	65.468	146.188	B-5	7	8	6	0	-0.5	8.0	-7.0	900.0	-1.1	19.0	80.0	3.0	23.0
15777S	65.437	146.069	B-5	7	8	15	0	-0.5	47.0	-5.0	400.0	-0.5	9.0	40.0	3.0	35.0
15779S	65.672	146.558	C-6	10	6	29	0	-0.5	7.0	-8.0	600.0	-1.8	9.0	30.0	6.0	20.0
15783S	65.489	146.378	B-5	8	7	30	0	-0.5	14.0	-6.0	700.0	-2.0	14.0	60.0	4.0	24.0
15789S	65.513	145.959	C-4	9	9	18	0	-0.5	28.0	5.0	400.0	1.5	16.0	40.0	5.0	27.0
15791S	65.457	146.353	B-5	7	7	3	0	-0.5	19.0	-8.0	600.0	-1.8	8.0	50.0	14.0	22.0
15796S	65.593	146.902	C-6	9	4	22	0	1.5	19.0	-14.0	800.0	-3.1	17.0	70.0	16.0	38.0
15797S	65.525	146.208	C-5	8	7	13	0	-0.5	11.0	-5.0	400.0	-0.6	11.0	40.0	2.0	17.0
15799S	65.529	146.218	C-5	8	7	12	0	-0.5	13.0	-5.0	500.0	1.2	12.0	50.0	2.0	20.0
15800S	65.675	146.882	C-6	10	4	22	0	-0.5	6.0	-7.0	1200.0	-1.6	13.0	100.0	7.0	31.0

table 5-1

station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Sb	Sm	Sr	Ta	Ta	U	W
155865	3.3	7.0	5.0	0.97	-200.0	26.0	140.0	2.3	13.6	-5.0	-1.0	13.0	4.1	-4.0
155875	3.7	19.0	-4.0	1.20	-200.0	20.0	90.0	2.6	13.7	-5.0	-1.0	13.0	3.8	-4.0
155885	4.0	8.0	-4.0	1.10	-200.0	18.0	130.0	1.9	13.9	-5.0	-1.0	11.0	3.1	-4.0
155905	4.4	6.0	6.0	1.10	-200.0	26.0	120.0	2.8	14.3	-5.0	-1.0	13.0	4.3	-4.0
155915	3.1	9.0	-4.0	1.10	-200.0	12.0	110.0	1.8	11.2	-5.0	-1.0	11.0	[illegible]	-4.0
155925	3.1	8.0	-4.0	1.30	-200.0	14.0	100.0	1.3	11.7	-5.0	-1.0	11.0	3.2	-4.0
157425	3.1	5.0	-4.0	1.10	-300.0	120.0	270.0	1.1	11.1	-6.0	3.0	70.0	84.9	13.0
157435	2.3	21.0	-4.0	1.70	-200.0	32.0	380.0	0.6	5.1	6.0	3.0	38.0	28.9	14.0
157525	2.3	13.0	-4.0	0.73	-200.0	[illegible]	110.0	[illegible]	3.2	-5.0	-1.0	7.3	1.3	-4.0
157545	2.8	6.0	-4.0	1.20	-200.0	[illegible]	[illegible]	0.7	[illegible]	-8.0	-2.0	12.0	3.4	-4.0
157555	5.9	7.0	-4.0	1.00	-300.0	6.0	60.0	1.1	29.3	-3.0	-1.0	8.8	3.9	-6.0
157585	4.4	25.0	-4.0	1.40	-200.0	16.0	80.0	1.0	13.6	-7.0	-1.0	10.0	3.8	-4.0
157595	5.1	9.0	9.0	1.00	-200.0	38.0	210.0	1.1	17.5	-5.0	-1.0	21.0	4.7	4.0
157615	2.7	4.0	-4.0	1.20	-200.0	20.0	190.0	0.9	7.0	-5.0	-1.0	11.0	4.9	-4.0
157625	3.1	7.0	-4.0	1.50	-200.0	26.0	410.0	0.8	5.7	-5.0	3.0	33.0	8.8	-4.0
157635	3.5	16.0	-4.0	2.00	-500.0	56.0	250.0	1.6	15.3	7.0	-3.0	96.0	35.4	6.0
157645	4.0	6.0	-4.0	0.59	-200.0	8.0	90.0	1.2	16.1	-5.0	-2.0	14.0	3.8	-4.0
157665	3.1	9.0	26.0	1.30	-200.0	18.0	180.0	0.8	12.6	-5.0	3.0	34.0	39.3	-4.0
157685	3.3	8.0	-4.0	1.20	-300.0	30.0	130.0	0.5	11.4	-7.0	-2.0	35.0	18.1	6.0
157735	3.2	11.0	-4.0	1.00	-200.0	10.0	60.0	0.8	11.2	-5.0	-1.0	10.0	3.3	4.0
157765	3.4	11.0	-4.0	1.00	-200.0	18.0	120.0	1.2	13.1	-5.0	-1.0	13.0	4.7	-4.0
157775	3.0	8.0	-4.0	0.36	-200.0	26.0	70.0	2.6	9.4	-5.0	-1.0	7.4	2.6	11.0
157795	2.8	9.0	-4.0	1.40	-200.0	68.0	430.0	0.5	6.9	-5.0	-1.0	51.0	15.4	7.0
157835	3.8	11.0	4.0	1.20	-300.0	14.0	120.0	0.9	12.1	-9.0	4.0	16.0	7.1	7.0
157895	3.1	6.0	-4.0	0.65	-200.0	8.0	110.0	1.1	5.2	-5.0	-1.0	8.6	2.2	51.0
157915	3.2	6.0	-4.0	1.40	-300.0	14.0	330.0	0.8	10.7	12.0	-2.0	14.0	16.6	8.0
157965	4.5	8.0	-4.0	1.30	-500.0	110.0	270.0	2.9	16.5	-10.0	-3.0	73.0	37.3	9.0
157975	2.6	8.0	-4.0	0.93	-200.0	10.0	100.0	1.3	7.7	-5.0	-1.0	11.0	3.4	-4.0
157995	2.9	7.0	-4.0	0.90	-200.0	12.0	140.0	1.4	9.1	-5.0	-1.0	11.0	3.8	-4.0
158005	3.6	7.0	-4.0	0.76	-200.0	10.0	110.0	0.7	15.3	-5.0	-1.0	17.0	3.7	-4.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
15586S	110.0	46.0	77.0	5.4	1.1	2.9	0.3
15587S	90.0	52.0	90.0	5.7	1.3	2.7	0.4
15588S	82.0	50.0	87.0	5.5	2.3	2.3	0.3
15590S	94.0	46.0	85.0	5.3	1.2	2.5	0.4
15591S	64.0	45.0	77.0	4.9	1.3	2.6	0.3
15592S	67.0	43.0	68.0	4.7	1.4	2.6	0.3
15742S	860.0	109.0	188.0	23.3	1.4	11.2	2.5
15743S	140.0	155.0	282.0	24.6	-0.8	14.1	2.4
15752S	53.0	32.0	54.0	3.6	0.9	2.2	0.3
15754S	48.0	47.0	83.0	7.4	1.3	3.0	0.5
15755S	84.0	38.0	65.0	8.4	1.4	3.1	0.4
15758S	89.0	47.0	91.0	5.6	1.7	3.1	0.5
15759S	130.0	79.0	138.0	8.8	2.1	4.4	0.6
15761S	74.0	28.0	54.0	2.9	1.0	1.6	0.2
15762S	100.0	65.0	116.0	9.8	1.0	4.5	0.8
15763S	190.0	182.0	254.0	24.7	-2.4	23.0	3.2
15764S	74.0	50.0	79.0	8.4	1.8	3.4	0.5
15766S	130.0	53.0	116.0	13.4	1.3	7.3	1.4
15768S	270.0	78.0	138.0	14.5	1.4	6.9	1.3
15773S	76.0	41.0	66.0	4.8	0.9	2.7	0.4
15776S	87.0	49.0	77.0	5.8	1.7	2.9	0.4
15777S	56.0	32.0	57.0	3.8	1.2	2.5	0.3
15779S	260.0	93.0	169.0	15.6	1.2	7.0	1.1
15783S	78.0	50.0	98.0	7.8	1.6	2.7	0.6
15789S	64.0	31.0	56.0	3.4	1.5	1.9	0.3
15791S	120.0	41.0	78.0	8.0	1.3	4.0	0.8
15796S	440.0	139.0	252.0	18.4	-2.3	14.1	2.0
15797S	55.0	34.0	60.0	3.8	0.7	2.4	0.3
15799S	62.0	37.0	67.0	3.9	0.9	2.2	0.3
15800S	87.0	53.0	104.0	8.8	1.5	2.9	0.6

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
158025	65.515	145.727	C-4	8	10	17	0	-0.5	35.0	-5.0	800.0	-2.0	17.0	80.0	4.0	25.0
158045	65.534	146.037	C-5	8	8	11	21	-0.5	22.0	-3.0	400.0	-0.7	10.0	40.0	3.0	24.0
158065	65.652	146.874	C-6	10	4	35	0	-0.5	10.0	14.0	800.0	-2.9	13.0	60.0	5.0	19.0
158095	65.373	146.537	B-6	6	6	4	0	-0.5	15.0	330.0	300.0	-1.1	9.0	50.0	3.0	15.0
158105	65.520	146.596	C-6	8	6	13	0	-0.5	13.0	-11.0	900.0	-2.3	12.0	100.0	4.0	9.5
158135	65.517	145.649	C-4	8	10	15	0	-0.5	79.0	-6.0	500.0	-0.7	17.0	50.0	3.0	28.0
158145	65.490	146.803	B-6	8	5	30	0	-0.5	13.0	-3.0	600.0	1.5	15.0	70.0	7.0	17.0
158155	65.682	146.482	C-5	10	6	22	0	-0.5	11.0	-3.0	700.0	-1.9	11.0	50.0	6.0	22.0
158165	65.474	146.650	B-6	8	5	35	0	-0.5	31.0	-9.0	400.0	-2.5	8.0	20.0	11.0	9.0
158185	65.601	146.191	C-5	9	7	13	22	-0.5	9.0	-5.0	600.0	-0.7	14.0	60.0	3.0	22.0
158225	65.510	146.325	C-5	8	7	21	0	-0.5	10.0	-6.0	500.0	-0.9	11.0	50.0	3.0	17.0
158235	65.464	146.423	B-5	7	6	1	0	-0.5	10.0	-7.0	300.0	-1.1	-5.0	10.0	17.0	8.5
158305	65.649	146.974	C-6	10	4	32	0	-0.5	11.0	-6.0	1000.0	-0.8	15.0	90.0	11.0	23.0
158315	65.419	146.815	B-6	7	5	19	0	-0.5	6.0	-7.0	500.0	-1.5	9.0	50.0	4.0	10.0
158345	65.513	146.364	C-5	8	7	17	0	-0.5	13.0	-7.0	600.0	-1.5	11.0	60.0	2.0	16.0
158395	65.702	146.843	C-6	10	4	11	0	-0.5	6.0	-6.0	1500.0	-1.4	21.0	160.0	4.0	35.0
158495	65.475	145.906	B-4	8	9	33	0	-0.5	25.0	-7.0	600.0	-1.6	13.0	70.0	4.0	34.0
158545	65.469	146.813	B-6	7	5	6	0	-0.5	9.0	-7.0	700.0	-1.5	20.0	100.0	3.0	22.0
158555	65.507	146.334	C-5	8	7	21	0	-0.5	13.0	-5.0	600.0	-0.9	10.0	60.0	3.0	19.0
158575	65.410	146.182	B-5	7	8	30	0	0.5	63.0	10.0	500.0	0.8	12.0	60.0	4.0	31.0
158585	65.409	146.557	B-6	7	6	29	0	-0.5	18.0	-6.0	600.0	-1.2	10.0	50.0	6.0	21.0
158595	65.713	146.522	C-6	10	6	9	0	-0.5	14.0	-7.0	2000.0	-1.4	17.0	120.0	6.0	31.0
158645	65.521	145.848	C-4	8	9	14	23	-0.5	5.0	14.0	500.0	-0.7	9.0	50.0	2.0	17.0
158755	65.516	146.386	C-5	8	7	18	0	-0.5	12.0	-7.0	700.0	-1.3	12.0	60.0	2.0	17.0
158765	65.688	146.849	C-6	10	4	14	0	-0.5	7.0	-7.0	1300.0	-0.5	20.0	120.0	9.0	30.0
158795	65.601	146.199	C-5	9	7	13	0	-0.5	9.0	-5.0	700.0	1.0	11.0	70.0	5.0	21.0
158855	65.575	146.424	C-5	9	6	26	0	-0.5	40.0	-10.0	600.0	-2.4	8.0	70.0	13.0	12.0
158915	65.669	146.603	C-6	10	5	25	0	-0.5	11.0	-10.0	900.0	-2.2	7.0	40.0	12.0	16.0
158945	65.538	146.644	C-6	8	5	11	0	-0.5	21.0	9.0	600.0	-1.8	20.0	80.0	4.0	22.0
158955	65.562	146.432	C-5	9	6	33	0	0.5	58.0	-6.0	700.0	-1.0	12.0	70.0	11.0	24.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
158025	3.2	8.0	-4.0	0.75	-300.0	16.0	130.0	1.8	14.2	-7.0	-2.0	13.0	4.5	4.0
158045	2.7	6.0	-4.0	0.65	-200.0	10.0	90.0	2.0	8.0	-5.0	-1.0	9.6	2.9	-4.0
158085	3.3	20.0	-4.0	1.90	-500.0	48.0	280.0	0.5	12.6	6.0	-3.0	68.0	41.9	15.0
158095	2.9	6.0	-4.0	0.55	-200.0	10.0	100.0	2.5	9.2	-5.0	2.0	11.0	1.7	5.0
158105	3.7	13.0	9.0	1.50	-300.0	14.0	70.0	0.6	13.8	-5.0	4.0	35.0	19.7	10.0
158135	3.6	6.0	-4.0	0.69	200.0	20.0	110.0	0.2	11.6	-5.0	-1.0	9.7	2.1	-4.0
158145	3.7	11.0	-4.0	1.30	-200.0	16.0	220.0	1.2	13.2	-5.0	2.0	23.0	10.3	-4.0
158155	3.4	6.0	-4.0	1.10	-300.0	70.0	370.0	1.0	11.4	-5.0	2.0	35.0	13.4	4.0
158165	2.2	8.0	-4.0	2.60	-300.0	22.0	230.0	0.5	6.9	-7.0	5.0	57.0	33.7	-4.0
158185	3.3	11.0	-4.0	1.00	-200.0	16.0	80.0	1.9	10.3	-5.0	1.0	12.0	4.4	-4.0
158225	2.9	9.0	-4.0	1.10	-200.0	12.0	80.0	1.5	10.0	-5.0	-1.0	12.0	4.9	-4.0
158235	1.7	5.0	-4.0	2.50	-200.0	14.0	640.0	-0.2	5.3	-7.0	4.0	30.0	18.7	11.0
158305	4.1	11.0	-4.0	1.20	-300.0	36.0	220.0	1.0	18.6	-5.0	-1.0	16.0	4.7	-4.0
158315	2.7	5.0	-4.0	1.30	-200.0	8.0	130.0	1.2	5.2	-5.0	2.0	19.0	7.6	-4.0
158345	3.3	6.0	-4.0	0.75	-200.0	10.0	140.0	2.2	9.7	-5.0	-1.0	11.0	3.0	-4.0
158395	4.7	6.0	-4.0	0.73	-200.0	12.0	140.0	2.2	17.9	-5.0	-1.0	13.0	3.1	-4.0
158495	3.6	7.0	-4.0	0.73	-200.0	20.0	80.0	0.3	13.4	-8.0	-2.0	10.0	5.7	22.0
158545	4.8	7.0	-4.0	1.10	-200.0	10.0	60.0	1.0	17.1	-5.0	-2.0	11.0	2.4	-4.0
158555	2.9	9.0	-4.0	1.00	-200.0	12.0	130.0	1.8	9.5	-5.0	-1.0	11.0	4.1	-4.0
158575	2.6	5.0	5.0	0.36	-200.0	86.0	80.0	10.0	10.2	-5.0	-1.0	8.2	3.7	-4.0
158585	3.2	6.0	-4.0	0.69	-200.0	16.0	120.0	1.5	9.8	-5.0	1.0	10.0	2.2	9.0
158595	4.0	11.0	-4.0	1.30	-200.0	16.0	140.0	4.4	16.9	-5.0	-1.0	14.0	4.7	-4.0
158645	2.6	6.0	-4.0	0.95	-200.0	19.0	80.0	1.0	9.4	-5.0	1.0	8.2	2.5	-4.0
158755	3.1	6.0	-4.0	0.83	-200.0	12.0	100.0	1.3	9.4	-5.0	-1.0	13.0	2.8	-4.0
158765	4.3	7.0	-4.0	0.86	-200.0	16.0	130.0	1.0	13.3	-5.0	-2.0	15.0	4.1	-4.0
158795	3.2	9.0	-4.0	1.00	-200.0	20.0	140.0	2.1	11.8	9.0	1.0	14.0	3.9	-4.0
158855	2.8	9.0	-4.0	1.60	-300.0	34.0	140.0	0.6	10.9	-11.0	3.0	27.0	13.6	17.0
158915	3.7	10.0	-4.0	1.90	-300.0	170.0	560.0	0.7	11.6	-220.0	4.0	94.0	35.4	16.0
158945	3.5	7.0	-4.0	1.30	-200.0	18.0	80.0	0.5	13.8	-5.0	-2.0	15.0	12.5	7.0
158955	3.1	8.0	-4.0	1.30	-200.0	62.0	160.0	2.0	11.2	5.0	4.0	22.0	26.7	7.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
15802S	70.0	51.0	82.0	9.1	1.9	2.9	0.5
15804S	56.0	32.0	55.0	3.6	1.1	2.2	0.3
15808S	180.0	158.0	269.0	17.7	-2.2	15.5	2.4
15809S	48.0	36.0	72.0	5.5	1.2	2.1	0.4
15810S	50.0	80.0	136.0	12.1	1.8	4.5	0.9
15813S	74.0	38.0	71.0	4.2	1.5	2.4	0.3
15814S	97.0	65.0	109.0	7.3	2.8	4.3	0.7
15815S	230.0	72.0	128.0	12.4	1.2	5.5	0.9
15816S	62.0	91.0	155.0	14.4	-1.0	5.7	1.2
15818S	70.0	44.0	75.0	4.9	0.9	2.6	0.4
15822S	61.0	42.0	66.0	4.4	1.0	2.5	0.4
15823S	56.0	43.0	84.0	9.6	-0.5	7.0	1.2
15830S	110.0	55.0	100.0	6.3	2.3	3.1	0.6
15831S	51.0	51.0	78.0	7.6	0.8	3.1	0.5
15834S	62.0	37.0	62.0	5.2	1.5	1.7	0.3
15839S	140.0	59.0	100.0	8.6	2.0	2.7	0.4
15849S	64.0	37.0	67.0	6.6	0.8	3.0	0.5
15854S	88.0	48.0	84.0	8.4	1.5	2.8	0.5
15855S	73.0	40.0	68.0	4.3	1.0	2.2	0.4
15857S	130.0	34.0	60.0	4.6	0.9	2.2	0.3
15858S	72.0	34.0	56.0	5.2	0.6	2.2	0.3
15859S	85.0	52.0	92.0	6.1	2.4	4.1	0.5
15864S	51.0	34.0	58.0	3.9	1.3	2.0	0.3
15875S	61.0	38.0	64.0	5.6	1.2	2.0	0.3
15876S	110.0	56.0	96.0	9.5	2.0	3.2	0.5
15879S	65.0	49.0	80.0	5.4	1.2	2.9	0.4
15885S	89.0	61.0	103.0	10.5	-1.0	4.7	0.7
15891S	520.0	130.0	241.0	39.1	1.7	24.3	3.9
15894S	71.0	51.0	68.0	8.3	1.3	3.1	0.6
15895S	150.0	58.0	102.0	6.8	2.4	4.0	0.8

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
15898S	65.602	146.265	C-5	9	7	15	0	-0.5	12.0	-5.0	700.0	-0.8	13.0	80.0	3.0	17.0
15908S	65.570	146.451	C-5	9	6	35	0	1.5	50.0	-9.0	700.0	-2.1	13.0	50.0	11.0	10.0
15911S	65.491	145.935	B-4	8	9	29	0	-0.5	29.0	-5.0	200.0	-1.1	11.0	50.0	4.0	26.0
15917S	65.578	146.757	C-6	9	5	29	0	-0.5	13.0	-10.0	700.0	-2.4	10.0	60.0	8.0	22.0
15920S	65.647	146.967	C-6	10	4	32	0	-0.5	10.0	-6.0	1200.0	-0.5	18.0	120.0	9.0	24.0
15921S	65.689	146.965	C-6	10	4	17	0	1.0	14.0	6.0	1500.0	-1.4	40.0	90.0	5.0	67.0
15938S	65.518	146.114	C-5	8	8	16	24	-0.5	10.0	-5.0	500.0	-0.6	10.0	40.0	3.0	15.0
15939S	65.521	146.887	C-6	8	4	15	0	-0.5	9.0	8.0	700.0	-1.4	16.0	110.0	5.0	16.0
15943S	65.629	146.874	C-6	9	4	2	0	-0.5	15.0	5.0	800.0	-1.5	16.0	90.0	7.0	27.0
15945S	65.601	146.781	C-6	9	5	18	0	-0.5	8.0	11.0	800.0	-2.6	8.0	60.0	6.0	23.0
15952S	65.452	146.067	B-5	7	8	10	0	-0.5	43.0	-5.0	400.0	-0.5	10.0	40.0	3.0	33.0
15954S	65.558	146.867	C-6	9	4	35	0	-0.5	9.0	-8.0	1100.0	-1.7	24.0	130.0	7.0	16.0
15955S	65.498	146.317	B-5	8	7	28	0	-0.5	8.0	-5.0	700.0	-0.8	10.0	70.0	3.0	13.0
15957S	65.474	146.864	B-6	8	4	35	0	-0.5	12.0	-6.0	600.0	-1.3	18.0	70.0	6.0	19.0
15960S	65.557	146.876	C-6	9	4	34	0	0.5	7.0	6.0	900.0	-1.6	17.0	120.0	8.0	15.0
15962S	65.664	146.599	C-6	10	5	25	11	-0.5	7.0	28.0	500.0	-1.7	5.0	40.0	5.0	21.0
15968S	65.577	146.352	C-5	9	7	29	0	-0.5	24.0	-9.0	600.0	-2.2	7.0	50.0	7.0	11.0
15971S	65.418	146.459	B-5	7	6	23	0	-0.5	8.0	-7.0	300.0	-1.7	5.0	10.0	19.0	10.0
15975S	65.420	146.456	B-5	7	6	23	0	-0.5	5.0	-9.0	600.0	-2.1	6.0	60.0	12.0	8.0
15976S	65.446	145.944	B-4	7	9	8	0	-0.5	56.0	-7.0	400.0	-1.2	12.0	50.0	6.0	55.0
15994S	65.404	146.477	B-5	7	6	27	0	-0.5	24.0	-5.0	700.0	-0.7	14.0	60.0	8.0	36.0
15995S	65.520	146.420	C-5	8	6	13	0	-0.5	21.0	-5.0	800.0	1.2	14.0	60.0	3.0	24.0
15996S	65.658	146.835	C-6	10	4	13	0	0.5	9.0	-6.0	1200.0	2.0	20.0	190.0	4.0	56.0
16709S	65.700	146.533	C-6	10	6	17	0	-0.5	9.0	8.0	1500.0	-1.5	16.0	120.0	7.0	21.0
16716S	65.464	146.434	B-5	7	6	1	0	-0.5	8.0	-7.0	300.0	-1.5	-5.0	20.0	16.0	9.0
16717S	65.670	146.880	C-6	10	4	27	0	-0.5	10.0	-11.0	1000.0	-2.6	14.0	70.0	6.0	20.0
16718S	65.677	146.978	C-6	10	4	20	0	-0.5	8.0	5.0	1300.0	2.4	12.0	90.0	2.0	41.0
16725S	65.702	146.748	C-6	10	5	8	0	-0.5	6.0	-6.0	1000.0	1.8	15.0	70.0	6.0	22.0
16730S	65.679	146.465	C-5	10	6	22	0	-0.5	13.0	9.0	900.0	-1.9	27.0	90.0	4.0	25.0
16731S	65.427	145.974	B-4	7	9	18	0	-0.5	55.0	8.0	500.0	-1.3	13.0	70.0	4.0	36.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
15898S	3.3	9.0	-4.0	1.10	-200.0	34.0	90.0	2.5	12.3	-5.0	-1.0	12.0	3.3	-4.0
15908S	2.8	13.0	-4.0	1.70	-300.0	22.0	160.0	0.9	9.5	-5.0	7.0	32.0	43.2	17.0
15911S	3.0	5.0	-4.0	0.50	-200.0	10.0	100.0	0.6	8.7	-6.0	-1.0	8.2	1.8	25.0
15917S	2.8	11.0	-4.0	1.10	-300.0	68.0	220.0	1.1	11.6	6.0	4.0	54.0	42.6	11.0
15920S	4.7	10.0	-4.0	1.10	-200.0	34.0	150.0	1.0	17.9	-5.0	-1.0	18.0	4.7	-4.0
15921S	5.1	5.0	11.0	0.56	-200.0	16.0	140.0	2.8	13.1	7.0	-1.0	12.0	7.3	-4.0
15938S	2.5	8.0	-4.0	1.10	-200.0	8.0	100.0	1.0	8.4	-5.0	1.0	12.0	5.4	-4.0
15939S	4.4	11.0	-4.0	0.89	-200.0	20.0	150.0	0.8	16.1	7.0	1.0	17.0	3.8	-4.0
15943S	4.0	9.0	-4.0	0.76	-200.0	42.0	160.0	1.6	14.8	-5.0	-1.0	17.0	3.6	4.0
15945S	3.1	15.0	-4.0	1.60	-300.0	170.0	380.0	1.0	12.1	-8.0	-2.0	120.0	49.5	12.0
15952S	2.8	5.0	-4.0	0.35	-200.0	16.0	70.0	2.9	8.5	-5.0	-1.0	7.5	1.9	5.0
15954S	4.2	9.0	-4.0	1.40	-300.0	32.0	240.0	1.0	16.7	-5.0	-2.0	18.0	6.4	-4.0
15955S	3.0	8.0	-4.0	1.00	-200.0	18.0	90.0	0.8	11.1	-5.0	-1.0	9.9	3.5	-4.0
15957S	3.9	9.0	-4.0	1.20	-200.0	16.0	170.0	0.9	13.5	-5.0	-1.0	20.0	7.4	-4.0
15960S	4.1	9.0	-4.0	1.10	-200.0	30.0	190.0	0.8	17.0	-5.0	-1.0	15.0	6.6	-4.0
15962S	2.7	10.0	-4.0	1.40	-200.0	72.0	420.0	0.4	7.8	-5.0	3.0	53.0	16.2	4.0
15968S	2.4	16.0	-4.0	1.70	-300.0	24.0	250.0	0.5	9.3	26.0	5.0	32.0	26.0	45.0
15971S	1.5	4.0	-4.0	2.10	-200.0	10.0	560.0	0.5	5.2	-5.0	5.0	19.0	16.2	7.0
15975S	1.8	9.0	-4.0	2.10	-300.0	14.0	340.0	0.4	9.3	-6.0	4.0	34.0	26.8	22.0
15976S	3.3	6.0	-4.0	0.56	-200.0	14.0	80.0	0.7	11.2	-7.0	-1.0	5.8	2.9	97.0
15994S	3.4	6.0	6.0	0.68	-200.0	34.0	180.0	0.8	11.6	-5.0	-1.0	15.0	4.4	-4.0
15995S	3.8	7.0	-4.0	0.87	-200.0	18.0	130.0	2.2	11.2	-5.0	-1.0	13.0	3.5	-4.0
15996S	4.2	5.0	5.0	0.69	-200.0	16.0	100.0	2.1	14.4	-5.0	-1.0	10.0	3.3	-4.0
16709S	4.5	21.0	-4.0	1.10	-200.0	98.0	220.0	1.0	16.6	-5.0	1.0	21.0	5.1	8.0
16716S	1.6	5.0	-4.0	2.40	-200.0	12.0	570.0	1.1	5.2	9.0	4.0	31.0	18.5	10.0
16717S	4.0	17.0	-4.0	1.70	-400.0	40.0	260.0	0.6	14.5	7.0	-2.0	67.0	27.2	11.0
16718S	3.0	5.0	-4.0	0.70	-200.0	10.0	40.0	1.4	11.4	-5.0	-1.0	7.7	3.3	-4.0
16725S	3.9	11.0	-4.0	1.00	-200.0	30.0	220.0	1.2	14.2	10.0	2.0	37.0	9.6	5.0
16730S	4.7	5.0	-5.0	0.69	-300.0	30.0	140.0	1.2	16.0	-10.0	-2.0	17.0	4.7	-4.0
16731S	3.2	7.0	-4.0	0.52	-200.0	14.0	60.0	1.7	10.4	-7.0	-1.0	8.1	3.1	66.0

Table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
15898S	89.0	46.0	82.0	5.2	2.1	3.2	0.4
15908S	75.0	76.0	131.0	12.4	1.5	5.9	1.3
15911S	56.0	27.0	59.0	4.4	1.1	1.9	0.3
15917S	670.0	100.0	167.0	19.2	-0.9	8.9	1.8
15920S	110.0	62.0	122.0	6.9	2.2	3.6	0.5
15921S	530.0	42.0	83.0	7.1	1.5	2.8	0.5
15938S	58.0	37.0	62.0	4.3	1.0	2.7	0.4
15939S	81.0	71.0	-3.0	-0.1	1.9	3.9	0.5
15943S	160.0	56.0	108.0	9.3	2.2	3.0	0.5
15945S	470.0	153.0	308.0	28.4	1.9	15.6	2.7
15952S	55.0	29.0	55.0	3.5	1.2	2.0	0.3
15954S	130.0	59.0	105.0	7.1	4.2	4.7	0.6
15955S	58.0	37.0	64.0	4.0	1.3	2.1	0.3
15957S	92.0	61.0	103.0	6.7	1.7	4.5	0.6
15960S	140.0	58.0	101.0	7.0	2.5	4.3	0.6
15962S	250.0	89.0	162.0	14.9	0.7	7.4	1.2
15968S	65.0	66.0	116.0	10.5	-0.9	6.5	1.1
15971S	48.0	27.0	53.0	6.4	-0.7	4.7	0.8
15975S	43.0	51.0	100.0	11.7	-0.9	5.8	1.2
15976S	60.0	30.0	61.0	5.3	1.3	2.1	0.4
15994S	110.0	50.0	89.0	5.6	1.4	2.9	0.3
15995S	84.0	46.0	76.0	4.8	1.4	2.7	0.3
15996S	130.0	45.0	72.0	7.8	1.4	2.7	0.4
16709S	190.0	85.0	169.0	10.1	2.1	4.9	0.7
16716S	63.0	43.0	88.0	9.9	0.7	7.2	1.3
16717S	140.0	135.0	216.0	14.6	-1.9	11.7	1.7
16718S	100.0	31.0	47.0	5.2	1.1	2.3	0.4
16725S	150.0	91.0	151.0	14.2	0.9	5.7	1.0
16730S	99.0	67.0	98.0	9.1	2.1	2.5	0.4
16731S	79.0	30.0	58.0	5.3	0.8	2.4	0.3

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
16732S	65.601	146.392	C-5	9	6	13	0	-0.5	30.0	-10.0	600.0	-2.1	15.0	90.0	15.0	36.0
16740S	65.391	146.435	B-5	7	6	36	0	-0.5	51.0	8.0	900.0	-0.7	13.0	60.0	8.0	30.0
16743S	65.462	146.313	B-5	7	7	4	0	-0.5	17.0	-8.0	700.0	-1.9	19.0	60.0	9.0	16.0
16744S	65.613	146.397	C-5	9	6	13	0	-0.5	22.0	-5.0	600.0	-0.8	18.0	100.0	6.0	23.0
16749S	65.497	146.130	B-5	8	8	29	0	-0.5	8.0	-5.0	700.0	-0.8	12.0	70.0	2.0	18.0
16754S	65.442	146.387	B-5	7	7	7	0	-0.5	18.0	-10.0	1000.0	3.7	13.0	80.0	10.0	25.0
16769S	65.657	146.412	C-5	10	6	36	0	-0.5	4.0	-5.0	500.0	-0.7	9.0	50.0	3.0	20.0
16771S	65.508	146.445	C-5	8	6	23	0	-0.5	10.0	-7.0	500.0	-1.5	11.0	60.0	2.0	18.0
16782S	65.544	146.717	C-6	8	5	4	0	-0.5	12.0	-5.0	700.0	-0.7	13.0	70.0	3.0	27.0
16785S	65.601	146.858	C-6	9	4	14	0	1.0	21.0	-15.0	900.0	-3.4	10.0	90.0	9.0	31.0
16786S	65.620	146.367	C-5	9	7	7	0	-0.5	11.0	-5.0	600.0	-0.7	12.0	80.0	4.0	20.0
16787S	65.582	146.863	C-6	9	4	26	0	-0.5	10.0	-16.0	1000.0	-4.2	8.0	80.0	5.0	14.0
16789S	65.487	145.891	B-4	8	9	28	0	-0.5	27.0	6.0	400.0	-1.5	13.0	60.0	3.0	22.0
16796S	65.578	146.994	C-6	9	4	30	0	0.5	10.0	-10.0	800.0	-2.2	17.0	90.0	11.0	43.0
16798S	65.414	146.322	B-5	7	7	21	0	-0.5	28.0	-5.0	700.0	-1.9	14.0	110.0	5.0	20.0
16806S	65.409	146.548	B-6	7	6	29	0	-0.5	25.0	-7.0	500.0	-1.3	12.0	60.0	8.0	28.0
16809S	65.667	146.963	C-6	10	4	29	0	0.5	9.0	-8.0	1500.0	2.6	21.0	100.0	12.0	37.0
16810S	65.617	146.854	C-6	9	4	11	0	-0.5	14.0	-12.0	500.0	-2.7	10.0	70.0	7.0	19.0
16817S	65.675	146.910	C-6	10	4	21	0	-0.5	6.0	9.0	1000.0	1.8	19.0	90.0	6.0	24.0
16826S	65.524	145.721	C-4	8	10	17	0	-0.5	38.0	-7.0	400.0	-1.5	15.0	60.0	4.0	25.0
16833S	65.380	146.665	B-6	6	5	2	0	-0.5	19.0	-7.0	900.0	2.3	16.0	100.0	10.0	10.0
16839S	65.681	146.798	C-6	10	5	19	0	-0.5	7.0	-6.0	1400.0	-1.4	22.0	90.0	6.0	16.0
16843S	65.456	145.923	B-4	7	9	5	0	1.0	280.0	26.0	600.0	-0.9	30.0	90.0	15.0	130.0
16846S	65.670	146.406	C-5	10	6	25	0	-0.5	7.0	-5.0	600.0	-0.7	12.0	60.0	3.0	22.0
16849S	65.564	146.761	C-6	9	5	32	0	-0.5	10.0	-10.0	900.0	-2.3	8.0	70.0	8.0	20.0
16852S	65.525	146.930	C-6	8	4	16	0	-0.5	9.0	-7.0	900.0	1.9	22.0	100.0	9.0	19.0
16855S	65.559	146.858	C-6	9	4	35	0	-0.5	9.0	-8.0	1100.0	-1.6	26.0	90.0	8.0	18.0
16856S	65.464	146.901	B-6	7	4	3	0	-0.5	12.0	-5.0	600.0	-1.2	12.0	60.0	6.0	17.0
16858S	65.695	146.764	C-6	10	5	17	0	-0.5	6.0	6.0	1600.0	-1.4	20.0	90.0	7.0	26.0
16860S	65.627	146.708	C-6	9	5	9	0	1.5	17.0	-11.0	500.0	-2.6	9.0	40.0	15.0	56.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
16732S	3.8	9.0	10.0	0.85	-300.0	18.0	130.0	0.9	13.2	-10.0	-2.0	14.0	8.7	28.0
16740S	3.6	7.0	-4.0	0.80	-200.0	18.0	180.0	3.7	11.8	-5.0	1.0	17.0	4.1	-4.0
16743S	3.1	7.0	-4.0	1.40	-300.0	14.0	230.0	0.8	10.5	-8.0	3.0	20.0	22.4	10.0
16744S	4.4	6.0	-4.0	1.30	-200.0	12.0	180.0	0.8	13.6	-5.0	1.0	15.0	6.0	-4.0
16749S	3.0	9.0	-4.0	1.10	-200.0	14.0	80.0	1.0	10.8	8.0	-1.0	11.0	3.6	-4.0
16754S	3.8	7.0	-4.0	1.30	-200.0	22.0	180.0	1.0	14.3	-9.0	-1.0	17.0	21.5	6.0
16769S	2.7	7.0	-4.0	0.61	-200.0	14.0	90.0	0.6	9.7	-5.0	-1.0	10.0	3.2	-4.0
16771S	3.3	8.0	-4.0	0.87	-200.0	14.0	70.0	5.5	10.1	-5.0	2.0	15.0	3.6	-4.0
16782S	3.5	6.0	-4.0	1.00	-200.0	20.0	110.0	1.0	12.4	-5.0	-1.0	12.0	5.3	-4.0
16785S	4.3	21.0	-4.0	1.90	-500.0	76.0	290.0	1.1	16.7	-12.0	-3.0	140.0	39.9	25.0
16786S	3.0	9.0	-4.0	0.95	-200.0	8.0	60.0	0.6	10.7	-5.0	-1.0	11.0	3.8	4.0
16787S	3.0	21.0	-4.0	1.60	600.0	38.0	150.0	0.9	11.6	13.0	3.0	150.0	81.2	16.0
16789S	3.2	8.0	-4.0	0.73	-200.0	10.0	40.0	0.7	11.0	-7.0	-1.0	10.0	2.8	25.0
16796S	4.0	5.0	-4.0	0.82	-300.0	110.0	110.0	0.9	15.2	-7.0	-2.0	16.0	5.7	-4.0
16798S	3.9	6.0	-4.0	1.10	-300.0	14.0	150.0	0.9	15.6	-5.0	-1.0	16.0	3.2	7.0
16806S	3.6	8.0	-4.0	0.72	-200.0	26.0	140.0	1.5	11.2	-6.0	-1.0	11.0	2.8	6.0
16809S	4.6	7.0	6.0	0.73	-200.0	14.0	170.0	1.3	17.7	-5.0	3.0	19.0	3.9	5.0
16810S	3.4	19.0	-4.0	2.30	-400.0	44.0	380.0	0.9	12.1	-8.0	-2.0	93.0	48.0	15.0
16817S	3.5	9.0	-4.0	0.65	-200.0	12.0	150.0	0.9	14.9	-5.0	-1.0	14.0	3.7	-4.0
16826S	3.4	8.0	-4.0	0.60	200.0	12.0	70.0	2.2	11.9	-6.0	-1.0	10.0	2.8	6.0
16833S	3.7	12.0	-4.0	1.40	-200.0	12.0	140.0	1.8	14.7	-5.0	-1.0	13.0	4.5	-4.0
16839S	5.0	7.0	-4.0	0.63	-200.0	10.0	220.0	0.6	17.6	-5.0	2.0	19.0	3.8	-4.0
16843S	4.7	6.0	-4.0	0.81	-200.0	36.0	130.0	1.2	16.8	-5.0	-1.0	12.0	5.1	6.0
16846S	3.2	11.0	-4.0	1.00	-200.0	12.0	90.0	0.9	11.2	-5.0	1.0	12.0	5.6	11.0
16849S	2.9	11.0	-4.0	1.30	-200.0	60.0	230.0	0.5	12.4	-6.0	-2.0	66.0	44.9	12.0
16852S	4.9	8.0	-4.0	1.00	-200.0	26.0	260.0	0.9	18.3	-5.0	-1.0	20.0	4.3	-4.0
16855S	4.1	7.0	4.0	1.10	-300.0	36.0	170.0	1.0	15.2	-5.0	-1.0	15.0	5.3	4.0
16856S	3.6	12.0	-4.0	1.20	-200.0	16.0	170.0	1.0	12.5	-5.0	-1.0	22.0	6.7	-4.0
16858S	4.8	7.0	-4.0	0.65	-200.0	10.0	220.0	0.9	17.1	-5.0	-1.0	19.0	4.9	-4.0
16860S	3.3	15.0	25.0	2.00	-400.0	350.0	610.0	0.6	10.9	12.0	-2.0	110.0	36.2	11.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
16732S	110.0	48.0	85.0	8.7	1.5	3.6	0.5
16740S	74.0	55.0	86.0	5.8	1.6	2.8	0.4
16743S	97.0	45.0	84.0	9.0	1.0	4.4	0.8
16744S	79.0	46.0	79.0	5.2	0.8	2.9	0.4
16749S	71.0	43.0	68.0	4.8	-0.2	2.7	0.4
16754S	130.0	51.0	86.0	9.4	1.8	3.9	0.8
16769S	75.0	40.0	68.0	4.7	0.6	2.4	0.4
16771S	60.0	47.0	83.0	6.9	1.6	2.9	0.4
16782S	120.0	36.0	60.0	5.0	0.7	2.7	0.4
16785S	300.0	163.0	298.0	24.3	-2.5	24.5	3.6
16786S	74.0	39.0	64.0	4.5	1.4	2.2	0.4
16787S	140.0	366.0	690.0	67.2	1.6	29.0	4.6
16789S	61.0	38.0	82.0	6.3	1.9	2.7	0.4
16796S	370.0	55.0	98.0	10.2	2.5	3.2	0.5
16798S	58.0	55.0	106.0	9.0	2.5	3.1	0.5
16806S	90.0	40.0	73.0	6.3	0.9	3.3	0.4
16809S	120.0	54.0	109.0	9.9	1.6	3.3	0.5
16810S	190.0	118.0	201.0	14.5	-2.0	13.8	2.4
16817S	97.0	55.0	102.0	8.6	1.4	2.8	0.5
16826S	69.0	36.0	57.0	6.3	1.0	2.6	0.4
16833S	67.0	53.0	101.0	5.8	1.4	3.2	0.4
16839S	140.0	64.0	120.0	9.7	1.5	3.2	0.5
16843S	97.0	49.0	88.0	6.5	2.8	3.1	0.5
16846S	64.0	46.0	71.0	5.5	0.6	3.1	0.4
16849S	590.0	115.0	209.0	21.8	-0.8	10.2	1.8
16852S	89.0	69.0	119.0	7.9	2.4	4.1	0.5
16855S	210.0	55.0	108.0	7.0	1.6	4.5	0.6
16856S	79.0	64.0	106.0	6.9	1.8	4.5	0.6
16858S	94.0	65.0	113.0	9.3	1.4	3.0	0.5
16860S	510.0	142.0	254.0	17.5	-1.8	17.1	2.6

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
16864S	65.705	146.475	C-5	10	6	10	0	-0.5	8.0	-7.0	1000.0	2.6	10.0	80.0	3.0	25.0
16865S	65.481	146.804	B-6	8	5	31	0	-0.5	8.0	-5.0	700.0	-1.6	17.0	90.0	3.0	22.0
16866S	65.483	146.589	B-6	8	6	31	0	-0.5	17.0	-8.0	400.0	-2.0	8.0	20.0	9.0	11.0
16870S	65.405	146.320	B-5	7	7	28	0	-0.5	27.0	8.0	700.0	-1.7	12.0	80.0	5.0	16.0
16872S	65.665	146.730	C-6	10	5	28	2	-0.5	10.0	-12.0	600.0	-2.7	13.0	70.0	11.0	12.0
16878S	65.554	146.945	C-6	8	4	4	0	-0.5	11.0	-8.0	700.0	2.6	20.0	110.0	12.0	35.0
16879S	65.443	146.103	B-5	7	8	9	0	-0.5	15.0	-5.0	600.0	-0.7	12.0	50.0	3.0	19.0
16883S	65.560	146.843	C-6	9	4	35	0	-0.5	8.0	-12.0	700.0	-2.0	19.0	100.0	6.0	18.0
16891S	65.392	146.092	B-5	7	8	34	0	-0.5	33.0	-6.0	700.0	1.5	13.0	90.0	4.0	19.0
16892S	65.574	146.635	C-6	9	5	26	0	-0.5	7.0	-9.0	700.0	-2.1	14.0	90.0	2.0	29.0
16893S	65.629	146.850	C-6	9	4	11	0	-0.5	4.0	-10.0	600.0	-2.6	-5.0	20.0	5.0	9.0
16895S	65.680	146.887	C-6	10	4	22	0	-0.5	8.0	-5.0	1500.0	-1.3	20.0	120.0	6.0	53.0
16902S	65.605	146.623	C-6	9	5	13	0	-0.5	12.0	-10.0	600.0	-1.6	21.0	110.0	7.0	45.0
16904S	65.573	146.761	C-6	9	5	29	0	0.5	14.0	-12.0	1000.0	-2.6	10.0	80.0	8.0	25.0
16915S	65.437	146.602	B-6	7	6	18	0	-0.5	11.0	-6.0	400.0	-1.5	5.0	30.0	18.0	12.0
16917S	65.682	146.445	C-5	10	6	23	0	-0.5	11.0	-8.0	800.0	-1.9	11.0	50.0	5.0	24.0
16927S	65.457	146.051	B-5	7	8	2	0	-0.5	25.0	6.0	600.0	-0.7	11.0	50.0	4.0	24.0
16929S	65.539	146.530	C-6	8	6	9	0	-0.5	13.0	-7.0	600.0	-1.3	11.0	60.0	6.0	13.0
16933S	65.371	146.473	B-5	6	6	3	0	-0.5	42.0	-12.0	900.0	-2.5	14.0	70.0	13.0	26.0
16935S	65.537	146.656	C-6	8	5	11	0	-0.5	11.0	-9.0	400.0	-1.7	12.0	70.0	4.0	19.0
16937S	65.551	146.377	C-5	8	7	6	0	1.5	230.0	-10.0	700.0	-1.8	15.0	100.0	7.0	36.0
16944S	65.541	146.235	C-5	8	7	11	0	-0.5	11.0	-5.0	600.0	-0.7	12.0	50.0	2.0	22.0
16954S	65.491	145.843	B-4	6	9	26	0	-0.5	40.0	17.0	400.0	-1.3	12.0	50.0	3.0	26.0
16957S	65.460	146.634	B-6	7	5	1	0	-0.5	12.0	-9.0	500.0	-2.0	9.0	40.0	11.0	13.0
16965S	65.608	146.871	C-6	9	4	14	0	-0.5	14.0	-14.0	1100.0	-3.2	11.0	70.0	4.0	14.0
16973S	65.643	146.822	C-6	9	4	1	0	-0.5	19.0	-12.0	1000.0	-2.9	20.0	90.0	8.0	38.0
16975S	65.477	146.838	B-6	8	4	36	0	-0.5	11.0	-5.0	600.0	-1.5	15.0	70.0	3.0	19.0
16980S	65.482	145.774	B-4	8	10	31	0	-0.5	58.0	-6.0	400.0	-1.2	14.0	60.0	3.0	20.0
16985S	65.433	146.716	B-6	7	5	16	-10	-0.5	11.0	-10.0	800.0	-2.2	14.0	40.0	7.0	10.0
16988S	65.514	146.313	C-5	8	7	16	0	-0.5	12.0	-5.0	600.0	1.5	9.0	50.0	4.0	20.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
16864S	2.8	6.0	-4.0	0.92	-200.0	16.0	120.0	2.0	12.0	-5.0	-2.0	9.2	2.0	-4.0
16865S	4.1	7.0	-4.0	1.20	-200.0	6.0	60.0	1.2	16.5	-5.0	2.0	11.0	4.3	-4.0
16866S	2.1	7.0	-4.0	2.20	-200.0	8.0	340.0	0.3	5.5	-9.0	4.0	28.0	38.1	-4.0
16870S	3.3	8.0	-4.0	1.10	-200.0	12.0	90.0	0.9	12.8	-5.0	-1.0	14.0	4.1	5.0
16872S	3.7	18.0	-4.0	2.20	-400.0	52.0	640.0	0.9	13.1	-11.0	2.0	78.0	31.9	5.0
16878S	4.5	10.0	-4.0	1.00	-200.0	48.0	170.0	1.3	17.2	-5.0	-1.0	18.0	4.6	-4.0
16879S	3.1	7.0	4.0	0.87	-200.0	14.0	100.0	5.2	9.6	-5.0	-1.0	12.0	3.8	-4.0
16883S	3.8	7.0	-4.0	1.20	-300.0	34.0	220.0	0.9	15.7	-6.0	-2.0	15.0	8.5	7.0
16891S	4.5	10.0	-4.0	0.89	-200.0	14.0	90.0	8.4	14.5	-5.0	-1.0	13.0	3.2	-4.0
16892S	3.5	7.0	-5.0	0.85	-300.0	20.0	150.0	0.5	14.2	-7.0	-2.0	13.0	5.1	-4.0
16893S	2.4	19.0	-4.0	2.30	-200.0	42.0	440.0	0.3	6.0	-5.0	3.0	100.0	34.0	7.0
16895S	4.8	8.0	-4.0	0.61	200.0	20.0	220.0	1.2	16.9	5.0	1.0	19.0	3.7	-4.0
16902S	5.1	7.0	-4.0	0.70	-200.0	28.0	150.0	1.5	17.4	-5.0	-1.0	14.0	3.1	-5.0
16904S	3.3	9.0	-4.0	1.30	-300.0	74.0	250.0	1.3	14.4	-11.0	3.0	52.0	46.7	6.0
16915S	2.2	4.0	-4.0	2.50	-200.0	6.0	540.0	0.9	6.7	-5.0	4.0	24.0	11.5	15.0
16917S	3.6	8.0	-4.0	1.10	-200.0	60.0	320.0	1.0	11.1	14.0	-2.0	32.0	11.2	6.0
16927S	2.9	9.0	-4.0	0.57	-200.0	18.0	110.0	4.1	10.1	-5.0	-1.0	6.4	2.4	-4.0
16929S	3.3	5.0	-4.0	0.96	-200.0	10.0	180.0	1.1	10.4	-5.0	1.0	14.0	8.9	-4.0
16933S	3.9	7.0	-4.0	0.71	-300.0	20.0	190.0	3.0	15.2	-6.0	-2.0	18.0	7.5	-6.0
16935S	3.4	9.0	-4.0	1.20	-200.0	12.0	60.0	1.2	11.6	-5.0	3.0	19.0	11.7	6.0
16937S	3.5	8.0	-4.0	0.81	400.0	120.0	160.0	1.8	12.5	-7.0	-2.0	16.0	184.0	10.0
16944S	3.0	9.0	-4.0	0.89	-200.0	12.0	90.0	0.7	10.1	-5.0	-1.0	14.0	3.9	-4.0
16954S	3.3	6.0	-4.0	0.50	-200.0	10.0	70.0	0.5	10.4	-5.0	-1.0	9.0	2.7	6.0
16957S	2.6	14.0	-4.0	1.80	-300.0	14.0	200.0	0.3	8.6	-5.0	4.0	58.0	54.4	6.0
16965S	4.2	16.0	-4.0	1.90	-300.0	66.0	220.0	0.9	16.6	10.0	-3.0	87.0	48.1	10.0
16973S	4.1	13.0	-4.0	1.50	-400.0	62.0	110.0	1.5	14.9	-8.0	-2.0	42.0	17.6	-4.0
16975S	3.9	11.0	-4.0	1.10	400.0	6.0	110.0	1.1	13.2	16.0	2.0	27.0	8.5	13.0
16980S	3.5	6.0	6.0	0.55	-200.0	10.0	-40.0	1.6	10.9	-5.0	-1.0	7.7	2.0	6.0
16985S	3.3	13.0	-4.0	1.60	-300.0	10.0	160.0	1.5	10.8	-6.0	-2.0	24.0	14.8	4.0
16988S	3.0	6.0	-4.0	1.10	-200.0	12.0	100.0	1.4	9.3	-5.0	-1.0	12.0	4.6	-4.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
16864S	69.0	36.0	61.0	6.3	1.0	2.5	0.4
16865S	79.0	48.0	87.0	8.4	2.3	2.9	0.5
16866S	48.0	60.0	99.0	8.7	1.1	3.7	1.0
16870S	59.0	52.0	88.0	8.2	1.7	3.2	0.5
16872S	190.0	136.0	225.0	15.1	-1.9	11.5	1.8
16878S	190.0	71.0	121.0	9.2	2.2	4.0	0.6
16879S	63.0	39.0	77.0	4.4	1.6	2.5	0.3
16883S	150.0	56.0	108.0	10.3	1.5	4.9	0.7
16891S	69.0	48.0	93.0	5.6	-0.2	3.1	0.4
16892S	80.0	48.0	82.0	8.6	1.7	3.1	0.5
16893S	170.0	185.0	342.0	28.6	1.0	13.4	2.2
16895S	170.0	72.0	124.0	10.1	1.3	2.9	0.5
16902S	97.0	50.0	95.0	8.9	2.2	3.2	0.5
16904S	980.0	100.0	168.0	21.2	-0.9	10.3	2.0
16915S	52.0	39.0	70.0	8.0	1.0	4.9	0.9
16917S	220.0	68.0	117.0	11.1	1.3	4.8	0.8
16927S	63.0	36.0	67.0	4.4	0.9	2.5	0.3
16929S	57.0	43.0	77.0	6.2	1.2	2.4	0.4
16933S	67.0	73.0	99.0	11.6	2.3	3.4	0.7
16935S	62.0	57.0	104.0	8.8	1.3	3.1	0.7
16937S	250.0	53.0	79.0	10.8	2.3	3.2	-0.1
16944S	64.0	47.0	76.0	5.4	-0.2	3.2	0.4
16954S	64.0	32.0	64.0	5.7	1.1	2.5	0.4
16957S	66.0	122.0	205.0	17.9	-1.0	5.5	1.6
16965S	240.0	135.0	241.0	20.3	3.0	18.3	2.9
16973S	190.0	129.0	194.0	14.5	-0.2	8.6	1.3
16975S	82.0	74.0	134.0	12.3	1.4	4.8	0.7
16980S	76.0	29.0	59.0	5.5	1.3	2.3	0.3
16985S	61.0	63.0	109.0	5.9	-1.6	3.9	0.5
16988S	70.0	39.0	66.0	4.3	0.9	2.3	0.4

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
16996S	65.397	146.774	B-6	7	5	32	0	-0.5	10.0	-7.0	600.0	-1.3	7.0	40.0	9.0	11.0
16998S	65.609	146.351	C-5	9	7	17	0	-0.5	17.0	6.0	700.0	-0.8	20.0	70.0	6.0	25.0
16999S	65.440	146.759	B-6	7	5	17	0	-0.5	7.0	-5.0	800.0	-1.6	18.0	110.0	10.0	17.0
17020S	65.546	146.455	C-5	8	6	2	0	1.0	67.0	17.0	700.0	-1.9	20.0	100.0	9.0	45.0
17021S	65.457	145.831	B-4	7	9	2	0	-0.5	41.0	-6.0	300.0	-1.3	11.0	60.0	3.0	19.0
17022S	65.507	145.670	C-4	8	10	22	0	-0.5	92.0	-9.0	600.0	-1.7	19.0	60.0	3.0	25.0
17025S	65.676	146.529	C-6	10	6	20	0	-0.5	8.0	-6.0	400.0	-2.1	10.0	50.0	6.0	19.0
17028S	65.486	146.723	B-6	8	5	28	-7	-0.5	17.0	16.0	900.0	-1.1	17.0	90.0	12.0	13.0
17033S	65.539	146.616	C-6	8	5	12	0	-0.5	11.0	-5.0	600.0	-0.8	16.0	70.0	4.0	37.0
17037S	65.537	146.027	C-5	8	8	11	0	-0.5	28.0	13.0	300.0	-0.6	9.0	30.0	2.0	23.0
17044S	65.692	146.776	C-6	10	5	18	0	-0.5	6.0	5.0	900.0	2.4	15.0	90.0	7.0	35.0
17055S	65.555	146.896	C-6	8	4	3	0	-0.5	9.0	-7.0	900.0	-1.4	17.0	100.0	10.0	18.0
17058S	65.484	145.933	B-4	8	9	32	0	-0.5	45.0	6.0	400.0	-0.6	16.0	50.0	7.0	36.0
17059S	65.549	146.575	C-6	8	6	5	0	-0.5	13.0	-8.0	700.0	-1.5	15.0	80.0	3.0	21.0
17064S	65.478	145.918	B-4	8	9	33	0	-0.5	36.0	12.0	600.0	-1.3	17.0	80.0	5.0	43.0
17066S	65.438	145.961	B-4	7	9	18	0	-0.5	56.0	13.0	400.0	-1.3	12.0	50.0	5.0	34.0
17067S	65.671	146.915	C-6	10	4	28	0	-0.5	6.0	51.0	1200.0	-1.6	17.0	110.0	7.0	21.0
17070S	65.680	146.476	C-5	10	6	22	0	-0.5	9.0	-8.0	900.0	-2.2	11.0	60.0	7.0	20.0
17072S	65.633	146.862	C-6	9	4	2	0	-0.5	20.0	36.0	900.0	-1.5	19.0	100.0	6.0	34.0
17074S	65.480	146.543	B-6	8	6	32	0	-0.5	18.0	-9.0	600.0	-1.7	12.0	70.0	3.0	19.0
17082S	65.628	146.929	C-6	9	4	9	0	-0.5	7.0	16.0	800.0	-1.5	13.0	100.0	6.0	29.0
17091S	65.450	145.847	B-4	7	9	11	0	-0.5	56.0	-8.0	300.0	-1.5	14.0	60.0	4.0	26.0
17092S	65.605	146.747	C-6	9	5	17	0	0.5	6.0	-12.0	800.0	-3.2	14.0	60.0	7.0	24.0
17093S	65.649	146.893	C-6	10	4	34	-5	0.5	14.0	-5.0	1600.0	-1.6	21.0	100.0	11.0	33.0
17095S	65.409	146.408	B-5	7	6	25	0	-0.5	16.0	-10.0	1000.0	-2.4	12.0	90.0	6.0	25.0
17099S	65.563	146.763	C-6	9	5	32	0	-0.5	6.0	-11.0	1000.0	-2.6	17.0	80.0	3.0	17.0
17112S	65.656	146.774	C-6	10	5	31	0	-0.5	22.0	12.0	1100.0	2.2	19.0	120.0	19.0	36.0
17117S	65.564	146.713	C-6	9	5	33	0	-0.5	9.0	-5.0	700.0	-0.9	14.0	60.0	6.0	21.0
17120S	65.473	146.846	B-6	8	4	36	0	-0.5	7.0	-8.0	800.0	-1.9	15.0	90.0	4.0	26.0
17122S	65.702	146.718	C-6	10	5	9	0	-0.5	21.0	21.0	1800.0	2.1	27.0	190.0	7.0	30.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
16996S	2.3	7.0	-4.0	1.50	-200.0	8.0	210.0	0.8	7.5	-5.0	-1.0	13.0	7.3	8.0
16998S	3.2	9.0	-4.0	1.00	-200.0	14.0	60.0	0.9	11.6	5.0	-1.0	11.0	3.3	-4.0
16999S	4.3	7.0	-4.0	1.20	-200.0	8.0	120.0	1.7	17.3	-5.0	-2.0	14.0	4.1	-4.0
17020S	4.3	7.0	-5.0	1.00	-200.0	100.0	180.0	6.0	15.6	-7.0	-2.0	15.0	5.1	-4.0
17021S	3.1	8.0	-4.0	0.65	-200.0	10.0	40.0	2.4	11.0	-7.0	-1.0	8.6	2.6	7.0
17022S	4.0	8.0	-4.0	0.92	300.0	18.0	90.0	5.4	13.3	-5.0	-2.0	13.0	3.0	-4.0
17025S	3.2	14.0	-4.0	1.40	-200.0	70.0	390.0	0.7	10.3	-5.0	2.0	67.0	19.7	9.0
17028S	4.4	12.0	-4.0	1.80	-300.0	24.0	180.0	1.2	14.4	-5.0	2.0	28.0	12.1	-4.0
17033S	3.3	6.0	-4.0	0.67	-200.0	22.0	110.0	1.3	13.4	-5.0	-1.0	11.0	5.5	-4.0
17037S	2.5	10.0	4.0	0.63	-200.0	10.0	50.0	2.4	7.1	12.0	-1.0	9.8	3.1	7.0
17044S	3.6	6.0	-4.0	0.92	-200.0	10.0	150.0	0.7	15.3	-8.0	-2.0	15.0	5.1	-4.0
17055S	5.4	9.0	-4.0	0.95	-200.0	26.0	260.0	0.9	19.2	-5.0	-1.0	21.0	4.5	-4.0
17058S	3.9	6.0	-4.0	0.53	-200.0	10.0	90.0	1.1	11.9	-5.0	-1.0	7.7	2.5	12.0
17059S	3.9	7.0	-4.0	0.95	-200.0	12.0	130.0	1.4	12.9	-5.0	-1.0	13.0	3.9	-4.0
17064S	4.0	5.0	-4.0	0.63	-300.0	20.0	70.0	0.8	13.0	-9.0	-2.0	11.0	5.9	13.0
17066S	3.3	6.0	5.0	0.55	-200.0	14.0	90.0	1.7	10.6	-7.0	-1.0	9.8	4.3	21.0
17067S	3.7	9.0	-4.0	1.00	-200.0	10.0	150.0	0.6	16.4	-5.0	-2.0	15.0	4.9	-4.0
17070S	3.3	11.0	-4.0	1.30	-300.0	62.0	380.0	0.6	11.3	9.0	2.0	48.0	17.0	7.0
17072S	4.6	8.0	-4.0	0.81	-200.0	56.0	130.0	1.9	16.4	-5.0	1.0	17.0	5.2	-4.0
17074S	3.5	7.0	-4.0	1.40	200.0	12.0	190.0	2.8	12.6	-5.0	-1.0	15.0	5.7	-4.0
17082S	3.8	8.0	-4.0	0.88	-200.0	46.0	140.0	1.0	16.3	-5.0	2.0	16.0	4.8	-4.0
17091S	4.0	9.0	-4.0	0.60	-200.0	12.0	70.0	3.0	12.3	-8.0	-1.0	9.0	2.3	110.0
17092S	3.8	15.0	-4.0	1.40	-400.0	84.0	240.0	0.5	13.8	21.0	-3.0	100.0	67.9	9.0
17093S	5.1	9.0	-4.0	1.10	-300.0	38.0	190.0	1.4	20.2	-5.0	-1.0	21.0	4.5	4.0
17095S	4.0	6.0	-4.0	0.88	-300.0	32.0	110.0	0.9	15.5	-7.0	2.0	19.0	4.2	-4.0
17099S	3.3	7.0	-4.0	1.10	-300.0	26.0	170.0	0.5	13.0	-8.0	-2.0	24.0	14.4	4.0
17112S	5.0	12.0	-4.0	1.50	-300.0	86.0	250.0	1.3	18.3	-5.0	-1.0	31.0	12.7	-4.0
17117S	3.8	9.0	-4.0	0.88	-200.0	22.0	170.0	0.8	12.5	6.0	1.0	31.0	10.5	4.0
17120S	4.0	8.0	6.0	1.20	-300.0	14.0	-50.0	1.1	15.6	-6.0	-2.0	11.0	3.5	-4.0
17122S	6.2	7.0	-4.0	0.54	200.0	10.0	220.0	5.7	17.2	-5.0	2.0	14.0	4.8	-4.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
16996S	56.0	35.0	60.0	5.9	1.1	2.9	0.5
16998S	95.0	42.0	66.0	4.9	1.5	2.7	0.4
16999S	85.0	55.0	93.0	8.8	2.9	3.3	0.5
17020S	180.0	52.0	85.0	8.9	1.6	3.0	0.5
17021S	47.0	31.0	55.0	5.1	0.9	2.5	0.4
17022S	67.0	67.0	106.0	9.3	2.1	3.2	0.5
17025S	270.0	126.0	214.0	19.5	-0.9	8.7	1.6
17028S	81.0	73.0	129.0	8.1	1.7	5.0	0.8
17033S	110.0	44.0	73.0	5.5	1.7	2.7	0.5
17037S	47.0	31.0	59.0	3.7	0.8	2.4	0.3
17044S	56.0	45.0	86.0	7.3	1.3	2.5	0.5
17055S	130.0	75.0	132.0	8.0	3.2	3.6	0.5
17058S	65.0	27.0	53.0	3.3	0.8	2.0	0.3
17059S	64.0	50.0	87.0	7.7	2.2	2.7	0.5
17064S	77.0	40.0	79.0	7.4	2.0	3.1	0.5
17066S	75.0	33.0	62.0	5.5	1.0	2.3	0.5
17067S	88.0	54.0	94.0	9.0	1.5	4.1	0.6
17070S	240.0	102.0	188.0	17.2	0.9	8.2	1.4
17072S	200.0	61.0	117.0	9.6	1.6	3.7	0.6
17074S	63.0	52.0	84.0	7.9	1.4	3.3	0.6
17082S	170.0	56.0	103.0	9.6	1.8	3.6	0.5
17091S	59.0	34.0	57.0	6.1	1.9	2.8	0.4
17092S	530.0	138.0	241.0	32.9	2.1	16.3	3.3
17093S	89.0	67.0	113.0	7.6	3.6	4.1	0.6
17095S	68.0	73.0	119.0	12.2	3.1	3.3	0.5
17099S	130.0	63.0	126.0	12.2	-1.0	5.3	1.1
17112S	180.0	79.0	134.0	12.1	1.4	7.2	1.1
17117S	140.0	72.0	135.0	8.6	1.4	5.2	0.8
17120S	75.0	45.0	92.0	7.9	1.0	3.2	0.5
17122S	190.0	53.0	102.0	7.9	1.8	3.0	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Conc	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17123S	65.608	146.909	C-6	9	4	16	0	-0.5	21.0	-6.0	800.0	2.1	17.0	120.0	17.0	38.0
17124S	65.679	146.901	C-6	10	4	22	0	-0.5	17.0	-7.0	1700.0	-1.5	25.0	120.0	8.0	46.0
17126S	65.555	146.297	C-5	8	7	3	0	-0.5	32.0	-8.0	700.0	-1.8	12.0	70.0	3.0	19.0
17130S	65.449	146.374	B-5	7	7	7	0	-0.5	22.0	-8.0	500.0	-1.7	14.0	50.0	14.0	27.0
17131S	65.497	146.363	B-5	8	7	29	0	-0.5	13.0	-7.0	600.0	-1.7	13.0	60.0	4.0	22.0
17134S	65.606	146.874	C-6	9	4	15	0	-0.5	16.0	-16.0	1200.0	-3.9	13.0	80.0	10.0	18.0
17146S	65.667	146.597	C-6	10	5	25	0	-0.5	13.0	-9.0	600.0	-2.1	10.0	30.0	10.0	11.0
17158S	65.512	146.327	C-5	8	7	21	0	-0.5	7.0	-5.0	800.0	1.1	10.0	70.0	3.0	27.0
17161S	65.476	146.789	B-6	8	5	31	0	-0.5	10.0	-5.0	700.0	-0.5	23.0	90.0	3.0	22.0
17162S	65.580	146.647	C-6	9	5	26	0	-0.5	8.0	-10.0	900.0	3.1	15.0	100.0	5.0	38.0
17166S	65.686	146.889	C-6	10	4	22	0	-0.5	11.0	6.0	1200.0	-1.5	15.0	90.0	6.0	30.0
17168S	65.478	146.529	B-6	8	6	33	0	-0.5	15.0	14.0	1200.0	-1.9	12.0	110.0	6.0	20.0
17170S	65.686	146.776	C-6	10	5	19	0	-0.5	6.0	8.0	1300.0	2.5	16.0	100.0	5.0	23.0
17172S	65.680	146.648	C-6	10	5	23	0	-0.5	13.0	7.0	700.0	-1.2	16.0	80.0	11.0	42.0
17180S	65.454	146.437	B-5	7	6	12	0	-0.5	38.0	-12.0	500.0	-1.8	6.0	40.0	17.0	12.0
17183S	65.521	145.665	C-4	8	10	15	0	0.5	74.0	13.0	500.0	-1.2	13.0	60.0	3.0	23.0
17184S	65.458	145.950	B-4	7	9	5	0	-0.5	42.0	-6.0	300.0	1.5	12.0	60.0	3.0	33.0
17185S	65.448	146.445	B-5	7	6	11	0	-0.5	28.0	-10.0	600.0	-2.1	-5.0	40.0	19.0	10.0
17192S	65.703	146.470	C-5	10	6	10	0	-0.5	4.0	-9.0	800.0	-1.9	12.0	100.0	3.0	14.0
17199S	65.523	145.822	C-4	8	9	14	0	-0.5	9.0	-5.0	600.0	-0.7	15.0	70.0	3.0	25.0
17200S	65.483	146.518	B-6	8	6	33	0	-0.5	9.0	-8.0	700.0	1.8	9.0	70.0	3.0	14.0
17205S	65.567	146.640	C-6	9	5	35	0	-0.5	6.0	-10.0	800.0	-0.5	12.0	90.0	9.0	34.0
17206S	65.668	146.699	C-6	10	5	27	0	-0.5	9.0	8.0	800.0	1.7	16.0	80.0	7.0	35.0
17207S	65.658	146.711	C-6	10	5	28	0	-0.5	7.0	13.0	900.0	-2.9	10.0	60.0	4.0	15.0
17209S	65.517	146.634	C-6	8	5	13	0	-0.5	33.0	-14.0	1200.0	-2.9	12.0	90.0	14.0	13.0
17210S	65.497	145.817	B-4	8	9	25	0	-0.5	42.0	-8.0	800.0	-1.8	15.0	80.0	3.0	18.0
17211S	65.497	146.203	B-5	8	7	25	0	-0.5	10.0	-5.0	600.0	-0.8	11.0	60.0	6.0	19.0
17215S	65.694	146.727	C-6	10	5	16	0	-0.5	7.0	-9.0	900.0	-2.0	17.0	70.0	6.0	17.0
17219S	65.664	146.527	C-6	10	6	28	15	-0.5	6.0	-10.0	1000.0	-2.3	9.0	90.0	4.0	22.0
17223S	65.701	146.614	C-6	10	5	13	0	-0.5	12.0	-5.0	1000.0	-0.8	16.0	80.0	5.0	21.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17123S	5.2	8.0	-4.0	1.50	-300.0	62.0	250.0	2.0	18.1	-5.0	-1.0	41.0	23.3	-4.0
17124S	5.5	8.0	7.0	0.94	300.0	34.0	220.0	2.4	20.2	-5.0	-1.0	22.0	6.1	-4.0
17126S	3.4	7.0	-4.0	1.10	-200.0	24.0	130.0	5.3	11.5	-5.0	-2.0	14.0	7.2	4.0
17130S	3.6	5.0	-4.0	1.30	-200.0	16.0	370.0	1.1	11.0	9.0	4.0	17.0	15.4	7.0
17131S	3.3	7.0	-4.0	1.20	-200.0	12.0	110.0	1.3	10.5	-5.0	-2.0	13.0	5.8	-4.0
17134S	4.0	25.0	-4.0	2.10	-600.0	70.0	350.0	0.9	16.1	-9.0	-3.0	170.0	102.0	20.0
17146S	3.4	6.0	-4.0	2.00	-200.0	120.0	640.0	0.6	10.4	-5.0	3.0	91.0	38.7	11.0
17158S	3.2	8.0	-4.0	0.93	-200.0	15.0	160.0	0.8	12.1	-5.0	-1.0	14.0	3.9	-4.0
17161S	5.2	7.0	-4.0	1.30	-200.0	2.0	90.0	1.2	16.9	-5.0	-2.0	12.0	2.6	-4.0
17162S	4.6	8.0	8.0	0.75	-300.0	22.0	140.0	0.9	13.9	-6.0	-2.0	16.0	3.9	-4.0
17166S	4.2	8.0	-4.0	1.00	200.0	26.0	220.0	1.6	14.9	7.0	2.0	34.0	11.7	-4.0
17168S	4.3	5.0	10.0	1.50	-300.0	16.0	200.0	1.2	16.4	-5.0	2.0	17.0	4.5	9.0
17170S	4.0	7.0	-4.0	0.93	-200.0	10.0	150.0	0.6	16.8	-5.0	-1.0	17.0	3.0	-4.0
17172S	3.7	8.0	7.0	0.67	-200.0	86.0	100.0	1.2	14.1	-5.0	-1.0	14.0	4.4	-4.0
17180S	2.0	7.0	-4.0	2.00	-200.0	16.0	440.0	0.5	8.4	15.0	5.0	34.0	88.0	19.0
17183S	3.9	9.0	-4.0	0.69	-200.0	18.0	100.0	6.3	14.2	-5.0	2.0	11.0	2.2	-4.0
17184S	3.5	5.0	-4.0	0.51	-200.0	6.0	80.0	1.0	10.7	-6.0	-1.0	8.8	2.2	21.0
17185S	2.5	11.0	-4.0	2.50	-300.0	14.0	460.0	1.0	10.4	-9.0	7.0	56.0	51.6	28.0
17192S	3.4	9.0	-4.0	1.20	-300.0	20.0	140.0	0.6	14.6	-8.0	2.0	13.0	5.7	-4.0
17199S	3.4	8.0	-4.0	0.60	-200.0	12.0	50.0	1.3	11.9	-5.0	3.0	9.8	2.8	-4.0
17200S	2.7	6.0	-4.0	1.30	200.0	8.0	120.0	1.2	10.4	-5.0	1.0	11.0	2.3	-4.0
17205S	4.1	7.0	-4.0	0.75	-300.0	24.0	120.0	0.6	14.7	-7.0	-2.0	12.0	4.2	-4.0
17206S	3.6	9.0	-4.0	0.95	-200.0	84.0	140.0	0.9	14.5	-5.0	-1.0	14.0	3.8	-4.0
17207S	3.2	18.0	6.0	1.50	-400.0	52.0	240.0	-0.3	13.2	-9.0	4.0	70.0	29.1	4.0
17209S	3.1	9.0	-4.0	1.40	-300.0	14.0	80.0	0.8	13.0	-7.0	3.0	30.0	168.0	10.0
17210S	4.0	7.0	-4.0	0.69	-200.0	14.0	70.0	0.9	13.6	-8.0	-2.0	12.0	2.7	6.0
17211S	3.1	9.0	-4.0	1.30	-200.0	12.0	190.0	0.8	10.7	-5.0	1.0	17.0	10.8	5.0
17215S	3.7	12.0	-4.0	1.10	-300.0	36.0	140.0	0.5	12.8	-8.0	-2.0	39.0	8.6	-4.0
17219S	3.0	6.0	4.0	1.00	-300.0	18.0	90.0	0.6	15.1	-6.0	3.0	13.0	4.4	-4.0
17223S	4.0	10.0	5.0	0.86	-200.0	16.0	180.0	1.2	12.6	-5.0	1.0	15.0	3.7	-4.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17123S	150.0	78.0	152.0	14.6	2.4	11.3	1.7
17124S	140.0	81.0	147.0	8.0	2.8	4.2	0.5
17126S	84.0	48.0	77.0	7.2	1.0	2.7	0.5
17130S	140.0	39.0	75.0	7.7	1.0	4.0	0.7
17131S	72.0	44.0	80.0	6.8	1.1	2.7	0.5
17134S	210.0	211.0	382.0	30.4	-2.7	29.4	4.8
17146S	460.0	113.0	223.0	31.0	1.2	20.4	3.2
17158S	70.0	51.0	88.0	6.0	1.6	3.2	0.4
17161S	84.0	50.0	84.0	8.9	2.3	3.0	0.5
17162S	100.0	53.0	96.0	9.6	2.3	3.1	0.4
17166S	150.0	85.0	148.0	13.3	1.4	5.8	1.1
17168S	57.0	45.0	92.0	7.8	1.4	2.8	0.4
17170S	110.0	54.0	100.0	9.0	2.3	3.2	0.6
17172S	380.0	54.0	92.0	5.9	1.7	3.0	0.4
17180S	78.0	52.0	98.0	12.6	1.5	6.4	0.7
17183S	53.0	39.0	77.0	6.2	0.8	3.1	0.4
17184S	63.0	28.0	60.0	4.8	1.0	2.1	0.4
17185S	68.0	85.0	168.0	19.5	-0.6	11.3	2.2
17192S	82.0	47.0	95.0	8.0	1.8	3.4	0.6
17199S	62.0	37.0	64.0	4.6	-0.2	2.4	0.3
17200S	51.0	43.0	69.0	6.7	1.9	2.4	0.4
17205S	82.0	47.0	78.0	8.2	1.0	2.8	0.4
17206S	240.0	54.0	99.0	5.9	-0.8	2.8	0.5
17207S	170.0	142.0	248.0	17.2	-2.0	11.4	1.8
17209S	84.0	86.0	128.0	16.8	2.4	7.3	-0.1
17210S	59.0	40.0	65.0	6.7	1.5	2.5	0.3
17211S	72.0	48.0	88.0	5.7	1.7	3.6	0.6
17215S	160.0	97.0	148.0	8.8	2.1	5.2	0.8
17219S	62.0	46.0	82.0	8.0	1.9	2.5	0.5
17223S	130.0	57.0	98.0	6.5	2.0	3.8	0.5

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17227S	65.665	146.725	C-6	10	5	28	0	-0.5	10.0	-11.0	800.0	-1.4	15.0	80.0	6.0	22.0
17228S	65.627	146.954	C-6	9	4	8	0	-0.5	11.0	-7.0	1100.0	-1.4	19.0	110.0	11.0	31.0
17230S	65.518	146.140	C-5	8	8	17	0	-0.5	9.0	-5.0	500.0	-0.7	10.0	50.0	4.0	18.0
17232S	65.583	146.436	C-5	9	6	26	0	-0.5	33.0	-12.0	1100.0	-2.8	9.0	80.0	11.0	12.0
17233S	65.457	145.759	B-4	7	10	6	0	-0.5	52.0	-8.0	400.0	-1.2	20.0	70.0	4.0	35.0
17241S	65.477	146.642	B-6	8	5	36	0	-0.5	32.0	-14.0	1300.0	-2.7	20.0	90.0	24.0	34.0
17246S	65.510	145.957	C-4	8	9	20	0	-0.5	25.0	5.0	300.0	0.7	13.0	40.0	4.0	22.0
17247S	65.585	146.649	C-6	9	5	26	0	-0.5	6.0	-11.0	800.0	-2.5	16.0	100.0	7.0	30.0
17252S	65.388	146.026	B-5	7	8	35	0	-0.5	42.0	-5.0	600.0	-1.2	22.0	110.0	3.0	53.0
17261S	65.591	146.423	C-5	9	6	23	0	-0.5	27.0	-10.0	600.0	-2.6	11.0	70.0	6.0	15.0
17263S	65.408	146.661	B-6	7	5	26	0	-0.5	17.0	-7.0	700.0	-1.4	11.0	50.0	12.0	15.0
17265S	65.463	145.802	B-4	7	9	1	0	-0.5	44.0	-9.0	500.0	-1.7	16.0	70.0	3.0	27.0
17267S	65.418	146.497	B-5	7	6	22	0	-0.5	6.0	-7.0	300.0	-1.8	-5.0	20.0	16.0	7.5
17273S	65.616	146.390	C-5	9	6	12	0	-0.5	14.0	-9.0	600.0	-2.1	14.0	90.0	5.0	32.0
17274S	65.656	146.664	C-6	10	5	33	0	0.5	9.0	-16.0	1000.0	-3.9	8.0	80.0	8.0	16.0
17277S	65.653	146.821	C-6	10	4	36	0	-0.5	12.0	6.0	700.0	-1.7	16.0	90.0	7.0	39.0
17281S	65.661	146.827	C-6	10	4	25	0	-0.5	12.0	-6.0	1200.0	-1.5	20.0	80.0	4.0	26.0
17287S	65.662	146.734	C-6	10	5	28	0	-0.5	8.0	-10.0	500.0	-2.3	8.0	70.0	6.0	12.0
17288S	65.419	145.997	B-4	7	8	24	0	-0.5	63.0	9.0	600.0	2.0	15.0	70.0	6.0	62.0
17291S	65.551	146.939	C-6	8	4	4	0	-0.5	8.0	10.0	800.0	-1.3	18.0	90.0	13.0	18.0
17295S	65.602	146.975	C-6	9	4	17	0	-0.5	10.0	-9.0	1200.0	-1.7	17.0	120.0	7.0	46.0
17299S	65.634	146.861	C-6	9	4	2	0	-0.5	8.0	-7.0	400.0	-1.6	-5.0	-10.0	6.0	9.0
17300S	65.502	146.968	C-6	8	4	20	0	-0.5	7.0	-9.0	800.0	-2.1	14.0	110.0	3.0	19.0
17304S	65.567	146.457	C-5	9	6	35	0	-0.5	43.0	-10.0	600.0	-2.2	13.0	70.0	11.0	12.0
17305S	65.567	146.312	C-5	9	7	33	0	-0.5	36.0	5.0	600.0	-0.7	13.0	40.0	7.0	19.0
17307S	65.568	146.668	C-6	9	5	34	0	-0.5	5.0	-5.0	600.0	-0.9	12.0	60.0	3.0	29.0
17308S	65.579	146.334	C-5	9	7	29	0	-0.5	30.0	-9.0	800.0	-1.9	13.0	90.0	9.0	35.0
17309S	65.395	146.749	B-6	7	5	32	0	-0.5	16.0	-10.0	700.0	-1.9	15.0	80.0	16.0	20.0
17310S	65.628	146.375	C-5	9	7	7	25	-0.5	17.0	-6.0	600.0	-1.0	16.0	80.0	6.0	38.0
17312S	65.455	146.043	B-5	7	8	11	0	-0.5	24.0	5.0	700.0	1.0	12.0	60.0	3.0	24.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17227S	3.5	19.0	-4.0	1.40	-400.0	42.0	300.0	0.7	13.7	-7.0	-1.0	48.0	15.4	4.0
17228S	4.4	8.0	4.0	0.97	-200.0	40.0	150.0	1.3	17.7	-5.0	-1.0	13.0	3.6	-4.0
17230S	2.7	8.0	-4.0	1.10	-200.0	10.0	110.0	1.1	8.5	-5.0	-1.0	12.0	4.9	-4.0
17232S	2.8	21.0	-4.0	2.00	-300.0	26.0	250.0	0.9	11.8	13.0	11.0	46.0	147.0	56.0
17233S	4.5	4.0	-4.0	0.65	-200.0	6.0	110.0	9.2	15.8	-7.0	-1.0	7.8	2.4	7.0
17241S	4.3	8.0	21.0	1.10	-400.0	20.0	-70.0	1.2	14.5	-9.0	-2.0	24.0	138.0	-4.0
17246S	2.9	6.0	-4.0	0.59	-200.0	6.0	60.0	1.0	8.7	-5.0	-1.0	7.8	2.4	27.0
17247S	3.6	8.0	-5.0	0.75	-300.0	24.0	170.0	0.8	15.6	-8.0	-2.0	16.0	5.6	-4.0
17252S	4.6	7.0	-4.0	0.83	-200.0	18.0	110.0	15.0	13.5	-5.0	-1.0	9.2	3.3	-4.0
17261S	3.7	20.0	-4.0	1.80	300.0	24.0	150.0	0.9	13.0	17.0	8.0	43.0	23.2	78.0
17263S	3.4	6.0	-4.0	1.50	-200.0	10.0	320.0	2.1	10.1	-5.0	2.0	17.0	6.9	11.0
17265S	4.4	12.0	-4.0	0.70	-300.0	10.0	-50.0	2.3	17.5	-9.0	-1.0	6.5	5.7	71.0
17267S	1.4	4.0	-4.0	2.60	-200.0	10.0	500.0	0.2	5.9	-5.0	4.0	20.0	12.0	6.0
17273S	4.4	9.0	5.0	1.40	300.0	12.0	160.0	0.6	14.9	10.0	-2.0	22.0	7.7	19.0
17274S	3.7	14.0	-4.0	1.30	-400.0	52.0	220.0	1.1	14.0	-5.0	-3.0	130.0	83.9	9.0
17277S	3.6	11.0	-4.0	1.20	-200.0	56.0	200.0	0.9	13.7	-5.0	-1.0	32.0	12.2	-4.0
17281S	5.2	7.0	4.0	0.95	-200.0	16.0	180.0	0.8	14.9	-5.0	-1.0	19.0	3.6	-4.0
17287S	2.9	17.0	-4.0	1.60	-300.0	80.0	300.0	0.5	10.6	-10.0	-2.0	65.0	17.4	4.0
17288S	4.2	6.0	-4.0	0.62	-200.0	12.0	60.0	2.6	13.6	-9.0	-1.0	11.0	2.8	50.0
17291S	3.9	7.0	-4.0	0.96	-200.0	32.0	130.0	0.7	15.3	-5.0	-1.0	12.0	4.3	-4.0
17295S	4.7	7.0	-4.0	0.69	-200.0	58.0	250.0	1.4	18.0	-8.0	-2.0	21.0	6.1	-4.0
17299S	2.6	17.0	-4.0	2.10	-200.0	24.0	570.0	-0.2	8.6	-9.0	4.0	95.0	28.1	14.0
17300S	3.6	8.0	-4.0	0.91	-300.0	24.0	120.0	0.6	15.6	-6.0	-2.0	15.0	3.3	-4.0
17304S	3.2	13.0	-4.0	1.60	-300.0	26.0	210.0	1.0	12.3	-7.0	3.0	34.0	43.2	14.0
17305S	2.9	5.0	-4.0	0.91	200.0	26.0	170.0	1.2	9.0	-5.0	-1.0	13.0	7.6	12.0
17307S	3.0	7.0	-4.0	0.60	-200.0	20.0	150.0	0.8	11.4	-5.0	1.0	11.0	3.4	-4.0
17308S	3.8	6.0	-4.0	0.77	300.0	16.0	130.0	1.1	13.4	-6.0	-2.0	14.0	3.9	6.0
17309S	3.4	6.0	-4.0	1.40	-200.0	14.0	210.0	1.5	12.4	-8.0	-2.0	17.0	21.9	8.0
17310S	4.1	8.0	-4.0	1.40	-200.0	14.0	160.0	0.9	14.1	-5.0	1.0	17.0	8.6	6.0
17312S	3.1	7.0	-4.0	0.68	-200.0	20.0	80.0	4.1	10.9	-5.0	-1.0	9.9	2.6	-4.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17227S	170.0	138.0	240.0	14.1	3.5	8.1	1.3
17228S	110.0	50.0	92.0	6.2	2.2	2.9	0.5
17230S	63.0	36.0	60.0	4.2	0.8	2.6	0.4
17232S	70.0	102.0	172.0	17.6	1.6	9.6	1.6
17233S	62.0	24.0	56.0	4.5	0.9	2.0	0.4
17241S	98.0	74.0	151.0	15.5	2.7	5.6	-0.1
17246S	51.0	28.0	43.0	3.2	0.5	1.8	0.3
17247S	84.0	57.0	103.0	11.3	3.4	3.7	0.8
17252S	97.0	43.0	74.0	5.6	1.7	2.3	0.3
17261S	69.0	101.0	182.0	15.2	1.5	7.6	1.4
17263S	72.0	41.0	67.0	6.7	-0.5	3.1	0.5
17265S	61.0	35.0	59.0	6.6	1.5	3.3	0.6
17267S	41.0	34.0	69.0	8.2	-0.7	4.8	0.9
17273S	67.0	68.0	128.0	10.1	2.1	4.0	0.6
17274S	260.0	220.0	362.0	49.8	-1.4	19.0	3.6
17277S	210.0	87.0	153.0	11.3	2.9	6.7	1.0
17281S	140.0	62.0	118.0	9.3	1.5	3.4	0.6
17287S	170.0	113.0	183.0	10.8	-1.6	6.9	1.2
17288S	84.0	39.0	68.0	7.2	1.3	2.4	0.4
17291S	130.0	47.0	93.0	5.4	1.3	2.8	0.5
17295S	190.0	71.0	113.0	10.8	1.4	3.3	0.6
17299S	150.0	153.0	284.0	24.6	-0.8	13.1	2.2
17300S	81.0	59.0	106.0	9.6	1.0	3.4	0.5
17304S	81.0	85.0	134.0	13.2	1.7	6.0	1.4
17305S	110.0	40.0	78.0	4.4	1.2	2.3	0.4
17307S	93.0	46.0	79.0	5.7	1.3	2.9	0.4
17308S	120.0	46.0	82.0	8.6	1.7	3.4	0.5
17309S	96.0	49.0	89.0	9.1	0.9	3.4	0.9
17310S	76.0	55.0	95.0	6.5	1.4	3.1	0.5
17312S	69.0	35.0	61.0	4.2	-0.5	2.2	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17319S	65.644	146.961	C-6	10	4	32	0	1.0	10.0	-6.0	1000.0	-1.2	14.0	80.0	6.0	25.0
17320S	65.547	146.361	C-5	8	7	5	0	1.0	80.0	-10.0	900.0	-2.2	10.0	80.0	3.0	22.0
17321S	65.493	146.438	B-5	8	6	26	0	-0.5	14.0	-9.0	600.0	-1.6	14.0	60.0	3.0	19.0
17323S	65.396	146.532	B-6	7	6	33	0	-0.5	10.0	13.0	600.0	-1.6	10.0	60.0	3.0	17.0
17328S	65.684	146.890	C-6	10	4	22	0	-0.5	10.0	7.0	1300.0	2.4	14.0	90.0	3.0	42.0
17329S	65.664	146.527	C-6	10	6	28	-15	-0.5	7.0	-10.0	900.0	-2.4	16.0	100.0	5.0	20.0
17330S	65.482	145.659	B-4	8	9	34	0	-0.5	46.0	-8.0	600.0	-1.6	19.0	60.0	6.0	42.0
17332S	65.676	146.655	C-6	10	5	23	0	0.5	17.0	-5.0	1000.0	-1.1	20.0	80.0	18.0	45.0
17340S	65.525	146.855	C-6	8	4	14	0	-0.5	7.0	-5.0	800.0	-1.4	17.0	90.0	6.0	14.0
17342S	65.445	146.092	B-5	7	8	10	0	-0.5	21.0	-5.0	900.0	-1.0	13.0	80.0	6.0	25.0
17345S	65.650	146.730	C-6	10	5	33	0	-0.5	5.0	-11.0	700.0	-2.8	13.0	80.0	7.0	14.0
17347S	65.699	146.736	C-6	10	5	16	0	-0.5	8.0	-6.0	1000.0	1.6	15.0	70.0	6.0	20.0
17349S	65.442	145.932	B-4	7	9	8	0	-0.5	64.0	-7.0	700.0	-1.4	16.0	80.0	7.0	66.0
17353S	65.433	146.068	B-5	7	8	15	0	-0.5	61.0	-5.0	500.0	-0.6	12.0	50.0	4.0	46.0
17356S	65.413	145.917	B-4	7	9	21	0	-0.5	27.0	6.0	500.0	-1.6	17.0	90.0	3.0	27.0
17357S	65.398	146.382	B-5	7	7	31	0	-0.5	30.0	-5.0	900.0	-0.9	15.0	70.0	13.0	29.0
17358S	65.463	146.504	B-6	7	6	3	0	-0.5	12.0	5.0	300.0	-1.8	6.0	60.0	15.0	10.0
17363S	65.633	146.344	C-5	9	7	5	0	-0.5	7.0	-5.0	700.0	1.6	18.0	70.0	5.0	82.0
17364S	65.469	146.204	B-5	7	7	1	0	-0.5	10.0	7.0	800.0	-0.5	16.0	70.0	4.0	20.0
17368S	65.524	146.059	C-5	8	8	14	26	-0.5	46.0	13.0	500.0	-0.6	15.0	60.0	4.0	39.0
17373S	65.569	146.940	C-6	9	4	21	0	1.0	69.0	11.0	600.0	1.8	18.0	100.0	7.0	82.0
17386S	65.587	146.566	C-6	9	6	19	0	-0.5	6.0	-9.0	900.0	-1.7	10.0	90.0	3.0	14.0
17387S	65.545	146.792	C-6	8	5	6	0	-0.5	8.0	-5.0	700.0	-0.7	12.0	80.0	5.0	30.0
17388S	65.434	145.965	B-4	7	9	18	0	-0.5	14.0	-9.0	800.0	-1.8	18.0	90.0	10.0	55.0
17391S	65.446	146.328	B-5	7	7	9	0	-0.5	15.0	-10.0	900.0	-2.1	21.0	110.0	10.0	27.0
17395S	65.523	146.909	C-6	8	4	15	0	-0.5	7.0	7.0	600.0	-1.3	16.0	90.0	7.0	22.0
17398S	65.372	146.469	B-5	6	6	2	0	-0.5	64.0	-5.0	800.0	-1.4	10.0	60.0	7.0	19.0
17400S	65.586	146.464	C-5	9	6	22	0	-0.5	6.0	-5.0	600.0	-0.9	20.0	110.0	2.0	31.0
17402S	65.460	145.763	B-4	7	10	6	0	-0.5	45.0	9.0	400.0	-1.0	15.0	60.0	2.0	40.0
17410S	65.489	146.896	B-6	8	4	27	0	-0.5	6.0	6.0	900.0	-1.6	12.0	100.0	3.0	12.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17319S	3.8	7.0	4.0	0.90	-200.0	46.0	150.0	0.6	14.6	-5.0	-1.0	14.0	3.7	-4.0
17320S	3.3	8.0	-4.0	1.00	-300.0	130.0	150.0	2.9	13.9	-5.0	-2.0	13.0	4.0	-4.0
17321S	3.8	11.0	-5.0	1.30	-200.0	12.0	90.0	1.0	13.1	-5.0	-1.0	15.0	4.3	-5.0
17323S	3.0	6.0	-5.0	0.76	300.0	14.0	90.0	0.9	10.7	-5.0	1.0	12.0	2.7	-4.0
17328S	3.5	5.0	-4.0	1.00	-200.0	14.0	80.0	2.2	12.7	-5.0	2.0	9.5	4.3	-4.0
17329S	3.6	6.0	-4.0	1.00	400.0	22.0	70.0	0.7	14.6	-6.0	-2.0	13.0	4.2	-4.0
17330S	3.6	6.0	5.0	0.98	-200.0	18.0	120.0	0.4	11.9	-6.0	3.0	14.0	6.7	99.0
17332S	4.5	8.0	-4.0	0.83	-200.0	190.0	210.0	1.2	14.8	-5.0	1.0	17.0	4.5	4.0
17340S	3.9	9.0	-4.0	0.67	-200.0	18.0	130.0	0.9	14.9	-5.0	-1.0	16.0	3.4	-4.0
17342S	3.9	7.0	-4.0	0.91	-200.0	24.0	170.0	5.5	14.3	-5.0	-1.0	14.0	4.3	-4.0
17345S	3.5	15.0	-4.0	1.70	-300.0	52.0	260.0	0.7	14.1	-7.0	-2.0	88.0	41.9	7.0
17347S	3.9	11.0	-4.0	1.10	300.0	28.0	200.0	1.1	14.1	-5.0	3.0	37.0	8.8	-4.0
17349S	3.6	6.0	-4.0	0.94	-200.0	12.0	110.0	1.1	14.1	-6.0	-1.0	10.0	2.3	16.0
17353S	3.6	6.0	6.0	0.40	-200.0	24.0	100.0	3.6	11.7	-5.0	-1.0	9.5	1.9	6.0
17356S	3.9	8.0	-4.0	0.79	-200.0	8.0	90.0	6.3	14.0	-5.0	-1.0	10.0	2.9	-4.0
17357S	3.9	8.0	-4.0	0.57	-200.0	20.0	190.0	3.6	13.3	6.0	-1.0	16.0	5.4	4.0
17358S	2.3	7.0	-4.0	2.20	-200.0	12.0	330.0	1.1	9.6	-5.0	4.0	36.0	25.8	11.0
17363S	4.0	6.0	4.0	0.62	-200.0	36.0	150.0	0.6	15.4	-5.0	-1.0	16.0	5.5	-4.0
17364S	3.3	7.0	-4.0	1.00	-200.0	14.0	170.0	1.2	12.6	-5.0	-1.0	12.0	3.5	-4.0
17368S	3.8	8.0	-4.0	0.54	-200.0	18.0	130.0	3.7	11.3	-5.0	1.0	11.0	2.8	6.0
17373S	4.3	6.0	5.0	1.00	-300.0	90.0	120.0	1.3	16.3	-9.0	-2.0	11.0	2.8	17.0
17386S	3.5	8.0	-5.0	1.10	-200.0	16.0	120.0	0.6	15.6	-5.0	-1.0	15.0	3.4	-5.0
17387S	3.4	6.0	-4.0	0.72	-200.0	24.0	100.0	0.9	14.1	12.0	-1.0	10.0	4.8	-4.0
17388S	4.6	6.0	-4.0	0.63	-200.0	20.0	240.0	2.6	15.4	-5.0	-1.0	17.0	5.2	6.0
17391S	4.3	6.0	-5.0	0.89	-300.0	30.0	190.0	0.9	16.5	25.0	-2.0	17.0	5.7	-4.0
17395S	3.9	9.0	-4.0	0.76	-200.0	24.0	150.0	1.2	15.4	5.0	-1.0	16.0	4.0	-4.0
17398S	3.5	6.0	-4.0	0.61	-200.0	12.0	150.0	1.9	11.5	-5.0	1.0	15.0	3.8	-4.0
17400S	4.0	8.0	-4.0	1.50	-200.0	12.0	80.0	0.8	13.6	-5.0	-1.0	8.4	3.5	-4.0
17402S	3.9	4.0	-4.0	0.63	-200.0	8.0	70.0	6.9	14.8	-5.0	1.0	6.8	2.7	11.0
17410S	3.8	11.0	-4.0	0.93	-200.0	10.0	100.0	0.6	14.0	-5.0	-2.0	16.0	3.8	-4.0

table 5-1

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17319S	120.0	50.0	89.0	5.9	1.4	3.1	0.4
17320S	230.0	51.0	79.0	8.1	-0.9	2.8	0.6
17321S	57.0	58.0	92.0	8.6	1.4	3.4	0.6
17323S	58.0	42.0	62.0	6.9	1.0	3.0	0.5
17328S	88.0	38.0	56.0	6.0	1.1	2.6	0.5
17329S	72.0	47.0	85.0	8.2	2.3	3.2	0.5
17330S	78.0	49.0	87.0	7.1	1.6	3.0	0.4
17332S	850.0	64.0	104.0	6.9	2.1	4.2	0.5
17340S	78.0	57.0	100.0	6.6	2.8	3.4	0.6
17342S	73.0	49.0	82.0	5.5	-0.2	2.6	0.3
17345S	200.0	144.0	267.0	24.8	-1.1	11.6	2.1
17347S	150.0	88.0	159.0	13.7	1.6	5.8	0.9
17349S	77.0	36.0	63.0	6.4	1.5	2.8	0.4
17353S	71.0	36.0	68.0	4.6	1.8	2.6	0.4
17356S	63.0	40.0	70.0	6.7	1.7	2.7	0.4
17357S	73.0	57.0	104.0	6.7	1.8	3.2	0.5
17358S	54.0	59.0	113.0	12.7	1.2	6.0	1.4
17363S	94.0	57.0	99.0	6.6	1.0	3.6	0.5
17364S	60.0	45.0	78.0	5.5	2.1	2.6	0.3
17368S	72.0	40.0	71.0	5.0	1.4	2.7	0.4
17373S	460.0	38.0	85.0	6.9	1.7	2.9	0.4
17386S	60.0	54.0	99.0	8.2	0.9	3.5	0.5
17387S	91.0	40.0	62.0	6.8	2.2	4.0	0.6
17388S	99.0	59.0	98.0	8.9	1.5	2.9	0.4
17391S	110.0	62.0	107.0	9.9	2.9	3.2	0.6
17395S	78.0	60.0	110.0	7.1	2.1	2.9	0.5
17398S	58.0	51.0	85.0	7.8	1.9	2.6	0.4
17400S	79.0	44.0	76.0	5.2	1.5	2.4	0.4
17402S	71.0	24.0	46.0	4.4	0.9	2.2	0.3
17410S	67.0	60.0	116.0	10.3	1.6	3.4	0.5

table 5-1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17411S	65.443	146.686	B-6	7	5	10	0	-0.5	15.0	5.0	600.0	1.8	11.0	50.0	5.0	12.0
17412S	65.656	146.819	C-6	10	4	36	0	-0.5	10.0	-6.0	700.0	1.6	17.0	80.0	6.0	30.0
17414S	65.699	146.925	C-6	10	4	16	0	-0.5	15.0	-7.0	1000.0	1.8	16.0	110.0	4.0	26.0
17416S	65.388	146.662	B-6	7	5	35	0	-0.5	14.0	-6.0	800.0	-1.2	20.0	90.0	5.0	18.0
17428S	65.488	145.914	B-4	8	9	28	0	-0.5	51.0	-8.0	300.0	1.4	18.0	60.0	3.0	23.0
17437S	65.422	146.242	B-5	7	7	23	0	-0.5	15.0	-5.0	700.0	-0.8	13.0	50.0	3.0	22.0
17438S	65.457	146.062	B-5	7	8	3	0	-0.5	43.0	-5.0	300.0	-0.5	10.0	40.0	3.0	31.0
17452S	65.623	146.500	C-6	9	6	9	16	-0.5	3.0	-7.0	500.0	-1.5	11.0	50.0	3.0	16.0
17454S	65.607	146.610	C-6	9	5	13	0	-0.5	10.0	-10.0	600.0	-1.8	13.0	100.0	7.0	28.0
17458S	65.663	146.621	C-6	10	5	25	0	1.0	11.0	-12.0	900.0	-2.6	9.0	50.0	18.0	16.0
17459S	65.664	146.820	C-6	10	4	25	0	-0.5	13.0	-5.0	1100.0	-0.6	19.0	80.0	7.0	27.0
17464S	65.487	146.809	B-6	8	5	30	0	-0.5	12.0	6.0	600.0	-1.4	14.0	70.0	6.0	19.0
17465S	65.647	146.872	C-6	10	4	35	0	-0.5	12.0	-5.0	500.0	-0.6	6.0	20.0	7.0	10.0
17467S	65.397	145.989	B-4	7	9	31	0	-0.5	30.0	7.0	400.0	-0.9	23.0	80.0	2.0	67.0
17471S	65.488	146.946	B-6	8	4	28	0	-0.5	9.0	-10.0	800.0	-2.2	16.0	100.0	4.0	15.0
17474S	65.675	146.719	C-6	10	5	21	0	-0.5	6.0	12.0	900.0	2.6	17.0	70.0	9.0	28.0
17481S	65.371	146.560	B-6	6	6	5	0	-0.5	17.0	-7.0	500.0	-1.2	13.0	50.0	3.0	17.0
17483S	0.000	0.000	B-6	8	5	30	0	-0.5	11.0	-5.0	400.0	-0.5	12.0	40.0	4.0	16.0
17484S	65.458	145.936	B-4	7	9	5	0	-0.5	94.0	13.0	600.0	-0.7	18.0	80.0	11.0	85.0
17492S	65.380	146.669	B-6	6	5	2	0	-0.5	20.0	-6.0	600.0	-1.1	14.0	70.0	9.0	12.0
17496S	65.598	146.955	C-6	9	4	20	0	-0.5	10.0	-8.0	500.0	-1.8	11.0	50.0	6.0	45.0
17503S	65.641	146.957	C-6	9	4	5	0	-0.5	10.0	-6.0	900.0	1.8	16.0	90.0	8.0	26.0
17506S	65.611	146.598	C-6	9	5	15	0	-0.5	4.0	-10.0	700.0	-2.5	9.0	30.0	8.0	12.0
17508S	65.665	146.628	C-6	10	5	25	0	1.5	11.0	-14.0	1000.0	-3.0	11.0	80.0	20.0	22.0
17510S	65.530	146.568	C-6	8	6	8	0	-0.5	12.0	12.0	900.0	-2.3	8.0	60.0	8.0	11.0
17521S	65.612	146.895	C-6	9	4	15	0	1.0	16.0	-8.0	800.0	-1.7	17.0	90.0	13.0	39.0
17522S	65.627	146.822	C-6	9	4	12	0	-0.5	5.0	-9.0	600.0	-2.1	6.0	40.0	5.0	10.0
17527S	65.628	146.840	C-6	9	4	11	0	-0.5	19.0	-10.0	800.0	-1.7	12.0	70.0	9.0	11.0
17529S	65.385	146.565	B-6	7	6	32	0	-0.5	25.0	-11.0	600.0	-1.9	13.0	70.0	9.0	23.0
17533S	65.486	145.770	B-4	8	10	30	0	-0.5	23.0	-5.0	300.0	-1.1	9.0	40.0	2.0	15.0

table 5-1

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17411S	3.0	9.0	-4.0	1.40	-200.0	8.0	80.0	1.6	9.4	-5.0	-1.0	17.0	14.8	4.0
17412S	3.9	9.0	-4.0	0.95	-200.0	92.0	190.0	0.9	13.7	-5.0	-1.0	17.0	4.9	-4.0
17414S	4.2	8.0	-4.0	1.00	-200.0	2.0	110.0	4.4	17.9	-49.0	-1.0	15.0	5.0	-4.0
17416S	3.9	9.0	-4.0	1.20	-200.0	14.0	130.0	1.5	14.7	-5.0	-1.0	13.0	3.5	4.0
17428S	4.2	4.0	-4.0	0.65	-200.0	12.0	50.0	6.6	16.2	-5.0	-1.0	7.3	2.4	6.0
17437S	3.0	5.0	-4.0	0.79	-200.0	14.0	120.0	1.1	10.0	-5.0	-1.0	10.0	4.7	-4.0
17438S	2.8	7.0	4.0	0.34	-200.0	16.0	80.0	3.1	6.0	-5.0	-1.0	8.0	2.0	7.0
17452S	3.2	7.0	-4.0	0.71	-200.0	14.0	90.0	0.4	10.4	-5.0	2.0	13.0	3.5	-4.0
17454S	3.8	5.0	-5.0	0.65	-200.0	16.0	110.0	1.6	13.0	-5.0	-1.0	14.0	2.5	-5.0
17458S	3.7	12.0	-4.0	1.50	-300.0	180.0	450.0	0.9	14.3	-18.0	3.0	110.0	45.4	-6.0
17459S	4.8	8.0	-4.0	0.97	-200.0	14.0	200.0	1.1	15.1	-5.0	1.0	17.0	3.8	-4.0
17464S	3.3	11.0	-4.0	1.10	-200.0	20.0	110.0	1.1	12.8	-5.0	-1.0	20.0	10.5	4.0
17465S	2.6	14.0	11.0	2.00	-200.0	30.0	540.0	0.5	9.0	-5.0	2.0	64.0	17.6	-6.0
17467S	4.4	7.0	-4.0	0.73	-200.0	8.0	70.0	16.0	15.1	-5.0	-1.0	8.5	2.4	-4.0
17471S	3.5	6.0	-5.0	0.92	-300.0	22.0	80.0	0.8	14.1	-6.0	-2.0	15.0	4.2	-4.0
17474S	3.2	6.0	-4.0	1.00	-200.0	16.0	150.0	0.7	13.8	-5.0	-1.0	12.0	4.4	-4.0
17481S	3.0	5.0	4.0	0.50	-200.0	10.0	120.0	2.4	9.3	-5.0	1.0	11.0	3.3	-4.0
17483S	3.2	6.0	4.0	0.65	-200.0	10.0	200.0	0.9	9.1	-5.0	1.0	14.0	5.6	-6.0
17484S	3.6	6.0	-4.0	1.00	-200.0	16.0	70.0	0.9	14.7	-5.0	-1.0	9.9	3.5	14.0
17492S	3.3	6.0	-4.0	1.00	-200.0	14.0	100.0	1.4	11.9	-5.0	-1.0	11.0	4.0	4.0
17496S	2.9	7.0	-4.0	1.00	-200.0	68.0	330.0	1.8	9.8	-5.0	-2.0	30.0	18.8	6.0
17503S	4.0	9.0	-4.0	0.92	-200.0	44.0	180.0	1.2	15.1	-5.0	-1.0	15.0	3.6	-4.0
17506S	2.5	11.0	-4.0	1.80	-300.0	140.0	410.0	0.2	9.0	-6.0	-2.0	61.0	33.2	5.0
17508S	4.2	11.0	-4.0	1.30	-300.0	170.0	330.0	1.3	17.6	-5.0	3.0	110.0	37.8	-7.0
17510S	3.1	12.0	-4.0	1.60	-300.0	14.0	150.0	0.5	12.0	-5.0	-2.0	36.0	127.0	-5.0
17521S	4.0	8.0	-4.0	1.10	-300.0	62.0	260.0	1.3	14.6	-9.0	-1.0	37.0	33.7	-4.0
17522S	2.8	10.0	-4.0	2.10	-200.0	38.0	460.0	0.5	9.2	-5.0	4.0	57.0	37.1	5.0
17527S	3.5	7.0	-4.0	0.87	-200.0	44.0	150.0	1.0	12.3	-5.0	-1.0	16.0	48.4	11.0
17529S	3.7	8.0	-4.0	0.92	-300.0	18.0	130.0	1.3	13.1	-9.0	-1.0	15.0	52.6	9.0
17533S	2.7	5.0	5.0	0.42	-200.0	6.0	60.0	2.0	7.9	-5.0	-1.0	5.1	1.4	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17411S	66.0	49.0	81.0	7.7	1.6	3.5	0.7
17412S	170.0	65.0	112.0	7.4	1.5	4.2	0.5
17414S	90.0	62.0	105.0	9.1	1.8	3.5	0.4
17416S	65.0	44.0	70.0	4.8	0.9	2.3	0.4
17428S	60.0	24.0	51.0	4.6	1.1	2.5	0.3
17437S	100.0	38.0	62.0	4.3	-0.2	1.9	0.4
17438S	57.0	30.0	57.0	3.8	1.3	2.0	0.3
17452S	78.0	46.0	80.0	7.3	1.7	2.6	0.4
17454S	67.0	51.0	86.0	9.1	1.5	3.0	0.6
17458S	390.0	144.0	230.0	39.7	1.7	18.6	2.8
17459S	150.0	61.0	105.0	6.2	1.5	3.6	0.5
17464S	100.0	59.0	101.0	6.9	2.8	4.4	0.6
17465S	130.0	110.0	202.0	12.0	0.5	9.8	1.2
17467S	54.0	33.0	69.0	4.3	1.7	2.2	0.3
17471S	74.0	53.0	87.0	8.6	2.0	2.8	0.4
17474S	91.0	49.0	85.0	5.8	2.0	3.0	0.5
17481S	67.0	35.0	69.0	5.4	1.3	1.9	0.3
17483S	95.0	37.0	63.0	4.0	1.1	2.5	0.4
17484S	88.0	37.0	71.0	4.8	1.8	2.6	0.4
17492S	77.0	42.0	70.0	4.6	1.6	2.6	0.4
17496S	320.0	72.0	123.0	12.8	0.9	6.9	1.2
17503S	130.0	52.0	83.0	5.9	2.2	2.6	0.4
17506S	270.0	145.0	214.0	13.3	-1.7	8.3	1.3
17508S	310.0	161.0	259.0	46.3	1.4	19.3	3.1
17510S	69.0	91.0	151.0	15.5	-0.8	5.5	-0.1
17521S	290.0	79.0	151.0	15.5	-1.2	10.4	1.8
17522S	180.0	96.0	161.0	18.9	-0.8	10.0	1.7
17527S	230.0	48.0	82.0	9.1	1.7	3.2	0.5
17529S	89.0	52.0	78.0	9.6	2.0	3.3	1.1
17533S	54.0	17.0	36.0	2.9	0.9	1.4	0.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17542S	65.397	146.418	B-5	7	6	36	0	-0.5	12.0	-6.0	400.0	-1.2	9.0	40.0	2.0	22.0
17544S	65.535	146.844	C-6	8	4	12	0	-0.5	7.0	-6.0	900.0	2.1	11.0	80.0	6.0	16.0
17548S	65.394	146.769	B-6	7	5	32	0	-0.5	9.0	12.0	600.0	-1.6	13.0	60.0	3.0	13.0
17553S	65.542	146.023	C-5	8	8	1	0	-0.5	14.0	-5.0	400.0	-0.6	9.0	30.0	3.0	14.0
17554S	65.520	146.190	C-5	8	8	18	0	-0.5	11.0	-5.0	400.0	-0.7	10.0	40.0	2.0	18.0
17555S	65.470	145.780	B-4	7	10	6	0	-0.5	61.0	12.0	400.0	-1.0	13.0	40.0	2.0	20.0
17559S	65.706	146.465	C-5	10	6	10	0	-0.5	6.0	-8.0	800.0	-1.6	14.0	100.0	5.0	22.0
17560S	65.532	146.949	C-6	8	4	9	0	-0.5	10.0	8.0	900.0	-1.4	26.0	100.0	11.0	21.0
17565S	65.581	146.904	C-6	9	4	27	0	1.5	18.0	-7.0	600.0	-1.5	17.0	70.0	19.0	41.0
17570S	65.519	145.967	C-4	8	9	18	0	-0.5	24.0	11.0	500.0	-0.6	19.0	50.0	4.0	26.0
17575S	65.490	146.410	B-5	8	6	25	0	-0.5	22.0	-9.0	600.0	-1.7	18.0	70.0	6.0	29.0
17586S	65.519	146.182	C-5	8	8	18	0	-0.5	11.0	-5.0	600.0	-0.7	10.0	60.0	2.0	21.0
17589S	65.414	146.162	B-5	7	8	20	0	-0.5	33.0	-5.0	600.0	1.2	14.0	60.0	3.0	23.0
17591S	65.556	146.569	C-6	8	6	5	0	-0.5	7.0	-10.0	800.0	-1.6	15.0	90.0	5.0	33.0
17599S	65.484	146.684	B-6	8	5	34	0	-0.5	15.0	-12.0	700.0	-1.9	17.0	40.0	23.0	7.5
17604S	65.420	146.552	B-6	7	6	20	0	-0.5	17.0	-12.0	700.0	-2.1	9.0	70.0	17.0	9.5
17606S	65.549	146.326	C-5	8	7	4	0	-0.5	50.0	-8.0	700.0	-1.8	11.0	70.0	3.0	16.0
17610S	65.440	146.690	B-6	7	5	15	0	-0.5	12.0	-6.0	600.0	-1.0	12.0	50.0	5.0	15.0
17613S	65.626	146.694	C-6	9	4	10	0	0.5	14.0	-7.0	800.0	-0.6	23.0	90.0	9.0	36.0
17614S	65.477	145.650	B-4	8	10	34	0	-0.5	34.0	12.0	400.0	1.1	12.0	50.0	2.0	18.0
17616S	65.593	146.944	C-6	9	4	21	0	-0.5	10.0	-8.0	500.0	-1.8	9.0	60.0	6.0	43.0
17619S	65.460	146.583	B-6	7	6	6	0	-0.5	12.0	-10.0	900.0	-2.1	11.0	90.0	4.0	14.0
17622S	65.658	146.851	C-6	10	4	26	0	-0.5	12.0	-5.0	800.0	-0.5	16.0	70.0	5.0	32.0
17625S	65.537	146.635	C-6	8	5	12	0	-0.5	11.0	12.0	700.0	-2.1	15.0	80.0	6.0	14.0
17626S	65.570	146.659	C-6	9	5	35	0	-0.5	3.0	-10.0	800.0	-1.9	13.0	70.0	4.0	26.0
17629S	65.658	146.862	C-6	10	4	26	0	-0.5	12.0	-6.0	800.0	-0.5	17.0	70.0	5.0	25.0
17631S	65.399	146.348	B-5	7	7	29	0	-0.5	45.0	-12.0	800.0	-2.1	25.0	90.0	13.0	17.0
17637S	65.481	145.648	B-4	8	10	34	0	-0.5	30.0	-8.0	600.0	-1.4	10.0	60.0	2.0	24.0
17638S	65.515	145.848	C-4	8	9	14	0	-0.5	10.0	-5.0	500.0	0.9	16.0	60.0	3.0	15.0
17643S	65.600	146.893	C-6	9	4	15	0	0.5	11.0	-7.0	900.0	3.1	14.0	50.0	7.0	18.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17542S	2.5	6.0	-4.0	0.65	-200.0	18.0	110.0	0.8	7.6	-5.0	-1.0	11.0	3.3	-4.0
17544S	3.2	5.0	-4.0	0.90	-200.0	16.0	70.0	0.9	13.6	-5.0	-1.0	9.9	2.6	-4.0
17548S	3.4	8.0	-4.0	1.10	-200.0	10.0	140.0	1.1	12.7	-5.0	-1.0	15.0	3.8	-5.0
17553S	2.2	8.0	-4.0	0.83	-200.0	6.0	70.0	0.9	6.7	-5.0	-1.0	7.9	2.2	23.0
17554S	2.7	8.0	-4.0	1.00	-200.0	6.0	80.0	1.5	8.3	13.0	-1.0	11.0	4.4	-4.0
17555S	3.1	6.0	-4.0	0.45	-200.0	8.0	80.0	11.0	10.5	-6.0	-1.0	8.8	2.3	37.0
17559S	3.5	7.0	-4.0	0.95	-200.0	36.0	100.0	0.8	13.3	5.0	2.0	12.0	3.3	-4.0
17560S	4.2	9.0	9.0	0.91	-200.0	28.0	110.0	1.1	13.2	-5.0	1.0	16.0	3.6	-4.0
17565S	3.4	6.0	-4.0	1.00	200.0	130.0	430.0	1.8	12.4	-5.0	2.0	26.0	9.9	-4.0
17570S	2.9	6.0	-4.0	0.61	-200.0	10.0	60.0	1.1	9.1	-5.0	-1.0	6.2	2.5	35.0
17575S	4.1	9.0	-4.0	1.30	-200.0	12.0	120.0	1.2	13.1	-5.0	-1.0	19.0	8.4	8.0
17586S	2.8	7.0	-4.0	0.98	-200.0	14.0	110.0	1.3	9.8	-5.0	-1.0	10.0	4.5	-4.0
17589S	3.5	8.0	-4.0	0.77	-200.0	36.0	90.0	5.8	11.8	-5.0	-1.0	14.0	9.6	-4.0
17591S	5.0	7.0	-4.0	0.65	-200.0	24.0	220.0	0.6	17.5	-5.0	2.0	20.0	4.8	-5.0
17599S	3.6	15.0	-4.0	2.50	-400.0	20.0	290.0	0.7	9.7	-8.0	6.0	49.0	85.1	-4.0
17604S	3.0	8.0	-4.0	1.80	300.0	14.0	300.0	1.5	11.3	-5.0	4.0	34.0	34.1	14.0
17606S	3.0	8.0	-4.0	1.40	-200.0	50.0	150.0	4.3	10.8	-5.0	-2.0	16.0	4.0	-4.0
17610S	3.0	10.0	-4.0	1.30	-200.0	14.0	90.0	1.4	9.6	-5.0	2.0	16.0	12.6	-4.0
17613S	3.8	8.0	-4.0	0.73	-200.0	42.0	150.0	1.9	14.9	-5.0	1.0	15.0	5.7	-9.0
17614S	3.2	7.0	-4.0	0.86	-200.0	8.0	90.0	17.0	12.1	7.0	-1.0	8.1	2.3	-4.0
17616S	3.1	6.0	55.0	1.10	-200.0	58.0	400.0	3.0	11.1	-16.0	3.0	38.0	9.5	8.0
17619S	4.6	8.0	6.0	1.50	-300.0	16.0	190.0	1.0	15.3	-6.0	-2.0	17.0	4.2	-6.0
17622S	4.2	7.0	-4.0	0.94	-200.0	36.0	130.0	0.7	12.2	-5.0	1.0	16.0	4.2	-7.0
17625S	3.5	11.0	-4.0	1.60	-200.0	12.0	160.0	0.8	13.2	-5.0	2.0	33.0	19.8	8.0
17626S	3.0	7.0	5.0	0.71	-300.0	20.0	80.0	0.5	12.6	-9.0	-2.0	11.0	3.2	-4.0
17629S	4.5	7.0	-4.0	0.98	-200.0	68.0	200.0	0.8	13.3	-5.0	1.0	18.0	4.7	-8.0
17631S	3.7	7.0	8.0	0.89	-300.0	20.0	170.0	4.2	14.8	-5.0	-2.0	15.0	5.4	-6.0
17637S	3.2	6.0	-4.0	0.74	300.0	10.0	-40.0	15.0	11.6	-5.0	-1.0	8.3	2.2	-4.0
17638S	4.1	7.0	-4.0	0.59	-200.0	8.0	120.0	1.7	12.1	-5.0	-1.0	7.7	2.0	-4.0
17643S	3.4	12.0	31.0	1.60	-200.0	58.0	250.0	1.0	13.0	-5.0	3.0	76.0	44.8	6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17542S	54.0	35.0	66.0	5.4	1.5	2.3	0.4
17544S	69.0	39.0	80.0	4.9	2.0	2.9	0.4
17548S	63.0	49.0	83.0	8.0	1.5	3.0	0.5
17553S	40.0	27.0	59.0	3.0	-0.2	2.1	0.3
17554S	59.0	34.0	51.0	3.9	1.2	2.2	0.4
17555S	71.0	26.0	48.0	4.8	0.6	2.1	0.3
17559S	110.0	43.0	74.0	7.3	1.1	2.7	0.4
17560S	82.0	54.0	100.0	6.3	-0.2	3.1	0.5
17565S	340.0	76.0	140.0	10.6	2.5	7.3	1.1
17570S	65.0	29.0	53.0	3.4	0.7	1.8	0.3
17575S	86.0	55.0	97.0	8.7	1.0	3.0	0.6
17586S	69.0	38.0	64.0	4.2	0.7	2.3	0.3
17589S	110.0	45.0	75.0	6.1	1.5	3.8	0.7
17591S	94.0	61.0	103.0	9.9	1.6	3.7	0.5
17599S	95.0	115.0	161.0	9.6	-1.7	6.3	-0.1
17604S	53.0	60.0	108.0	14.3	1.1	6.8	1.5
17606S	85.0	53.0	95.0	7.8	1.4	2.9	0.4
17610S	68.0	48.0	77.0	5.2	1.5	3.0	0.6
17613S	240.0	60.0	91.0	6.3	1.8	3.5	0.4
17614S	45.0	33.0	52.0	3.8	1.1	2.1	0.3
17616S	300.0	79.0	136.0	13.0	1.0	7.4	1.0
17619S	61.0	59.0	105.0	8.9	2.2	2.9	0.5
17622S	180.0	55.0	89.0	6.0	1.5	3.4	0.4
17625S	74.0	89.0	146.0	13.4	0.9	5.0	1.2
17626S	73.0	44.0	90.0	7.7	1.8	3.1	0.5
17629S	170.0	58.0	98.0	5.9	1.3	3.3	0.4
17631S	86.0	58.0	114.0	9.8	2.5	3.3	0.5
17637S	57.0	32.0	59.0	5.5	1.0	2.0	0.4
17638S	50.0	32.0	60.0	3.7	1.2	2.1	0.3
17643S	190.0	102.0	215.0	18.0	-1.1	16.7	2.6

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17644S	65.698	146.888	C-6	10	4	15	0	-0.5	12.0	6.0	1200.0	0.8	14.0	90.0	6.0	27.0
17645S	65.426	146.627	B-6	7	5	24	0	-0.5	14.0	-12.0	700.0	-2.0	9.0	60.0	14.0	13.0
17646S	65.511	145.656	C-4	8	10	22	0	-0.5	65.0	14.0	400.0	-1.5	12.0	60.0	2.0	31.0
17653S	65.489	146.224	B-5	8	7	25	27	-0.5	9.0	-5.0	600.0	-0.8	11.0	40.0	7.0	16.0
17657S	65.411	146.143	B-5	7	8	29	0	-0.5	35.0	-5.0	500.0	-0.9	13.0	60.0	4.0	22.0
17659S	65.550	146.370	C-5	8	7	5	0	1.5	130.0	-11.0	1000.0	-2.0	14.0	80.0	9.0	30.0
17661S	65.636	146.460	C-5	9	6	3	0	-0.5	6.0	-5.0	600.0	-0.9	13.0	60.0	4.0	16.0
17668S	65.469	146.112	B-5	7	8	4	0	-0.5	11.0	-9.0	700.0	-1.9	19.0	90.0	3.0	23.0
17669S	65.502	146.316	C-5	8	7	21	0	-0.5	6.0	-9.0	800.0	-1.9	13.0	60.0	3.0	14.0
17674S	65.448	146.666	B-6	7	5	11	0	-0.5	11.0	-5.0	600.0	-0.5	11.0	40.0	6.0	10.0
17675S	65.617	146.932	C-6	9	4	9	0	0.5	9.0	10.0	900.0	-0.6	18.0	100.0	10.0	38.0
17684S	65.507	146.315	C-5	8	7	21	0	-0.5	6.0	-9.0	700.0	-1.8	15.0	90.0	2.0	13.0
17686S	65.571	146.930	C-6	9	4	28	0	-0.5	8.0	-5.0	700.0	-1.2	16.0	80.0	9.0	28.0
17692S	65.372	146.166	B-5	6	8	6	0	-0.5	50.0	-5.0	400.0	0.8	18.0	50.0	4.0	21.0
17698S	65.647	146.821	C-6	10	4	36	0	-0.5	11.0	10.0	700.0	-1.6	21.0	70.0	7.0	38.0
17701S	65.430	145.968	B-4	7	9	18	0	-0.5	68.0	7.0	300.0	-0.9	8.0	50.0	3.0	26.0
17705S	65.552	146.311	C-5	8	7	4	0	-0.5	35.0	-7.0	500.0	-1.5	9.0	50.0	4.0	12.0
17708S	65.367	146.465	B-5	6	6	11	0	-0.5	130.0	17.0	700.0	-1.7	15.0	80.0	9.0	25.0
17712S	65.677	146.518	C-6	10	6	21	0	-0.5	9.0	-10.0	600.0	-2.6	6.0	40.0	5.0	16.0
17719S	65.597	146.416	C-5	9	6	24	0	-0.5	21.0	-9.0	500.0	-2.0	10.0	70.0	7.0	17.0
17721S	65.651	146.402	C-5	10	6	36	0	-0.5	10.0	-9.0	700.0	2.7	16.0	100.0	3.0	28.0
17722S	65.573	146.844	C-6	9	4	26	0	-0.5	15.0	19.0	1400.0	-3.4	7.0	70.0	5.0	18.0
17724S	65.383	146.161	B-5	6	8	5	0	-0.5	55.0	-5.0	500.0	-0.8	22.0	60.0	3.0	19.0
17727S	65.649	146.893	C-6	10	4	34	3	-0.5	11.0	11.0	1200.0	-0.8	12.0	60.0	5.0	30.0
17730S	65.542	146.243	C-5	8	7	11	0	-0.5	10.0	-8.0	600.0	-1.6	9.0	90.0	2.0	14.0
17731S	65.563	146.265	C-5	9	7	34	0	-0.5	8.0	-9.0	800.0	-0.8	15.0	70.0	3.0	19.0
17734S	65.518	146.179	C-5	8	8	18	0	-0.5	8.0	-7.0	500.0	-1.6	9.0	60.0	6.0	15.0
17743S	65.414	146.553	B-6	7	6	20	0	0.5	35.0	-14.0	700.0	-2.0	25.0	100.0	20.0	74.0
17749S	65.588	146.758	C-6	9	5	20	0	0.5	19.0	-11.0	900.0	-2.4	6.0	60.0	7.0	41.0
17750S	65.460	146.350	B-5	7	7	5	0	-0.5	16.0	-6.0	400.0	-1.5	11.0	40.0	14.0	12.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17644S	3.7	12.0	-4.0	1.00	-200.0	22.0	220.0	2.9	13.1	-5.0	1.0	35.0	11.1	-8.0
17645S	2.6	6.0	-4.0	1.40	-300.0	18.0	250.0	0.8	12.9	-5.0	-2.0	18.0	17.9	9.0
17648S	3.7	9.0	-4.0	0.64	200.0	20.0	120.0	6.6	12.5	-5.0	-1.0	12.0	2.4	-4.0
17653S	2.7	6.0	-4.0	1.10	-200.0	12.0	260.0	0.9	8.2	-5.0	-1.0	12.0	6.4	5.0
17657S	3.2	7.0	-4.0	0.79	300.0	36.0	160.0	5.7	11.4	-5.0	-1.0	13.0	9.4	-4.0
17659S	3.4	6.0	-4.0	0.83	-300.0	110.0	130.0	2.1	12.1	-11.0	-2.0	17.0	177.0	6.0
17661S	3.2	10.0	-4.0	0.89	-200.0	14.0	120.0	0.4	10.6	9.0	-1.0	14.0	3.4	-4.0
17668S	3.6	11.0	-4.0	0.93	-300.0	16.0	130.0	1.0	12.0	-6.0	-2.0	13.0	6.1	-4.0
17669S	2.9	15.0	-4.0	1.20	-300.0	16.0	70.0	0.9	11.9	-9.0	3.0	13.0	4.6	-4.0
17674S	2.7	6.0	-4.0	1.20	-200.0	6.0	190.0	1.5	7.9	-5.0	1.0	13.0	8.6	-6.0
17675S	4.3	8.0	4.0	0.80	-200.0	92.0	190.0	1.2	16.5	-5.0	-1.0	16.0	4.7	-10.0
17684S	3.2	13.0	-4.0	1.40	300.0	12.0	90.0	0.9	13.3	-6.0	3.0	12.0	4.5	-4.0
17688S	3.3	10.0	-4.0	0.81	300.0	54.0	140.0	0.9	13.3	-5.0	-1.0	14.0	4.1	-4.0
17692S	3.2	6.0	-4.0	0.31	-200.0	28.0	100.0	14.0	10.5	-5.0	-1.0	10.0	3.9	4.0
17698S	3.7	11.0	-4.0	1.20	-200.0	74.0	180.0	0.9	13.2	-5.0	-1.0	30.0	13.8	-4.0
17701S	2.4	6.0	-4.0	0.45	-200.0	12.0	70.0	1.8	8.7	-6.0	-1.0	7.3	1.8	18.0
17705S	2.6	11.0	-4.0	0.95	-200.0	18.0	120.0	5.6	8.8	-5.0	-1.0	14.0	5.0	6.0
17708S	3.7	6.0	-5.0	0.56	-200.0	18.0	140.0	5.5	13.3	-5.0	2.0	15.0	4.6	-5.0
17712S	2.5	25.0	-4.0	1.10	-200.0	54.0	320.0	0.3	8.6	-5.0	4.0	110.0	24.1	19.0
17719S	2.7	9.0	-4.0	1.40	-200.0	16.0	200.0	0.6	10.3	-9.0	4.0	23.0	16.0	20.0
17721S	4.1	12.0	-5.0	1.20	-300.0	12.0	80.0	0.8	15.5	-9.0	-2.0	14.0	5.3	8.0
17722S	3.1	9.0	-4.0	1.40	-300.0	30.0	170.0	0.8	13.1	13.0	-2.0	83.0	265.0	18.0
17724S	3.3	6.0	-4.0	0.32	-200.0	30.0	100.0	15.0	10.7	-5.0	-1.0	11.0	3.7	4.0
17727S	12.9	5.0	-4.0	0.46	-200.0	42.0	130.0	1.7	10.9	-5.0	-1.0	12.0	3.9	-4.0
17730S	2.7	11.0	-4.0	1.30	-200.0	12.0	-40.0	1.3	11.9	-5.0	-1.0	11.0	3.2	6.0
17731S	3.3	12.0	-4.0	1.10	-200.0	16.0	140.0	2.7	12.9	-7.0	-1.0	13.0	3.8	-4.0
17734S	2.7	10.0	-4.0	1.30	-200.0	6.0	230.0	0.7	9.0	-5.0	-1.0	15.0	10.1	4.0
17743S	6.0	6.0	-4.0	0.99	-300.0	58.0	170.0	2.5	18.3	-5.0	-2.0	19.0	11.5	-7.0
17749S	2.6	7.0	-4.0	0.91	-300.0	110.0	190.0	0.8	10.9	-5.0	-2.0	55.0	102.0	7.0
17750S	2.9	4.0	-4.0	1.90	-200.0	10.0	500.0	0.7	8.2	-5.0	2.0	20.0	19.5	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17644S	110.0	90.0	147.0	9.1	1.1	6.0	0.8
17645S	29.0	42.0	74.0	7.4	-0.7	3.9	0.8
17648S	64.0	44.0	75.0	6.9	1.6	3.0	0.3
17653S	61.0	31.0	50.0	3.5	-0.6	2.4	0.4
17657S	110.0	40.0	72.0	5.6	0.9	4.5	0.7
17659S	230.0	52.0	76.0	10.5	1.1	3.2	-0.1
17661S	69.0	54.0	88.0	6.1	1.7	3.4	0.4
17668S	97.0	46.0	75.0	7.7	2.1	2.5	0.5
17669S	67.0	48.0	78.0	7.5	1.5	3.1	0.4
17674S	75.0	36.0	61.0	3.6	0.8	2.3	0.3
17675S	270.0	59.0	96.0	6.6	2.0	3.2	0.5
17684S	65.0	45.0	81.0	7.4	-0.7	3.2	0.5
17688S	170.0	50.0	88.0	5.8	1.6	3.0	0.4
17692S	95.0	31.0	65.0	3.8	1.1	2.7	0.3
17698S	190.0	96.0	159.0	13.1	2.2	6.0	1.2
17701S	59.0	24.0	55.0	4.1	0.5	1.7	0.3
17705S	59.0	44.0	75.0	6.5	1.5	2.7	0.4
17708S	75.0	52.0	79.0	8.5	1.1	3.2	0.5
17712S	220.0	226.0	395.0	34.1	-1.0	14.0	2.3
17719S	70.0	59.0	100.0	9.6	0.9	4.5	0.8
17721S	67.0	55.0	93.0	9.0	1.5	3.5	0.6
17722S	170.0	173.0	319.0	41.4	-1.2	18.8	2.7
17724S	88.0	35.0	67.0	4.3	1.1	2.5	0.4
17727S	97.0	43.0	66.0	4.3	1.4	2.1	0.3
17730S	55.0	40.0	61.0	6.6	1.1	2.8	0.4
17731S	63.0	53.0	86.0	8.5	2.3	3.5	0.6
17734S	60.0	42.0	71.0	7.1	-0.6	3.5	0.6
17743S	150.0	68.0	121.0	12.0	1.9	4.2	0.7
17749S	1100.0	88.0	151.0	22.9	-0.8	12.1	2.7
17750S	75.0	39.0	69.0	7.8	0.6	5.2	0.9

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17761S	65.385	146.107	B-5	7	8	33	0	0.5	160.0	9.0	700.0	-1.2	12.0	90.0	3.0	14.0
17764S	65.407	146.608	B-6	7	6	30	0	-0.5	16.0	-8.0	500.0	-1.7	13.0	60.0	12.0	31.0
17767S	65.647	146.395	C-5	10	6	36	0	-0.5	8.0	-8.0	600.0	-1.7	13.0	70.0	2.0	24.0
17768S	65.426	145.890	B-4	7	9	21	0	-0.5	120.0	5.0	700.0	1.6	16.0	80.0	4.0	35.0
17770S	65.578	146.613	C-6	9	5	25	0	-0.5	6.0	-8.0	700.0	-1.7	12.0	70.0	2.0	35.0
17773S	65.456	146.414	B-5	7	6	1	0	-0.5	8.0	-6.0	100.0	1.5	-5.0	-10.0	15.0	5.5
17785S	65.565	146.956	C-6	9	4	32	0	-0.5	9.0	-6.0	600.0	-1.1	16.0	100.0	12.0	31.0
17786S	65.404	146.669	B-6	7	5	26	0	-0.5	10.0	10.0	600.0	-1.4	10.0	60.0	14.0	14.0
17788S	65.535	146.296	C-5	8	7	10	28	-0.5	9.0	-7.0	600.0	-1.5	13.0	60.0	2.0	18.0
17790S	65.442	146.524	B-6	7	6	9	0	-0.5	48.0	-14.0	500.0	-2.4	7.0	60.0	26.0	15.0
17792S	65.535	146.486	C-5	8	6	10	0	-0.5	14.0	-9.0	600.0	-1.9	11.0	60.0	3.0	17.0
17794S	65.570	146.895	C-6	9	4	34	0	1.5	24.0	-11.0	700.0	-0.9	130.0	60.0	16.0	59.0
17795S	65.395	146.425	B-5	7	6	36	0	-0.5	12.0	-5.0	400.0	-1.1	8.0	30.0	2.0	20.0
17797S	65.445	146.836	B-6	7	4	12	0	-0.5	7.0	-7.0	700.0	-1.4	40.0	80.0	5.0	20.0
17802S	65.398	146.564	B-6	7	6	32	0	-0.5	22.0	-9.0	800.0	1.6	12.0	60.0	9.0	21.0
17803S	65.612	146.933	C-6	9	4	16	0	-0.5	8.0	7.0	600.0	-1.7	10.0	80.0	9.0	-0.5
17804S	65.682	146.639	C-6	10	5	23	0	-0.5	15.0	-6.0	900.0	1.4	20.0	80.0	14.0	41.0
17805S	65.437	146.194	B-5	7	8	13	0	-0.5	9.0	-9.0	800.0	-1.9	13.0	50.0	1.0	18.0
17808S	65.649	146.748	C-6	10	5	32	0	9.0	12.0	-5.0	300.0	-0.6	5.0	20.0	7.0	9.0
17811S	65.539	146.545	C-6	8	6	8	0	-0.5	12.0	-8.0	500.0	-1.5	12.0	60.0	5.0	13.0
17813S	65.644	146.657	C-6	10	5	35	0	-0.5	10.0	5.0	600.0	1.9	10.0	40.0	9.0	30.0
17815S	65.523	146.200	C-5	8	7	13	0	-0.5	11.0	-8.0	600.0	-1.6	11.0	60.0	4.0	20.0
17823S	65.425	146.062	B-5	7	8	22	0	-0.5	120.0	-8.0	400.0	-0.6	15.0	60.0	8.0	78.0
17842S	65.494	146.956	B-6	8	4	29	0	-0.5	5.0	-9.0	700.0	-1.9	13.0	90.0	3.0	14.0
17861S	65.562	146.752	C-6	9	5	32	0	-0.5	8.0	-10.0	700.0	-2.3	11.0	60.0	5.0	15.0
17863S	65.516	145.963	C-4	8	9	18	0	-0.5	27.0	-7.0	600.0	-1.4	24.0	60.0	4.0	24.0
17864S	65.603	146.993	C-6	9	4	18	0	-0.5	10.0	-8.0	800.0	-1.5	19.0	120.0	5.0	49.0
17873S	65.442	146.400	B-5	7	7	7	0	-0.5	31.0	-11.0	600.0	-0.5	11.0	90.0	13.0	24.0
17875S	65.473	146.198	B-5	8	7	36	0	-0.5	9.0	-10.0	800.0	3.3	14.0	80.0	3.0	24.0
17878S	65.403	146.641	B-6	7	5	23	0	-0.5	20.0	-7.0	300.0	-1.6	6.0	40.0	14.0	21.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17761S	3.5	6.0	-4.0	0.81	-200.0	20.0	80.0	4.2	12.7	-5.0	-1.0	10.0	3.7	-4.0
17764S	2.8	8.0	-4.0	1.50	300.0	20.0	220.0	0.9	10.3	-6.0	3.0	23.0	12.4	34.0
17767S	3.6	16.0	-4.0	1.20	-200.0	8.0	160.0	0.8	12.2	-5.0	4.0	19.0	7.1	77.0
17768S	4.2	7.0	6.0	0.75	-200.0	16.0	140.0	2.7	14.1	-5.0	-1.0	10.0	6.9	-4.0
17770S	3.5	6.0	-4.0	0.51	-200.0	18.0	100.0	0.5	11.2	-6.0	-1.0	11.0	4.1	-4.0
17773S	0.9	2.0	-4.0	2.00	-200.0	10.0	610.0	0.3	2.8	-6.0	3.0	13.0	11.7	6.0
17765S	3.9	11.0	5.0	0.99	-200.0	38.0	180.0	0.9	15.0	-5.0	-1.0	14.0	3.9	-4.0
17786S	3.1	7.0	-4.0	1.70	-200.0	28.0	310.0	1.1	10.1	15.0	3.0	22.0	15.4	15.0
17788S	3.0	10.0	-4.0	0.94	300.0	12.0	70.0	1.1	10.5	-5.0	-1.0	15.0	4.0	-4.0
17790S	3.6	9.0	-4.0	1.70	-300.0	26.0	390.0	4.2	12.8	-6.0	5.0	40.0	71.7	12.0
17792S	3.1	16.0	-4.0	1.10	-200.0	18.0	100.0	1.5	10.3	-7.0	3.0	19.0	21.7	-4.0
17794S	3.1	8.0	-4.0	1.30	-200.0	140.0	360.0	1.6	12.9	-5.0	4.0	24.0	42.6	29.0
17795S	2.2	6.0	-4.0	0.59	-200.0	12.0	70.0	0.8	5.9	-5.0	2.0	8.6	2.4	-4.0
17797S	4.1	7.0	-5.0	1.00	-200.0	20.0	100.0	0.8	14.9	-5.0	-1.0	11.0	4.1	4.0
17802S	3.4	7.0	-4.0	0.68	-200.0	18.0	160.0	1.1	10.9	-5.0	2.0	14.0	50.2	11.0
17803S	2.8	5.0	-4.0	0.67	-200.0	-2.0	130.0	1.6	13.7	-5.0	2.0	12.0	4.4	-4.0
17804S	4.2	7.0	-4.0	0.91	-200.0	100.0	150.0	1.0	15.2	-5.0	-1.0	15.0	6.0	-4.0
17805S	3.2	12.0	-4.0	1.00	-200.0	14.0	140.0	0.9	12.7	-6.0	-1.0	12.0	5.0	-4.0
17808S	2.6	12.0	-4.0	2.10	-200.0	38.0	550.0	0.6	7.9	-5.0	2.0	73.0	13.8	7.0
17811S	3.4	7.0	-4.0	1.10	-200.0	10.0	110.0	0.9	10.0	-5.0	3.0	15.0	6.7	-4.0
17813S	3.8	10.0	-4.0	1.40	-200.0	80.0	450.0	0.8	10.7	-5.0	2.0	57.0	34.4	6.0
17815S	3.0	10.0	-4.0	1.00	-200.0	14.0	60.0	1.1	10.1	-5.0	-1.0	14.0	4.4	-4.0
17823S	3.8	7.0	-4.0	0.41	-200.0	30.0	80.0	3.7	12.7	-8.0	-1.0	9.3	3.0	28.0
17842S	3.4	7.0	-5.0	0.81	-300.0	22.0	120.0	0.7	13.2	-6.0	2.0	14.0	4.0	-4.0
17861S	2.9	8.0	-4.0	1.00	-300.0	28.0	160.0	0.4	10.7	-6.0	-2.0	36.0	17.9	5.0
17863S	3.6	7.0	4.0	0.60	-200.0	10.0	80.0	1.5	12.0	-11.0	-1.0	10.0	1.4	16.0
17864S	4.0	6.0	-4.0	0.55	-200.0	26.0	150.0	1.2	14.7	-5.0	-1.0	15.0	2.4	-4.0
17873S	3.6	5.0	-4.0	1.70	-300.0	20.0	280.0	1.2	14.4	-5.0	3.0	19.0	60.2	-6.0
17875S	3.4	11.0	-4.0	1.00	-300.0	16.0	150.0	1.3	13.3	-6.0	2.0	14.0	4.5	-4.0
17878S	2.1	6.0	-4.0	1.50	-200.0	14.0	330.0	0.8	7.3	-6.0	3.0	16.0	55.6	25.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17761S	51.0	42.0	65.0	4.8	2.0	2.1	0.3
17764S	75.0	47.0	91.0	9.6	1.4	4.2	0.8
17767S	61.0	61.0	97.0	9.6	1.8	4.2	0.6
17768S	88.0	47.0	76.0	6.0	1.3	2.5	0.5
17770S	93.0	39.0	65.0	6.6	1.9	2.5	0.4
17773S	38.0	18.0	38.0	4.2	-0.5	3.3	0.6
17785S	120.0	59.0	104.0	6.7	1.7	3.8	0.5
17786S	79.0	48.0	85.0	9.0	1.2	4.6	0.8
17788S	64.0	50.0	80.0	7.6	1.1	3.4	0.5
17790S	81.0	70.0	120.0	14.6	-0.8	7.9	1.9
17792S	70.0	55.0	98.0	9.0	2.3	3.4	0.8
17794S	810.0	89.0	160.0	16.5	2.2	20.4	3.1
17795S	46.0	28.0	49.0	4.4	1.4	1.7	0.2
17797S	120.0	51.0	95.0	6.7	2.6	3.3	0.5
17802S	84.0	41.0	72.0	7.8	0.9	3.4	0.5
17803S	350.0	51.0	76.0	8.9	1.9	2.7	0.5
17804S	370.0	56.0	89.0	6.4	1.9	3.4	0.5
17805S	85.0	47.0	70.0	7.5	2.0	2.7	0.5
17808S	130.0	126.0	232.0	12.8	0.6	9.6	1.2
17811S	59.0	43.0	71.0	6.5	1.0	2.6	0.4
17813S	320.0	92.0	167.0	11.4	0.9	6.9	1.4
17815S	71.0	41.0	68.0	6.4	-0.6	2.6	0.4
17823S	110.0	34.0	76.0	5.9	1.7	2.2	0.3
17842S	66.0	54.0	88.0	8.5	2.2	2.9	0.4
17861S	200.0	78.0	153.0	14.4	1.1	7.4	1.2
17863S	61.0	34.0	64.0	5.9	0.8	2.4	0.3
17864S	97.0	51.0	92.0	7.8	1.3	2.6	0.4
17873S	110.0	45.0	77.0	10.3	1.5	4.8	1.3
17875S	84.0	50.0	87.0	8.1	1.4	2.6	0.4
17878S	88.0	37.0	68.0	7.8	-0.6	4.1	1.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
17885S	65.586	146.519	C-6	9	6	21	0	-0.5	5.0	-10.0	400.0	-2.0	13.0	80.0	-1.0	17.0
17886S	65.558	146.829	C-6	9	4	36	0	-0.5	9.0	-11.0	500.0	-2.0	13.0	90.0	5.0	28.0
17900S	65.553	146.713	C-6	8	5	3	0	-0.5	8.0	-11.0	600.0	-2.2	11.0	70.0	4.0	25.0
17921S	65.619	146.491	C-5	9	6	10	0	-0.5	6.0	-10.0	900.0	-2.1	13.0	90.0	4.0	29.0
17923S	65.518	145.793	C-4	8	9	13	0	-0.5	7.0	-7.0	400.0	1.4	12.0	60.0	-1.0	27.0
17924S	65.572	146.765	C-6	9	5	32	0	-0.5	12.0	-16.0	1000.0	3.7	13.0	80.0	8.0	22.0
17936S	65.396	146.763	B-6	7	5	32	0	-0.5	15.0	-9.0	500.0	-1.8	12.0	60.0	14.0	18.0
17937S	65.498	146.778	B-6	8	5	29	0	-0.5	15.0	-5.0	500.0	-0.5	13.0	60.0	6.0	18.0
17940S	65.544	146.497	C-5	8	6	3	0	-0.5	12.0	-8.0	900.0	-0.9	7.0	70.0	7.0	16.0
17949S	0.000	0.000	C-6	10	4	20	0	-0.5	21.0	12.0	1400.0	-0.5	10.0	90.0	6.0	73.0
17951S	65.698	146.762	C-6	10	5	17	0	-0.5	10.0	-5.0	1600.0	-0.6	24.0	100.0	10.0	37.0
17952S	65.464	146.619	B-6	7	5	1	0	-0.5	12.0	-5.0	500.0	0.5	10.0	40.0	5.0	10.0
17956S	65.696	146.542	C-6	10	6	17	0	-0.5	11.0	-6.0	1000.0	-1.2	15.0	90.0	9.0	24.0
17959S	65.665	146.560	C-6	10	6	29	0	-0.5	13.0	-10.0	1000.0	-1.8	13.0	90.0	7.0	19.0
17961S	65.559	146.821	C-6	9	4	36	0	-0.5	3.0	-10.0	600.0	2.7	9.0	60.0	6.0	16.0
17963S	65.703	146.505	C-6	10	6	9	0	-0.5	7.0	-5.0	900.0	1.5	15.0	90.0	5.0	22.0
17970S	65.457	146.406	B-5	7	6	1	0	-0.5	10.0	-7.0	200.0	-1.5	-5.0	-10.0	15.0	5.5
17972S	65.465	146.120	B-5	7	8	4	0	-0.5	7.0	8.0	800.0	-1.4	13.0	60.0	2.0	18.0
17991S	65.524	145.965	C-4	8	9	18	0	-0.5	4.0	-7.0	600.0	-1.4	13.0	60.0	1.0	17.0
17994S	65.652	146.739	C-6	10	5	32	0	-1.2	10.0	-8.0	500.0	-1.1	7.0	30.0	6.0	23.0
17998S	65.563	146.486	C-5	9	6	34	0	-0.5	21.0	-9.0	700.0	-1.4	13.0	110.0	8.0	25.0
18000S	65.487	146.592	B-6	8	6	30	0	-0.5	22.0	-9.0	300.0	-0.5	9.0	10.0	8.0	7.0
18033S	65.624	146.638	C-6	9	5	11	0	-0.5	9.0	-5.0	700.0	-1.0	14.0	90.0	7.0	36.0
18034S	65.657	146.811	C-6	10	4	36	0	-0.5	10.0	-6.0	700.0	-1.1	18.0	80.0	7.0	26.0
18037S	65.624	146.928	C-6	9	4	9	0	-0.5	12.0	-5.0	800.0	-0.5	15.0	100.0	9.0	35.0
18039S	65.438	146.116	B-5	7	8	16	0	-0.5	20.0	-8.0	600.0	-1.7	32.0	60.0	3.0	22.0
18040S	65.476	146.580	B-6	8	6	31	0	-0.5	17.0	-7.0	600.0	-1.5	10.0	40.0	3.0	15.0
18048S	65.499	146.516	B-6	6	6	28	0	-0.5	15.0	-8.0	700.0	-1.5	15.0	60.0	2.0	13.0
18051S	65.451	146.034	B-5	7	8	11	0	-0.5	18.0	-9.0	800.0	-1.7	11.0	70.0	3.0	21.0
18065S	65.580	146.707	C-6	9	5	28	0	-0.5	7.0	-5.0	700.0	-0.9	14.0	70.0	5.0	25.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
17885S	3.3	12.0	-5.0	0.98	-300.0	12.0	110.0	0.4	12.3	-6.0	-2.0	14.0	5.1	-4.0
17886S	3.2	6.0	10.0	0.63	-300.0	20.0	120.0	1.3	13.4	-6.0	-2.0	12.0	3.7	5.0
17900S	2.9	9.0	-6.0	0.58	-300.0	18.0	70.0	0.7	10.9	-10.0	-2.0	11.0	2.3	-5.0
17921S	4.0	14.0	-4.0	0.97	-300.0	18.0	70.0	0.7	14.9	-6.0	-2.0	15.0	4.0	-4.0
17923S	3.4	10.0	-4.0	0.58	200.0	8.0	50.0	1.2	11.6	-6.0	-1.0	8.1	2.2	4.0
17924S	3.8	10.0	-4.0	1.20	-300.0	48.0	130.0	1.3	15.3	-12.0	-2.0	61.0	102.0	14.0
17936S	3.0	6.0	-4.0	1.40	-200.0	16.0	220.0	1.2	10.9	-5.0	-1.0	17.0	16.8	13.0
17937S	3.7	6.0	-4.0	0.88	-200.0	14.0	220.0	1.2	11.1	-5.0	1.0	16.0	6.9	-7.0
17940S	2.4	11.0	-4.0	1.20	-300.0	18.0	110.0	0.9	12.9	-7.0	3.0	17.0	17.0	-4.0
17949S	4.3	7.0	10.0	0.66	-200.0	24.0	120.0	2.5	12.4	-5.0	-1.0	11.0	5.1	-8.0
17951S	5.2	8.0	9.0	0.77	-200.0	8.0	220.0	1.0	18.7	-5.0	1.0	18.0	4.3	-10.0
17952S	2.6	5.0	-4.0	1.10	-200.0	10.0	190.0	3.4	7.6	-5.0	1.0	12.0	4.7	-6.0
17956S	3.9	8.0	-4.0	1.00	-200.0	130.0	90.0	1.0	15.2	-5.0	-1.0	12.0	3.6	-4.0
17959S	3.7	7.0	-4.0	1.00	-200.0	140.0	220.0	0.9	14.8	-5.0	-1.0	21.0	5.9	-5.0
17961S	2.5	7.0	-4.0	0.94	500.0	32.0	140.0	-0.2	10.3	-7.0	3.0	23.0	11.3	7.0
17963S	3.8	10.0	5.0	1.20	-200.0	28.0	130.0	1.0	14.7	-5.0	1.0	13.0	3.0	4.0
17970S	0.9	3.0	-4.0	1.80	-200.0	8.0	630.0	-0.2	3.3	-5.0	3.0	15.0	10.2	8.0
17972S	3.3	9.0	-4.0	0.81	-200.0	12.0	110.0	1.0	10.3	-7.0	-1.0	12.0	5.6	-4.0
17991S	3.0	8.0	-4.0	0.87	-200.0	10.0	80.0	0.9	9.1	-5.0	2.0	9.9	2.8	-4.0
17994S	2.5	25.0	-4.0	2.00	-200.0	110.0	390.0	0.8	9.8	-5.0	2.0	98.0	21.2	-10.0
17998S	4.1	6.0	-4.0	0.88	-200.0	14.0	110.0	1.4	15.8	-5.0	1.0	14.0	3.6	-5.0
18000S	2.2	5.0	-4.0	2.20	-200.0	8.0	170.0	0.3	5.0	10.0	3.0	33.0	37.2	-4.0
18033S	4.0	10.0	11.0	0.65	-200.0	34.0	170.0	1.3	15.5	-5.0	-1.0	16.0	3.7	-4.0
18034S	4.1	8.0	-4.0	1.00	-200.0	84.0	160.0	0.7	14.2	5.0	1.0	19.0	4.4	-4.0
18037S	4.2	8.0	-4.0	0.80	-200.0	66.0	150.0	1.6	15.4	-5.0	1.0	15.0	4.9	-9.0
18039S	4.9	9.0	-4.0	0.51	-200.0	20.0	90.0	2.3	11.3	-6.0	-1.0	12.0	2.4	-4.0
18040S	2.5	5.0	-4.0	1.00	-200.0	20.0	120.0	5.9	7.4	-5.0	-1.0	12.0	7.4	-4.0
18048S	3.5	8.0	-4.0	0.94	-200.0	18.0	140.0	2.9	10.4	-5.0	2.0	16.0	6.3	-5.0
18051S	3.1	10.0	-4.0	0.81	-200.0	20.0	90.0	2.5	12.2	-6.0	-1.0	11.0	3.2	-4.0
18065S	3.0	6.0	-4.0	0.65	-200.0	24.0	110.0	0.7	12.1	-5.0	-1.0	11.0	3.8	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
17885S	82.0	49.0	84.0	8.0	-0.8	3.6	0.4
17886S	71.0	40.0	85.0	7.2	1.6	2.6	0.3
17900S	80.0	44.0	77.0	7.4	1.1	2.5	0.4
17921S	88.0	63.0	107.0	10.5	2.0	3.7	0.7
17923S	50.0	32.0	57.0	5.7	0.6	2.2	0.3
17924S	480.0	114.0	195.0	28.4	1.9	12.5	2.9
17936S	91.0	47.0	76.0	8.3	1.3	3.8	0.6
17937S	96.0	44.0	74.0	4.7	0.9	2.9	0.4
17940S	61.0	51.0	80.0	9.0	1.6	3.5	0.9
17949S	55.0	43.0	69.0	4.5	1.3	2.8	0.3
17951S	95.0	69.0	114.0	6.8	1.8	3.5	0.4
17952S	61.0	33.0	52.0	3.2	0.6	2.1	0.3
17956S	190.0	46.0	90.0	5.4	1.1	2.8	0.4
17959S	250.0	65.0	107.0	11.7	1.8	4.1	0.6
17961S	130.0	60.0	110.0	11.2	1.4	5.6	1.0
17963S	110.0	48.0	88.0	5.6	1.3	3.3	0.5
17970S	44.0	21.0	41.0	4.8	0.7	3.5	0.6
17972S	70.0	37.0	75.0	5.5	1.0	2.2	0.3
17991S	66.0	33.0	63.0	5.0	1.2	1.9	0.3
17994S	360.0	163.0	253.0	15.8	0.7	13.9	1.7
17998S	65.0	50.0	90.0	7.8	2.3	3.3	0.5
18000S	47.0	64.0	101.0	9.1	1.6	3.6	1.0
18033S	100.0	57.0	102.0	6.6	1.5	3.5	0.5
18034S	150.0	66.0	-3.0	-0.1	1.4	3.8	0.6
18037S	230.0	54.0	85.0	6.2	1.5	3.8	0.5
18039S	89.0	44.0	79.0	7.7	1.2	3.0	0.4
18040S	72.0	32.0	52.0	4.7	1.4	1.6	0.3
18048S	62.0	49.0	83.0	7.2	1.1	2.8	0.5
18051S	64.0	38.0	61.0	6.1	1.3	2.4	0.4
18065S	75.0	42.0	76.0	5.8	1.6	2.9	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
18066S	65.647	146.640	C-6	10	5	35	0	-0.5	11.0	-10.0	700.0	-2.0	12.0	80.0	6.0	21.0
18070S	65.602	146.402	C-5	9	6	13	0	-0.5	24.0	-9.0	600.0	-1.9	11.0	70.0	5.0	19.0
18071S	65.403	146.563	B-6	7	6	29	0	-0.5	15.0	-7.0	600.0	-1.2	12.0	60.0	6.0	27.0
18075S	65.633	146.327	C-5	9	7	5	0	-0.5	5.0	-9.0	600.0	-1.7	22.0	100.0	2.0	33.0
18079S	65.399	146.375	B-5	7	7	30	0	-0.5	12.0	-6.0	400.0	2.4	7.0	30.0	5.0	16.0
18081S	65.576	146.604	C-6	9	5	25	0	-0.5	9.0	-9.0	600.0	-2.2	14.0	90.0	3.0	36.0
18064S	65.493	146.089	B-5	8	8	27	0	-0.5	10.0	-10.0	600.0	-2.0	16.0	80.0	3.0	23.0
18065S	65.488	146.705	B-6	8	5	27	0	-0.5	16.0	5.0	700.0	-1.3	15.0	70.0	11.0	11.0
18067S	65.602	146.335	C-5	9	7	17	0	-0.5	22.0	-10.0	900.0	-1.9	20.0	90.0	7.0	25.0
18088S	65.543	146.690	C-6	8	5	3	0	-0.5	10.0	-7.0	800.0	-1.2	17.0	80.0	11.0	17.0
18089S	65.478	145.665	B-4	8	10	34	0	-0.5	9.0	-6.0	400.0	-1.2	6.0	40.0	-1.0	7.5
18101S	65.616	146.364	C-5	9	7	7	0	-0.5	11.0	-8.0	800.0	-1.6	13.0	80.0	5.0	18.0
18106S	65.528	146.826	C-6	8	4	12	0	-0.5	4.0	-10.0	600.0	-2.2	12.0	80.0	3.0	16.0
18107S	65.637	146.375	C-5	9	7	6	0	-0.5	11.0	-9.0	500.0	-1.9	19.0	90.0	3.0	30.0
18112S	65.441	146.018	B-5	7	8	13	0	-0.5	31.0	-9.0	500.0	-0.8	15.0	100.0	-1.0	36.0
18113S	65.548	146.322	C-5	8	7	4	0	-0.5	13.0	-10.0	700.0	-2.0	17.0	80.0	4.0	20.0
18115S	65.608	146.675	C-6	9	5	15	0	-0.5	9.0	-7.0	600.0	-1.3	16.0	80.0	9.0	36.0
18117S	65.454	145.645	B-4	7	10	11	0	-0.5	25.0	-10.0	600.0	-2.0	19.0	70.0	2.0	28.0
18120S	65.666	146.520	C-6	10	4	28	0	-0.5	8.0	7.0	1100.0	1.0	14.0	110.0	6.0	13.0
18122S	65.406	146.463	B-5	7	6	26	0	-0.5	20.0	-9.0	800.0	-1.8	12.0	70.0	9.0	36.0
18125S	65.603	146.973	C-6	9	4	17	0	-0.5	9.0	-9.0	500.0	-1.9	13.0	70.0	7.0	49.0
18129S	65.577	146.781	C-6	9	5	30	0	-0.5	13.0	-12.0	900.0	4.7	7.0	80.0	7.0	18.0
18134S	65.583	146.513	C-6	9	6	28	0	-0.5	10.0	-12.0	500.0	-2.4	16.0	110.0	3.0	23.0
18136S	65.508	145.650	C-4	8	10	22	0	-0.5	86.0	14.0	400.0	-1.6	10.0	50.0	2.0	30.0
18139S	65.488	145.839	B-4	8	9	26	0	-0.5	68.0	-11.0	600.0	-2.0	17.0	70.0	5.0	40.0
18145S	65.452	146.423	B-5	7	6	12	0	0.5	24.0	-11.0	600.0	-2.0	6.0	60.0	12.0	19.0
18146S	65.552	146.928	C-6	8	4	4	0	-0.5	6.0	11.0	900.0	-1.4	18.0	90.0	12.0	19.0
18148S	65.472	146.784	B-6	8	5	31	0	-0.5	13.0	-7.0	700.0	-0.5	17.0	90.0	3.0	23.0
18149S	65.683	146.846	C-6	10	4	23	0	-0.5	6.0	-7.0	1100.0	-0.6	16.0	110.0	8.0	26.0
18150S	65.473	146.583	B-6	8	6	31	0	-0.5	13.0	-8.0	500.0	-1.4	11.0	50.0	4.0	15.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
18066S	3.6	10.0	-4.0	1.20	-200.0	82.0	240.0	1.0	13.4	-5.0	-1.0	38.0	23.3	-5.0
18070S	3.0	9.0	-4.0	0.96	-300.0	14.0	110.0	0.5	10.9	-8.0	-2.0	15.0	11.0	35.0
18071S	3.4	4.0	-4.0	0.65	-200.0	18.0	230.0	1.4	10.9	-5.0	-1.0	13.0	5.8	7.0
18075S	5.0	10.0	8.0	1.10	-300.0	12.0	70.0	0.5	15.8	-6.0	-1.0	11.0	2.4	-4.0
18079S	2.1	7.0	-4.0	0.78	-200.0	12.0	110.0	0.7	6.1	-5.0	2.0	12.0	7.6	6.0
18081S	4.2	7.0	-4.0	0.56	-300.0	16.0	60.0	0.6	13.6	-6.0	-1.0	13.0	3.9	-4.0
18084S	3.8	15.0	-4.0	1.20	-300.0	16.0	120.0	1.0	12.3	-7.0	-2.0	16.0	5.8	-4.0
18085S	3.5	12.0	-4.0	2.00	-200.0	28.0	190.0	0.7	12.4	-5.0	2.0	32.0	15.0	-4.0
18087S	3.6	12.0	6.0	1.00	-300.0	12.0	120.0	0.9	13.2	-6.0	-2.0	13.0	3.2	-4.0
18088S	4.2	10.0	-4.0	0.91	-200.0	14.0	190.0	1.0	14.2	-5.0	1.0	15.0	4.5	6.0
18089S	1.9	6.0	-4.0	0.53	-200.0	6.0	60.0	3.1	6.5	-5.0	-1.0	4.8	1.0	-4.0
18101S	3.3	10.0	-4.0	0.84	300.0	6.0	100.0	0.8	11.4	-5.0	2.0	12.0	4.6	4.0
18106S	2.7	6.0	-5.0	0.69	-300.0	14.0	120.0	0.8	11.5	-10.0	2.0	12.0	2.3	-4.0
18107S	4.5	9.0	-4.0	1.30	400.0	10.0	130.0	0.7	16.0	-6.0	2.0	13.0	4.2	-4.0
18112S	4.3	9.0	-4.0	0.97	-300.0	16.0	-50.0	2.5	17.1	-5.0	-2.0	9.6	3.7	6.0
18113S	4.0	9.0	-4.0	0.88	-300.0	16.0	100.0	1.9	11.7	-10.0	-2.0	12.0	3.7	-4.0
18115S	3.6	6.0	7.0	0.62	-200.0	44.0	240.0	1.1	14.2	-5.0	-1.0	18.0	3.8	-4.0
18117S	3.5	6.0	-4.0	0.79	-300.0	10.0	80.0	10.0	12.5	-6.0	4.0	11.0	2.3	-4.0
18120S	3.4	11.0	7.0	0.94	-200.0	10.0	120.0	0.8	14.5	-5.0	1.0	14.0	3.3	-10.0
18122S	3.7	10.0	-4.0	0.65	-200.0	32.0	200.0	0.7	13.1	-6.0	-2.0	15.0	8.3	4.0
18125S	3.4	5.0	-4.0	0.78	-200.0	62.0	230.0	1.5	11.2	-5.0	-2.0	23.0	12.5	4.0
18129S	3.2	13.0	-4.0	1.30	-300.0	54.0	190.0	0.8	13.3	14.0	3.0	86.0	68.5	25.0
18134S	3.9	13.0	-6.0	1.10	-300.0	14.0	120.0	0.9	14.4	-8.0	-2.0	15.0	4.2	6.0
18136S	3.3	7.0	-4.0	0.56	-200.0	18.0	80.0	9.0	12.5	-5.0	-1.0	12.0	2.0	-4.0
18139S	3.2	6.0	-4.0	0.92	-300.0	16.0	120.0	0.5	12.7	-10.0	-2.0	12.0	4.7	39.0
18145S	3.3	4.0	-4.0	0.94	-300.0	38.0	180.0	0.5	10.5	-7.0	-2.0	15.0	85.9	-5.0
18146S	3.5	6.0	-4.0	0.83	-200.0	38.0	170.0	1.1	13.8	-5.0	-1.0	12.0	3.7	-4.0
18148S	4.4	7.0	-4.0	1.10	-200.0	6.0	80.0	2.2	14.5	-5.0	-1.0	9.2	2.9	-9.0
18149S	3.7	7.0	-4.0	0.85	-200.0	6.0	170.0	1.0	15.9	-5.0	-1.0	15.0	4.1	-9.0
18150S	2.6	5.0	9.0	1.10	-200.0	16.0	100.0	1.5	8.3	-5.0	2.0	13.0	6.4	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
18066S	190.0	96.0	163.0	15.5	1.0	6.2	1.1
18070S	76.0	44.0	80.0	7.2	1.1	3.0	0.6
18071S	97.0	32.0	65.0	5.1	0.9	2.2	0.3
18075S	73.0	44.0	89.0	7.2	1.5	2.4	0.4
18079S	48.0	31.0	64.0	5.6	1.2	2.3	0.5
18081S	86.0	53.0	95.0	8.6	1.3	2.7	0.4
18084S	71.0	51.0	78.0	7.9	1.9	2.8	0.5
18085S	73.0	77.0	130.0	8.0	1.4	5.1	0.8
18087S	86.0	49.0	95.0	8.6	1.7	3.1	0.4
18088S	67.0	61.0	102.0	6.8	1.9	3.6	0.5
18089S	27.0	21.0	35.0	3.2	1.1	1.4	0.2
18101S	60.0	44.0	70.0	6.8	0.9	2.4	0.4
18106S	68.0	43.0	83.0	7.5	1.0	3.0	0.3
18107S	69.0	49.0	104.0	8.4	1.3	2.6	0.5
18112S	72.0	38.0	64.0	6.9	1.0	2.9	0.4
18113S	120.0	44.0	81.0	7.2	0.9	3.0	0.4
18115S	130.0	59.0	112.0	7.1	2.1	3.7	0.5
18117S	74.0	41.0	65.0	7.1	1.1	2.8	0.3
18120S	72.0	50.0	88.0	5.4	1.3	3.4	0.5
18122S	120.0	55.0	105.0	8.4	1.2	2.5	0.6
18125S	260.0	61.0	110.0	10.8	1.4	5.1	0.9
18129S	310.0	144.0	262.0	29.1	-0.9	13.2	2.6
18134S	73.0	56.0	97.0	9.2	3.1	3.4	0.5
18136S	60.0	40.0	71.0	6.2	1.1	2.9	0.4
18139S	67.0	39.0	69.0	6.5	1.2	2.3	0.4
18145S	68.0	29.0	52.0	7.5	-0.7	3.2	-0.1
18146S	170.0	44.0	79.0	5.4	1.5	2.9	0.5
18148S	78.0	43.0	66.0	4.8	1.5	2.5	0.3
18149S	95.0	52.0	84.0	5.9	1.5	3.0	0.4
18150S	71.0	35.0	66.0	5.5	1.3	1.8	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
18153S	65.567	146.676	C-6	9	5	34	0	-0.5	5.0	-11.0	700.0	-2.1	13.0	60.0	5.0	25.0
18156S	65.622	146.496	C-5	9	6	9	0	-0.5	8.0	-10.0	800.0	-2.0	19.0	80.0	4.0	29.0
18174S	65.450	145.861	B-4	7	9	10	0	-0.5	58.0	15.0	400.0	-1.8	15.0	50.0	4.0	32.0
18177S	65.558	146.554	C-6	9	6	20	0	-0.5	6.0	-10.0	600.0	-1.8	12.0	70.0	2.0	27.0
18178S	65.657	146.828	C-6	10	4	36	0	-0.5	13.0	-6.0	900.0	-1.1	19.0	80.0	7.0	29.0
18181S	65.489	146.739	B-6	8	5	28	0	-0.5	15.0	-5.0	400.0	-1.0	16.0	80.0	5.0	19.0
18190S	65.665	146.933	C-6	10	4	28	0	-0.5	10.0	6.0	1100.0	-0.5	15.0	140.0	9.0	23.0
18200S	65.549	146.403	C-5	8	6	1	0	2.0	270.0	-12.0	600.0	-2.0	13.0	80.0	8.0	46.0
18202S	65.683	146.719	C-6	10	5	21	0	-0.5	8.0	-5.0	900.0	-1.1	15.0	80.0	7.0	23.0
18205S	65.526	146.164	C-5	8	8	17	0	-0.5	7.0	-9.0	700.0	-1.7	13.0	60.0	2.0	20.0
18208S	65.558	146.810	C-6	9	4	36	0	-0.5	8.0	-10.0	600.0	-2.0	12.0	70.0	3.0	22.0
18212S	65.559	146.902	C-6	9	4	34	0	-0.5	6.0	-6.0	600.0	-1.2	16.0	90.0	9.0	24.0
18221S	65.494	146.205	B-5	8	7	25	0	-0.5	5.0	-8.0	500.0	-1.7	10.0	70.0	3.0	18.0
18223S	65.511	145.842	C-4	8	9	23	0	-0.5	8.0	-7.0	600.0	-1.4	13.0	60.0	3.0	19.0
18228S	65.668	146.429	C-5	10	6	26	0	-0.5	9.0	-9.0	700.0	-1.8	13.0	90.0	3.0	13.0
18231S	65.707	146.564	C-6	10	6	7	0	-0.5	6.0	-8.0	800.0	-1.7	14.0	80.0	5.0	29.0
18235S	65.537	146.549	C-6	8	6	6	0	-0.5	12.0	11.0	700.0	-1.9	7.0	20.0	12.0	5.5
18236S	65.596	146.589	C-6	9	6	19	0	-0.5	8.0	-10.0	400.0	-1.9	13.0	70.0	3.0	36.0
18239S	65.640	146.815	C-6	9	4	1	0	-0.5	8.0	-6.0	600.0	-1.2	10.0	70.0	6.0	17.0
18240S	65.473	146.202	B-5	6	7	36	0	-0.5	7.0	-8.0	900.0	-0.8	17.0	80.0	2.0	20.0
18241S	65.584	146.442	C-5	9	6	26	0	-0.5	5.0	-9.0	600.0	2.7	15.0	90.0	2.0	31.0
18244S	65.510	146.691	C-6	8	5	22	0	-0.5	13.0	-6.0	600.0	1.5	11.0	50.0	16.0	10.0
18245S	65.710	146.597	C-6	10	5	12	4	-0.5	13.0	-5.0	1200.0	1.4	16.0	70.0	8.0	20.0
18247S	65.574	146.307	C-5	9	7	28	0	-0.5	51.0	-8.0	600.0	-1.6	25.0	50.0	3.0	29.0
18256S	65.410	146.802	B-6	7	5	30	0	-0.5	8.0	-8.0	600.0	-1.5	11.0	70.0	6.0	13.0
18258S	65.663	146.698	C-6	10	5	27	0	-0.5	10.0	-6.0	700.0	2.0	13.0	80.0	10.0	25.0
18263S	65.462	146.630	B-6	7	5	1	0	-0.5	11.0	-5.0	500.0	-0.5	9.0	40.0	6.0	11.0
18266S	65.457	145.754	B-4	7	10	6	0	-0.5	19.0	-9.0	400.0	1.5	17.0	80.0	2.0	36.0
18273S	65.464	146.447	B-5	7	6	2	0	-0.5	11.0	9.0	300.0	-1.4	-5.0	10.0	18.0	9.5
18279S	65.521	146.875	C-6	8	4	14	0	-0.5	6.0	-5.0	700.0	-1.1	14.0	50.0	4.0	13.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
18153S	2.9	7.0	-6.0	0.64	-300.0	18.0	-60.0	0.6	11.8	-7.0	-2.0	10.0	3.6	-5.0
18156S	4.7	12.0	-5.0	0.87	-300.0	20.0	130.0	0.6	16.1	-7.0	-2.0	15.0	4.0	-5.0
18174S	3.5	6.0	-4.0	0.61	-300.0	6.0	90.0	5.3	11.7	-6.0	-2.0	9.1	2.7	49.0
18177S	3.2	7.0	-4.0	0.84	-300.0	18.0	80.0	1.0	12.8	-7.0	-2.0	12.0	2.5	-4.0
18178S	4.2	7.0	-4.0	1.00	-200.0	86.0	210.0	0.8	14.9	-5.0	-1.0	13.0	6.0	-4.0
18181S	4.1	7.0	-4.0	1.40	-200.0	26.0	110.0	1.2	12.3	-5.0	-1.0	17.0	4.3	-4.0
18190S	3.9	10.0	4.0	0.78	-200.0	8.0	160.0	0.9	16.0	-5.0	1.0	15.0	4.0	-9.0
18200S	3.8	7.0	-6.0	0.64	400.0	220.0	130.0	2.8	13.0	-7.0	-2.0	17.0	4.9	-5.0
18202S	4.0	8.0	-4.0	1.10	-200.0	18.0	160.0	0.7	14.1	-5.0	1.0	14.0	3.4	-4.0
18205S	3.1	11.0	-5.0	0.98	-200.0	16.0	90.0	0.5	12.2	-6.0	-1.0	12.0	2.7	-4.0
18208S	3.2	6.0	-4.0	0.70	-300.0	18.0	70.0	1.0	12.6	-7.0	-1.0	12.0	4.3	-5.0
18212S	3.5	8.0	-4.0	0.87	-200.0	50.0	130.0	0.6	14.4	-5.0	-1.0	14.0	3.8	-4.0
18221S	3.2	12.0	-4.0	1.00	500.0	12.0	120.0	1.2	11.6	-5.0	3.0	15.0	5.3	-4.0
18223S	3.2	9.0	-4.0	0.77	-200.0	10.0	90.0	1.1	12.0	-5.0	-1.0	9.1	2.0	-4.0
18226S	3.5	10.0	-4.0	1.10	-200.0	14.0	100.0	1.0	13.0	-5.0	-2.0	11.0	3.7	-4.0
18231S	3.3	9.0	-4.0	0.92	300.0	12.0	80.0	1.2	12.3	-6.0	-1.0	11.0	4.0	-4.0
18235S	2.1	9.0	-4.0	2.20	-200.0	16.0	340.0	0.5	7.0	8.0	7.0	48.0	45.6	-4.0
18236S	3.5	6.0	-5.0	0.46	-300.0	24.0	120.0	0.7	12.1	-6.0	-2.0	13.0	4.5	-5.0
18239S	3.1	11.0	-4.0	1.40	-200.0	38.0	160.0	0.6	12.5	-5.0	-1.0	32.0	9.7	-4.0
18240S	3.6	10.0	-4.0	1.00	-200.0	14.0	80.0	0.9	14.4	-6.0	-2.0	13.0	3.1	-4.0
18241S	3.7	12.0	-5.0	1.20	-300.0	14.0	-50.0	0.8	14.5	-5.0	4.0	11.0	4.2	-4.0
18244S	3.0	10.0	-4.0	1.80	-200.0	16.0	230.0	1.1	9.4	-5.0	3.0	37.0	25.2	4.0
18245S	4.4	7.0	-4.0	0.62	-200.0	56.0	290.0	3.2	13.0	-5.0	-1.0	17.0	4.5	7.0
18247S	3.1	9.0	-4.0	0.71	400.0	56.0	100.0	4.8	10.8	-7.0	-1.0	12.0	2.7	5.0
18256S	2.7	7.0	-4.0	1.30	-200.0	12.0	170.0	0.8	10.8	-5.0	2.0	14.0	6.3	-4.0
18258S	3.6	12.0	-4.0	1.30	-200.0	80.0	230.0	1.0	14.3	-5.0	-1.0	39.0	12.4	-4.0
18263S	2.8	12.0	-4.0	1.30	-200.0	10.0	130.0	1.8	8.6	-5.0	2.0	20.0	15.4	8.0
18266S	4.5	11.0	-4.0	0.86	-200.0	8.0	-40.0	10.0	18.5	-5.0	-1.0	9.1	2.8	-4.0
18273S	1.8	6.0	-4.0	2.10	-200.0	16.0	610.0	0.8	5.8	-5.0	5.0	32.0	20.0	12.0
18279S	3.5	9.0	-4.0	0.82	-200.0	16.0	120.0	0.8	13.3	-5.0	-1.0	13.0	3.6	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
18153S	77.0	40.0	70.0	7.2	0.9	2.8	0.4
18156S	94.0	57.0	94.0	9.3	-0.8	3.0	0.5
18174S	61.0	35.0	64.0	7.0	2.2	2.4	0.4
18177S	75.0	42.0	71.0	7.0	0.9	2.7	0.4
18178S	170.0	69.0	116.0	8.0	1.3	4.2	0.6
18181S	79.0	51.0	90.0	5.5	1.1	2.6	0.3
18190S	110.0	53.0	94.0	5.9	1.5	3.5	0.4
18200S	330.0	49.0	79.0	7.6	1.6	3.4	0.4
18202S	100.0	58.0	107.0	6.3	1.5	3.4	0.5
18205S	73.0	46.0	72.0	6.8	1.2	2.4	0.3
18208S	87.0	34.0	59.0	6.5	1.0	2.2	0.4
18212S	170.0	51.0	98.0	5.6	1.2	3.0	0.4
18221S	58.0	49.0	84.0	7.4	2.0	3.0	0.4
18223S	55.0	33.0	52.0	5.7	1.3	2.6	0.3
18228S	64.0	43.0	70.0	7.0	2.5	2.7	0.4
18231S	81.0	39.0	65.0	7.2	2.2	2.5	0.4
18235S	64.0	83.0	139.0	12.1	-0.6	5.7	1.2
18236S	110.0	44.0	72.0	7.3	1.9	2.1	0.4
18239S	130.0	79.0	146.0	9.7	-0.2	6.0	0.9
18240S	83.0	50.0	80.0	8.7	1.4	2.6	0.4
18241S	74.0	46.0	72.0	7.7	1.6	2.9	0.4
18244S	71.0	90.0	150.0	8.7	1.5	4.9	0.9
18245S	270.0	55.0	107.0	6.1	1.2	4.3	0.5
18247S	270.0	47.0	72.0	7.7	1.7	2.8	0.4
18256S	62.0	42.0	72.0	6.9	1.4	3.1	0.5
18258S	230.0	92.0	156.0	11.4	1.5	7.4	1.0
18263S	60.0	53.0	84.0	5.2	1.4	3.8	0.5
18266S	70.0	31.0	60.0	5.8	1.1	2.5	0.4
18273S	48.0	45.0	86.0	10.2	-0.5	7.0	1.2
18279S	75.0	57.0	101.0	6.5	2.3	3.0	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
18261S	65.614	146.685	C-6	9	5	15	0	-0.5	5.0	-9.0	-300.0	-1.9	7.0	10.0	5.0	13.0
18262S	65.623	146.726	C-6	9	5	9	0	0.5	12.0	-7.0	500.0	-1.4	8.0	50.0	7.0	21.0
18265S	65.447	146.903	B-6	7	4	10	0	-0.5	9.0	9.0	600.0	-1.0	17.0	90.0	4.0	22.0
18266S	65.622	146.582	C-6	9	6	7	0	-0.5	7.0	-10.0	900.0	-1.7	12.0	100.0	5.0	30.0
18287S	65.644	146.389	C-5	10	6	36	0	-0.5	9.0	-6.0	500.0	-1.5	14.0	60.0	4.0	29.0
18288S	65.518	146.402	C-5	8	7	18	0	-0.5	17.0	-7.0	600.0	-1.5	12.0	60.0	2.0	24.0
18289S	65.511	145.727	C-4	8	10	20	0	-0.5	51.0	-9.0	600.0	-1.5	10.0	60.0	3.0	20.0
18291S	65.455	146.292	B-5	7	7	10	0	-0.5	9.0	-6.0	500.0	-0.6	13.0	60.0	2.0	19.0
18294S	65.419	146.044	B-5	7	8	23	0	-0.5	100.0	-9.0	700.0	-0.7	14.0	80.0	7.0	47.0
18297S	65.631	146.707	C-6	9	5	4	0	-0.5	8.0	-8.0	500.0	3.6	7.0	30.0	10.0	20.0
18303S	65.400	146.786	B-6	7	5	30	12	-0.5	11.0	7.0	500.0	-1.5	11.0	50.0	12.0	13.0
18310S	65.460	146.329	B-5	7	7	4	0	-0.5	14.0	8.0	400.0	-1.4	9.0	30.0	13.0	17.0
18318S	65.556	146.507	C-6	8	6	3	0	-0.5	6.0	-10.0	500.0	-2.1	14.0	90.0	-1.0	17.0
18321S	65.667	146.886	C-6	10	4	15	0	-0.5	5.0	-5.0	900.0	0.6	13.0	90.0	6.0	35.0
18322S	65.542	146.704	C-6	8	5	10	0	-0.5	16.0	-5.0	500.0	-0.8	16.0	60.0	4.0	16.0
18325S	65.474	146.262	B-5	8	7	35	0	-0.5	7.0	-8.0	600.0	-1.5	14.0	60.0	2.0	21.0
18327S	65.633	146.987	C-6	9	4	6	0	-0.5	8.0	-10.0	800.0	-1.9	11.0	80.0	6.0	20.0
18330S	65.506	145.951	C-4	8	9	20	0	-0.5	29.0	-6.0	300.0	-1.2	15.0	40.0	3.0	25.0
18335S	65.532	146.220	C-5	8	7	12	0	-0.5	14.0	-7.0	500.0	-1.4	11.0	50.0	3.0	19.0
18336S	65.604	146.978	C-6	9	4	17	0	0.5	9.0	-11.0	600.0	-2.6	12.0	60.0	6.0	48.0
18340S	65.412	146.176	B-5	7	8	30	0	-0.5	23.0	-9.0	800.0	-1.8	14.0	70.0	5.0	25.0
18344S	65.442	146.336	B-5	7	7	8	0	-0.5	19.0	-9.0	400.0	-1.6	7.0	80.0	5.0	17.0
18346S	65.440	146.117	B-5	7	8	16	0	-0.5	12.0	-10.0	700.0	-1.9	10.0	70.0	4.0	19.0
18347S	65.656	146.561	C-6	10	6	32	0	-0.5	6.0	-11.0	900.0	3.0	17.0	110.0	5.0	20.0
18353S	65.552	146.470	C-5	8	6	2	0	0.5	45.0	-11.0	800.0	-2.0	14.0	60.0	7.0	31.0
18356S	65.562	146.752	C-6	9	5	32	0	-0.5	5.0	-11.0	600.0	-2.5	10.0	70.0	4.0	15.0
18364S	65.544	146.030	C-5	8	8	2	0	-0.5	17.0	-6.0	400.0	-1.2	11.0	40.0	3.0	18.0
18368S	65.479	146.415	B-5	8	6	36	0	-0.5	12.0	-11.0	700.0	-2.1	13.0	70.0	5.0	33.0
18371S	65.495	146.545	B-6	8	6	29	0	-0.5	27.0	14.0	500.0	-1.9	14.0	70.0	9.0	20.0
18376S	65.411	146.652	B-6	7	5	26	0	-0.5	16.0	-9.0	600.0	-1.5	12.0	50.0	13.0	18.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
18281S	2.4	9.0	-4.0	1.90	400.0	140.0	530.0	0.4	7.3	10.0	-1.0	55.0	21.9	5.0
18282S	2.9	10.0	-4.0	1.40	-200.0	44.0	270.0	0.7	11.1	-5.0	2.0	66.0	87.8	5.0
18285S	3.8	11.0	-4.0	1.20	300.0	12.0	70.0	1.6	13.9	-5.0	1.0	10.0	3.4	-4.0
18286S	3.8	7.0	-4.0	0.71	-200.0	30.0	180.0	1.2	15.5	-5.0	1.0	16.0	5.4	-6.0
18287S	3.5	10.0	-4.0	1.00	-200.0	12.0	110.0	0.5	13.0	-5.0	2.0	14.0	5.5	6.0
18288S	3.5	8.0	9.0	0.94	-200.0	14.0	140.0	2.8	10.9	-5.0	2.0	13.0	4.0	-4.0
18289S	3.0	5.0	-4.0	0.73	-200.0	14.0	120.0	1.4	10.6	-8.0	-1.0	9.5	2.7	5.0
18291S	3.1	10.0	-4.0	0.89	-200.0	16.0	50.0	1.1	10.1	-5.0	-1.0	12.0	4.1	-4.0
18294S	3.5	11.0	-4.0	0.61	-200.0	22.0	110.0	3.6	14.1	-9.0	-1.0	12.0	3.7	29.0
18297S	2.4	9.0	-4.0	1.70	-200.0	84.0	690.0	0.6	6.9	-5.0	2.0	64.0	26.5	9.0
18303S	2.9	8.0	-4.0	1.50	-200.0	10.0	210.0	1.3	10.5	-7.0	-1.0	16.0	12.2	9.0
18310S	2.6	4.0	-4.0	1.40	-200.0	10.0	410.0	0.6	7.8	-5.0	2.0	17.0	10.4	-4.0
18318S	3.6	12.0	6.0	1.20	-300.0	12.0	120.0	1.2	13.3	-7.0	2.0	11.0	3.2	5.0
18321S	3.4	10.0	-4.0	0.94	-200.0	74.0	170.0	1.0	12.8	-5.0	1.0	24.0	11.9	-9.0
18322S	3.7	7.0	-4.0	1.10	-200.0	12.0	150.0	1.2	11.2	-5.0	1.0	12.0	5.3	-4.0
18325S	2.8	11.0	-4.0	0.89	-200.0	16.0	60.0	0.9	9.6	6.0	-1.0	11.0	3.9	-4.0
18327S	3.0	8.0	-5.0	0.90	-300.0	20.0	140.0	0.5	13.3	-6.0	-1.0	11.0	2.8	-5.0
18330S	3.0	8.0	5.0	0.54	200.0	8.0	40.0	1.1	9.1	-6.0	-1.0	8.6	2.6	51.0
18335S	2.9	12.0	-4.0	0.95	300.0	10.0	70.0	1.8	9.4	-5.0	-1.0	14.0	4.8	13.0
18336S	2.9	11.0	-4.0	0.77	400.0	50.0	180.0	1.3	9.8	-7.0	3.0	65.0	15.6	14.0
18340S	3.4	11.0	-4.0	0.75	-200.0	32.0	90.0	3.9	13.2	-5.0	-1.0	12.0	7.4	-4.0
18344S	2.9	7.0	4.0	0.83	-200.0	16.0	130.0	1.1	11.2	-5.0	-1.0	10.0	3.1	-4.0
18346S	3.1	10.0	5.0	0.96	-200.0	14.0	140.0	12.0	11.9	-7.0	-2.0	13.0	3.7	5.0
18347S	3.7	8.0	-5.0	0.99	-200.0	68.0	160.0	0.8	15.6	-5.0	-1.0	16.0	3.3	-6.0
18353S	3.6	7.0	-4.0	0.84	-300.0	86.0	90.0	3.2	11.2	-7.0	-2.0	15.0	14.4	5.0
18356S	2.6	12.0	5.0	0.93	-300.0	24.0	110.0	0.5	10.6	-60.0	-2.0	44.0	12.5	9.0
18364S	2.6	7.0	-4.0	0.60	-200.0	8.0	120.0	1.6	8.1	-6.0	-1.0	9.0	2.5	6.0
18368S	3.1	7.0	-5.0	0.95	-300.0	18.0	90.0	1.2	11.2	-7.0	-2.0	13.0	4.4	-5.0
18371S	3.6	11.0	-4.0	1.60	-200.0	34.0	180.0	2.1	12.8	-5.0	-1.0	30.0	20.7	-6.0
18376S	3.4	6.0	-4.0	1.50	-200.0	12.0	320.0	1.4	11.0	-7.0	2.0	19.0	7.7	16.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
18281S	400.0	127.0	180.0	11.3	-1.2	6.9	1.0
18282S	360.0	89.0	166.0	12.8	-0.9	10.1	2.3
18285S	69.0	40.0	74.0	4.9	1.6	3.1	0.4
18286S	110.0	55.0	102.0	9.9	1.6	3.3	0.6
18287S	71.0	49.0	80.0	7.9	0.8	3.2	0.5
18288S	77.0	41.0	77.0	5.9	0.8	2.0	0.3
18289S	62.0	30.0	50.0	4.9	0.5	2.0	0.4
18291S	69.0	39.0	64.0	6.0	0.8	2.0	0.3
18294S	93.0	44.0	74.0	7.8	0.7	2.8	0.5
18297S	310.0	82.0	145.0	10.7	1.3	11.5	1.8
18303S	72.0	45.0	77.0	7.6	1.6	3.7	0.7
18310S	81.0	31.0	56.0	6.1	0.7	3.4	0.6
18318S	99.0	45.0	86.0	7.5	0.9	2.6	0.4
18321S	130.0	65.0	103.0	7.4	1.3	5.3	0.7
18322S	67.0	37.0	66.0	3.9	1.3	2.3	0.4
18325S	83.0	39.0	64.0	6.3	0.6	2.2	0.3
18327S	55.0	41.0	67.0	7.1	1.0	2.6	0.7
18330S	58.0	31.0	50.0	4.6	0.8	2.2	0.3
18335S	66.0	43.0	74.0	6.8	1.2	3.4	0.5
18336S	220.0	139.0	261.0	23.9	2.0	10.0	1.7
18340S	120.0	46.0	79.0	8.7	1.0	3.1	0.6
18344S	62.0	40.0	73.0	6.0	1.5	2.3	0.4
18346S	62.0	48.0	93.0	7.9	1.2	2.8	0.4
18347S	170.0	63.0	113.0	10.6	1.0	3.5	0.6
18353S	160.0	46.0	89.0	8.2	2.2	3.0	0.6
18356S	130.0	104.0	198.0	18.5	-0.9	7.9	1.1
18364S	56.0	29.0	59.0	4.6	1.3	1.9	0.3
18368S	86.0	47.0	77.0	7.6	1.3	2.4	0.5
18371S	100.0	73.0	120.0	10.9	-0.7	4.7	0.8
18376S	72.0	47.0	80.0	8.0	1.0	3.5	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
18385S	65.482	146.057	B-5	8	8	35	0	-0.5	42.0	-7.0	400.0	-0.6	12.0	50.0	3.0	37.0
18386S	65.422	146.758	B-6	7	5	20	0	-0.5	5.0	-6.0	500.0	-0.5	12.0	80.0	6.0	13.0
18387S	65.549	146.722	C-6	8	5	4	0	-0.5	7.0	-9.0	600.0	-1.8	10.0	50.0	5.0	21.0
18393S	65.625	146.587	C-6	9	6	7	0	-0.5	6.0	-11.0	900.0	-1.6	17.0	90.0	7.0	38.0
18398S	65.605	146.892	C-6	9	4	15	0	-0.5	7.0	-9.0	600.0	-1.8	8.0	50.0	5.0	12.0
18404S	65.444	146.691	B-6	7	5	10	0	-0.5	3.0	-9.0	600.0	-1.8	10.0	80.0	2.0	17.0
18405S	65.431	145.894	B-4	7	9	16	0	-0.5	68.0	36.0	700.0	-0.8	15.0	60.0	4.0	32.0
18414S	65.459	145.647	B-4	7	10	3	0	-0.5	26.0	-10.0	500.0	-1.7	14.0	70.0	2.0	31.0
18417S	65.412	146.441	B-5	7	6	26	0	-0.5	23.0	-8.0	700.0	-2.0	9.0	70.0	14.0	13.0
18421S	65.576	146.709	C-6	9	5	28	0	-0.5	6.0	-5.0	700.0	-0.5	14.0	70.0	7.0	25.0
18422S	65.702	146.486	C-5	10	6	10	0	-0.5	5.0	-9.0	900.0	-2.0	14.0	80.0	7.0	27.0
18426S	65.672	146.719	C-6	10	5	21	0	-0.5	11.0	5.0	800.0	-1.0	17.0	70.0	9.0	28.0
18434S	65.380	146.095	B-5	6	8	4	0	-0.5	36.0	7.0	600.0	-0.9	15.0	60.0	3.0	21.0
18438S	65.473	145.861	B-4	8	9	34	0	-0.5	55.0	-7.0	500.0	-1.4	15.0	60.0	7.0	38.0
18441S	65.495	146.355	B-5	8	7	29	0	-0.5	9.0	-7.0	600.0	-1.6	11.0	70.0	1.0	14.0
18442S	65.699	146.625	C-6	10	5	13	0	-0.5	11.0	7.0	800.0	-0.9	16.0	70.0	10.0	35.0
18444S	65.555	146.435	C-5	8	6	1	0	0.5	58.0	-9.0	800.0	3.8	16.0	80.0	12.0	25.0
18466S	65.439	146.392	B-5	7	7	18	0	-0.5	16.0	-10.0	900.0	-1.7	17.0	90.0	6.0	23.0
18468S	65.435	146.708	B-6	7	5	15	0	-0.5	8.0	-5.0	400.0	-0.7	6.0	30.0	4.0	7.0
18471S	65.614	146.865	C-6	9	4	14	0	0.5	15.0	-11.0	700.0	-2.3	6.0	40.0	8.0	22.0
18473S	65.461	146.387	B-5	7	7	6	0	-0.5	10.0	-7.0	400.0	-1.3	8.0	30.0	11.0	15.0
18478S	65.568	146.659	C-6	9	5	35	0	-0.5	6.0	-8.0	800.0	-1.8	11.0	100.0	5.0	27.0
18482S	65.390	145.989	B-4	7	9	31	0	-0.5	40.0	-6.0	400.0	1.3	33.0	120.0	2.0	80.0
18493S	65.578	146.430	C-5	9	6	26	0	-0.5	32.0	14.0	800.0	-2.7	9.0	70.0	12.0	13.0
18495S	65.628	146.821	C-6	9	4	12	0	-0.5	7.0	-11.0	800.0	-2.7	6.0	50.0	5.0	8.5
18505S	65.488	145.934	B-4	8	9	29	0	-0.5	32.0	-6.0	300.0	-1.1	11.0	40.0	4.0	34.0
18506S	65.588	146.953	C-6	9	4	20	0	1.0	19.0	-10.0	1000.0	4.1	21.0	110.0	18.0	55.0
18507S	65.688	146.801	C-6	10	5	18	0	-0.5	15.0	5.0	1200.0	-0.6	23.0	110.0	7.0	31.0
18509S	65.504	145.951	C-4	8	9	20	0	-0.5	6.0	-7.0	500.0	-1.4	8.0	60.0	1.0	16.0
18521S	65.657	146.779	C-6	10	5	31	0	-0.5	17.0	-6.0	500.0	-1.2	21.0	90.0	9.0	34.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
18385S	3.4	9.0	-4.0	0.43	-200.0	20.0	90.0	3.1	10.7	-5.0	-1.0	10.0	2.9	5.0
18386S	3.0	9.0	-4.0	0.97	-200.0	4.0	70.0	1.1	11.2	-5.0	1.0	10.0	3.1	-8.0
18387S	3.0	10.0	-4.0	0.87	-200.0	28.0	230.0	0.9	10.4	-5.0	2.0	31.0	11.3	12.0
18393S	4.6	9.0	7.0	0.67	-200.0	34.0	200.0	1.4	17.3	-5.0	-1.0	19.0	3.6	-6.0
18398S	2.6	13.0	-4.0	1.80	-200.0	46.0	380.0	0.7	10.6	-5.0	4.0	62.0	31.0	5.0
18404S	2.6	8.0	-5.0	1.00	-200.0	12.0	60.0	0.6	10.6	-5.0	-1.0	11.0	4.5	4.0
18405S	3.8	5.0	5.0	0.50	-200.0	12.0	130.0	4.4	13.5	-5.0	-1.0	11.0	2.5	6.0
18414S	3.0	7.0	-5.0	0.66	-300.0	12.0	60.0	11.0	11.8	-6.0	-2.0	10.0	3.3	-5.0
18417S	2.6	7.0	-4.0	1.60	-300.0	18.0	350.0	1.1	10.2	-5.0	2.0	18.0	46.4	10.0
18421S	2.9	6.0	-4.0	0.80	-200.0	24.0	100.0	0.8	12.1	-5.0	-1.0	12.0	3.7	-4.0
18422S	3.5	5.0	-4.0	0.94	400.0	44.0	90.0	1.0	14.6	-5.0	2.0	12.0	3.3	-4.0
18426S	3.8	8.0	6.0	1.00	-200.0	62.0	190.0	0.9	14.3	-5.0	-1.0	19.0	5.8	-4.0
18434S	3.5	7.0	-4.0	0.63	-200.0	18.0	80.0	9.2	11.5	-5.0	-1.0	10.0	3.8	-4.0
18436S	3.2	5.0	-4.0	0.70	-200.0	16.0	60.0	0.5	11.3	-8.0	-1.0	10.0	3.5	67.0
18441S	3.0	10.0	5.0	0.96	-200.0	10.0	100.0	3.0	10.9	-5.0	2.0	12.0	3.5	4.0
18442S	4.0	8.0	4.0	0.83	-200.0	70.0	190.0	1.0	13.4	-5.0	1.0	15.0	4.3	-4.0
18444S	3.9	8.0	-4.0	1.40	-300.0	62.0	130.0	2.2	12.8	-10.0	-2.0	26.0	34.6	6.0
18466S	3.8	7.0	-4.0	1.20	-200.0	16.0	120.0	0.8	14.6	-8.0	-1.0	14.0	5.9	6.0
18468S	2.0	5.0	-4.0	1.30	-200.0	6.0	110.0	1.2	6.3	-5.0	1.0	12.0	6.8	-4.0
18471S	2.6	23.0	-4.0	1.70	-300.0	92.0	330.0	0.7	11.3	-7.0	-2.0	120.0	61.5	38.0
18473S	2.8	6.0	-4.0	1.60	-200.0	10.0	370.0	0.6	7.7	-5.0	3.0	22.0	16.4	13.0
18478S	4.0	8.0	-4.0	0.71	-300.0	20.0	120.0	1.0	15.1	-6.0	-2.0	13.0	3.4	-4.0
18482S	9.6	7.0	-4.0	1.10	-200.0	4.0	70.0	4.8	35.9	-5.0	-1.0	6.8	2.3	-4.0
18493S	2.7	12.0	-4.0	1.50	-300.0	24.0	220.0	0.7	11.5	-12.0	-3.0	32.0	83.7	43.0
18495S	2.6	31.0	-4.0	2.10	400.0	34.0	410.0	0.4	10.5	7.0	3.0	140.0	48.2	23.0
18505S	3.0	10.0	-4.0	0.53	200.0	10.0	50.0	0.9	9.1	-5.0	-1.0	8.1	2.7	36.0
18506S	4.4	6.0	-5.0	0.83	-300.0	82.0	180.0	1.4	17.0	-7.0	-2.0	16.0	4.9	7.0
18507S	5.6	7.0	-4.0	0.67	-200.0	14.0	270.0	1.2	18.7	-5.0	-1.0	20.0	3.9	-11.0
18509S	4.2	9.0	-4.0	1.00	-200.0	6.0	110.0	2.2	9.9	-5.0	-1.0	10.0	4.3	-4.0
18521S	4.6	6.0	4.0	1.00	-200.0	80.0	170.0	0.9	16.2	-5.0	-1.0	21.0	6.4	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
18385S	69.0	39.0	65.0	6.7	1.5	2.6	0.4
18386S	62.0	40.0	66.0	4.2	1.4	2.8	0.4
18387S	210.0	75.0	140.0	13.4	1.1	5.6	1.1
18393S	110.0	65.0	118.0	11.3	1.5	4.1	0.7
18398S	160.0	84.0	154.0	12.7	1.2	15.7	2.1
18404S	53.0	42.0	69.0	6.5	2.2	2.7	0.4
18405S	61.0	35.0	73.0	3.8	0.6	2.2	0.2
18414S	74.0	39.0	69.0	7.0	1.3	2.3	0.4
18417S	58.0	40.0	73.0	8.6	-0.8	4.4	0.5
18421S	100.0	42.0	66.0	5.7	1.2	2.9	0.4
18422S	110.0	46.0	82.0	7.8	1.7	2.8	0.5
18426S	190.0	64.0	113.0	7.1	2.1	3.8	0.5
18434S	72.0	44.0	69.0	4.8	1.6	2.4	0.4
18438S	63.0	36.0	62.0	6.0	0.9	2.0	0.4
18441S	54.0	45.0	73.0	7.0	1.6	8.4	0.5
18442S	330.0	57.0	96.0	6.2	-0.2	3.7	0.5
18444S	130.0	67.0	118.0	10.9	1.6	4.3	1.0
18466S	78.0	48.0	75.0	8.2	1.1	2.9	0.6
18468S	47.0	33.0	54.0	3.4	0.8	2.2	0.3
18471S	370.0	151.0	261.0	20.5	-1.5	23.5	3.5
18473S	63.0	39.0	71.0	7.6	-0.4	4.9	0.9
18478S	59.0	50.0	87.0	8.4	1.2	3.4	0.5
18482S	67.0	25.0	48.0	3.9	1.8	3.4	0.4
18493S	81.0	77.0	129.0	14.6	-1.1	7.0	2.0
18495S	150.0	197.0	351.0	34.8	1.5	19.2	3.1
18505S	58.0	26.0	44.0	4.5	1.3	2.2	0.3
18506S	220.0	65.0	104.0	12.1	2.4	3.4	0.6
18507S	120.0	69.0	110.0	6.4	1.6	3.5	0.4
18509S	44.0	37.0	69.0	6.5	0.9	2.7	0.4
18521S	160.0	63.0	107.0	8.0	1.8	4.8	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
18524S	65.551	146.017	C-5	8	8	1	0	-0.5	22.0	-5.0	300.0	-1.0	10.0	40.0	2.0	20.0
18526S	65.563	146.697	C-6	9	5	34	0	-0.5	6.0	-9.0	900.0	-2.0	14.0	80.0	4.0	24.0
18527S	65.526	146.730	C-6	8	5	16	0	-0.5	23.0	-8.0	600.0	-1.7	10.0	60.0	5.0	18.0
18528S	65.492	146.375	B-5	8	7	30	0	-0.5	17.0	-7.0	800.0	-1.6	13.0	60.0	5.0	21.0
18529S	65.481	146.209	B-5	8	7	36	0	-0.5	9.0	-8.0	800.0	-1.6	17.0	80.0	3.0	21.0
18531S	65.549	146.358	C-5	8	7	5	0	1.0	99.0	11.0	700.0	-1.9	13.0	80.0	6.0	18.0
18535S	65.374	146.530	B-6	6	6	4	0	-0.5	16.0	-7.0	600.0	-1.2	9.0	60.0	3.0	15.0
18536S	65.488	146.389	B-5	8	7	30	0	-0.5	13.0	-8.0	700.0	2.9	14.0	60.0	3.0	23.0
18540S	65.474	146.725	B-6	8	5	33	0	-0.5	6.0	-7.0	800.0	-1.2	20.0	90.0	8.0	23.0
18541S	65.560	146.838	C-6	9	4	36	0	-0.5	8.0	-14.0	1000.0	-3.1	7.0	60.0	7.0	13.0
18543S	65.478	146.893	B-6	8	4	34	0	-0.5	-2.0	-5.0	600.0	0.5	9.0	80.0	3.0	10.0
18545S	65.533	146.668	C-6	8	5	11	0	-0.5	49.0	6.0	700.0	1.2	21.0	100.0	8.0	34.0
18549S	65.571	146.266	C-5	9	7	27	0	-0.5	6.0	-7.0	800.0	-1.4	12.0	60.0	3.0	22.0
18551S	65.605	146.691	C-6	9	5	13	0	-0.5	13.0	5.0	800.0	-1.3	20.0	90.0	18.0	40.0
18552S	65.496	146.535	B-6	8	6	28	0	-0.5	37.0	-10.0	700.0	2.8	13.0	60.0	9.0	18.0
18553S	65.658	146.842	C-6	10	4	26	0	-0.5	10.0	-6.0	700.0	-0.5	15.0	80.0	5.0	25.0
18556S	65.400	146.408	B-5	7	6	25	0	-0.5	13.0	-5.0	500.0	-1.2	10.0	40.0	3.0	20.0
18558S	65.532	146.895	C-6	8	4	10	0	-0.5	9.0	-8.0	900.0	-1.5	12.0	100.0	3.0	18.0
18562S	65.473	145.720	B-4	8	10	32	0	-0.5	14.0	-8.0	700.0	-1.5	13.0	80.0	2.0	22.0
18568S	65.579	146.443	C-5	9	6	26	0	-0.5	38.0	-9.0	700.0	-2.1	9.0	40.0	12.0	10.0
18576S	65.543	146.254	C-5	8	7	2	0	-0.5	9.0	-6.0	500.0	-1.3	11.0	60.0	2.0	17.0
18582S	65.535	146.297	C-5	6	7	10	-28	-0.5	6.0	-7.0	600.0	-1.3	13.0	50.0	3.0	19.0
18583S	65.493	146.212	B-5	8	7	25	0	-0.5	9.0	-6.0	500.0	-1.2	10.0	40.0	5.0	18.0
18585S	65.431	146.762	B-6	7	5	17	0	-0.5	-3.0	-7.0	600.0	1.0	15.0	100.0	10.0	18.0
18586S	65.626	146.883	C-6	9	4	10	0	-0.5	30.0	10.0	700.0	-0.6	24.0	80.0	13.0	44.0
18587S	65.427	146.632	B-6	7	5	13	0	-0.5	13.0	-9.0	600.0	-1.7	10.0	50.0	12.0	22.0
18588S	65.639	146.656	C-6	9	5	2	0	-0.5	9.0	-5.0	500.0	-1.0	11.0	50.0	9.0	28.0
18595S	65.370	146.572	B-6	6	6	5	13	-0.5	17.0	-7.0	500.0	-1.1	23.0	40.0	3.0	16.0
18602S	65.657	146.618	C-6	10	5	36	0	-0.5	5.0	-10.0	1000.0	-2.1	9.0	70.0	5.0	14.0
18605S	65.583	146.755	C-6	9	5	29	0	-0.5	14.0	-14.0	800.0	-2.1	10.0	70.0	9.0	26.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
18524S	2.5	7.0	-4.0	0.63	200.0	10.0	80.0	2.1	7.6	-5.0	-1.0	9.8	2.7	-4.0
18526S	3.5	8.0	-4.0	0.66	-300.0	16.0	100.0	0.8	13.3	-5.0	2.0	13.0	3.8	-4.0
18527S	3.0	14.0	-4.0	1.00	-200.0	18.0	170.0	0.9	11.4	-7.0	-1.0	28.0	9.1	5.0
18528S	3.6	6.0	-4.0	1.10	-200.0	10.0	190.0	0.6	12.2	6.0	-2.0	14.0	5.0	-4.0
18529S	3.3	11.0	-4.0	1.10	200.0	12.0	100.0	1.0	12.5	-5.0	-1.0	14.0	7.7	-4.0
18531S	3.4	8.0	-4.0	1.10	-300.0	70.0	100.0	3.1	12.7	-7.0	-2.0	16.0	51.7	4.0
18535S	3.0	6.0	-4.0	0.81	-200.0	10.0	190.0	2.5	10.2	-5.0	2.0	12.0	2.2	-4.0
18536S	3.8	7.0	4.0	1.30	-300.0	16.0	190.0	0.6	13.4	5.0	-2.0	16.0	5.1	-4.0
18540S	4.6	9.0	-4.0	1.40	-200.0	16.0	110.0	1.0	17.9	-5.0	-1.0	12.0	3.6	-4.0
18541S	2.6	15.0	-4.0	1.90	-300.0	32.0	450.0	0.6	9.7	-5.0	6.0	130.0	121.0	25.0
18543S	2.7	8.0	-4.0	-0.05	-200.0	12.0	100.0	0.7	10.9	-5.0	-1.0	11.0	2.8	-8.0
18545S	4.8	8.0	-4.0	0.99	200.0	26.0	140.0	2.4	16.9	-5.0	-1.0	12.0	4.0	5.0
18549S	3.1	8.0	-4.0	0.84	-200.0	16.0	130.0	1.7	11.6	-5.0	2.0	15.0	3.9	4.0
18551S	4.1	9.0	6.0	0.76	-200.0	160.0	230.0	1.4	16.2	-5.0	-1.0	18.0	4.9	-4.0
18552S	3.6	9.0	-4.0	1.50	-200.0	38.0	180.0	2.7	11.4	-5.0	2.0	30.0	20.1	-6.0
18553S	4.1	7.0	-4.0	0.88	-200.0	34.0	180.0	0.8	12.5	-5.0	-1.0	17.0	4.2	-9.0
18556S	2.7	5.0	-4.0	0.67	-200.0	12.0	130.0	0.7	7.7	6.0	-1.0	10.0	2.6	-4.0
18558S	3.3	11.0	-4.0	0.92	-200.0	18.0	120.0	1.0	13.9	-5.0	2.0	13.0	4.8	-4.0
18562S	3.9	9.0	-4.0	0.99	300.0	14.0	110.0	7.0	13.5	-5.0	-1.0	10.0	3.2	-4.0
18568S	2.7	14.0	-4.0	2.00	-300.0	20.0	280.0	0.7	9.1	-11.0	7.0	37.0	28.5	57.0
18576S	2.8	13.0	-4.0	0.96	-200.0	10.0	90.0	0.9	9.7	-5.0	-1.0	16.0	3.7	-4.0
18582S	3.0	10.0	-4.0	0.90	200.0	12.0	90.0	1.2	9.5	-5.0	-1.0	16.0	4.7	-4.0
18583S	2.7	11.0	-4.0	1.20	-200.0	10.0	170.0	0.6	9.0	-5.0	1.0	16.0	10.2	4.0
18585S	3.7	6.0	5.0	1.00	-200.0	10.0	120.0	1.2	13.6	-5.0	1.0	12.0	2.8	-10.0
18586S	4.3	7.0	-4.0	0.74	-200.0	74.0	130.0	1.5	12.8	-5.0	-1.0	13.0	4.3	-10.0
18587S	2.9	12.0	-4.0	1.70	-200.0	12.0	320.0	1.1	9.8	-5.0	5.0	38.0	15.5	52.0
18588S	3.6	11.0	-4.0	1.40	-200.0	58.0	470.0	1.1	10.2	-5.0	2.0	59.0	21.6	8.0
18595S	2.8	6.0	-4.0	0.57	-200.0	10.0	100.0	2.5	8.3	-5.0	1.0	11.0	3.3	-4.0
18602S	3.4	12.0	-4.0	1.40	-200.0	58.0	210.0	0.9	13.1	-8.0	-1.0	45.0	10.9	-6.0
18605S	3.3	9.0	-4.0	1.20	-300.0	86.0	260.0	1.2	13.6	-8.0	2.0	56.0	56.5	9.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
18524S	48.0	30.0	49.0	4.9	1.2	2.3	0.3
18526S	76.0	50.0	94.0	8.8	1.8	3.3	0.6
18527S	100.0	69.0	118.0	11.6	1.2	4.8	0.8
18528S	71.0	47.0	79.0	7.2	1.5	2.9	0.4
18529S	69.0	47.0	80.0	8.1	1.6	3.0	0.5
18531S	150.0	50.0	87.0	8.9	1.0	2.7	0.4
18535S	41.0	39.0	68.0	6.2	0.8	2.3	0.4
18536S	70.0	53.0	93.0	8.3	1.8	3.3	0.5
18540S	86.0	54.0	94.0	6.2	1.9	3.1	0.5
18541S	160.0	275.0	513.0	50.6	-1.0	23.3	4.2
18543S	54.0	45.0	74.0	4.9	0.9	2.4	0.3
18545S	100.0	49.0	94.0	6.0	2.7	3.3	0.5
18549S	74.0	50.0	81.0	8.2	1.7	2.5	0.6
18551S	270.0	60.0	123.0	7.6	1.2	3.9	0.5
18552S	97.0	73.0	125.0	11.1	1.6	4.5	0.9
18553S	140.0	53.0	83.0	5.2	1.6	2.8	0.4
18556S	47.0	34.0	56.0	5.2	1.6	1.8	0.3
18558S	65.0	48.0	84.0	8.4	1.4	2.8	0.5
18562S	57.0	43.0	72.0	7.8	0.8	2.3	0.4
18568S	73.0	82.0	146.0	12.0	1.2	5.9	1.1
18576S	55.0	47.0	86.0	7.7	1.6	3.3	0.6
18582S	63.0	49.0	85.0	7.8	1.1	2.9	0.5
18583S	67.0	43.0	68.0	7.6	1.1	3.4	0.6
18585S	76.0	46.0	76.0	4.9	1.2	3.0	0.4
18586S	200.0	46.0	73.0	5.5	1.6	2.5	0.4
18587S	75.0	72.0	133.0	13.9	-0.6	7.3	1.1
18588S	250.0	95.0	158.0	10.9	1.0	8.2	1.2
18595S	72.0	36.0	67.0	5.8	1.3	2.9	0.4
18602S	140.0	103.0	179.0	16.5	1.5	7.1	1.1
18605S	940.0	106.0	173.0	21.6	1.1	11.3	2.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
18610S	65.477	146.850	B-6	8	4	35	0	-0.5	6.0	-5.0	600.0	1.0	12.0	70.0	5.0	20.0
18615S	65.613	146.358	C-5	9	7	18	0	-0.5	21.0	-7.0	800.0	-1.4	20.0	70.0	6.0	26.0
18627S	65.580	146.503	C-6	9	6	28	0	-0.5	8.0	-10.0	600.0	-2.2	21.0	110.0	3.0	40.0
18630S	65.372	146.548	B-6	6	6	5	0	-0.5	18.0	-8.0	800.0	-1.2	14.0	50.0	3.0	15.0
18634S	65.605	146.535	C-6	9	6	17	0	-0.5	5.0	-7.0	500.0	-1.4	13.0	60.0	3.0	20.0
18635S	65.582	146.630	C-6	9	5	25	0	-0.5	17.0	-10.0	600.0	-2.6	10.0	50.0	8.0	16.0
18638S	65.531	146.545	C-6	8	6	8	0	-0.5	13.0	-10.0	700.0	-2.3	6.0	20.0	15.0	5.0
18644S	65.632	146.855	C-6	9	4	2	0	-0.5	8.0	-10.0	500.0	-2.4	5.0	50.0	6.0	15.0
18646S	65.478	145.776	B-4	6	10	31	0	-0.5	100.0	-7.0	400.0	-1.3	19.0	70.0	3.0	26.0
18647S	65.484	146.099	B-5	6	8	33	0	-0.5	8.0	-5.0	600.0	-1.1	-5.0	50.0	1.0	13.0
18650S	65.417	146.786	B-6	7	5	19	1	-0.5	9.0	-5.0	600.0	-0.5	10.0	50.0	5.0	15.0
18652S	65.503	146.082	C-5	8	8	22	0	-0.5	9.0	-7.0	700.0	-1.1	14.0	60.0	2.0	21.0
18653S	65.572	146.326	C-5	9	7	29	0	-0.5	10.0	-10.0	700.0	-2.4	15.0	90.0	5.0	38.0
18660S	65.527	146.413	C-5	8	6	13	0	-0.5	16.0	-7.0	600.0	-1.4	12.0	60.0	2.0	26.0
18662S	65.402	146.678	B-6	7	5	27	0	-0.5	12.0	-7.0	500.0	-1.3	7.0	40.0	9.0	13.0
18663S	65.470	145.894	B-4	8	9	33	0	-0.5	120.0	26.0	600.0	-1.4	21.0	80.0	9.0	89.0
18669S	65.435	145.955	B-4	7	9	17	0	-0.5	49.0	9.0	500.0	-1.5	10.0	70.0	5.0	34.0
18672S	65.702	146.840	C-6	10	4	11	0	-0.5	9.0	-5.0	1300.0	-0.5	21.0	170.0	5.0	42.0
18676S	65.627	146.887	C-6	9	4	10	0	-0.5	10.0	-5.0	800.0	1.5	17.0	80.0	7.0	31.0
18678S	65.474	146.108	B-5	6	8	33	0	-0.5	9.0	-6.0	600.0	-1.2	15.0	50.0	1.0	16.0
18682S	65.658	146.415	C-5	10	6	25	0	-0.5	4.0	-7.0	800.0	-1.5	9.0	80.0	3.0	17.0
18684S	65.461	146.578	B-6	7	6	6	0	-0.5	16.0	7.0	600.0	-1.4	10.0	50.0	6.0	21.0
18692S	65.524	146.541	C-6	8	6	16	0	-0.5	3.0	-9.0	400.0	2.7	-5.0	20.0	8.0	3.5
18695S	65.511	146.355	C-5	8	7	20	0	-0.5	13.0	-7.0	600.0	-1.5	11.0	60.0	2.0	16.0
18697S	65.518	146.738	C-6	8	5	16	0	-0.5	18.0	6.0	600.0	0.9	12.0	70.0	7.0	16.0
18699S	65.687	146.724	C-6	10	5	16	0	-0.5	9.0	-6.0	900.0	-1.2	17.0	80.0	9.0	18.0
19051S	65.419	146.770	B-6	7	5	20	0	1.0	5.0	-5.0	400.0	-0.5	7.0	30.0	4.0	6.5
19052S	65.389	146.564	B-6	7	6	32	0	-0.5	16.0	-10.0	600.0	-1.7	9.0	60.0	7.0	18.0
19054S	65.640	146.625	C-6	9	5	1	0	-0.5	10.0	-10.0	800.0	-1.9	10.0	80.0	5.0	22.0
19059S	65.452	146.329	B-5	7	7	9	0	-0.5	10.0	22.0	900.0	-1.8	17.0	100.0	5.0	23.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
186105	3.0	9.0	5.0	0.93	-200.0	12.0	110.0	0.5	11.9	-5.0	1.0	14.0	7.5	-9.0
186155	4.1	9.0	-4.0	0.83	-200.0	14.0	110.0	0.8	11.3	-5.0	-1.0	12.0	3.6	-4.0
186275	4.8	7.0	10.0	1.20	500.0	12.0	180.0	0.6	20.2	-6.0	-2.0	13.0	3.7	5.0
186305	3.7	5.0	6.0	0.49	-200.0	8.0	150.0	2.5	11.7	8.0	-1.0	11.0	2.3	-5.0
186345	3.7	9.0	-4.0	0.74	-200.0	14.0	120.0	0.7	12.3	-5.0	-1.0	13.0	5.8	4.0
186355	2.3	9.0	-4.0	1.50	-400.0	18.0	150.0	0.5	9.6	-12.0	5.0	22.0	30.0	16.0
186385	2.6	14.0	-4.0	2.60	-200.0	18.0	370.0	0.6	8.8	-5.0	5.0	75.0	58.3	-5.0
186445	2.5	16.0	-4.0	1.90	-200.0	50.0	340.0	0.3	10.2	-5.0	4.0	100.0	52.5	-6.0
186465	3.8	5.0	-4.0	0.52	200.0	12.0	60.0	2.6	12.7	-7.0	-1.0	9.6	3.1	6.0
186475	2.8	12.0	-4.0	0.92	200.0	10.0	90.0	0.7	8.1	-5.0	1.0	11.0	3.8	-4.0
186505	3.0	8.0	-4.0	1.00	-200.0	2.0	160.0	1.0	9.5	-5.0	1.0	16.0	6.2	-7.0
186525	3.5	11.0	-4.0	0.92	-200.0	16.0	170.0	0.6	11.2	-5.0	-1.0	13.0	4.3	-4.0
186535	4.6	7.0	-5.0	0.80	-400.0	22.0	210.0	0.9	17.1	-7.0	-3.0	16.0	4.8	4.0
186605	3.5	10.0	-4.0	1.00	-200.0	16.0	190.0	2.9	11.1	-5.0	2.0	15.0	5.2	-4.0
186625	2.3	6.0	-4.0	1.40	-200.0	12.0	210.0	0.8	7.6	-5.0	2.0	17.0	9.1	11.0
186635	4.2	6.0	-4.0	0.78	-200.0	16.0	130.0	1.0	15.5	-9.0	2.0	11.0	4.3	52.0
186695	3.2	6.0	-4.0	0.70	-200.0	14.0	110.0	1.5	11.9	-7.0	-1.0	13.0	11.6	17.0
186725	4.3	5.0	-4.0	0.62	-200.0	14.0	120.0	1.9	13.2	-5.0	-1.0	10.0	2.3	-9.0
186765	3.7	8.0	8.0	0.84	-200.0	58.0	140.0	1.5	14.5	-5.0	1.0	13.0	3.9	-11.0
186785	3.2	9.0	-4.0	0.79	-200.0	10.0	60.0	0.8	8.9	-5.0	1.0	12.0	4.2	-4.0
186825	2.9	11.0	-4.0	0.98	-200.0	18.0	50.0	0.7	12.6	-5.0	-1.0	12.0	3.7	-4.0
186845	3.1	8.0	-4.0	1.10	-200.0	10.0	220.0	0.9	9.0	-5.0	2.0	18.0	12.3	6.0
186925	1.5	13.0	-4.0	2.00	-200.0	14.0	220.0	0.4	6.4	-5.0	8.0	40.0	31.2	9.0
186955	3.4	6.0	-4.0	0.81	-200.0	10.0	160.0	1.7	10.8	-5.0	-1.0	12.0	2.7	-4.0
186975	3.1	9.0	-4.0	1.00	-200.0	12.0	120.0	1.4	12.0	-5.0	1.0	19.0	6.7	-9.0
186995	4.1	15.0	-4.0	1.30	-200.0	46.0	260.0	0.7	14.8	-5.0	1.0	40.0	9.9	-4.0
190515	2.1	6.0	-4.0	1.10	-200.0	-2.0	130.0	1.2	6.6	-5.0	1.0	11.0	5.1	-6.0
190525	2.7	8.0	5.0	0.84	-200.0	18.0	140.0	1.3	10.5	-7.0	-1.0	13.0	25.5	-6.0
190545	3.4	11.0	-4.0	1.00	-200.0	34.0	200.0	0.9	12.5	-5.0	2.0	34.0	6.0	11.0
190595	3.6	6.0	-4.0	0.99	-300.0	18.0	110.0	0.7	15.0	-5.0	-2.0	15.0	4.0	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
18610S	88.0	48.0	79.0	5.3	1.0	3.6	0.5
18615S	86.0	42.0	69.0	7.7	1.4	2.5	0.6
18627S	84.0	52.0	102.0	9.0	1.2	3.1	0.5
18630S	51.0	39.0	72.0	5.9	1.1	2.3	0.4
18634S	74.0	54.0	84.0	9.0	1.1	3.1	0.5
18635S	100.0	53.0	88.0	9.6	-1.2	3.6	1.2
18638S	81.0	128.0	206.0	17.0	1.0	7.3	1.6
18644S	200.0	154.0	280.0	30.4	1.4	17.6	3.0
18646S	100.0	31.0	74.0	5.7	1.3	2.3	0.4
18647S	54.0	31.0	58.0	4.9	0.6	2.2	0.4
18650S	50.0	45.0	73.0	4.3	0.9	2.8	0.4
18652S	73.0	42.0	71.0	6.8	1.2	2.2	0.3
18653S	100.0	55.0	88.0	10.0	-1.1	3.3	0.5
18660S	74.0	47.0	73.0	7.6	1.7	2.6	0.5
18662S	61.0	38.0	61.0	6.5	1.1	3.3	0.5
18663S	80.0	39.0	66.0	7.5	1.3	2.9	0.5
18669S	66.0	41.0	69.0	6.8	1.2	2.8	0.6
18672S	140.0	43.0	69.0	4.3	1.1	2.0	0.3
18676S	230.0	53.0	89.0	5.7	1.9	3.6	0.4
18678S	82.0	34.0	58.0	5.6	1.4	2.0	0.3
18682S	75.0	51.0	83.0	8.8	1.0	3.0	0.4
18684S	73.0	44.0	83.0	7.4	1.0	3.3	0.5
18692S	31.0	81.0	133.0	11.7	1.0	7.7	1.5
18695S	76.0	39.0	73.0	5.7	1.4	1.9	0.3
18697S	66.0	59.0	91.0	6.1	1.4	3.0	0.5
18699S	160.0	103.0	183.0	10.6	0.8	6.7	0.9
19051S	41.0	32.0	50.0	3.3	0.6	2.2	0.3
19052S	71.0	44.0	78.0	7.6	0.8	3.3	0.7
19054S	110.0	93.0	168.0	14.6	1.0	5.3	0.9
19059S	63.0	52.0	91.0	8.0	1.3	3.0	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19063S	65.478	145.859	B-4	8	9	34	0	-0.5	57.0	21.0	300.0	-1.5	15.0	50.0	6.0	41.0
19070S	65.406	146.435	B-5	7	6	25	0	-0.5	16.0	-6.0	500.0	-1.1	9.0	50.0	6.0	24.0
19073S	65.369	146.070	B-5	6	6	10	0	-0.5	15.0	6.0	500.0	1.2	23.0	90.0	4.0	37.0
19076S	65.691	146.727	C-6	10	5	16	0	-0.5	7.0	-6.0	700.0	2.2	17.0	90.0	7.0	18.0
19087S	65.444	146.894	B-6	7	4	10	0	-0.5	11.0	-6.0	900.0	1.6	27.0	100.0	4.0	26.0
19089S	65.470	146.891	B-6	7	4	3	0	-1.2	6.0	-5.0	700.0	-0.8	11.0	70.0	3.0	26.0
19090S	65.651	146.981	C-6	10	4	31	0	-0.5	9.0	-6.0	1100.0	-1.1	19.0	100.0	7.0	26.0
19091S	65.643	146.875	C-6	10	4	34	0	-0.5	12.0	-10.0	1200.0	2.3	13.0	100.0	6.0	34.0
19097S	65.456	146.279	B-5	7	7	3	0	-0.5	11.0	-6.0	700.0	-1.6	13.0	80.0	4.0	26.0
19100S	65.466	145.889	B-4	7	9	4	0	-0.5	140.0	30.0	800.0	-1.5	20.0	90.0	10.0	94.0
19104S	65.590	146.703	C-6	9	5	21	0	-0.5	8.0	-8.0	800.0	-1.4	16.0	90.0	7.0	43.0
19105S	65.468	146.596	B-6	7	6	6	0	-0.5	16.0	-7.0	700.0	-1.8	11.0	60.0	4.0	17.0
19107S	65.597	146.950	C-6	9	4	20	0	-0.5	9.0	-7.0	500.0	-1.7	9.0	40.0	5.0	35.0
19108S	65.602	146.949	C-6	9	4	17	0	0.5	24.0	-9.0	700.0	-2.1	17.0	90.0	9.0	70.0
19117S	65.463	145.886	B-4	7	9	3	0	-0.5	98.0	23.0	600.0	-1.5	18.0	80.0	9.0	74.0
19122S	65.527	146.603	C-6	8	6	18	0	-0.5	18.0	8.0	700.0	-2.0	16.0	100.0	3.0	19.0
19123S	65.413	146.148	B-5	7	8	20	0	0.5	31.0	-8.0	600.0	1.9	12.0	70.0	3.0	21.0
19124S	65.517	146.296	C-5	8	7	15	0	-0.5	10.0	-6.0	400.0	-1.2	10.0	50.0	2.0	14.0
19127S	65.634	146.950	C-6	9	4	5	0	-0.5	13.0	-5.0	800.0	1.3	18.0	80.0	7.0	26.0
19134S	65.516	146.122	C-5	8	8	16	0	-0.5	8.0	-6.0	500.0	-1.2	9.0	50.0	3.0	16.0
19135S	65.414	146.046	B-5	7	8	23	0	0.5	130.0	-9.0	700.0	-1.5	15.0	70.0	8.0	51.0
19137S	65.626	146.494	C-5	9	6	9	0	-0.5	6.0	-6.0	500.0	-1.1	13.0	50.0	2.0	17.0
19139S	65.559	146.466	C-5	9	6	34	0	-0.5	46.0	-9.0	700.0	-2.1	14.0	70.0	10.0	14.0
19143S	65.556	146.294	C-5	8	7	3	0	-0.5	22.0	-7.0	700.0	-1.3	31.0	70.0	5.0	25.0
19145S	65.593	146.742	C-6	9	5	20	0	0.5	11.0	-10.0	700.0	-2.7	10.0	70.0	10.0	28.0
19146S	65.466	146.597	B-6	7	6	6	0	-0.5	13.0	-7.0	400.0	-1.4	10.0	40.0	7.0	16.0
19147S	65.394	145.997	B-4	7	8	36	0	-0.5	45.0	9.0	500.0	-0.8	23.0	90.0	3.0	72.0
19149S	65.476	146.707	B-6	6	5	34	0	-0.5	11.0	-5.0	600.0	1.4	16.0	90.0	8.0	24.0
19154S	65.392	146.564	B-6	7	6	32	0	-0.5	20.0	-8.0	600.0	-1.4	11.0	40.0	9.0	20.0
19158S	65.491	146.218	B-5	8	7	25	0	-0.5	7.0	-6.0	600.0	-1.3	9.0	50.0	4.0	24.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19063S	3.4	5.0	6.0	0.92	400.0	16.0	110.0	0.5	11.1	-7.0	-1.0	16.0	3.0	27.0
19070S	2.9	8.0	-4.0	0.77	-200.0	24.0	120.0	0.7	9.2	6.0	1.0	11.0	9.0	5.0
19073S	5.2	8.0	5.0	0.90	-200.0	6.0	70.0	0.8	18.6	-5.0	1.0	7.9	2.6	-4.0
19076S	3.5	11.0	-4.0	1.20	200.0	36.0	50.0	1.2	13.8	-5.0	-1.0	13.0	3.9	4.0
19087S	4.5	9.0	-4.0	1.40	-200.0	14.0	80.0	0.9	17.0	-5.0	-1.0	10.0	3.3	4.0
19089S	2.7	6.0	4.0	1.10	-200.0	29.0	110.0	0.6	12.0	-5.0	-1.0	11.0	3.4	-9.0
19090S	4.1	10.0	-4.0	1.00	-200.0	40.0	160.0	1.0	16.1	-5.0	-1.0	16.0	5.1	-4.0
19091S	3.4	10.0	-4.0	1.00	-200.0	34.0	170.0	0.8	19.7	-5.0	-2.0	15.0	6.5	-4.0
19097S	3.6	14.0	-4.0	1.00	-200.0	20.0	100.0	2.4	12.5	-5.0	1.0	16.0	6.4	-4.0
19100S	4.4	6.0	-4.0	0.83	-200.0	16.0	140.0	1.5	15.6	-9.0	-2.0	11.0	3.5	25.0
19104S	3.3	9.0	-4.0	0.67	-200.0	34.0	200.0	1.3	13.9	-5.0	-1.0	13.0	5.0	-4.0
19105S	2.9	8.0	-4.0	1.30	-200.0	16.0	120.0	1.9	10.2	-8.0	-2.0	16.0	13.3	-4.0
19107S	3.1	6.0	-4.0	1.10	300.0	50.0	340.0	2.1	10.5	-5.0	-2.0	37.0	14.8	8.0
19108S	4.7	7.0	-4.0	0.94	-200.0	38.0	140.0	2.3	13.3	-6.0	2.0	26.0	13.7	10.0
19117S	3.7	7.0	-4.0	0.89	-200.0	16.0	110.0	1.0	15.0	9.0	-1.0	10.0	2.2	30.0
19122S	3.8	7.0	-4.0	1.10	-300.0	14.0	130.0	0.7	14.9	-5.0	-1.0	14.0	21.5	-7.0
19123S	3.0	9.0	-4.0	0.76	-200.0	40.0	190.0	5.1	11.2	-5.0	2.0	15.0	13.0	-4.0
19124S	2.6	10.0	-4.0	1.00	-200.0	10.0	70.0	1.5	8.6	6.0	-1.0	11.0	5.3	4.0
19127S	4.4	10.0	-4.0	0.93	-200.0	50.0	150.0	1.1	15.5	-5.0	-1.0	15.0	4.1	-4.0
19134S	2.5	10.0	-4.0	1.00	-200.0	12.0	110.0	1.0	8.8	-5.0	-1.0	14.0	6.0	-4.0
19135S	3.7	10.0	-4.0	0.62	-200.0	26.0	90.0	4.3	13.4	-8.0	-1.0	11.0	3.6	28.0
19137S	3.3	6.0	-4.0	0.65	-200.0	14.0	150.0	0.3	10.1	-5.0	-1.0	11.0	4.0	-4.0
19139S	3.3	10.0	-4.0	1.30	-300.0	28.0	120.0	1.4	10.8	-10.0	3.0	36.0	48.0	19.0
19143S	3.7	6.0	-4.0	0.74	-200.0	22.0	150.0	4.3	11.1	-5.0	2.0	15.0	5.5	-4.0
19145S	2.8	11.0	-4.0	1.20	-300.0	90.0	230.0	0.6	12.5	33.0	-2.0	62.0	82.6	5.0
19146S	2.7	6.0	-4.0	1.40	-200.0	10.0	240.0	0.6	7.7	-5.0	-1.0	15.0	8.1	5.0
19147S	4.9	7.0	-4.0	0.72	-200.0	8.0	120.0	12.0	17.6	-5.0	-1.0	8.7	2.2	-4.0
19149S	4.2	9.0	6.0	1.50	-200.0	12.0	100.0	0.9	15.7	-5.0	1.0	16.0	5.9	-4.0
19154S	2.9	4.0	-4.0	1.00	-200.0	14.0	270.0	1.0	9.1	-5.0	1.0	14.0	32.0	7.0
19158S	2.5	10.0	-4.0	1.10	-200.0	10.0	150.0	0.8	8.5	-5.0	2.0	15.0	11.3	4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19063S	61.0	43.0	74.0	6.1	0.7	2.2	0.4
19070S	52.0	42.0	70.0	7.0	1.8	2.4	0.4
19073S	57.0	31.0	54.0	3.8	1.4	2.6	0.3
19076S	150.0	49.0	86.0	5.6	1.8	3.4	0.5
19087S	96.0	48.0	89.0	6.0	-0.2	3.2	0.4
19089S	120.0	48.0	73.0	4.6	1.6	2.5	0.3
19090S	120.0	56.0	100.0	6.3	2.0	3.3	0.5
19091S	130.0	51.0	81.0	8.8	1.9	2.5	0.5
19097S	75.0	49.0	89.0	8.2	1.2	2.9	0.5
19100S	77.0	40.0	69.0	7.6	1.2	3.7	0.5
19104S	110.0	49.0	65.0	9.1	1.4	3.6	0.5
19105S	71.0	48.0	80.0	7.6	1.8	3.0	0.7
19107S	240.0	78.0	138.0	13.6	1.3	7.4	1.1
19108S	250.0	71.0	119.0	14.5	2.5	6.8	1.2
19117S	66.0	38.0	65.0	7.0	1.7	2.8	0.5
19122S	76.0	48.0	79.0	8.4	1.2	3.1	0.7
19123S	140.0	41.0	73.0	8.9	1.6	4.4	0.8
19124S	53.0	37.0	60.0	6.0	1.0	2.3	0.5
19127S	150.0	55.0	97.0	6.6	2.3	3.5	0.5
19134S	64.0	35.0	66.0	7.0	1.0	2.8	0.5
19135S	100.0	44.0	87.0	8.7	2.0	3.0	0.4
19137S	77.0	39.0	68.0	6.5	1.1	2.5	0.4
19139S	83.0	79.0	138.0	12.3	1.2	4.6	1.1
19143S	100.0	45.0	78.0	7.5	1.4	2.6	0.4
19145S	630.0	118.0	202.0	23.6	-1.0	11.2	2.5
19146S	70.0	36.0	65.0	6.1	0.6	3.0	0.5
19147S	67.0	35.0	64.0	4.4	1.7	2.5	0.3
19149S	76.0	59.0	102.0	6.3	1.6	4.1	0.6
19154S	84.0	34.0	56.0	6.7	-0.5	2.7	0.7
19158S	64.0	40.0	65.0	7.1	1.2	3.3	0.6

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19162S	65.483	146.911	B-6	8	4	34	0	-0.5	3.0	-9.0	900.0	-2.0	16.0	90.0	4.0	15.0
19168S	65.427	145.868	B-4	7	9	15	0	-0.5	6.0	-6.0	600.0	1.2	29.0	120.0	3.0	62.0
19170S	65.697	146.628	C-6	10	5	13	0	-0.5	13.0	-5.0	600.0	-1.0	17.0	80.0	10.0	29.0
19171S	65.433	146.218	B-5	7	7	13	0	-0.5	6.0	10.0	600.0	-1.1	9.0	50.0	2.0	14.0
19172S	65.628	146.375	C-5	9	7	7	-25	-0.5	14.0	-8.0	700.0	-1.6	15.0	90.0	4.0	35.0
19176S	65.482	146.574	B-6	8	6	32	0	-0.5	26.0	-10.0	700.0	-1.8	11.0	60.0	7.0	14.0
19179S	65.665	146.730	C-6	10	5	28	-2	-0.5	7.0	-10.0	500.0	-1.2	11.0	40.0	10.0	10.0
19182S	65.498	146.060	B-5	6	8	26	0	-0.5	42.0	-8.0	600.0	-1.3	13.0	50.0	3.0	34.0
19185S	65.405	146.626	B-6	7	5	25	0	-0.5	24.0	-9.0	700.0	-0.5	7.0	60.0	15.0	28.0
19191S	65.684	146.433	C-5	10	6	23	17	-0.5	9.0	-7.0	800.0	-1.7	10.0	50.0	5.0	22.0
19193S	65.608	146.533	C-6	9	6	17	0	-0.5	6.0	-8.0	400.0	-1.5	11.0	60.0	3.0	18.0
19194S	65.621	146.932	C-6	9	4	9	0	-1.2	6.0	8.0	600.0	-0.8	16.0	90.0	8.0	72.0
19200S	65.534	146.303	C-5	8	7	9	0	-0.5	7.0	-8.0	600.0	-1.6	11.0	50.0	2.0	24.0
19201S	65.643	146.440	C-5	10	6	33	0	-0.5	4.0	-9.0	900.0	-1.6	11.0	70.0	2.0	24.0
19212S	65.698	146.645	C-6	10	5	14	0	-0.5	7.0	-6.0	1100.0	-1.1	19.0	70.0	6.0	24.0
19214S	65.683	146.599	C-6	10	5	24	0	0.5	22.0	-5.0	900.0	-1.0	17.0	70.0	16.0	36.0
19215S	65.513	146.188	C-5	8	8	19	0	-0.5	6.0	-8.0	600.0	1.6	10.0	40.0	4.0	14.0
19216S	65.440	146.595	B-6	7	6	18	0	0.5	10.0	-7.0	300.0	-1.3	-5.0	20.0	16.0	8.0
19219S	65.524	146.568	C-6	8	6	17	0	-0.5	9.0	-12.0	900.0	-2.3	12.0	50.0	11.0	14.0
19226S	65.543	146.511	C-6	8	6	4	0	-0.5	8.0	11.0	600.0	-1.5	10.0	60.0	6.0	17.0
19227S	65.564	146.917	C-6	9	4	33	0	-0.5	10.0	-6.0	800.0	1.3	15.0	90.0	9.0	26.0
19230S	65.653	146.876	C-6	10	4	34	0	-0.5	12.0	-7.0	1300.0	-1.2	19.0	90.0	8.0	30.0
19239S	65.428	146.221	B-5	7	7	13	0	-0.5	9.0	-10.0	600.0	-1.9	15.0	80.0	3.0	22.0
19242S	65.435	146.397	B-5	7	7	18	0	-0.5	16.0	-11.0	700.0	-1.8	11.0	90.0	10.0	25.0
19243S	65.579	146.769	C-6	9	5	30	0	-0.5	17.0	-16.0	-100.0	-3.1	7.0	90.0	11.0	21.0
19250S	65.653	146.734	C-6	10	5	33	0	-0.5	5.0	-9.0	600.0	-2.3	6.0	50.0	5.0	11.0
19261S	65.421	146.755	B-6	7	5	20	0	-1.2	5.0	-6.0	400.0	-0.6	8.0	40.0	5.0	21.0
19270S	65.381	146.165	B-5	6	8	6	0	-0.5	53.0	20.0	400.0	-0.8	15.0	60.0	3.0	17.0
19272S	65.626	146.665	C-6	9	5	11	0	-0.5	10.0	7.0	800.0	-1.5	15.0	60.0	10.0	28.0
19281S	65.689	146.888	C-6	10	4	15	0	-1.2	13.0	-7.0	900.0	-0.7	10.0	50.0	3.0	77.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
191625	3.2	7.0	-4.0	0.91	-300.0	20.0	140.0	0.6	13.6	-6.0	-2.0	13.0	4.2	-4.0
191685	6.2	6.0	4.0	1.10	-200.0	10.0	60.0	1.6	20.7	-5.0	-1.0	7.7	2.4	-4.0
191705	4.4	6.0	6.0	0.87	-200.0	76.0	230.0	1.0	14.7	-5.0	-1.0	16.0	4.5	4.0
191715	2.5	12.0	-4.0	1.00	-200.0	14.0	60.0	0.6	8.6	-5.0	1.0	12.0	3.5	-4.0
191725	4.0	9.0	-4.0	1.30	-200.0	14.0	130.0	0.7	14.6	-5.0	2.0	17.0	9.9	7.0
191765	2.8	9.0	10.0	1.50	-200.0	26.0	150.0	2.3	9.4	-5.0	-1.0	27.0	36.4	-5.0
191795	3.0	16.0	-4.0	1.90	-300.0	46.0	340.0	0.3	10.3	-5.0	2.0	71.0	26.8	4.0
191825	3.5	9.0	-4.0	0.50	-200.0	18.0	100.0	3.3	11.7	-5.0	-1.0	10.0	2.5	7.0
191855	2.5	6.0	-4.0	1.50	-300.0	20.0	370.0	0.6	8.9	-6.0	3.0	19.0	124.0	16.0
191915	3.5	6.0	-4.0	1.00	300.0	58.0	360.0	0.7	11.3	-5.0	2.0	33.0	9.1	4.0
191935	3.7	10.0	-4.0	0.75	-200.0	16.0	130.0	0.3	11.5	10.0	-1.0	13.0	4.1	-4.0
191945	3.5	8.0	6.0	0.96	200.0	120.0	90.0	1.1	15.2	-5.0	-1.0	14.0	4.2	-11.0
192005	3.4	14.0	-4.0	0.86	-200.0	14.0	130.0	1.1	12.0	-6.0	-1.0	21.0	5.1	-4.0
192015	2.7	11.0	-4.0	0.97	-200.0	20.0	60.0	0.4	12.1	-5.0	-1.0	11.0	3.2	-4.0
192125	4.6	8.0	-4.0	0.96	-200.0	14.0	130.0	0.8	15.1	-5.0	2.0	15.0	3.3	-4.0
192145	4.5	7.0	5.0	0.83	-200.0	130.0	410.0	1.2	13.3	-5.0	1.0	21.0	8.2	7.0
192155	2.7	10.0	-4.0	1.30	-200.0	10.0	130.0	0.7	8.5	-5.0	2.0	16.0	8.0	-4.0
192165	1.8	5.0	-4.0	2.00	-200.0	8.0	540.0	1.0	5.9	-5.0	3.0	22.0	11.9	19.0
192195	3.5	12.0	-4.0	1.80	-300.0	22.0	210.0	0.8	10.7	-11.0	7.0	41.0	134.0	-7.0
192265	2.3	12.0	-4.0	1.10	-200.0	16.0	90.0	0.5	10.8	-5.0	2.0	15.0	15.0	-4.0
192275	3.5	7.0	-4.0	0.85	-200.0	48.0	170.0	1.0	14.5	-5.0	-1.0	13.0	3.4	-4.0
192305	4.0	8.0	-4.0	1.10	-200.0	38.0	130.0	1.3	16.6	-5.0	-1.0	16.0	4.1	-4.0
192395	3.7	11.0	-4.0	1.00	-300.0	16.0	130.0	0.9	13.7	-6.0	-2.0	14.0	5.2	-5.0
192425	3.7	7.0	-4.0	1.10	-200.0	14.0	130.0	0.7	13.6	-5.0	3.0	13.0	12.3	11.0
192435	2.3	9.0	-4.0	1.10	-300.0	58.0	90.0	1.3	12.1	-8.0	3.0	73.0	334.0	26.0
192505	2.6	16.0	-4.0	1.90	-300.0	40.0	470.0	0.5	9.3	-6.0	-2.0	90.0	32.2	5.0
192615	2.1	9.0	-4.0	1.10	-200.0	14.0	120.0	0.7	7.6	-5.0	1.0	15.0	7.5	10.0
192705	3.2	7.0	-4.0	0.47	-200.0	30.0	100.0	13.0	11.2	-5.0	-1.0	11.0	2.9	4.0
192725	3.5	10.0	-4.0	1.10	-200.0	74.0	340.0	1.0	12.3	-5.0	-1.0	37.0	48.6	7.0
192815	3.5	9.0	7.0	0.94	-200.0	38.0	200.0	1.1	10.2	-5.0	1.0	28.0	5.7	8.0

Station	In	La	Ce	Sm	Eu	Yb	Lu
19162S	72.0	53.0	90.0	8.8	1.8	3.1	0.5
19168S	79.0	35.0	56.0	4.8	1.0	2.4	0.3
19170S	360.0	62.0	108.0	6.7	-0.2	3.6	0.5
19171S	64.0	38.0	63.0	6.1	1.1	2.2	0.4
19172S	78.0	58.0	98.0	9.7	0.7	3.3	0.5
19176S	110.0	62.0	106.0	10.0	1.5	3.9	1.0
19179S	170.0	122.0	199.0	12.7	1.2	9.6	1.4
19182S	64.0	39.0	69.0	6.7	1.3	2.5	0.4
19185S	77.0	44.0	81.0	10.2	-0.8	4.3	-0.1
19191S	220.0	72.0	127.0	11.5	1.5	5.3	0.9
19193S	81.0	49.0	78.0	8.1	1.2	3.0	0.4
19194S	430.0	53.0	87.0	5.7	2.1	3.0	0.5
19200S	75.0	69.0	117.0	10.4	2.3	4.3	0.7
19201S	75.0	41.0	60.0	7.0	1.2	2.4	0.4
19212S	110.0	66.0	122.0	7.2	1.7	3.6	0.5
19214S	530.0	59.0	112.0	8.0	1.3	6.2	0.8
19215S	60.0	39.0	69.0	6.7	1.2	3.2	0.6
19216S	39.0	36.0	69.0	7.7	-0.5	5.1	0.8
19219S	83.0	92.0	142.0	15.2	1.0	5.8	2.0
19226S	70.0	48.0	84.0	7.6	1.4	2.9	0.6
19227S	150.0	53.0	90.0	6.3	1.5	3.1	0.4
19230S	95.0	56.0	101.0	6.4	1.8	3.6	0.4
19239S	82.0	51.0	89.0	6.3	1.5	3.0	0.5
19242S	61.0	45.0	70.0	7.5	1.8	2.9	0.6
19243S	500.0	154.0	239.0	35.5	-1.1	14.8	1.8
19250S	170.0	135.0	271.0	22.6	1.0	12.3	2.0
19261S	120.0	45.0	63.0	4.1	1.2	3.0	0.4
19270S	100.0	37.0	65.0	4.5	1.2	2.9	0.4
19272S	480.0	101.0	172.0	11.6	1.2	6.4	1.3
19281S	250.0	72.0	113.0	6.6	1.5	3.3	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19297S	65.460	146.409	B-5	7	6	1	0	-0.5	10.0	-9.0	500.0	-1.5	9.0	40.0	11.0	16.0
19300S	65.566	146.919	C-6	9	4	33	0	-0.5	7.0	-7.0	800.0	-1.2	24.0	100.0	8.0	25.0
19302S	65.496	145.626	B-4	8	9	26	0	-0.5	42.0	-7.0	600.0	-1.4	14.0	70.0	3.0	17.0
19303S	65.495	146.786	B-6	8	5	30	0	-0.5	12.0	-6.0	500.0	-1.1	12.0	70.0	6.0	14.0
19304S	65.667	146.580	C-6	10	6	30	0	-0.5	7.0	-8.0	500.0	-1.7	8.0	30.0	5.0	18.0
19312S	65.695	146.653	C-6	10	5	14	0	-0.5	7.0	-7.0	1000.0	-1.3	21.0	70.0	10.0	30.0
19313S	65.520	145.802	C-4	8	9	13	0	-0.5	11.0	-7.0	400.0	1.6	14.0	60.0	1.0	29.0
19315S	65.710	146.597	C-6	10	5	12	-4	-0.5	14.0	5.0	1200.0	-0.9	17.0	70.0	9.0	23.0
19318S	65.639	146.435	C-5	9	6	2	0	-0.5	6.0	-9.0	900.0	-1.8	15.0	80.0	3.0	26.0
19320S	65.529	146.162	C-5	8	8	8	0	-0.5	7.0	-9.0	800.0	-1.6	13.0	80.0	3.0	18.0
19324S	65.631	146.366	C-5	9	7	6	0	-0.5	4.0	-8.0	500.0	2.0	14.0	90.0	3.0	28.0
19327S	65.476	146.067	B-5	8	6	35	0	-0.5	41.0	-7.0	300.0	-1.1	11.0	50.0	3.0	35.0
19330S	65.469	145.863	B-4	7	9	3	0	0.5	94.0	10.0	500.0	1.0	13.0	50.0	18.0	53.0
19334S	65.525	146.669	C-6	8	5	14	0	-0.5	16.0	-6.0	700.0	1.4	13.0	70.0	4.0	16.0
19338S	65.535	146.217	C-5	8	7	12	0	-0.5	25.0	-10.0	900.0	-2.0	17.0	100.0	4.0	36.0
19343S	65.614	146.999	C-6	9	4	18	0	-0.5	6.0	-6.0	900.0	-1.0	13.0	80.0	12.0	45.0
19346S	65.537	146.566	C-6	8	6	8	0	-0.5	12.0	-8.0	500.0	-1.5	11.0	40.0	7.0	10.0
19347S	65.629	146.357	C-5	9	7	6	0	-0.5	7.0	-7.0	400.0	-1.3	14.0	70.0	1.0	23.0
19348S	65.526	146.643	C-6	8	5	12	0	-0.5	22.0	34.0	700.0	3.0	12.0	60.0	8.0	18.0
19349S	65.477	146.258	B-5	8	7	33	0	-0.5	10.0	-7.0	500.0	-1.4	9.0	50.0	5.0	13.0
19351S	65.569	146.439	C-5	9	6	35	0	-0.5	31.0	-6.0	700.0	-1.3	8.0	50.0	14.0	8.5
19356S	65.436	146.696	B-6	7	5	15	0	-0.5	13.0	7.0	700.0	1.7	13.0	70.0	3.0	10.0
19362S	65.660	146.639	C-6	10	5	23	0	-0.5	15.0	-7.0	1000.0	-1.2	22.0	100.0	17.0	32.0
19364S	65.647	146.645	C-6	10	5	35	0	-0.5	8.0	-5.0	700.0	1.5	10.0	40.0	8.0	17.0
19366S	65.630	146.348	C-5	9	7	5	0	-0.5	4.0	-8.0	400.0	-1.5	14.0	90.0	2.0	29.0
19367S	65.602	146.540	C-6	9	6	17	0	-0.5	4.0	-5.0	700.0	-0.9	11.0	60.0	4.0	21.0
19373S	65.687	146.590	C-6	10	6	18	0	-0.5	29.0	-5.0	900.0	-1.0	20.0	80.0	19.0	33.0
19376S	65.375	146.166	B-5	6	8	6	0	-0.5	64.0	8.0	600.0	1.6	17.0	60.0	5.0	19.0
19382S	65.487	146.732	B-6	8	5	28	0	-0.5	12.0	-6.0	600.0	-1.1	13.0	80.0	8.0	13.0
19386S	65.517	146.134	C-5	8	8	17	0	-0.5	5.0	-8.0	500.0	-1.3	10.0	60.0	3.0	17.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19297S	2.9	4.0	-4.0	1.70	-200.0	12.0	380.0	0.9	9.2	-5.0	3.0	21.0	11.6	12.0
19300S	3.4	8.0	-4.0	1.00	-200.0	46.0	140.0	0.8	13.8	-5.0	-1.0	12.0	3.8	-4.0
19302S	3.6	6.0	-4.0	0.58	-200.0	10.0	70.0	0.6	11.5	-7.0	-1.0	9.7	2.5	8.0
19303S	3.4	13.0	-4.0	1.20	-200.0	16.0	150.0	0.9	11.9	-5.0	2.0	30.0	11.0	8.0
19304S	2.8	6.0	-4.0	1.30	-200.0	64.0	460.0	0.6	7.7	-5.0	1.0	43.0	14.0	-5.0
19312S	4.6	8.0	-4.0	1.00	-200.0	14.0	170.0	0.7	16.1	-5.0	2.0	15.0	4.1	-4.0
19313S	3.3	8.0	-4.0	0.59	-200.0	8.0	50.0	1.3	12.0	-5.0	-1.0	8.0	2.1	4.0
19315S	4.3	7.0	-4.0	0.66	-200.0	58.0	290.0	3.1	12.7	-5.0	-1.0	16.0	4.3	7.0
19318S	3.7	10.0	5.0	0.97	-200.0	20.0	-40.0	0.6	13.6	-6.0	2.0	13.0	3.6	-5.0
19320S	3.3	11.0	-4.0	1.00	-200.0	16.0	-40.0	0.6	11.9	-5.0	-1.0	13.0	2.5	-4.0
19324S	3.7	11.0	5.0	1.20	-200.0	10.0	60.0	0.9	13.6	-5.0	-1.0	11.0	2.3	-4.0
19327S	3.3	8.0	-4.0	0.41	-200.0	20.0	80.0	2.7	10.6	-5.0	-1.0	9.5	2.9	5.0
19330S	2.9	7.0	-4.0	0.89	200.0	22.0	160.0	0.8	10.5	170.0	-1.0	13.0	5.2	45.0
19334S	3.3	6.0	-4.0	0.69	-200.0	14.0	120.0	1.6	12.8	5.0	1.0	11.0	3.4	-4.0
19338S	4.5	14.0	-4.0	0.99	500.0	18.0	270.0	-0.3	15.4	13.0	-1.0	25.0	6.3	-5.0
19343S	3.5	6.0	4.0	0.62	-200.0	28.0	210.0	0.9	15.0	-5.0	-1.0	15.0	4.1	-4.0
19346S	2.8	6.0	-4.0	1.40	-200.0	10.0	250.0	0.5	8.4	-5.0	2.0	25.0	11.7	-5.0
19347S	3.2	9.0	-4.0	1.00	-200.0	10.0	40.0	0.7	11.6	-5.0	2.0	10.0	2.4	-4.0
19348S	3.3	10.0	84.0	1.20	-300.0	14.0	120.0	0.4	12.5	14.0	3.0	38.0	57.7	-7.0
19349S	2.6	14.0	-4.0	1.30	-200.0	10.0	120.0	1.0	8.4	-5.0	2.0	19.0	10.6	11.0
19351S	2.6	14.0	-4.0	2.00	-200.0	24.0	160.0	0.7	10.0	-5.0	5.0	36.0	28.1	33.0
19356S	3.0	10.0	-4.0	1.10	-200.0	12.0	130.0	1.4	11.0	-5.0	1.0	12.0	4.2	-4.0
19362S	4.3	8.0	4.0	1.10	-200.0	190.0	200.0	1.0	16.6	-5.0	-1.0	16.0	4.2	-4.0
19364S	3.2	7.0	-4.0	1.30	-200.0	54.0	410.0	0.6	9.9	-5.0	1.0	39.0	13.7	5.0
19366S	3.8	9.0	-4.0	1.10	-200.0	12.0	50.0	1.0	13.5	-5.0	3.0	9.8	4.6	-4.0
19367S	3.0	9.0	-4.0	0.69	200.0	16.0	120.0	0.4	11.7	-5.0	-1.0	13.0	3.8	-4.0
19373S	5.3	8.0	9.0	0.79	-200.0	170.0	560.0	2.0	15.2	-5.0	-1.0	26.0	8.7	11.0
19376S	3.5	7.0	-4.0	0.39	-200.0	30.0	110.0	17.0	12.5	-5.0	-1.0	12.0	3.9	4.0
19382S	3.5	11.0	-4.0	1.40	-200.0	16.0	90.0	1.0	12.6	-5.0	-1.0	20.0	7.7	-4.0
19386S	3.1	10.0	-4.0	1.10	-200.0	10.0	70.0	1.0	10.1	-5.0	-1.0	13.0	6.5	6.0

Station	In	La	Ce	Sm	Eu	Yb	Lu
19297S	64.0	42.0	80.0	7.7	-0.5	5.0	0.7
19300S	220.0	47.0	82.0	5.9	1.2	3.1	0.4
19302S	53.0	35.0	66.0	6.0	1.6	2.4	0.4
19303S	97.0	75.0	125.0	8.2	2.1	5.2	0.8
19304S	230.0	86.0	157.0	13.7	0.8	6.1	1.0
19312S	110.0	67.0	122.0	7.3	-0.2	3.7	0.5
19313S	54.0	33.0	64.0	5.7	0.9	2.2	0.4
19315S	280.0	53.0	88.0	6.1	1.1	4.0	0.5
19318S	81.0	45.0	84.0	8.0	1.0	3.0	0.5
19320S	65.0	46.0	74.0	6.9	1.2	2.7	0.4
19324S	65.0	45.0	79.0	7.5	1.3	3.0	0.4
19327S	66.0	38.0	63.0	6.4	1.3	2.3	0.3
19330S	71.0	36.0	55.0	3.7	1.4	2.3	0.3
19334S	66.0	42.0	79.0	4.9	1.2	2.4	0.3
19338S	110.0	75.0	138.0	11.9	1.8	4.8	0.8
19343S	90.0	53.0	99.0	6.8	1.8	2.9	0.4
19346S	64.0	48.0	80.0	7.1	0.8	3.3	0.6
19347S	60.0	38.0	63.0	6.1	1.2	2.0	0.4
19348S	73.0	97.0	205.0	15.6	1.5	4.9	1.4
19349S	58.0	43.0	74.0	7.7	1.4	4.1	0.8
19351S	73.0	79.0	128.0	7.3	1.9	6.2	1.1
19356S	61.0	41.0	64.0	4.3	1.6	2.7	0.4
19362S	530.0	58.0	100.0	6.2	1.7	3.3	0.5
19364S	210.0	83.0	142.0	8.4	0.8	4.4	0.7
19366S	68.0	41.0	74.0	6.6	1.6	2.6	0.4
19367S	77.0	48.0	83.0	5.4	1.2	3.1	0.4
19373S	620.0	70.0	135.0	8.3	1.4	6.9	0.9
19376S	85.0	39.0	69.0	4.9	1.3	3.1	0.4
19382S	70.0	64.0	107.0	6.6	1.6	3.4	0.6
19386S	64.0	42.0	69.0	6.7	1.8	2.7	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
19389S	65.386	146.091	B-5	7	8	34	0	-0.5	35.0	-5.0	800.0	-1.0	16.0	80.0	4.0	28.0
19393S	65.681	146.466	C-5	10	6	22	0	-0.5	9.0	-5.0	700.0	-1.0	9.0	40.0	6.0	20.0
19394S	65.486	146.507	B-6	8	6	26	0	-0.5	7.0	-5.0	600.0	-1.5	6.0	60.0	2.0	13.0
19396S	65.654	146.630	C-6	10	5	36	0	-0.5	12.0	-14.0	1000.0	-3.0	9.0	70.0	8.0	18.0
19399S	65.411	146.189	B-5	7	8	30	0	0.5	37.0	-9.0	600.0	-1.6	17.0	70.0	3.0	27.0
19417S	65.665	146.879	C-6	10	4	27	0	-0.5	11.0	-6.0	800.0	-1.2	12.0	70.0	7.0	22.0
19418S	65.610	146.684	C-6	9	5	15	0	-0.5	14.0	-7.0	700.0	-1.5	14.0	80.0	16.0	33.0
19419S	65.651	146.820	C-6	10	4	36	0	-0.5	14.0	-7.0	900.0	-1.5	17.0	90.0	9.0	37.0
19420S	65.438	146.117	B-5	7	8	16	0	-0.5	13.0	-11.0	700.0	-2.0	21.0	90.0	3.0	27.0
19427S	65.517	146.106	C-5	8	8	16	0	-0.5	7.0	-6.0	600.0	-1.6	12.0	60.0	2.0	15.0
19428S	65.484	145.650	B-4	8	10	34	0	-0.5	37.0	5.0	400.0	-0.8	12.0	60.0	2.0	18.0
19432S	65.533	146.639	C-6	8	5	12	0	-0.5	17.0	-12.0	600.0	-2.7	12.0	70.0	6.0	17.0
19436S	65.660	146.724	C-6	10	5	25	0	-0.5	8.0	-5.0	900.0	-1.4	13.0	80.0	7.0	18.0
19442S	65.536	146.263	C-5	8	7	10	0	-0.5	10.0	-7.0	500.0	-1.4	13.0	50.0	2.0	16.0
19444S	65.698	146.582	C-6	10	6	13	0	-0.5	13.0	7.0	1200.0	-1.1	18.0	70.0	10.0	26.0
19450S	65.608	146.888	C-6	9	4	15	0	0.5	17.0	-11.0	500.0	-2.0	10.0	40.0	7.0	27.0
19452S	65.509	146.081	C-5	8	8	22	0	-0.5	7.0	-8.0	700.0	-1.2	14.0	60.0	2.0	20.0
19454S	65.559	146.299	C-5	9	7	33	0	-0.5	33.0	-9.0	700.0	-1.5	14.0	70.0	4.0	22.0
19455S	65.563	146.777	C-6	9	5	31	0	-0.5	8.0	-6.0	700.0	-1.2	15.0	80.0	6.0	17.0
19457S	65.684	146.433	C-5	10	6	23	-17	-0.5	11.0	-5.0	900.0	-1.0	12.0	40.0	8.0	21.0
19464S	65.401	146.342	B-5	7	7	29	0	-0.5	12.0	-7.0	500.0	-1.1	8.0	30.0	5.0	15.0
19469S	65.373	146.074	B-5	6	8	3	0	-0.5	12.0	7.0	600.0	-0.8	20.0	80.0	2.0	40.0
19480S	65.697	146.844	C-6	10	4	14	0	-1.2	7.0	-9.0	1200.0	-0.8	18.0	130.0	5.0	86.0
19483S	65.507	146.340	C-5	8	7	20	0	-0.5	12.0	-5.0	600.0	-0.8	11.0	40.0	2.0	13.0
19490S	65.477	145.714	B-4	8	10	33	0	-0.5	13.0	-8.0	700.0	-1.2	14.0	70.0	2.0	20.0
19494S	65.718	146.534	C-6	10	6	5	0	1.0	24.0	-8.0	4700.0	-1.3	-5.0	50.0	3.0	52.0
19498S	65.463	146.306	B-5	7	7	4	0	-0.5	5.0	-6.0	900.0	-1.1	14.0	80.0	3.0	23.0
19502S	65.624	146.788	C-6	9	5	7	0	-0.5	7.0	-11.0	400.0	-2.5	5.0	50.0	4.0	10.0
19504S	65.652	146.637	C-6	10	5	35	0	-0.5	6.0	-9.0	700.0	-1.9	9.0	60.0	6.0	22.0
19505S	65.509	146.060	C-5	8	8	23	0	-0.5	39.0	-7.0	400.0	-1.3	12.0	50.0	2.0	26.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
193895	3.9	8.0	-4.0	0.73	-200.0	18.0	120.0	6.3	13.6	-5.0	-1.0	12.0	7.3	-4.0
193935	3.1	6.0	-4.0	1.10	-200.0	52.0	320.0	0.6	9.6	-5.0	-1.0	34.0	9.1	-4.0
193945	2.3	6.0	-4.0	1.20	-200.0	10.0	80.0	0.8	10.1	-5.0	-1.0	10.0	2.7	-5.0
193965	3.4	14.0	-4.0	1.30	-300.0	82.0	170.0	1.1	14.1	-6.0	-2.0	64.0	31.0	-8.0
193995	3.5	8.0	-4.0	0.62	-200.0	30.0	50.0	2.8	13.0	-5.0	-1.0	12.0	6.7	-4.0
194175	3.7	9.0	-4.0	1.40	-200.0	40.0	280.0	1.1	12.9	-5.0	2.0	40.0	17.4	-4.0
194185	4.3	13.0	-4.0	0.90	-200.0	84.0	220.0	1.3	14.9	-5.0	1.0	49.0	8.6	6.0
194195	3.9	11.0	7.0	1.30	-200.0	100.0	180.0	1.2	15.2	-5.0	-1.0	34.0	14.8	5.0
194205	4.1	10.0	7.0	1.00	-200.0	20.0	90.0	10.0	15.1	-6.0	-1.0	18.0	6.4	-5.0
194275	3.1	13.0	-4.0	1.00	-200.0	10.0	90.0	1.0	10.9	-5.0	2.0	11.0	4.4	-4.0
194285	3.2	7.0	-4.0	0.76	-200.0	6.0	70.0	17.0	10.7	-5.0	1.0	8.0	2.0	-4.0
194325	3.6	13.0	-4.0	1.40	-300.0	14.0	200.0	1.0	13.2	-6.0	5.0	44.0	39.2	-7.0
194365	3.5	13.0	-4.0	1.30	-200.0	60.0	150.0	0.6	13.0	-5.0	2.0	48.0	11.3	-4.0
194425	3.0	10.0	-4.0	0.92	-200.0	12.0	70.0	1.1	8.8	-5.0	1.0	15.0	3.3	-4.0
194445	4.5	8.0	13.0	0.81	-200.0	75.0	270.0	2.7	14.3	-5.0	-1.0	21.0	6.7	9.0
194505	2.9	16.0	-4.0	1.90	-300.0	150.0	420.0	0.6	10.9	-6.0	3.0	83.0	34.5	10.0
194525	3.4	10.0	-4.0	0.80	-200.0	12.0	140.0	0.6	11.3	-5.0	2.0	13.0	2.9	-4.0
194545	3.2	10.0	-4.0	0.92	-200.0	28.0	130.0	2.5	10.5	-7.0	-1.0	15.0	9.3	9.0
194555	3.5	9.0	-4.0	1.20	-200.0	23.0	280.0	0.8	12.8	-5.0	2.0	41.0	11.2	10.0
194575	3.7	7.0	-4.0	1.00	-200.0	60.0	340.0	0.9	11.5	5.0	2.0	33.0	8.3	5.0
194645	2.2	5.0	-4.0	0.82	-200.0	12.0	160.0	0.6	6.6	-5.0	-1.0	11.0	7.7	-4.0
194695	5.0	9.0	-4.0	0.85	-200.0	8.0	70.0	8.2	20.0	-5.0	-1.0	7.5	2.7	-4.0
194805	3.9	6.0	-5.0	0.65	-200.0	29.0	110.0	1.8	15.7	-5.0	-1.0	10.0	3.5	-10.0
194835	3.0	5.0	-4.0	0.79	-200.0	10.0	130.0	1.8	9.0	-5.0	-1.0	10.0	2.5	-4.0
194905	3.7	8.0	-4.0	0.71	-200.0	10.0	110.0	4.7	11.4	-5.0	-1.0	7.7	1.7	-4.0
194945	2.4	7.0	7.0	0.25	-200.0	10.0	60.0	12.0	8.4	-5.0	-1.0	6.0	4.8	-4.0
194985	3.5	7.0	-4.0	1.00	-200.0	12.0	90.0	1.0	13.7	-5.0	-1.0	15.0	4.7	-4.0
195025	2.5	23.0	4.0	2.00	-200.0	38.0	410.0	0.4	9.9	-5.0	5.0	120.0	35.0	8.0
195045	3.2	13.0	-4.0	1.10	200.0	64.0	220.0	0.7	11.6	-5.0	2.0	45.0	19.4	9.0
195055	3.3	9.0	-4.0	0.43	-200.0	14.0	90.0	3.3	9.5	-5.0	-1.0	10.0	3.0	5.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19389S	88.0	50.0	77.0	5.8	1.4	2.9	0.5
19393S	200.0	74.0	123.0	7.6	0.8	4.8	0.7
19394S	46.0	41.0	67.0	5.9	1.7	2.0	0.3
19396S	250.0	191.0	293.0	39.6	1.6	15.4	2.7
19399S	120.0	44.0	73.0	7.9	1.1	2.8	0.4
19417S	160.0	87.0	160.0	10.5	1.4	6.0	1.1
19418S	170.0	130.0	232.0	15.7	1.9	8.7	1.2
19419S	220.0	98.0	171.0	12.6	-0.2	6.2	1.1
19420S	91.0	56.0	101.0	9.9	1.6	3.6	0.6
19427S	62.0	40.0	72.0	6.7	0.9	2.7	0.4
19428S	41.0	31.0	51.0	3.5	-0.6	1.9	0.3
19432S	73.0	114.0	188.0	16.4	-0.9	6.4	1.2
19436S	130.0	101.0	173.0	10.9	1.8	6.7	0.9
19442S	57.0	43.0	70.0	6.7	0.7	2.5	0.4
19444S	350.0	65.0	120.0	7.9	1.8	5.4	0.7
19450S	240.0	111.0	202.0	16.0	-1.2	20.0	2.6
13452S	66.0	44.0	75.0	6.5	1.2	2.3	0.4
19454S	150.0	46.0	81.0	8.0	1.8	2.8	0.6
19455S	110.0	95.0	177.0	11.1	-0.2	6.1	1.1
19457S	220.0	78.0	131.0	6.1	-0.8	5.1	0.7
19464S	47.0	30.0	58.0	5.1	0.5	2.6	0.5
19469S	67.0	31.0	57.0	3.7	-0.2	2.8	0.4
19480S	290.0	53.0	77.0	4.5	1.9	2.6	0.3
19483S	62.0	32.0	55.0	3.2	-0.6	1.6	0.3
19490S	52.0	29.0	48.0	4.6	1.2	1.6	0.3
19494S	20.0	27.0	43.0	4.2	1.0	1.5	0.4
19498S	73.0	54.0	91.0	5.6	1.9	3.0	0.4
19502S	160.0	157.0	293.0	30.0	1.3	16.9	2.8
19504S	210.0	112.0	189.0	17.6	0.8	7.0	1.3
19505S	53.0	35.0	74.0	5.9	1.2	2.2	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19510S	65.479	146.843	B-6	8	4	36	0	-0.5	10.0	-5.0	500.0	-0.9	12.0	60.0	5.0	19.0
19512S	65.429	146.068	B-5	7	8	15	0	-0.5	46.0	-7.0	400.0	-1.2	9.0	50.0	4.0	32.0
19518S	65.415	145.832	B-4	7	9	23	0	-0.5	-2.0	-14.0	400.0	-1.7	33.0	120.0	3.0	73.0
19519S	65.453	146.546	B-6	7	6	8	0	-0.5	27.0	-12.0	700.0	-2.0	11.0	70.0	15.0	14.0
19522S	65.447	146.752	B-6	7	5	6	0	-0.5	5.0	-6.0	600.0	1.6	18.0	100.0	11.0	16.0
19524S	65.452	145.951	B-4	7	9	6	0	-0.5	52.0	-5.0	300.0	-0.6	15.0	50.0	5.0	36.0
19526S	65.478	146.247	B-5	8	7	35	0	-0.5	12.0	-8.0	700.0	-1.2	15.0	50.0	6.0	16.0
19529S	65.536	146.230	C-5	8	7	12	0	-0.5	11.0	-9.0	900.0	-1.7	14.0	80.0	2.0	23.0
19530S	65.601	146.742	C-6	9	5	17	0	1.0	11.0	8.0	700.0	-1.3	8.0	50.0	7.0	30.0
19532S	65.446	146.845	B-6	7	4	12	-0	-0.5	9.0	-7.0	1000.0	-1.2	28.0	90.0	4.0	19.0
19534S	65.576	146.646	C-6	9	5	26	0	-0.5	6.0	-6.0	600.0	-1.0	12.0	70.0	6.0	22.0
19538S	65.707	146.604	C-6	10	5	12	0	-0.5	12.0	-7.0	800.0	-1.4	14.0	70.0	7.0	23.0
19540S	65.582	146.566	C-6	9	6	30	0	-0.5	10.0	-5.0	600.0	2.5	13.0	50.0	4.0	27.0
19557S	65.464	145.646	B-4	7	10	2	0	-0.5	20.0	7.0	500.0	-0.8	12.0	60.0	2.0	20.0
19566S	65.682	146.454	C-5	10	6	23	0	-0.5	10.0	8.0	800.0	1.4	10.0	50.0	7.0	19.0
19567S	65.479	146.104	B-5	8	8	33	0	-0.5	7.0	-7.0	600.0	-1.2	18.0	60.0	2.0	16.0
19568S	65.417	146.555	B-6	7	6	20	0	-0.5	22.0	-9.0	300.0	-1.4	12.0	40.0	16.0	12.0
19569S	65.548	146.338	C-5	8	7	5	0	-0.5	44.0	-6.0	700.0	-0.9	11.0	60.0	6.0	14.0
19570S	65.463	146.063	B-5	7	8	3	0	-0.5	41.0	-5.0	400.0	-0.9	10.0	40.0	2.0	28.0
19574S	65.630	146.702	C-6	9	5	4	0	1.0	4.0	-8.0	400.0	2.2	-5.0	20.0	10.0	19.0
19575S	65.604	146.613	C-6	9	5	13	0	-0.5	14.0	-9.0	500.0	-1.2	13.0	60.0	3.0	36.0
19577S	65.624	146.670	C-6	9	5	10	0	-0.5	8.0	-6.0	500.0	-1.2	11.0	50.0	7.0	24.0
19579S	65.522	145.841	C-4	8	9	14	0	-0.5	7.0	-7.0	700.0	-0.7	14.0	60.0	2.0	18.0
19580S	65.631	146.943	C-6	9	4	4	0	-0.5	12.0	-6.0	600.0	-1.1	19.0	80.0	6.0	32.0
19581S	65.602	146.222	C-5	9	7	14	0	-0.5	6.0	-7.0	800.0	1.8	14.0	80.0	3.0	16.0
19585S	65.524	146.232	C-5	8	7	13	0	-0.5	9.0	-5.0	400.0	-1.0	11.0	40.0	2.0	13.0
19595S	65.645	146.683	C-6	10	5	34	0	-0.5	16.0	-14.0	900.0	-2.7	7.0	60.0	11.0	28.0
19597S	65.511	146.318	C-5	8	7	21	0	-0.5	9.0	-7.0	700.0	2.0	13.0	60.0	1.0	13.0
19608S	65.523	146.935	C-6	8	4	16	0	-0.5	6.0	-5.0	600.0	1.3	18.0	70.0	3.0	31.0
19622S	65.601	146.394	C-5	9	6	13	0	-0.5	64.0	-6.0	800.0	1.3	11.0	70.0	15.0	19.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19510S	3.1	9.0	-4.0	1.00	-200.0	14.0	160.0	1.1	11.1	-5.0	1.0	18.0	7.4	4.0
19512S	3.1	10.0	-4.0	0.40	-200.0	28.0	60.0	2.9	10.5	-5.0	1.0	8.9	3.2	9.0
19518S	6.1	7.0	20.0	0.97	-300.0	10.0	80.0	1.3	25.1	-5.0	2.0	7.7	2.4	-9.0
19519S	3.3	8.0	-4.0	1.20	-200.0	16.0	250.0	0.8	10.8	-6.0	3.0	32.0	57.2	-8.0
19522S	3.9	10.0	-4.0	1.20	-200.0	12.0	90.0	1.3	14.4	-5.0	2.0	11.0	3.9	-4.0
19524S	3.3	6.0	-4.0	0.48	-200.0	10.0	80.0	1.5	10.5	-5.0	-1.0	7.0	2.3	13.0
19526S	3.2	8.0	-4.0	1.00	-200.0	10.0	220.0	0.8	9.7	-5.0	-1.0	15.0	7.6	-4.0
19529S	3.6	11.0	-4.0	1.00	-200.0	14.0	80.0	1.1	13.0	-6.0	-1.0	13.0	4.9	-5.0
19530S	2.4	6.0	8.0	0.74	-200.0	78.0	120.0	0.5	10.0	-7.0	-1.0	51.0	245.0	5.0
19532S	4.5	10.0	-4.0	1.40	-200.0	14.0	90.0	0.7	16.3	-5.0	-1.0	11.0	4.2	-4.0
19534S	3.3	6.0	-4.0	0.77	-200.0	16.0	110.0	0.7	13.3	-5.0	-1.0	9.8	3.1	-4.0
19538S	4.0	9.0	-4.0	0.84	-200.0	40.0	170.0	1.3	13.1	-5.0	-1.0	16.0	4.0	-4.0
19540S	3.9	8.0	-6.0	0.73	-300.0	13.0	100.0	1.0	14.3	-5.0	2.0	13.0	5.1	-8.0
19557S	3.2	6.0	-4.0	0.82	-200.0	10.0	90.0	10.0	11.5	-5.0	-1.0	8.6	2.5	-4.0
19566S	3.4	9.0	-4.0	1.10	-200.0	56.0	310.0	0.9	11.2	-5.0	1.0	38.0	11.0	4.0
19567S	3.0	9.0	-4.0	0.84	-200.0	14.0	70.0	0.7	9.6	-5.0	-1.0	11.0	4.4	-4.0
19568S	2.6	5.0	-4.0	1.80	-200.0	16.0	520.0	1.1	8.1	-5.0	3.0	21.0	28.3	10.0
19569S	3.1	9.0	-4.0	1.20	-200.0	40.0	100.0	3.3	11.1	7.0	-1.0	12.0	12.7	4.0
19570S	2.9	8.0	-4.0	0.36	-200.0	14.0	60.0	2.8	8.1	-5.0	1.0	8.5	2.2	4.0
19574S	2.1	12.0	12.0	2.00	-200.0	110.0	720.0	-0.2	5.8	-5.0	3.0	94.0	35.7	15.0
19575S	4.1	5.0	6.0	0.57	-200.0	24.0	140.0	1.1	12.1	-5.0	-1.0	12.0	3.4	-7.0
19577S	3.4	7.0	-4.0	1.10	-200.0	50.0	350.0	0.9	10.8	-5.0	-1.0	44.0	17.9	-4.0
19579S	2.9	9.0	-4.0	0.78	-200.0	10.0	90.0	1.1	10.5	-5.0	-1.0	9.3	4.0	-4.0
19580S	4.7	8.0	-4.0	0.32	-200.0	32.0	190.0	0.9	15.2	-5.0	-1.0	15.0	3.5	-4.0
19581S	3.2	11.0	-4.0	0.93	-200.0	16.0	70.0	2.3	11.2	-5.0	-1.0	13.0	3.5	-4.0
19585S	2.6	8.0	-4.0	0.93	-200.0	8.0	110.0	1.2	6.2	-5.0	2.0	11.0	4.5	-4.0
19595S	3.4	12.0	-4.0	1.50	400.0	140.0	360.0	0.4	11.0	-10.0	3.0	120.0	51.1	18.0
19597S	2.9	13.0	-4.0	1.20	-200.0	10.0	70.0	0.6	10.7	-5.0	1.0	11.0	4.2	-4.0
19608S	4.4	7.0	4.0	0.58	-200.0	18.0	170.0	0.9	13.2	-5.0	1.0	15.0	2.7	-4.0
19622S	2.7	9.0	12.0	0.97	-200.0	18.0	90.0	0.5	10.6	-6.0	-1.0	18.0	37.0	9.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19510S	100.0	50.0	78.0	5.6	1.4	3.6	0.5
19512S	52.0	35.0	60.0	5.9	0.9	2.8	0.4
19518S	92.0	40.0	77.0	8.6	1.7	3.1	0.4
19519S	88.0	62.0	109.0	13.6	1.0	6.8	1.6
19522S	88.0	49.0	82.0	5.4	2.1	3.0	0.4
19524S	65.0	24.0	41.0	2.8	1.0	2.0	0.2
19526S	70.0	40.0	72.0	6.4	1.1	2.8	0.5
19529S	71.0	45.0	73.0	7.5	1.3	3.0	0.6
19530S	800.0	87.0	152.0	15.4	1.6	14.8	1.8
19532S	92.0	49.0	91.0	5.7	1.6	3.3	0.4
19534S	80.0	40.0	64.0	4.9	2.0	2.8	0.4
19538S	250.0	59.0	98.0	9.7	1.5	3.6	0.6
19540S	85.0	54.0	92.0	9.4	2.8	3.6	0.6
19557S	48.0	33.0	52.0	3.7	0.9	2.0	0.3
19566S	200.0	78.0	129.0	8.6	0.9	5.6	0.8
19567S	83.0	36.0	76.0	6.0	1.4	2.1	0.3
19568S	67.0	36.0	66.0	8.6	0.7	5.2	1.0
19569S	82.0	43.0	77.0	4.6	1.9	2.6	0.3
19570S	49.0	30.0	52.0	5.4	1.4	2.1	0.3
19574S	330.0	101.0	194.0	12.8	-1.1	13.9	1.9
19575S	79.0	39.0	73.0	6.2	1.4	2.2	0.4
19577S	250.0	82.0	140.0	8.8	-0.7	5.6	0.9
19579S	59.0	38.0	63.0	6.4	1.0	2.3	0.3
19580S	180.0	53.0	91.0	6.2	1.9	3.6	0.4
19581S	77.0	45.0	76.0	7.3	0.7	3.3	0.5
19585S	54.0	35.0	53.0	5.4	1.2	2.2	0.3
19595S	350.0	139.0	246.0	33.3	-0.8	19.4	3.0
19597S	63.0	38.0	64.0	6.3	1.7	2.6	0.5
19608S	99.0	51.0	93.0	5.5	1.4	2.5	0.3
19622S	110.0	52.0	64.0	5.8	1.2	4.2	-0.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19623S	65.494	145.936	B-4	8	9	29	0	-0.5	66.0	-6.0	500.0	-0.5	15.0	50.0	4.0	28.0
19625S	65.601	146.607	C-6	9	5	13	0	-0.5	9.0	-5.0	500.0	-0.8	15.0	70.0	6.0	29.0
19627S	65.512	146.717	C-6	8	5	21	0	-0.5	12.0	-6.0	600.0	-1.1	14.0	80.0	5.0	13.0
19632S	65.706	146.483	C-5	10	6	10	0	-0.5	5.0	-5.0	1000.0	-0.9	9.0	70.0	5.0	16.0
19634S	65.417	146.473	B-5	7	6	22	0	-0.5	13.0	-5.0	400.0	1.6	5.0	40.0	19.0	12.0
19638S	65.429	146.779	B-6	7	5	17	0	-0.5	7.0	-5.0	800.0	-1.0	15.0	80.0	6.0	15.0
19640S	65.554	146.264	C-5	8	7	2	0	-0.5	10.0	10.0	600.0	1.1	12.0	70.0	2.0	15.0
19644S	65.494	146.059	B-5	8	8	26	0	-0.5	38.0	-6.0	400.0	-1.1	12.0	50.0	4.0	30.0
19645S	65.618	146.516	C-6	9	6	9	0	-0.5	5.0	-5.0	400.0	-0.7	10.0	50.0	2.0	15.0
19646S	65.597	146.741	C-6	9	5	20	0	1.0	11.0	-7.0	1100.0	-1.4	7.0	50.0	10.0	30.0
19648S	65.524	146.059	C-5	8	8	14	-26	-0.5	33.0	-5.0	400.0	-0.5	11.0	40.0	3.0	22.0
19650S	65.707	146.589	C-6	10	6	7	0	-0.5	14.0	-5.0	1100.0	1.2	15.0	70.0	10.0	22.0
19652S	65.451	146.445	B-5	7	6	11	0	-0.5	15.0	-5.0	100.0	-0.9	-5.0	-10.0	24.0	6.0
19655S	65.475	146.646	B-6	8	5	33	0	-0.5	23.0	-7.0	400.0	-0.8	8.0	30.0	18.0	20.0
19661S	65.490	146.224	B-5	8	7	25	-27	-0.5	10.0	-6.0	500.0	-1.1	10.0	50.0	5.0	13.0
19666S	65.415	146.646	B-6	7	5	23	0	-0.5	15.0	-10.0	600.0	-1.5	12.0	60.0	11.0	18.0
19667S	65.651	146.884	C-6	10	4	34	0	-0.5	12.0	-7.0	1400.0	-1.1	20.0	90.0	7.0	25.0
19668S	65.525	146.219	C-5	8	7	13	0	-0.5	10.0	-6.0	600.0	-1.2	12.0	50.0	3.0	14.0
19672S	65.512	146.321	C-5	8	7	21	29	-0.5	10.0	-6.0	500.0	-1.2	8.0	60.0	2.0	11.0
19674S	65.485	146.569	B-6	8	6	29	0	-0.5	25.0	6.0	500.0	-1.7	12.0	60.0	5.0	15.0
19675S	65.669	146.490	C-5	10	6	27	0	-0.5	4.0	-5.0	700.0	-0.9	10.0	60.0	4.0	14.0
19679S	65.522	146.945	C-6	8	4	16	0	-0.5	9.0	-9.0	600.0	-1.6	21.0	80.0	4.0	24.0
19681S	65.529	146.668	C-6	8	5	11	0	-0.5	35.0	6.0	500.0	-0.9	15.0	80.0	4.0	26.0
19685S	65.465	145.789	B-4	7	9	1	0	-0.5	49.0	-5.0	300.0	-0.6	15.0	50.0	4.0	31.0
19686S	65.592	146.530	C-6	9	6	20	0	-0.5	8.0	-6.0	800.0	-1.1	17.0	90.0	4.0	25.0
19688S	65.591	146.562	C-6	9	6	19	0	-0.5	7.0	5.0	800.0	-1.8	13.0	90.0	4.0	20.0
19694S	65.467	146.507	B-6	7	6	4	0	-0.5	27.0	-11.0	900.0	-1.6	10.0	60.0	10.0	19.0
19696S	65.425	146.548	B-6	7	6	20	0	1.0	14.0	-14.0	600.0	-1.9	7.0	70.0	15.0	15.0
19698S	65.702	146.449	C-5	10	6	11	0	-0.5	6.0	-5.0	1100.0	-0.9	13.0	80.0	5.0	22.0
19707S	65.578	146.506	C-6	9	6	23	0	-0.5	5.0	-7.0	700.0	-1.0	13.0	110.0	4.0	19.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19623S	3.6	6.0	16.0	0.47	-200.0	8.0	130.0	0.8	11.3	-5.0	-1.0	6.9	2.3	43.0
19625S	3.7	9.0	-4.0	0.59	-200.0	20.0	150.0	1.0	12.8	-5.0	-1.0	13.0	4.1	-4.0
19627S	3.4	10.0	-4.0	1.40	-200.0	12.0	120.0	1.2	12.6	-5.0	1.0	20.0	6.7	-4.0
19632S	2.3	6.0	-4.0	0.91	-200.0	14.0	70.0	1.3	10.9	-5.0	1.0	8.8	2.8	-4.0
19634S	2.2	7.0	-4.0	2.10	-200.0	12.0	410.0	0.8	8.1	-6.0	2.0	19.0	19.0	6.0
19638S	3.5	12.0	4.0	1.30	-200.0	10.0	110.0	1.5	14.1	-5.0	-1.0	13.0	4.5	-7.0
19640S	3.3	11.0	-4.0	1.00	-200.0	12.0	90.0	2.3	11.1	-5.0	-1.0	13.0	4.1	-4.0
19644S	3.4	9.0	-4.0	0.46	-200.0	18.0	120.0	3.5	10.5	-5.0	1.0	11.0	3.5	6.0
19645S	2.9	12.0	-4.0	0.66	-200.0	10.0	100.0	0.4	5.3	-5.0	-1.0	12.0	3.9	-4.0
19646S	2.2	8.0	33.0	0.88	-200.0	92.0	230.0	0.5	8.9	-7.0	3.0	56.0	169.0	4.0
19648S	3.1	7.0	-4.0	0.49	-200.0	12.0	70.0	3.2	9.3	-5.0	-1.0	10.0	3.1	-4.0
19650S	4.0	8.0	-4.0	0.77	-200.0	56.0	230.0	2.8	12.7	-5.0	-1.0	16.0	5.8	6.0
19652S	1.3	4.0	-4.0	2.30	-200.0	8.0	650.0	0.4	4.1	-5.0	1.0	20.0	14.4	6.0
19653S	2.8	11.0	-4.0	2.20	-200.0	14.0	340.0	1.1	7.5	-5.0	4.0	33.0	36.4	-4.0
19661S	2.6	6.0	-4.0	1.10	200.0	8.0	200.0	0.7	7.7	-5.0	1.0	13.0	7.9	-4.0
19666S	3.3	6.0	-4.0	1.80	-200.0	14.0	300.0	1.0	10.8	-5.0	2.0	20.0	11.5	-8.0
19667S	4.0	6.0	-4.0	0.99	-200.0	30.0	140.0	1.1	16.2	-5.0	-1.0	16.0	3.9	-4.0
19668S	3.0	11.0	-4.0	1.10	-200.0	8.0	100.0	1.3	10.0	-5.0	2.0	14.0	5.0	-4.0
19672S	2.6	12.0	-4.0	1.10	-200.0	10.0	60.0	1.5	8.5	-5.0	2.0	12.0	5.6	-4.0
19674S	3.0	9.0	-4.0	1.40	-200.0	32.0	160.0	1.6	9.9	-5.0	2.0	26.0	21.9	-7.0
19675S	2.7	6.0	-4.0	0.87	-200.0	14.0	60.0	0.6	11.8	-5.0	-1.0	11.0	2.7	-4.0
19679S	3.5	7.0	-6.0	0.82	-200.0	18.0	100.0	1.4	12.8	-5.0	-1.0	10.0	3.0	-4.0
19681S	3.9	7.0	-4.0	0.74	-200.0	20.0	100.0	2.3	12.6	-5.0	1.0	9.4	3.1	-4.0
19685S	4.3	5.0	-4.0	0.63	-200.0	6.0	80.0	2.9	17.1	-5.0	-1.0	5.6	2.1	8.0
19686S	4.1	8.0	-4.0	1.10	-200.0	16.0	120.0	0.7	15.1	-5.0	-1.0	13.0	3.7	-4.0
19688S	3.9	9.0	-4.0	0.82	-200.0	20.0	140.0	0.9	14.9	-5.0	2.0	16.0	6.2	-9.0
19694S	3.3	5.0	-4.0	1.30	400.0	20.0	230.0	0.5	12.0	-5.0	1.0	18.0	43.8	-9.0
19696S	3.7	6.0	-4.0	1.60	-200.0	14.0	310.0	0.8	13.1	-5.0	4.0	21.0	41.4	19.0
19698S	3.3	7.0	-4.0	1.10	-200.0	10.0	80.0	1.6	13.0	-5.0	-1.0	8.5	3.3	-4.0
19707S	3.6	17.0	-4.0	1.30	-200.0	12.0	100.0	0.6	14.6	-5.0	-1.0	16.0	4.8	4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19623S	50.0	30.0	57.0	4.9	1.2	1.7	0.3
19625S	76.0	52.0	91.0	6.1	1.9	3.0	0.4
19627S	63.0	64.0	113.0	6.6	1.7	3.5	0.6
19632S	60.0	37.0	60.0	4.2	1.1	2.5	0.4
19634S	48.0	39.0	67.0	5.4	1.4	5.2	0.8
19638S	65.0	50.0	91.0	5.5	1.6	3.1	0.5
19640S	48.0	47.0	73.0	7.6	1.0	3.3	0.6
19644S	62.0	40.0	73.0	6.9	0.9	2.7	0.4
19645S	62.0	47.0	75.0	5.0	1.1	3.1	0.4
19646S	980.0	109.0	179.0	15.7	-1.0	11.8	1.7
19648S	48.0	34.0	58.0	6.0	1.5	2.5	0.3
19650S	280.0	55.0	101.0	6.6	1.3	5.4	0.7
19652S	38.0	29.0	63.0	4.5	-0.7	5.1	0.9
19655S	58.0	79.0	119.0	7.4	0.8	5.3	0.8
19661S	51.0	30.0	53.0	5.4	0.6	2.4	0.4
19666S	80.0	49.0	89.0	8.3	1.2	3.8	0.7
19667S	96.0	56.0	104.0	6.4	1.8	3.4	0.4
19668S	63.0	42.0	70.0	6.7	0.9	2.8	0.4
19672S	48.0	36.0	73.0	6.0	1.0	2.8	0.5
19674S	95.0	63.0	98.0	9.3	1.2	3.6	0.7
19675S	60.0	44.0	74.0	4.9	1.6	2.3	0.3
19679S	74.0	45.0	69.0	5.6	2.6	2.6	0.4
19681S	86.0	37.0	63.0	4.3	1.4	2.3	0.3
19685S	51.0	21.0	64.0	2.6	1.0	2.3	0.3
19686S	56.0	54.0	97.0	6.0	2.2	3.3	0.4
19688S	76.0	64.0	107.0	10.3	1.7	3.4	0.6
19694S	84.0	39.0	73.0	7.8	1.3	3.6	1.0
19696S	44.0	44.0	105.0	10.0	2.0	4.8	1.0
19698S	60.0	36.0	64.0	4.2	1.6	2.6	0.3
19707S	50.0	68.0	113.0	7.2	2.1	3.9	0.6

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19711S	65.487	145.868	B-4	8	9	27	0	-0.5	37.0	-5.0	300.0	-0.7	13.0	40.0	3.0	20.0
19714S	65.645	146.443	C-5	10	6	35	0	-0.5	3.0	-7.0	600.0	-1.4	10.0	70.0	2.0	15.0
19719S	65.672	146.545	C-6	10	6	20	0	0.5	7.0	-9.0	500.0	-1.6	8.0	30.0	5.0	15.0
19720S	65.680	146.494	C-5	10	6	21	0	-0.5	6.0	-5.0	600.0	-1.0	8.0	40.0	8.0	16.0
19729S	65.490	146.392	B-5	8	7	30	14	-0.5	17.0	-9.0	400.0	-1.5	12.0	60.0	5.0	24.0
19732S	65.601	146.378	C-5	9	7	18	0	-0.5	29.0	-6.0	600.0	1.6	12.0	70.0	16.0	29.0
19733S	65.534	146.592	C-6	8	6	7	0	-0.5	10.0	7.0	600.0	-1.6	12.0	70.0	7.0	15.0
19737S	65.654	146.655	C-6	10	5	35	0	1.0	10.0	-16.0	900.0	-3.5	8.0	60.0	7.0	15.0
19742S	65.591	146.430	C-5	9	6	23	0	-0.5	7.0	-8.0	500.0	2.0	14.0	90.0	2.0	18.0
19744S	65.552	146.277	C-5	8	7	3	0	-0.5	21.0	-7.0	700.0	-1.5	14.0	70.0	3.0	25.0
19746S	65.680	146.490	C-5	10	6	22	0	-0.5	6.0	-6.0	700.0	-1.0	15.0	90.0	2.0	21.0
19748S	65.519	146.060	C-5	8	8	14	0	-0.5	39.0	17.0	500.0	-0.5	13.0	60.0	2.0	27.0
19756S	65.420	146.776	B-6	7	5	20	0	-0.5	7.0	-6.0	600.0	-1.0	16.0	70.0	5.0	18.0
19759S	65.425	146.740	B-6	7	5	21	0	-0.5	5.0	-5.0	500.0	-0.9	11.0	50.0	5.0	9.0
19763S	65.521	146.966	C-6	8	4	17	0	-0.5	9.0	8.0	700.0	-1.1	19.0	80.0	6.0	39.0
19769S	65.661	146.440	C-5	10	6	26	0	-0.5	5.0	-7.0	800.0	-1.4	11.0	50.0	3.0	18.0
19776S	65.611	146.839	C-6	9	4	13	0	-0.5	13.0	8.0	600.0	-1.2	7.0	50.0	6.0	14.0
19778S	65.538	146.555	C-6	8	6	8	0	-0.5	13.0	-8.0	500.0	-1.3	12.0	50.0	6.0	11.0
19782S	65.393	146.442	B-5	7	6	35	0	-0.5	10.0	-5.0	400.0	-0.6	12.0	40.0	4.0	23.0
19786S	65.450	146.071	B-5	7	8	10	0	-0.5	43.0	-6.0	300.0	-0.8	9.0	30.0	2.0	23.0
19792S	65.691	146.550	C-6	10	6	17	0	-0.5	14.0	5.0	1600.0	1.3	20.0	80.0	10.0	40.0
19793S	65.392	146.654	B-6	7	5	35	0	-0.5	10.0	-6.0	800.0	-1.1	14.0	90.0	9.0	16.0
19797S	65.525	145.823	C-4	8	9	14	0	-0.5	9.0	-8.0	800.0	-1.5	13.0	80.0	2.0	19.0
19798S	65.486	146.378	B-5	8	7	30	0	-0.5	15.0	7.0	900.0	-1.0	16.0	70.0	5.0	24.0
19802S	65.577	146.903	C-6	9	4	27	0	2.0	36.0	-9.0	700.0	-1.6	19.0	80.0	22.0	51.0
19803S	65.535	146.576	C-6	8	6	8	0	-0.5	11.0	-7.0	400.0	-1.3	9.0	40.0	7.0	10.0
19805S	65.480	145.671	B-4	8	10	34	0	-0.5	8.0	-5.0	400.0	-0.6	6.0	40.0	2.0	7.0
19808S	65.572	146.420	C-5	9	6	25	0	-0.5	35.0	-7.0	600.0	-1.3	7.0	50.0	12.0	14.0
19809S	65.462	146.865	B-6	7	4	2	0	-0.5	6.0	6.0	500.0	-0.9	21.0	90.0	3.0	35.0
19812S	65.559	146.745	C-6	9	5	32	0	-0.5	7.0	-6.0	600.0	-1.1	11.0	60.0	6.0	17.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19711S	2.9	7.0	-4.0	0.53	-200.0	8.0	40.0	0.5	8.8	-5.0	1.0	8.2	2.5	50.0
19714S	2.5	13.0	-4.0	0.95	-200.0	12.0	140.0	0.6	11.9	-5.0	-1.0	14.0	5.6	-4.0
19719S	2.7	6.0	-4.0	1.50	-200.0	58.0	520.0	0.4	8.0	-5.0	2.0	34.0	13.8	-7.0
19720S	2.8	8.0	-4.0	1.30	-200.0	54.0	350.0	0.6	9.0	-5.0	-1.0	37.0	12.8	4.0
19729S	3.4	8.0	-4.0	1.10	-200.0	12.0	140.0	0.8	11.2	-5.0	2.0	14.0	6.4	-7.0
19732S	2.9	7.0	5.0	0.85	-200.0	14.0	90.0	0.8	11.1	59.0	-1.0	11.0	6.5	31.0
19733S	3.3	9.0	-4.0	1.10	-200.0	14.0	110.0	1.3	11.6	-5.0	1.0	16.0	23.4	6.0
19737S	3.1	14.0	-4.0	1.10	-300.0	54.0	260.0	0.7	11.9	-5.0	4.0	110.0	74.4	16.0
19742S	3.5	9.0	-4.0	1.40	-200.0	12.0	110.0	0.6	12.7	-5.0	-1.0	12.0	12.2	-4.0
19744S	3.6	11.0	-4.0	0.97	-200.0	20.0	190.0	3.4	12.3	-5.0	-1.0	16.0	9.1	-4.0
19746S	3.2	8.0	5.0	1.10	-200.0	16.0	-40.0	0.9	13.8	-5.0	1.0	12.0	3.5	-4.0
19748S	3.5	6.0	-4.0	0.50	-200.0	14.0	100.0	3.0	10.7	-5.0	2.0	11.0	3.5	5.0
19756S	3.2	6.0	-4.0	1.10	-200.0	14.0	70.0	0.9	12.1	-5.0	1.0	11.0	3.8	-4.0
19759S	2.5	10.0	-4.0	1.30	-200.0	8.0	150.0	1.3	8.3	-5.0	1.0	18.0	10.7	7.0
19763S	4.0	8.0	-4.0	0.63	-200.0	25.0	160.0	1.3	14.4	-5.0	1.0	17.0	4.5	5.0
19765S	2.5	8.0	-4.0	0.95	-200.0	13.0	70.0	0.6	12.8	-5.0	-1.0	10.0	3.5	-4.0
19776S	2.7	19.0	-4.0	1.90	-200.0	40.0	420.0	0.9	9.9	-5.0	2.0	80.0	23.1	15.0
19778S	3.1	7.0	4.0	1.10	-200.0	10.0	160.0	0.9	9.2	-5.0	3.0	20.0	9.2	-6.0
19782S	2.4	6.0	-4.0	0.66	-200.0	16.0	100.0	0.7	7.1	-5.0	-1.0	8.5	2.5	-4.0
19786S	2.7	7.0	-4.0	0.33	-200.0	14.0	40.0	2.9	7.7	-5.0	1.0	7.9	2.5	10.0
19792S	3.7	9.0	4.0	0.87	-200.0	300.0	210.0	1.8	14.1	-5.0	-1.0	14.0	3.6	-4.0
19793S	3.4	8.0	-4.0	1.10	-200.0	14.0	110.0	1.1	13.8	7.0	-1.0	11.0	3.4	-4.0
19797S	3.3	10.0	-4.0	1.10	-200.0	14.0	60.0	1.1	12.3	-5.0	-1.0	12.0	3.6	-4.0
19798S	3.7	7.0	-4.0	1.00	200.0	22.0	90.0	1.0	13.4	-5.0	-1.0	13.0	6.9	5.0
19802S	4.1	10.0	-4.0	1.20	-200.0	130.0	340.0	2.4	13.6	-5.0	2.0	45.0	26.1	13.0
19803S	2.6	5.0	-4.0	1.50	-200.0	10.0	250.0	0.6	7.4	-5.0	2.0	20.0	8.7	-5.0
19805S	2.1	7.0	-4.0	0.71	-200.0	6.0	50.0	3.7	7.7	-5.0	1.0	5.4	1.8	-4.0
19808S	2.4	8.0	4.0	1.50	-200.0	28.0	220.0	0.8	9.2	-6.0	4.0	24.0	47.2	23.0
19809S	4.0	6.0	-4.0	1.30	-200.0	8.0	60.0	0.9	15.7	-5.0	1.0	7.5	3.0	-4.0
19812S	2.7	7.0	-4.0	0.96	-200.0	32.0	130.0	0.8	10.2	-5.0	1.0	29.0	20.9	4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19711S	50.0	32.0	61.0	3.6	0.7	2.2	0.3
19714S	61.0	58.0	92.0	9.6	2.0	3.6	0.6
19719S	210.0	63.0	115.0	10.6	-0.5	4.9	0.8
19720S	220.0	74.0	125.0	8.3	1.2	6.2	1.0
19729S	70.0	48.0	78.0	7.1	0.9	3.0	0.5
19732S	73.0	38.0	65.0	4.6	2.1	3.1	0.4
19733S	64.0	55.0	95.0	8.4	1.2	3.8	0.7
19737S	200.0	193.0	313.0	41.2	2.7	15.4	2.9
19742S	64.0	50.0	81.0	8.3	1.6	3.1	0.5
19744S	88.0	53.0	83.0	8.6	1.7	2.9	0.5
19746S	70.0	46.0	94.0	5.4	2.5	3.0	0.4
19748S	57.0	39.0	69.0	6.7	1.0	2.7	0.4
19756S	68.0	42.0	70.0	4.8	1.4	2.6	0.4
19759S	48.0	47.0	76.0	4.8	1.2	3.1	0.5
19763S	110.0	61.0	115.0	6.8	2.3	3.1	0.4
19769S	75.0	38.0	70.0	6.7	1.2	2.3	0.5
19776S	110.0	92.0	195.0	11.9	-0.7	12.4	1.7
19778S	60.0	50.0	92.0	7.1	0.8	2.9	0.5
19782S	50.0	32.0	50.0	3.4	1.3	1.9	0.3
19786S	46.0	28.0	56.0	5.0	0.4	2.0	0.3
19792S	510.0	48.0	91.0	5.7	1.4	2.9	0.4
19793S	78.0	45.0	89.0	5.1	1.8	2.6	0.4
19797S	69.0	46.0	76.0	7.6	1.4	2.4	0.4
19798S	83.0	47.0	87.0	5.0	-0.2	2.7	0.4
19802S	830.0	105.0	200.0	17.3	-1.0	14.8	2.1
19803S	46.0	41.0	67.0	6.0	-0.4	2.7	0.4
19805S	28.0	25.0	45.0	2.6	-0.2	1.7	0.2
19808S	80.0	60.0	107.0	7.0	1.1	5.5	1.3
19809S	54.0	33.0	55.0	4.2	2.0	2.5	0.4
19812S	240.0	68.0	114.0	8.7	1.0	6.5	0.9

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19816S	65.675	146.963	C-6	10	4	20	0	-0.5	14.0	26.0	1400.0	-0.6	12.0	70.0	5.0	54.0
19818S	65.472	146.513	B-6	8	6	33	0	-0.5	29.0	-14.0	700.0	-2.0	16.0	100.0	12.0	20.0
19819S	65.627	146.487	C-5	9	6	10	0	-0.5	5.0	-6.0	700.0	1.8	11.0	70.0	4.0	15.0
19824S	65.457	145.925	B-4	7	9	5	0	0.5	96.0	19.0	600.0	1.4	15.0	80.0	7.0	74.0
19827S	65.392	146.541	B-6	7	6	32	0	-0.5	16.0	-7.0	500.0	-1.2	7.0	40.0	3.0	10.0
19831S	65.680	146.842	C-6	10	4	23	0	-0.5	6.0	-6.0	1300.0	-1.1	16.0	100.0	10.0	20.0
19832S	65.564	146.309	C-5	9	7	33	0	-0.5	24.0	-7.0	800.0	-1.4	8.0	60.0	3.0	13.0
19833S	65.568	146.712	C-6	9	5	33	0	-0.5	7.0	-8.0	800.0	-1.4	12.0	60.0	4.0	23.0
19837S	65.442	146.595	B-6	7	6	7	0	-0.5	13.0	6.0	500.0	-1.5	12.0	60.0	13.0	18.0
19841S	65.529	146.823	C-6	8	4	12	0	-0.5	5.0	-7.0	900.0	1.3	14.0	80.0	4.0	15.0
19844S	65.409	146.436	B-5	7	6	25	0	-0.5	26.0	-9.0	600.0	-2.3	8.0	50.0	13.0	14.0
19860S	65.447	145.950	B-4	7	9	8	0	-0.5	62.0	-5.0	500.0	-0.8	16.0	60.0	8.0	63.0
19864S	65.542	146.716	C-6	8	5	9	0	-0.5	6.0	-6.0	500.0	-1.0	11.0	70.0	4.0	18.0
19867S	65.601	146.231	C-5	9	7	14	0	-0.5	8.0	-7.0	600.0	-1.3	13.0	70.0	3.0	21.0
19868S	65.516	146.148	C-5	8	8	17	0	-0.5	9.0	-7.0	600.0	-1.4	12.0	60.0	3.0	19.0
19871S	65.492	146.749	B-6	8	5	29	0	-0.5	10.0	-5.0	500.0	-1.0	17.0	70.0	5.0	14.0
19873S	65.480	146.529	B-6	8	6	33	0	-0.5	10.0	-8.0	500.0	-1.4	9.0	60.0	3.0	15.0
19878S	65.580	146.880	C-6	9	4	27	0	-0.5	9.0	21.0	1000.0	-3.0	8.0	100.0	2.0	11.0
19881S	65.576	146.331	C-5	9	7	29	0	-0.5	24.0	-6.0	700.0	-1.0	11.0	50.0	11.0	14.0
19884S	65.628	146.650	C-6	9	5	11	0	-0.5	10.0	-6.0	700.0	-1.0	14.0	90.0	9.0	36.0
19885S	65.411	145.914	B-4	7	9	28	0	-0.5	21.0	-9.0	500.0	-1.2	14.0	60.0	2.0	22.0
19891S	65.447	146.081	B-5	7	8	10	0	-0.5	11.0	-7.0	600.0	-1.1	13.0	50.0	3.0	21.0
19893S	65.627	146.831	C-6	9	4	12	0	-0.5	4.0	-11.0	500.0	-2.2	6.0	50.0	6.0	9.5
19902S	65.660	146.423	C-5	10	6	26	0	-0.5	5.0	-8.0	700.0	-1.6	13.0	90.0	3.0	20.0
19908S	65.606	146.860	C-6	9	4	14	0	1.0	21.0	-8.0	500.0	-1.7	8.0	70.0	6.0	31.0
19910S	65.450	146.535	B-6	7	6	9	0	-0.5	13.0	-9.0	400.0	-1.6	7.0	30.0	21.0	6.0
19911S	65.394	146.385	B-5	7	7	31	0	-0.5	24.0	-10.0	700.0	-1.7	14.0	80.0	10.0	24.0
19916S	65.640	146.383	C-5	9	7	6	0	-0.5	13.0	-9.0	600.0	-1.5	17.0	90.0	3.0	24.0
19917S	65.656	146.872	C-6	10	4	26	0	-0.5	12.0	-6.0	600.0	-1.1	19.0	70.0	4.0	32.0
19924S	65.421	145.987	B-4	7	9	19	0	-0.5	87.0	7.0	500.0	-0.8	15.0	60.0	7.0	26.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19816S	14.3	6.0	-4.0	0.53	-200.0	20.0	170.0	2.0	12.3	-5.0	1.0	14.0	4.5	-4.0
19818S	4.3	6.0	-4.0	1.20	-200.0	16.0	170.0	1.4	14.5	-5.0	-1.0	19.0	30.8	13.0
19819S	3.0	12.0	-4.0	0.86	200.0	12.0	100.0	0.7	11.5	-5.0	-1.0	14.0	5.3	-4.0
19824S	3.7	9.0	-4.0	0.91	-200.0	14.0	80.0	0.7	13.8	-5.0	-1.0	8.8	3.1	25.0
19827S	2.5	6.0	-4.0	0.83	-200.0	10.0	110.0	1.2	8.4	-5.0	1.0	12.0	3.1	-5.0
19831S	3.7	9.0	-4.0	0.94	-200.0	16.0	130.0	0.6	15.1	-5.0	-1.0	14.0	4.1	-4.0
19832S	3.1	10.0	-4.0	0.76	-200.0	34.0	110.0	1.7	10.9	-5.0	2.0	10.0	4.2	5.0
19833S	3.2	10.0	-4.0	0.77	-200.0	24.0	190.0	0.7	11.2	-5.0	-1.0	19.0	8.4	-4.0
19837S	3.3	6.0	-4.0	1.50	-200.0	12.0	360.0	0.9	11.0	-6.0	4.0	20.0	16.5	-7.0
19841S	3.4	9.0	9.0	0.80	-200.0	16.0	140.0	0.7	13.2	-5.0	-1.0	13.0	2.8	-4.0
19844S	2.7	5.0	-4.0	1.70	-400.0	12.0	410.0	1.0	9.4	-11.0	4.0	17.0	78.7	9.0
19860S	3.4	7.0	-4.0	0.63	-200.0	12.0	90.0	1.3	11.8	-5.0	-1.0	8.9	3.9	81.0
19864S	2.6	8.0	-4.0	0.85	-200.0	22.0	130.0	0.5	10.0	-6.0	-1.0	25.0	9.9	9.0
19867S	3.1	10.0	-4.0	0.93	300.0	22.0	80.0	2.6	11.0	-5.0	2.0	12.0	4.4	-4.0
19868S	3.0	10.0	-4.0	1.00	300.0	10.0	120.0	1.2	10.7	-5.0	-1.0	14.0	7.9	-4.0
19871S	3.6	7.0	-4.0	1.20	-200.0	14.0	120.0	1.0	10.6	-5.0	1.0	16.0	5.1	-4.0
19873S	2.6	7.0	-4.0	1.20	-200.0	12.0	60.0	1.1	10.3	-6.0	1.0	11.0	4.4	8.0
19878S	3.0	20.0	170.0	1.50	-300.0	20.0	140.0	0.9	12.9	100.0	3.0	120.0	47.5	17.0
19881S	2.4	10.0	-4.0	1.50	-200.0	20.0	230.0	0.6	6.8	-5.0	4.0	20.0	29.3	11.0
19884S	3.6	9.0	-4.0	0.69	-200.0	30.0	140.0	1.3	13.5	-5.0	-1.0	14.0	3.3	5.0
19885S	3.6	7.0	-4.0	0.74	-200.0	10.0	70.0	6.9	13.1	-5.0	-1.0	9.8	2.7	-7.0
19891S	3.1	8.0	-4.0	0.74	-200.0	12.0	120.0	4.3	10.0	5.0	-1.0	11.0	3.4	-4.0
19893S	2.8	15.0	-4.0	2.10	-200.0	42.0	430.0	0.6	10.7	-5.0	4.0	100.0	47.8	12.0
19902S	3.0	11.0	-4.0	0.89	-200.0	18.0	100.0	0.6	12.7	-5.0	2.0	13.0	4.6	-5.0
19908S	3.2	21.0	-4.0	1.90	-200.0	90.0	280.0	1.1	12.5	11.0	4.0	130.0	52.9	18.0
19910S	2.4	8.0	-4.0	2.30	-200.0	10.0	590.0	1.2	7.7	-5.0	6.0	41.0	29.3	20.0
19911S	3.4	11.0	5.0	0.63	-200.0	18.0	140.0	2.2	12.4	-6.0	3.0	16.0	5.8	-5.0
19916S	4.4	10.0	-4.0	1.00	-200.0	10.0	150.0	0.7	15.4	-5.0	1.0	12.0	4.9	6.0
19917S	4.5	7.0	16.0	1.10	-200.0	36.0	210.0	0.8	13.7	-5.0	-1.0	18.0	3.6	-4.0
19924S	3.3	7.0	-4.0	0.62	-200.0	14.0	100.0	4.6	11.6	-5.0	-1.0	9.4	2.8	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19816S	120.0	49.0	75.0	5.1	1.2	2.2	0.3
19818S	97.0	48.0	87.0	9.2	1.6	4.4	0.7
19819S	70.0	49.0	94.0	8.8	1.2	3.3	0.5
19824S	67.0	36.0	64.0	6.7	1.5	2.6	0.4
19827S	35.0	45.0	70.0	6.5	1.7	2.9	0.4
19831S	110.0	51.0	101.0	5.5	1.3	3.0	0.4
19832S	75.0	41.0	61.0	6.4	1.5	2.4	0.3
19833S	140.0	54.0	92.0	9.5	0.9	3.4	0.6
19837S	66.0	46.0	81.0	8.7	0.9	4.7	0.9
19841S	83.0	49.0	94.0	5.9	2.0	2.7	0.4
19844S	61.0	38.0	62.0	8.9	2.0	3.9	-0.1
19860S	70.0	33.0	67.0	4.1	1.0	2.3	0.3
19864S	150.0	67.0	118.0	7.7	-0.7	4.6	0.7
19867S	69.0	41.0	61.0	6.8	1.5	2.4	0.4
19868S	67.0	44.0	65.0	7.2	1.4	2.8	0.5
19871S	70.0	48.0	85.0	5.0	1.2	2.6	0.4
19873S	52.0	45.0	71.0	6.7	1.0	2.4	0.4
19878S	84.0	234.0	477.0	46.1	-0.9	24.2	4.0
19881S	110.0	49.0	78.0	5.5	-0.7	4.0	0.8
19884S	110.0	50.0	86.0	6.0	2.0	3.0	0.5
19885S	49.0	34.0	58.0	5.5	0.9	2.5	0.3
19891S	62.0	39.0	60.0	6.3	1.2	2.3	0.3
19893S	190.0	146.0	271.0	27.9	0.9	15.4	2.5
19902S	78.0	48.0	77.0	8.1	1.7	2.8	0.5
19908S	340.0	136.0	289.0	22.7	1.5	25.0	3.6
19910S	42.0	65.0	130.0	14.4	0.6	8.6	1.5
19911S	69.0	55.0	99.0	9.1	1.8	3.6	0.5
19916S	66.0	47.0	83.0	7.5	1.3	2.5	0.4
19917S	160.0	63.0	113.0	6.3	-0.7	3.5	0.4
19924S	73.0	37.0	57.0	4.1	1.4	2.3	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
19926S	65.568	146.491	C-5	9	6	34	0	-0.5	15.0	-11.0	700.0	-1.6	16.0	100.0	7.0	25.0
19927S	65.627	146.468	C-5	9	6	10	0	-0.5	7.0	-10.0	600.0	2.4	14.0	80.0	3.0	22.0
19936S	65.479	146.581	B-6	8	6	31	0	-0.5	14.0	-5.0	600.0	-0.7	9.0	40.0	5.0	13.0
19938S	65.663	146.920	C-6	10	4	28	0	-0.5	6.0	5.0	1200.0	-1.3	16.0	100.0	8.0	18.0
19948S	65.545	146.501	C-6	8	6	3	0	-0.5	8.0	-11.0	600.0	-1.9	18.0	90.0	10.0	20.0
19951S	65.485	146.446	B-5	8	6	26	0	-0.5	27.0	-10.0	900.0	-1.5	15.0	90.0	6.0	32.0
19970S	65.484	146.635	B-6	8	5	36	0	-0.5	17.0	12.0	400.0	-0.5	9.0	50.0	16.0	12.0
19974S	65.455	146.427	B-5	7	6	1	0	-0.5	18.0	-5.0	200.0	-0.9	-5.0	10.0	22.0	7.0
19977S	65.398	146.361	B-5	7	7	29	0	-0.5	66.0	-11.0	900.0	-1.5	12.0	70.0	11.0	27.0
19979S	65.560	146.716	C-6	9	5	33	0	-0.5	9.0	-10.0	600.0	-1.9	14.0	60.0	5.0	25.0
19981S	65.465	146.289	B-5	7	7	3	0	-0.5	7.0	-10.0	700.0	-1.9	12.0	80.0	4.0	23.0
19982S	65.538	146.274	C-5	8	7	10	0	-0.5	12.0	12.0	600.0	-1.9	15.0	80.0	5.0	19.0
19984S	65.692	146.846	C-6	10	4	14	0	-0.5	10.0	-7.0	1400.0	-1.2	21.0	130.0	6.0	40.0
19986S	65.658	146.788	C-6	10	5	30	0	-0.5	8.0	-7.0	400.0	-1.3	18.0	80.0	9.0	21.0
19992S	65.361	146.478	B-5	6	6	10	0	-0.5	47.0	-14.0	800.0	-1.9	21.0	90.0	11.0	23.0
19993S	65.489	146.650	B-6	6	5	27	0	-0.5	12.0	-9.0	900.0	-1.8	16.0	80.0	17.0	9.5
19996S	65.661	146.624	C-6	10	5	25	0	-0.5	9.0	-10.0	700.0	-1.9	8.0	50.0	8.0	20.0
19998S	65.489	146.093	B-5	8	6	27	0	-0.5	9.0	-9.0	1000.0	-1.6	22.0	70.0	2.0	17.0
21410S	65.610	146.862	C-6	9	4	14	0	-0.5	18.0	-8.0	600.0	-1.7	8.0	50.0	8.0	20.0
21411S	65.411	146.371	B-5	7	7	30	0	-0.5	22.0	-11.0	800.0	-1.7	18.0	70.0	6.0	17.0
21415S	65.700	146.635	C-6	10	5	14	0	-0.5	11.0	-8.0	1000.0	-1.4	25.0	80.0	6.0	20.0
21419S	65.702	146.618	C-6	10	5	12	0	-0.5	10.0	-7.0	800.0	-1.0	17.0	70.0	11.0	23.0
21421S	65.483	146.897	B-6	8	4	34	0	-1.2	6.0	10.0	500.0	-0.7	9.0	50.0	3.0	20.0
21422S	65.513	146.060	C-5	8	6	14	0	-0.5	38.0	-5.0	400.0	-1.2	13.0	50.0	2.0	28.0
21428S	65.565	146.435	C-5	9	6	35	0	-0.5	33.0	-6.0	600.0	-1.0	12.0	60.0	7.0	15.0
21429S	65.669	146.567	C-6	10	6	30	0	-0.5	4.0	-9.0	500.0	-1.9	7.0	30.0	6.0	17.0
21431S	65.370	146.572	B-6	6	6	5	-15	-0.5	15.0	-6.0	400.0	-0.9	18.0	30.0	2.0	13.0
21435S	65.650	146.429	C-5	10	6	33	0	-0.5	3.0	-8.0	700.0	-1.6	11.0	70.0	2.0	14.0
21440S	65.461	146.376	B-5	7	7	6	0	-0.5	17.0	-8.0	400.0	-1.4	8.0	30.0	11.0	12.0
21441S	65.679	146.867	C-6	10	4	22	0	-0.5	4.0	-5.0	700.0	-0.6	10.0	60.0	6.0	20.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
19926S	4.6	9.0	-5.0	1.00	-200.0	14.0	170.0	1.1	16.6	-5.0	1.0	15.0	4.7	-9.0
19927S	3.8	12.0	-5.0	0.94	-200.0	16.0	150.0	0.3	15.6	-6.0	-1.0	17.0	4.6	-5.0
19936S	2.4	5.0	-4.0	1.10	-200.0	12.0	150.0	1.3	7.2	-5.0	-1.0	11.0	13.3	-4.0
19938S	3.7	12.0	-4.0	1.00	-200.0	18.0	170.0	0.6	16.2	28.0	-1.0	15.0	4.5	-4.0
19946S	4.0	14.0	-4.0	1.10	-300.0	16.0	160.0	1.1	14.7	-7.0	-1.0	14.0	6.5	-6.0
19951S	4.0	6.0	4.0	1.30	-200.0	14.0	140.0	1.0	15.2	-5.0	-1.0	15.0	9.5	15.0
19970S	2.3	7.0	-4.0	1.30	-200.0	20.0	130.0	0.9	9.0	-5.0	-1.0	32.0	276.0	-4.0
19974S	1.3	7.0	-4.0	1.90	-200.0	10.0	510.0	0.7	4.8	-5.0	4.0	26.0	37.0	15.0
19977S	3.9	5.0	-4.0	0.38	-200.0	10.0	180.0	5.3	13.9	-5.0	-1.0	17.0	4.0	10.0
19979S	3.9	12.0	-4.0	0.90	-200.0	32.0	230.0	0.6	12.8	-6.0	2.0	33.0	10.0	-5.0
19981S	3.3	11.0	-4.0	1.00	-200.0	18.0	130.0	1.3	13.5	-7.0	-1.0	15.0	7.1	-6.0
19982S	4.2	12.0	4.0	1.00	-200.0	12.0	140.0	0.9	13.2	-6.0	1.0	19.0	4.4	-6.0
19984S	4.3	8.0	4.0	0.90	-200.0	22.0	130.0	2.1	17.2	-5.0	2.0	15.0	3.9	7.0
19986S	4.4	8.0	-4.0	0.87	-200.0	50.0	200.0	0.8	13.3	-5.0	-1.0	18.0	4.8	-4.0
19992S	3.6	6.0	-6.0	0.58	-200.0	16.0	160.0	5.8	15.0	-5.0	1.0	15.0	4.3	15.0
19993S	4.4	12.0	-4.0	1.80	-300.0	18.0	190.0	0.8	15.2	-5.0	3.0	30.0	25.4	-4.0
19995S	3.3	11.0	-4.0	1.10	200.0	64.0	320.0	0.7	11.1	-5.0	1.0	57.0	20.6	-7.0
19998S	4.0	9.0	-4.0	0.91	-200.0	10.0	160.0	0.5	11.4	-5.0	2.0	14.0	3.6	-5.0
21410S	3.1	27.0	14.0	2.30	-200.0	120.0	470.0	0.9	11.6	-6.0	4.0	140.0	44.9	25.0
21411S	4.0	9.0	4.0	1.10	-200.0	16.0	160.0	1.0	13.8	-5.0	-1.0	17.0	4.5	-9.0
21415S	5.2	8.0	17.0	0.98	-200.0	14.0	270.0	1.4	16.5	-6.0	2.0	18.0	3.3	4.0
21419S	4.2	10.0	-4.0	0.91	-200.0	70.0	180.0	1.0	14.2	-5.0	1.0	15.0	4.5	6.0
21421S	2.1	9.0	-4.0	0.89	-200.0	19.0	70.0	0.7	9.3	-5.0	-1.0	9.4	3.0	-8.0
21422S	3.5	9.0	-4.0	0.48	-200.0	14.0	70.0	2.9	10.6	-5.0	-1.0	11.0	2.6	6.0
21428S	2.9	9.0	-4.0	1.40	-200.0	30.0	100.0	1.3	11.2	-5.0	-1.0	23.0	10.9	8.0
21429S	2.7	11.0	-4.0	1.50	-200.0	62.0	500.0	0.5	8.5	7.0	2.0	63.0	16.9	13.0
21431S	2.3	6.0	-4.0	0.56	-200.0	8.0	80.0	1.9	6.7	-5.0	1.0	8.7	3.1	-5.0
21435S	3.1	13.0	-4.0	1.00	-200.0	10.0	110.0	0.3	12.1	-5.0	-1.0	14.0	4.7	5.0
21440S	2.7	5.0	-4.0	1.70	-200.0	10.0	400.0	0.9	8.2	-5.0	3.0	20.0	18.8	-6.0
21441S	3.2	14.0	-4.0	1.30	-200.0	34.0	250.0	0.8	11.2	-5.0	1.0	44.0	19.2	-6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
19926S	66.0	57.0	103.0	9.1	1.4	3.3	0.5
19927S	65.0	65.0	111.0	10.8	1.3	3.9	0.6
19936S	57.0	32.0	57.0	3.2	0.8	1.7	0.4
19938S	100.0	56.0	97.0	6.3	2.7	3.5	0.5
19948S	86.0	54.0	89.0	8.6	2.4	3.0	0.6
19951S	78.0	48.0	81.0	8.2	1.2	2.9	0.6
19970S	53.0	84.0	105.0	7.8	2.6	5.4	-0.1
19974S	39.0	37.0	71.0	5.7	-0.7	6.3	1.1
19977S	73.0	57.0	103.0	8.9	2.4	3.4	0.5
19979S	170.0	78.0	138.0	13.2	1.2	5.6	0.9
19981S	68.0	49.0	85.0	7.8	1.1	3.0	0.4
19982S	56.0	63.0	109.0	9.8	1.9	3.4	0.6
19984S	120.0	64.0	106.0	6.3	1.4	2.8	0.4
19986S	140.0	63.0	109.0	6.9	2.6	3.7	0.5
19992S	68.0	58.0	97.0	9.2	2.0	3.1	0.4
19993S	71.0	76.0	125.0	6.0	1.5	5.6	0.9
19995S	240.0	120.0	206.0	18.9	1.9	8.4	1.3
19998S	78.0	40.0	71.0	6.1	1.4	2.1	0.3
21410S	340.0	145.0	332.0	22.0	-1.0	26.3	3.7
21411S	61.0	66.0	112.0	10.0	1.7	3.5	0.5
21415S	120.0	75.0	138.0	7.7	2.4	4.0	0.5
21419S	340.0	61.0	102.0	6.8	1.9	3.6	0.5
21421S	100.0	40.0	59.0	3.8	-0.2	2.2	0.3
21422S	63.0	39.0	67.0	6.7	0.9	2.7	0.5
21428S	74.0	56.0	97.0	5.9	1.9	3.8	0.7
21429S	230.0	114.0	203.0	17.8	1.1	6.1	1.1
21431S	55.0	31.0	54.0	5.2	1.0	2.5	0.3
21435S	62.0	56.0	96.0	8.7	1.5	3.5	0.5
21440S	61.0	38.0	73.0	8.0	-0.4	4.6	0.9
21441S	130.0	95.0	156.0	10.8	1.3	8.2	1.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
21446S	65.414	146.090	B-5	7	8	22	0	-0.5	60.0	-9.0	600.0	-1.4	13.0	90.0	2.0	33.0
21449S	65.462	145.955	B-4	7	9	5	0	-0.5	17.0	-5.0	400.0	-0.7	15.0	50.0	2.0	21.0
21463S	65.477	145.657	B-4	8	10	34	0	-0.5	8.0	-5.0	300.0	0.9	5.0	30.0	1.0	7.0
21467S	65.499	146.085	B-5	8	8	27	0	-0.5	5.0	-8.0	700.0	-1.6	11.0	60.0	2.0	14.0
21468S	65.609	146.832	C-6	9	4	13	0	-0.5	14.0	-10.0	600.0	-1.8	6.0	60.0	4.0	15.0
21473S	65.410	146.321	B-5	7	7	28	0	-0.5	25.0	-10.0	700.0	-1.6	12.0	90.0	7.0	17.0
21476S	65.556	146.707	C-6	8	5	3	0	-0.5	6.0	-5.0	600.0	-0.9	10.0	60.0	4.0	22.0
21478S	65.620	146.954	C-6	9	4	8	0	-0.5	13.0	-10.0	1000.0	-1.6	29.0	130.0	16.0	39.0
21479S	65.541	146.030	C-5	8	8	11	0	-0.5	22.0	10.0	400.0	-1.0	10.0	40.0	2.0	19.0
21483S	65.538	146.668	C-6	8	5	11	0	-0.5	52.0	-7.0	600.0	-1.1	22.0	90.0	5.0	29.0
21487S	65.668	146.745	C-6	10	5	29	0	-0.5	8.0	-5.0	1100.0	-1.3	19.0	90.0	6.0	20.0
21488S	65.519	146.287	C-5	8	7	15	0	-0.5	10.0	-8.0	600.0	-1.4	10.0	60.0	3.0	16.0
21492S	65.537	146.769	C-6	8	5	7	0	-0.5	9.0	-10.0	700.0	-1.7	14.0	90.0	4.0	21.0
21493S	65.559	146.702	C-6	9	5	33	0	-0.5	5.0	-7.0	700.0	1.5	13.0	60.0	5.0	24.0
21495S	65.599	146.560	C-6	9	6	20	0	-0.5	7.0	-10.0	600.0	-2.4	10.0	90.0	4.0	24.0
21498S	65.402	146.641	B-6	7	5	25	0	-0.5	17.0	-6.0	600.0	1.1	31.0	80.0	8.0	23.0
21500S	65.720	146.565	C-6	10	6	6	0	-0.5	13.0	-8.0	1400.0	-1.4	10.0	100.0	4.0	31.0
21501S	65.365	146.470	B-5	6	6	11	0	-0.5	60.0	-5.0	700.0	-1.2	11.0	50.0	4.0	15.0
21502S	65.416	146.813	B-6	7	5	19	0	-0.5	10.0	-8.0	600.0	-1.3	9.0	60.0	7.0	12.0
21508S	65.486	145.882	B-4	8	9	27	0	-0.5	6.0	-5.0	600.0	0.7	13.0	50.0	4.0	16.0
21510S	65.524	146.081	C-5	8	8	15	0	-0.5	8.0	-7.0	500.0	-1.2	9.0	50.0	2.0	21.0
21518S	65.698	146.560	C-6	10	6	17	0	-0.5	4.0	-10.0	900.0	-1.7	18.0	70.0	9.0	15.0
21525S	65.510	146.701	C-6	8	5	22	0	-0.5	12.0	-8.0	600.0	-1.5	14.0	70.0	12.0	12.0
21529S	65.515	145.641	C-4	8	10	14	0	-0.5	73.0	9.0	600.0	-0.8	17.0	50.0	3.0	24.0
21534S	65.473	145.899	B-4	8	9	33	0	-0.5	72.0	11.0	500.0	1.1	19.0	70.0	9.0	63.0
21538S	65.656	146.875	C-6	10	4	34	0	0.5	11.0	12.0	800.0	-1.7	13.0	50.0	8.0	18.0
21539S	65.642	146.654	C-6	9	5	2	0	-0.5	8.0	-6.0	600.0	-1.2	9.0	20.0	7.0	22.0
21541S	65.442	146.871	B-6	7	4	11	0	-0.5	4.0	-7.0	700.0	-1.2	17.0	90.0	4.0	18.0
21543S	65.454	145.753	B-4	7	10	7	0	-0.5	39.0	-5.0	400.0	-0.6	17.0	70.0	2.0	41.0
21544S	65.489	146.220	B-5	8	7	25	0	-0.5	4.0	-7.0	500.0	-1.4	12.0	60.0	2.0	19.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
21446S	4.3	10.0	4.0	0.60	-200.0	42.0	110.0	6.0	13.8	-5.0	-1.0	11.0	4.1	-5.0
21449S	2.9	5.0	4.0	0.53	-200.0	12.0	80.0	1.4	9.6	-5.0	1.0	7.9	3.0	-4.0
21463S	1.8	6.0	-4.0	0.67	-200.0	4.0	70.0	3.2	6.0	-5.0	-1.0	4.2	1.4	-4.0
21467S	2.9	14.0	-4.0	1.20	-200.0	10.0	-40.0	0.5	9.6	-5.0	2.0	13.0	4.0	-4.0
21468S	2.9	17.0	-4.0	1.90	-200.0	42.0	350.0	0.8	10.6	-5.0	3.0	89.0	25.1	20.0
21473S	3.5	8.0	-5.0	1.10	-200.0	15.0	150.0	1.0	14.0	-5.0	-1.0	14.0	3.5	-9.0
21476S	2.9	7.0	-4.0	0.59	-200.0	14.0	60.0	0.5	10.6	-5.0	-1.0	10.0	3.3	-4.0
21478S	5.3	9.0	10.0	1.00	-300.0	110.0	220.0	1.7	20.2	-6.0	-1.0	15.0	5.3	-4.0
21479S	2.8	8.0	-4.0	0.65	-200.0	14.0	80.0	2.3	7.8	-5.0	1.0	9.8	3.3	4.0
21483S	5.6	8.0	-4.0	1.00	-200.0	32.0	190.0	2.2	17.5	-5.0	1.0	13.0	4.4	-4.0
21487S	4.3	10.0	-4.0	1.10	-200.0	20.0	210.0	0.7	16.1	-5.0	1.0	16.0	4.2	-4.0
21488S	2.8	12.0	-4.0	1.10	-200.0	8.0	100.0	1.4	9.5	-5.0	2.0	13.0	4.5	-4.0
21492S	3.4	10.0	-4.0	0.84	-200.0	18.0	90.0	0.7	14.0	-8.0	-1.0	9.5	3.4	-6.0
21493S	3.1	6.0	-4.0	0.65	-200.0	16.0	130.0	0.8	11.3	-5.0	-1.0	10.0	3.2	-4.0
21495S	3.4	6.0	-4.0	0.78	-400.0	18.0	90.0	0.8	13.7	-14.0	-3.0	15.0	3.7	-4.0
21498S	3.2	6.0	-4.0	0.96	-200.0	18.0	110.0	1.5	11.6	-5.0	-1.0	11.0	3.2	-4.0
21500S	3.1	6.0	-4.0	0.66	200.0	6.0	110.0	4.8	11.8	-5.0	-1.0	10.0	4.9	-4.0
21501S	3.4	7.0	6.0	0.49	-200.0	-99.0	190.0	2.1	11.5	-5.0	-1.0	13.0	2.9	-7.0
21502S	2.7	8.0	-4.0	1.30	-200.0	10.0	170.0	0.9	9.6	-5.0	2.0	15.0	6.7	-7.0
21508S	3.2	7.0	4.0	0.49	-200.0	10.0	150.0	0.5	10.5	-5.0	-1.0	9.9	3.1	-4.0
21510S	2.7	11.0	-4.0	1.00	-200.0	8.0	90.0	1.1	8.9	-5.0	-1.0	14.0	5.6	5.0
21518S	3.5	10.0	5.0	0.81	-200.0	12.0	100.0	0.7	13.2	-5.0	2.0	13.0	2.9	-6.0
21525S	3.6	14.0	-4.0	1.50	-200.0	12.0	230.0	0.8	12.7	-5.0	2.0	34.0	20.4	10.0
21529S	3.5	7.0	-4.0	0.60	-200.0	26.0	90.0	0.3	11.6	-5.0	-1.0	12.0	2.8	-4.0
21534S	3.4	7.0	6.0	0.53	-200.0	20.0	140.0	0.8	13.2	-5.0	-1.0	9.9	4.8	25.0
21538S	3.3	15.0	-4.0	1.90	-200.0	54.0	400.0	0.7	12.6	-6.0	3.0	70.0	37.5	9.0
21539S	3.0	11.0	-4.0	1.60	-200.0	62.0	470.0	0.8	7.9	-5.0	2.0	56.0	20.3	-4.0
21541S	3.5	9.0	8.0	1.40	-200.0	10.0	60.0	1.0	14.2	-5.0	-1.0	11.0	3.3	-4.0
21543S	4.4	6.0	5.0	0.52	-200.0	6.0	50.0	6.2	15.3	-5.0	-1.0	6.3	1.7	-4.0
21544S	3.0	13.0	-4.0	1.10	-200.0	6.0	70.0	0.5	10.6	-5.0	2.0	14.0	4.6	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
21446S	150.0	40.0	79.0	6.8	1.6	2.7	0.4
21449S	70.0	31.0	62.0	3.8	1.1	2.3	0.3
21463S	24.0	20.0	30.0	2.2	-0.2	1.4	0.2
21467S	58.0	41.0	68.0	6.3	1.3	2.7	0.5
21468S	100.0	95.0	242.0	19.1	-0.6	14.3	2.2
21473S	58.0	51.0	87.0	8.3	1.4	3.2	0.5
21476S	72.0	41.0	70.0	4.8	1.7	2.7	0.3
21478S	230.0	67.0	119.0	6.2	2.8	4.0	0.6
21479S	47.0	32.0	53.0	5.1	0.6	2.2	0.4
21483S	99.0	48.0	91.0	5.4	1.6	3.2	0.5
21487S	95.0	67.0	109.0	7.0	1.9	3.4	0.5
21488S	63.0	41.0	72.0	6.2	1.3	2.4	0.4
21492S	88.0	37.0	65.0	7.1	1.1	2.6	0.5
21493S	77.0	40.0	65.0	5.0	1.8	2.7	0.3
21495S	68.0	50.0	88.0	9.1	2.4	3.2	0.6
21498S	100.0	53.0	85.0	5.6	2.2	2.8	0.4
21500S	54.0	48.0	78.0	7.7	1.6	2.9	0.5
21501S	47.0	42.0	81.0	6.4	1.3	2.3	0.3
21502S	55.0	42.0	70.0	7.2	1.5	3.4	0.5
21508S	46.0	29.0	57.0	3.6	0.9	2.5	0.4
21510S	60.0	38.0	63.0	6.2	0.8	3.1	0.5
21518S	61.0	45.0	81.0	7.3	1.5	2.6	0.4
21525S	78.0	93.0	144.0	9.4	1.1	4.5	0.9
21529S	79.0	43.0	79.0	4.6	1.2	2.7	0.3
21534S	83.0	32.0	70.0	4.5	1.7	3.1	0.4
21538S	190.0	117.0	228.0	15.5	-1.1	13.6	1.9
21539S	290.0	79.0	151.0	9.2	-0.7	6.7	1.1
21541S	72.0	45.0	82.0	5.2	2.3	2.6	0.4
21543S	68.0	19.0	48.0	2.6	1.4	1.6	0.2
21544S	57.0	44.0	70.0	7.1	1.0	2.9	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
21547S	65.481	146.535	B-6	8	6	33	0	-0.5	9.0	5.0	600.0	2.6	13.0	80.0	3.0	14.0
21548S	65.629	146.984	C-6	9	4	6	0	-0.5	6.0	-5.0	700.0	-0.8	11.0	60.0	5.0	36.0
21553S	65.430	145.865	B-4	7	9	15	0	-0.5	8.0	-7.0	400.0	1.4	23.0	90.0	3.0	53.0
21558S	65.527	145.718	C-4	8	10	17	0	-0.5	34.0	-5.0	300.0	-0.5	10.0	40.0	3.0	21.0
21561S	65.534	146.622	C-6	8	5	12	0	-0.5	13.0	-11.0	600.0	-1.7	16.0	100.0	2.0	22.0
21563S	65.510	146.117	C-5	8	8	21	0	-0.5	5.0	-8.0	700.0	-1.5	12.0	70.0	2.0	16.0
21564S	65.544	146.994	C-6	8	4	6	0	-0.5	9.0	-6.0	700.0	-0.9	16.0	60.0	12.0	35.0
21565S	65.625	146.945	C-6	9	4	8	0	0.5	11.0	-6.0	900.0	1.6	19.0	100.0	12.0	40.0
21567S	65.440	146.071	B-5	7	8	13	0	-0.5	42.0	-7.0	300.0	-1.0	10.0	50.0	3.0	35.0
21568S	65.474	146.266	B-5	8	7	33	0	-0.5	9.0	-8.0	500.0	-1.4	15.0	50.0	7.0	16.0
21570S	65.401	146.397	B-5	7	7	30	0	-0.5	15.0	-5.0	400.0	-0.6	8.0	30.0	6.0	15.0
21576S	65.460	145.748	B-4	7	10	5	0	-0.5	22.0	-9.0	300.0	-1.1	15.0	60.0	2.0	31.0
21584S	65.612	146.481	C-5	9	6	13	0	-0.5	5.0	16.0	700.0	-1.6	13.0	90.0	2.0	21.0
21586S	65.400	146.700	B-6	7	5	27	0	-0.5	11.0	-8.0	500.0	-1.3	8.0	50.0	12.0	14.0
21587S	65.430	146.602	B-6	7	6	18	0	-0.5	34.0	-16.0	900.0	-2.2	12.0	90.0	20.0	20.0
21588S	65.530	146.729	C-6	8	5	9	0	-0.5	9.0	-5.0	500.0	1.2	10.0	50.0	4.0	16.0
21593S	65.646	146.436	C-5	10	6	33	0	-0.5	4.0	-9.0	500.0	2.1	11.0	70.0	2.0	15.0
21594S	65.524	146.599	C-6	8	6	18	0	-0.5	14.0	-14.0	600.0	2.2	17.0	100.0	6.0	19.0
21595S	65.500	146.199	C-5	8	7	24	0	-0.5	9.0	-8.0	500.0	-1.4	9.0	50.0	4.0	16.0
21607S	65.524	146.734	C-6	8	5	16	0	-0.5	8.0	-5.0	500.0	1.1	11.0	60.0	6.0	15.0
21616S	65.523	145.834	C-4	8	9	14	0	-0.5	8.0	-9.0	600.0	-1.4	10.0	70.0	2.0	17.0
21619S	65.443	146.911	B-6	7	4	10	0	-0.5	5.0	-7.0	500.0	2.3	22.0	80.0	3.0	20.0
21622S	65.427	146.401	B-5	7	7	16	0	-0.5	19.0	-5.0	800.0	-1.6	23.0	110.0	12.0	41.0
21623S	65.527	146.411	C-5	8	6	13	0	-0.5	17.0	-10.0	700.0	-1.4	16.0	80.0	3.0	19.0
21627S	65.569	146.320	C-5	9	7	32	0	-0.5	22.0	-5.0	600.0	-0.8	9.0	50.0	7.0	15.0
21637S	65.434	146.783	B-6	7	5	18	0	-0.5	6.0	5.0	800.0	0.7	22.0	90.0	10.0	22.0
21640S	65.521	146.409	C-5	8	6	13	0	-0.5	16.0	-9.0	600.0	-1.6	13.0	70.0	2.0	27.0
21644S	65.620	146.382	C-5	9	7	7	0	-0.5	17.0	-9.0	500.0	-1.5	16.0	50.0	5.0	26.0
21657S	65.659	146.401	C-5	10	6	25	0	-0.5	6.0	-8.0	500.0	-1.2	16.0	80.0	3.0	25.0
21664S	65.484	146.725	B-6	8	5	28	0	-0.5	9.0	-8.0	600.0	-1.5	18.0	80.0	7.0	19.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
21547S	3.6	9.0	-4.0	1.30	-200.0	14.0	140.0	1.6	12.8	-5.0	-1.0	15.0	4.9	-8.0
21548S	3.0	6.0	6.0	0.75	-200.0	20.0	130.0	0.7	12.9	-5.0	-1.0	11.0	3.0	-4.0
21553S	4.9	5.0	-4.0	1.10	-200.0	6.0	-40.0	1.7	17.8	-5.0	-1.0	7.4	3.0	-4.0
21556S	2.7	6.0	-4.0	0.52	-200.0	10.0	70.0	1.9	8.6	-5.0	-1.0	7.2	1.7	-4.0
21561S	4.0	7.0	-5.0	1.30	300.0	20.0	120.0	1.0	15.9	-5.0	2.0	14.0	6.9	-9.0
21563S	3.1	12.0	-4.0	0.94	-200.0	10.0	110.0	0.8	11.1	-5.0	-1.0	12.0	4.4	-5.0
21564S	3.2	7.0	4.0	0.60	-200.0	30.0	180.0	1.2	13.0	-5.0	-1.0	14.0	5.7	-4.0
21565S	4.7	8.0	-4.0	0.87	-200.0	90.0	150.0	1.5	17.9	-5.0	-1.0	18.0	5.2	-4.0
21567S	3.1	8.0	-4.0	0.34	-200.0	20.0	100.0	2.8	10.7	-5.0	-1.0	8.4	2.0	8.0
21568S	3.1	7.0	-4.0	1.00	-200.0	8.0	230.0	0.7	9.9	-5.0	-1.0	16.0	10.2	-5.0
21570S	2.4	6.0	-4.0	0.75	-200.0	12.0	140.0	0.6	7.1	-5.0	-1.0	9.9	5.8	6.0
21576S	4.2	9.0	-4.0	0.79	-200.0	4.0	50.0	11.0	17.5	-5.0	-1.0	6.3	4.1	-6.0
21584S	3.8	13.0	-5.0	1.00	-200.0	12.0	60.0	0.6	13.7	-7.0	1.0	13.0	3.7	-6.0
21586S	2.5	7.0	-4.0	1.50	-200.0	14.0	230.0	1.0	8.8	-5.0	1.0	16.0	13.3	11.0
21587S	3.5	6.0	9.0	1.40	-300.0	18.0	240.0	1.3	13.1	6.0	2.0	21.0	117.0	-12.0
21588S	2.7	10.0	4.0	0.98	200.0	16.0	160.0	0.6	9.3	-5.0	-1.0	21.0	8.5	5.0
21593S	2.9	11.0	-5.0	0.87	-200.0	10.0	130.0	0.5	11.4	-7.0	2.0	12.0	4.4	-5.0
21594S	4.0	7.0	-4.0	1.10	-300.0	16.0	80.0	0.8	15.4	-8.0	1.0	14.0	26.2	-10.0
21595S	2.7	11.0	-4.0	1.20	-200.0	8.0	130.0	0.7	9.5	7.0	1.0	16.0	10.3	-5.0
21607S	2.7	10.0	-4.0	0.99	200.0	16.0	110.0	0.8	9.7	-5.0	1.0	23.0	10.8	4.0
21616S	2.9	10.0	-4.0	0.96	-200.0	8.0	80.0	1.2	11.6	-5.0	2.0	11.0	3.5	6.0
21619S	3.8	11.0	-4.0	1.30	-200.0	10.0	100.0	1.5	13.7	-5.0	-1.0	10.0	2.4	-4.0
21622S	4.6	7.0	10.0	1.20	-200.0	16.0	200.0	0.7	17.2	-5.0	-1.0	15.0	6.9	-10.0
21623S	3.8	10.0	-4.0	1.00	-200.0	13.0	150.0	3.3	12.1	-5.0	-1.0	15.0	4.8	-6.0
21627S	2.4	11.0	-4.0	1.00	-200.0	15.0	130.0	0.5	9.0	-5.0	-1.0	15.0	9.5	21.0
21637S	3.9	7.0	-4.0	0.98	-200.0	8.0	190.0	1.2	15.7	-5.0	1.0	11.0	3.6	-7.0
21640S	3.7	11.0	-4.0	0.86	-200.0	14.0	110.0	2.0	11.0	-6.0	-1.0	13.0	4.1	10.0
21644S	4.3	12.0	18.0	1.60	-200.0	10.0	130.0	0.5	14.6	-5.0	3.0	20.0	8.4	14.0
21657S	4.0	9.0	-4.0	1.00	-200.0	8.0	110.0	0.7	14.1	-5.0	1.0	13.0	3.8	-7.0
21664S	4.2	12.0	-4.0	1.50	-200.0	10.0	60.0	1.2	14.7	-5.0	1.0	22.0	5.4	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
21547S	53.0	53.0	102.0	8.4	1.5	3.0	0.5
21548S	68.0	35.0	74.0	4.2	1.1	2.5	0.3
21553S	68.0	36.0	51.0	4.8	1.2	2.6	0.3
21558S	60.0	27.0	49.0	3.1	0.8	2.0	0.2
21561S	72.0	50.0	87.0	8.8	1.6	3.6	0.4
21563S	69.0	43.0	67.0	6.7	1.6	2.5	0.5
21564S	81.0	46.0	77.0	5.3	1.3	2.7	0.4
21565S	200.0	62.0	105.0	7.6	-0.2	3.4	0.5
21567S	64.0	33.0	64.0	5.6	1.1	2.3	0.3
21568S	77.0	41.0	69.0	6.8	1.1	3.4	0.5
21570S	50.0	29.0	55.0	3.1	0.8	2.2	0.3
21576S	54.0	26.0	42.0	4.8	1.3	2.5	0.4
21584S	69.0	60.0	97.0	10.1	1.0	3.5	0.6
21586S	70.0	40.0	70.0	7.0	0.9	3.1	0.6
21587S	78.0	52.0	87.0	13.1	1.9	5.1	0.9
21588S	99.0	53.0	92.0	6.0	0.9	4.3	0.6
21593S	64.0	46.0	75.0	7.7	0.9	3.0	0.5
21594S	74.0	56.0	81.0	9.3	1.8	3.4	0.6
21595S	66.0	44.0	75.0	7.7	1.3	3.6	0.6
21607S	100.0	62.0	101.0	6.8	1.3	4.1	0.7
21616S	66.0	43.0	77.0	6.9	1.5	2.4	0.3
21619S	80.0	44.0	73.0	5.1	2.0	3.2	0.4
21622S	74.0	54.0	107.0	9.6	2.3	3.4	0.5
21623S	62.0	52.0	96.0	7.9	1.6	2.6	0.3
21627S	79.0	44.0	74.0	4.8	1.2	3.6	0.5
21637S	96.0	47.0	77.0	5.7	1.6	2.9	0.4
21640S	79.0	49.0	80.0	7.5	2.3	2.8	0.4
21644S	66.0	64.0	112.0	10.6	1.7	3.4	0.7
21657S	65.0	46.0	74.0	7.8	0.6	2.9	0.5
21664S	91.0	76.0	121.0	7.8	2.0	3.6	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
21671S	65.479	146.716	B-6	8	5	33	0	-0.5	9.0	-9.0	800.0	2.1	20.0	90.0	8.0	19.0
21675S	65.700	146.810	C-6	10	4	13	0	-0.5	16.0	-6.0	1400.0	-0.5	22.0	140.0	5.0	53.0
21680S	65.469	146.568	B-6	7	6	6	0	-0.5	13.0	-5.0	600.0	-0.6	9.0	30.0	3.0	12.0
21685S	65.380	146.170	B-5	6	8	6	0	-0.5	95.0	7.0	600.0	1.1	15.0	80.0	6.0	22.0
21686S	65.431	146.400	B-5	7	7	18	0	-0.5	24.0	-11.0	700.0	-1.7	21.0	90.0	10.0	31.0
21687S	65.568	146.921	C-6	9	4	33	0	1.0	10.0	-9.0	900.0	-1.5	17.0	100.0	14.0	30.0
21691S	65.668	146.526	C-6	10	6	28	0	-0.5	8.0	-5.0	700.0	-0.8	13.0	70.0	6.0	19.0
21693S	65.664	146.497	C-5	10	6	23	0	-0.5	5.0	-5.0	700.0	1.4	13.0	70.0	4.0	15.0
21697S	65.466	145.780	B-4	7	10	6	0	-0.5	69.0	-5.0	900.0	-0.5	15.0	50.0	3.0	25.0
21698S	65.459	146.063	B-5	7	8	3	0	-0.5	23.0	-5.0	600.0	-1.1	14.0	70.0	2.0	23.0
21704S	65.521	146.412	C-5	8	6	13	0	-0.5	13.0	-5.0	800.0	-1.2	12.0	80.0	3.0	23.0
21705S	65.478	146.720	B-6	8	5	33	0	-0.5	5.0	22.0	800.0	-1.5	22.0	90.0	9.0	25.0
21714S	65.556	146.011	C-5	6	8	1	0	-0.5	23.0	-7.0	400.0	-0.9	11.0	50.0	2.0	21.0
21717S	65.478	146.831	B-6	8	4	36	0	-0.5	10.0	-5.0	400.0	0.6	13.0	60.0	4.0	23.0
21718S	65.544	146.251	C-5	8	7	2	30	-0.5	23.0	-8.0	700.0	-1.3	13.0	80.0	3.0	21.0
21720S	65.571	146.710	C-6	9	5	28	0	-0.5	5.0	-5.0	600.0	1.3	12.0	70.0	6.0	21.0
21721S	65.518	146.574	C-6	8	6	17	0	-0.5	15.0	-18.0	1200.0	-3.0	13.0	80.0	11.0	11.0
21722S	65.451	145.597	B-6	7	6	6	0	-0.5	56.0	-14.0	700.0	-1.9	9.0	60.0	21.0	16.0
21724S	65.570	146.313	C-5	9	7	33	0	-0.5	40.0	-8.0	700.0	-1.1	18.0	70.0	3.0	20.0
21729S	65.424	145.978	B-4	7	9	13	0	-0.5	28.0	-9.0	500.0	-1.5	10.0	60.0	3.0	19.0
21731S	65.511	146.422	C-5	8	6	24	0	-0.5	16.0	9.0	700.0	-1.7	12.0	70.0	3.0	20.0
21733S	65.615	146.394	C-6	9	4	7	0	-0.5	6.0	-11.0	800.0	-1.9	15.0	90.0	9.0	38.0
21734S	65.563	146.461	C-5	9	6	34	0	-0.5	63.0	-9.0	800.0	3.4	11.0	70.0	11.0	14.0
21741S	65.651	146.973	C-6	10	4	32	0	-0.5	18.0	10.0	1000.0	-1.3	19.0	90.0	9.0	37.0
21743S	65.463	145.742	B-4	7	10	5	0	-0.5	25.0	-11.0	500.0	2.3	18.0	90.0	2.0	30.0
21747S	65.521	146.642	C-6	8	5	13	0	-0.5	17.0	-14.0	900.0	-2.3	11.0	70.0	6.0	15.0
21748S	65.501	146.335	C-5	8	7	20	0	-0.5	14.0	-9.0	500.0	-1.7	13.0	90.0	4.0	18.0
21749S	65.584	146.611	C-6	9	4	23	0	-0.5	14.0	-18.0	1100.0	3.8	7.0	70.0	4.0	17.0
21751S	65.700	146.633	C-6	10	5	15	0	-0.5	8.0	-6.0	1400.0	0.9	20.0	80.0	8.0	21.0
21752S	65.463	146.128	B-5	7	8	4	0	-0.5	7.0	-8.0	700.0	-1.2	12.0	70.0	2.0	18.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
21671S	4.3	11.0	-5.0	1.70	-200.0	12.0	100.0	1.6	15.2	-5.0	1.0	15.0	5.6	-4.0
21675S	5.5	6.0	5.0	0.69	-200.0	18.0	160.0	4.5	16.9	-5.0	1.0	15.0	4.9	-7.0
21680S	2.6	5.0	-4.0	1.10	-200.0	12.0	130.0	1.5	7.5	-5.0	1.0	11.0	5.7	-4.0
21685S	3.4	6.0	-4.0	0.68	-200.0	24.0	130.0	14.0	11.1	-5.0	-1.0	17.0	6.9	-4.0
21686S	4.5	6.0	-4.0	1.20	-200.0	14.0	210.0	1.2	15.2	-7.0	2.0	18.0	16.0	24.0
21687S	3.7	9.0	-5.0	0.76	-200.0	56.0	100.0	1.1	14.8	-5.0	-1.0	16.0	4.7	-4.0
21691S	3.0	7.0	-4.0	0.60	-200.0	18.0	90.0	0.7	12.0	-5.0	-1.0	9.9	3.6	-4.0
21693S	2.6	9.0	-4.0	0.77	-200.0	18.0	120.0	0.7	11.7	-5.0	-1.0	12.0	3.6	-4.0
21697S	3.1	5.0	-4.0	0.42	-200.0	6.0	100.0	12.0	9.3	-5.0	2.0	7.3	2.3	4.0
21698S	3.3	9.0	4.0	0.93	200.0	14.0	110.0	3.7	12.2	-5.0	-1.0	11.0	2.9	-6.0
21704S	3.8	8.0	5.0	0.86	-200.0	14.0	150.0	2.3	12.0	-5.0	-1.0	15.0	3.5	-6.0
21705S	4.7	9.0	-4.0	1.30	-300.0	14.0	50.0	1.2	17.7	-5.0	1.0	13.0	4.0	-4.0
21714S	2.8	8.0	-4.0	0.64	-200.0	6.0	100.0	2.1	8.9	-5.0	1.0	10.0	3.7	17.0
21717S	3.4	9.0	-4.0	0.93	-200.0	10.0	120.0	1.1	11.3	-5.0	1.0	17.0	5.8	-6.0
21718S	3.5	9.0	-4.0	0.89	-200.0	12.0	160.0	2.9	12.4	-5.0	-1.0	15.0	5.2	-7.0
21720S	2.7	7.0	-4.0	0.70	-200.0	16.0	100.0	0.7	10.7	-5.0	-1.0	10.0	3.0	-4.0
21721S	3.0	10.0	-4.0	1.40	-300.0	18.0	60.0	0.7	12.2	-7.0	3.0	33.0	187.0	-14.0
21722S	3.7	4.0	28.0	0.89	-300.0	34.0	200.0	1.8	10.7	-5.0	2.0	24.0	104.0	-11.0
21724S	3.2	10.0	-4.0	0.66	-200.0	38.0	100.0	3.5	10.6	6.0	-1.0	14.0	3.5	-6.0
21729S	3.1	9.0	-4.0	0.73	-200.0	10.0	90.0	1.6	11.0	-5.0	2.0	7.4	2.5	66.0
21731S	3.4	11.0	-4.0	1.00	-200.0	12.0	140.0	2.4	11.9	-7.0	2.0	16.0	4.0	6.0
21733S	3.7	6.0	-5.0	0.63	-300.0	26.0	150.0	1.0	13.9	-7.0	-2.0	15.0	5.1	-4.0
21734S	3.3	13.0	-4.0	1.50	-200.0	24.0	120.0	1.4	10.9	-6.0	4.0	36.0	70.0	16.0
21741S	4.0	7.0	4.0	0.82	-200.0	40.0	130.0	1.3	13.2	-5.0	-1.0	15.0	3.1	-4.0
21743S	4.6	10.0	6.0	0.90	-200.0	6.0	50.0	12.0	13.6	-5.0	1.0	8.9	2.3	-9.0
21747S	2.9	14.0	-4.0	1.30	-200.0	16.0	130.0	0.4	11.7	-5.0	3.0	43.0	62.2	-10.0
21748S	3.7	9.0	-4.0	1.20	-200.0	10.0	100.0	1.3	12.1	-5.0	2.0	14.0	5.0	-4.0
21749S	3.0	12.0	-4.0	1.20	-300.0	96.0	200.0	1.0	12.3	5.0	-2.0	100.0	299.0	-14.0
21751S	5.2	9.0	4.0	0.66	-200.0	10.0	250.0	1.5	16.4	-5.0	1.0	17.0	4.4	-7.0
21752S	3.3	8.0	-4.0	0.88	-200.0	10.0	110.0	1.1	10.8	-5.0	1.0	13.0	3.7	-6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
21671S	92.0	64.0	102.0	7.0	2.8	3.5	0.5
21675S	160.0	54.0	91.0	5.3	1.5	2.7	0.4
21680S	65.0	31.0	56.0	3.1	0.5	1.8	0.3
21685S	89.0	46.0	82.0	6.6	1.2	4.0	0.7
21686S	89.0	54.0	105.0	9.2	1.8	4.0	0.6
21687S	270.0	53.0	93.0	6.4	1.8	2.8	0.4
21691S	73.0	41.0	65.0	4.8	2.1	2.3	0.3
21693S	66.0	47.0	75.0	5.4	1.7	2.6	0.5
21697S	87.0	24.0	45.0	2.8	0.9	1.7	0.2
21698S	64.0	38.0	66.0	6.7	1.2	2.5	0.4
21704S	80.0	49.0	82.0	8.1	1.5	2.3	0.4
21705S	98.0	54.0	105.0	6.3	2.7	3.0	0.4
21714S	56.0	36.0	63.0	5.8	1.2	2.2	0.4
21717S	83.0	47.0	78.0	5.2	1.1	3.4	0.5
21718S	71.0	49.0	86.0	7.8	1.6	2.5	0.4
21720S	91.0	39.0	72.0	5.1	1.7	2.7	0.4
21721S	81.0	100.0	169.0	18.1	1.6	5.4	-0.1
21722S	96.0	44.0	80.0	10.0	1.2	4.0	1.6
21724S	160.0	47.0	75.0	8.2	1.5	2.9	0.4
21729S	53.0	32.0	54.0	5.5	0.8	2.3	0.4
21731S	59.0	51.0	85.0	8.0	1.4	3.2	0.7
21733S	85.0	51.0	78.0	8.9	1.6	2.7	0.4
21734S	87.0	83.0	144.0	13.1	1.2	5.3	0.7
21741S	150.0	51.0	103.0	6.2	1.5	2.8	0.5
21743S	67.0	35.0	67.0	6.8	1.1	2.9	0.5
21747S	66.0	104.0	174.0	16.8	1.0	6.1	1.5
21748S	66.0	46.0	83.0	7.5	0.7	2.8	0.5
21749S	580.0	170.0	294.0	40.5	1.1	18.9	5.0
21751S	120.0	63.0	101.0	6.1	1.3	3.7	0.5
21752S	75.0	40.0	69.0	6.8	0.8	2.4	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
21763S	65.407	146.367	B-5	7	7	29	0	-0.5	19.0	-10.0	600.0	-1.6	13.0	70.0	6.0	19.0
21764S	65.682	146.960	C-6	10	4	20	0	-0.5	14.0	-5.0	1900.0	0.5	17.0	70.0	3.0	73.0
21765S	65.365	146.163	B-5	6	8	7	0	-0.5	35.0	-7.0	500.0	-1.1	23.0	80.0	4.0	43.0
21770S	65.465	146.299	B-5	7	7	3	0	-0.5	14.0	-8.0	400.0	-1.8	15.0	40.0	8.0	18.0
21772S	65.701	146.743	C-6	10	5	17	0	-0.5	7.0	-5.0	800.0	-0.5	15.0	70.0	7.0	20.0
21776S	65.488	145.855	B-4	8	9	27	0	-0.5	40.0	-7.0	300.0	-1.3	13.0	60.0	3.0	25.0
21781S	65.629	146.679	C-6	9	5	10	0	0.5	-2.0	-6.0	300.0	1.9	-5.0	10.0	8.0	24.0
21785S	65.522	146.408	C-5	8	6	13	0	-0.5	19.0	-8.0	600.0	-1.1	11.0	60.0	3.0	23.0
21789S	65.538	146.614	C-6	8	5	7	0	-0.5	7.0	-10.0	800.0	-1.3	11.0	90.0	4.0	18.0
21799S	65.669	146.668	C-6	10	5	27	5	-0.5	12.0	-7.0	600.0	-1.2	18.0	90.0	10.0	40.0
21802S	65.418	146.486	B-5	7	6	22	0	-0.5	5.0	-8.0	400.0	-1.8	5.0	40.0	16.0	10.0
21806S	65.400	146.352	B-5	7	7	29	0	-0.5	11.0	-6.0	300.0	-1.0	6.0	30.0	5.0	13.0
21810S	65.703	146.611	C-6	10	4	12	0	-0.5	20.0	-5.0	1300.0	1.1	29.0	210.0	4.0	53.0
21819S	65.417	146.766	B-6	7	5	19	-1	-0.5	5.0	-5.0	400.0	-0.5	7.0	40.0	4.0	8.0
21834S	65.499	146.059	B-5	8	8	23	0	-0.5	45.0	-8.0	600.0	-1.1	13.0	60.0	4.0	30.0
21836S	65.422	146.239	B-5	7	7	23	0	-0.5	5.0	-5.0	600.0	-1.2	13.0	60.0	2.0	19.0
21838S	65.556	146.867	C-6	8	4	3	0	-0.5	6.0	-9.0	900.0	-1.5	19.0	100.0	7.0	18.0
21839S	65.539	146.578	C-6	8	6	7	0	-0.5	4.0	-9.0	600.0	-1.3	16.0	70.0	2.0	15.0
21843S	65.481	146.449	B-5	8	6	33	0	-0.5	50.0	-10.0	600.0	-1.3	25.0	80.0	11.0	49.0
21850S	65.419	146.325	B-5	7	7	21	0	-0.5	11.0	-11.0	600.0	1.8	8.0	80.0	3.0	16.0
21855S	65.703	146.708	C-6	10	5	9	0	-0.5	8.0	-5.0	1500.0	-0.5	18.0	80.0	7.0	26.0
21858S	65.597	146.581	C-6	9	6	19	0	-0.5	5.0	-11.0	400.0	-2.1	14.0	90.0	3.0	25.0
21860S	65.394	146.742	B-6	7	5	33	0	-0.5	9.0	-12.0	900.0	-1.7	21.0	90.0	4.0	11.0
21866S	65.584	146.643	C-6	9	5	26	0	-0.5	5.0	-9.0	600.0	-1.7	14.0	80.0	3.0	39.0
21871S	65.498	146.960	B-6	8	4	29	0	-0.5	5.0	-10.0	1000.0	-2.0	12.0	90.0	4.0	18.0
21880S	65.488	146.959	B-6	8	4	29	0	-0.5	10.0	-10.0	800.0	-2.2	15.0	80.0	5.0	15.0
21881S	65.691	146.830	C-6	10	4	13	0	-0.5	-2.0	13.0	1000.0	1.0	17.0	110.0	8.0	29.0
21888S	65.653	146.812	C-6	10	4	30	0	0.5	14.0	15.0	700.0	-1.5	22.0	100.0	12.0	46.0
21889S	65.680	146.968	C-6	10	4	20	0	-0.5	5.0	-5.0	1800.0	0.9	14.0	90.0	3.0	38.0
21892S	65.429	146.728	B-6	7	5	16	0	-0.5	11.0	-5.0	600.0	-0.5	10.0	50.0	6.0	11.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
21763S	3.4	6.0	-4.0	1.10	-200.0	16.0	150.0	1.5	12.1	-5.0	-1.0	16.0	5.8	15.0
21764S	3.8	4.0	11.0	0.39	-200.0	16.0	90.0	3.0	10.4	-5.0	-1.0	7.1	5.1	-5.0
21765S	4.2	7.0	-4.0	0.69	-200.0	18.0	130.0	11.0	14.6	-5.0	-1.0	9.4	3.9	-4.0
21770S	2.5	8.0	-4.0	1.30	-200.0	14.0	220.0	0.5	9.3	-5.0	2.0	21.0	22.2	9.0
21772S	3.5	11.0	-4.0	1.00	-200.0	23.0	200.0	1.0	12.8	-5.0	1.0	30.0	5.3	12.0
21776S	3.3	5.0	6.0	0.44	-200.0	10.0	60.0	0.5	10.4	-5.0	-1.0	9.1	2.4	7.0
21781S	2.1	11.0	4.0	2.10	-200.0	130.0	710.0	0.4	5.4	-5.0	2.0	79.0	33.4	7.0
21785S	3.4	9.0	-4.0	0.94	-200.0	14.0	110.0	3.4	10.7	-5.0	1.0	13.0	4.4	9.0
21789S	3.5	10.0	-4.0	0.95	-200.0	12.0	90.0	0.5	13.8	-5.0	-1.0	11.0	4.3	-8.0
21793S	4.0	8.0	6.0	0.89	-200.0	17.0	140.0	0.3	12.2	-5.0	-1.0	13.0	3.2	-4.0
21802S	1.9	6.0	-4.0	2.20	-200.0	14.0	420.0	0.4	8.0	11.0	5.0	24.0	10.8	7.0
21806S	2.2	6.0	-4.0	0.87	-200.0	10.0	120.0	0.8	5.1	-5.0	2.0	10.0	5.0	6.0
21810S	6.1	5.0	5.0	0.61	-200.0	20.0	120.0	3.7	12.7	-5.0	1.0	12.0	3.1	7.0
21813S	2.8	30.0	-4.0	1.10	-200.0	4.0	120.0	1.4	7.8	-5.0	3.0	33.0	13.2	10.0
21834S	3.9	9.0	-4.0	0.50	-200.0	14.0	70.0	3.7	12.4	-5.0	1.0	12.0	3.5	9.0
21836S	3.1	10.0	-4.0	1.00	-200.0	10.0	130.0	1.0	11.0	-5.0	-1.0	13.0	4.7	-6.0
21838S	3.9	8.0	-4.0	1.10	-200.0	36.0	190.0	0.7	13.1	-5.0	-1.0	14.0	3.5	-4.0
21839S	4.1	6.0	-4.0	0.93	200.0	10.0	150.0	0.7	12.1	-5.0	2.0	11.0	2.3	-8.0
21843S	3.1	8.0	-4.0	1.00	-200.0	14.0	200.0	1.0	13.2	-5.0	1.0	22.0	20.2	16.0
21850S	3.5	6.0	-5.0	1.10	200.0	12.0	90.0	1.0	13.0	-5.0	3.0	14.0	4.8	-9.0
21855S	3.0	8.0	-4.0	0.32	-200.0	6.0	240.0	2.7	15.9	-5.0	1.0	16.0	3.2	-7.0
21858S	3.9	7.0	-5.0	0.76	-300.0	24.0	160.0	0.4	14.8	-7.0	-2.0	15.0	5.7	-4.0
21860S	4.0	8.0	-4.0	1.00	-200.0	14.0	70.0	0.9	14.8	-5.0	1.0	13.0	4.7	-10.0
21866S	3.7	7.0	-5.0	0.56	-200.0	24.0	130.0	0.7	13.4	-6.0	-1.0	15.0	3.1	-4.0
21871S	3.2	7.0	-5.0	0.78	-300.0	24.0	120.0	0.6	13.6	-6.0	-2.0	14.0	3.5	-4.0
21880S	3.4	7.0	-5.0	0.71	-300.0	22.0	130.0	0.7	13.2	-6.0	3.0	13.0	2.4	-4.0
21881S	3.8	8.0	-4.0	1.00	-200.0	18.0	140.0	1.1	13.7	-5.0	1.0	12.0	3.4	-8.0
21888S	3.9	7.0	11.0	1.00	-200.0	170.0	170.0	1.0	14.5	-5.0	-1.0	16.0	6.8	-4.0
21889S	3.5	6.0	4.0	0.72	-200.0	12.0	80.0	1.6	12.1	-5.0	1.0	7.5	3.8	-6.0
21892S	3.1	11.0	-4.0	1.20	-200.0	8.0	130.0	1.6	9.7	-5.0	1.0	16.0	12.0	-6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
21763S	66.0	61.0	105.0	9.2	1.7	3.5	0.6
21764S	97.0	34.0	49.0	3.4	1.3	2.0	0.3
21765S	90.0	39.0	70.0	4.9	1.0	2.7	0.4
21770S	78.0	45.0	84.0	8.6	1.2	4.4	0.9
21772S	140.0	75.0	124.0	7.8	0.9	4.9	0.6
21776S	61.0	32.0	62.0	5.8	1.2	2.3	0.4
21781S	490.0	81.0	165.0	11.1	-0.8	11.7	1.7
21785S	74.0	45.0	82.0	6.9	1.5	2.8	0.4
21789S	73.0	42.0	72.0	7.6	1.6	2.9	0.4
21799S	330.0	57.0	95.0	6.3	2.0	2.6	0.4
21802S	44.0	45.0	87.0	10.0	0.7	5.5	1.1
21806S	390.0	29.0	48.0	4.8	0.8	2.5	0.4
21810S	170.0	45.0	72.0	4.2	1.1	1.9	0.3
21819S	45.0	91.0	146.0	8.5	0.9	6.8	0.9
21834S	60.0	42.0	75.0	7.4	1.5	3.1	0.4
21836S	76.0	42.0	70.0	7.1	1.4	2.5	0.4
21838S	140.0	52.0	87.0	6.0	1.7	2.9	0.4
21839S	63.0	41.0	65.0	6.4	1.3	2.4	0.4
21843S	140.0	64.0	111.0	9.9	1.0	3.7	0.8
21850S	44.0	48.0	77.0	7.2	1.4	2.7	0.4
21855S	120.0	60.0	100.0	6.1	1.8	3.4	0.4
21858S	80.0	53.0	92.0	9.0	1.3	3.5	0.6
21860S	70.0	47.0	83.0	7.6	2.2	3.2	0.6
21866S	110.0	44.0	71.0	7.5	1.2	2.9	0.5
21871S	87.0	51.0	82.0	8.5	1.6	2.8	0.4
21880S	83.0	53.0	86.0	8.6	1.7	2.5	0.4
21881S	84.0	47.0	77.0	5.3	1.9	2.4	0.4
21888S	190.0	57.0	116.0	8.5	2.2	3.8	0.6
21889S	100.0	33.0	51.0	3.4	1.0	2.1	0.3
21892S	54.0	48.0	76.0	4.9	0.9	3.3	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Lc	Lr	Ls	Lu
219015	65.594	146.422	C-5	9	6	24	0	-0.5	23.0	-10.0	700.0	3.7	12.0	70.0	8.0	13.0
219025	65.699	146.728	C-6	10	5	16	0	-0.5	10.0	-6.0	1100.0	0.6	15.0	100.0	6.0	11.0
219035	65.619	146.575	C-6	9	6	7	0	-0.5	13.0	-11.0	700.0	-1.5	15.0	80.0	6.0	31.0
219055	65.467	146.061	B-5	7	8	3	0	-0.5	41.0	6.0	400.0	-0.5	11.0	40.0	2.0	32.0
219065	65.519	145.851	C-4	8	9	14	0	-0.5	3.0	-7.0	300.0	-0.9	25.0	30.0	1.0	12.0
219065	65.424	145.981	B-4	7	9	19	0	-0.5	32.0	-3.0	500.0	-1.3	13.0	60.0	6.0	45.0
219195	65.478	146.055	B-5	8	8	30	0	0.5	3.0	-15.0	1100.0	2.7	7.0	30.0	-2.0	1.0
219205	65.485	146.231	B-5	8	7	23	0	-0.5	13.0	-3.0	600.0	1.4	14.0	60.0	5.0	18.0
219215	65.572	146.525	C-6	10	6	21	0	-0.5	11.0	-12.0	1000.0	-2.3	33.0	80.0	5.0	18.0
219255	65.700	146.628	C-6	10	5	13	0	-0.5	11.0	-5.0	500.0	-1.1	15.0	80.0	9.0	23.0
219305	65.406	146.452	B-5	7	6	26	0	-0.5	13.0	-3.0	700.0	-1.4	11.0	70.0	10.0	23.0
219325	65.535	146.583	C-6	8	6	7	0	-0.5	-1.0	11.0	500.0	-1.6	13.0	70.0	2.0	16.0
219335	65.546	146.346	C-5	8	7	5	0	-0.5	15.0	-3.0	700.0	-2.0	7.0	70.0	3.0	13.0
219355	65.451	146.364	C-5	7	7	3	0	-0.5	14.0	-6.0	600.0	-1.6	9.0	50.0	12.0	20.0
219365	65.458	145.636	B-6	7	5	1	0	0.5	14.0	-5.0	500.0	0.8	10.0	40.0	6.0	11.0
219395	65.523	146.664	C-6	8	4	14	0	-0.5	7.0	-8.0	700.0	2.3	17.0	80.0	6.0	17.0
219405	65.551	146.270	C-5	8	7	3	0	-0.5	20.0	-8.0	600.0	-1.2	13.0	60.0	3.0	19.0
219415	65.552	146.335	C-5	8	7	6	0	2.0	310.0	-14.0	1100.0	-1.8	14.0	100.0	11.0	47.0
219455	65.521	145.083	C-5	8	8	13	0	-0.5	15.0	-7.0	500.0	-1.0	10.0	50.0	3.0	17.0
219545	65.458	145.523	B-6	5	6	23	0	-0.5	17.0	-10.0	600.0	-1.6	10.0	50.0	6.0	11.0
219575	65.688	146.827	C-6	10	4	13	0	-0.5	4.0	6.0	1000.0	-0.5	21.0	90.0	7.0	26.0
219595	65.460	145.363	B-5	7	7	5	0	-0.5	14.0	-3.0	400.0	-1.3	8.0	30.0	13.0	13.0
219675	65.456	145.674	B-6	7	5	11	0	-0.5	10.0	-5.0	500.0	-0.5	10.0	40.0	5.0	13.0
219725	65.565	146.687	C-6	9	5	34	0	-0.5	7.0	-11.0	1000.0	2.4	13.0	90.0	4.0	24.0
219755	65.400	146.766	B-6	7	5	33	-12	-0.5	8.0	-5.0	600.0	-1.3	9.0	50.0	10.0	11.0
219765	65.655	146.736	C-6	10	5	32	0	-0.5	8.0	-11.0	600.0	-2.7	6.0	60.0	6.0	11.0
219775	65.421	145.990	B-4	7	9	13	0	-0.5	33.0	-3.0	400.0	1.8	15.0	70.0	6.0	58.0
219795	65.606	146.342	C-5	9	7	17	0	-0.5	15.0	-3.0	800.0	-1.4	16.0	80.0	5.0	24.0
219805	65.515	146.305	C-5	8	7	18	0	-0.5	10.0	-7.0	600.0	-1.1	9.0	60.0	2.0	17.0
219875	65.508	145.536	C-4	8	5	20	0	-0.5	8.0	-5.0	700.0	1.5	33.0	80.0	3.0	17.0

station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Sn	Th	U	W
219015	3.1	14.0	-4.0	1.60	-300.0	16.0	190.0	0.6	11.3	-10.0	4.0	30.0	24.6	31.0
219025	3.7	7.0	-4.0	0.58	-200.0	12.0	130.0	3.5	13.3	-5.0	-1.0	11.0	3.1	-7.0
219035	4.4	8.0	-4.0	0.67	-200.0	30.0	150.0	1.3	13.4	-7.0	-1.0	18.0	3.1	-9.0
219045	3.2	7.0	-4.0	0.39	200.0	16.0	90.0	2.9	9.5	-5.0	1.0	10.0	4.1	-5.0
219065	3.9	7.0	-4.0	0.51	-200.0	4.0	90.0	12.0	10.4	-5.0	-1.0	7.9	2.3	-6.0
219085	3.5	8.0	-4.0	0.47	-200.0	24.0	90.0	2.6	11.1	-7.0	-1.0	8.8	2.0	110.0
219195	38.0	7.0	-4.0	0.09	-300.0	12.0	-60.0	1.7	15.3	15.0	-1.0	38.0	18.7	23.0
219205	3.5	8.0	-4.0	0.93	-200.0	10.0	150.0	0.9	11.3	-5.0	1.0	15.0	12.0	12.0
219215	4.2	7.0	-5.0	0.94	-300.0	24.0	90.0	1.9	14.0	-7.0	-2.0	15.0	4.0	-5.0
219235	4.3	8.0	6.0	0.75	-200.0	32.0	160.0	0.3	15.4	-5.0	-1.0	15.0	4.5	4.0
219305	3.0	10.0	-4.0	0.88	-200.0	22.0	100.0	0.7	11.5	-6.0	-1.0	12.0	11.6	-7.0
219325	3.7	8.0	-5.0	1.00	-200.0	12.0	130.0	0.7	12.0	-5.0	3.0	13.0	5.0	-9.0
219335	2.9	8.0	-4.0	1.30	-200.0	18.0	100.0	7.5	11.5	-5.0	-2.0	14.0	3.4	-4.0
219355	2.9	7.0	-4.0	1.30	-200.0	14.0	270.0	3.7	9.9	-5.0	3.0	19.0	16.5	7.0
219385	2.7	10.0	-4.0	1.30	-200.0	8.0	110.0	1.9	8.7	-5.0	1.0	16.0	13.5	-5.0
219395	3.9	9.0	7.0	0.77	-200.0	18.0	130.0	0.9	14.4	-5.0	-1.0	16.0	3.9	-4.0
219405	3.3	10.0	-4.0	0.93	-200.0	12.0	130.0	3.5	10.8	-5.0	2.0	14.0	5.9	11.0
219415	4.4	7.0	-4.0	0.71	-300.0	190.0	220.0	2.5	14.9	-8.0	-2.0	19.0	7.4	-5.0
219455	2.8	8.0	-4.0	0.85	-200.0	6.0	130.0	1.1	9.1	-5.0	-1.0	13.0	5.2	-5.0
219545	3.1	12.0	-4.0	1.03	-200.0	15.0	190.0	1.7	9.5	-5.0	4.0	35.0	15.2	16.0
219575	3.9	6.0	-4.0	0.72	-200.0	16.0	160.0	0.7	13.0	-5.0	-1.0	14.0	3.2	8.0
219645	2.8	4.0	-4.0	1.80	-200.0	10.0	460.0	0.8	8.5	-5.0	2.0	20.0	20.8	10.0
219675	2.7	7.0	-4.0	1.10	-200.0	8.0	140.0	1.2	8.5	-5.0	1.0	14.0	10.6	-5.0
219725	3.3	6.0	-6.0	0.77	-300.0	22.0	110.0	0.5	14.0	-10.0	-2.0	14.0	4.6	-5.0
219755	2.7	8.0	-4.0	1.30	-200.0	10.0	190.0	1.7	9.5	-5.0	2.0	16.0	9.4	-7.0
219765	2.9	18.0	-4.0	1.90	-300.0	40.0	370.0	0.3	10.9	-11.0	4.0	100.0	34.1	5.0
219775	3.7	7.0	-5.0	0.56	-200.0	14.0	80.0	2.3	12.3	-8.0	-1.0	9.3	2.6	42.0
219795	3.2	9.0	-4.0	0.93	-200.0	10.0	120.0	0.6	11.9	-5.0	-1.0	13.0	3.9	-7.0
219805	2.9	9.0	-4.0	1.00	-200.0	10.0	90.0	1.3	9.6	-5.0	1.0	13.0	4.3	-6.0
219875	3.7	9.0	5.0	0.96	-200.0	12.0	90.0	1.2	11.0	-5.0	2.0	12.0	3.6	-7.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
21901S	73.0	73.0	126.0	11.3	1.6	6.1	1.2
21902S	64.0	45.0	70.0	4.7	1.1	2.8	0.3
21903S	120.0	58.0	104.0	9.9	1.4	4.0	0.6
21905S	60.0	35.0	63.0	6.0	0.7	2.3	0.4
21906S	47.0	30.0	52.0	4.9	1.4	1.9	0.3
21908S	79.0	31.0	55.0	5.4	-0.5	2.2	0.4
21919S	17.0	84.0	180.0	39.2	7.6	22.8	3.4
21920S	78.0	44.0	79.0	7.6	0.7	3.0	0.6
21921S	76.0	56.0	101.0	10.4	1.5	2.9	0.5
21925S	260.0	60.0	120.0	6.5	2.1	3.3	0.4
21930S	86.0	49.0	75.0	8.2	1.6	2.5	0.5
21932S	56.0	48.0	83.0	7.5	-0.2	2.5	0.5
21933S	80.0	48.0	76.0	7.6	1.6	2.6	0.4
21935S	110.0	38.0	70.0	7.5	0.6	3.9	0.7
21936S	50.0	45.0	72.0	4.6	0.6	3.4	0.5
21939S	98.0	59.0	118.0	7.1	-0.2	3.0	0.5
21940S	65.0	47.0	75.0	7.5	1.3	2.8	0.5
21941S	390.0	58.0	85.0	9.8	2.7	3.6	0.6
21945S	62.0	36.0	63.0	5.8	0.9	2.1	0.4
21954S	55.0	79.0	129.0	11.4	0.9	4.8	0.9
21957S	110.0	51.0	82.0	5.1	1.0	2.6	0.4
21964S	62.0	39.0	66.0	7.4	-0.4	4.8	0.8
21967S	58.0	40.0	65.0	5.9	0.8	2.6	0.4
21972S	79.0	45.0	79.0	7.6	-0.8	2.7	0.4
21975S	60.0	42.0	70.0	7.1	1.3	3.5	0.5
21976S	180.0	156.0	297.0	27.2	1.7	14.3	2.4
21977S	100.0	36.0	59.0	6.5	1.3	2.7	0.4
21979S	77.0	46.0	77.0	8.1	1.1	2.8	0.5
21980S	66.0	42.0	72.0	6.6	0.8	2.6	0.4
21987S	55.0	41.0	78.0	7.0	0.9	2.5	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
219885	65.668	146.924	C-6	10	4	28	0	-0.5	7.0	-5.0	1000.0	1.0	15.0	70.0	6.0	20.0
219895	65.435	145.893	B-4	7	9	16	0	-0.5	67.0	12.0	500.0	-0.9	16.0	50.0	5.0	37.0
219945	65.705	146.611	C-6	10	5	12	0	-0.5	8.0	-8.0	800.0	-1.3	15.0	70.0	6.0	31.0
219985	65.612	146.882	C-6	9	4	15	0	0.5	11.0	-5.0	800.0	-1.9	7.0	60.0	7.0	15.0
219995	65.462	145.691	B-4	7	9	4	0	-0.5	140.0	43.0	600.0	-1.6	21.0	100.0	10.0	110.0
220025	65.573	146.938	C-6	9	4	28	0	0.5	11.0	12.0	900.0	-1.3	16.0	100.0	12.0	33.0
220045	65.704	146.468	C-5	10	6	10	0	-0.5	9.0	13.0	800.0	-1.6	12.0	90.0	3.0	20.0
220075	65.562	146.919	C-6	8	4	3	0	-0.5	5.0	7.0	900.0	-1.7	16.0	90.0	11.0	21.0
220085	65.376	146.045	B-5	6	8	2	0	-0.5	12.0	-7.0	600.0	-1.1	24.0	80.0	2.0	44.0
220125	65.681	146.943	C-6	10	4	21	0	1.0	11.0	-5.0	1400.0	0.8	14.0	60.0	3.0	77.0
220145	65.490	146.954	B-6	8	4	28	0	-0.5	5.0	-9.0	700.0	-1.9	10.0	70.0	4.0	14.0
220185	65.533	146.573	C-6	8	6	8	0	-0.5	14.0	-14.0	1300.0	-2.4	19.0	60.0	9.0	10.0
220205	65.429	146.631	B-6	7	5	13	0	-0.5	12.0	-9.0	500.0	-1.4	8.0	50.0	12.0	15.0
220305	65.630	146.477	C-5	9	6	3	0	-0.5	6.0	-5.0	600.0	-1.2	11.0	60.0	2.0	20.0
220325	65.628	146.691	C-6	9	5	10	0	1.0	7.0	-5.0	400.0	-0.9	-5.0	10.0	10.0	22.0
220375	65.706	146.511	C-6	10	6	9	0	-0.5	6.0	-5.0	800.0	1.5	15.0	80.0	5.0	19.0
220465	65.680	146.945	C-6	10	4	21	0	0.5	13.0	8.0	1200.0	0.6	8.0	70.0	5.0	77.0
220485	65.637	146.808	C-6	9	4	1	0	-0.5	5.0	-6.0	800.0	1.4	12.0	70.0	3.0	16.0
220495	65.651	146.562	C-6	10	6	31	0	-0.5	4.0	-11.0	700.0	-1.7	16.0	100.0	6.0	22.0
220535	65.601	146.208	C-5	9	7	13	0	-0.5	8.0	-8.0	600.0	-1.2	11.0	60.0	3.0	19.0
220645	65.620	146.674	C-6	9	5	10	0	-0.5	11.0	-6.0	700.0	-1.1	12.0	60.0	9.0	26.0
220665	65.472	146.060	B-5	8	8	34	0	-0.5	45.0	-7.0	400.0	-0.9	11.0	50.0	2.0	29.0
220745	65.400	146.793	B-6	7	5	30	0	-0.5	8.0	-9.0	800.0	-1.3	10.0	80.0	3.0	12.0
220755	65.587	146.433	C-5	9	8	23	10	-0.5	17.0	-8.0	600.0	-1.8	10.0	70.0	7.0	18.0
220815	65.710	146.431	C-5	10	6	10	0	-0.5	6.0	-8.0	900.0	3.1	19.0	110.0	2.0	17.0
220825	65.474	145.770	B-4	8	10	3	0	-0.5	31.0	-3.0	400.0	-1.4	10.0	50.0	2.0	14.0
220855	65.613	146.951	C-6	9	4	17	0	1.5	13.0	-7.0	800.0	-1.2	19.0	120.0	18.0	43.0
220865	65.420	146.039	B-5	7	8	23	0	-0.5	120.0	23.0	400.0	-1.1	14.0	60.0	11.0	130.0
220965	65.455	145.915	B-4	7	9	9	0	-0.5	63.0	22.0	700.0	-1.3	13.0	90.0	6.0	73.0
220985	65.671	146.408	C-5	10	6	23	0	-0.5	6.0	-9.0	700.0	1.3	9.0	60.0	1.0	13.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
21988S	3.1	9.0	-4.0	0.61	-200.0	6.0	130.0	0.6	13.5	-5.0	-1.0	13.0	2.5	-6.0
21989S	3.6	5.0	-4.0	0.47	-200.0	12.0	120.0	3.9	12.2	-5.0	-1.0	9.9	2.1	-4.0
21994S	3.7	8.0	-4.0	0.76	-200.0	52.0	150.0	0.7	12.0	-5.0	1.0	13.0	4.8	-7.0
21998S	2.9	16.0	-4.0	1.90	300.0	48.0	300.0	0.5	11.5	-5.0	2.0	93.0	53.7	9.0
21999S	4.1	5.0	-4.0	0.77	-200.0	16.0	120.0	1.6	15.1	-5.0	-1.0	11.0	3.7	8.0
22002S	3.5	9.0	-4.0	0.75	-200.0	70.0	220.0	1.0	14.2	-5.0	-1.0	12.0	5.2	-4.0
22004S	3.4	6.0	-4.0	1.20	-200.0	10.0	80.0	1.0	12.9	-5.0	-1.0	9.4	2.7	-4.0
22007S	3.7	8.0	-4.0	0.89	-300.0	24.0	170.0	0.6	15.2	5.0	-1.0	14.0	4.5	-4.0
22008S	4.5	7.0	-4.0	0.82	-200.0	14.0	70.0	4.1	12.8	-5.0	-1.0	9.3	4.4	-4.0
22012S	3.7	4.0	6.0	0.45	-200.0	20.0	30.0	0.4	10.4	-5.0	1.0	6.2	4.0	-6.0
22014S	3.2	7.0	-4.0	0.75	-200.0	20.0	50.0	0.3	12.3	-5.0	-2.0	13.0	4.5	-4.0
22018S	2.9	9.0	28.0	1.30	-300.0	16.0	150.0	0.6	19.6	-6.0	3.0	29.0	153.0	-11.0
22020S	2.6	9.0	-4.0	1.70	-200.0	10.0	310.0	0.6	6.9	-6.0	5.0	29.0	15.4	29.0
22030S	3.1	9.0	-4.0	0.75	-200.0	12.0	170.0	0.5	10.7	-5.0	-1.0	13.0	4.2	-6.0
22032S	2.4	11.0	5.0	2.30	-200.0	100.0	750.0	0.3	6.1	-5.0	3.0	84.0	38.4	6.0
22037S	3.2	8.0	-4.0	1.20	-200.0	20.0	80.0	0.8	13.1	-5.0	-1.0	10.0	3.4	-4.0
22046S	2.6	5.0	7.0	0.57	-200.0	15.0	80.0	2.2	9.7	-5.0	-1.0	7.6	5.0	-5.0
22048S	3.1	9.0	5.0	1.50	-200.0	40.0	170.0	0.8	12.7	-5.0	1.0	44.0	12.5	-4.0
22049S	3.6	7.0	-4.0	0.93	300.0	20.0	140.0	0.9	13.1	7.0	1.0	16.0	4.0	-9.0
22053S	2.9	9.0	4.0	0.81	-200.0	16.0	120.0	1.8	10.2	-5.0	-1.0	12.0	2.9	-6.0
22064S	3.4	9.0	-4.0	0.97	-200.0	82.0	280.0	1.2	11.6	-5.0	1.0	35.0	30.3	5.0
22065S	3.2	7.0	-4.0	0.42	-200.0	16.0	80.0	6.4	9.8	-5.0	1.0	9.2	2.7	-6.0
22074S	2.9	10.0	-4.0	1.10	-200.0	10.0	120.0	0.9	11.6	-5.0	2.0	14.0	5.3	9.0
22075S	2.5	9.0	-4.0	1.30	400.0	16.0	150.0	0.5	10.8	-6.0	3.0	16.0	23.0	13.0
22081S	2.9	10.0	-4.0	1.10	-200.0	10.0	100.0	0.5	12.5	-6.0	-1.0	10.0	3.5	-4.0
22082S	2.8	7.0	-4.0	0.63	-200.0	10.0	50.0	26.0	9.1	-5.0	-1.0	9.8	3.1	-4.0
22085S	4.8	7.0	-4.0	0.69	-200.0	250.0	190.0	1.6	19.5	-5.0	-1.0	13.0	5.5	-4.0
22086S	3.6	9.0	4.0	0.37	-200.0	16.0	110.0	3.9	11.3	-5.0	-1.0	10.0	3.2	60.0
22096S	3.5	9.0	-4.0	0.97	-200.0	10.0	110.0	1.4	14.0	-5.0	-1.0	10.0	4.3	21.0
22098S	2.8	8.0	-4.0	1.10	300.0	12.0	60.0	0.7	11.6	-5.0	1.0	10.0	3.0	-7.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
21988S	95.0	44.0	73.0	4.9	1.1	3.1	0.4
21989S	68.0	33.0	52.0	4.0	0.8	1.9	0.3
21994S	280.0	54.0	86.0	8.9	1.5	2.8	0.4
21998S	190.0	135.0	264.0	21.4	-1.1	22.3	3.1
21999S	76.0	40.0	84.0	7.5	2.1	3.0	0.5
22002S	210.0	57.0	91.0	6.1	-0.2	3.0	0.5
22004S	68.0	34.0	58.0	6.1	1.1	2.7	0.4
22007S	170.0	53.0	88.0	6.1	2.2	3.3	0.4
22008S	100.0	39.0	73.0	4.7	0.9	2.8	0.4
22012S	100.0	30.0	47.0	3.5	1.4	2.0	0.3
22014S	70.0	49.0	85.0	7.7	1.7	2.9	0.5
22018S	68.0	84.0	134.0	14.7	2.1	4.8	0.8
22020S	67.0	55.0	98.0	11.1	-0.4	8.1	1.1
22030S	75.0	48.0	86.0	7.9	1.9	2.7	0.4
22032S	470.0	81.0	167.0	11.4	-0.6	12.7	1.8
22037S	98.0	39.0	67.0	4.7	0.7	2.8	0.4
22046S	80.0	35.0	54.0	3.9	1.5	2.2	0.3
22048S	150.0	96.0	166.0	11.1	1.3	7.3	1.0
22049S	92.0	64.0	118.0	10.0	1.7	3.0	0.4
22053S	67.0	40.0	75.0	6.7	1.3	2.5	0.3
22064S	340.0	91.0	156.0	10.1	1.1	5.3	0.9
22066S	59.0	35.0	64.0	6.1	1.1	2.6	0.3
22074S	43.0	47.0	80.0	7.3	1.8	3.2	0.5
22075S	58.0	49.0	77.0	7.7	0.8	3.2	0.7
22081S	61.0	41.0	72.0	6.9	2.0	3.2	0.5
22082S	57.0	35.0	61.0	5.4	1.4	2.5	0.4
22085S	330.0	61.0	107.0	7.2	1.9	3.6	0.5
22086S	77.0	37.0	62.0	6.6	1.9	2.7	0.4
22096S	59.0	40.0	65.0	7.4	1.3	2.9	0.4
22098S	58.0	36.0	61.0	6.0	1.2	2.2	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
221005	65.473	145.935	B-4	8	9	32	0	-0.5	41.0	-6.0	300.0	-0.6	17.0	60.0	6.0	36.0
221015	65.384	146.665	B-6	7	5	30	0	0.5	17.0	-6.0	700.0	-0.9	21.0	70.0	12.0	16.0
221045	65.617	146.867	C-6	9	4	11	0	0.5	19.0	-7.0	700.0	-1.4	7.0	70.0	6.0	14.0
221055	65.518	146.363	C-5	8	7	17	0	-0.5	13.0	-6.0	500.0	-0.8	15.0	70.0	3.0	19.0
221065	65.404	146.406	B-5	7	6	25	0	-0.5	12.0	-12.0	700.0	-2.5	13.0	90.0	6.0	25.0
221135	65.589	146.746	C-6	9	5	20	0	-0.5	14.0	-14.0	1000.0	-3.0	6.0	60.0	9.0	34.0
221175	65.568	146.649	C-6	9	5	35	0	-0.5	5.0	-11.0	600.0	-2.1	13.0	90.0	3.0	30.0
221195	65.481	146.285	B-5	7	7	3	0	-0.5	6.0	-8.0	600.0	-0.9	10.0	70.0	6.0	20.0
221225	65.502	145.947	C-4	8	9	20	0	-0.5	38.0	-6.0	500.0	-0.6	16.0	60.0	5.0	27.0
221315	65.460	146.295	B-5	7	7	3	0	-0.5	10.0	-6.0	700.0	-0.8	16.0	60.0	3.0	19.0
221325	65.437	146.203	B-5	7	7	13	0	-0.5	12.0	10.0	600.0	1.7	14.0	50.0	4.0	19.0
221365	65.515	145.659	C-4	8	10	13	0	-0.5	8.0	-9.0	500.0	-1.3	14.0	60.0	2.0	26.0
221385	65.470	146.275	B-5	8	7	34	0	-0.5	12.0	-8.0	500.0	-0.7	16.0	50.0	8.0	15.0
221405	65.443	146.475	B-5	7	6	10	0	-0.5	23.0	-14.0	500.0	-2.2	8.0	50.0	23.0	11.0
221425	65.459	146.570	B-6	7	6	5	0	-0.5	17.0	-10.0	700.0	-1.7	11.0	60.0	5.0	13.0
221475	65.658	146.932	C-6	10	4	31	0	-0.5	8.0	-5.0	900.0	-0.9	13.0	80.0	7.0	28.0
221525	65.399	146.364	B-5	7	7	29	0	-0.5	16.0	-8.0	500.0	-1.0	6.0	40.0	7.0	14.0
221565	65.562	146.305	C-5	9	7	33	0	-0.5	40.0	-6.0	700.0	-0.6	14.0	50.0	6.0	17.0
221575	65.712	146.314	C-6	10	6	9	0	-0.5	8.0	-5.0	1000.0	-0.9	11.0	50.0	4.0	18.0
221585	65.461	146.341	B-5	7	7	5	0	-0.5	17.0	-8.0	500.0	-1.0	10.0	40.0	14.0	15.0
221605	65.526	146.537	C-6	8	6	16	0	-0.5	9.0	-9.0	600.0	-1.8	6.0	10.0	14.0	4.0
221665	65.395	145.990	B-4	7	8	30	0	-0.5	30.0	10.0	400.0	0.9	20.0	70.0	3.0	53.0
221705	65.529	146.483	C-5	8	6	10	0	-0.5	28.0	-6.0	700.0	-0.9	13.0	60.0	7.0	17.0
221725	65.467	146.843	B-6	7	4	2	0	-0.5	-2.0	-5.0	500.0	-0.5	12.0	70.0	4.0	11.0
221735	65.620	146.863	C-6	9	4	11	0	-0.5	7.0	-5.0	400.0	1.8	-5.0	10.0	7.0	10.0
221775	65.583	146.706	C-6	9	5	26	0	-0.5	11.0	-8.0	600.0	-0.9	28.0	80.0	6.0	25.0
221765	65.490	146.697	B-6	8	5	27	6	-0.5	13.0	-7.0	700.0	2.0	13.0	90.0	9.0	19.0
221795	65.532	145.821	C-4	8	9	11	0	-0.5	9.0	-6.0	700.0	-0.8	12.0	60.0	4.0	17.0
221835	65.599	146.782	C-6	9	5	13	0	-0.5	6.0	8.0	700.0	-2.3	7.0	50.0	7.0	16.0
221875	65.667	146.404	C-5	10	6	25	0	-0.5	6.0	-6.0	500.0	-0.7	13.0	60.0	4.0	26.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
22100S	3.9	5.0	-4.0	0.54	-200.0	6.0	100.0	1.2	12.8	-5.0	-1.0	8.3	2.9	20.0
22101S	3.5	7.0	-4.0	0.98	-200.0	16.0	130.0	1.4	13.0	-5.0	-1.0	11.0	3.1	-4.0
22104S	3.0	15.0	-4.0	1.70	-200.0	52.0	210.0	0.8	12.6	-5.0	2.0	82.0	35.8	14.0
22105S	3.6	7.0	-4.0	1.30	-200.0	10.0	100.0	1.3	13.4	-5.0	-1.0	13.0	4.3	-6.0
22106S	3.4	8.0	-4.0	0.83	-300.0	26.0	130.0	1.0	13.6	-7.0	-2.0	13.0	5.0	-5.0
22113S	3.3	10.0	-4.0	1.00	400.0	76.0	190.0	0.6	12.3	-5.0	3.0	59.0	110.0	-5.0
22117S	3.3	7.0	-4.0	0.58	400.0	13.0	20.0	1.0	13.1	-7.0	-2.0	15.0	3.3	6.0
22119S	3.0	8.0	16.0	1.10	-200.0	12.0	120.0	1.1	12.9	-5.0	1.0	12.0	7.6	-6.0
22122S	4.0	6.0	-4.0	0.49	-200.0	6.0	140.0	1.2	12.5	-5.0	-1.0	9.3	2.6	11.0
22131S	3.9	7.0	-4.0	0.68	-200.0	10.0	100.0	1.2	11.3	-5.0	1.0	12.0	3.5	-5.0
22132S	3.7	9.0	-4.0	1.00	-200.0	12.0	130.0	1.3	13.8	-5.0	1.0	14.0	6.4	-6.0
22136S	3.6	8.0	-4.0	0.70	200.0	13.0	80.0	0.7	12.2	-5.0	-1.0	11.0	2.8	-4.0
22138S	3.3	5.0	-4.0	1.00	-200.0	5.0	200.0	0.6	13.1	-5.0	2.0	16.0	5.9	-5.0
22140S	2.3	5.0	-4.0	1.90	-200.0	20.0	470.0	1.1	9.4	-5.0	6.0	28.0	107.0	15.0
22142S	3.9	11.0	-4.0	1.30	-200.0	14.0	190.0	1.3	12.1	-5.0	3.0	27.0	26.8	-9.0
22147S	3.6	9.0	-4.0	0.88	-200.0	30.0	130.0	0.9	14.0	-5.0	-1.0	14.0	4.3	-4.0
22152S	2.6	7.0	-4.0	1.00	-200.0	12.0	170.0	0.9	7.6	-5.0	1.0	13.0	6.6	-6.0
22156S	3.3	6.0	-4.0	0.81	-200.0	28.0	180.0	3.8	10.8	-5.0	1.0	13.0	5.2	12.0
22157S	3.1	10.0	-4.0	1.10	-200.0	15.0	90.0	1.6	12.8	-5.0	-1.0	10.0	2.9	-4.0
22158S	2.9	4.0	14.0	1.30	-200.0	14.0	420.0	1.0	6.8	-5.0	4.0	17.0	13.3	15.0
22160S	1.9	13.0	-4.0	2.20	-200.0	24.0	330.0	0.3	5.4	-8.0	9.0	56.0	64.8	12.0
22166S	4.4	6.0	-4.0	0.63	-200.0	12.0	120.0	17.0	13.7	-5.0	2.0	7.7	2.2	-4.0
22170S	3.1	9.0	19.0	0.93	-200.0	15.0	140.0	2.2	11.1	-5.0	1.0	16.0	11.2	-6.0
22172S	3.0	10.0	-4.0	1.00	-200.0	12.0	130.0	0.5	12.3	-5.0	1.0	13.0	2.6	-7.0
22175S	2.3	12.0	-4.0	2.30	-200.0	42.0	200.0	0.3	8.3	-5.0	2.0	75.0	33.7	6.0
22177S	3.6	8.0	-4.0	0.87	-200.0	22.0	190.0	1.1	13.7	-5.0	1.0	13.0	4.3	9.0
22178S	3.3	16.0	-4.0	1.20	-200.0	14.0	150.0	1.0	13.1	-5.0	2.0	47.0	12.1	-4.0
22179S	3.3	8.0	8.0	1.20	-200.0	12.0	110.0	1.3	10.1	-5.0	1.0	14.0	3.9	-5.0
22183S	3.0	17.0	69.0	1.90	-200.0	120.0	460.0	1.0	11.7	41.0	5.0	120.0	74.2	20.0
22187S	3.4	7.0	-4.0	1.10	-200.0	10.0	130.0	0.7	12.0	-5.0	-1.0	12.0	6.4	-5.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
22100S	68.0	28.0	53.0	3.5	0.9	2.3	0.3
22101S	110.0	40.0	70.0	4.5	1.0	2.5	0.4
22104S	160.0	112.0	215.0	16.5	1.5	15.7	2.2
22105S	75.0	53.0	62.0	5.7	1.3	2.8	0.4
22106S	74.0	74.0	110.0	13.2	2.0	3.9	0.6
22113S	530.0	122.0	193.0	29.8	-1.0	12.2	2.9
22117S	73.0	49.0	79.0	8.9	1.4	2.8	0.5
22119S	60.0	48.0	78.0	5.4	1.8	2.9	0.4
22122S	60.0	32.0	56.0	3.6	1.0	2.1	0.3
22131S	77.0	42.0	67.0	4.4	0.8	2.0	0.3
22132S	79.0	53.0	82.0	6.0	1.3	3.0	0.4
22136S	53.0	43.0	66.0	6.7	1.3	2.5	0.3
22138S	75.0	41.0	68.0	4.7	1.4	3.0	0.5
22140S	53.0	50.0	90.0	13.3	0.9	6.6	2.1
22142S	65.0	64.0	108.0	11.5	1.4	5.4	1.0
22147S	140.0	50.0	83.0	5.6	2.1	3.3	0.4
22152S	41.0	37.0	60.0	6.0	1.2	2.8	0.5
22156S	99.0	43.0	67.0	4.4	1.1	2.3	0.3
22157S	88.0	42.0	72.0	4.8	1.0	2.9	0.4
22158S	74.0	35.0	70.0	6.5	0.6	3.9	0.7
22160S	52.0	98.0	163.0	14.0	1.1	7.5	1.4
22166S	80.0	33.0	54.0	3.8	1.1	2.0	0.2
22170S	70.0	49.0	77.0	5.2	1.8	3.2	0.5
22172S	58.0	50.0	83.0	5.6	1.4	2.8	0.4
22175S	190.0	104.0	195.0	13.6	-0.7	13.5	1.9
22177S	79.0	51.0	81.0	6.0	-0.2	3.0	0.4
22178S	84.0	113.0	183.0	10.9	-0.8	6.9	0.9
22179S	61.0	44.0	74.0	4.8	1.2	2.2	0.3
22183S	250.0	186.0	393.0	30.1	1.0	14.3	2.6
22187S	66.0	45.0	75.0	5.1	1.5	2.8	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
221685	65.470	145.726	B-4	7	10	5	0	-0.5	14.0	-7.0	600.0	-0.8	14.0	80.0	4.0	27.0
221965	65.628	146.853	C-6	9	4	11	0	-0.5	11.0	-11.0	600.0	-1.9	5.0	30.0	5.0	13.0
222025	65.533	146.160	C-5	8	8	8	0	-0.5	12.0	-8.0	900.0	-0.9	19.0	80.0	5.0	20.0
222035	65.661	146.877	C-6	10	4	27	0	-0.5	11.0	-6.0	700.0	-1.2	11.0	50.0	7.0	18.0
222085	65.521	146.955	C-6	8	4	17	0	-0.5	9.0	-6.0	700.0	-0.9	14.0	90.0	6.0	33.0
222135	65.404	146.654	B-6	7	5	26	0	-0.5	18.0	-8.0	500.0	-1.7	8.0	60.0	21.0	18.0
222155	65.393	146.430	B-5	7	6	36	0	-0.5	13.0	-5.0	500.0	-1.4	10.0	50.0	4.0	22.0
222165	65.613	146.885	C-6	9	4	15	0	0.5	12.0	8.0	900.0	-1.1	13.0	70.0	9.0	33.0
222195	65.659	146.623	C-6	10	5	23	0	-0.5	11.0	-10.0	700.0	-1.8	9.0	70.0	6.0	13.0
222245	65.494	146.370	B-5	8	7	29	0	-0.5	12.0	-5.0	600.0	2.6	14.0	60.0	4.0	19.0
222275	65.517	146.158	C-5	8	8	17	0	-0.5	12.0	-7.0	700.0	-0.8	13.0	60.0	4.0	23.0
222315	65.532	146.815	C-6	8	4	12	0	-0.5	8.0	-5.0	500.0	-0.7	16.0	60.0	5.0	16.0
222345	65.653	146.642	C-6	10	5	35	0	-0.5	10.0	20.0	1000.0	3.7	6.0	90.0	6.0	17.0
222355	65.425	146.068	B-5	7	8	22	0	-0.5	63.0	10.0	400.0	-0.6	12.0	50.0	2.0	27.0
222365	65.559	146.826	C-6	9	4	36	0	-0.5	7.0	-7.0	700.0	1.6	19.0	80.0	7.0	18.0
222425	65.431	146.608	B-6	7	6	18	0	-0.5	21.0	-10.0	500.0	-1.6	10.0	40.0	19.0	36.0
222435	65.622	146.905	C-6	9	4	10	0	-0.5	19.0	-6.0	800.0	-0.5	18.0	80.0	10.0	42.0
222475	65.571	146.326	C-5	9	7	29	0	-0.5	14.0	-6.0	700.0	-0.9	23.0	70.0	10.0	36.0
222485	65.560	146.800	C-6	9	5	31	0	-0.5	7.0	14.0	600.0	-1.1	14.0	60.0	6.0	20.0
222505	65.686	146.634	C-6	10	5	23	0	-0.5	14.0	-5.0	700.0	1.5	16.0	70.0	10.0	37.0
222535	65.606	146.969	C-6	9	4	18	0	0.5	13.0	-6.0	700.0	-1.1	16.0	80.0	12.0	48.0
222555	65.402	146.332	B-5	7	7	28	0	-0.5	13.0	-7.0	400.0	-1.0	9.0	40.0	4.0	13.0
222575	65.694	146.867	C-6	10	4	15	0	-0.5	11.0	-5.0	1000.0	-0.6	15.0	80.0	5.0	27.0
222615	65.409	146.561	B-6	7	6	29	0	-0.5	27.0	15.0	800.0	-1.8	13.0	80.0	14.0	23.0
222645	65.486	146.723	B-6	8	5	28	7	-0.5	13.0	-8.0	600.0	1.2	16.0	70.0	11.0	18.0
222655	65.703	146.756	C-6	10	5	8	0	-0.5	6.0	-6.0	1400.0	-0.5	15.0	80.0	7.0	32.0
222665	65.670	146.917	C-6	10	4	28	0	-0.5	5.0	-5.0	1200.0	-0.5	18.0	80.0	8.0	18.0
222705	65.675	146.535	C-6	10	6	20	0	-0.5	6.0	-5.0	700.0	-2.1	8.0	60.0	5.0	15.0
222725	65.472	146.820	B-6	8	4	36	0	-0.5	9.0	9.0	500.0	1.1	14.0	80.0	3.0	15.0
222735	65.391	146.528	B-6	7	6	32	0	-0.5	13.0	-9.0	500.0	-1.5	10.0	60.0	5.0	15.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Ro	Sb	Sc	Se	Ta	Th	U	W
221885	3.9	6.0	5.0	1.00	-200.0	8.0	110.0	6.9	14.6	-5.0	-1.0	9.6	2.7	-6.0
221965	2.3	28.0	-4.0	2.00	-200.0	42.0	440.0	0.4	9.0	5.0	3.0	130.0	52.1	27.0
222025	3.5	8.0	-4.0	0.99	-200.0	14.0	110.0	1.2	13.3	-5.0	1.0	13.0	3.1	-6.0
222035	3.0	15.0	-4.0	1.50	-200.0	48.0	290.0	0.9	11.2	-5.0	1.0	51.0	26.7	10.0
222085	3.6	6.0	-4.0	0.98	-200.0	20.0	60.0	1.2	13.2	-5.0	-1.0	10.0	3.4	-4.0
222135	2.5	6.0	-4.0	1.30	-200.0	18.0	240.0	1.2	9.9	-6.0	-1.0	17.0	29.1	10.0
222155	2.7	8.0	-4.0	0.66	-200.0	16.0	90.0	1.1	8.0	-5.0	-1.0	12.0	2.9	-4.0
222165	3.5	5.0	-4.0	1.20	-200.0	52.0	160.0	1.1	13.2	-5.0	-1.0	30.0	31.2	4.0
222195	3.3	9.0	-4.0	1.30	-200.0	60.0	160.0	0.2	13.6	6.0	-1.0	38.0	10.5	-9.0
222245	3.1	6.0	-4.0	1.10	200.0	10.0	110.0	0.7	10.5	-7.0	-1.0	14.0	4.8	-4.0
222275	3.1	8.0	-4.0	1.10	-200.0	12.0	100.0	1.1	11.1	-5.0	1.0	14.0	7.2	6.0
222315	3.7	6.0	4.0	0.56	-200.0	12.0	100.0	0.6	11.3	-5.0	-1.0	11.0	3.3	-4.0
222345	2.9	13.0	-4.0	1.00	-300.0	40.0	160.0	0.8	12.3	-8.0	3.0	100.0	86.2	-14.0
222355	3.1	7.0	-4.0	0.43	-200.0	33.0	90.0	0.9	9.4	-5.0	1.0	9.3	2.3	6.0
222365	3.4	6.0	-4.0	1.00	-200.0	36.0	150.0	0.9	12.4	-5.0	-1.0	20.0	26.1	5.0
222425	2.9	6.0	-4.0	1.60	-200.0	12.0	410.0	0.9	8.9	-5.0	2.0	20.0	48.6	13.0
222435	4.6	7.0	-4.0	0.53	-200.0	43.0	130.0	2.2	16.0	-5.0	1.0	17.0	4.0	-7.0
222475	3.7	8.0	-4.0	0.74	-200.0	38.0	150.0	1.0	11.9	5.0	-1.0	14.0	4.8	6.0
222485	2.8	5.0	-4.0	0.74	-200.0	34.0	90.0	0.9	10.7	-5.0	-1.0	13.0	19.9	-4.0
222505	4.0	8.0	-4.0	0.64	-200.0	30.0	180.0	1.3	13.4	-5.0	1.0	15.0	4.9	-4.0
222535	3.7	7.0	-4.0	0.89	-200.0	82.0	210.0	1.9	12.5	-5.0	-1.0	27.0	13.1	12.0
222565	2.4	7.0	-4.0	0.93	-200.0	12.0	150.0	0.5	7.8	-5.0	1.0	11.0	7.4	11.0
222575	4.0	11.0	-4.0	1.20	-200.0	24.0	290.0	1.5	13.1	-5.0	2.0	44.0	11.2	11.0
222615	4.1	7.0	-4.0	1.30	-200.0	22.0	280.0	1.3	13.5	-5.0	-1.0	21.0	43.5	18.0
222645	3.5	9.0	-4.0	1.30	-200.0	24.0	160.0	1.0	11.7	-5.0	-1.0	21.0	12.4	-4.0
222655	4.2	7.0	-4.0	0.54	-200.0	10.0	150.0	1.1	14.5	-5.0	1.0	16.0	3.3	-7.0
222665	3.6	6.0	-4.0	0.74	-200.0	8.0	140.0	0.8	14.3	-5.0	-1.0	14.0	4.1	-7.0
222705	3.1	18.0	-4.0	1.30	-200.0	64.0	300.0	0.8	10.9	-5.0	3.0	83.0	25.5	10.0
222725	3.7	9.0	-4.0	1.20	-200.0	-2.0	50.0	0.9	14.1	-5.0	1.0	9.7	3.4	-7.0
222735	2.7	8.0	-4.0	0.75	-200.0	14.0	120.0	1.3	9.7	-5.0	-1.0	12.0	3.8	11.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
22188S	66.0	36.0	63.0	4.5	1.4	2.1	0.3
22196S	150.0	186.0	341.0	34.2	0.7	22.5	3.7
22202S	80.0	53.0	90.0	5.7	1.8	2.8	0.4
22203S	180.0	109.0	197.0	13.5	1.2	11.6	1.6
22208S	78.0	36.0	66.0	4.5	1.5	2.6	0.3
22213S	130.0	43.0	72.0	8.2	1.6	3.5	0.8
22215S	51.0	38.0	64.0	6.1	0.8	2.5	0.3
22216S	280.0	61.0	117.0	9.5	1.4	6.5	1.2
22219S	130.0	87.0	150.0	15.3	1.9	6.5	1.0
22224S	65.0	44.0	79.0	6.7	0.8	2.3	0.4
22227S	74.0	44.0	68.0	4.9	1.5	2.6	0.5
22231S	73.0	43.0	88.0	4.6	1.5	2.3	0.3
22234S	240.0	186.0	301.0	47.2	1.9	17.9	3.5
22235S	110.0	34.0	57.0	4.1	1.5	2.2	0.3
22236S	150.0	59.0	103.0	8.9	2.6	5.2	0.9
22242S	73.0	47.0	76.0	9.4	0.8	5.1	1.2
22243S	190.0	57.0	96.0	5.6	1.3	3.0	0.4
22247S	95.0	44.0	82.0	4.9	1.5	2.7	0.4
22248S	160.0	42.0	76.0	5.8	-0.8	4.1	0.7
22250S	390.0	55.0	94.0	6.1	1.4	3.3	0.5
22253S	250.0	76.0	139.0	9.4	2.3	6.1	0.9
22255S	41.0	35.0	56.0	5.6	0.9	2.3	0.4
22257S	120.0	99.0	163.0	9.7	0.9	6.6	0.8
22261S	68.0	53.0	94.0	10.8	0.9	4.8	1.1
22264S	84.0	58.0	102.0	6.2	1.5	3.8	0.6
22265S	87.0	53.0	97.0	5.3	1.6	2.5	0.3
22266S	96.0	49.0	96.0	5.5	1.7	2.8	0.4
22270S	210.0	164.0	291.0	27.4	0.7	13.0	2.0
22272S	54.0	45.0	71.0	5.2	1.9	2.8	0.4
22273S	45.0	41.0	74.0	6.7	1.1	2.6	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Cd(%)	Co	Cr	Cs	Cu
222745	65.578	146.342	C-5	9	7	29	0	-0.5	22.0	-5.0	600.0	1.3	6.0	30.0	11.0	10.0
222815	65.444	146.022	B-5	7	8	12	0	-0.5	27.0	-6.0	500.0	-0.7	15.0	60.0	2.0	26.0
222825	65.539	146.668	C-6	8	5	11	0	-0.5	10.0	-12.0	800.0	2.1	17.0	110.0	3.0	17.0
222885	65.516	146.061	C-5	8	8	15	0	-0.5	44.0	-6.0	500.0	-0.6	14.0	50.0	4.0	29.0
222915	65.626	146.796	C-6	9	5	7	0	-0.5	6.0	-11.0	700.0	-2.1	5.0	50.0	5.0	9.0
222985	65.681	146.952	C-6	10	4	20	0	1.0	15.0	-5.0	1500.0	-0.5	15.0	70.0	3.0	66.0
223035	65.601	146.400	C-5	9	6	13	0	-0.5	12.0	-6.0	600.0	1.4	15.0	70.0	6.0	15.0
223095	65.562	146.688	C-6	9	4	34	0	1.0	15.0	-6.0	600.0	-1.2	24.0	60.0	15.0	43.0
223105	65.490	146.398	B-5	8	7	30	0	-0.5	27.0	-14.0	700.0	-1.7	15.0	70.0	6.0	27.0
223145	65.397	146.724	B-6	7	5	33	0	-0.5	11.0	-6.0	400.0	-0.7	8.0	40.0	15.0	12.0
223285	65.469	145.940	B-4	7	9	5	0	-0.5	36.0	-5.0	400.0	-0.5	12.0	50.0	5.0	25.0
223305	65.697	146.775	C-6	10	5	18	0	-0.5	9.0	-6.0	1400.0	-0.6	21.0	100.0	7.0	28.0
223315	65.575	146.339	C-5	9	7	30	0	-0.5	30.0	-5.0	500.0	1.7	9.0	40.0	10.0	14.0
223325	65.549	146.464	C-5	8	6	2	0	1.0	72.0	-7.0	800.0	-0.8	17.0	80.0	8.0	37.0
223345	65.518	146.114	C-5	8	8	16	-24	-0.5	12.0	12.0	500.0	-0.7	10.0	50.0	4.0	14.0
223405	65.514	146.627	C-6	8	5	13	0	-0.5	12.0	-6.0	400.0	-0.9	6.0	10.0	17.0	5.0
223585	65.512	146.623	C-6	8	5	24	0	-0.5	20.0	-8.0	400.0	-1.2	8.0	30.0	13.0	9.5
223685	65.587	146.704	C-6	9	5	21	0	-0.5	6.0	-8.0	700.0	-0.9	11.0	90.0	5.0	22.0
223705	65.646	146.674	C-6	10	5	34	0	0.5	8.0	-6.0	500.0	-1.1	5.0	20.0	9.0	14.0
223725	65.497	146.360	B-5	8	7	23	0	-0.5	10.0	-5.0	600.0	-0.8	14.0	60.0	-1.0	14.0
223775	65.536	146.631	C-6	8	5	12	0	-0.5	8.0	-5.0	400.0	-0.7	10.0	40.0	3.0	14.0
223865	65.538	146.483	C-5	8	6	10	0	-0.5	22.0	-7.0	700.0	-0.7	14.0	70.0	4.0	24.0
223925	65.534	146.720	C-6	8	5	9	0	-0.5	11.0	-5.0	600.0	-0.8	12.0	50.0	4.0	16.0
223935	65.584	146.801	C-6	9	5	30	0	-0.5	10.0	8.0	900.0	-0.9	10.0	80.0	4.0	10.0
223995	65.537	146.715	C-6	8	5	9	19	-0.5	10.0	-5.0	600.0	-0.8	13.0	50.0	5.0	26.0
224085	65.601	146.411	C-5	9	6	13	0	-0.5	24.0	-6.0	500.0	-1.1	11.0	60.0	8.0	14.0
224095	65.557	146.566	C-6	8	6	5	0	-0.5	7.0	-6.0	500.0	-0.7	15.0	80.0	2.0	18.0
224185	65.556	146.468	C-5	8	6	2	0	-0.5	34.0	-6.0	600.0	-1.0	17.0	50.0	12.0	12.0
224195	65.426	146.616	B-6	7	5	24	0	-0.5	24.0	-10.0	500.0	1.6	9.0	50.0	19.0	19.0
224225	65.663	146.609	C-6	10	5	25	0	-0.5	6.0	-7.0	700.0	-1.0	9.0	50.0	10.0	18.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
222745	1.9	12.0	-4.0	1.90	-200.0	20.0	320.0	0.5	6.8	-5.0	4.0	24.0	24.8	20.0
222815	3.5	7.0	-4.0	0.79	-200.0	20.0	80.0	3.8	12.5	-5.0	-1.0	8.2	3.1	-5.0
222825	4.2	7.0	-4.0	1.20	-200.0	16.0	110.0	1.5	16.5	-5.0	1.0	15.0	4.5	-11.0
222885	3.6	5.0	-4.0	0.52	-200.0	16.0	110.0	3.5	11.5	-5.0	-1.0	11.0	3.0	-5.0
222915	2.5	20.0	-4.0	1.90	-200.0	34.0	320.0	0.6	11.4	-5.0	4.0	100.0	32.6	-9.0
222965	3.2	5.0	7.0	0.51	-200.0	20.0	60.0	2.5	9.9	-5.0	-1.0	6.6	5.2	-5.0
223035	3.2	6.0	4.0	1.30	300.0	12.0	70.0	0.9	12.1	-5.0	1.0	11.0	7.5	-4.0
223095	3.3	6.0	-4.0	1.30	-200.0	32.0	370.0	0.5	11.4	8.0	4.0	30.0	24.3	27.0
223105	4.5	5.0	-4.0	1.30	-200.0	14.0	60.0	1.1	14.3	-5.0	1.0	13.0	10.4	21.0
223145	2.3	8.0	-4.0	1.50	-200.0	10.0	240.0	1.3	7.7	-5.0	1.0	15.0	10.9	13.0
223265	3.2	6.0	-4.0	0.54	-200.0	8.0	60.0	1.9	9.9	-5.0	-1.0	7.6	2.4	17.0
223305	5.3	8.0	10.0	0.58	-200.0	8.0	230.0	1.0	15.3	-5.0	-1.0	13.0	3.2	-8.0
223315	2.5	13.0	-4.0	1.90	-200.0	26.0	230.0	0.5	8.7	-5.0	7.0	25.0	19.3	33.0
223325	3.9	7.0	4.0	1.00	-200.0	120.0	130.0	2.0	13.8	-5.0	-1.0	19.0	5.7	-4.0
223345	2.8	5.0	-4.0	1.10	-200.0	8.0	120.0	1.1	9.1	-5.0	1.0	13.0	3.4	-4.0
223405	2.2	9.0	-4.0	2.60	-200.0	10.0	330.0	0.4	6.0	-5.0	4.0	33.0	30.2	-4.0
223585	2.2	12.0	-4.0	2.10	-200.0	16.0	210.0	0.8	7.7	-5.0	3.0	43.0	140.0	6.0
223685	3.3	6.0	8.0	0.89	-200.0	18.0	130.0	1.1	14.1	-5.0	1.0	15.0	3.4	-6.0
223705	2.5	13.0	-4.0	1.80	-200.0	54.0	210.0	0.4	5.8	-5.0	3.0	88.0	23.3	11.0
223725	3.2	11.0	-4.0	0.95	-200.0	12.0	150.0	2.7	10.7	-5.0	1.0	12.0	3.7	4.0
223775	2.6	12.0	-4.0	1.20	-200.0	12.0	190.0	0.9	8.6	-5.0	1.0	16.0	8.8	-4.0
223865	3.5	10.0	-4.0	1.00	-200.0	16.0	110.0	3.9	12.0	-5.0	-1.0	14.0	7.5	-6.0
223925	3.1	10.0	-4.0	1.00	-200.0	14.0	140.0	3.1	10.4	-5.0	-1.0	21.0	8.9	-4.0
223935	3.3	8.0	7.0	1.40	-200.0	16.0	190.0	0.8	13.0	-5.0	1.0	33.0	36.9	-6.0
223935	3.4	5.0	-4.0	0.85	-200.0	32.0	240.0	0.9	10.7	-5.0	-1.0	28.0	8.3	16.0
224085	2.9	16.0	-4.0	1.70	-200.0	16.0	210.0	0.9	11.0	-5.0	4.0	28.0	13.9	30.0
224095	3.6	6.0	-4.0	1.10	-200.0	10.0	90.0	1.0	10.7	-5.0	-1.0	9.1	2.1	-5.0
224165	3.7	7.0	-4.0	2.30	-200.0	26.0	250.0	1.1	10.1	-5.0	2.0	29.0	19.6	5.0
224195	2.7	6.0	-4.0	1.20	-200.0	18.0	250.0	1.3	9.8	-5.0	2.0	19.0	91.7	13.0
224225	2.9	13.0	4.0	1.20	-200.0	53.0	280.0	0.7	10.7	-5.0	1.0	54.0	27.6	8.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
222745	63.0	52.0	82.0	5.2	1.1	4.5	0.6
222815	76.0	34.0	60.0	4.1	0.9	2.5	0.3
222825	52.0	53.0	91.0	6.4	2.4	3.0	0.4
222685	70.0	43.0	73.0	4.8	1.4	3.0	0.4
222915	120.0	143.0	256.0	28.5	1.1	16.0	2.5
222965	82.0	30.0	48.0	3.2	0.9	2.1	0.3
223035	54.0	44.0	73.0	4.8	0.8	2.5	0.5
223095	630.0	78.0	149.0	13.4	1.3	15.7	2.0
223105	77.0	62.0	98.0	10.2	1.7	3.8	0.6
223145	60.0	37.0	70.0	4.3	0.6	3.0	0.5
223285	58.0	26.0	44.0	3.1	1.1	1.9	0.3
223305	110.0	67.0	109.0	6.3	1.3	3.6	0.4
223315	78.0	49.0	88.0	5.3	1.1	5.6	0.9
223325	190.0	47.0	79.0	5.2	1.2	2.9	0.4
223345	57.0	39.0	66.0	4.4	1.1	3.1	0.3
223405	49.0	75.0	109.0	7.0	0.7	5.0	0.8
223585	55.0	102.0	141.0	9.0	1.2	6.0	0.7
223665	73.0	55.0	92.0	6.4	2.1	2.6	0.4
223705	240.0	122.0	204.0	15.3	-0.5	14.7	1.8
223725	54.0	44.0	74.0	4.6	1.0	2.7	0.4
223775	44.0	49.0	76.0	4.8	1.3	3.6	0.5
223865	260.0	48.0	76.0	5.2	1.3	2.7	0.4
223925	89.0	57.0	93.0	6.1	1.0	3.7	0.6
223955	64.0	58.0	103.0	6.1	-0.2	7.4	1.1
223995	140.0	69.0	116.0	7.4	0.9	4.6	0.7
224085	58.0	73.0	115.0	7.2	1.2	4.6	0.6
224095	56.0	34.0	57.0	3.6	0.9	2.0	0.2
224185	76.0	64.0	112.0	6.5	1.2	4.6	0.6
224195	55.0	36.0	62.0	5.0	0.8	3.4	0.6
224225	240.0	101.0	169.0	11.8	1.3	6.5	1.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Bg	Bs	Ba(ppb)	Ba	La(%)	Lo	Lr	Ls	Lu
224245	65.490	146.392	B-5	8	7	30	-14	-0.5	11.0	-5.0	500.0	-0.6	10.0	50.0	4.0	20.0
224295	65.437	146.699	B-6	7	5	15	0	-0.5	11.0	-5.0	500.0	-1.0	11.0	50.0	5.0	16.0
224395	65.552	146.724	L-6	8	5	4	0	-0.5	6.0	-7.0	700.0	-1.3	12.0	60.0	6.0	17.0
224405	65.583	146.518	L-6	9	6	28	0	-0.5	7.0	-5.0	700.0	-0.9	13.0	80.0	4.0	17.0
224495	65.370	146.470	B-5	6	8	2	0	-0.5	20.0	[illegible]	[illegible]	-0.7	9.0	40.0	5.0	13.0
224505	65.534	146.937	L-6	8	4	8	0	-0.5	7.0	-7.0	700.0	-1.1	15.0	100.0	9.0	22.0
224545	65.685	146.799	L-6	10	5	19	0	-0.5	5.0	-5.0	1200.0	-0.5	23.0	90.0	7.0	19.0
224585	65.534	146.287	L-5	8	7	3	0	-0.5	17.0	[illegible]	600.0	-0.6	11.0	50.0	4.0	17.0
224615	65.488	145.902	B-4	8	9	28	0	-0.5	[illegible]	[illegible]	300.0	-0.6	14.0	40.0	5.0	25.0
224625	65.432	146.429	B-5	8	6	23	0	-0.5	13.0	-7.0	600.0	-0.9	12.0	60.0	3.0	20.0
224635	65.629	146.660	L-6	9	5	11	0	-0.5	10.0	-5.0	600.0	-0.9	13.0	70.0	11.0	31.0
224655	65.601	146.959	L-6	9	4	17	0	1.0	13.0	-5.0	600.0	2.3	17.0	80.0	12.0	86.0
224715	65.610	146.904	L-6	9	4	13	0	0.5	13.0	-6.0	1900.0	-0.8	15.0	90.0	13.0	36.0
224735	65.535	146.617	L-6	8	5	12	0	-0.5	13.0	-8.0	600.0	-0.9	16.0	80.0	4.0	31.0
224745	65.515	146.731	L-6	8	2	16	0	-0.5	17.0	-5.0	600.0	-0.9	13.0	90.0	6.0	16.0
224775	65.521	145.893	L-4	8	9	14	-23	-0.5	6.0	-5.0	600.0	-0.6	10.0	50.0	2.0	14.0
224805	65.532	145.717	L-4	8	10	9	0	-0.5	38.0	5.0	400.0	0.9	14.0	40.0	3.0	25.0
224815	65.711	146.496	L-5	10	6	5	20	-0.5	8.0	-5.0	900.0	-0.8	10.0	70.0	4.0	21.0
224825	65.629	146.472	L-5	9	6	3	0	-0.5	6.0	-5.0	700.0	-0.8	13.0	60.0	3.0	24.0
224955	65.471	146.871	B-6	8	4	35	***	-0.5	10.0	-5.0	500.0	-0.8	12.0	60.0	4.0	21.0
224965	65.515	146.748	L-6	8	5	16	0	-0.5	14.0	-5.0	500.0	-0.5	13.0	60.0	5.0	19.0
224975	65.464	145.731	B-4	7	10	5	0	-0.5	27.0	-7.0	300.0	1.3	21.0	60.0	2.0	55.0
225095	65.485	146.213	B-5	6	7	25	0	-0.5	8.0	-5.0	800.0	-0.5	16.0	60.0	2.0	23.0
225115	65.567	146.653	L-6	9	5	23	0	-0.5	6.0	-7.0	700.0	-1.1	15.0	70.0	8.0	34.0
225135	65.662	146.879	L-6	10	4	27	0	-0.5	5.0	10.0	1100.0	-0.8	14.0	50.0	4.0	25.0
225145	65.392	146.026	B-5	7	8	33	0	-0.5	40.0	-5.0	500.0	1.1	20.0	80.0	2.0	40.0
225175	65.633	146.858	L-6	9	4	2	0	-0.5	9.0	-5.0	400.0	-1.2	-5.0	30.0	6.0	13.0
225195	65.691	146.587	L-6	10	6	18	0	-0.5	21.0	-5.0	1200.0	1.2	19.0	70.0	10.0	33.0
225205	65.612	146.543	L-6	9	6	17	0	-0.5	5.0	5.0	700.0	-0.9	13.0	70.0	7.0	20.0
225255	65.480	146.237	B-5	8	7	35	0	-0.5	9.0	-5.0	400.0	-0.6	10.0	40.0	3.0	14.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
224245	2.9	8.0	-4.0	1.10	-200.0	12.0	100.0	0.7	9.5	-5.0	1.0	11.0	6.8	8.0
224295	2.8	7.0	-4.0	1.10	-200.0	18.0	130.0	1.5	10.1	-5.0	-1.0	14.0	16.9	-4.0
224395	3.0	15.0	-4.0	1.00	-200.0	30.0	190.0	0.7	11.3	29.0	2.0	25.0	14.4	22.0
224405	3.6	8.0	4.0	0.83	-200.0	20.0	130.0	0.6	13.4	-5.0	1.0	12.0	2.7	-4.0
224435	2.6	8.0	-4.0	0.52	-200.0	14.0	100.0	2.0	9.2	-5.0	-1.0	11.0	4.3	-5.0
224505	3.5	8.0	-4.0	0.90	-200.0	28.0	130.0	1.1	11.9	6.0	1.0	14.0	4.4	-4.0
224545	4.6	9.0	-4.0	0.79	-200.0	10.0	170.0	0.6	16.6	7.0	1.0	17.0	3.2	-7.0
224605	2.7	10.0	-4.0	0.95	-200.0	18.0	190.0	2.3	8.9	-5.0	1.0	12.0	5.5	-4.0
224615	3.0	7.0	-4.0	0.82	-200.0	14.0	90.0	0.5	9.4	-5.0	-1.0	9.7	3.3	33.0
224625	3.2	8.0	-4.0	1.00	-200.0	15.0	110.0	0.9	11.2	25.0	1.0	11.0	4.1	-5.0
224635	3.8	9.0	-4.0	0.66	-200.0	30.0	150.0	1.3	13.2	-5.0	1.0	14.0	3.7	-4.0
224685	3.9	5.0	-4.0	0.73	-200.0	120.0	190.0	2.4	11.9	-5.0	-1.0	17.0	18.7	-4.0
224715	4.0	6.0	22.0	1.20	-200.0	29.0	170.0	1.2	19.5	-5.0	1.0	24.0	42.6	-4.0
224725	3.5	7.0	14.0	0.94	-200.0	16.0	150.0	1.1	13.7	-5.0	-1.0	11.0	5.4	-6.0
224745	3.4	9.0	2.0	1.20	-200.0	16.0	130.0	1.4	13.1	-5.0	-1.0	17.0	6.8	-4.0
224775	2.5	9.0	-4.0	0.91	-200.0	8.0	70.0	0.9	9.1	-5.0	-1.0	8.2	3.2	-4.0
224805	3.0	9.0	-4.0	0.58	-200.0	14.0	70.0	1.7	9.8	-5.0	-1.0	7.8	2.2	-4.0
224815	2.7	7.0	-4.0	1.10	-200.0	12.0	70.0	1.5	11.7	-5.0	1.0	7.8	2.9	-4.0
224825	2.9	10.0	-4.0	1.00	-200.0	14.0	110.0	0.3	11.4	9.0	1.0	13.0	3.9	-5.0
224955	3.1	8.0	-4.0	0.97	-200.0	15.0	130.0	1.0	11.3	-5.0	-1.0	17.0	7.3	-4.0
224965	3.4	7.0	-4.0	0.81	-200.0	10.0	190.0	1.1	10.3	-5.0	1.0	15.0	7.3	-5.0
224975	5.6	6.0	-4.0	0.93	300.0	4.0	70.0	6.7	22.3	-5.0	-1.0	5.9	3.1	-7.0
225095	3.4	6.0	-4.0	0.89	-200.0	10.0	100.0	0.9	10.6	-5.0	-1.0	11.0	4.1	-4.0
225115	3.4	6.0	-4.0	0.59	-200.0	26.0	150.0	0.8	13.3	-5.0	-1.0	12.0	4.2	4.0
225135	3.3	9.0	-4.0	1.10	200.0	22.0	110.0	1.0	12.6	-5.0	-1.0	12.0	4.0	-4.0
225145	4.3	7.0	6.0	0.73	-200.0	12.0	100.0	16.0	15.2	-5.0	-1.0	8.2	3.2	-4.0
225175	2.4	17.0	-4.0	2.30	-200.0	36.0	200.0	0.6	8.0	-5.0	4.0	33.0	37.2	12.0
225195	4.6	7.0	10.0	0.64	-200.0	120.0	380.0	4.4	14.8	-5.0	-1.0	20.0	5.5	5.0
225205	3.4	9.0	2.0	0.81	-200.0	24.0	110.0	0.8	14.0	10.0	-1.0	13.0	3.2	-4.0
225255	2.2	6.0	-4.0	1.20	-200.0	10.0	150.0	0.8	7.3	-5.0	1.0	11.0	7.2	6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
22424S	56.0	43.0	61.0	3.7	1.3	2.3	0.4
22429S	74.0	45.0	74.0	4.7	1.4	3.0	0.5
22439S	190.0	125.0	223.0	14.3	1.5	8.3	1.3
22440S	81.0	44.0	86.0	5.1	0.7	2.6	0.3
22449S	48.0	42.0	66.0	4.3	1.4	2.2	0.3
22450S	82.0	54.0	91.0	6.0	1.2	2.7	0.4
22454S	120.0	59.0	100.0	6.0	1.5	3.5	0.4
22458S	61.0	39.0	59.0	4.1	-0.2	2.5	0.4
22461S	62.0	34.0	61.0	3.8	1.2	2.0	0.3
22462S	65.0	44.0	66.0	4.5	1.4	2.5	0.3
22463S	120.0	58.0	94.0	6.9	2.0	3.4	0.5
22465S	250.0	83.0	93.0	13.9	2.1	8.7	1.2
22471S	340.0	58.0	106.0	10.2	1.7	7.8	1.3
22473S	100.0	46.0	75.0	5.4	1.4	2.7	0.4
22474S	69.0	55.0	95.0	6.0	1.3	3.4	0.5
22477S	47.0	33.0	57.0	3.7	0.9	2.2	0.3
22480S	67.0	32.0	56.0	4.0	1.3	2.5	0.3
22481S	62.0	34.0	57.0	4.0	1.5	2.3	0.3
22482S	63.0	51.0	84.0	5.9	2.1	4.0	0.4
22495S	99.0	49.0	83.0	5.9	1.3	3.5	0.5
22496S	100.0	42.0	69.0	4.4	0.8	3.2	0.4
22497S	76.0	24.0	47.0	3.6	1.2	2.5	0.4
22509S	84.0	39.0	64.0	4.5	1.3	2.2	0.3
22511S	89.0	51.0	88.0	6.8	2.1	3.5	0.4
22513S	100.0	52.0	101.0	5.9	1.2	3.4	0.4
22514S	72.0	36.0	65.0	4.7	1.3	2.3	0.3
22517S	170.0	150.0	255.0	17.6	-0.8	14.1	2.0
22519S	510.0	59.0	104.0	6.3	1.5	4.1	0.6
22520S	99.0	53.0	108.0	6.1	1.7	3.6	0.4
22525S	65.0	32.0	53.0	3.7	0.8	2.7	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Hg	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
225365	65.577	146.503	C-6	9	6	20	0	-0.5	11.0	-5.0	600.0	-0.9	17.0	80.0	5.0	22.0
225385	65.529	146.750	C-6	8	5	8	0	-0.5	8.0	-5.0	700.0	-0.6	14.0	60.0	4.0	20.0
225405	65.532	146.727	C-6	8	5	9	0	-0.5	15.0	-5.0	[illegible]	-0.7	15.0	50.0	4.0	22.0
225415	65.486	146.535	B-6	6	4	23	0	-0.5	11.0	-5.0	700.0	-1.0	16.0	80.0	5.0	15.0
225435	65.601	146.740	C-6	9	5	17	0	-0.5	11.0	-5.0	500.0	-1.2	8.0	40.0	10.0	21.0
225485	65.700	146.891	C-6	10	4	15	0	-0.5	15.0	-5.0	1500.0	0.6	14.0	30.0	4.0	32.0
225495	65.501	146.266	C-5	8	7	2	0	-0.5	9.0	-5.0	700.0	-0.6	12.0	60.0	3.0	20.0
225505	65.465	145.547	B-4	7	9	5	0	-0.5	54.0	-5.0	400.0	-0.6	15.0	50.0	5.0	31.0
225575	65.408	145.438	B-5	8	5	26	0	-0.5	33.0	5.0	500.0	-0.7	13.0	70.0	12.0	44.0
225585	65.511	146.321	C-5	8	7	21	-25	-0.5	10.0	-5.0	300.0	-0.6	10.0	50.0	3.0	17.0
225635	65.541	146.450	C-5	8	6	10	0	-0.5	16.0	11.0	500.0	-0.7	9.0	60.0	4.0	12.0
225675	65.473	145.631	B-4	8	10	34	0	-0.5	20.0	-5.0	300.0	-0.5	10.0	40.0	-1.0	16.0
225705	65.442	146.578	B-5	7	5	7	0	-0.5	11.0	-5.0	500.0	0.9	6.0	30.0	17.0	5.0
225715	65.604	146.610	C-6	9	5	13	0	-0.5	7.0	5.0	400.0	-0.5	10.0	60.0	7.0	30.0
225765	65.566	146.260	C-5	9	7	34	0	-0.5	12.0	-6.0	600.0	-0.7	16.0	50.0	5.0	27.0
225845	65.590	146.953	C-6	9	4	20	0	1.0	13.0	-8.0	800.0	1.2	21.0	80.0	18.0	61.0
225855	65.479	146.534	B-6	8	6	33	0	-0.5	12.0	-7.0	700.0	-0.9	10.0	60.0	4.0	20.0
225865	65.679	146.904	C-6	10	4	22	0	-0.5	7.0	-5.0	500.0	0.9	17.0	50.0	6.0	22.0
225915	65.548	146.025	C-5	8	8	1	0	-0.5	17.0	-5.0	400.0	-0.5	11.0	40.0	3.0	22.0
225925	65.460	146.324	B-5	7	7	9	0	-0.5	10.0	-5.0	600.0	-0.8	15.0	70.0	5.0	18.0
225955	65.598	146.772	C-6	9	5	19	0	0.5	4.0	6.0	800.0	-1.3	7.0	40.0	6.0	27.0
226055	65.520	146.365	C-5	8	7	17	0	-0.5	15.0	-5.0	600.0	0.9	12.0	50.0	2.0	11.0
226105	65.476	146.201	B-5	8	7	36	0	-0.5	10.0	-6.0	700.0	-0.8	20.0	80.0	3.0	20.0
226155	65.694	146.925	C-5	10	4	15	0	-0.5	5.0	-5.0	1000.0	1.1	13.0	70.0	4.0	30.0
226185	65.560	146.556	C-6	9	4	32	0	-0.5	10.0	6.0	800.0	-1.0	26.0	90.0	11.0	41.0
226285	65.663	146.596	C-6	10	5	25	0	1.0	13.0	-7.0	800.0	-1.1	9.0	30.0	11.0	27.0
226355	65.623	146.640	C-6	9	5	11	0	-0.5	10.0	-5.0	800.0	1.0	14.0	80.0	13.0	33.0
226435	65.598	146.600	C-6	9	5	24	0	-0.5	6.0	-7.0	500.0	-1.0	13.0	80.0	6.0	28.0
226465	65.616	146.580	C-6	9	5	19	0	-0.5	10.0	-6.0	800.0	-1.2	14.0	80.0	10.0	32.0
226475	65.600	146.548	C-6	9	5	17	0	-0.5	7.0	-5.0	700.0	-0.8	13.0	70.0	4.0	23.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
225365	4.0	8.0	6.0	0.98	-200.0	14.0	110.0	1.0	13.2	7.0	-1.0	10.0	3.8	4.0
225385	3.3	8.0	-4.0	0.34	-200.0	14.0	90.0	0.8	1[illegible].3	-5.0	-1.0	9.3	2.2	-4.0
225405	3.5	6.0	9.0	0.99	-200.0	13.0	160.0	0.9	3.9	-5.0	-1.0	13.0	3.4	-4.0
225415	3.2	8.0	-4.0	0.92	-200.0	13.[illegible]	120.0	0.8	13.0	-5.0	-1.0	12.0	3.2	-4.0
225435	3.1	9.0	12.0	1.30	-200.0	110.0	420.0	0.8	13.3	-5.0	1.0	51.0	31.7	5.0
225485	3.7	8.0	6.0	0.87	-200.0	14.0	160.0	0.1	12.9	-5.0	1.0	16.0	7.0	-6.0
225495	3.2	8.0	-4.0	0.97	-200.0	12.0	100.0	2.0	10.3	-5.0	-1.0	13.0	4.3	-4.0
225505	3.9	7.0	5.0	0.52	-200.0	8.0	80.0	1.4	10.3	-5.0	-1.0	7.7	2.3	20.0
225575	3.9	9.0	-4.0	0.93	-200.0	12.0	100.0	1.[illegible]	[illegible]	-5.0	-1.0	16.0	12.0	-5.0
225585	2.8	10.0	-4.0	1.20	-200.0	10.0	[illegible]	1.1	9.0	-5.0	1.0	12.0	5.1	5.0
225635	2.7	12.0	-4.0	1.00	-200.0	12.0	110.0	1.3	9.1	-5.0	1.0	17.0	12.2	-5.0
225675	2.9	7.0	-4.0	0.67	-200.0	6.0	80.0	0.4	11.1	-5.0	-1.0	6.8	1.5	-4.0
225705	3.4	10.0	9.0	1.00	-200.0	5.0	200.0	0.8	9.1	-5.0	3.0	39.0	17.9	7.0
225715	2.7	4.0	-4.0	0.38	-200.0	20.0	130.0	1.3	9.9	-5.0	-1.0	8.8	4.0	-7.0
225765	3.3	7.0	-4.0	0.63	-200.0	26.0	160.0	4.6	11.7	-5.0	-1.0	12.0	3.5	-5.0
225845	3.8	5.0	4.0	0.70	-200.0	100.0	150.0	1.4	14.0	-5.0	-1.0	14.0	3.4	-4.0
225855	2.8	9.0	-4.0	1.10	-200.0	14.0	130.0	2.2	10.6	-5.0	1.0	12.0	4.9	-6.0
225865	3.4	9.0	-4.0	0.82	-200.0	12.0	120.0	0.8	13.7	-5.0	1.0	14.0	3.0	-7.0
225915	2.6	6.0	-4.0	0.50	-200.0	6.0	[illegible]	1.3	9.0	-5.0	-1.0	8.5	2.2	-4.0
225925	3.0	7.0	5.0	1.20	[illegible]	12.0	40.0	1.0	12.5	-5.0	-1.0	9.7	4.5	-4.0
225935	2.3	17.0	33.0	1.10	-200.0	120.0	240.0	1.2	9.6	5.0	1.0	37.0	88.0	12.0
226035	3.0	7.0	-4.0	1.60	-200.0	10.0	120.0	1.2	10.3	-5.0	-1.0	12.0	4.2	-4.0
226105	3.7	10.0	-4.0	1.10	200.0	12.0	120.0	1.2	13.9	-5.0	1.0	13.0	2.2	-4.0
226155	4.5	7.0	-4.0	0.94	-200.0	4.0	120.0	2.3	13.0	-5.0	1.0	12.0	3.7	-7.0
226185	4.1	7.0	-4.0	0.71	-200.0	34.0	[illegible]	1.0	13.3	-5.0	-1.0	15.0	3.7	-4.0
226265	3.6	9.0	-4.0	1.20	-200.0	410.0	420.0	1.0	10.3	-5.0	1.0	34.0	19.3	8.0
226355	4.0	6.0	-4.0	0.63	-200.0	34.0	200.0	1.3	16.0	-5.0	2.0	17.0	5.3	-4.0
226435	3.2	11.0	-4.0	0.63	300.0	20.0	130.0	1.1	12.8	-5.0	-1.0	14.0	4.0	-4.0
226435	3.8	19.0	14.0	1.00	-200.0	110.0	320.0	1.3	13.2	-5.0	-1.0	30.0	22.4	5.0
226475	3.6	8.0	-4.0	0.69	-200.0	13.0	110.0	0.8	12.4	-5.0	-1.0	12.0	3.3	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
225365	77.0	46.0	79.0	4.8	1.4	2.5	0.3
225365	69.0	37.0	65.0	4.5	1.3	2.5	0.4
225405	69.0	35.0	71.0	3.9	1.2	2.4	0.3
225415	71.0	48.0	81.0	5.4	1.3	2.6	0.4
225435	590.0	120.0	198.0	14.1	1.3	9.1	1.3
225485	97.0	58.0	92.0	6.0	1.3	4.1	0.5
225495	64.0	44.0	77.0	4.8	1.2	2.7	0.4
225505	66.0	28.0	52.0	3.4	1.1	2.2	0.3
225575	100.0	50.0	81.0	5.5	1.4	3.0	0.5
225585	68.0	39.0	64.0	4.2	1.3	2.9	0.4
225635	54.0	52.0	79.0	5.2	1.3	3.1	0.5
225675	37.0	25.0	43.0	2.8	0.9	2.2	0.3
225705	39.0	59.0	103.0	6.6	1.0	3.3	1.2
225715	66.0	32.0	56.0	3.9	1.3	1.7	0.2
225765	95.0	41.0	70.0	5.0	-0.2	2.3	0.4
225845	240.0	55.0	103.0	6.4	1.8	2.6	0.3
225855	59.0	46.0	68.0	4.8	1.3	2.3	0.3
225865	65.0	50.0	79.0	5.2	1.6	2.7	0.4
225915	61.0	28.0	49.0	3.1	1.0	1.9	0.2
225925	66.0	36.0	66.0	4.3	1.3	2.4	0.3
225955	610.0	140.0	245.0	16.8	1.0	13.5	2.2
226055	61.0	42.0	68.0	4.4	1.2	2.2	0.3
226105	76.0	50.0	89.0	5.9	1.2	3.0	0.4
226135	95.0	52.0	86.0	5.1	1.8	2.4	0.3
226185	250.0	97.0	96.0	6.5	1.7	2.6	0.5
226285	890.0	103.0	179.0	13.3	0.6	11.0	1.4
226335	95.0	58.0	101.0	7.0	1.7	3.4	0.4
226435	76.0	53.0	88.0	6.3	1.1	3.1	0.4
226455	290.0	99.0	168.0	11.3	1.2	5.6	1.1
226475	90.0	46.0	82.0	5.3	1.3	2.8	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
226515	65.402	146.416	B-5	7	6	25	0	-0.5	13.0	-5.0	500.0	-0.5	8.0	40.0	13.0	16.0
226575	65.537	146.715	C-6	8	5	9	-19	-0.5	5.0	-5.0	500.0	-0.7	11.0	50.0	5.0	27.0
226585	65.675	146.911	C-6	10	4	21	0	-0.5	11.0	5.0	1100.0	0.7	33.0	80.0	9.0	25.0
226635	65.533	146.758	C-6	8	5	8	0	-0.5	7.0	-5.0	600.0	-0.7	13.0	60.0	3.0	19.0
226685	65.710	146.599	C-6	10	5	12	0	-0.5	12.0	5.0	900.0	-0.6	13.0	70.0	9.0	23.0
226695	65.511	146.758	C-6	8	5	20	0	-0.5	16.0	5.0	500.0	-0.5	14.0	60.0	6.0	21.0
226745	65.462	146.586	B-6	7	6	6	0	-0.5	14.0	-5.0	600.0	0.9	10.0	50.0	6.0	18.0
226765	65.602	146.256	C-5	9	7	13	0	-0.5	17.0	-5.0	600.0	-0.8	14.0	60.0	5.0	25.0
226795	65.440	146.197	B-5	7	7	13	0	-0.5	16.0	-6.0	600.0	-0.9	15.0	70.0	2.0	27.0
226815	65.634	146.370	C-5	9	7	6	0	-0.5	21.0	-5.0	600.0	-0.7	19.0	90.0	4.0	41.0
226895	65.514	146.045	C-5	8	8	14	0	-0.5	7.0	5.0	600.0	0.9	8.0	60.0	2.0	12.0
226925	65.522	145.812	C-4	8	9	13	0	-0.5	9.0	-5.0	500.0	-0.5	13.0	60.0	2.0	20.0
226965	65.706	146.599	C-6	10	5	12	0	-0.5	11.0	-5.0	1100.0	1.0	12.0	80.0	3.0	25.0
227855	65.418	146.055	B-5	7	8	23	0	-0.5	120.0	45.0	400.0	0.7	16.0	60.0	14.0	150.0
227885	65.400	145.397	B-5	7	7	8	0	-0.5	10.0	8.0	400.0	-0.6	8.0	40.0	13.0	16.0
227895	65.657	146.631	C-6	10	5	33	0	-0.5	10.0	-6.0	600.0	-0.9	8.0	50.0	8.0	22.0
227935	65.541	146.711	C-6	8	5	10	0	-0.5	4.0	6.0	600.0	-0.7	9.0	50.0	2.0	12.0
227945	65.463	145.770	B-4	7	10	6	0	-0.5	58.0	9.0	400.0	-0.5	16.0	50.0	3.0	33.0
227965	65.531	146.949	C-6	9	4	5	0	-0.5	6.0	-6.0	800.0	1.1	17.0	90.0	9.0	36.0
227995	65.623	146.380	C-5	9	7	7	0	-0.5	12.0	-5.0	600.0	-0.7	16.0	80.0	6.0	29.0
228005	65.451	146.532	B-6	7	6	9	0	-0.5	21.0	11.0	600.0	1.1	10.0	30.0	21.0	9.5
228025	65.558	146.266	C-5	9	7	34	0	-0.5	10.0	-5.0	600.0	-0.6	15.0	60.0	3.0	21.0
228055	65.634	146.660	C-6	9	5	2	0	-0.5	9.0	-6.0	600.0	-1.0	10.0	50.0	12.0	33.0
228075	65.406	146.487	B-5	7	6	27	0	-0.5	27.0	-5.0	900.0	-0.7	15.0	70.0	18.0	33.0
228065	65.511	146.711	C-6	8	5	22	0	-0.5	9.0	-5.0	600.0	1.1	12.0	50.0	8.0	14.0
228095	65.520	146.103	C-5	8	8	16	0	-0.5	9.0	-5.0	500.0	-0.5	9.0	40.0	3.0	15.0
228105	65.691	146.632	C-6	10	5	14	0	-0.5	14.0	-5.0	700.0	-0.9	17.0	70.0	11.0	30.0
228135	65.509	146.194	C-5	8	8	19	0	-0.5	9.0	-5.0	600.0	-0.7	10.0	50.0	6.0	17.0
228195	65.476	146.795	B-6	8	5	31	0	-0.5	8.0	11.0	700.0	0.9	17.0	80.0	4.0	26.0
226315	65.672	146.882	C-6	10	4	22	0	-0.5	3.0	-5.0	700.0	-0.6	10.0	60.0	5.0	22.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Nb	Sb	Sc	Se	Sn	Th	U	W
226515	2.5	7.0	-4.0	1.40	-200.0	12.0	280.0	0.8	8.5	-5.0	1.0	16.0	27.1	12.0
226575	3.3	7.0	-4.0	0.73	-200.0	36.0	210.0	0.8	10.5	-5.0	1.0	24.0	7.9	9.0
226585	4.3	8.0	-4.0	0.87	-200.0	12.0	160.0	1.0	15.0	-5.0	1.0	15.0	3.9	-8.0
226635	2.9	6.0	-4.0	0.81	-200.0	16.0	80.0	0.7	13.5	-5.0	-1.0	6.5	2.4	-4.0
226685	3.9	11.0	-4.0	0.93	-200.0	40.0	180.0	1.1	13.0	-5.0	-1.0	15.0	4.5	4.0
226935	3.8	6.0	-4.0	0.77	200.0	10.0	200.0	1.0	11.2	-5.0	1.0	15.0	5.6	7.0
225745	3.1	8.0	-4.0	1.10	-200.0	14.0	100.0	1.2	9.3	-5.0	1.0	12.0	16.3	6.0
226765	3.6	8.0	-4.0	1.10	200.0	24.0	110.0	2.8	12.5	-5.0	1.0	14.0	4.0	-4.0
226795	3.6	8.0	-4.0	0.93	-200.0	12.0	130.0	1.3	12.3	-5.0	1.0	15.0	4.3	-4.0
225815	4.1	8.0	-4.0	1.30	-200.0	10.0	140.0	0.7	14.5	-5.0	1.0	14.0	5.2	5.0
226835	2.5	8.0	-4.0	1.20	-200.0	10.0	50.0	1.0	10.3	-5.0	-1.0	9.8	3.4	-4.0
226925	3.2	7.0	-4.0	0.66	-200.0	8.0	80.0	1.3	11.2	-5.0	1.0	8.2	2.8	-4.0
226965	3.2	10.0	-4.0	1.10	-200.0	8.0	90.0	3.6	12.2	-5.0	-1.0	10.0	3.4	-4.0
227825	3.7	8.0	-4.0	0.50	-200.0	14.0	110.0	3.9	11.3	5.0	-1.0	10.0	3.5	82.0
227885	2.6	5.0	-4.0	1.80	-200.0	14.0	330.0	0.9	8.4	-5.0	2.0	13.0	12.0	10.0
227895	3.0	12.0	-4.0	1.00	-200.0	60.0	230.0	0.9	10.2	-5.0	-1.0	36.0	16.8	9.0
227935	2.1	6.0	-4.0	0.72	-200.0	10.0	80.0	0.7	8.7	-5.0	-1.0	8.4	2.6	-4.0
227945	3.9	5.0	-4.0	0.53	-200.0	16.0	70.0	12.0	12.6	-5.0	-1.0	7.1	2.0	7.0
227965	4.1	9.0	-4.0	0.89	-200.0	40.0	160.0	0.9	15.5	-5.0	1.0	15.0	5.5	-4.0
227995	3.9	10.0	-4.0	1.50	-200.0	16.0	140.0	0.8	14.0	-5.0	1.0	17.0	7.3	6.0
228005	2.4	7.0	-4.0	1.80	-200.0	12.0	400.0	1.2	8.1	-5.0	2.0	24.0	29.8	-5.0
228025	3.1	9.0	-4.0	0.82	-200.0	16.0	130.0	3.3	10.4	-5.0	1.0	12.0	3.3	-4.0
228055	3.2	11.0	6.0	1.20	-200.0	90.0	410.0	0.8	10.4	-5.0	1.0	53.0	39.1	8.0
228075	3.8	8.0	-4.0	0.93	-200.0	44.0	170.0	1.6	13.6	-5.0	-1.0	16.0	6.1	5.0
228085	2.9	7.0	-4.0	1.30	-200.0	14.0	100.0	0.6	8.8	-5.0	1.0	21.0	10.6	7.0
228095	2.6	14.0	-4.0	1.10	-200.0	8.0	110.0	1.3	8.4	9.0	1.0	14.0	6.3	8.0
228105	4.1	9.0	5.0	0.84	-200.0	80.0	220.0	1.0	13.7	9.0	-1.0	16.0	4.7	-4.0
228135	2.8	8.0	6.0	1.30	-200.0	10.0	160.0	0.8	9.5	-5.0	-1.0	15.0	10.0	-4.0
228195	4.1	7.0	7.0	1.10	-200.0	6.0	80.0	1.2	16.8	-5.0	-1.0	10.0	3.2	-8.0
228315	2.9	12.0	21.0	1.20	-200.0	22.0	200.0	0.8	11.1	19.0	1.0	40.0	13.7	-6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
22651S	65.0	39.0	65.0	4.9	0.7	3.2	0.7
22657S	160.0	63.0	108.0	6.6	1.2	3.9	0.6
22658S	73.0	49.0	79.0	5.3	1.8	2.9	0.4
22663S	70.0	32.0	53.0	3.7	0.6	2.1	0.3
22668S	250.0	60.0	104.0	6.8	1.3	3.6	0.5
22669S	100.0	41.0	72.0	4.5	-0.2	2.7	0.4
22674S	87.0	42.0	64.0	4.6	-0.2	3.0	0.6
22676S	110.0	50.0	86.0	6.0	2.0	3.1	0.5
22679S	110.0	71.0	102.0	6.3	2.6	3.4	0.5
22681S	72.0	49.0	80.0	5.8	1.5	3.1	0.5
22689S	53.0	36.0	61.0	4.0	1.2	2.3	0.3
22692S	56.0	32.0	55.0	4.0	1.0	2.1	0.3
22696S	74.0	43.0	74.0	5.2	2.1	2.6	0.4
22785S	83.0	39.0	67.0	4.9	1.3	2.7	0.4
22788S	52.0	37.0	74.0	4.7	0.7	4.1	0.6
22789S	230.0	89.0	142.0	9.7	1.6	6.2	1.0
22793S	51.0	34.0	65.0	3.8	0.7	2.2	0.3
22794S	64.0	21.0	40.0	2.6	0.9	1.6	0.2
22796S	140.0	53.0	82.0	6.3	1.9	3.7	0.5
22799S	70.0	61.0	95.0	6.9	2.3	3.8	0.6
22800S	53.0	45.0	79.0	6.2	-0.2	5.2	0.9
22802S	73.0	45.0	78.0	5.3	1.4	2.9	0.4
22805S	360.0	84.0	162.0	10.8	1.1	10.0	1.5
22807S	140.0	58.0	96.0	6.7	1.5	3.0	0.5
22808S	73.0	55.0	89.0	5.7	1.5	2.6	0.5
22809S	58.0	39.0	66.0	4.5	1.1	3.4	0.5
22810S	380.0	60.0	106.0	6.6	1.3	3.7	0.5
22813S	69.0	43.0	71.0	5.2	0.9	3.4	0.6
22819S	83.0	47.0	81.0	5.6	2.0	2.8	0.4
22831S	100.0	84.0	147.0	9.3	1.4	7.0	0.9

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Hg	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
228335	65.465	145.783	B-4	7	10	6	0	-0.5	33.0	-5.0	200.0	1.1	12.0	50.0	2.0	29.0
228345	65.642	146.449	C-5	9	6	2	0	-0.5	6.0	-5.0	800.0	-0.6	9.0	70.0	3.0	15.0
228355	65.535	146.225	C-5	8	7	12	0	-0.5	13.0	-5.0	500.0	-0.6	12.0	50.0	2.0	19.0
228485	65.715	146.522	C-6	10	6	9	0	1.0	22.0	5.0	3000.0	0.5	-5.0	70.0	3.0	51.0
228495	65.446	146.845	B-6	7	4	12	0	-0.5	8.0	-7.0	800.0	-1.0	30.0	90.0	2.0	18.0
228515	65.539	146.473	C-5	8	6	13	0	-0.5	27.0	-6.0	700.0	1.1	15.0	60.0	4.0	23.0
228555	65.678	146.506	C-6	10	6	21	0	-0.5	5.0	-5.0	400.0	-0.8	7.0	30.0	6.0	16.0
228655	65.406	146.800	B-6	7	5	30	0	-0.5	8.0	-5.0	400.0	-0.7	9.0	60.0	7.0	15.0
228705	65.533	146.779	C-6	8	5	8	0	-0.5	4.0	-5.0	300.0	-0.7	11.0	60.0	3.0	20.0
228845	65.417	146.797	B-6	7	5	19	0	-0.5	6.0	-5.0	400.0	-0.5	9.0	40.0	5.0	6.0
228875	65.515	146.375	C-5	8	7	13	0	-0.5	11.0	-5.0	400.0	-0.5	9.0	40.0	1.0	16.0
228955	65.574	146.774	C-6	9	5	30	0	-0.5	9.0	-5.0	800.0	2.2	9.0	70.0	8.0	18.0
229025	65.462	146.565	B-6	8	5	32	0	-0.5	11.0	-5.0	700.0	-0.7	10.0	50.0	3.0	15.0
229055	65.485	146.924	B-6	8	4	28	0	-0.5	5.0	-5.0	700.0	-0.8	14.0	70.0	3.0	15.0
229355	65.539	146.713	C-6	8	5	10	0	-0.5	14.0	-5.0	500.0	-0.6	12.0	50.0	4.0	19.0
229115	65.371	146.539	B-6	6	6	4	0	-0.5	47.0	-10.0	1200.0	-1.2	25.0	90.0	19.0	44.0
229125	65.504	146.124	C-5	8	8	23	0	-0.5	10.0	-5.0	800.0	-0.5	15.0	70.0	3.0	22.0
229135	65.647	146.564	C-6	10	6	31	0	-0.5	5.0	5.0	700.0	-0.8	15.0	70.0	6.0	21.0
229195	65.453	145.840	B-4	7	9	11	0	-0.5	40.0	10.0	400.0	-0.6	10.0	60.0	3.0	21.0
229215	65.632	146.465	C-5	9	6	3	0	-0.5	5.0	-5.0	500.0	-0.6	12.0	50.0	4.0	17.0
229225	65.415	146.545	B-6	7	6	20	0	-0.5	27.0	-5.0	600.0	-1.0	25.0	80.0	22.0	76.0
229245	65.630	146.812	C-6	9	4	1	0	-0.5	6.0	12.0	600.0	2.1	-5.0	40.0	5.0	6.5
229275	65.655	146.966	C-6	10	4	31	0	-0.5	11.0	-7.0	1300.0	2.0	20.0	110.0	10.0	31.0
229285	65.448	146.454	B-5	7	6	1.	0	-0.5	44.0	-10.0	700.0	-1.2	6.0	30.0	20.0	12.0
229345	65.441	146.112	B-5	7	8	3	0	-0.5	15.0	6.0	600.0	-0.7	12.0	60.0	3.0	18.0
229365	65.400	146.388	B-5	7	7	30	0	-0.5	13.0	-5.0	400.0	-0.5	8.0	30.0	5.0	17.0
229395	65.511	145.663	C-4	8	10	22	0	-0.5	61.0	-5.0	300.0	-0.5	11.0	50.0	3.0	21.0
229425	65.697	146.808	C-6	10	4	13	0	-0.5	6.0	-6.0	1600.0	-0.5	23.0	110.0	7.0	30.0
229515	65.501	146.507	C-6	8	6	22	0	-0.5	15.0	-5.0	400.0	-0.7	13.0	50.0	2.0	17.0
229525	65.541	146.264	C-5	8	7	11	0	-0.5	10.0	-5.0	600.0	-0.6	13.0	60.0	3.0	18.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
228335	3.5	5.0	-4.0	0.53	-200.0	8.0	70.0	2.6	12.6	-5.0	-1.0	5.6	1.5	9.0
228345	2.7	6.0	-4.0	0.97	-200.0	12.0	110.0	0.6	11.5	-5.0	1.0	10.0	3.8	-4.0
228355	3.0	9.0	-4.0	1.00	-200.0	10.0	100.0	1.4	9.8	-5.0	1.0	12.0	5.1	-4.0
228485	2.9	5.0	4.0	0.51	-200.0	10.0	130.0	10.0	11.3	5.0	-1.0	7.3	4.9	-4.0
228495	4.6	9.0	6.0	1.30	-200.0	14.0	60.0	1.0	15.2	-5.0	-1.0	1.0	3.5	-4.0
228515	3.7	8.0	-4.0	0.91	-200.0	26.0	130.0	5.0	12.7	-5.0	1.0	15.0	5.1	-4.0
228525	2.2	10.0	-4.0	1.10	-200.0	60.0	270.0	0.5	7.9	-5.0	1.0	39.0	13.7	4.0
228655	2.3	3.0	-4.0	1.10	-200.0	10.0	130.0	3.9	9.5	-5.0	1.0	12.0	5.1	-5.0
228705	2.5	5.0	-4.0	0.67	-200.0	16.0	190.0	0.6	10.0	-5.0	1.0	8.1	2.8	-4.0
228695	2.4	9.0	-4.0	1.00	-200.0	6.0	100.0	1.2	8.3	-5.0	1.0	13.0	5.7	6.0
228675	2.5	5.0	-4.0	0.61	-200.0	10.0	110.0	1.5	7.9	-5.0	-1.0	6.8	2.2	-4.0
228995	2.7	12.0	-4.0	1.30	-200.0	46.0	230.0	1.1	10.7	-5.0	1.0	70.0	60.7	13.0
229025	2.6	8.0	4.0	1.30	-200.0	12.0	100.0	2.3	9.0	-5.0	-1.0	11.0	4.1	-5.0
229135	2.8	8.0	-4.0	0.83	-200.0	18.0	110.0	0.8	11.5	-5.0	-1.0	11.0	2.2	-4.0
229065	3.0	8.0	-4.0	1.20	-200.0	12.0	130.0	1.2	9.2	-5.0	1.0	14.0	7.6	-4.0
229115	4.5	5.0	-5.0	0.51	-200.0	32.0	250.0	4.1	17.4	-5.0	1.0	20.0	3.0	-9.0
229125	3.5	8.0	-4.0	1.00	-200.0	12.0	130.0	0.9	12.6	-5.0	1.0	12.0	5.7	4.0
229135	3.1	7.0	-4.0	0.79	-200.0	22.0	140.0	1.1	12.7	-5.0	1.0	12.0	2.7	-6.0
229195	3.0	10.0	-4.0	0.55	-200.0	10.0	60.0	1.5	9.6	60.0	-1.0	7.1	2.2	59.0
229215	3.2	6.0	-4.0	0.73	-200.0	10.0	120.0	0.7	10.5	-5.0	1.0	12.0	3.8	-4.0
229225	5.0	6.0	10.0	0.82	-200.0	320.0	150.0	2.1	15.7	-5.0	1.0	14.0	10.5	-7.0
229245	2.0	26.0	-4.0	1.90	-200.0	30.0	330.0	0.5	8.6	-5.0	2.0	100.0	32.9	7.0
229275	4.5	8.0	-4.0	1.10	-200.0	34.0	190.0	1.2	17.5	-5.0	-1.0	17.0	5.1	-4.0
229285	1.7	4.0	-4.0	1.30	-200.0	18.0	350.0	0.5	5.8	-5.0	2.0	22.0	114.0	11.0
229345	3.3	7.0	-4.0	0.97	-200.0	12.0	110.0	11.0	11.0	-5.0	1.0	13.0	4.3	-4.0
229365	2.4	7.0	-4.0	0.70	-200.0	12.0	150.0	0.7	6.7	-5.0	1.0	11.0	6.1	6.0
229395	2.8	7.0	-4.0	0.67	-200.0	14.0	80.0	3.5	9.3	-5.0	1.0	8.2	2.4	-4.0
229425	5.3	7.0	5.0	0.70	-200.0	10.0	200.0	0.9	18.2	-5.0	1.0	17.0	3.6	-7.0
229515	2.8	11.0	-4.0	0.79	-200.0	14.0	90.0	2.4	8.2	-5.0	1.0	14.0	6.7	-5.0
229525	3.0	14.0	-4.0	1.00	-200.0	10.0	120.0	1.1	10.2	-5.0	1.0	15.0	4.7	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
22833S	52.0	16.0	38.0	2.3	0.8	1.9	0.2
22834S	62.0	43.0	74.0	5.4	1.3	2.5	0.4
22835S	65.0	40.0	67.0	4.7	1.2	2.8	0.4
22846S	28.0	36.0	63.0	4.0	0.8	2.6	0.3
22849S	94.0	49.0	96.0	6.0	1.5	3.1	0.4
22851S	99.0	51.0	88.0	6.4	2.2	2.9	0.4
22855S	220.0	79.0	141.0	8.7	1.3	6.3	0.9
22865S	55.0	39.0	58.0	4.2	-0.2	2.5	0.4
22870S	73.0	32.0	53.0	3.7	1.3	2.0	0.3
22884S	44.0	41.0	66.0	4.3	1.1	3.0	0.4
22887S	59.0	27.0	47.0	2.7	0.8	1.3	0.2
22899S	300.0	129.0	222.0	16.4	1.1	12.6	2.0
22902S	56.0	40.0	63.0	4.1	1.5	2.5	0.3
22903S	63.0	41.0	67.0	4.6	1.3	2.2	0.4
22905S	64.0	40.0	66.0	4.5	1.0	2.6	0.4
22911S	120.0	68.0	109.0	7.1	1.5	2.7	0.4
22912S	91.0	45.0	82.0	5.6	1.6	2.8	0.4
22913S	99.0	47.0	79.0	5.5	2.0	2.8	0.4
22919S	50.0	28.0	55.0	3.3	1.0	2.1	0.3
22921S	76.0	49.0	85.0	5.6	1.5	2.7	0.4
22922S	150.0	52.0	90.0	6.3	2.2	3.0	0.5
22924S	130.0	138.0	233.0	17.2	0.6	16.2	2.1
22927S	120.0	57.0	96.0	6.6	2.3	3.4	0.5
22928S	63.0	43.0	66.0	5.5	-0.6	4.9	0.6
22934S	72.0	46.0	70.0	5.2	1.2	2.7	0.4
22936S	56.0	30.0	56.0	4.0	0.9	2.2	0.4
22939S	58.0	34.0	55.0	3.4	1.3	1.8	0.2
22942S	140.0	63.0	107.0	6.0	1.4	3.1	0.4
22951S	49.0	45.0	76.0	4.6	1.5	2.9	0.4
22952S	62.0	50.0	90.0	5.7	1.1	4.0	0.6

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Hg	As	Hg(ppb)	Ba	Ba(%)	Lc	Cr	Ls	Lu
229535	65.465	146.297	B-5	7	7	3	0	-0.5	8.0	-5.0	700.0	-0.6	12.0	60.0	2.0	19.0
229545	65.621	146.860	C-6	9	4	11	0	-0.5	8.0	-10.0	400.0	-2.0	5.0	30.0	6.0	12.0
229565	65.566	146.843	C-6	9	4	35	0	-0.5	10.0	12.0	900.0	-1.4	9.0	50.0	7.0	17.0
229615	65.639	146.632	C-6	10	5	26	0	-0.5	8.0	12.0	800.0	-1.1	7.0	80.0	12.0	12.0
229655	65.461	145.951	B-4	7	9	5	0	-0.5	5.0	-5.0	500.0	0.5	10.0	40.0	4.0	30.0
229665	65.453	146.532	B-6	7	6	8	0	-0.5	11.0	-5.0	800.0	-1.0	6.0	70.0	19.0	9.5
229695	65.427	146.760	B-6	7	5	17	0	-0.5	4.0	-5.0	200.0	0.6	15.0	70.0	8.0	15.0
229715	65.465	146.870	B-6	7	4	2	0	-0.5	8.0	5.0	400.0	-0.6	19.0	80.0	3.0	43.0
229745	65.611	146.530	C-6	9	6	17	0	-0.5	4.0	-5.0	100.0	-0.7	11.0	50.0	4.0	19.0
229755	65.716	146.538	C-6	10	6	5	0	0.5	14.0	-5.0	1400.0	1.7	9.0	80.0	3.0	36.0
229765	65.702	146.524	C-6	10	6	9	0	-0.5	11.0	-6.0	1000.0	-1.1	15.0	50.0	6.0	22.0
229805	65.569	146.845	C-6	9	4	35	0	0.5	11.0	-12.0	700.0	-1.9	9.0	70.0	8.0	18.0
229835	65.647	146.904	C-6	10	4	34	0	-0.5	15.0	-7.0	1400.0	-1.1	17.0	100.0	8.0	20.0
229885	65.304	146.059	C-5	5	5	23	0	-0.5	43.0	-5.0	300.0	-0.5	12.0	50.0	4.0	31.0
229945	65.309	146.433	C-5	8	8	24	0	-0.5	8.0	-5.0	400.0	-0.5	10.0	50.0	2.0	17.0
229965	65.671	146.967	C-6	10	4	29	0	-0.5	11.0	-5.0	1700.0	-0.5	13.0	80.0	8.0	34.0
229975	65.718	146.544	C-6	10	6	5	0	-0.5	12.0	-5.0	2400.0	0.9	9.0	70.0	3.0	27.0
230045	65.463	146.869	B-6	7	4	3	0	-0.5	11.0	-5.0	600.0	-0.5	12.0	60.0	4.0	20.0
230065	65.509	146.347	C-5	8	7	21	0	-0.5	11.0	-5.0	500.0	-0.5	8.0	50.0	2.0	15.0
230115	65.544	146.230	C-5	8	7	1	0	-0.5	11.0	-6.0	600.0	1.0	13.0	60.0	3.0	22.0
230135	65.636	146.815	C-6	10	4	36	0	1.0	20.0	-9.0	800.0	-1.3	21.0	100.0	12.0	48.0
230175	65.532	146.605	C-6	8	6	7	0	-0.5	14.0	7.0	300.0	-0.5	12.0	60.0	4.0	23.0
230195	65.516	146.401	C-5	8	7	16	0	-0.5	10.0	-5.0	500.0	-0.5	9.0	40.0	2.0	14.0
230215	65.504	146.138	C-5	8	7	29	0	-0.5	8.0	-5.0	300.0	-0.8	10.0	50.0	7.0	17.0
230285	65.448	146.467	B-5	7	8	11	0	-0.5	13.0	6.0	300.0	-0.8	-5.0	30.0	17.0	7.5
230295	65.578	146.860	C-6	9	4	26	0	-0.5	8.0	-5.0	800.0	-1.4	5.0	50.0	3.0	14.0
230385	65.530	146.413	C-5	8	5	12	0	-0.5	24.0	-5.0	700.0	-0.8	14.0	70.0	4.0	30.0
230475	65.593	146.767	C-6	9	5	20	0	0.5	15.0	11.0	200.0	-1.1	5.0	40.0	8.0	34.0
230485	65.605	146.731	C-6	9	5	17	0	-0.5	10.0	-5.0	400.0	-0.9	7.0	20.0	6.0	21.0
230495	65.559	146.427	C-5	9	5	33	0	-0.5	20.0	6.0	600.0	-0.8	8.0	70.0	6.0	12.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
22953S	3.3	6.0	-4.0	0.79	-200.0	10.0	120.0	1.0	10.1	-5.0	-1.0	11.0	4.0	-4.0
22954S	2.6	22.0	-4.0	2.00	-200.0	38.0	480.0	0.5	8.3	-5.0	3.0	110.0	45.1	24.0
22956S	2.3	8.0	-4.0	1.10	200.0	34.0	170.0	0.9	9.9	-5.0	1.0	53.0	153.0	15.0
22961S	2.8	12.0	-4.0	1.30	-200.0	120.0	240.0	0.9	11.6	-5.0	1.0	67.0	29.9	-6.0
22965S	2.6	4.0	-4.0	0.39	-200.0	8.0	60.0	1.0	7.6	-5.0	-1.0	5.2	1.5	10.0
22966S	2.9	7.0	-4.0	1.30	-200.0	20.0	270.0	1.2	11.7	-5.0	2.0	21.0	44.7	-7.0
22969S	3.3	8.0	-4.0	0.95	-200.0	6.0	130.0	1.3	12.4	-5.0	1.0	10.0	3.1	-6.0
22971S	4.3	6.0	4.0	1.00	-200.0	19.0	80.0	0.8	13.5	-5.0	-1.0	8.8	2.2	-4.0
22974S	2.9	7.0	7.0	0.66	-200.0	22.0	120.0	0.5	11.2	-5.0	-1.0	11.0	2.6	-4.0
22975S	3.1	6.0	-4.0	1.00	-200.0	5.0	30.0	4.1	1.7	-5.0	-1.0	7.0	3.3	-4.0
22978S	3.7	10.0	-4.0	1.20	-200.0	65.0	140.0	1.0	15.1	-5.0	-1.0	13.0	4.2	-4.0
22980S	2.5	12.0	-4.0	1.20	200.0	32.0	150.0	1.0	19.4	-5.0	2.0	99.0	220.0	27.0
22983S	4.3	9.0	-4.0	1.00	-200.0	30.0	160.0	1.3	17.3	-5.0	-1.0	18.0	4.3	-4.0
22988S	3.3	8.0	-4.0	0.49	-200.0	20.0	90.0	3.5	10.0	-5.0	-1.0	9.4	3.2	4.0
22994S	2.6	7.0	-4.0	0.31	-200.0	12.0	90.0	1.8	8.3	-5.0	1.0	10.0	3.0	-4.0
22996S	4.7	8.0	11.0	0.53	-200.0	16.0	200.0	1.3	15.8	-5.0	-1.0	19.0	3.6	-7.0
22997S	2.6	6.0	-4.0	0.75	-200.0	19.0	100.0	5.1	10.4	-5.0	1.0	8.4	4.0	-4.0
23004S	3.3	10.0	4.0	0.98	-200.0	10.0	140.0	1.1	11.6	-5.0	1.0	19.0	9.0	-6.0
23008S	2.6	6.0	-4.0	0.72	-200.0	12.0	100.0	1.4	8.3	-5.0	-1.0	8.9	2.2	-4.0
23011S	3.5	8.0	5.0	0.52	-200.0	10.0	130.0	0.8	11.0	-5.0	1.0	14.0	3.2	-4.0
23015S	4.6	7.0	4.0	1.00	-200.0	170.0	170.0	1.3	16.4	-5.0	-1.0	13.0	9.4	-4.0
23017S	2.6	6.0	-4.0	0.81	-200.0	16.0	70.0	0.6	10.5	-5.0	-1.0	9.3	16.7	-7.0
23019S	2.6	7.0	-4.0	0.70	-200.0	10.0	100.0	1.6	7.9	-5.0	-1.0	9.6	2.8	-4.0
23021S	2.7	9.0	-4.0	1.30	-200.0	8.0	150.0	0.7	9.3	-5.0	2.0	16.0	9.0	6.0
23028S	1.7	6.0	-4.0	1.70	-200.0	16.0	360.0	0.9	6.3	-5.0	3.0	25.0	40.7	6.0
23029S	2.0	12.0	-4.0	1.10	200.0	26.0	130.0	0.5	8.5	-5.0	-1.0	77.0	83.3	-7.0
23038S	3.8	7.0	-4.0	1.00	-200.0	18.0	140.0	5.4	12.1	-5.0	-1.0	15.0	3.6	-4.0
23047S	2.1	12.0	-4.0	0.96	-200.0	100.0	230.0	0.6	7.3	-5.0	1.0	77.0	53.9	15.0
23048S	2.1	6.0	-4.0	1.30	-200.0	210.0	510.0	0.8	6.9	-5.0	2.0	62.0	64.0	-4.0
23049S	2.7	6.0	-4.0	1.10	-200.0	18.0	90.0	1.0	10.3	-5.0	1.0	14.0	7.8	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
22953S	75.0	38.0	62.0	4.2	1.4	1.9	0.3
22954S	160.0	145.0	266.0	16.4	-1.1	13.8	2.4
22956S	220.0	126.0	200.0	17.9	-0.2	14.2	2.7
22961S	230.0	111.0	174.0	14.1	0.7	6.9	1.5
22965S	64.0	20.0	37.0	2.3	0.8	1.5	0.2
22966S	47.0	46.0	71.0	5.6	0.7	5.6	0.9
22969S	76.0	41.0	65.0	4.7	1.1	2.5	0.3
22971S	75.0	30.0	54.0	3.7	1.0	2.2	0.3
22974S	97.0	40.0	75.0	4.7	1.5	2.5	0.4
22975S	59.0	32.0	54.0	4.2	1.1	2.6	0.4
22978S	160.0	48.0	90.0	5.8	1.1	3.1	0.5
22980S	240.0	219.0	367.0	28.0	1.1	19.2	3.8
22985S	88.0	63.0	112.0	7.2	2.2	3.7	0.5
22988S	67.0	36.0	58.0	4.2	1.6	2.4	0.3
22994S	54.0	34.0	56.0	3.4	1.4	2.2	0.3
22996S	160.0	63.0	104.0	6.0	2.0	3.1	0.4
22997S	63.0	37.0	55.0	4.3	1.4	2.6	0.4
23004S	91.0	55.0	91.0	6.0	1.2	4.0	0.6
23008S	75.0	31.0	49.0	3.0	0.7	1.5	0.2
23011S	67.0	46.0	78.0	5.1	1.9	2.7	0.3
23015S	200.0	68.0	116.0	10.6	2.1	5.4	0.7
23017S	83.0	36.0	56.0	4.3	1.2	2.3	0.4
23019S	54.0	32.0	57.0	3.1	1.1	1.7	0.2
23021S	71.0	42.0	69.0	3.1	1.1	3.5	0.5
23028S	47.0	39.0	69.0	5.9	0.7	5.8	1.1
23029S	130.0	156.0	266.0	20.8	-0.7	14.5	2.4
23038S	94.0	49.0	73.0	5.1	2.0	2.5	0.3
23047S	750.0	101.0	164.0	11.8	0.8	10.0	1.9
23048S	700.0	73.0	133.0	10.1	0.8	9.6	1.7
23049S	62.0	38.0	61.0	4.0	1.3	2.5	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Hg	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
234045	65.523	146.921	C-6	8	4	16	0	-0.5	9.0	6.0	800.0	1.4	15.0	80.0	6.0	25.0
234055	65.610	146.403	C-5	9	6	13	0	-0.5	16.0	5.0	500.0	-0.7	15.0	60.0	5.0	22.0
234085	65.498	145.941	B-4	8	9	29	0	-0.5	33.0	-5.0	400.0	-0.5	14.0	40.0	5.0	30.0
234105	65.675	146.726	C-6	10	5	21	0	-0.5	7.0	6.0	1000.0	-1.0	16.0	80.0	8.0	29.0
234185	65.404	146.653	B-6	7	5	26	0	-0.5	19.0	-5.0	300.0	-0.6	7.0	30.0	16.0	17.0
234205	65.669	146.561	C-6	10	6	29	0	-0.5	8.0	-5.0	700.0	-0.7	15.0	80.0	5.0	23.0
234215	65.461	145.949	B-4	7	9	5	0	-0.5	77.0	6.0	600.0	1.0	15.0	70.0	8.0	61.0
234255	65.423	146.748	B-6	7	5	20	0	-0.5	10.0	-6.0	600.0	-0.5	12.0	70.0	4.0	10.0
234265	65.485	146.810	B-6	8	5	31	0	-0.5	5.0	-5.0	500.0	0.7	12.0	60.0	2.0	14.0
234305	65.470	145.648	B-4	7	10	3	0	-0.5	15.0	-5.0	500.0	-0.6	9.0	50.0	2.0	22.0
234335	65.666	146.752	C-6	10	5	29	0	-0.5	6.0	-6.0	900.0	-1.0	16.0	90.0	8.0	27.0
234365	65.523	146.482	C-5	8	6	15	0	-0.5	16.0	-6.0	600.0	-0.8	12.0	60.0	3.0	22.0
234435	65.506	145.727	C-4	8	10	20	0	-0.5	56.0	-5.0	100.0	-0.6	11.0	50.0	4.0	22.0
234505	65.469	146.644	B-6	7	5	1	0	-0.5	23.0	-6.0	600.0	-0.9	10.0	30.0	16.0	13.0
234525	65.488	145.927	B-4	8	9	29	0	-0.5	27.0	-5.0	400.0	-0.5	11.0	40.0	4.0	23.0
234555	65.452	146.451	B-5	7	6	11	0	-0.5	31.0	11.0	200.0	-1.0	6.0	40.0	26.0	17.0
234585	65.616	146.524	C-6	9	6	9	0	-0.5	4.0	-5.0	400.0	-0.6	10.0	40.0	2.0	15.0
234695	65.402	146.359	B-5	7	7	29	0	-0.5	14.0	-6.0	400.0	-0.7	10.0	40.0	6.0	16.0
234735	65.515	146.054	C-5	8	8	14	0	-0.5	2.0	-5.0	500.0	-0.7	7.0	60.0	1.0	5.0
234765	65.652	146.803	C-6	10	5	15	0	-0.5	10.0	-5.0	1400.0	-0.6	23.0	100.0	7.0	27.0
234775	65.646	145.669	C-6	10	5	34	0	1.0	14.0	-6.0	600.0	1.5	6.0	40.0	9.0	22.0
234795	65.447	146.831	B-6	7	4	12	0	-0.5	7.0	-7.0	800.0	-1.1	21.0	80.0	4.0	22.0
234835	65.534	146.037	C-5	8	8	11	-21	-0.5	32.0	-5.0	300.0	-0.5	9.0	30.0	3.0	23.0
234975	65.559	146.370	C-5	9	7	19	0	-0.5	17.0	-5.0	500.0	-0.7	9.0	60.0	15.0	29.0
235055	65.691	146.888	C-6	10	4	15	0	-1.2	-4.0	14.0	1000.0	-1.3	13.0	90.0	6.0	52.0
235065	65.505	146.350	C-5	8	7	20	0	-0.5	11.0	-5.0	500.0	1.1	11.0	50.0	3.0	21.0
235075	65.656	146.801	C-6	10	5	30	0	-0.5	17.0	-8.0	800.0	-1.4	15.0	100.0	9.0	42.0
235085	65.454	146.918	B-6	7	4	10	9	-0.5	10.0	-6.0	600.0	-1.0	19.0	80.0	3.0	28.0
235215	65.669	146.688	C-6	10	5	27	-5	-0.5	11.0	7.0	500.0	-1.0	15.0	90.0	11.0	36.0
235225	65.677	146.707	C-6	10	5	23	0	-0.5	8.0	-7.0	800.0	-1.2	15.0	80.0	6.0	25.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
234045	4.3	7.0	-4.0	0.70	-200.0	26.0	190.0	1.4	14.2	-5.0	-1.0	12.0	3.8	4.0
234055	3.6	6.0	-4.0	1.10	-200.0	12.0	130.0	0.7	10.9	-5.0	-1.0	12.0	5.7	-4.0
234065	3.1	6.0	5.0	0.53	-200.0	8.0	110.0	1.3	9.7	-5.0	-1.0	7.9	2.4	55.0
234105	3.5	10.0	-4.0	1.10	-200.0	18.0	130.0	0.7	13.1	-5.0	-1.0	14.0	3.9	-4.0
234185	2.1	7.0	-4.0	1.40	-200.0	14.0	270.0	1.1	7.1	-5.0	-1.0	13.0	19.3	13.0
234205	3.1	5.0	-4.0	0.66	-200.0	110.0	170.0	0.7	10.4	-5.0	-1.0	14.0	3.3	-5.0
234215	3.6	5.0	7.0	0.74	-200.0	14.0	120.0	0.7	12.7	-5.0	-1.0	7.7	2.6	14.0
234255	3.1	8.0	-4.0	0.89	-200.0	4.0	100.0	1.0	11.8	-5.0	1.0	11.0	3.3	-7.0
234265	3.0	8.0	4.0	1.00	-200.0	6.0	80.0	0.9	11.8	-5.0	1.0	11.0	4.0	-6.0
234305	2.5	7.0	-4.0	0.72	-200.0	10.0	70.0	0.7	9.5	-5.0	-1.0	7.7	2.1	-4.0
234335	3.8	10.0	-4.0	1.20	-200.0	20.0	140.0	0.6	16.9	-5.0	-1.0	15.0	4.6	5.0
234365	3.3	11.0	-4.0	0.95	-200.0	15.0	120.0	2.3	10.9	-5.0	1.0	16.0	4.9	-4.0
234435	2.6	6.0	-4.0	0.48	200.0	14.0	60.0	2.1	8.6	-5.0	-1.0	7.6	2.8	-4.0
234505	2.6	12.0	-4.0	1.70	-200.0	20.0	240.0	0.6	8.3	-5.0	3.0	30.0	64.1	-4.0
234525	2.6	8.0	-4.0	0.51	-200.0	10.0	90.0	0.4	8.0	-5.0	-1.0	8.4	2.5	140.0
234555	2.3	5.0	-4.0	1.30	-200.0	28.0	330.0	1.1	9.0	-5.0	2.0	18.0	149.0	-7.0
234585	2.8	9.0	-4.0	0.60	-200.0	10.0	90.0	0.4	8.8	-5.0	1.0	10.0	3.1	-4.0
234695	2.1	6.0	-4.0	0.77	-200.0	16.0	120.0	0.9	7.7	-5.0	-1.0	9.9	3.5	-5.0
234735	2.0	13.0	-4.0	1.30	-200.0	6.0	70.0	0.6	8.4	-5.0	-1.0	9.7	3.0	-4.0
234765	5.3	7.0	4.0	0.63	-200.0	12.0	220.0	1.1	17.8	-5.0	1.0	19.0	4.3	-8.0
234775	2.8	13.0	-4.0	1.00	-200.0	150.0	260.0	0.7	8.5	-5.0	-1.0	82.0	55.7	15.0
234795	5.6	9.0	-4.0	1.80	-200.0	10.0	50.0	0.5	20.3	-5.0	-1.0	9.8	2.9	-4.0
234835	2.5	10.0	-4.0	0.53	-200.0	10.0	60.0	2.8	6.9	-5.0	1.0	9.1	2.6	7.0
234975	2.3	6.0	4.0	0.74	-200.0	12.0	80.0	0.6	9.8	-5.0	-1.0	8.6	3.5	12.0
235055	3.2	28.0	-4.0	1.10	-200.0	72.0	180.0	1.2	13.4	-5.0	2.0	92.0	26.3	41.0
235065	2.8	6.0	-4.0	0.90	-200.0	12.0	190.0	1.1	9.4	-5.0	-1.0	11.0	4.7	-4.0
235075	4.0	8.0	-4.0	1.10	-200.0	110.0	120.0	0.9	14.2	-5.0	1.0	26.0	10.6	-4.0
235085	4.1	8.0	5.0	1.10	-200.0	16.0	80.0	1.5	14.9	-5.0	1.0	11.0	2.9	4.0
235215	4.4	10.0	-4.0	0.93	-200.0	110.0	220.0	1.0	16.6	-5.0	-1.0	15.0	3.8	-4.0
235225	3.8	13.0	-4.0	1.20	-200.0	34.0	220.0	1.0	13.0	-5.0	2.0	34.0	10.1	4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
23404S	97.0	53.0	92.0	1.4	-0.2	2.8	0.4
23405S	69.0	40.0	66.0	4.3	0.8	2.2	0.3
23408S	64.0	29.0	54.0	3.2	0.6	1.9	0.3
23410S	94.0	54.0	93.0	6.4	2.2	3.5	0.4
23418S	89.0	32.0	51.0	3.8	-0.2	3.0	0.5
23420S	270.0	46.0	79.0	5.0	1.3	2.3	0.4
23421S	75.0	33.0	55.0	4.0	1.2	2.2	0.3
23425S	54.0	39.0	63.0	4.0	1.6	2.6	0.4
23426S	57.0	41.0	67.0	4.5	1.1	2.7	0.4
23430S	54.0	29.0	47.0	3.2	0.6	1.8	0.2
23433S	96.0	62.0	102.0	6.8	1.4	3.6	0.5
23436S	70.0	56.0	89.0	5.8	1.4	3.1	0.4
23443S	66.0	32.0	50.0	3.6	0.6	2.1	0.3
23450S	81.0	95.0	150.0	8.9	0.7	6.0	-0.1
23452S	59.0	34.0	65.0	3.5	0.9	2.0	0.3
23455S	78.0	41.0	56.0	4.5	1.0	5.1	0.6
23458S	72.0	40.0	69.0	4.4	1.0	2.4	0.3
23469S	58.0	37.0	55.0	3.6	1.5	2.3	0.3
23473S	40.0	35.0	53.0	3.6	1.2	2.5	0.4
23476S	130.0	66.0	110.0	6.1	1.7	2.9	0.5
23477S	350.0	120.0	198.0	17.3	1.0	13.4	2.0
23479S	79.0	44.0	80.0	5.3	2.1	3.5	0.5
23483S	50.0	30.0	50.0	3.4	1.6	2.7	0.3
23497S	64.0	32.0	51.0	3.7	-0.2	2.1	0.3
23505S	310.0	206.0	311.0	19.1	1.6	11.7	1.5
23506S	71.0	37.0	63.0	3.9	-0.2	2.3	0.3
23507S	180.0	69.0	115.0	9.9	1.5	5.2	0.7
23508S	85.0	46.0	83.0	5.4	1.4	2.8	0.4
23521S	350.0	66.0	113.0	7.0	2.1	3.5	0.4
23522S	180.0	89.0	152.0	10.1	2.1	5.9	0.6

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
23523S	65.423	146.332	B-5	7	7	21	0	-0.5	19.0	-7.0	600.0	1.1	14.0	70.0	6.0	19.0
23525S	65.474	146.783	B-6	8	5	31	0	-0.5	9.0	-5.0	500.0	-0.5	13.0	50.0	2.0	14.0
23528S	65.452	146.655	B-6	7	5	11	0	-0.5	15.0	-5.0	600.0	-0.5	11.0	50.0	6.0	13.0
23538S	65.539	146.843	C-6	8	4	12	0	-0.5	16.0	-7.0	700.0	-0.5	13.0	90.0	10.0	33.0
23541S	65.529	146.940	C-6	8	4	9	0	-0.5	8.0	-7.0	1000.0	1.2	18.0	100.0	8.0	26.0
23542S	65.616	146.486	C-5	9	6	10	0	-0.5	11.0	-6.0	900.0	-0.9	19.0	80.0	4.0	22.0
23544S	65.418	146.242	B-5	7	7	23	0	-0.5	7.0	-5.0	500.0	-0.7	10.0	50.0	2.0	17.0
23546S	65.441	146.483	B-5	7	6	15	0	-0.5	51.0	-5.0	500.0	-1.1	5.0	30.0	17.0	15.0
23549S	65.423	145.884	B-4	7	9	22	0	-0.5	29.0	-5.0	500.0	-0.7	11.0	70.0	2.0	16.0
23550S	65.517	145.638	C-4	8	10	14	0	-0.5	67.0	10.0	400.0	-0.6	15.0	50.0	3.0	34.0
23551S	65.552	146.951	C-6	8	4	4	0	-0.5	8.0	-7.0	900.0	-1.2	18.0	100.0	13.0	17.0
23553S	65.550	146.318	C-5	8	7	4	0	-0.5	22.0	-5.0	500.0	-0.6	8.0	40.0	3.0	13.0
23555S	65.446	146.380	B-5	7	7	7	0	-0.5	17.0	-6.0	500.0	0.8	9.0	40.0	11.0	23.0
23558S	65.415	146.446	B-5	7	6	23	0	-0.5	17.0	-5.0	500.0	-0.7	6.0	40.0	15.0	14.0
23559S	65.600	146.538	C-6	9	6	17	0	-0.5	6.0	-5.0	500.0	1.0	12.0	50.0	3.0	20.0
23563S	65.373	146.578	B-6	6	6	6	0	-0.5	10.0	-5.0	300.0	-0.7	7.0	30.0	5.0	19.0
23567S	65.458	146.323	B-5	7	7	4	0	-0.5	18.0	6.0	500.0	-0.7	11.0	50.0	6.0	19.0
23569S	65.473	146.058	B-5	8	8	35	0	-0.5	52.0	-6.0	600.0	-0.8	12.0	50.0	4.0	20.0
23571S	65.486	145.860	B-4	8	9	27	0	-0.5	34.0	-5.0	400.0	-0.6	14.0	40.0	5.0	36.0
23575S	65.456	146.558	B-6	7	6	5	0	-0.5	13.0	-6.0	400.0	0.9	8.0	50.0	6.0	20.0
23580S	65.400	146.361	B-5	7	7	29	0	-0.5	13.0	-5.0	300.0	-0.5	7.0	20.0	5.0	15.0
23584S	65.479	146.644	B-6	8	5	35	0	-0.5	11.0	-12.0	1300.0	-2.4	5.0	50.0	20.0	9.0
23588S	65.609	146.995	C-6	9	4	18	0	-0.5	11.0	-5.0	800.0	-0.9	22.0	110.0	7.0	45.0
23589S	65.706	146.907	C-6	10	4	10	0	0.5	22.0	-5.0	1200.0	0.7	13.0	90.0	7.0	32.0
23595S	65.443	146.325	B-5	7	7	9	0	-0.5	13.0	-6.0	800.0	1.4	16.0	80.0	7.0	17.0
23600S	65.619	146.642	C-6	9	5	11	0	-0.5	9.0	-6.0	700.0	-0.9	16.0	90.0	15.0	38.0
23601S	65.494	146.561	B-6	8	6	29	0	-0.5	17.0	-8.0	400.0	1.2	9.0	30.0	12.0	10.0
23602S	65.481	146.900	B-6	8	4	34	0	-0.5	5.0	-5.0	600.0	-1.0	11.0	70.0	3.0	11.0
23609S	65.454	146.918	B-6	7	4	10	-9	-0.5	6.0	-5.0	600.0	1.1	17.0	80.0	3.0	22.0
23611S	65.534	146.788	C-6	8	5	7	0	-0.5	5.0	-6.0	800.0	-1.1	13.0	70.0	4.0	17.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
23523S	3.2	5.0	-4.0	0.71	-200.0	18.0	100.0	1.1	11.2	-5.0	-1.0	10.0	2.3	-7.0
23525S	3.3	10.0	-4.0	1.00	-200.0	4.0	70.0	1.5	11.0	-5.0	1.0	9.7	1.8	-6.0
23528S	3.0	8.0	4.0	1.30	-200.0	10.0	150.0	1.6	9.7	-5.0	1.0	15.0	14.9	-6.0
23538S	3.7	8.0	-4.0	0.69	-200.0	24.0	130.0	1.6	14.8	-5.0	-1.0	12.0	3.5	-4.0
23541S	4.0	7.0	-4.0	0.79	-200.0	34.0	150.0	1.0	16.7	-5.0	-1.0	16.0	4.5	5.0
23542S	3.9	8.0	-4.0	1.00	-200.0	18.0	130.0	1.0	14.3	-5.0	1.0	12.0	3.2	5.0
23544S	2.8	10.0	-4.0	1.10	-200.0	10.0	80.0	0.7	8.9	-5.0	-1.0	12.0	4.3	-4.0
23546S	1.9	8.0	-4.0	1.10	-200.0	18.0	260.0	1.0	7.4	-5.0	2.0	35.0	61.1	13.0
23549S	3.3	11.0	-4.0	0.84	-200.0	10.0	60.0	1.0	12.0	-5.0	-1.0	9.9	3.6	-4.0
23550S	3.4	6.0	-4.0	0.45	-200.0	14.0	90.0	1.6	10.5	-5.0	-1.0	6.7	1.3	-4.0
23551S	4.4	6.0	-4.0	1.10	-200.0	34.0	150.0	0.9	16.2	-5.0	-1.0	13.0	3.7	-4.0
23553S	2.0	7.0	-4.0	1.10	-200.0	24.0	70.0	2.7	6.8	-5.0	-1.0	9.1	4.1	-4.0
23555S	2.5	6.0	-4.0	1.10	-200.0	16.0	230.0	0.9	8.3	-5.0	2.0	15.0	15.1	-5.0
23558S	2.0	5.0	-4.0	1.50	-200.0	16.0	300.0	0.6	8.0	-5.0	2.0	15.0	44.5	6.0
23559S	3.1	7.0	6.0	0.67	-200.0	16.0	90.0	0.4	9.8	-5.0	1.0	11.0	2.8	4.0
23563S	1.9	7.0	-4.0	0.59	-200.0	16.0	120.0	0.9	6.4	-5.0	-1.0	8.4	14.6	-5.0
23567S	2.6	6.0	-4.0	0.87	-200.0	16.0	90.0	0.8	9.6	-5.0	-1.0	11.0	2.6	-4.0
23569S	18.8	6.0	-4.0	0.68	-200.0	12.0	80.0	2.7	9.2	-5.0	-1.0	7.7	11.9	-4.0
23571S	2.6	6.0	-4.0	0.72	-200.0	14.0	100.0	0.6	9.1	-5.0	-1.0	11.0	4.7	170.0
23575S	2.4	6.0	-4.0	0.84	-200.0	14.0	160.0	1.0	6.1	-5.0	1.0	14.0	20.3	8.0
23580S	1.8	5.0	-4.0	0.72	-200.0	10.0	110.0	0.7	5.4	-5.0	1.0	8.4	6.5	-4.0
23584S	2.3	13.0	5.0	1.70	-400.0	18.0	190.0	0.9	9.6	-8.0	-2.0	50.0	192.0	-4.0
23588S	4.4	7.0	4.0	0.74	-200.0	40.0	170.0	1.6	15.1	-5.0	-1.0	19.0	5.7	4.0
23589S	3.6	8.0	5.0	0.55	-200.0	4.0	140.0	8.8	13.7	-5.0	-1.0	12.0	3.5	-7.0
23595S	3.7	9.0	-4.0	0.92	-200.0	14.0	200.0	0.7	13.8	-5.0	-1.0	14.0	4.3	-4.0
23600S	4.2	8.0	-4.0	0.57	-200.0	22.0	160.0	1.4	15.4	-5.0	-1.0	14.0	4.5	-4.0
23601S	2.4	10.0	-4.0	1.70	-200.0	22.0	170.0	0.6	6.9	-5.0	4.0	36.0	147.0	11.0
23602S	2.6	9.0	-4.0	1.00	-200.0	14.0	100.0	0.9	11.7	-5.0	-1.0	13.0	3.4	-4.0
23609S	3.6	7.0	-4.0	1.20	-200.0	12.0	100.0	1.4	13.1	-5.0	-1.0	9.8	3.0	-4.0
23611S	3.0	6.0	-4.0	0.50	-200.0	16.0	120.0	0.5	12.4	-5.0	-1.0	11.0	2.2	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
23523S	70.0	37.0	63.0	4.3	1.0	2.1	0.3
23525S	59.0	40.0	62.0	4.3	1.0	2.4	0.3
23528S	69.0	44.0	72.0	4.6	1.2	2.6	0.4
23538S	97.0	45.0	87.0	5.6	2.2	3.2	0.5
23541S	67.0	59.0	102.0	6.6	1.7	3.3	0.4
23542S	78.0	43.0	76.0	5.0	1.9	3.1	0.4
23544S	72.0	38.0	62.0	3.9	-0.2	2.6	0.3
23546S	62.0	61.0	100.0	8.9	1.1	7.0	1.4
23549S	49.0	36.0	64.0	4.1	1.9	2.7	0.4
23550S	87.0	30.0	49.0	3.7	0.9	2.0	0.3
23551S	140.0	52.0	86.0	6.1	1.5	3.2	0.4
23553S	71.0	30.0	50.0	3.2	-0.2	1.8	0.2
23555S	110.0	34.0	53.0	4.5	-0.2	3.1	0.5
23556S	62.0	32.0	57.0	4.2	0.8	3.9	-0.1
23559S	75.0	42.0	70.0	4.6	1.9	2.4	0.3
23563S	65.0	27.0	42.0	3.1	1.0	2.3	0.4
23567S	77.0	38.0	65.0	4.1	1.0	2.2	0.3
23569S	65.0	49.0	70.0	4.6	1.1	3.0	0.4
23571S	73.0	39.0	67.0	3.9	1.1	2.0	0.3
23575S	66.0	38.0	55.0	4.5	1.1	3.1	0.5
23580S	45.0	25.0	42.0	2.6	0.5	1.8	0.3
23584S	70.0	112.0	154.0	9.6	-1.9	6.6	0.9
23588S	160.0	61.0	116.0	6.4	1.4	3.4	0.5
23589S	65.0	53.0	84.0	5.2	1.1	3.1	0.4
23595S	81.0	49.0	84.0	5.0	1.2	2.9	0.4
23600S	88.0	55.0	91.0	6.1	1.4	3.3	0.4
23601S	83.0	81.0	118.0	7.1	0.8	5.6	0.6
23602S	60.0	51.0	85.0	5.6	1.7	2.6	0.3
23609S	74.0	42.0	70.0	4.8	1.5	2.6	0.4
23611S	80.0	40.0	72.0	4.8	-0.2	2.4	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
23614S	65.579	146.303	C-5	9	7	28	0	-0.5	15.0	-5.0	500.0	-0.7	11.0	50.0	5.0	27.0
23615S	65.550	146.504	C-6	8	6	3	0	-0.5	7.0	6.0	500.0	-0.9	15.0	60.0	6.0	20.0
23621S	65.450	146.748	B-6	7	5	9	0	-0.5	6.0	-5.0	600.0	0.3	16.0	80.0	9.0	18.0
23624S	65.439	146.768	B-6	7	5	18	0	-0.5	6.0	-5.0	600.0	0.7	20.0	90.0	8.0	17.0
23628S	65.703	146.458	C-5	10	6	10	0	1.0	10.0	5.0	1400.0	-0.8	6.0	80.0	14.0	30.0
23629S	65.660	146.638	C-6	10	5	26	0	-0.5	4.0	9.0	700.0	-1.0	7.0	50.0	11.0	12.0
23631S	65.544	146.575	C-6	8	6	5	0	-0.5	6.0	-5.0	400.0	-0.6	9.0	50.0	3.0	17.0
23632S	65.581	146.621	C-6	9	5	25	0	-0.5	8.0	-6.0	800.0	-1.1	13.0	90.0	3.0	32.0
23636S	65.424	145.879	B-4	7	9	22	0	-0.5	7.0	-5.0	400.0	-0.7	17.0	70.0	2.0	29.0
23637S	65.462	146.912	B-6	7	4	3	0	-0.5	9.0	10.0	500.0	0.9	12.0	50.0	3.0	23.0
23641S	65.467	145.731	B-4	7	10	5	0	-0.5	23.0	-5.0	500.0	-0.7	12.0	50.0	3.0	19.0
23647S	65.491	146.428	B-5	8	6	25	0	-0.5	29.0	-6.0	500.0	-0.7	14.0	50.0	8.0	37.0
23651S	65.516	145.729	C-4	8	10	17	0	-0.5	14.0	-5.0	400.0	-0.9	19.0	80.0	3.0	36.0
23652S	65.448	146.026	B-5	7	8	11	0	-0.5	17.0	5.0	500.0	-0.6	12.0	50.0	2.0	21.0
23654S	65.602	146.969	C-6	9	4	17	0	-0.5	15.0	6.0	700.0	-1.0	18.0	80.0	9.0	47.0
23655S	65.669	146.417	C-5	10	6	25	0	-0.5	5.0	-5.0	600.0	-0.7	9.0	60.0	2.0	9.0
23658S	65.531	146.922	C-6	8	4	9	0	-0.5	13.0	6.0	800.0	-0.9	14.0	80.0	7.0	32.0
23659S	65.524	146.643	C-6	8	5	13	0	-0.5	9.0	-7.0	600.0	1.0	11.0	60.0	4.0	18.0
23660S	65.427	146.729	B-6	7	5	21	0	-0.5	10.0	9.0	700.0	-0.5	11.0	70.0	3.0	8.0
23661S	65.659	146.926	C-6	10	4	28	0	-0.5	8.0	8.0	600.0	0.8	16.0	80.0	4.0	17.0
23662S	65.523	145.968	C-4	8	9	18	0	-0.5	27.0	6.0	300.0	-0.5	14.0	50.0	4.0	27.0
23664S	65.522	146.898	C-6	8	4	15	0	-0.5	5.0	9.0	800.0	-0.9	12.0	90.0	4.0	13.0
23665S	65.442	146.392	B-5	7	7	7	0	0.5	27.0	-8.0	600.0	-0.9	10.0	60.0	13.0	24.0
23667S	65.436	145.961	B-4	7	9	18	0	-0.5	46.0	10.0	400.0	1.3	11.0	50.0	6.0	35.0
23668S	65.428	146.228	B-5	7	7	13	0	-0.5	8.0	-5.0	600.0	-0.7	12.0	60.0	3.0	18.0
23669S	65.445	146.857	B-6	7	4	11	0	-0.5	7.0	-6.0	800.0	-1.0	16.0	100.0	2.0	21.0
23672S	65.450	146.755	B-6	7	5	8	0	-0.5	6.0	-5.0	600.0	-0.5	9.0	60.0	3.0	9.0
23673S	65.531	146.833	C-6	8	4	12	0	-0.5	8.0	-7.0	900.0	-1.0	16.0	100.0	6.0	20.0
23674S	65.434	146.607	B-6	7	6	18	0	-0.5	11.0	13.0	500.0	0.6	6.0	20.0	17.0	29.0
23681S	65.537	145.821	C-4	8	9	11	0	-0.5	6.0	-5.0	400.0	-0.6	7.0	30.0	2.0	11.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
236145	3.1	7.0	-4.0	0.58	-200.0	22.0	110.0	2.2	9.6	-5.0	1.0	12.0	3.7	-4.0
236155	3.4	9.0	-4.0	1.00	-200.0	10.0	150.0	1.0	12.7	-5.0	-1.0	10.0	4.2	-4.0
236215	3.7	8.0	-4.0	1.10	-200.0	10.0	90.0	1.5	13.5	-5.0	-1.0	10.0	3.4	-8.0
236245	4.3	9.0	4.0	1.20	-200.0	4.0	90.0	0.8	15.3	-5.0	1.0	10.0	3.2	-7.0
236285	2.5	6.0	-4.0	0.57	-200.0	8.0	100.0	3.9	10.8	-5.0	-1.0	6.9	3.4	-4.0
236295	2.5	11.0	-4.0	1.20	-200.0	120.0	190.0	0.9	10.3	-5.0	1.0	51.0	23.3	-6.0
236315	2.7	5.0	-4.0	0.64	-200.0	12.0	100.0	0.5	8.3	-5.0	-1.0	8.3	2.5	-5.0
236325	3.7	6.0	-4.0	0.75	-200.0	22.0	80.0	0.9	13.0	-5.0	1.0	10.0	4.5	-4.0
236365	3.5	8.0	-4.0	0.84	-200.0	6.0	80.0	2.4	13.1	-5.0	-1.0	7.3	2.2	-4.0
236375	3.0	8.0	-4.0	1.00	-200.0	14.0	120.0	1.0	10.1	-5.0	1.0	17.0	5.5	5.0
236415	3.5	6.0	-4.0	0.76	-200.0	8.0	70.0	8.1	12.5	-5.0	-1.0	8.1	2.1	-4.0
236475	3.4	6.0	-4.0	0.87	-200.0	10.0	140.0	0.8	10.1	-5.0	-1.0	13.0	9.4	6.0
236515	3.9	6.0	-4.0	0.75	-200.0	12.0	120.0	1.2	14.9	-5.0	-1.0	8.7	2.1	-4.0
236525	2.9	7.0	-4.0	0.58	-200.0	14.0	60.0	2.3	9.3	-5.0	-1.0	7.6	2.2	-4.0
236545	4.0	6.0	4.0	0.95	-200.0	70.0	320.0	2.2	12.8	5.0	1.0	30.0	12.2	-4.0
236555	2.4	9.0	-4.0	1.10	-200.0	10.0	70.0	0.5	10.3	-5.0	1.0	9.6	2.4	-4.0
236585	4.0	7.0	-4.0	0.45	-200.0	24.0	210.0	2.0	14.9	-5.0	-1.0	18.0	4.5	-4.0
236595	2.8	8.0	-4.0	1.10	200.0	14.0	90.0	0.4	10.6	-5.0	-1.0	17.0	15.6	-6.0
236605	2.9	8.0	-4.0	1.00	-200.0	8.0	60.0	3.5	11.4	-5.0	1.0	9.7	3.2	-7.0
236615	3.9	10.0	-4.0	1.30	-200.0	8.0	80.0	1.7	13.8	-5.0	-1.0	10.0	3.9	-7.0
236625	2.9	5.0	-4.0	0.58	-200.0	8.0	110.0	1.2	9.1	-5.0	-1.0	8.3	2.2	10.0
236645	3.5	9.0	4.0	0.85	-200.0	16.0	110.0	0.9	13.0	5.0	-1.0	13.0	3.1	-4.0
236655	2.8	7.0	-4.0	1.20	-200.0	16.0	240.0	0.7	10.2	-5.0	2.0	17.0	31.6	19.0
236675	3.0	7.0	8.0	0.64	-200.0	18.0	120.0	1.7	10.2	-5.0	-1.0	12.0	7.8	14.0
236685	3.1	8.0	-4.0	1.00	-200.0	10.0	120.0	1.2	10.0	-5.0	-1.0	11.0	3.5	-4.0
236695	4.2	9.0	4.0	1.60	-200.0	10.0	100.0	0.9	15.9	-5.0	-1.0	9.6	2.5	-4.0
236725	2.6	8.0	-4.0	0.90	-200.0	10.0	80.0	0.9	10.5	-5.0	-1.0	11.0	3.2	-6.0
236735	4.0	9.0	-4.0	0.78	-200.0	18.0	160.0	1.0	15.8	-5.0	1.0	12.0	4.4	-4.0
236745	1.9	3.0	-4.0	1.50	-200.0	6.0	400.0	1.5	5.2	-5.0	1.0	13.0	7.4	6.0
236815	2.0	8.0	-4.0	1.40	-200.0	6.0	50.0	2.0	6.4	-5.0	-1.0	9.4	2.4	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
23614S	95.0	48.0	69.0	5.6	1.4	2.8	0.4
23615S	85.0	46.0	81.0	5.0	-0.2	2.3	0.3
23621S	64.0	47.0	87.0	5.1	1.5	3.1	0.4
23624S	75.0	45.0	73.0	4.9	1.3	2.9	0.4
23628S	26.0	32.0	50.0	3.6	1.1	2.6	0.4
23629S	210.0	87.0	138.0	12.1	0.8	9.5	1.3
23631S	74.0	28.0	46.0	3.0	0.8	1.9	0.2
23632S	96.0	39.0	75.0	4.8	1.5	2.8	0.4
23636S	47.0	28.0	50.0	3.3	0.9	2.0	0.3
23637S	90.0	47.0	85.0	5.2	-0.2	3.4	0.4
23641S	57.0	30.0	50.0	3.4	1.9	2.1	0.3
23647S	90.0	42.0	70.0	4.3	0.9	2.5	0.4
23651S	62.0	36.0	62.0	4.8	1.7	2.8	0.4
23652S	65.0	33.0	53.0	3.6	1.0	2.2	0.3
23654S	280.0	74.0	143.0	6.5	1.5	5.8	0.9
23655S	59.0	41.0	67.0	4.6	0.9	2.5	0.3
23658S	96.0	65.0	113.0	7.2	2.5	3.0	0.4
23659S	61.0	51.0	73.0	5.2	1.5	2.7	0.5
23660S	42.0	36.0	58.0	3.9	1.2	2.3	0.3
23661S	62.0	43.0	74.0	4.8	1.4	3.2	0.4
23662S	78.0	28.0	47.0	3.2	0.8	1.8	0.2
23664S	68.0	54.0	88.0	6.0	1.2	2.7	0.4
23665S	92.0	44.0	68.0	5.6	0.8	3.9	0.6
23667S	74.0	39.0	62.0	4.1	1.1	2.3	0.4
23668S	72.0	39.0	60.0	4.2	1.6	2.3	0.3
23669S	66.0	43.0	78.0	5.0	1.6	2.4	0.4
23672S	51.0	45.0	78.0	4.8	1.4	2.7	0.3
23673S	72.0	47.0	83.0	5.6	2.2	3.2	0.5
23674S	70.0	27.0	45.0	3.3	0.6	3.1	0.4
23681S	48.0	34.0	52.0	3.5	-0.2	1.8	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Hg	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
23684S	65.475	146.891	B-6	8	4	34	0	-0.5	7.0	6.0	1500.0	-0.5	20.0	120.0	8.0	35.0
23692S	65.424	146.635	B-6	7	5	24	0	-0.5	14.0	-6.0	300.0	-0.6	9.0	40.0	15.0	23.0
23697S	65.700	146.776	C-6	10	5	18	0	-0.5	4.0	-5.0	1100.0	-0.5	15.0	90.0	6.0	14.0
23703S	65.553	146.571	C-6	8	6	5	0	-0.5	5.0	-6.0	400.0	-0.6	12.0	50.0	3.0	22.0
23704S	65.513	146.109	C-5	8	8	21	0	-0.5	7.0	-5.0	600.0	-0.7	11.0	60.0	2.0	12.0
23706S	65.615	146.555	C-6	9	6	8	0	-0.5	5.0	-5.0	600.0	-0.9	10.0	70.0	6.0	17.0
23707S	65.416	146.083	B-5	7	8	22	0	-0.5	39.0	-5.0	400.0	-0.5	9.0	50.0	2.0	21.0
23708S	65.695	146.584	C-6	10	6	18	0	-0.5	18.0	6.0	1600.0	-0.9	17.0	70.0	10.0	34.0
23712S	65.670	146.711	C-6	10	5	28	0	-0.5	12.0	-6.0	900.0	-1.1	16.0	90.0	10.0	29.0
23717S	65.561	146.997	C-6	9	4	31	0	-0.5	6.0	-5.0	700.0	-0.9	18.0	80.0	6.0	37.0
23719S	65.395	146.727	B-6	7	5	33	0	-0.5	10.0	-8.0	600.0	-0.8	20.0	60.0	13.0	16.0
23724S	65.513	146.413	C-5	8	6	13	0	-0.5	12.0	-5.0	600.0	-0.8	13.0	60.0	2.0	18.0
23725S	65.475	146.519	B-6	8	6	33	0	-0.5	9.0	-7.0	600.0	1.2	12.0	50.0	6.0	13.0
23732S	65.506	146.622	C-6	8	5	24	0	-0.5	6.0	-6.0	400.0	-0.9	7.0	30.0	10.0	11.0
23734S	65.583	146.625	C-6	9	5	25	0	-0.5	6.0	-6.0	700.0	-1.0	15.0	80.0	4.0	29.0
23738S	65.455	146.552	B-6	7	6	8	0	-0.5	13.0	-6.0	200.0	1.3	7.0	20.0	15.0	8.5
23748S	65.479	146.205	B-5	8	7	36	0	-0.5	9.0	-6.0	700.0	-0.8	13.0	60.0	2.0	21.0
24101S	65.706	146.515	C-6	10	6	9	0	-0.5	5.0	8.0	900.0	2.0	12.0	90.0	4.0	17.0
24102S	65.702	146.438	C-5	10	6	11	0	-0.5	6.0	-5.0	900.0	-1.0	13.0	80.0	4.0	16.0
24107S	65.371	146.046	B-5	6	8	2	0	-0.5	-2.0	-5.0	200.0	0.7	13.0	50.0	1.0	29.0
24111S	65.710	146.506	C-6	10	6	9	0	-0.5	9.0	-5.0	900.0	1.8	15.0	90.0	3.0	28.0
24114S	65.566	146.691	C-6	9	4	34	0	1.5	19.0	-6.0	1000.0	-1.3	31.0	90.0	20.0	45.0
24117S	65.541	146.765	C-6	8	5	8	0	-0.5	9.0	-6.0	700.0	-0.8	13.0	80.0	4.0	21.0
24120S	65.446	145.955	B-4	7	9	8	0	-0.5	55.0	-5.0	300.0	-0.6	13.0	50.0	5.0	31.0
24123S	65.626	146.719	C-6	9	5	9	0	-0.5	4.0	-5.0	300.0	-1.1	-5.0	20.0	7.0	11.0
24126S	65.556	146.468	C-5	8	6	2	0	-0.5	55.0	-6.0	800.0	-1.1	15.0	60.0	10.0	16.0
24133S	65.661	146.432	C-5	10	6	26	0	-0.5	5.0	-6.0	700.0	-0.8	13.0	60.0	3.0	20.0
24134S	65.397	146.734	B-6	7	5	33	0	-0.5	11.0	-6.0	400.0	0.9	6.0	30.0	13.0	14.0
24142S	65.399	146.714	B-6	7	5	28	0	-0.5	7.0	-5.0	300.0	-0.6	7.0	30.0	11.0	12.0
24151S	65.487	146.625	B-6	8	5	25	0	-0.5	21.0	-9.0	400.0	-1.6	12.0	80.0	16.0	9.5

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
23684S	4.8	8.0	-4.0	0.72	-200.0	14.0	180.0	0.8	17.9	-5.0	1.0	17.0	3.9	-8.0
23692S	2.2	5.0	-4.0	1.30	-200.0	14.0	250.0	1.0	7.2	-5.0	-1.0	14.0	14.3	11.0
23697S	3.5	10.0	6.0	0.94	-200.0	18.0	140.0	0.9	15.5	-5.0	1.0	15.0	4.1	-6.0
23703S	3.2	4.0	-4.0	0.61	-200.0	14.0	110.0	0.6	9.2	-5.0	-1.0	8.9	1.8	-5.0
23704S	2.4	10.0	4.0	1.00	-200.0	6.0	70.0	0.9	9.3	-5.0	-1.0	10.0	3.3	-4.0
23706S	3.2	11.0	-4.0	0.72	-200.0	20.0	120.0	0.7	12.6	-5.0	1.0	13.0	3.4	-4.0
23707S	2.6	5.0	4.0	0.57	-200.0	26.0	70.0	6.3	6.4	-5.0	-1.0	6.8	1.5	-4.0
23708S	4.8	6.0	13.0	0.63	-200.0	110.0	310.0	4.8	15.0	-5.0	-1.0	20.0	6.6	6.0
23712S	4.4	11.0	-4.0	1.00	-200.0	72.0	190.0	1.0	16.3	-5.0	-1.0	25.0	7.5	-4.0
23717S	3.4	5.0	-4.0	1.20	-200.0	68.0	60.0	0.7	12.8	-5.0	-1.0	9.7	3.0	-4.0
23719S	3.2	6.0	-4.0	0.77	-200.0	16.0	120.0	0.9	11.3	-5.0	1.0	12.0	3.0	-7.0
23724S	3.5	9.0	-4.0	0.82	-200.0	12.0	100.0	2.2	10.5	-5.0	-1.0	12.0	2.8	-4.0
23725S	2.9	7.0	-4.0	1.20	-200.0	16.0	110.0	0.8	9.7	-5.0	1.0	13.0	5.7	-7.0
23732S	2.1	9.0	-4.0	1.70	-200.0	12.0	200.0	0.5	6.6	-5.0	3.0	33.0	11.0	5.0
23734S	3.5	8.0	-4.0	0.80	-200.0	15.0	110.0	0.9	13.6	-5.0	1.0	12.0	3.4	-4.0
23738S	1.6	4.0	-4.0	1.40	-200.0	10.0	380.0	0.8	4.7	-5.0	1.0	18.0	17.3	15.0
23748S	3.2	8.0	-4.0	0.96	-200.0	10.0	70.0	0.9	10.9	-5.0	-1.0	11.0	5.2	-4.0
24101S	3.1	11.0	-4.0	1.10	-200.0	38.0	130.0	0.9	13.7	-5.0	-1.0	12.0	3.6	-4.0
24102S	3.1	8.0	-4.0	1.00	400.0	16.0	80.0	0.6	12.7	-5.0	-1.0	9.9	2.3	-4.0
24107S	2.6	4.0	-4.0	0.93	-200.0	4.0	60.0	0.4	7.3	-5.0	-1.0	4.8	0.9	-4.0
24111S	3.5	7.0	-4.0	1.20	-200.0	20.0	110.0	1.1	13.4	-5.0	-1.0	10.0	2.7	-4.0
24114S	3.8	8.0	-4.0	1.30	400.0	100.0	340.0	1.6	14.2	-6.0	5.0	30.0	34.4	25.0
24117S	3.2	6.0	-4.0	0.79	-200.0	16.0	140.0	0.7	12.9	-5.0	1.0	10.0	2.7	-4.0
24120S	3.1	6.0	-4.0	0.42	-200.0	10.0	100.0	1.8	9.4	-5.0	-1.0	6.7	2.1	17.0
24123S	2.0	11.0	-4.0	1.90	-200.0	30.0	590.0	0.2	5.1	-5.0	2.0	78.0	34.0	6.0
24126S	3.6	8.0	-4.0	1.30	400.0	40.0	160.0	1.9	11.5	-5.0	2.0	24.0	33.9	5.0
24133S	2.6	7.0	-4.0	0.89	-200.0	16.0	80.0	0.7	12.0	-5.0	1.0	10.0	3.2	-4.0
24134S	2.1	6.0	-4.0	1.10	-200.0	12.0	130.0	0.9	7.1	-5.0	-1.0	11.0	8.9	7.0
24142S	1.9	8.0	4.0	1.30	-200.0	10.0	170.0	1.1	6.4	-5.0	1.0	14.0	9.9	-5.0
24151S	3.0	10.0	17.0	1.30	-300.0	20.0	-60.0	0.4	11.5	-10.0	2.0	34.0	398.0	6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
23684S	120.0	59.0	98.0	6.1	1.5	3.2	0.4
23692S	78.0	32.0	53.0	4.0	0.8	3.0	0.4
23697S	80.0	50.0	85.0	5.6	1.2	3.2	0.4
23703S	87.0	30.0	55.0	3.2	0.8	1.9	0.2
23704S	56.0	35.0	61.0	3.9	0.8	2.5	0.3
23706S	93.0	53.0	84.0	6.2	2.0	3.3	0.5
23707S	69.0	25.0	50.0	3.0	1.0	1.7	0.2
23708S	430.0	61.0	111.0	6.7	-0.2	4.6	0.6
23712S	230.0	83.0	134.0	9.2	1.9	5.1	0.7
23717S	220.0	42.0	69.0	5.1	-0.2	2.8	0.3
23719S	96.0	39.0	66.0	4.6	1.2	2.6	0.3
23724S	66.0	41.0	72.0	4.2	1.5	2.3	0.3
23725S	57.0	38.0	62.0	4.5	0.7	2.6	0.4
23732S	50.0	63.0	103.0	6.1	0.6	3.8	0.6
23734S	120.0	43.0	74.0	5.6	2.0	3.4	0.5
23738S	43.0	32.0	56.0	4.5	-0.3	4.6	0.7
23748S	76.0	42.0	64.0	4.9	1.5	2.4	0.4
24101S	140.0	49.0	87.0	5.5	1.3	3.2	0.4
24102S	91.0	38.0	62.0	4.3	1.4	2.4	0.3
24107S	30.0	16.0	30.0	2.2	0.7	0.9	0.1
24111S	100.0	41.0	78.0	4.9	1.2	2.8	0.4
24114S	590.0	91.0	166.0	17.6	2.9	18.7	2.5
24117S	94.0	37.0	59.0	5.0	1.5	2.9	0.4
24120S	65.0	24.0	45.0	2.6	1.0	1.9	0.2
24123S	120.0	100.0	188.0	12.0	-0.6	10.1	1.4
24126S	110.0	60.0	97.0	6.3	1.1	4.6	1.0
24133S	75.0	38.0	66.0	4.6	0.7	2.7	0.3
24134S	68.0	31.0	51.0	3.5	1.1	2.2	0.4
24142S	65.0	34.0	56.0	4.2	-0.2	2.9	0.4
24151S	78.0	83.0	133.0	6.4	1.6	5.7	-0.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
24163S	65.709	146.842	C-6	10	4	11	0	-0.5	11.0	-7.0	1100.0	-0.8	14.0	110.0	3.0	40.0
24166S	65.616	146.874	C-6	9	4	11	0	-0.5	8.0	-5.0	500.0	1.1	-5.0	40.0	4.0	16.0
24171S	65.594	146.952	C-6	9	4	20	0	1.0	18.0	-7.0	900.0	-1.2	21.0	80.0	28.0	73.0
24174S	65.430	146.721	B-6	7	5	16	0	-0.5	11.0	-5.0	500.0	-0.8	12.0	60.0	3.0	11.0
24175S	65.716	146.533	C-6	10	6	5	0	-0.5	10.0	-5.0	1400.0	1.4	10.0	90.0	4.0	24.0
24180S	65.624	146.858	C-6	9	4	11	0	-0.5	6.0	-5.0	300.0	-1.0	-5.0	20.0	7.0	9.5
24181S	65.536	146.159	C-5	8	8	6	0	-0.5	23.0	-8.0	600.0	-1.0	22.0	80.0	5.0	20.0
24183S	65.533	146.806	C-6	8	5	7	0	-0.5	5.0	-5.0	600.0	-1.0	13.0	60.0	2.0	16.0
24186S	65.469	146.598	B-6	7	6	6	0	-0.5	6.0	-7.0	500.0	-1.4	9.0	90.0	3.0	12.0
24199S	65.381	146.098	B-5	6	8	4	0	-0.5	76.0	11.0	600.0	-1.1	15.0	80.0	6.0	18.0
24201S	65.526	146.743	C-6	8	5	16	0	-0.5	7.0	-5.0	600.0	-0.9	16.0	70.0	3.0	22.0
24202S	65.359	146.630	B-6	7	5	25	0	-0.5	18.0	-7.0	700.0	2.0	59.0	60.0	10.0	28.0
24208S	65.660	146.529	C-6	10	6	29	0	-0.5	8.0	-7.0	700.0	1.4	15.0	80.0	9.0	27.0
24210S	65.447	146.531	B-6	7	6	9	0	-0.5	19.0	-8.0	400.0	2.1	6.0	30.0	20.0	7.5
24212S	65.623	146.500	C-6	9	6	9	-16	-0.5	7.0	-5.0	600.0	1.0	15.0	50.0	4.0	18.0
24221S	65.533	146.922	C-6	8	4	9	0	-0.5	9.0	-7.0	600.0	-0.9	12.0	60.0	10.0	27.0
24228S	65.700	146.469	C-5	10	6	15	0	-0.5	4.0	-5.0	700.0	-1.0	13.0	80.0	7.0	14.0
24230S	65.696	146.680	C-6	10	5	15	0	-0.5	8.0	-10.0	1200.0	-1.9	21.0	90.0	6.0	18.0
24231S	65.568	146.265	C-5	9	7	34	0	-0.5	15.0	-7.0	700.0	-0.9	14.0	70.0	7.0	29.0
24232S	65.560	146.609	C-6	9	4	36	0	-0.5	7.0	-6.0	900.0	1.6	12.0	60.0	5.0	15.0
24243S	65.489	146.564	B-6	8	6	29	0	-0.5	25.0	5.0	500.0	-0.7	9.0	40.0	6.0	15.0
24245S	65.529	146.055	C-5	8	8	11	0	-0.5	41.0	-5.0	500.0	-0.7	13.0	60.0	3.0	28.0
24247S	65.446	146.466	B-5	7	6	11	0	-0.5	25.0	-9.0	500.0	-1.1	7.0	30.0	20.0	12.0
24248S	65.453	146.358	B-5	7	7	8	0	-0.5	16.0	-5.0	500.0	-0.8	8.0	40.0	15.0	20.0
24250S	65.527	146.341	C-6	8	6	16	0	-0.5	8.0	-11.0	600.0	-2.4	5.0	10.0	11.0	4.0
24255S	65.459	145.822	B-4	7	9	2	0	-0.5	52.0	-5.0	500.0	0.8	16.0	60.0	5.0	28.0
24261S	65.530	146.485	C-5	8	6	10	0	-0.5	36.0	-6.0	600.0	-1.0	8.0	50.0	16.0	7.0
24263S	65.534	146.769	C-6	8	5	8	0	-0.5	10.0	-5.0	700.0	1.0	15.0	70.0	3.0	22.0
24264S	65.491	146.421	B-5	8	6	25	0	-0.5	22.0	-10.0	600.0	-1.4	11.0	60.0	7.0	29.0
24265S	65.604	146.417	C-5	9	6	13	0	-0.5	4.0	14.0	500.0	-0.9	18.0	90.0	4.0	46.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
24163S	3.3	6.0	-4.0	0.59	-200.0	18.0	130.0	2.7	12.0	-5.0	-1.0	9.5	3.6	-7.0
24166S	1.8	12.0	-4.0	1.20	-200.0	46.0	220.0	0.7	7.2	-5.0	2.0	59.0	35.6	6.0
24171S	4.1	4.0	-4.0	0.61	-200.0	120.0	220.0	2.0	15.4	-5.0	-1.0	15.0	7.0	-4.0
24174S	2.7	15.0	-5.0	1.00	-200.0	14.0	90.0	1.7	10.1	-5.0	1.0	9.8	3.8	-6.0
24175S	2.9	8.0	-4.0	1.00	-200.0	12.0	90.0	3.2	12.1	-5.0	-1.0	9.7	3.8	-4.0
24180S	2.0	13.0	-4.0	2.20	-200.0	28.0	570.0	0.4	6.5	15.0	2.0	78.0	26.3	13.0
24181S	3.8	8.0	-4.0	1.00	-200.0	16.0	100.0	1.0	14.0	-5.0	-1.0	12.0	2.9	-4.0
24183S	2.9	7.0	6.0	0.71	200.0	16.0	110.0	0.7	11.5	-5.0	-1.0	10.0	3.3	-4.0
24186S	2.4	16.0	-4.0	1.10	-200.0	8.0	60.0	0.7	11.0	-6.0	-1.0	14.0	4.3	-4.0
24199S	3.5	8.0	-4.0	0.76	-200.0	18.0	100.0	11.0	12.9	-5.0	-1.0	11.0	5.3	-4.0
24201S	3.2	7.0	-4.0	0.83	-200.0	18.0	100.0	0.8	11.7	-5.0	-1.0	9.0	2.9	-4.0
24202S	3.3	7.0	-4.0	0.97	-200.0	16.0	130.0	1.5	12.7	-5.0	-1.0	11.0	3.7	-4.0
24208S	3.1	6.0	-4.0	0.77	-200.0	22.0	70.0	1.0	13.4	-5.0	1.0	10.0	4.4	-4.0
24210S	2.2	5.0	-4.0	1.40	-200.0	12.0	320.0	1.4	6.5	-5.0	2.0	41.0	48.1	-7.0
24212S	3.8	6.0	10.0	0.63	-200.0	14.0	120.0	0.4	11.0	-5.0	-1.0	9.8	2.5	-4.0
24221S	3.2	10.0	5.0	1.10	-200.0	16.0	110.0	1.1	13.3	-5.0	-1.0	14.0	4.7	-4.0
24228S	3.3	9.0	-4.0	0.95	-200.0	18.0	70.0	0.8	13.9	-5.0	-1.0	11.0	2.6	-4.0
24230S	5.6	8.0	-4.0	0.68	-200.0	12.0	290.0	1.4	19.9	-6.0	3.0	22.0	3.7	-5.0
24231S	3.7	7.0	-4.0	0.79	-200.0	24.0	120.0	4.7	12.1	-5.0	1.0	14.0	3.9	5.0
24232S	2.7	8.0	-4.0	1.00	-200.0	32.0	130.0	0.7	10.3	-5.0	-1.0	32.0	15.7	8.0
24243S	2.3	9.0	13.0	1.20	-200.0	30.0	130.0	2.0	7.5	-5.0	1.0	21.0	27.8	-5.0
24245S	3.6	8.0	6.0	0.60	-200.0	16.0	110.0	3.6	10.7	-5.0	-1.0	11.0	3.0	5.0
24247S	1.8	6.0	-4.0	1.40	-200.0	18.0	360.0	0.9	7.2	-5.0	1.0	27.0	86.1	20.0
24248S	2.7	7.0	-4.0	1.30	-200.0	12.0	260.0	0.9	8.9	-5.0	3.0	16.0	14.1	9.0
24250S	2.3	15.0	-4.0	2.30	300.0	22.0	310.0	0.4	8.4	-5.0	6.0	91.0	47.6	14.0
24255S	3.4	9.0	-4.0	0.63	-200.0	12.0	90.0	3.1	12.3	-5.0	-1.0	7.9	5.4	47.0
24261S	2.6	12.0	-4.0	1.90	-200.0	24.0	320.0	0.7	10.2	-5.0	4.0	33.0	23.8	7.0
24263S	3.3	7.0	9.0	0.81	-200.0	18.0	100.0	0.9	11.5	-5.0	-1.0	10.0	2.7	-4.0
24264S	3.4	9.0	-4.0	1.00	300.0	12.0	130.0	0.6	10.6	-5.0	2.0	15.0	8.2	10.0
24265S	4.1	4.0	-4.0	0.80	-200.0	16.0	100.0	0.4	15.4	-6.0	-1.0	12.0	4.9	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
24163S	110.0	47.0	74.0	4.7	1.5	2.1	0.3
24166S	230.0	93.0	171.0	13.8	-0.5	14.8	2.1
24171S	320.0	64.0	89.0	7.4	2.1	2.8	0.5
24174S	45.0	35.0	57.0	3.9	1.3	2.4	0.3
24175S	76.0	43.0	72.0	4.9	1.5	2.9	0.4
24180S	130.0	106.0	201.0	12.8	-0.6	11.9	1.6
24181S	79.0	47.0	78.0	5.1	1.7	2.5	0.3
24183S	78.0	39.0	77.0	4.5	1.0	2.3	0.3
24186S	38.0	63.0	91.0	6.0	1.5	3.9	0.6
24199S	72.0	58.0	79.0	6.6	1.9	2.6	0.4
24201S	81.0	37.0	75.0	4.3	1.7	2.5	0.4
24202S	150.0	81.0	105.0	8.7	2.6	3.8	0.4
24208S	74.0	40.0	69.0	4.9	1.4	2.6	0.3
24210S	50.0	68.0	116.0	9.8	-0.5	8.5	1.3
24212S	82.0	37.0	65.0	4.0	1.6	2.2	0.3
24221S	65.0	57.0	105.0	7.3	1.8	4.0	0.6
24228S	91.0	45.0	84.0	5.0	1.6	2.7	0.4
24230S	120.0	60.0	140.0	11.3	1.4	3.7	0.6
24231S	100.0	48.0	76.0	5.5	1.2	3.1	0.4
24232S	150.0	76.0	135.0	5.3	1.0	6.5	0.9
24243S	120.0	51.0	83.0	5.1	0.7	3.1	0.6
24245S	67.0	40.0	81.0	4.6	1.8	2.7	0.4
24247S	70.0	47.0	78.0	6.8	-0.5	6.2	1.4
24248S	120.0	37.0	61.0	4.7	-0.6	3.9	0.6
24250S	75.0	141.0	247.0	18.1	-0.7	6.5	1.3
24255S	67.0	28.0	56.0	3.6	1.0	2.3	0.3
24261S	62.0	70.0	112.0	6.6	1.0	4.9	0.8
24263S	77.0	37.0	73.0	4.2	1.3	2.4	0.3
24264S	84.0	47.0	73.0	7.3	1.5	3.0	0.6
24265S	90.0	46.0	79.0	5.0	1.8	2.2	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
24268S	65.621	146.505	C-6	9	6	9	0	-0.5	5.0	-5.0	400.0	-0.7	11.0	50.0	3.0	17.0
24272S	65.520	146.744	C-6	8	5	16	0	-0.5	14.0	-5.0	500.0	-0.8	12.0	60.0	5.0	22.0
24277S	65.507	146.768	C-6	8	5	20	0	-0.5	18.0	-8.0	500.0	-1.5	15.0	60.0	5.0	24.0
24280S	65.651	146.984	C-6	10	4	31	0	-0.5	9.0	-10.0	1400.0	-1.8	21.0	90.0	8.0	29.0
24284S	65.534	146.613	C-6	8	5	12	0	-0.5	10.0	-6.0	600.0	-0.5	13.0	60.0	6.0	17.0
24285S	65.637	146.953	C-6	9	4	5	0	-0.5	10.0	-9.0	900.0	-1.6	14.0	90.0	6.0	31.0
24286S	65.540	146.679	C-6	8	5	10	0	-0.5	14.0	8.0	600.0	-1.4	16.0	70.0	4.0	20.0
24287S	65.601	146.191	C-5	9	7	13	-22	-0.5	7.0	-5.0	500.0	-0.7	17.0	50.0	3.0	21.0
24288S	65.519	145.660	C-4	8	10	15	0	-0.5	70.0	8.0	300.0	-0.7	13.0	50.0	2.0	28.0
24289S	65.557	146.884	C-6	9	4	34	0	1.0	17.0	-10.0	700.0	-2.1	25.0	70.0	12.0	46.0
24290S	65.493	146.555	B-6	8	6	29	0	-0.5	24.0	-10.0	600.0	-1.6	9.0	50.0	6.0	16.0
24292S	65.629	146.803	C-6	9	5	6	0	-0.5	-2.0	-9.0	500.0	-1.6	5.0	60.0	4.0	10.0
24297S	65.394	145.995	B-4	7	8	36	0	-0.5	53.0	-9.0	400.0	-1.5	21.0	100.0	2.0	52.0
24316S	65.554	146.911	C-6	8	4	3	0	-0.5	5.0	-10.0	700.0	-1.8	14.0	110.0	6.0	20.0
24320S	65.630	146.936	C-6	9	4	4	0	-0.5	10.0	-9.0	900.0	-1.7	16.0	90.0	5.0	27.0
24326S	65.533	146.798	C-6	8	5	7	0	-0.5	8.0	-5.0	600.0	-0.6	13.0	80.0	3.0	21.0
24327S	65.686	146.963	C-6	10	4	20	0	-0.5	13.0	-9.0	1400.0	-1.8	31.0	90.0	3.0	70.0
24328S	65.573	146.445	C-5	9	6	26	0	-0.5	40.0	-6.0	500.0	1.4	7.0	40.0	11.0	9.5
24331S	65.703	146.583	C-6	10	6	7	0	-0.5	9.0	-9.0	800.0	-1.8	12.0	90.0	6.0	25.0
24333S	65.544	146.252	C-5	8	7	2	-30	-0.5	19.0	6.0	700.0	1.1	15.0	70.0	3.0	23.0
24334S	65.620	146.584	C-6	9	6	7	0	-0.5	5.0	14.0	800.0	-1.6	13.0	80.0	4.0	22.0
24336S	65.711	146.570	C-6	10	6	7	0	-0.5	13.0	-5.0	1400.0	-0.7	13.0	80.0	7.0	23.0
24338S	65.598	146.570	C-6	9	6	19	0	-0.5	7.0	-5.0	700.0	-0.8	14.0	70.0	4.0	33.0
24339S	65.591	146.521	C-6	8	6	9	0	-0.5	15.0	-5.0	500.0	-1.3	13.0	50.0	4.0	10.0
24342S	65.576	146.985	C-6	9	4	30	0	-0.5	8.0	-6.0	800.0	1.1	16.0	80.0	12.0	37.0
24351S	65.547	146.718	C-6	8	5	4	0	-0.5	8.0	-6.0	500.0	-0.9	12.0	50.0	5.0	22.0
24352S	65.490	146.697	B-6	8	5	27	-6	-0.5	12.0	-9.0	700.0	-1.0	15.0	100.0	7.0	16.0
24356S	65.485	146.396	B-5	8	7	30	0	-0.5	12.0	-5.0	500.0	-0.7	11.0	60.0	4.0	23.0
24363S	65.519	146.186	C-5	8	8	18	0	-0.5	8.0	-7.0	600.0	1.3	14.0	80.0	4.0	21.0
24365S	65.703	146.616	C-6	10	5	12	0	-0.5	10.0	-6.0	800.0	-0.8	13.0	70.0	8.0	27.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
24268S	3.4	7.0	-4.0	0.66	-200.0	14.0	120.0	0.5	10.2	-5.0	2.0	10.0	2.6	-4.0
24272S	3.5	9.0	-4.0	0.82	-200.0	20.0	180.0	1.0	10.8	-5.0	-1.0	23.0	9.3	-4.0
24277S	3.9	6.0	-4.0	0.91	-200.0	16.0	200.0	0.9	11.3	8.0	-1.0	15.0	6.2	-4.0
24280S	4.8	7.0	-4.0	1.00	-200.0	34.0	130.0	0.8	17.5	-5.0	-2.0	14.0	4.2	-5.0
24284S	3.5	13.0	-4.0	1.30	-200.0	19.0	110.0	0.8	11.2	11.0	2.0	24.0	20.6	10.0
24285S	4.1	6.0	-4.0	0.83	-200.0	50.0	150.0	0.9	15.0	-5.0	3.0	13.0	4.4	-4.0
24286S	3.8	5.0	-4.0	1.20	-200.0	12.0	170.0	1.2	12.2	-5.0	2.0	13.0	7.0	5.0
24287S	3.3	6.0	-4.0	0.82	-200.0	14.0	110.0	1.6	9.6	-5.0	1.0	13.0	3.4	-4.0
24288S	3.2	7.0	-4.0	0.69	-200.0	16.0	90.0	0.1	10.7	-5.0	-1.0	9.6	1.8	-4.0
24289S	3.4	5.0	-4.0	1.20	-300.0	54.0	320.0	1.3	11.3	-9.0	4.0	24.0	26.2	18.0
24290S	2.8	10.0	-4.0	1.30	-200.0	34.0	120.0	2.5	9.1	-5.0	2.0	31.0	14.9	-7.0
24292S	2.2	15.0	-4.0	1.70	-200.0	34.0	370.0	0.5	8.9	-5.0	4.0	83.0	26.9	14.0
24297S	4.7	7.0	-4.0	0.69	-200.0	10.0	110.0	16.0	17.6	-5.0	2.0	9.8	2.7	-4.0
24316S	3.5	6.0	-4.0	0.95	-200.0	28.0	140.0	0.8	16.6	-5.0	-1.0	15.0	4.2	-5.0
24320S	3.9	8.0	-4.0	1.00	-200.0	48.0	130.0	1.0	15.1	-5.0	2.0	13.0	5.6	-5.0
24326S	3.1	13.0	-4.0	0.68	200.0	16.0	60.0	0.8	11.7	-5.0	1.0	13.0	3.9	-4.0
24327S	5.8	6.0	12.0	0.75	-200.0	24.0	60.0	2.1	12.5	-5.0	-1.0	10.0	4.6	-4.0
24328S	2.5	13.0	-4.0	1.70	-200.0	23.0	210.0	1.0	9.0	-5.0	5.0	29.0	29.4	19.0
24331S	3.9	6.0	-4.0	0.79	300.0	28.0	160.0	0.9	13.8	-5.0	2.0	16.0	4.5	-4.0
24333S	3.5	6.0	4.0	0.93	-200.0	14.0	130.0	2.4	11.7	-5.0	-1.0	13.0	5.1	-4.0
24334S	3.3	9.0	4.0	0.68	-200.0	16.0	120.0	1.1	13.3	-5.0	-1.0	14.0	4.2	-8.0
24336S	3.3	5.0	5.0	0.41	-200.0	8.0	130.0	3.2	10.9	-5.0	-1.0	10.0	3.8	-4.0
24338S	3.7	8.0	6.0	0.58	-200.0	24.0	130.0	0.7	13.0	-5.0	1.0	13.0	4.5	-4.0
24339S	2.9	5.0	-4.0	0.95	-200.0	12.0	140.0	1.2	9.3	-5.0	1.0	14.0	7.9	-6.0
24342S	3.5	7.0	-4.0	0.74	-200.0	74.0	170.0	0.7	13.7	-5.0	-1.0	12.0	3.6	-4.0
24351S	3.1	8.0	-4.0	0.94	-200.0	28.0	250.0	0.8	10.4	-5.0	1.0	31.0	9.9	4.0
24352S	3.4	18.0	-4.0	1.30	-200.0	14.0	170.0	0.8	14.0	-7.0	-2.0	33.0	12.2	9.0
24356S	3.1	6.0	-4.0	1.10	-200.0	14.0	110.0	1.0	9.8	-5.0	-1.0	11.0	3.3	-4.0
24363S	3.4	6.0	-4.0	1.00	-200.0	14.0	140.0	0.8	13.1	-5.0	-1.0	11.0	3.1	4.0
24365S	3.5	8.0	-4.0	0.91	-200.0	32.0	160.0	1.0	12.5	-5.0	1.0	14.0	4.6	4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
24268S	75.0	41.0	76.0	4.5	0.8	2.6	0.3
24272S	120.0	54.0	85.0	5.8	-0.6	3.5	0.6
24277S	100.0	43.0	71.0	6.9	1.3	3.0	0.4
24280S	140.0	58.0	101.0	9.2	1.3	3.6	0.6
24284S	72.0	65.0	111.0	6.7	1.1	4.2	0.7
24285S	150.0	51.0	86.0	8.8	1.1	3.2	0.6
24286S	67.0	41.0	75.0	6.4	1.0	2.5	0.4
24287S	68.0	41.0	66.0	4.5	1.0	2.5	0.4
24288S	59.0	33.0	57.0	3.5	0.7	2.2	0.2
24289S	680.0	74.0	139.0	20.0	1.1	14.8	2.4
24290S	120.0	70.0	112.0	10.2	1.2	5.1	0.8
24292S	160.0	112.0	194.0	22.2	0.6	12.9	1.9
24297S	90.0	40.0	70.0	7.3	1.8	2.5	0.5
24316S	100.0	50.0	67.0	8.1	1.3	3.0	0.4
24320S	140.0	50.0	88.0	6.6	1.1	4.1	0.5
24326S	57.0	58.0	101.0	6.7	1.6	3.2	0.4
24327S	270.0	41.0	72.0	6.9	1.6	3.0	0.5
24328S	66.0	66.0	98.0	6.3	1.1	4.5	0.9
24331S	160.0	57.0	86.0	9.0	0.9	3.5	0.5
24333S	74.0	44.0	82.0	4.7	1.0	2.3	0.4
24334S	80.0	50.0	85.0	8.5	1.3	3.1	0.5
24336S	66.0	45.0	82.0	4.9	0.7	3.0	0.4
24338S	100.0	48.0	86.0	5.3	1.1	3.1	0.5
24339S	60.0	39.0	61.0	6.4	1.3	2.1	0.4
24342S	160.0	50.0	80.0	5.7	1.9	2.5	0.3
24351S	190.0	75.0	128.0	9.0	1.5	6.0	0.8
24352S	78.0	130.0	221.0	18.8	1.5	7.1	1.1
24356S	71.0	40.0	65.0	4.1	1.2	2.2	0.3
24363S	77.0	46.0	79.0	4.9	1.3	2.4	0.3
24365S	300.0	53.0	91.0	5.8	1.0	3.0	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Eu
24368S	65.520	146.363	C-5	8	7	17	0	-0.5	13.0	-6.0	600.0	-0.8	15.0	70.0	3.0	21.0
24371S	65.493	145.835	B-4	8	9	26	0	-0.5	47.0	10.0	400.0	-0.6	13.0	50.0	4.0	25.0
24375S	65.477	145.933	B-4	8	9	32	0	-0.5	32.0	-5.0	400.0	-0.5	15.0	40.0	5.0	30.0
24378S	65.601	146.944	C-6	9	4	15	0	0.5	23.0	-5.0	600.0	-0.9	16.0	70.0	11.0	71.0
24379S	65.635	146.621	C-6	9	5	1	0	-0.5	8.0	-10.0	600.0	-1.6	10.0	60.0	5.0	22.0
24381S	65.390	146.026	B-5	7	8	35	0	-0.5	32.0	-9.0	600.0	-1.6	17.0	100.0	2.0	36.0
24385S	65.632	146.338	C-5	9	7	5	0	-0.5	5.0	-5.0	500.0	-0.7	16.0	80.0	3.0	27.0
24386S	65.602	146.243	C-5	9	7	14	0	-0.5	12.0	-5.0	500.0	1.0	12.0	60.0	3.0	18.0
24389S	65.660	146.397	C-5	10	6	25	0	-0.5	7.0	-6.0	600.0	-0.6	12.0	70.0	4.0	27.0
24393S	65.621	146.628	C-6	9	5	12	0	-0.5	10.0	-10.0	800.0	-1.7	14.0	110.0	5.0	31.0
24406S	65.669	146.731	C-6	10	5	28	0	-0.5	5.0	-10.0	900.0	-2.0	14.0	110.0	6.0	26.0
24413S	65.443	146.882	B-6	7	4	11	0	-0.5	11.0	-9.0	700.0	1.9	21.0	100.0	2.0	26.0
24416S	65.463	146.638	B-6	7	5	1	0	-0.5	5.0	-5.0	200.0	-0.8	5.0	10.0	6.0	15.0
24422S	65.513	146.723	C-6	8	5	16	0	-0.5	14.0	-5.0	700.0	-1.9	14.0	100.0	5.0	17.0
24424S	65.579	146.870	C-6	9	4	25	0	-0.5	11.0	-11.0	900.0	-2.2	6.0	70.0	2.0	15.0
24426S	65.444	146.443	B-5	7	6	11	0	-0.5	12.0	11.0	400.0	-1.5	-5.0	20.0	15.0	7.0
24427S	65.705	146.843	C-6	10	4	11	0	-0.5	8.0	-10.0	1300.0	2.9	17.0	140.0	4.0	41.0
24429S	65.617	146.565	C-6	9	6	7	0	-0.5	6.0	-5.0	600.0	-0.9	11.0	70.0	6.0	26.0
24433S	65.586	146.863	C-6	9	4	23	0	-0.5	5.0	-14.0	700.0	-3.1	7.0	60.0	3.0	13.0
24436S	65.455	146.645	B-6	7	5	11	0	-0.5	15.0	-8.0	600.0	-1.7	10.0	50.0	4.0	11.0
24438S	65.675	146.490	C-5	10	6	22	0	-0.5	5.0	-5.0	600.0	-0.9	13.0	80.0	4.0	12.0
24444S	65.617	146.954	C-6	9	4	8	0	-0.5	13.0	-11.0	1000.0	-1.9	20.0	120.0	8.0	47.0
24447S	65.481	146.553	B-6	8	6	32	0	-0.5	6.0	6.0	600.0	-1.2	10.0	60.0	2.0	16.0
24449S	65.647	146.566	C-6	10	6	31	0	-0.5	11.0	-10.0	700.0	-1.4	14.0	80.0	6.0	28.0
24451S	65.599	146.242	C-5	9	7	23	0	-0.5	6.0	-7.0	600.0	-0.8	14.0	70.0	7.0	21.0
24453S	65.587	146.752	C-6	9	5	20	0	-0.5	8.0	-11.0	600.0	-2.1	7.0	60.0	8.0	22.0
24456S	65.576	146.850	C-6	9	4	26	0	-0.5	7.0	-15.0	1600.0	3.1	5.0	60.0	2.0	16.0
24460S	65.656	146.790	C-6	10	5	31	0	-0.5	16.0	-12.0	900.0	-2.3	17.0	110.0	6.0	42.0
24462S	65.533	146.415	C-5	8	6	12	0	-0.5	30.0	-6.0	600.0	-0.7	15.0	70.0	4.0	28.0
24465S	65.470	146.192	B-5	8	8	31	0	-0.5	8.0	-6.0	800.0	-0.6	13.0	80.0	3.0	20.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
24368S	3.3	8.0	4.0	0.97	-200.0	14.0	130.0	1.0	12.3	-5.0	-1.0	14.0	4.0	-4.0
24371S	3.3	7.0	5.0	0.49	-200.0	12.0	80.0	0.6	9.9	-5.0	1.0	7.6	1.9	-4.0
24375S	3.3	4.0	5.0	0.48	-200.0	6.0	80.0	1.2	10.1	-5.0	-1.0	6.1	2.0	10.0
24376S	4.2	6.0	-4.0	0.67	-200.0	100.0	180.0	2.7	11.1	17.0	1.0	22.0	10.8	10.0
24379S	3.2	10.0	-4.0	0.91	-200.0	26.0	200.0	0.9	12.4	-5.0	-1.0	29.0	6.5	-7.0
24381S	4.7	6.0	-4.0	0.80	-200.0	12.0	110.0	14.0	16.5	-5.0	-1.0	11.0	3.2	-5.0
24385S	3.8	8.0	-4.0	1.10	-200.0	8.0	80.0	0.7	12.6	-5.0	-1.0	10.0	2.7	4.0
24386S	3.0	11.0	-4.0	0.92	-200.0	22.0	100.0	2.6	10.4	-5.0	1.0	12.0	3.7	-4.0
24389S	3.3	7.0	7.0	1.10	-200.0	12.0	70.0	0.8	12.3	-5.0	1.0	12.0	4.0	10.0
24393S	4.1	9.0	-4.0	0.75	-200.0	24.0	170.0	1.6	16.7	-6.0	1.0	15.0	4.3	-5.0
24406S	3.5	9.0	-5.0	1.00	-300.0	26.0	160.0	0.7	15.4	-6.0	-2.0	19.0	3.9	-5.0
24413S	3.8	7.0	6.0	1.30	-200.0	14.0	90.0	1.0	13.7	-5.0	-1.0	10.0	2.5	-5.0
24418S	1.3	5.0	-4.0	0.78	-200.0	20.0	90.0	-0.2	3.5	-5.0	-1.0	19.0	22.6	-4.0
24422S	3.8	8.0	-4.0	1.40	-200.0	16.0	130.0	1.2	14.6	-5.0	-1.0	19.0	8.1	-4.0
24424S	2.4	9.0	-4.0	1.00	-200.0	22.0	90.0	0.8	10.6	-5.0	2.0	50.0	119.0	13.0
24426S	1.9	7.0	-4.0	2.30	-200.0	14.0	430.0	0.8	7.7	-5.0	7.0	41.0	25.1	-6.0
24427S	4.3	7.0	-4.0	0.97	-200.0	18.0	100.0	2.5	16.4	-6.0	-1.0	13.0	4.4	-5.0
24429S	3.1	8.0	-4.0	0.66	-200.0	28.0	110.0	1.0	12.6	-5.0	-1.0	13.0	3.7	-4.0
24433S	2.5	14.0	85.0	1.40	-300.0	50.0	170.0	0.6	10.6	-34.0	4.0	130.0	45.6	14.0
24436S	3.3	16.0	-4.0	1.40	-200.0	14.0	140.0	2.9	9.9	-5.0	3.0	29.0	16.1	13.0
24438S	2.8	8.0	-4.0	0.83	-200.0	14.0	100.0	0.7	11.7	-5.0	-1.0	12.0	3.5	-4.0
24444S	5.2	6.0	6.0	0.82	-300.0	110.0	150.0	1.3	18.8	-5.0	-1.0	19.0	4.5	-5.0
24447S	2.8	6.0	-4.0	1.20	-200.0	14.0	110.0	2.1	9.3	-5.0	-1.0	12.0	4.8	-6.0
24449S	4.2	5.0	10.0	0.57	-200.0	32.0	130.0	0.9	14.4	-5.0	-1.0	15.0	4.5	-8.0
24451S	3.4	9.0	-4.0	1.10	-200.0	16.0	110.0	1.9	12.9	-5.0	1.0	13.0	3.1	-4.0
24453S	2.4	8.0	-4.0	1.10	-200.0	82.0	280.0	1.0	10.6	-5.0	-1.0	55.0	46.3	15.0
24456S	2.1	10.0	-4.0	0.85	-300.0	28.0	90.0	-0.4	9.4	7.0	-2.0	73.0	328.0	15.0
24460S	4.3	7.0	-4.0	1.10	-300.0	96.0	130.0	0.9	15.4	-6.0	-2.0	29.0	14.0	-6.0
24462S	3.5	10.0	-4.0	1.00	-200.0	22.0	110.0	6.2	12.1	-5.0	-1.0	15.0	4.3	-4.0
24465S	3.1	10.0	-4.0	1.10	-200.0	12.0	140.0	0.9	12.0	-5.0	1.0	12.0	4.7	-4.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
24368S	76.0	49.0	85.0	5.4	1.3	2.8	0.4
24371S	60.0	30.0	53.0	3.5	0.7	2.0	0.2
24375S	63.0	22.0	44.0	2.7	0.9	2.0	0.2
24378S	260.0	64.0	111.0	8.5	-0.2	5.9	0.8
24379S	110.0	86.0	162.0	13.4	1.7	5.4	0.8
24381S	60.0	37.0	64.0	6.5	1.0	2.8	0.5
24385S	68.0	42.0	68.0	4.7	1.4	2.7	0.3
24386S	85.0	43.0	73.0	4.8	1.7	2.6	0.4
24389S	66.0	45.0	81.0	5.2	1.2	2.7	0.4
24393S	86.0	56.0	100.0	9.7	2.1	3.7	0.6
24406S	110.0	64.0	108.0	10.6	3.5	3.9	0.6
24413S	96.0	46.0	81.0	7.9	0.8	2.7	0.5
24418S	90.0	41.0	58.0	3.5	-0.6	2.1	-0.1
24422S	70.0	58.0	100.0	9.6	2.1	3.5	0.7
24424S	120.0	100.0	175.0	24.2	0.8	12.1	2.6
24426S	55.0	63.0	120.0	14.5	-0.5	9.0	1.4
24427S	120.0	57.0	87.0	8.6	1.3	2.9	0.5
24429S	100.0	49.0	82.0	5.9	1.4	3.1	0.5
24433S	160.0	241.0	512.0	47.0	-0.2	20.3	3.1
24436S	67.0	70.0	126.0	10.6	1.0	5.0	0.8
24438S	65.0	49.0	91.0	5.3	1.0	2.8	0.3
24444S	220.0	65.0	110.0	10.3	1.2	3.3	0.5
24447S	59.0	40.0	67.0	6.1	0.8	2.2	0.4
24449S	130.0	62.0	110.0	9.1	1.4	2.7	0.4
24451S	86.0	48.0	75.0	5.4	2.0	3.0	0.4
24453S	770.0	107.0	181.0	21.3	1.1	10.0	1.8
24456S	120.0	161.0	262.0	40.5	1.0	17.6	-0.1
24460S	210.0	76.0	114.0	16.7	2.0	5.9	0.9
24462S	82.0	51.0	81.0	5.5	2.1	3.2	0.4
24465S	72.0	47.0	81.0	5.4	1.8	2.6	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	La(%)	Co	Cr	Cs	Cu
24467S	65.405	146.425	B-5	7	6	25	0	-0.5	15.0	-5.0	400.0	-0.8	8.0	40.0	13.0	15.0
24468S	65.547	146.259	C-5	8	7	2	0	-0.5	22.0	-6.0	700.0	-0.8	16.0	70.0	4.0	20.0
24472S	65.420	146.074	B-5	7	6	22	0	-0.5	69.0	-5.0	200.0	-0.5	11.0	40.0	3.0	23.0
24474S	65.539	146.765	C-6	8	5	6	0	-0.5	6.0	-6.0	600.0	-0.8	12.0	80.0	4.0	23.0
24479S	65.483	146.378	B-5	8	7	31	0	-0.5	10.0	-6.0	700.0	-1.0	15.0	60.0	5.0	21.0
24482S	65.554	146.732	C-6	8	5	4	0	-0.5	10.0	-5.0	600.0	-0.9	14.0	50.0	6.0	20.0
24486S	65.614	146.867	C-6	9	4	14	0	-0.5	12.0	17.0	1000.0	-1.3	7.0	70.0	5.0	17.0
24488S	65.441	145.960	B-4	7	9	18	0	-0.5	36.0	7.0	300.0	-0.6	13.0	40.0	5.0	33.0
24490S	65.421	146.636	B-6	7	5	24	0	-0.5	14.0	-11.0	500.0	-1.5	10.0	40.0	13.0	20.0
24491S	65.501	146.128	C-5	8	8	21	0	-0.5	4.0	-5.0	500.0	1.1	9.0	60.0	2.0	16.0
24492S	65.572	146.497	C-5	9	6	28	0	-0.5	8.0	-9.0	500.0	2.0	12.0	80.0	3.0	21.0
24498S	65.565	146.630	C-6	9	5	36	0	-0.5	10.0	-5.0	600.0	-0.8	12.0	70.0	6.0	37.0
24500S	65.520	146.278	C-5	8	7	13	0	-0.5	10.0	-5.0	500.0	-0.7	10.0	50.0	2.0	14.0
24504S	65.642	146.625	C-6	9	5	1	0	-0.5	7.0	-5.0	600.0	-1.8	10.0	60.0	5.0	22.0
24509S	65.431	146.219	B-5	7	7	13	0	-0.5	9.0	-6.0	700.0	-0.7	12.0	70.0	2.0	20.0
24517S	65.614	146.848	C-6	9	4	14	0	-0.5	11.0	-8.0	500.0	-1.9	8.0	30.0	5.0	12.0
24518S	65.661	146.560	C-6	10	6	29	0	-0.5	6.0	15.0	700.0	-1.5	11.0	90.0	6.0	15.0
24523S	65.654	146.419	C-5	10	6	36	0	-0.5	6.0	-5.0	600.0	1.5	10.0	60.0	3.0	19.0
24526S	65.594	146.704	C-6	9	5	21	0	-0.5	8.0	-7.0	700.0	-0.6	13.0	70.0	10.0	33.0
24538S	65.483	146.402	B-5	8	7	31	0	-0.5	11.0	1200.0	600.0	-0.7	11.0	60.0	3.0	22.0
24539S	65.554	146.717	C-6	8	5	4	0	-0.5	7.0	-6.0	700.0	-0.8	12.0	60.0	6.0	22.0
24541S	65.433	146.716	B-6	7	5	16	10	-0.5	13.0	-8.0	700.0	-1.6	11.0	60.0	5.0	12.0
24546S	65.469	146.878	B-6	7	4	2	0	-0.5	9.0	-5.0	500.0	-0.8	10.0	60.0	5.0	23.0
24547S	65.451	145.748	B-4	7	10	8	0	-0.5	36.0	-5.0	300.0	-0.6	14.0	60.0	3.0	36.0
24552S	65.597	146.386	C-5	9	7	19	0	-0.5	62.0	-5.0	500.0	-0.5	9.0	60.0	14.0	21.0
24556S	65.488	146.059	B-5	8	8	26	0	-0.5	45.0	-5.0	500.0	-0.6	14.0	70.0	5.0	34.0
24562S	65.390	145.991	B-4	7	8	36	0	-0.5	32.0	7.0	400.0	1.6	19.0	90.0	3.0	53.0
24563S	65.711	146.496	C-5	10	6	9	-20	-0.5	5.0	-5.0	900.0	-0.8	8.0	70.0	3.0	18.0
24568S	65.569	146.762	C-6	9	5	32	0	-0.5	10.0	13.0	700.0	-2.1	10.0	70.0	8.0	22.0
24569S	65.466	146.611	B-6	7	5	1	0	-0.5	18.0	5.0	700.0	-1.3	12.0	60.0	4.0	11.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
24467S	2.0	5.0	-4.0	1.30	-200.0	16.0	240.0	0.6	7.5	-5.0	1.0	12.0	27.0	5.0
24468S	3.7	6.0	-4.0	0.94	-200.0	14.0	190.0	3.1	12.5	-5.0	1.0	14.0	6.0	-4.0
24472S	2.8	6.0	-4.0	0.44	-200.0	34.0	60.0	6.5	8.6	-5.0	1.0	8.1	1.9	5.0
24474S	3.3	7.0	-4.0	0.77	-200.0	18.0	70.0	0.7	13.0	-5.0	1.0	10.0	3.8	-4.0
24479S	3.3	9.0	-4.0	1.00	-200.0	14.0	150.0	0.8	11.1	-5.0	1.0	13.0	5.3	-4.0
24482S	3.3	7.0	-4.0	1.10	-200.0	36.0	250.0	0.6	13.3	-5.0	1.0	31.0	10.3	-4.0
24486S	3.0	14.0	-4.0	1.50	-300.0	62.0	280.0	0.8	12.1	29.0	2.0	110.0	94.8	10.0
24488S	3.0	4.0	-4.0	0.40	-200.0	10.0	50.0	1.8	9.3	-5.0	-1.0	7.0	2.4	8.0
24490S	2.7	7.0	-4.0	1.40	-200.0	14.0	340.0	0.9	5.5	-5.0	2.0	21.0	21.3	34.0
24491S	2.9	10.0	-4.0	1.00	-200.0	10.0	90.0	0.8	11.0	-5.0	1.0	11.0	3.6	-4.0
24492S	3.3	8.0	4.0	1.00	-200.0	14.0	120.0	1.0	13.4	-5.0	-1.0	11.0	4.7	-8.0
24498S	3.6	7.0	-4.0	0.56	-200.0	22.0	110.0	1.0	13.1	-5.0	-1.0	12.0	3.3	-4.0
24500S	2.5	10.0	-4.0	1.00	-200.0	8.0	80.0	1.4	8.4	-5.0	1.0	11.0	4.3	-4.0
24504S	3.4	9.0	-4.0	0.68	-200.0	42.0	160.0	0.9	12.0	-5.0	-1.0	32.0	7.3	10.0
24509S	3.4	7.0	-4.0	0.91	-200.0	12.0	100.0	1.0	10.8	-5.0	-1.0	12.0	3.4	-4.0
24517S	2.5	15.0	-4.0	2.00	-200.0	40.0	410.0	0.5	8.4	-6.0	3.0	86.0	30.7	13.0
24518S	3.3	7.0	-6.0	0.69	-200.0	98.0	160.0	0.4	14.0	-6.0	2.0	15.0	3.9	-8.0
24523S	2.8	6.0	-4.0	0.93	-200.0	14.0	80.0	0.8	11.2	-5.0	-1.0	9.6	3.6	-4.0
24526S	3.4	8.0	7.0	0.62	-200.0	26.0	160.0	1.3	13.4	-5.0	1.0	13.0	3.2	-4.0
24538S	3.1	7.0	-4.0	1.20	-200.0	15.0	110.0	1.0	10.0	-5.0	-1.0	11.0	3.6	-4.0
24539S	3.1	9.0	-4.0	0.93	-200.0	22.0	160.0	0.9	11.6	-5.0	1.0	25.0	9.9	6.0
24541S	3.1	9.0	-4.0	1.20	-200.0	14.0	130.0	1.3	10.0	-5.0	2.0	20.0	13.0	6.0
24546S	2.8	8.0	-4.0	0.93	-200.0	18.0	80.0	0.9	10.0	-5.0	-1.0	14.0	6.7	-4.0
24547S	3.4	4.0	-4.0	0.53	-200.0	6.0	60.0	7.9	11.9	-5.0	-1.0	5.3	1.6	4.0
24552S	2.6	14.0	-4.0	0.89	-200.0	22.0	120.0	1.0	9.4	-5.0	1.0	21.0	14.6	30.0
24555S	3.9	8.0	-4.0	0.48	-200.0	16.0	120.0	3.8	12.7	-5.0	-1.0	11.0	2.8	7.0
24562S	4.0	6.0	-4.0	0.61	-200.0	10.0	70.0	14.0	12.9	-6.0	1.0	9.4	2.9	-7.0
24563S	2.2	6.0	-4.0	0.90	-200.0	10.0	110.0	1.6	9.8	-5.0	-1.0	7.6	2.4	-4.0
24568S	2.9	7.0	67.0	1.10	-200.0	62.0	220.0	0.9	12.0	-6.0	-1.0	49.0	51.3	-9.0
24569S	3.2	6.0	-4.0	1.20	-200.0	12.0	140.0	1.7	9.7	-5.0	-1.0	15.0	6.0	-7.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
244675	60.0	34.0	56.0	4.0	0.7	2.8	-0.1
244685	79.0	49.0	81.0	5.1	1.3	2.3	0.3
244725	130.0	31.0	49.0	3.7	1.0	2.0	0.2
244745	110.0	37.0	59.0	5.0	-0.5	3.0	0.4
244795	75.0	46.0	74.0	5.0	1.7	2.9	0.4
244825	240.0	70.0	128.0	8.3	-0.7	5.8	0.8
244865	230.0	145.0	288.0	35.2	-0.6	21.1	4.1
244885	70.0	24.0	69.0	2.7	0.5	1.6	0.2
244905	86.0	48.0	83.0	9.5	1.0	4.4	0.6
244915	65.0	43.0	71.0	4.6	1.1	2.8	0.4
244925	64.0	47.0	79.0	7.1	1.7	2.9	0.5
244985	63.0	45.0	73.0	5.3	1.8	3.0	0.3
245005	61.0	36.0	58.0	3.7	0.9	2.4	0.3
245045	130.0	93.0	147.0	14.0	1.3	5.3	0.8
245095	82.0	43.0	71.0	4.9	1.4	2.5	0.3
245175	150.0	93.0	201.0	18.4	-0.6	12.5	2.1
245185	180.0	61.0	99.0	9.2	1.3	2.6	0.4
245235	64.0	39.0	64.0	4.6	1.5	2.3	0.3
245265	93.0	47.0	83.0	5.8	1.5	3.1	0.4
245385	66.0	40.0	62.0	4.2	0.9	2.2	0.3
245395	140.0	67.0	109.0	8.4	1.3	5.1	0.7
245415	72.0	53.0	86.0	8.4	1.8	3.3	0.6
245465	99.0	43.0	62.0	4.8	1.2	2.8	0.5
245475	58.0	19.0	40.0	2.4	1.2	1.6	0.2
245525	61.0	49.0	79.0	5.1	1.1	3.9	0.6
245555	71.0	43.0	80.0	5.2	1.5	2.7	0.4
245625	80.0	34.0	64.0	6.0	0.8	2.0	0.2
245635	57.0	29.0	50.0	3.3	1.5	2.0	0.3
245685	80.0	80.0	156.0	17.8	1.2	8.3	1.7
245695	800.0	43.0	88.0	6.8	0.9	2.3	0.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
245705	65.587	146.432	C-5	9	6	23	-18	-0.5	18.0	-5.0	400.0	1.5	10.0	50.0	7.0	14.0
245735	65.595	146.534	C-6	9	6	20	0	-0.5	7.0	-5.0	700.0	-1.0	15.0	80.0	3.0	26.0
245825	65.487	145.877	B-4	8	9	27	0	-0.5	31.0	-5.0	300.0	-0.6	10.0	40.0	2.0	20.0
245835	65.548	146.351	C-5	8	7	5	0	-0.5	29.0	-5.0	500.0	-0.7	8.0	40.0	3.0	9.0
245885	65.517	146.180	C-5	8	8	18	0	-0.5	10.0	-5.0	600.0	-0.6	11.0	50.0	6.0	19.0
245925	65.594	146.558	C-6	9	6	20	0	-0.5	5.0	-5.0	600.0	-0.8	8.0	60.0	2.0	18.0
245955	65.485	146.812	B-6	8	5	30	0	-0.5	9.0	-8.0	500.0	2.5	10.0	60.0	2.0	18.0
246035	65.476	146.861	B-6	8	4	35	0	-0.5	8.0	-10.0	500.0	-1.4	15.0	70.0	4.0	26.0
246135	65.610	146.679	C-6	9	5	15	0	-0.5	-3.0	10.0	800.0	-2.1	12.0	70.0	4.0	29.0
246155	65.660	146.595	C-6	10	6	30	0	-0.5	15.0	-10.0	1000.0	-1.9	7.0	40.0	9.0	15.0
246195	65.403	146.797	B-6	7	5	30	0	-0.5	6.0	-5.0	400.0	-0.7	7.0	40.0	5.0	9.5
246225	65.475	146.825	B-6	8	4	36	0	-0.5	7.0	-11.0	600.0	-1.6	13.0	90.0	3.0	18.0
246275	65.667	146.703	C-6	10	5	28	0	-0.5	11.0	-11.0	600.0	-1.7	13.0	80.0	6.0	31.0
246325	65.461	145.811	B-4	7	9	1	0	-0.5	35.0	62.0	300.0	0.8	12.0	40.0	3.0	25.0
246355	65.406	146.477	B-5	7	6	27	0	-0.5	25.0	-6.0	600.0	-0.8	15.0	60.0	13.0	48.0
246375	65.603	146.410	C-5	9	6	13	0	-0.5	20.0	-5.0	500.0	-0.9	9.0	60.0	7.0	12.0
246385	65.664	146.400	C-5	10	6	25	0	-0.5	7.0	-5.0	600.0	0.7	12.0	60.0	3.0	21.0
246395	65.561	146.789	C-6	9	5	31	0	-0.5	8.0	-6.0	600.0	-1.0	15.0	60.0	6.0	18.0
246435	65.407	146.443	B-5	7	6	26	0	-0.5	14.0	-5.0	500.0	-0.7	9.0	50.0	7.0	23.0
246485	65.668	146.438	C-5	10	6	26	0	-0.5	7.0	-6.0	800.0	1.3	9.0	90.0	3.0	12.0
246575	65.677	146.716	C-6	10	5	21	0	-0.5	10.0	-10.0	700.0	-1.6	12.0	70.0	6.0	22.0
246635	65.468	146.264	B-5	7	7	3	0	-0.5	15.0	-5.0	600.0	-0.6	14.0	50.0	8.0	17.0
246745	65.445	146.073	B-5	7	8	10	0	-0.5	50.0	-5.0	300.0	-0.5	9.0	40.0	3.0	31.0
246785	65.677	146.910	C-6	10	4	21	0	-0.5	5.0	-11.0	1300.0	-1.5	16.0	100.0	5.0	35.0
246835	65.413	146.810	B-6	7	5	19	0	-0.5	9.0	-8.0	400.0	-1.1	8.0	50.0	6.0	12.0
246855	65.507	146.975	C-6	8	4	20	0	-0.5	6.0	-6.0	600.0	-1.0	13.0	70.0	4.0	26.0
246945	65.557	146.895	C-6	9	4	34	0	-0.5	6.0	-10.0	900.0	-1.5	11.0	80.0	4.0	19.0
246975	65.656	146.594	C-6	10	6	31	0	0.5	13.0	-12.0	1000.0	-2.1	12.0	60.0	8.0	16.0
247035	65.605	146.992	C-6	9	4	18	0	-0.5	6.0	-5.0	700.0	-0.8	25.0	60.0	8.0	41.0
247105	65.703	146.690	C-6	10	5	10	0	-0.5	7.0	-10.0	1200.0	-1.4	17.0	100.0	5.0	25.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
24570S	2.4	7.0	-4.0	1.30	-200.0	14.0	120.0	0.6	9.1	-5.0	2.0	15.0	18.7	9.0
24573S	3.1	7.0	4.0	0.90	-200.0	18.0	120.0	0.8	12.5	-5.0	1.0	11.0	3.9	-4.0
24582S	2.6	5.0	-4.0	0.44	-200.0	6.0	60.0	0.3	7.3	36.0	1.0	6.8	2.6	24.0
24583S	2.1	8.0	-4.0	1.10	-200.0	30.0	80.0	3.1	7.3	-5.0	-1.0	8.2	8.4	-4.0
24588S	3.0	8.0	4.0	1.20	-200.0	10.0	170.0	0.9	10.1	-5.0	1.0	15.0	10.8	5.0
24592S	2.7	7.0	-4.0	0.68	-200.0	16.0	80.0	0.3	10.1	-5.0	1.0	12.0	2.7	-4.0
24595S	2.8	10.0	-4.0	0.83	-200.0	14.0	110.0	0.7	10.3	-5.0	2.0	24.0	9.7	-7.0
24603S	3.6	6.0	8.0	0.91	-200.0	16.0	130.0	0.5	12.8	-5.0	2.0	16.0	5.8	-8.0
24613S	3.1	7.0	9.0	0.57	-300.0	26.0	100.0	1.0	13.3	-5.0	2.0	14.0	4.2	-10.0
24615S	3.4	7.0	-4.0	1.30	-200.0	400.0	400.0	0.9	10.2	-5.0	2.0	61.0	18.8	-8.0
24619S	1.8	8.0	-4.0	0.95	-200.0	10.0	110.0	0.5	6.8	-5.0	1.0	10.0	4.0	5.0
24622S	3.7	8.0	-4.0	1.10	-200.0	10.0	60.0	0.7	14.2	-5.0	-1.0	10.0	2.9	-9.0
24627S	3.5	10.0	12.0	1.10	-200.0	80.0	130.0	1.2	14.4	-5.0	2.0	32.0	10.0	-9.0
24632S	2.9	7.0	5.0	0.50	-200.0	8.0	50.0	1.7	10.1	-5.0	-1.0	5.6	2.9	34.0
24635S	3.0	6.0	-4.0	0.76	-200.0	36.0	120.0	0.9	10.5	-5.0	-1.0	12.0	5.3	4.0
24637S	2.5	11.0	-4.0	1.50	-200.0	14.0	120.0	0.7	9.3	6.0	3.0	20.0	11.8	24.0
24638S	3.1	7.0	-4.0	1.00	-200.0	10.0	110.0	0.6	10.9	-5.0	1.0	12.0	4.8	-4.0
24639S	2.6	6.0	-4.0	0.91	-200.0	32.0	180.0	0.9	10.5	5.0	-1.0	21.0	16.6	-4.0
24643S	2.4	7.0	-4.0	0.72	-200.0	24.0	90.0	0.7	6.5	-5.0	-1.0	9.6	5.4	4.0
24648S	2.7	8.0	-4.0	1.10	-200.0	10.0	100.0	0.7	12.4	-5.0	-1.0	10.0	4.4	-4.0
24657S	3.2	8.0	-4.0	1.00	-200.0	50.0	130.0	0.7	12.7	-5.0	1.0	24.0	6.4	-8.0
24663S	3.0	7.0	-4.0	1.20	-200.0	10.0	190.0	1.1	9.5	-5.0	1.0	17.0	13.0	7.0
24674S	2.8	7.0	-4.0	0.33	-200.0	26.0	60.0	2.8	8.1	-5.0	-1.0	8.3	2.2	17.0
24678S	3.7	7.0	-5.0	0.70	-200.0	22.0	170.0	1.0	14.0	-5.0	-1.0	14.0	4.9	-9.0
24683S	2.3	6.0	-4.0	1.10	200.0	10.0	120.0	0.9	8.3	-5.0	3.0	12.0	5.6	7.0
24685S	2.9	6.0	-4.0	0.56	-200.0	30.0	130.0	0.8	11.5	-5.0	1.0	12.0	3.7	-4.0
24694S	3.0	4.0	-4.0	1.00	-200.0	26.0	60.0	0.5	13.8	-5.0	-1.0	11.0	3.3	-8.0
24697S	3.7	9.0	-4.0	1.20	-200.0	440.0	360.0	0.3	11.8	-5.0	3.0	55.0	13.7	-9.0
24703S	3.2	8.0	4.0	0.58	-200.0	26.0	120.0	0.9	12.6	-5.0	1.0	14.0	2.9	-4.0
24710S	4.4	7.0	-4.0	0.56	-200.0	14.0	170.0	2.7	14.5	-5.0	-1.0	14.0	3.3	-9.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
24570S	53.0	42.0	73.0	4.4	-0.2	3.0	0.6
24573S	69.0	46.0	83.0	5.2	1.9	2.7	0.4
24582S	50.0	26.0	47.0	2.8	0.9	1.9	0.2
24583S	67.0	31.0	47.0	3.0	1.3	1.8	0.3
24588S	70.0	44.0	72.0	5.4	0.6	3.1	0.5
24592S	76.0	47.0	83.0	5.3	1.4	2.6	0.3
24595S	65.0	64.0	108.0	10.4	1.1	4.2	0.7
24603S	57.0	45.0	80.0	7.6	1.5	3.0	0.5
24613S	98.0	57.0	112.0	10.0	1.8	3.6	0.5
24615S	390.0	102.0	193.0	19.9	1.1	11.0	1.6
24619S	45.0	28.0	50.0	3.1	-0.5	2.4	0.3
24622S	70.0	45.0	80.0	7.5	1.1	2.2	0.4
24627S	220.0	85.0	148.0	14.5	1.0	6.2	0.9
24632S	59.0	23.0	42.0	2.6	1.1	1.9	0.3
24635S	120.0	44.0	77.0	4.8	1.3	2.6	0.4
24637S	61.0	56.0	86.0	5.5	-0.6	4.0	0.6
24638S	69.0	43.0	70.0	5.0	1.3	2.7	0.4
24639S	150.0	56.0	97.0	7.2	1.4	5.3	0.8
24643S	87.0	38.0	60.0	4.0	1.2	2.3	0.3
24648S	55.0	42.0	66.0	4.9	1.2	2.4	0.3
24657S	160.0	68.0	120.0	10.4	1.0	4.1	0.7
24663S	75.0	43.0	70.0	5.2	0.9	3.6	0.5
24674S	57.0	29.0	49.0	3.6	0.7	2.2	0.3
24678S	110.0	55.0	89.0	8.2	2.0	3.3	0.5
24683S	60.0	35.0	61.0	5.8	1.4	2.4	0.4
24685S	80.0	42.0	77.0	5.0	1.2	2.1	0.3
24694S	110.0	41.0	69.0	6.5	1.2	2.5	0.3
24697S	340.0	117.0	216.0	20.4	1.4	8.9	1.3
24703S	92.0	44.0	80.0	4.9	1.6	2.3	0.3
24710S	110.0	55.0	100.0	6.0	2.1	2.9	0.4

.	Quad.	T.	R.	Sec.	Dup. Code	Hg	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu
26	C-6	9	4	24	0	-0.5	8.0	-15.0	800.0	-2.9	5.0	60.0	4.0	17.0
30	C-6	9	4	27	0	1.0	27.0	-14.0	700.0	3.1	20.0	80.0	14.0	54.0
39	C-6	10	5	25	-11	-0.5	7.0	-9.0	400.0	-1.7	6.0	30.0	5.0	16.0
74	C-5	10	6	15	0	-0.5	5.0	-5.0	700.0	-0.8	11.0	70.0	7.0	18.0
21	C-4	6	9	11	0	-0.5	4.0	-5.0	700.0	1.0	12.0	60.0	3.0	20.0
25	C-4	8	10	17	0	-0.5	31.0	-5.0	400.0	1.1	11.0	50.0	2.0	25.0
34	C-6	10	4	13	0	-0.5	6.0	-10.0	1200.0	-1.6	15.0	120.0	5.0	33.0
43	C-6	9	5	11	0	-0.5	6.0	-9.0	500.0	1.1	10.0	70.0	7.0	30.0
94	C-5	8	6	10	0	-0.5	29.0	-5.0	700.0	-0.7	11.0	40.0	6.0	16.0

Station	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W
247135	2.7	15.0	-4.0	1.30	-300.0	46.0	270.0	0.8	11.5	-11.0	2.0	110.0	174.0	-11.0
247165	4.0	6.0	-4.0	1.00	-200.0	170.0	240.0	1.3	13.5	-5.0	3.0	28.0	22.4	-10.0
247195	2.3	7.0	-4.0	1.20	-200.0	62.0	300.0	0.6	8.0	-5.0	2.0	45.0	13.7	-7.0
247235	2.7	7.0	-4.0	0.88	-200.0	60.0	120.0	1.0	10.8	-5.0	-1.0	12.0	2.7	-4.0
247265	3.2	8.0	-4.0	1.10	-200.0	10.0	100.0	1.2	10.6	-5.0	-1.0	13.0	4.3	-4.0
247275	2.7	8.0	-4.0	0.55	-200.0	12.0	40.0	1.5	9.1	-5.0	-1.0	6.7	1.7	-4.0
247305	3.4	6.0	-5.0	0.61	-200.0	24.0	130.0	1.0	14.4	-5.0	2.0	13.0	4.1	-9.0
247365	3.1	7.0	6.0	0.58	-200.0	30.0	110.0	1.0	12.2	-5.0	1.0	13.0	3.5	-15.0
247465	2.9	13.0	-4.0	1.00	-200.0	14.0	100.0	1.7	9.3	-5.0	1.0	18.0	15.6	6.0

Station	Zn	La	Ce	Sm	Eu	Yb	Lu
24713S	420.0	181.0	323.0	39.8	-0.9	19.2	4.1
24716S	650.0	74.0	151.0	21.1	1.5	16.3	2.4
24719S	240.0	75.0	138.0	13.8	-0.5	6.1	0.9
24723S	100.0	40.0	61.0	4.7	1.3	3.0	0.3
24726S	67.0	46.0	76.0	5.1	1.3	2.1	0.3
24727S	66.0	30.0	50.0	3.4	1.2	2.2	0.3
24730S	110.0	53.0	87.0	7.7	1.2	2.6	0.4
24736S	100.0	45.0	76.0	6.0	1.5	3.1	0.4
24746S	66.0	53.0	88.0	5.7	1.4	3.9	0.6

Table 5-2. Elemental analyses of -MBS 35 mesh nonmagnetic heavy-minerals from stream sediments collected in the Lime Peak - Mt. Prindle area, Circle Quadrangle, Alaska. Analyses are reported in parts per million unless stated otherwise. Analyses have been normalized by multiplying the initial analyses by the quotient (Heavy Min. Weight/Sample Weight). Negative numbers indicate the element was not detected at a concentration level equal to the absolute value of the reported number. NS = not sufficient sample.

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
15589P	65.623	146.312	C-5	9	7	9	0	300.100	1.340	NS	0.848	0.281	-5.805	0.447	-2.233
15593P	65.631	146.331	C-5	9	7	5	0	319.400	0.858	NS	0.537	-0.156	8.865	-0.269	-1.343
15753P	65.465	145.782	B-4	7	10	6	0	326.300	4.080	NS	0.988	18.756	6.252	-1.250	-6.252
15811P	65.578	146.860	C-6	9	4	26	0	269.700	1.150	0.011	-0.469	-1.535	110.864	0.136	2.430
15817P	65.543	146.253	C-5	8	7	2	10	257.100	4.520	NS	1.143	-0.246	22.855	-1.758	-8.790
15820P	65.524	146.080	C-5	8	8	15	0	324.100	2.160	NS	0.933	0.127	4.665	-0.666	-3.332
15892P	65.406	146.462	B-5	7	6	26	0	223.300	30.900	NS	2.076	0.830	-41.514	-13.838	-69.189
15903P	65.464	145.731	B-4	7	10	5	0	293.700	155.000	NS	4.750	-2.639	-158.325	-52.775	-263.875
15916P	65.452	146.655	B-6	7	5	11	0	218.300	0.997	NS	0.379	-0.023	5.481	-0.457	-2.284
15922P	65.543	146.253	C-5	8	7	2	-10	279.500	5.080	NS	0.981	-0.254	27.263	-1.818	-9.088
15934P	65.381	146.165	B-5	6	8	6	0	316.000	1.450	0.023	1.698	3.350	6.883	-0.459	-2.294
15942P	65.490	146.224	B-5	8	7	25	0	328.800	3.420	NS	0.270	-0.250	9.361	-1.040	-5.201
15964P	65.572	146.765	C-6	9	5	32	0	264.700	1.030	0.014	-0.428	-1.440	50.586	0.078	2.529
15969P	65.535	146.295	C-5	8	7	10	0	293.100	2.010	NS	0.960	-0.144	5.486	-0.686	-3.429
15974P	65.584	146.801	C-6	9	5	30	0	241.600	0.965	0.014	0.559	-1.478	119.826	-0.084	2.397
15997P	65.698	146.582	C-6	10	6	18	0	275.800	2.610	0.009	0.757	-0.104	302.828	-0.946	-4.732
16000P	65.451	146.444	B-5	7	6	11	0	232.700	2.230	NS	1.054	-0.134	-2.875	-0.958	-4.792
16710P	65.399	146.714	B-6	7	5	28	0	395.300	5.540	-0.007	0.743	0.126	-1.401	0.252	0.561
16711P	65.657	146.631	C-6	10	5	35	0	397.400	0.783	0.008	0.453	-0.532	-4.926	0.106	0.690
16720P	65.487	145.878	B-4	8	9	27	0	368.400	3.660	NS	9.935	6.458	25.831	-0.993	-7.948
16741P	65.477	145.656	B-4	8	10	34	0	265.800	6.280	NS	0.165	-0.189	11.813	-2.363	-11.813
16746P	65.647	146.904	C-6	10	4	34	0	194.100	0.179	0.000	0.184	-0.046	17.522	0.092	-0.646
16747P	65.466	146.289	B-5	7	7	3	0	435.900	1.430	NS	0.328	-0.095	4.265	-0.328	-1.640
16760P	65.716	146.538	C-6	10	6	5	0	278.500	15.600	NS	0.616	-0.448	17364.452	-5.601	-28.007
16772P	65.519	146.166	C-5	8	8	18	0	393.800	3.680	NS	0.187	-0.131	11.214	-0.934	-4.672

Table 5-2 (continued)

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
15589P	NS	0.080	-0.022	0.714	0.402	1.474	0.179	0.670	0.317	0.375	12.502
15593P	NS	0.051	-0.040	0.994	0.322	0.403	0.054	0.349	0.158	0.161	7.334
15753P	NS	0.225	-0.063	0.063	0.750	18.756	0.625	0.375	0.175	3.376	1.751
15811P	0.239	0.019	-0.017	0.090	0.107	14.498	1.748	31.980	4.818	19.188	65.666
15817P	NS	0.281	-0.088	0.211	1.231	0.070	0.879	1.934	0.352	0.193	8.087
15820P	NS	0.093	-0.033	0.140	0.467	1.066	0.333	0.666	0.220	0.347	1.266
15892P	NS	1.799	-0.692	0.761	16.605	1.107	-1.384	-1.384	0.277	15.222	2.768
15903P	NS	7.916	-2.639	1.583	73.885	1.055	-5.277	-5.277	-1.055	-2.111	5.277
15916P	NS	0.096	-0.023	0.260	0.411	0.329	0.457	1.233	0.306	0.324	3.517
15922P	NS	0.254	-0.091	0.200	1.454	0.073	0.909	2.181	0.382	0.236	9.269
15934P	NS	0.069	-0.023	2.524	0.459	3.441	0.092	0.321	0.101	0.505	0.872
15942P	NS	0.146	-0.073	0.177	1.040	0.042	0.520	1.872	0.312	0.135	17.474
15964P	0.210	0.005	-0.016	-0.058	0.060	140.083	0.662	35.410	5.214	28.017	55.644
15969P	NS	0.062	-0.034	0.049	0.343	41.832	0.343	0.617	0.350	2.606	1.920
15974P	0.152	0.014	-0.016	0.072	0.107	99.855	1.238	27.560	5.592	20.370	44.735
15997P	NS	0.114	-0.047	0.151	0.095	70.975	0.095	1.420	0.416	2.934	5.016
16000P	NS	-0.048	-0.048	0.010	0.096	124.581	0.862	0.575	0.268	5.558	0.862
16710P	0.631	0.115	-0.056	0.252	0.212	135.942	0.210	0.631	0.249	3.784	1.163
16711P	0.571	0.030	-0.008	0.069	0.084	5.714	0.162	10.640	1.525	2.364	22.856
16720P	NS	0.079	-0.050	0.028	0.397	2.186	0.298	1.987	0.238	198.697	16.790
16741P	NS	0.331	-0.118	0.139	3.071	-0.047	-0.236	-0.236	0.047	-0.095	0.709
16746P	NS	0.029	-0.005	0.101	0.166	0.092	0.028	0.323	0.145	0.101	0.830
16747P	NS	0.033	-0.016	0.052	0.230	4.265	0.262	0.853	0.367	2.231	2.526
16760P	NS	-0.280	-0.280	0.415	-0.560	-0.112	-0.560	-0.560	-0.112	-0.224	0.560
16772P	NS	0.103	-0.047	0.069	0.934	0.093	1.028	0.841	0.196	0.159	0.934

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	As	Au(ppb)	Ba	Co	Cr
167838	65.393	145.995	B-4	7	8	36	0	321.700	15.600	-0.114	7.779	-1.144	-68.630	-22.878	-114.392
167948	65.629	146.680	L-6	9	5	10	0	332.100	0.633	0.010	0.501	-0.334	18.363	-0.209	-5.634
167978	65.709	146.600	L-6	10	5	12	0	256.300	3.580	NS	0.068	-0.070	-4.130	-1.397	-6.934
168038	65.699	146.736	L-6	10	5	17	0	313.900	0.166	NS	0.042	-0.034	8.243	-0.039	-0.707
168078	65.511	146.758	L-6	8	5	20	0	353.700	0.913	NS	0.609	-0.013	7.361	-0.254	-1.269
168118	65.474	146.783	B-6	8	5	31	0	288.400	0.573	NS	0.101	-0.038	2.913	-0.201	-1.009
168168	65.438	146.323	B-5	7	7	4	0	325.200	3.110	NS	0.439	4.304	-4.782	-0.306	-4.782
168238	65.647	146.872	L-6	10	4	35	0	249.900	1.150	NS	0.879	-0.320	87.435	-0.460	-14.266
168268	65.466	146.611	B-6	7	5	1	0	229.000	2.220	NS	0.352	-0.113	6.725	-0.369	-4.897
168328	65.663	146.879	L-6	10	4	27	0	221.100	2.030	0.014	2.639	22.212	176.155	-0.927	-23.034
168448	65.634	146.936	L-6	9	4	6	0	405.100	0.109	NS	0.067	-0.008	2.045	-0.027	0.215
168718	65.517	146.133	L-5	8	8	17	0	439.900	2.250	NS	0.495	-0.135	-1.330	-0.430	-2.250
168788	65.718	146.333	L-6	10	6	5	0	272.000	11.000	NS	1.655	-0.934	22238.624	-4.338	-21.691
168818	65.440	146.335	B-6	7	6	18	0	236.400	4.120	-0.007	0.043	-0.201	2.877	-0.072	0.288
168848	65.392	146.364	B-6	7	6	32	0	243.000	2.870	0.006	0.527	-0.517	-3.131	0.287	0.689
168988	65.401	145.931	B-4	7	9	5	0	312.100	3.830	NS	2.344	-0.234	7.401	-1.234	-6.168
169118	65.672	146.713	L-5	10	5	21	0	183.300	0.101	0.002	0.123	-0.054	5.869	-0.053	-0.960
169138	65.511	145.842	L-4	8	9	23	0	329.900	1.940	NS	0.339	0.235	-3.528	-0.388	-2.940
169228	65.423	146.067	B-5	7	8	22	0	339.900	28.200	NS	4.231	-0.739	-23.307	-7.836	-39.178
169318	65.467	145.731	B-4	7	10	5	0	318.900	18.300	NS	0.812	0.638	23.205	-2.831	-29.006
169348	65.673	146.910	L-6	10	4	21	0	245.300	0.171	NS	0.139	-0.042	26.044	0.069	1.308
169438	65.570	145.835	L-6	9	4	34	1	236.030	4.160	0.038	1.741	-0.330	-4.331	-1.430	-7.232
169508	65.536	146.436	L-5	8	6	10	0	367.900	2.730	NS	1.283	6.620	12.090	-0.736	-3.778
169518	65.472	146.820	B-6	8	4	36	0	238.300	0.830	NS	0.261	-0.038	3.133	-0.348	-1.742
169768	65.633	146.838	L-6	9	4	2	0	263.200	1.510	NS	1.664	-0.574	24.036	-0.374	-5.737
170198	65.521	146.409	L-5	8	6	13	0	236.700	1.830	NS	2.154	0.241	-3.069	-0.634	-3.168
170368	65.709	146.842	L-6	10	4	11	0	329.400	1.450	NS	0.484	0.079	42.639	-0.440	3.962
170428	65.601	146.335	C-5	9	6	13	0	234.400	0.122	NS	0.307	-0.036	2.342	0.052	-0.312
170538	65.585	146.648	L-6	9	5	26	0	162.500	0.012	NS	0.004	-0.018	0.836	-0.007	-0.133
171098	65.522	146.408	L-5	8	6	13	0	223.900	5.040	NS	1.598	0.493	-6.733	-2.231	-11.253

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
16783P	NS	3.889	-1.144	3.889	32.030	-0.458	-2.288	-2.288	-0.458	3.203	4.576
16794P	NS	-0.043	-0.010	0.011	0.104	85.556	0.501	16.276	2.337	6.260	34.431
16797P	NS	0.126	-0.070	0.006	-0.140	1.062	-0.140	-0.140	-0.028	0.070	-0.140
16803P	NS	-0.003	-0.003	0.005	0.059	0.124	0.077	2.944	0.512	0.177	7.056
16807P	NS	0.066	-0.013	0.071	0.102	1.091	0.406	2.107	0.340	1.015	5.990
16811P	NS	0.062	-0.010	0.058	0.100	0.024	0.060	1.124	0.273	0.078	3.232
16816P	NS	0.067	-0.067	0.083	0.669	4.782	0.478	0.765	0.131	1.052	1.530
16825P	NS	-0.023	-0.023	0.042	0.184	34.[illegible]	1.427	43.717	7.533	23.009	99.360
16828P	NS	0.107	-0.043	0.143	0.679	1.[illegible]	0.672	1.842	0.485	1.066	4.169
16832P	NS	-0.213	-0.046	0.121	0.645	509.950	3.338	64.903	9.365	46.35[illegible]	167.820
16844P	NS	0.008	-0.001	0.013	0.019	[illegible]	0.013	0.062	0.030	0.016	0.315
16871P	NS	0.108	-0.023	0.138	0.540	76.[illegible]	0.675	0.720	0.284	1.080	1.890
16876P	NS	0.217	1.041	0.911	-0.434	-0.037	-0.434	-0.434	0.174	1.562	1.301
16881P	0.036	0.032	-0.058	0.010	0.117	[illegible]	0.345	[illegible]	0.456	5.734	2.762
16884P	0.665	0.[illegible]	-0.046	0.[illegible]	[illegible]	[illegible]	0.322	0.460	0.445	2.[illegible]	1.[illegible]
16898P	NS	0.210	-0.052	0.259	1.110	2.344	0.297	0.740	0.136	20.971	4.134
16911P	NS	-0.012	-0.003	0.011	0.048	0.0[illegible]	0.0[illegible]	1.751	0.327	0.091	5.335
16913P	NS	0.038	-0.029	0.200	0.647	0.032	0.234	0.234	0.147	1.039	1.941
16922P	NS	1.332	-0.352	2.742	10.979	10.136	-0.784	0.784	0.235	2.664	3.134
16931P	NS	1.334	-0.290	[illegible]	11.602	-0.115	-0.580	0.580	0.174	0.580	1.740
16934P	NS	-0.003	-0.003	0.019	0.034	0.137	-0.014	0.103	0.030	0.039	3.059
16943P	NS	0.102	-0.073	0.139	0.290	476.661	4.331	4.757	0.885	30.460	11.459
16950P	NS	0.106	-0.038	0.213	0.756	2.138	2.418	2.267	0.831	2.645	3.400
16951P	NS	0.073	-0.017	0.038	0.244	[illegible]	0.070	0.557	0.139	0.066	2.438
16976P	NS	-0.057	-0.0[illegible]	0.19[illegible]	0.406	53.355	0.803	19.506	4.745	9.179	65.403
17019P	NS	0.082	-0.032	0.355	0.634	0.076	0.444	0.657	0.291	0.887	2.281
17036P	NS	0.092	-0.022	0.145	0.254	-0.009	0.044	0.352	0.057	-0.018	5.370
17042P	NS	0.012	-0.003	0.007	0.042	0.104	0.375	0.453	0.301	2.446	1.353
17053P	NS	0.003	-0.005	0.001	0.010	0.004	-0.004	0.066	0.018	0.000	1.137
17109P	NS	0.315	-0.113	1.531	1.801	0.630	1.801	1.576	0.405	0.675	2.476

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Mir. Weight	Hg	As	Ratio	Ba	Co	Cr
171118	65.439	146.220	B-5	8	7	25	0	420.100	0.621	NS	0.105	6.205	2.306	-0.198	-0.739
171468	65.344	146.594	C-6	8	4	6	0	282.200	0.033	NS	0.018	-0.010	-0.232	0.012	0.140
171558	65.460	146.323	B-5	7	7	4	0	169.400	3.930	NS	1.230	3.230	-6.960	-2.320	-11.600
171568	65.621	146.860	C-6	9	4	11	0	232.700	0.639	0.001	0.303	-0.494	-22.739	-0.296	-7.999
171778	65.604	146.610	C-6	9	5	13	0	359.200	0.179	NS	0.160	-0.015	1.261	0.043	-0.242
171888	65.535	146.583	C-6	8	5	7	0	242.100	0.323	0.001	0.231	-0.320	-2.969	0.274	0.939
171898	65.554	146.296	C-5	8	7	3	0	236.500	5.330	NS	4.413	0.367	10.912	-2.101	-10.207
171918	65.703	146.756	C-6	10	5	6	0	300.200	0.231	NS	0.131	-0.008	5.540	0.977	-0.335
172388	65.653	146.642	C-6	10	5	32	0	243.100	0.433	0.013	-0.311	-1.761	53.530	0.333	1.109
172398	65.611	146.530	C-6	9	6	17	0	248.200	0.046	NS	0.009	0.013	-0.259	0.013	0.167
172518	65.421	146.755	B-6	7	5	20	0	343.400	2.839	NS	0.276	0.142	5.020	-0.637	-4.184
172648	65.470	145.894	B-4	8	9	33	0	317.500	3.170	NS	3.491	1.697	-3.966	-0.338	-4.392
172898	65.619	146.275	C-6	9	6	7	0	310.300	0.032	NS	0.026	-0.010	0.722	0.031	-0.093
172908	65.325	146.059	C-5	8	8	14	1	417.800	1.800	NS	3.294	333.832	-8.013	-0.945	-2.226
173068	65.488	146.388	B-5	8	7	33	0	355.200	0.804	NS	0.190	-0.026	2.162	-0.241	-1.293
173508	65.481	146.237	B-5	8	7	33	0	331.300	2.240	NS	0.433	0.113	-2.028	-0.676	-3.381
173678	65.667	146.703	C-6	10	5	23	0	257.000	0.192	0.000	0.172	0.448	-10.439	-0.224	-3.287
173708	65.439	146.392	B-5	7	7	18	0	281.600	2.230	0.008	0.233	-0.111	5.343	0.135	0.634
173978	65.712	146.497	C-5	10	6	3	0	333.200	2.130	NS	0.273	-0.030	1917.757	-0.639	3.196
174518	65.657	146.815	C-6	10	4	36	0	263.300	0.243	0.000	0.150	-0.047	4.401	-0.094	-0.636
174688	65.473	146.199	B-5	8	7	36	0	173.700	0.416	NS	0.426	0.260	1.184	-0.237	-1.184
174838	65.486	145.882	B-4	8	9	27	0	359.700	2.170	NS	0.247	-0.053	-1.761	-0.597	-2.933
174978	65.317	146.235	C-5	8	7	13	0	400.700	1.820	NS	1.090	0.355	3.634	-0.454	-2.271
174998	65.699	146.625	C-5	10	5	13	0	230.300	1.170	0.002	0.764	0.101	-5.213	-0.402	-2.011
175198	65.537	146.633	C-5	8	5	12	0	350.200	0.635	0.003	0.339	-0.743	-1.378	0.107	1.015
175358	65.539	146.530	C-6	9	6	5	0	277.700	3.620	0.020	1.376	-0.537	18.214	0.486	1.821
175368	65.442	146.333	B-5	7	7	7	0	358.200	4.370	0.018	0.949	-0.156	4.747	0.083	0.326
175408	65.367	146.455	B-5	6	6	11	0	279.600	0.327	0.002	4.147	0.603	-1.319	0.132	0.377
175618	65.673	146.522	C-6	10	6	21	0	223.400	0.167	NS	0.049	-0.120	14.203	-0.075	-1.196
175968	65.324	145.362	C-4	8	9	16	0	371.500	1.190	NS	0.833	0.056	2.833	-0.310	-1.602

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
17111P	NS	0.027	-0.007	0.015	0.148	0.021	0.030	0.163	0.077	0.035	0.606
17148P	NS	0.004	-0.001	0.002	0.029	0.004	0.007	0.081	0.025	0.054	0.436
17153P	NS	-0.116	-0.116	0.049	0.464	626.387	1.624	1.160	0.789	12.064	1.624
17156P	NS	-0.041	-0.015	0.012	0.148	82.905	1.352	24.872	5.270	8.537	39.084
17177P	NS	0.016	-0.002	0.032	0.069	0.134	[illegible]	0.131	0.040	0.058	1.435
17188P	0.343	0.051	-0.003	0.043	0.109	0.054	0.150	0.434	0.226	-0.228	1.377
17189P	NS	0.399	-0.105	1.618	0.891	231.129	1.051	0.041	0.672	10.037	1.891
17191P	NS	0.032	-0.004	0.015	0.023	0.046	-0.008	0.115	0.033	0.007	0.377
17238P	0.141	0.007	-0.007	-0.094	[illegible]	0.175	0.704	43.297	5.071	1.761	70.072
17239P	NS	0.004	-0.001	0.002	0.012	[illegible]	0.013	0.043	0.020	0.010	0.332
17251P	NS	0.126	-0.042	0.139	0.302	[illegible]	1.030	2.426	0.661	1.590	6.192
17264P	NS	0.190	[illegible]	[illegible]	[illegible]	[illegible]	0.290	[illegible]	0.110	51.302	0.938
17269P	NS	0.003	-0.003	0.004	[illegible]	[illegible]	0.014	[illegible]	0.071	0.006	0.605
17299P	NS	0.111	-0.002	0.430	[illegible]	4.897	0.176	0.312	0.151	6.233	2.449
17302P	NS	[illegible]	-0.012	0.023	[illegible]	0.549	0.036	0.216	0.075	0.265	0.698
17350P	NS	0.034	-0.034	0.028	0.270	205.593	0.406	0.609	0.338	2.840	0.947
17367P	NS	0.043	-0.004	0.010	0.037	0.037	0.127	4.258	0.755	0.239	16.436
17370P	1.267	0.108	0.032	0.076	0.256	340.318	0.562	0.483	0.201	4.851	1.227
17397P	NS	0.089	-0.032	0.141	0.064	0.320	-0.064	0.256	0.045	0.330	2.537
17451P	NS	0.017	-0.002	0.017	0.056	0.094	-0.019	1.030	0.186	0.131	3.371
17466P	NS	0.047	-0.012	0.026	0.183	0.014	0.142	0.183	0.123	0.085	0.758
17465P	NS	0.153	-0.009	0.021	0.411	0.029	0.176	0.235	0.100	0.434	1.233
17479P	NS	0.986	-0.023	0.186	0.409	2.344	0.318	0.363	0.232	0.818	1.136
17499P	NS	0.058	-0.020	0.044	0.040	4.825	0.049	0.201	0.093	2.051	1.357
17514P	1.723	0.047	-0.007	-0.023	0.116	0.053	0.760	6.890	1.418	1.933	18.433
17533P	1.052	0.295	-0.081	0.383	-0.243	7.083	3.036	4.635	1.890	13.381	10.594
17536P	0.202	0.031	-0.047	0.009	0.132	178.026	0.332	0.522	0.318	14.242	0.878
17540P	0.283	0.038	-0.132	0.792	0.136	0.015	0.021	0.147	0.034	1.865	1.223
17561P	NS	-0.013	-0.004	0.004	0.032	1.271	0.052	2.317	0.281	0.476	13.381
17598P	NS	0.039	-0.016	0.176	0.132	-0.086	0.128	0.256	0.163	0.218	1.538

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	As	Au(ppb)	Ba	Co	Cr
17602P	65.500	146.059	B-5	8	6	23	0	670.500	4.420	ND	1.4[illegible]	7.251	-1.978	-0.653	-3.236
17612P	65.663	146.621	L-6	10	5	25	-14	300.400	0.260	0.004	-0.156	-0.565	4.241	0.020	0.320
17632P	65.409	146.435	B-5	7	6	25	0	264.500	4.970	ND	0.664	1.428	7.216	-1.879	-9.393
17633P	65.513	146.364	L-5	8	7	17	0	318.000	2.330	ND	0.377	0.4[illegible]	5.251	-0.7[illegible]	-3.758
17633P	65.368	146.321	L-5	9	4	33	0	51.400	0.026	-0.007	0.039	-0.0[illegible]	-0.153	0.109	1.634
17653P	65.663	146.719	L-6	10	5	21	0	570.000	0.120	0.000	0.01[illegible]	[illegible]	1.3[illegible]6	0.021	0.253
17662P	65.575	146.331	L-5	9	7	29	0	359.[illegible]	0.436	ND	0.6[illegible]	0.153	-0.561	-0.140	-1.540
17663P	65.452	146.123	B-5	7	6	4	0	217.100	0.373	ND	0.143	[illegible]	2.2[illegible]4	-0.172	-1.839
17678P	65.536	146.383	L-6	9	6	19	0	210.100	0.002	ND	0.002	[illegible]	-0.143	0.035	0.043
17702P	65.653	146.[illegible]	L-5	10	5	34	0	254.[illegible]	[illegible]	0.000	0.000	0.031	77.7[illegible]	0.039	-0.466
17736P	65.514	146.355	L-5	9	4	14	0	236.200	0.726	0.004	[illegible]	-0.417	-10.873	0.245	-5.392
17737P	65.342	146.030	L-5	8	6	11	0	312.300	2.330	ND	1.[illegible]1	-0.122	5.537	-0.763	-3.826
17741P	65.339	145.242	L-5	9	7	23	0	373.400	3.030	ND	[illegible]	-0.132	8.243	-0.825	-4.124
17744P	65.483	145.025	B-4	8	5	27	0	425.000	2.7[illegible]	ND	0.032	0.042	9.0[illegible]	-0.649	3.247
17747P	65.602	146.[illegible]	L-6	9	4	13	0	325.300	0.613	ND	0.112	0.[illegible]0	1.438	-0.186	1.988
17751P	65.312	146.320	L-5	8	7	21	0	449.200	6.930	ND	0.845	0.203	7.823	-1.565	-7.623
17753P	65.663	146.621	L-6	10	5	25	14	324.600	0.130	0.0[illegible]	-0.111	0.211	7.293	0.030	0.133
17756P	65.556	146.010	L-5	8	6	1	0	306.600	5.030	ND	1.411	41.014	21.327	-1.641	-8.203
17762P	65.602	146.243	L-[illegible]	9	7	14	0	357.600	1.5[illegible]	ND	1.403	-0.167	2.537	-0.240	-2.639
17796P	65.606	146.339	L-6	9	4	13	0	278.000	0.844	ND	1.336	0.209	17.305	-0.304	-2.125
17800P	65.600	146.338	L-6	9	6	17	0	292.400	1.379	ND	0.276	0.070	3.280	-0.469	-2.343
17806P	65.402	146.642	B-6	7	5	25	0	324.300	8.540	ND	0.474	0.421	7.900	-2.633	-13.167
17810P	65.444	146.690	B-6	7	5	10	0	341.400	1.029	ND	0.278	-0.065	5.278	-0.310	-1.552
17822P	65.342	146.024	L-5	8	6	1	0	256.000	1.629	ND	2.478	-0.339	-9.672	-0.604	-3.022
17829P	65.384	146.643	L-6	9	5	26	0	269.000	0.106	ND	0.041	-0.014	1.223	-0.041	-0.204
17852P	65.491	146.428	B-5	8	6	25	0	354.300	3.440	0.005	1.845	0.175	-1.942	0.243	0.680
17868P	65.680	146.494	L-5	10	6	21	5	233.400	0.256	ND	0.126	-0.005	11.763	-0.107	-1.497
17880P	65.560	146.843	L-6	9	4	35	0	316.200	1.310	0.004	-0.174	-0.339	-8.700	0.062	0.497
17892P	65.602	146.393	L-5	9	6	13	0	277.200	1.140	ND	3.346	-0.234	-6.931	-0.411	-2.466
17905P	65.613	146.385	L-6	9	4	13	0	122.100	0.193	0.003	0.427	-0.427	22.129	-0.158	-1.381

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
17602P	NS	0.152	-0.033	0.580	0.527	4.812	0.396	0.396	0.132	2.769	1.187
17612P	0.020	0.011	-0.003	0.018	0.047	0.162	0.095	1.011	0.831	0.632	6.647
17632P	NS	-0.094	-0.094	0.319	0.376	187.902	0.940	1.315	0.451	5.449	2.443
17633P	NS	0.128	-0.038	0.331	0.601	0.120	0.451	0.601	0.180	0.293	1.428
17635P	NS	-0.025	-0.003	0.022	0.071	0.054	-0.011	0.654	0.059	0.032	1.918
17655P	NS	0.008	-0.001	0.002	0.029	0.021	-0.006	0.036	0.023	0.012	0.613
17662P	NS	0.034	-0.007	0.028	0.098	0.210	2.861	0.360	1.703	7.262	1.008
17663P	NS	0.038	-0.009	0.041	0.155	0.034	0.120	0.155	0.134	0.084	0.530
17676P	NS	0.001	-0.001	0.000	0.003	0.000	-0.001	0.004	0.001	0.000	0.023
17702P	NS	0.013	-0.002	0.006	0.027	0.033	0.019	0.078	0.033	0.014	0.427
17736P	NS	-0.034	-0.012	0.013	0.172	107.896	0.441	8.579	1.880	18.628	12.672
17737P	NS	0.145	-0.038	0.321	0.612	10.714	0.439	0.609	0.243	1.607	1.990
17741P	NS	0.107	-0.041	0.140	0.825	7.391	0.825	0.660	0.148	0.115	1.072
17749P	NS	0.143	-0.032	0.034	0.455	3.832	0.195	0.250	0.134	34.419	1.803
17747P	NS	0.033	-0.009	0.012	0.112	0.013	0.036	0.130	0.045	0.017	0.242
17751P	NS	0.188	-0.078	0.391	1.252	4.068	1.252	0.939	0.407	0.637	1.408
17753P	0.028	0.008	-0.002	0.012	0.027	0.039	0.072	4.860	0.435	0.549	3.893
17756P	NS	0.246	-0.082	0.427	1.148	180.463	1.148	1.312	0.476	7.711	3.117
17762P	NS	0.097	-0.038	0.371	0.436	91.751	0.270	0.432	0.200	2.483	3.508
17796P	NS	0.186	-0.015	0.225	0.031	187.571	-0.030	2.975	0.319	4.250	10.808
17800P	NS	0.127	0.037	0.087	0.375	0.582	0.191	0.515	0.244	0.169	2.295
17806P	NS	0.421	-0.132	0.290	1.580	11.323	1.317	0.327	0.316	1.554	3.160
17810P	NS	0.037	-0.016	0.043	0.279	1.087	0.186	0.621	0.230	0.342	2.336
17822P	NS	0.218	-0.030	0.137	0.725	0.375	0.121	0.722	0.181	29.619	6.291
17829P	NS	0.038	-0.002	0.010	0.029	0.204	0.024	0.171	0.075	0.029	0.737
17852P	0.573	0.230	0.039	0.047	0.277	6.699	0.233	0.495	0.382	3.010	1.175
17868P	NS	-0.015	-0.005	0.006	0.043	29.342	0.299	5.988	0.927	2.246	17.216
17880P	0.153	0.014	-0.360	0.023	0.100	136.717	1.077	2.327	0.655	6.629	6.297
17892P	NS	0.103	-0.021	0.090	0.206	0.387	0.206	0.165	0.115	23.442	1.275
17905P	NS	0.043	-0.008	0.043	-0.016	0.138	0.142	6.481	1.253	4.110	21.023

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	As	Au(ppb)	Ba	Co	Cr
17913P	65.539	146.713	C-6	8	5	10	0	250.500	1.460	NS	1.865	0.262	-1.749	-0.583	-2.914
17917P	65.457	146.063	B-5	7	8	3	0	404.400	3.000	NS	9.644	17.804	5.935	-0.742	-3.709
17929P	65.437	146.203	B-5	7	7	13	0	264.900	0.930	NS	2.212	0.193	3.862	-0.351	-1.755
17950P	65.677	146.716	C-6	10	5	21	0	761.700	0.173	0.000	0.022	0.111	-3.861	0.091	-1.249
17969P	65.569	146.319	C-5	9	7	32	0	339.100	0.893	NS	1.527	-0.193	7.637	-0.253	-1.317
17976P	65.662	146.879	C-6	10	4	27	0	274.300	0.023	-0.001	0.023	-0.011	1.425	0.017	0.344
17979P	65.448	146.468	B-5	7	6	11	0	298.300	4.300	-0.007	1.326	-0.259	8.649	-0.072	0.288
17995P	65.668	146.924	C-6	10	4	28	0	292.900	0.028	NS	0.006	-0.009	20.075	0.010	-0.105
18036P	65.533	146.573	C-6	8	6	8	0	217.200	0.290	0.001	0.427	-0.307	8.812	0.044	0.401
18038P	65.515	145.727	C-4	8	10	17	0	273.000	9.770	NS	12.526	229.040	-10.736	-3.579	-17.894
18042P	65.588	146.758	C-6	9	5	20	0	210.300	0.245	0.016	0.746	-3.146	24.465	0.056	0.711
18064P	65.484	146.921	B-6	8	4	33	0	281.200	0.037	NS	0.021	0.050	2.500	-0.013	-0.184
18076P	65.526	146.665	C-6	9	5	11	0	214.400	0.113	0.001	0.132	-0.232	-11.595	-0.211	-3.742
18077P	65.614	146.999	C-6	9	4	18	0	308.200	0.153	NS	0.129	0.025	1.787	0.050	0.397
18098P	65.667	146.597	C-6	10	5	25	0	248.400	1.660	0.033	0.732	-0.735	93.559	0.107	0.936
18102P	65.561	146.997	C-6	9	4	31	0	322.700	0.151	NS	0.056	0.122	0.842	-0.047	-0.234
18108P	65.562	146.697	C-6	9	5	34	0	263.600	0.195	NS	0.061	0.018	1.258	-0.074	-0.370
18109P	65.488	145.933	B-4	8	9	29	0	298.800	4.580	NS	1.839	6.284	-18.394	-1.533	-7.664
18116P	65.691	146.888	C-6	10	4	15	0	180.400	1.370	NS	1.139	-0.987	91.131	-0.759	-13.670
18128P	65.577	146.503	C-6	9	6	28	0	245.900	1.120	NS	1.321	-0.109	-2.733	-0.455	-2.277
18143P	65.505	146.197	C-5	8	7	24	0	305.600	6.790	NS	1.777	208.855	24.440	-2.222	-11.109
18151P	65.422	146.758	B-6	7	5	20	0	280.400	2.990	NS	0.320	1.813	10.663	-1.066	-5.332
18176P	65.439	145.961	B-4	7	9	18	0	411.300	2.810	NS	1.366	0.376	5.466	-0.683	-3.416
18192P	65.422	146.242	B-5	7	7	23	0	248.200	0.775	NS	0.718	0.781	1.561	-0.312	-1.561
18210P	65.392	146.431	B-5	7	6	36	0	300.900	4.040	NS	1.477	0.188	-4.028	-1.343	-6.713
18223P	65.603	146.973	C-6	9	4	17	0	326.200	0.714	NS	0.854	0.193	11.601	-0.219	-1.532
18278P	65.535	146.225	C-5	8	7	12	0	288.100	3.200	NS	1.222	0.444	18.882	-1.111	-5.554
18280P	65.498	146.361	B-5	8	7	29	0	366.900	2.500	NS	0.143	6.541	6.132	-0.681	-3.407
18312P	65.395	145.990	B-4	7	8	36	0	334.900	37.100	-0.055	1.883	-0.554	44.312	-11.078	-55.390
18314P	65.710	146.506	C-6	10	6	9	0	316.500	0.253	0.001	0.095	-0.048	95.924	0.080	2.078

Station	Cs	Fe(%)	Mo	Sb	Sc	Sm	Ta	Th	U	W	La
17913P	NS	0.169	-0.029	0.175	0.583	3.788	2.564	2.739	1.084	3.147	15.970
17917P	NS	0.193	-0.037	0.727	0.297	4.303	0.148	0.148	0.096	5.193	0.816
17929P	NS	0.102	-0.032	0.098	0.246	0.028	0.176	0.261	0.116	0.105	1.475
17950P	NS	-0.012	-0.001	-0.001	0.041	0.023	-0.091	2.271	0.304	0.186	7.495
17959P	NS	0.055	-0.105	0.037	0.211	2.186	1.448	0.632	1.390	25.018	3.476
17976P	NS	0.004	0.000	0.002	0.018	0.008	0.008	0.024	0.015	0.006	0.461
17979P	0.094	0.012	-0.058	0.017	0.136	158.365	1.124	2.132	0.928	20.181	2.941
17995P	NS	0.000	0.000	0.005	0.007	0.016	0.004	0.025	0.019	0.163	0.482
18036P	0.113	0.034	-0.005	0.025	0.109	0.043	2.093	3.872	1.682	2.537	12.818
18038P	NS	0.537	-0.179	0.233	4.652	0.757	0.358	0.358	0.107	3.221	1.432
18042P	0.396	0.013	-0.005	0.023	0.093	0.594	0.243	12.815	1.701	1.864	16.077
18064P	NS	0.003	-0.007	0.005	0.012	0.020	-0.008	0.184	0.050	0.117	3.289
18076P	NS	-0.038	-0.003	0.011	0.090	0.040	-0.142	8.300	0.754	0.206	20.081
18077P	NS	0.018	-0.002	0.008	0.010	0.003	-0.005	0.970	0.018	0.097	0.938
18098P	0.401	0.048	-0.027	0.055	0.165	109.242	0.668	35.419	2.439	13.366	23.791
18102P	NS	0.014	-0.002	0.020	0.014	0.098	-0.005	0.080	0.016	1.217	0.407
18108P	NS	0.018	-0.004	0.014	0.049	0.059	0.030	0.133	0.035	0.030	0.903
18109P	NS	0.261	-0.123	0.613	1.380	3.372	0.460	1.073	0.169	29.123	3.985
18116P	NS	-0.038	-0.038	0.072	0.456	22.783	1.215	32.635	6.311	12.151	122.267
18128P	NS	0.109	-0.036	0.073	0.137	0.046	0.091	0.273	0.109	0.346	2.824
18143P	NS	0.200	-0.111	0.107	0.444	533.181	1.111	0.667	0.422	2.444	0.889
18151P	NS	0.181	-0.055	0.117	0.746	4.372	1.280	3.732	0.778	1.813	10.557
18176P	NS	0.130	-0.034	0.178	0.613	0.109	0.137	0.752	0.123	10.931	3.634
18192P	NS	0.084	-0.016	0.122	0.312	0.037	0.136	0.468	0.178	0.375	2.135
18210P	NS	0.282	-0.067	0.097	0.671	0.161	0.537	0.403	0.188	0.537	2.014
18229P	NS	0.066	-0.011	0.153	0.044	52.532	0.088	2.627	0.510	1.839	6.821
18278P	NS	0.178	-0.056	0.355	0.666	2.221	0.555	0.889	0.267	0.467	2.888
18280P	NS	0.041	-0.034	0.191	0.545	0.154	0.545	0.545	0.232	0.211	1.499
18312P	NS	1.772	-0.554	2.105	17.725	-0.222	-1.108	1.108	0.222	1.551	2.216
18314P	NS	0.020	-0.004	0.009	0.004	0.080	0.048	0.384	0.078	0.160	4.355

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
18317P	65.559	146.745	C-6	9	5	32	0	245.800	1.130	NS	0.225	-0.276	32.640	0.460	-3.678
18323P	65.403	146.407	B-5	7	6	25	0	288.000	1.170	NS	0.330	-0.098	5.688	-0.406	-2.031
18332P	65.474	146.265	B-5	8	7	35	0	315.100	7.620	NS	1.040	33.656	-7.255	-2.418	-12.091
18349P	65.680	146.495	C-5	10	6	21	-5	327.100	0.247	NS	0.113	-0.106	9.061	0.227	-1.057
18375P	65.477	145.650	B-4	8	10	34	0	286.100	9.830	NS	1.684	-0.344	-10.308	-3.436	-17.179
18392P	65.480	146.529	B-6	8	6	33	0	358.500	2.640	0.004	2.283	8.837	-6.628	0.333	0.515
18395P	65.720	146.565	C-6	10	6	6	0	414.500	4.180	NS	0.777	-0.151	1613.510	-1.008	-5.042
18403P	65.494	146.799	B-6	8	5	30	0	309.000	0.304	0.000	0.091	-0.197	-0.295	0.295	-3.247
18413P	65.438	146.116	B-5	7	8	16	0	221.300	0.516	NS	0.420	0.058	-0.700	-0.233	-1.156
18415P	65.614	146.867	C-6	9	4	14	0	240.200	1.950	0.024	0.753	3.004	89.301	-0.612	-8.118
18420P	65.523	145.823	C-4	8	9	14	0	229.200	1.260	NS	0.357	0.434	3.848	-0.550	-2.749
18429P	65.702	146.843	C-6	10	4	11	0	339.400	0.905	NS	0.320	0.043	39.597	-0.267	4.266
18440P	65.457	146.352	B-5	7	7	5	0	280.200	4.210	NS	2.103	0.300	-7.512	-1.502	-7.512
18443P	65.642	146.868	C-6	9	4	2	0	246.600	0.323	NS	0.275	-0.210	10.348	-0.131	-2.751
18448P	65.531	145.717	C-4	8	10	9	0	433.900	8.210	NS	3.535	-0.189	7.569	-1.892	-9.461
18461P	65.698	146.888	C-6	10	4	15	0	274.200	0.735	NS	0.402	-0.563	93.818	-0.268	-7.774
18465P	65.462	145.954	B-4	7	9	5	0	315.100	1.920	NS	0.518	31.665	-1.828	-0.609	-3.047
18479P	65.631	146.949	C-6	9	4	5	0	402.500	0.085	0.000	0.057	-0.017	1.816	0.042	0.401
18491P	65.515	145.642	C-4	8	10	14	0	507.800	3.640	NS	2.652	0.366	5.745	-0.717	-3.584
18492P	65.539	146.668	C-6	8	5	11	0	294.500	0.307	-0.001	0.322	0.624	3.594	0.129	0.530
18498P	65.684	146.890	C-6	10	4	22	0	206.700	1.120	NS	0.704	-0.542	520.174	-0.542	10.837
18502P	65.604	146.613	C-6	9	5	13	0	321.800	0.275	0.002	0.402	-0.179	1.966	0.231	0.538
18532P	65.644	146.657	C-6	10	5	35	0	233.900	0.631	0.022	0.324	-0.432	91.723	-8.093	-16.186
18547P	65.420	146.045	B-5	7	8	23	0	296.900	2.190	NS	6.344	26.354	-2.213	-0.738	14.752
18557P	65.510	146.081	C-5	8	8	22	0	372.400	1.500	NS	0.403	0.052	3.222	-0.403	-2.014
18561P	65.427	145.973	B-4	7	9	18	0	367.500	6.420	NS	1.170	0.664	-12.229	-1.747	-8.735
18570P	65.560	146.810	C-6	9	4	36	0	290.800	2.270	NS	0.422	-0.562	77.280	-0.781	-4.684
18574P	65.486	146.723	B-6	8	5	28	2	139.700	0.215	-0.001	0.129	0.592	18.302	-0.323	-5.275
18578P	65.668	146.699	C-6	10	5	27	0	207.300	0.027	-0.002	0.029	0.031	2.735	0.078	-0.378
18579P	65.510	145.845	C-4	8	9	23	0	378.700	1.330	NS	0.351	-0.077	-2.107	-0.351	-1.756

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
18317P	NS	0.041	-0.023	0.023	0.092	50.570	0.506	8.273	1.292	2.299	21.283
18323P	NS	0.057	-0.028	0.223	0.366	0.447	0.122	0.366	1.844	0.382	1.828
18332P	NS	0.145	-0.121	0.109	0.725	1015.678	2.418	1.209	0.750	8.424	1.451
18349P	NS	-0.011	-0.004	0.007	0.038	31.715	0.151	4.380	0.633	1.133	13.139
18375P	NS	0.481	-0.172	3.058	4.123	-0.069	-0.344	0.344	0.069	0.172	1.374
18392P	0.864	0.116	-0.029	0.604	0.237	1.326	0.412	0.538	0.289	0.611	1.767
18395P	NS	0.192	-0.050	0.323	0.202	0.222	-0.101	0.303	0.091	0.081	1.615
18403P	NS	0.066	-0.005	0.017	0.089	0.197	0.512	1.032	0.207	0.344	19.283
18413P	NS	0.061	-0.012	0.149	0.256	0.979	0.117	0.233	0.114	0.430	1.492
18415P	NS	0.089	-0.041	0.027	0.325	389.675	2.030	40.462	6.332	89.301	94.172
18420P	NS	0.132	-0.027	0.187	0.605	-0.011	0.220	0.330	0.126	0.368	3.463
18429P	NS	0.067	-0.013	0.147	0.160	0.011	0.027	0.107	0.032	-0.011	2.373
18440P	NS	0.090	-0.075	0.075	0.451	480.799	1.052	0.751	0.616	8.865	1.803
18443P	NS	-0.007	-0.007	0.014	0.118	0.236	0.419	12.181	2.423	3.275	23.708
18448P	NS	0.303	-0.050	0.397	2.460	0.378	0.189	0.189	0.035	1.079	1.133
18461P	NS	-0.013	-0.013	0.038	0.268	179.595	0.777	21.712	3.699	8.310	54.147
18465P	NS	0.104	-0.030	0.250	0.427	0.463	0.249	0.183	0.091	1.767	1.036
18479P	NS	0.011	-0.001	0.005	0.023	0.021	-0.008	0.089	0.027	0.008	0.627
18491P	NS	0.093	-0.036	1.434	0.573	0.172	0.215	0.287	0.115	0.337	1.290
18496P	0.187	0.044	-0.008	0.182	0.069	0.026	0.119	0.435	0.236	-0.136	1.035
18498P	NS	-0.027	-0.027	0.103	0.433	8.128	-0.054	10.837	1.723	7.044	36.737
18502P	0.496	0.042	-0.003	0.030	0.026	0.027	0.009	0.137	0.051	-0.034	0.983
18536P	NS	-0.132	-0.013	-0.013	0.243	431.637	2.023	26.977	2.968	29.675	73.537
18547P	NS	0.184	-0.184	0.346	0.516	132.772	0.221	0.369	0.118	44.257	1.401
18557P	NS	0.085	-0.020	0.048	0.403	0.024	0.242	0.433	0.298	0.149	1.692
18561P	NS	0.280	-0.087	0.367	1.747	0.489	0.349	0.175	0.122	62.890	1.223
18570P	NS	0.047	-0.039	0.027	0.136	132.703	2.420	24.379	3.708	7.728	57.687
18574P	NS	-0.068	-0.005	0.036	0.194	0.108	0.333	10.633	0.968	0.538	40.373
18578P	NS	0.006	-0.008	0.003	0.023	0.013	-0.013	0.079	0.021	0.008	0.887
18579P	NS	0.081	-0.018	2.177	0.331	-0.007	0.176	0.246	0.148	0.351	2.704

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Reg. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
18584P	65.449	146.374	B-5	7	7	7	0	269.900	4.150	NS	1.230	-0.292	-6.150	-1.538	-7.688
18591P	65.573	146.446	C-5	9	6	26	0	309.500	0.846	NS	0.383	-0.301	-9.020	-0.273	4.374
18593P	65.489	146.378	B-5	8	7	30	0	358.200	4.520	NS	0.656	1.640	7.571	-1.262	-6.309
18598P	65.496	146.758	B-6	8	5	29	0	294.000	0.425	-0.001	0.097	-0.188	-9.541	-0.145	-3.036
18600P	65.465	146.871	B-6	7	4	2	0	398.700	1.630	NS	0.424	0.089	5.510	-0.424	-2.119
18609P	65.447	146.082	B-5	7	8	10	0	371.100	1.580	NS	5.109	0.264	5.961	-0.426	-2.129
18616P	65.563	146.776	C-6	9	5	31	0	402.100	3.810	NS	0.152	-0.606	94.753	-0.948	-5.685
18640P	65.482	146.565	B-6	8	6	32	0	186.300	3.300	0.009	1.771	0.213	10.628	0.567	1.240
18645P	65.569	146.658	C-6	9	5	35	0	214.400	0.478	NS	0.085	0.038	2.229	-0.223	-1.115
18675P	65.544	146.251	C-5	8	7	2	0	331.000	2.420	NS	1.170	0.168	7.311	-0.731	-3.656
18683P	65.710	146.597	C-6	10	5	12	0	231.600	0.979	-0.002	0.271	0.163	97.224	-0.423	-2.114
18689P	65.395	146.727	B-6	7	5	33	0	383.800	1.990	-0.003	0.052	-0.140	6.222	0.109	1.970
19055P	65.556	146.293	C-5	8	7	3	0	232.900	2.170	NS	5.777	-0.261	13.044	-0.932	-4.659
19066P	65.670	146.880	C-6	10	4	27	3	248.700	0.667	0.004	0.563	-0.403	-0.805	-0.268	-8.314
19077P	65.450	145.861	B-4	7	9	10	0	476.800	10.400	NS	1.499	71.679	-10.860	-2.172	-10.860
19102P	65.562	146.265	C-5	9	7	34	0	245.500	0.634	NS	0.852	-0.209	8.522	-0.258	-2.066
19111P	65.370	146.470	B-5	6	6	2	0	306.400	1.600	0.005	16.188	52.219	6.266	0.460	0.574
19118P	65.493	146.555	B-6	8	6	29	0	370.800	2.440	0.039	4.475	-0.355	11.845	0.342	0.790
19120P	65.411	146.143	B-5	7	8	29	0	269.400	0.448	NS	1.646	-0.100	-2.661	-0.166	-0.831
19130P	65.631	146.943	C-6	9	4	4	0	251.100	0.083	-0.004	0.112	-0.026	3.305	0.033	-0.397
19150P	65.538	146.668	C-6	8	5	11	0	336.800	0.257	0.000	0.130	-0.038	-1.756	-0.076	0.763
19161P	65.396	146.763	B-6	7	5	32	0	219.500	3.970	0.009	0.615	-0.289	10.852	0.253	0.723
19174P	65.420	146.776	B-6	7	5	20	0	109.500	0.437	NS	0.024	43.900	-1.197	-0.399	-1.995
19183P	65.454	146.918	B-6	7	4	10	0	340.100	0.467	-0.001	0.097	-0.026	-0.430	-0.143	0.859
19186P	65.555	146.896	C-6	8	4	3	0	135.300	0.015	-0.001	0.008	-0.022	-0.665	0.022	0.477
19197P	65.391	146.557	B-6	7	6	32	0	274.700	1.880	-0.003	1.506	0.582	4.106	0.390	0.621
19197P	65.610	146.684	C-6	9	5	15	0	248.100	0.146	0.002	0.524	-0.224	17.654	-0.177	-3.237
19222P	65.525	146.930	C-6	8	4	16	0	316.900	0.002	0.000	0.000	0.010	-0.164	0.013	0.145
19225P	65.481	146.535	B-6	8	6	33	0	206.800	10.500	0.025	0.508	-0.305	10.155	0.711	2.031
19238P	65.459	145.821	B-4	7	9	2	0	400.500	53.700	NS	3.486	0.670	-40.225	-13.408	-67.041

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
18584P	NS	0.092	-0.077	0.075	0.461	553.538	1.384	0.461	0.554	13.685	1.538
18591P	NS	0.041	-0.014	0.038	0.273	1.039	1.941	3.553	1.659	13.667	11.672
18593P	NS	0.202	-0.063	0.069	0.883	3.533	0.631	0.631	0.391	1.640	1.893
18598P	NS	0.068	-0.007	0.022	0.159	0.035	0.231	4.626	0.525	0.275	16.480
18600P	NS	0.076	-0.021	0.072	0.170	4.663	0.551	2.925	0.543	1.102	7.418
18609P	NS	0.085	-0.043	0.852	0.426	0.553	0.170	0.298	0.187	0.468	3.023
18616P	NS	-0.047	-0.047	0.022	0.095	132.654	4.738	35.058	4.652	21.793	77.887
18640P	1.700	0.310	-0.071	0.602	0.395	9.034	0.514	1.098	0.469	1.382	2.533
18649P	NS	0.038	-0.011	0.027	0.111	0.080	0.111	0.223	0.098	0.051	0.713
18675P	NS	0.117	-0.037	0.307	0.439	0.604	0.306	0.658	0.314	0.950	2.047
18683P	NS	0.089	-0.021	0.055	0.085	3.170	0.042	0.423	0.131	0.972	2.114
18689P	0.124	0.046	-0.021	0.046	0.256	0.778	0.161	1.348	0.354	0.674	2.255
19055P	NS	0.168	-0.047	1.398	0.559	13.976	1.584	0.639	1.165	5.311	6.802
19066P	NS	-0.070	-0.013	0.038	0.241	126.051	0.563	16.505	3.004	9.923	58.466
19077P	NS	0.282	-0.109	0.369	0.669	4.779	0.632	0.217	0.130	73.851	1.303
19102P	NS	0.057	-0.013	0.646	0.362	3.357	-0.026	0.620	0.191	0.227	19.394
19111P	1.305	0.161	0.110	0.574	0.137	0.386	0.162	0.522	0.273	0.731	1.749
19118P	0.921	0.115	-0.026	0.349	0.166	1.974	0.724	3.685	1.007	2.961	6.778
19120P	NS	0.040	-0.008	3.326	0.183	59.866	0.083	0.233	0.096	0.632	1.280
19130P	NS	0.022	-0.002	0.010	0.020	0.033	-0.013	0.073	0.021	0.014	0.879
19150P	NS	0.017	-0.004	0.021	0.084	-0.010	0.320	0.664	0.160	0.465	2.159
19161P	0.543	0.170	-0.072	0.127	0.273	705.376	0.687	1.031	0.481	16.821	2.026
19174P	NS	0.080	-0.020	0.029	0.359	11.973	0.958	2.196	0.627	3.392	5.707
19183P	NS	0.096	-0.007	0.020	0.129	0.043	-0.014	0.072	0.036	0.011	0.716
19186P	NS	0.005	-0.009	0.091	0.038	0.011	-0.006	0.222	0.036	0.200	1.508
19187P	0.513	0.181	0.055	0.212	0.223	0.643	0.287	0.472	0.233	1.085	1.328
19197P	NS	0.038	-0.071	0.023	0.053	0.059	-0.100	4.296	0.594	2.177	12.888
19222P	NS	-0.001	-0.002	0.000	0.006	0.001	-0.001	0.008	0.001	0.000	0.069
19225P	0.660	0.980	-0.203	0.442	0.782	21.833	1.117	1.219	0.721	1.219	3.960
19238P	NS	1.609	-0.670	0.711	14.749	2.413	-1.341	-1.341	-0.268	12.604	1.341

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
19246P	65.700	146.891	C-6	10	4	15	0	184.700	0.109	NS	0.330	-0.159	34.619	-0.118	-1.947
19258P	65.554	146.713	C-6	8	5	3	0	156.800	0.185	NS	0.103	0.035	2.006	-0.118	-0.590
19264P	65.473	146.847	B-6	8	4	36	0	255.700	0.622	NS	0.073	0.085	5.838	-0.243	-1.216
19277P	65.461	145.949	B-4	7	9	5	0	223.000	2.410	NS	12.969	1.729	-6.484	-1.001	-5.404
19282P	65.702	146.840	C-6	10	4	11	0	279.100	0.538	NS	0.112	-0.029	25.039	-0.193	3.277
19287P	65.495	145.936	B-4	8	9	29	0	267.300	6.440	NS	5.300	146.966	-50.595	-2.409	-14.436
19298P	65.551	146.266	C-5	8	7	2	0	253.700	1.930	NS	2.497	-0.234	-7.024	-0.780	-3.902
19316P	65.657	146.412	C-5	10	6	36	0	242.600	0.957	NS	0.907	788.953	-13.018	-0.394	-2.367
19337P	65.640	146.384	C-5	9	7	6	0	251.700	2.660	NS	1.268	-0.296	19.023	-1.057	-5.284
19403P	65.463	146.618	B-6	7	5	1	0	152.500	0.513	NS	0.158	-0.067	-2.631	-0.336	-1.682
19411P	65.424	146.635	B-6	7	5	24	0	180.600	4.200	0.023	1.533	580.752	-4.646	0.209	0.697
19414P	65.537	146.549	C-6	8	6	8	0	262.200	0.870	0.007	1.228	-0.896	21.699	0.133	0.830
19416P	65.658	146.402	C-5	10	6	25	0	263.800	1.920	NS	2.633	24.746	-2.183	-0.728	-3.639
19421P	65.453	146.522	B-6	7	6	8	0	194.200	1.030	0.003	-0.143	-0.424	14.320	-0.027	0.530
19449P	65.551	146.377	C-5	8	7	6	0	285.600	4.360	NS	13.029	-0.353	-7.668	-1.534	-7.668
19459P	65.477	145.714	B-4	8	10	33	0	287.800	13.400	NS	0.279	-0.233	13.968	-4.656	-23.280
19461P	65.452	146.450	B-5	7	6	11	0	234.700	0.933	0.006	0.716	-0.286	3.180	0.024	0.278
19468P	65.457	145.759	B-4	7	10	6	0	304.700	60.300	NS	2.177	-0.989	-59.370	-19.790	-98.950
19472P	65.402	146.339	B-5	7	7	29	0	333.400	2.070	0.006	1.552	6.209	6.071	0.174	0.931
19474P	65.543	146.493	C-5	8	6	3	12	400.400	3.390	NS	0.389	-0.152	10.160	-0.847	-4.233
19475P	65.652	146.739	C-6	10	5	32	0	301.900	0.228	NS	0.052	-0.136	7.175	-0.076	3.398
19479P	65.405	146.320	B-5	7	7	28	0	257.500	2.200	NS	0.692	239.223	10.252	-0.854	-4.272
19488P	65.380	146.093	B-5	6	8	4	0	290.700	6.270	-0.014	3.129	-0.541	-19.914	-2.845	-14.224
19492P	65.482	146.902	B-6	8	4	34	6	307.500	0.133	NS	0.036	-0.070	4.829	-0.044	-0.702
19506P	65.516	145.730	C-4	8	10	17	0	394.500	2.470	NS	0.532	0.069	1.878	-0.626	-3.131
19531P	65.621	146.932	C-6	9	4	9	0	105.900	0.098	NS	0.044	-0.014	1.851	-0.093	-0.463
19543P	65.514	146.060	C-5	8	8	14	0	416.600	4.580	NS	2.309	1066.395	-3.298	-1.099	-5.497
19555P	65.703	146.708	C-6	10	5	9	0	140.700	0.194	NS	0.010	-0.007	2.344	-0.138	-0.689
19559P	65.455	145.917	B-4	7	9	9	0	273.900	2.500	NS	9.127	3.408	-46.550	-0.913	18.255
19571P	65.533	146.797	C-6	8	5	7	0	363.100	0.034	NS	0.023	-0.008	0.518	-0.026	-0.129

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
19246P	NS	-0.003	-0.003	0.077	0.077	0.767	0.148	5.252	1.015	1.593	12.393
19258P	NS	0.024	-0.006	0.025	0.071	0.224	0.047	0.236	0.094	0.070	1.203
19264P	NS	0.032	-0.012	0.024	0.146	0.657	0.316	1.873	0.360	0.389	4.014
19277P	NS	0.216	-0.054	0.259	0.540	1.297	0.108	0.216	0.130	24.857	0.973
19282P	NS	0.044	-0.010	0.025	0.116	0.166	-0.019	0.096	0.017	0.006	1.754
19287P	NS	0.482	-0.120	0.385	1.927	13.010	0.723	2.168	0.265	127.692	12.769
19298P	NS	0.164	-0.062	0.492	0.702	1.561	0.312	1.171	0.414	0.492	16.780
19316P	NS	0.126	-0.091	0.116	0.237	0.032	0.158	0.552	0.292	0.264	5.838
19337P	NS	0.264	-0.053	0.116	0.634	7.609	3.382	1.374	1.522	20.079	6.024
19405P	NS	0.071	-0.017	0.074	0.269	13.436	0.505	1.615	0.333	0.639	4.407
19411P	0.720	0.091	-0.093	0.060	0.216	998.894	0.860	1.347	0.578	27.876	2.230
19414P	0.242	0.083	-0.013	-0.026	0.258	0.763	7.963	19.600	5.442	6.304	37.162
19416P	NS	0.284	-0.036	0.189	0.728	2.839	2.038	1.165	1.485	13.101	8.370
19421P	0.233	0.020	-0.021	-0.013	0.152	33.066	0.477	3.394	1.071	4.986	5.076
19449P	NS	0.245	-0.077	0.322	0.767	8.835	0.767	0.613	0.598	7.055	1.840
19459P	NS	0.745	-0.233	0.559	6.518	-0.093	0.406	0.466	0.093	-0.186	1.397
19461P	0.107	0.010	-0.016	0.025	0.080	36.573	0.716	0.755	0.620	5.963	1.212
19468P	NS	2.177	-0.969	1.544	19.790	-0.396	-1.979	-1.979	0.396	10.884	3.958
19472P	0.354	0.071	0.137	0.205	0.325	1.304	0.317	0.869	0.319	0.993	3.104
19474P	NS	0.076	-0.042	0.186	0.847	0.303	1.609	1.663	0.593	0.586	2.879
19475P	NS	-0.004	-0.004	0.003	0.083	0.906	0.317	11.328	1.699	0.831	19.485
19479P	NS	0.034	-0.043	0.162	0.854	1.794	0.427	0.854	0.222	0.760	4.101
19488P	NS	0.484	-0.142	6.259	3.383	8.250	0.284	0.369	0.228	6.535	2.560
19492P	NS	-0.008	-0.022	0.046	0.035	0.022	0.026	0.439	0.115	0.029	6.849
19506P	NS	0.100	-0.031	0.106	0.501	0.426	0.123	0.123	0.069	0.401	0.563
19531P	NS	-0.005	-0.005	0.005	0.009	47.193	-0.009	0.037	0.010	0.023	0.651
19543P	NS	0.231	-0.055	0.636	0.770	7.916	0.440	0.660	0.187	3.188	1.979
19555P	NS	-0.007	-0.007	0.006	0.028	0.620	-0.014	0.014	0.004	-0.006	0.193
19559P	NS	0.201	0.137	0.201	0.548	0.420	0.183	0.365	0.173	91.274	0.913
19571P	NS	0.010	-0.002	0.004	0.010	0.003	-0.003	0.041	0.014	0.005	0.300

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
195588P	65.490	146.392	B-5	8	7	30	4	326.000	6.030	0.003	1.424	-0.222	5.248	0.536	1.250
195593P	65.494	146.206	B-5	8	7	25	0	401.900	1.730	NS	0.256	0.044	3.100	-0.443	-2.214
195594P	65.463	146.638	B-6	7	5	1	0	256.700	0.736	NS	0.442	-0.766	13.527	-0.250	-1.473
196018P	65.520	146.743	C-6	8	5	16	0	324.400	0.531	NS	0.156	0.049	5.074	-0.164	-0.818
196078P	65.482	146.574	B-6	8	6	32	0	306.000	3.010	0.049	13.820	4.230	20.657	0.492	0.492
196149P	65.463	146.810	B-6	8	5	31	0	339.600	0.529	NS	0.066	-0.033	2.304	-0.165	-0.823
196420P	65.670	146.917	C-6	10	4	28	0	41.300	0.029	NS	0.034	0.031	13.341	-0.070	0.632
196609P	65.664	146.599	C-6	10	5	25	0	311.700	1.070	0.021	1.054	2.472	37.751	0.106	1.648
196699P	65.526	146.218	C-5	8	7	13	0	288.100	3.570	NS	0.669	3.691	-3.717	-1.239	-6.196
196780P	65.679	146.887	C-6	10	4	22	0	132.300	0.364	0.001	0.430	-0.478	-23.900	-0.478	-7.887
196849P	65.598	146.772	C-6	9	5	19	0	222.500	0.595	0.017	-0.374	-1.177	29.416	0.086	2.139
196909P	65.425	146.063	B-5	7	8	22	0	287.900	3.430	NS	13.485	3.637	-3.637	-1.299	19.485
197018P	65.553	146.571	C-6	8	6	5	0	301.600	0.357	0.002	0.166	-0.178	2.604	0.391	0.462
197109P	65.423	146.748	B-6	7	5	20	0	331.100	1.030	NS	0.034	-0.034	2.080	-0.311	-1.555
197289P	65.403	146.797	B-6	7	5	30	0	382.500	7.990	-0.010	1.578	0.830	-4.152	0.415	0.415
197369P	65.570	146.452	C-5	9	6	33	-13	238.600	1.250	NS	0.634	-0.164	7.921	-0.528	-2.640
197389P	65.509	146.432	C-5	8	6	24	0	302.900	1.900	NS	0.364	-0.075	5.018	-0.627	-3.136
197459P	65.539	146.765	C-6	8	5	8	0	262.500	0.036	NS	0.005	-0.007	-0.041	0.014	0.056
197549P	65.433	146.716	B-6	7	5	16	0	325.000	6.210	-0.010	0.603	-0.363	13.108	-1.911	-9.554
197589P	65.629	146.660	C-6	9	5	11	0	339.300	0.352	0.002	0.203	-0.034	-1.707	-0.107	-0.533
197659P	65.587	146.704	C-6	9	5	21	0	198.300	0.015	NS	0.002	-0.011	-0.386	0.015	-0.129
197749P	65.682	146.960	C-6	10	4	20	0	128.400	0.671	NS	0.282	-0.063	2090.343	-0.523	3.136
197889P	65.628	146.821	C-6	9	4	12	0	392.100	1.060	0.011	0.297	-0.487	16.220	0.059	1.061
198019P	65.381	146.098	B-5	6	8	4	0	329.200	2.740	-0.004	0.799	-0.092	-3.329	-0.832	-4.162
198239P	65.307	146.339	C-5	6	7	20	0	300.900	10.800	NS	3.123	12.203	-10.768	-3.589	-17.946
198259P	65.670	146.880	C-6	10	4	27	-3	244.600	1.260	0.003	0.927	1.133	72.118	-0.315	-14.939
198269P	65.428	146.227	B-5	7	7	13	0	246.000	0.868	NS	1.270	0.180	-1.059	-0.353	-1.764
198289P	65.583	146.513	C-6	9	6	28	0	116.000	0.418	NS	0.577	0.090	2.883	-0.360	-1.802
198309P	65.560	146.838	C-6	9	4	36	0	237.600	3.600	0.063	3.253	-2.879	287.900	0.200	3.129
198539P	65.605	146.536	C-6	9	6	17	0	200.800	0.234	NS	0.075	0.033	1.077	-0.090	-0.449

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
19588P	1.221	0.335	-0.074	0.087	0.483	5.549	0.461	0.980	0.721	2.590	2.127
19593P	NS	0.071	-0.022	0.066	0.399	0.035	0.266	0.443	0.142	0.111	1.[illegible]
19594P	NS	-0.032	-0.015	-0.012	0.147	0.289	4.712	19.437	4.123	8.835	57.134
19601P	NS	0.018	-0.008	0.044	0.082	1.260	0.393	2.292	0.390	0.426	4.158
19607P	0.885	0.261	-0.039	0.679	0.350	8.853	3.344	4.518	1.908	15.739	9.787
19614P	NS	0.018	-0.008	0.016	0.115	0.543	0.165	0.322	0.244	0.313	2.420
19642P	NS	-0.004	-0.004	0.008	0.049	0.045	0.028	0.204	0.038	0.063	1.215
19660P	0.446	0.042	-0.014	-0.048	0.152	130.446	0.618	30.209	3.536	6.322	66.396
19669P	NS	0.260	-0.062	0.335	1.115	3.204	0.867	0.837	0.310	0.520	1.487
19678P	NS	0.134	-0.012	0.043	0.235	0.131	0.238	19.637	4.443	2.529	43.935
19684P	0.535	0.024	-0.011	0.059	0.203	82.899	1.337	49.112	4.386	37.438	55.890
19690P	NS	0.312	0.169	2.468	0.905	19.485	0.260	0.390	0.194	49.362	1.169
19701P	0.296	0.039	0.038	0.028	0.052	0.028	0.036	0.201	0.106	-0.118	0.627
19710P	NS	0.034	-0.016	0.047	0.249	0.236	0.218	0.333	0.240	0.280	2.084
19728P	0.976	0.174	-0.083	0.104	0.243	788.810	0.457	0.644	0.293	7.058	1.661
19736P	NS	0.090	-0.026	0.095	0.422	1.637	1.426	1.848	0.834	4.489	6.759
19738P	NS	0.056	-0.031	0.144	0.502	0.389	0.439	0.627	0.188	0.207	1.317
19745P	NS	0.005	-0.001	0.001	0.011	0.002	0.010	0.070	0.017	0.009	0.154
19754P	NS	0.287	-0.096	0.344	1.338	32.433	3.822	5.923	1.567	5.350	15.668
19758P	NS	0.049	-0.005	0.028	0.053	0.128	-0.011	0.168	0.037	0.341	1.067
19765P	NS	-0.002	-0.003	0.000	0.011	0.003	0.022	0.057	0.017	0.012	0.474
19774P	NS	0.063	-0.026	0.034	0.052	0.034	-0.052	-0.052	0.021	0.037	0.366
19788P	0.130	0.015	-0.011	-0.013	0.163	62.178	1.622	29.737	9.273	6.488	41.092
19801P	NS	0.166	-0.042	1.332	1.082	0.732	0.033	0.220	0.033	0.832	0.832
19823P	NS	0.339	-0.179	1.134	1.795	0.3[illegible]	1.732	1.436	0.538	1.005	3.589
19825P	NS	0.211	-0.026	0.067	0.464	123.630	1.032	29.362	4.476	13.908	50.585
19826P	NS	0.145	-0.018	0.127	0.282	0.007	0.141	0.247	0.116	0.093	2.082
19828P	NS	0.076	-0.018	0.162	0.180	0.072	0.072	0.252	0.144	0.151	1.333
19830P	0.726	0.031	-0.030	-0.001	0.223	776.078	3.505	45.063	10.490	73.853	92.754
19833P	NS	0.022	-0.004	0.010	0.090	[illegible]	0.036	0.153	0.062	0.024	0.906

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	As	Antimony	Ba	Co	Cr
198549P	65.548	146.338	C-5	8	7	5	0	337.300	1.980	NS	1.057	-0.008	5.283	-0.587	-2.933
198559P	65.443	146.882	B-6	7	4	11	0	361.900	0.761	-0.001	0.060	0.030	-1.295	-0.216	-1.079
198729P	65.669	146.561	C-6	10	6	29	0	234.600	0.055	0.001	0.089	-0.142	5.669	0.051	0.373
199189P	65.554	146.717	C-6	8	5	4	0	248.500	0.203	NS	0.082	-0.073	7.352	-0.082	-0.859
199209P	65.510	146.691	C-6	8	5	22	0	222.100	0.193	0.000	0.096	0.295	14.773	0.655	1.999
199239P	65.369	146.070	B-5	6	8	10	0	315.300	11.400	-0.018	0.145	-0.181	-10.847	-3.616	-18.078
199629P	65.701	146.743	C-6	10	5	17	0	336.900	0.364	NS	0.009	-0.021	2.714	-0.034	-0.458
199639P	65.570	146.432	C-5	9	6	33	15	296.190	3.620	NS	1.223	-0.281	-6.113	-1.223	-6.113
199719P	65.676	146.963	C-6	10	4	20	0	106.600	0.024	NS	0.065	-0.022	84.530	-0.050	0.994
199769P	65.446	146.843	B-6	7	4	12	0	309.700	1.010	-0.002	0.055	-0.046	2.609	-0.326	-1.631
214139P	65.418	146.485	B-5	7	6	22	0	435.800	1.670	NS	0.125	-0.053	2.658	-0.380	-1.893
214259P	65.454	145.646	B-4	7	10	11	0	226.700	73.200	NS	2.959	-1.644	-98.645	-32.882	-164.408
214429P	65.601	146.742	C-6	9	5	17	0	223.500	0.624	NS	0.363	-0.726	-27.919	-0.279	-7.259
214559P	65.460	146.363	B-5	7	7	3	0	210.100	3.840	0.003	0.475	62.142	5.483	0.128	0.366
214749P	65.636	146.561	C-6	10	6	32	0	239.800	0.018	-0.001	-0.024	-0.083	1.801	0.009	0.059
215179P	65.400	146.793	B-6	7	5	39	0	259.900	1.210	-0.002	-0.130	-0.382	8.846	0.084	0.978
215319P	65.684	146.432	C-5	10	6	23	7	302.600	2.360	NS	0.931	-0.042	118.440	-0.846	-6.768
215359P	65.519	145.851	C-4	8	9	14	0	306.400	1.010	NS	0.241	3.626	2.307	-0.330	-1.648
215509P	65.511	145.636	C-4	8	10	22	0	409.800	32.900	NS	8.028	-0.482	24.085	-8.028	-40.142
215989P	65.436	145.961	B-4	7	9	15	0	329.300	1.810	NS	1.044	0.605	7.145	-0.330	-2.748
21601P	65.415	146.446	B-5	7	6	23	0	200.300	3.130	NS	0.433	-0.187	-4.683	-1.561	-7.805
21611P	65.412	146.177	B-5	7	8	30	0	255.700	0.601	NS	1.387	-0.089	3.761	-0.235	-1.175
21615P	65.658	146.416	C-5	10	6	25	0	363.100	0.115	NS	0.008	-0.008	1.174	-0.021	0.144
21633P	65.700	146.628	C-6	10	3	13	0	246.800	1.210	-0.002	1.030	-0.008	16.192	-0.491	-2.453
21649P	65.580	146.443	C-5	9	6	26	0	275.200	1.010	NS	0.261	-0.044	2.569	-0.367	-1.835
21690P	65.487	146.059	B-5	8	8	26	0	366.300	3.350	NS	3.333	0.568	-8.515	-0.946	-4.731
21706P	65.380	146.170	B-5	6	8	6	0	210.300	1.070	-0.003	1.119	-0.122	-4.579	-0.509	-2.544
21707P	65.658	146.592	C-6	10	4	31	0	267.200	0.240	0.002	0.117	0.032	8.982	-0.090	1.836
21710P	65.475	146.262	B-5	8	7	32	0	119.700	0.233	NS	0.124	-0.036	2.596	-0.200	-0.998
21728P	65.467	146.883	B-6	7	4	2	0	322.700	0.073	NS	0.022	0.045	2.713	-0.023	-0.362

Station	Lu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
19854P	NS	0.053	-0.029	0.205	0.470	2.583	0.470	0.696	0.340	1.320	1.113
19859P	NS	0.078	-0.011	0.012	0.173	0.047	0.043	0.151	0.056	0.015	0.950
19872P	0.113	0.010	-0.002	0.018	0.014	39.685	-0.005	0.607	0.069	0.083	4.211
19318P	NS	0.010	-0.004	0.006	0.049	0.515	0.049	2.777	0.339	0.302	6.225
19320P	NS	0.026	-0.004	0.017	0.122	0.057	0.426	10.428	1.295	1.651	40.591
19923P	NS	0.542	-0.181	0.134	4.700	-0.072	-0.362	-0.362	0.108	-0.143	0.723
19924P	NS	-0.005	-0.005	0.002	0.009	0.421	0.037	1.123	0.195	0.083	2.835
19963P	NS	0.257	-0.061	0.232	0.611	5.624	3.668	4.127	1.509	14.671	14.428
19971P	NS	0.011	-0.002	0.016	0.035	1.389	0.010	0.244	0.067	0.015	1.606
19976P	NS	0.052	-0.016	0.014	0.251	0.029	0.033	0.328	0.163	0.029	2.218
21413P	NS	-0.019	-0.019	0.003	0.038	7.213	0.228	1.213	0.269	1.101	1.973
21425P	NS	3.946	-1.644	3.025	32.682	-0.638	-3.238	-3.238	-0.638	-1.313	3.238
21442P	NS	-0.064	-0.014	-0.011	0.168	184.268	1.039	39.087	4.383	27.361	46.021
21459P	0.311	0.077	-0.073	0.035	0.249	106.097	0.690	1.151	0.637	10.418	1.736
21474P	-0.001	0.001	0.032	0.010	0.005	0.007	-0.003	0.037	0.019	0.062	1.325
21517P	0.051	0.043	-0.019	0.084	0.258	1.909	0.419	1.117	0.335	2.233	3.337
21531P	NS	0.135	-0.042	0.045	0.338	423.001	1.523	49.068	5.558	7.360	135.360
21535P	NS	0.073	-0.016	0.310	0.330	0.033	0.132	0.165	0.089	0.923	1.483
21550P	NS	1.244	-0.401	2.168	9.634	1.205	-0.803	0.803	0.161	1.204	2.408
21588P	NS	0.039	-0.027	0.099	0.383	0.770	0.165	1.979	0.275	11.543	11.982
21601P	NS	-0.078	-0.078	0.012	-0.156	421.496	0.468	0.781	0.437	4.996	1.093
21611P	NS	0.068	-0.019	2.327	0.308	23.850	0.118	0.212	0.075	0.470	1.598
21615P	NS	0.003	-0.001	0.002	0.025	0.006	0.025	0.167	0.042	0.020	1.030
21633P	NS	0.088	-0.025	0.047	0.038	4.809	0.043	0.393	0.142	1.325	2.846
21649P	NS	0.018	-0.018	0.014	0.073	1.064	0.404	0.514	0.316	3.156	1.615
21690P	NS	0.205	-0.047	0.804	0.662	6.434	0.378	0.378	0.132	4.258	1.892
21706P	NS	0.076	-0.025	1.632	0.458	0.458	0.001	0.254	0.086	0.229	0.611
21707P	NS	0.038	-0.004	0.028	0.054	0.090	-0.018	0.171	0.044	0.015	1.293
21710P	NS	0.042	-0.010	0.040	0.160	0.260	0.100	0.240	0.164	0.200	0.719
21728P	NS	-0.001	-0.011	0.009	0.018	0.588	-0.011	0.138	0.038	-0.001	3.009

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	Hs	Au(ppb)	Ba	Co	Cr
217538P	65.498	146.778	B-6	8	5	29	0	306.800	2.870	NS	1.634	0.617	11.226	-0.935	-4.677
217539P	65.665	146.730	C-6	10	5	28	0	359.600	0.439	0.001	0.072	-0.177	27.197	-0.136	-4.080
217588P	65.462	146.912	B-6	7	4	3	0	243.700	2.330	-0.005	1.339	0.249	6.693	-0.956	-4.760
217599P	65.488	146.705	B-6	8	5	27	0	221.800	0.314	0.001	0.072	0.349	18.404	-0.142	-1.590
217739P	65.460	146.409	B-5	7	6	1	0	309.500	1.380	0.007	1.515	-0.265	2.675	0.143	0.446
217779P	65.542	146.715	C-6	8	5	9	0	190.200	0.700	NS	0.250	-0.405	32.387	-0.368	-1.640
217808P	65.519	145.660	C-4	8	10	15	0	451.900	28.100	NS	6.840	0.604	18.635	-6.218	-31.091
217829P	65.666	146.920	C-6	10	4	28	0	243.000	0.008	NS	0.000	-0.005	2.286	-0.003	-0.091
217929P	65.536	146.717	C-6	8	5	9	0	238.200	1.320	NS	0.262	-0.337	24.339	-0.511	-4.030
218039P	65.556	146.569	C-6	8	6	5	0	202.600	0.337	0.002	0.321	-0.233	5.515	0.700	0.615
218239P	65.633	146.328	C-5	9	7	5	0	325.800	2.530	NS	0.109	28.732	15.531	-0.777	-3.883
218459P	65.403	146.640	B-6	7	5	25	0	297.600	4.430	NS	0.729	-0.179	4.466	-1.439	-7.443
218729P	65.484	146.725	B-6	8	5	28	0	252.900	0.275	0.002	0.095	5.753	4.567	-0.109	-0.870
218679P	65.488	145.927	B-4	8	9	29	0	331.000	3.240	NS	11.746	-1.173	-8.810	-0.979	-7.831
218959P	65.692	146.803	C-6	10	5	16	0	43.200	0.036	NS	0.167	-0.038	10.000	0.033	2.503
219239P	65.512	146.717	C-6	8	5	21	0	478.700	0.329	0.000	0.096	-0.103	-0.206	0.275	-1.718
219249P	65.543	146.496	C-5	8	6	3	-12	378.600	3.330	NS	0.413	-0.202	-2.639	-0.880	-4.398
219289P	65.394	146.769	B-6	7	5	32	0	288.900	1.200	-0.002	0.141	-0.112	5.400	0.079	0.914
219529P	65.675	145.882	C-6	10	4	22	0	93.100	0.740	NS	1.272	-1.749	93.391	-0.795	-24.640
219599P	65.536	146.631	C-6	8	5	12	0	362.400	4.330	0.030	1.632	0.641	14.503	1.148	1.209
219609P	65.594	146.422	C-5	9	6	24	9	252.900	4.630	NS	1.831	-0.915	-5.492	-1.631	-9.154
219709P	65.421	146.040	B-5	7	8	23	0	307.300	4.030	NS	15.727	5.635	28.833	-1.311	-9.174
219829P	65.706	146.515	C-6	10	6	9	0	291.900	0.194	0.000	0.080	0.033	15.951	0.066	2.127
219859P	65.532	146.605	C-6	8	6	7	0	362.000	0.837	0.001	1.637	0.166	3.314	0.497	1.042
219869P	65.706	146.484	C-5	10	6	10	0	336.900	1.340	NS	0.361	-0.224	3748.293	-0.457	14.627
219969P	65.521	146.642	C-6	8	5	13	0	287.600	0.392	0.005	0.232	-0.608	27.260	0.136	1.227
220039P	65.448	146.445	B-5	7	6	11	0	293.400	3.640	-0.010	1.537	-0.211	-5.767	-0.036	-0.132
220199P	65.623	146.500	C-6	9	6	9	0	311.000	0.434	NS	0.100	-0.029	1.641	-0.149	-0.746
220399P	65.535	146.617	C-6	8	5	12	0	100.700	0.227	NS	0.902	0.197	2.029	0.225	-1.127
220409P	65.594	146.422	C-5	9	6	24	-9	298.700	1.510	NS	0.758	-0.389	16.682	-0.506	-4.044

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
217539P	NS	0.187	-0.047	0.206	0.374	8.980	1.590	6.548	1.057	2.339	20.300
217534P	NS	-0.041	-0.007	-0.003	0.218	0.802	0.354	13.598	1.496	0.490	21.466
217548P	NS	0.172	-0.048	0.239	0.287	11.473	1.052	5.067	0.994	1.530	13.098
217559P	NS	0.031	-0.007	0.008	0.142	0.142	0.694	13.166	1.897	0.538	37.374
217752P	0.496	0.051	-0.016	0.049	0.186	66.882	0.375	0.603	0.755	4.459	1.213
217774P	NS	-0.018	-0.018	0.040	0.197	239.222	1.251	12.195	1.877	6.257	31.540
217804P	NS	0.808	-0.311	1.492	6.218	0.746	-0.622	0.622	0.187	0.622	1.865
217824P	NS	0.000	-0.002	0.000	0.006	0.001	-0.003	0.030	0.007	0.091	0.457
217924P	NS	0.072	-0.026	0.066	0.153	230.054	0.520	13.232	1.728	5.112	32.203
218034P	0.551	0.032	-0.008	0.051	0.062	0.030	0.037	0.297	0.272	0.176	0.443
218234P	NS	0.132	-0.039	0.023	0.699	0.031	0.078	0.621	0.256	0.124	2.746
218434P	NS	-0.074	-0.074	0.007	0.149	163.743	0.298	0.296	0.238	5.657	0.595
218724P	NS	0.033	-0.005	0.010	0.054	0.103	0.163	4.833	0.328	0.217	14.462
218874P	NS	0.117	-0.049	0.063	0.234	3.328	0.294	2.026	0.323	183.932	14.487
218934P	NS	0.040	-0.004	0.023	0.050	0.667	-0.017	0.250	0.069	0.100	2.158
219234P	NS	0.030	-0.003	0.012	0.117	0.034	0.076	2.268	0.370	0.337	7.972
219244P	NS	0.130	-0.049	0.134	0.508	0.437	1.333	1.933	0.642	1.055	3.342
219264P	0.096	0.027	0.058	0.075	0.208	0.035	0.291	0.706	0.304	0.415	1.180
219524P	NS	-0.040	-0.040	0.033	0.337	198.712	3.179	65.972	9.538	30.204	178.649
219534P	2.175	0.156	-0.048	0.205	0.300	1.371	2.033	3.626	1.354	5.801	9.330
219604P	NS	0.220	-0.032	0.201	0.913	23.800	15.928	8.055	6.957	111.677	22.701
219704P	NS	0.341	0.079	0.629	0.917	5.373	0.393	0.324	0.079	61.597	1.311
219824P	NS	0.022	-0.003	0.007	0.066	0.066	0.027	0.405	0.096	0.100	4.832
219854P	1.160	0.080	0.028	0.069	0.069	0.114	0.213	1.397	0.324	1.515	3.788
219864P	NS	0.067	-0.101	0.064	0.046	0.064	-0.046	0.137	0.037	0.425	1.051
219964P	0.063	0.020	-0.005	-0.019	0.077	0.136	1.172	11.449	2.235	4.634	27.533
220034P	0.154	0.015	-0.077	0.006	0.213	538.241	0.607	1.132	0.607	15.571	1.692
220194P	NS	0.025	-0.007	0.019	0.090	0.012	0.075	0.254	0.095	0.060	1.089
220394P	NS	0.079	-0.011	0.126	0.180	0.018	0.090	0.248	0.162	0.038	0.932
220404P	NS	0.106	-0.023	0.071	0.455	2.629	3.235	2.328	2.214	28.309	8.038

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	As	Ni(ppb)	Ba	Co	Cr
220630P	65.411	145.913	B-4	7	9	28	0	244.400	23.100	-0.047	1.134	-1.323	-36.710	2.973	11.342
220670P	65.427	146.760	B-6	7	5	17	0	182.000	0.507	ND	0.076	-0.930	2.766	-0.279	-1.393
220690P	65.641	146.957	C-6	9	4	5	0	282.300	0.183	0.001	0.182	-0.036	14.910	0.065	0.454
220930P	65.472	146.784	B-6	8	5	31	0	289.800	2.030	ND	1.611	0.103	2.802	-0.700	-3.302
221060P	65.630	146.702	C-6	9	5	4	0	291.700	1.430	0.049	0.930	-1.123	13.437	-1.430	-17.048
221080P	65.697	146.886	C-6	10	4	15	0	191.400	0.576	ND	0.312	-0.301	14.144	-0.201	-4.213
221140P	65.601	146.959	C-6	9	4	17	0	233.100	0.935	ND	1.435	30.413	13.120	-0.423	-2.116
221210P	65.672	146.882	C-6	10	4	22	0	277.200	0.435	ND	0.229	-0.207	10.533	0.337	-2.982
221890P	65.663	146.567	C-6	10	6	30	0	287.700	1.030	0.016	0.607	-1.392	44.636	0.166	2.373
222000P	65.494	146.561	B-6	8	6	29	0	224.100	0.300	0.003	0.337	-0.737	14.137	0.059	0.434
222100P	65.497	145.951	B-4	7	9	6	0	209.700	1.070	ND	4.417	-0.233	-5.632	-0.706	-3.532
222110P	65.427	146.729	B-6	7	5	21	0	177.200	0.322	ND	1.094	-0.026	5.312	-0.295	2.337
222230P	65.323	145.969	C-4	8	9	18	15	333.000	3.060	ND	3.253	1.307	-15.691	-0.795	-4.769
222490P	65.329	146.058	C-5	8	8	14	-15	435.000	3.340	ND	2.343	4.959	11.094	-1.227	-6.133
222540P	65.399	145.334	B-5	7	7	29	0	334.200	4.630	0.030	1.452	-0.143	4.891	0.350	0.434
222780P	65.612	146.882	C-6	9	4	12	0	207.000	2.820	0.037	1.470	-1.102	64.508	-0.919	-14.697
222790P	65.631	146.366	C-5	9	7	6	0	445.400	2.360	ND	0.323	2.725	7.348	-0.330	-2.649
222960P	65.414	146.553	B-6	7	6	29	0	171.000	2.820	0.017	0.300	-0.150	-3.333	0.517	1.167
223120P	65.485	146.812	B-6	8	5	30	0	327.000	2.630	-0.002	0.374	32.438	-1.497	-0.499	-2.994
223420P	65.399	146.348	B-5	7	7	29	0	230.800	1.020	0.002	1.326	-0.133	3.536	0.168	0.707
223690P	65.518	146.738	C-6	8	5	16	0	228.600	0.336	ND	0.386	-0.127	5.234	-0.169	-1.320
223760P	65.466	145.859	B-4	8	9	27	0	163.900	1.470	ND	4.336	-1.119	-26.378	-0.793	-11.191
223830P	65.409	146.337	B-6	7	6	29	0	228.100	5.250	0.012	2.187	11.048	4.603	0.506	1.151
223840P	65.388	146.026	B-5	7	8	32	0	232.000	9.510	-0.019	0.328	-0.264	-11.321	-3.774	-18.869
223910P	65.675	146.719	C-6	10	5	21	0	204.200	0.310	-0.001	0.912	0.049	2.400	0.049	0.338
224350P	65.533	146.739	C-6	8	5	8	0	320.400	0.710	ND	0.325	0.050	2.216	-0.222	-1.108
224570P	65.448	146.027	B-5	7	8	11	0	409.000	2.310	ND	0.837	0.251	-2.355	-0.493	-2.463
224590P	65.628	146.853	C-6	9	4	11	0	232.300	1.520	0.038	4.045	-2.182	83.685	0.133	1.813
224720P	65.665	146.723	C-6	10	5	23	0	346.000	1.310	-0.001	0.010	-0.033	3.593	-0.240	-1.200
225430P	65.573	146.761	C-6	9	5	29	0	214.600	0.267	0.010	0.373	-0.634	27.372	0.067	0.747

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
22063P	1.229	2.457	0.473	1.134	18.242	-0.189	0.264	0.737	0.274	0.567	2.646
22067P	NS	-0.014	-0.014	0.033	0.223	0.173	0.111	0.613	0.203	0.092	3.454
22069P	NS	0.037	-0.003	0.019	0.052	0.065	-0.013	0.162	0.049	0.019	1.770
22092P	NS	0.238	-0.035	0.315	0.210	0.224	0.070	0.700	0.189	0.035	2.802
22102P	NS	-0.137	10.293	0.027	0.441	387.281	2.010	49.023	6.324	28.433	93.634
22108P	NS	-0.015	-0.015	0.007	0.030	0.572	0.090	2.167	0.361	0.482	6.350
22114P	NS	0.110	-0.021	0.309	0.085	7.195	0.042	2.158	0.394	3.132	7.660
22121P	NS	-0.008	-0.008	0.013	0.078	2.197	0.455	12.240	2.589	2.334	28.404
22189P	1.076	0.051	-0.018	0.072	0.181	233.180	0.942	26.903	3.376	21.074	60.532
22200P	0.055	0.038	-0.006	-0.019	0.149	0.141	4.337	9.157	2.924	5.301	19.438
22210P	NS	0.191	0.064	0.459	0.283	0.155	0.141	0.212	0.092	47.333	0.848
22211P	NS	-0.015	-0.015	0.106	0.353	0.041	0.236	0.884	0.277	0.162	2.445
22225P	NS	0.215	-0.040	0.246	0.795	0.924	0.238	0.874	0.175	50.073	10.968
22249P	NS	0.282	-0.074	0.933	0.932	6.135	0.614	0.736	0.233	2.822	2.086
22254P	1.113	0.161	-0.048	0.036	0.177	11.225	0.218	0.666	0.234	2.542	1.368
22278P	NS	-0.101	-0.046	0.038	0.276	477.655	1.929	23.883	4.060	34.906	54.930
22279P	NS	0.106	-0.026	0.143	0.477	0.530	0.106	0.636	0.212	0.350	4.451
22296P	2.500	0.448	-0.067	0.167	0.340	7.833	0.200	0.500	0.250	1.217	1.383
22312P	NS	0.065	-0.025	0.035	0.250	59.836	1.347	5.989	1.038	3.094	16.020
22342P	0.261	0.094	-0.018	0.203	0.187	1.679	0.150	0.318	0.182	1.503	0.840
22369P	NS	-0.008	-0.008	0.035	0.034	0.810	0.236	3.039	0.437	0.810	7.784
22376P	NS	0.088	-0.040	0.041	0.400	0.879	-0.080	2.878	0.352	191.843	23.251
22383P	1.243	0.525	-0.092	0.147	0.463	14.730	0.414	0.506	0.235	1.519	1.565
22384P	NS	0.717	-0.189	0.336	2.661	0.075	-0.377	-0.377	0.075	0.981	0.755
22391P	NS	-0.003	-0.007	0.002	0.017	0.003	0.059	0.059	0.016	0.021	0.191
22435P	NS	0.078	-0.011	0.030	0.066	0.044	0.022	0.310	0.102	0.066	1.042
22457P	NS	0.108	-0.025	0.458	0.394	12.313	0.197	0.148	0.064	0.690	0.739
22459P	1.604	0.051	-0.028	-0.105	0.287	355.661	2.580	54.395	9.275	55.790	94.843
22472P	NS	0.082	-0.012	-0.001	0.024	0.360	0.072	2.879	0.365	0.204	9.669
22545P	0.199	0.020	-0.005	0.042	0.079	0.187	0.299	14.930	1.792	5.350	24.261

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
22264P	65.411	145.834	B-4	7	9	26	0	241.400	70.900	-0.147	0.631	-5.287	205.592	4.993	32.307
22590P	65.473	145.861	B-4	8	9	34	0	386.500	3.710	NS	4.032	0.674	-20.158	-0.360	-5.759
22611P	65.629	146.850	L-6	9	4	11	0	296.700	0.401	0.012	-0.220	-0.395	20.273	0.070	0.635
22614P	65.398	146.361	B-5	7	7	29	0	278.700	1.070	0.004	6.143	3.962	2.637	0.288	0.576
22622P	65.663	146.596	L-6	10	5	23	0	283.700	0.758	0.130	0.349	-0.331	23.184	0.133	0.736
22637P	65.430	146.644	B-6	8	5	33	0	288.500	0.573	NS	0.573	0.708	47.217	-0.337	-8.769
22635P	65.376	146.672	B-6	6	5	2	0	231.400	0.231	-0.001	0.039	-0.035	2.306	-0.112	0.539
22662P	65.469	146.878	B-6	7	4	2	0	224.000	4.139	NS	1.532	-0.428	29.785	-1.862	-9.308
22683P	65.445	146.073	B-5	7	8	10	0	332.200	3.430	NS	6.711	4.356	-3.098	-1.033	-5.163
22836P	65.601	146.191	L-5	9	7	13	0	317.300	3.479	NS	3.935	-0.252	10.536	-1.034	-5.468
22840P	65.647	146.640	L-6	10	5	33	0	513.600	0.378	0.007	0.207	-0.351	23.302	0.126	0.677
22841P	65.490	146.392	B-5	8	7	30	-4	250.700	4.063	-0.013	1.419	0.601	7.710	0.432	1.079
22872P	65.519	146.191	L-5	8	8	13	0	311.290	4.160	NS	1.871	15.041	13.363	-1.337	-6.684
22877P	65.521	145.837	L-6	5	4	15	0	451.290	0.912	.000	0.061	-0.079	-0.432	-0.038	-0.146
22881P	65.369	146.313	L-5	5	7	33	0	282.000	1.820	NS	6.336	0.307	-12.504	-0.635	5.337
22882P	65.583	146.437	L-5	9	6	26	0	318.600	1.210	NS	1.639	-1.040	13.995	-0.400	-2.799
22883P	65.623	145.640	L-6	9	5	11	0	280.900	0.032	-0.002	0.032	-0.022	1.227	0.037	-0.313
22889P	65.457	145.754	B-4	7	10	6	0	564.800	233.000	NS	2.709	-2.257	-135.446	-45.149	-225.744
22894P	65.541	146.235	L-5	8	7	11	0	267.300	3.393	NS	1.294	0.742	21.832	-2.183	-10.916
22898P	65.455	146.352	B-5	7	5	6	0	238.700	1.660	0.003	0.216	-0.160	3.041	0.042	0.437
22907P	65.584	146.441	L-5	9	6	26	0	272.500	0.747	NS	0.333	-0.109	-3.832	-0.274	-1.369
22970P	65.482	146.501	B-6	8	4	34	-6	293.000	0.027	NS	0.004	0.023	-0.461	-0.009	-0.184
22981P	65.685	146.432	L-5	10	5	23	-7	290.400	2.030	NS	0.738	-0.143	100.275	-0.716	-7.163
22984P	65.629	146.478	L-5	9	6	3	0	370.200	0.576	NS	0.202	-0.033	3.267	-0.156	-0.778
23009P	65.517	146.363	L-5	8	7	17	0	202.300	2.670	NS	1.000	3.378	-10.394	-1.299	-6.496
23042P	65.466	145.760	B-4	7	10	6	0	327.500	17.700	NS	2.000	-0.757	-27.023	-5.405	-27.023
23046P	65.511	145.662	L-4	8	10	22	0	309.600	19.800	NS	3.440	0.932	15.542	-3.885	-19.427
23419P	65.488	146.093	B-5	8	8	27	0	228.400	1.270	NS	1.446	0.078	2.760	-0.556	-2.780
23423P	65.496	145.826	B-4	8	9	26	0	397.300	3.930	NS	1.703	0.581	3.005	-1.002	-5.009
23424P	65.587	146.752	L-6	9	5	20	0	234.600	0.371	0.013	0.457	-0.628	63.167	0.039	1.830

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
22584P	6.461	6.021	-1.175	-0.117	51.692	-0.587	-0.294	1.087	0.940	-2.056	5.287
22590P	NS	0.086	0.960	0.054	0.288	1.056	0.096	1.248	0.163	124.787	7.007
22611P	0.096	0.012	-0.005	-0.019	0.103	-0.018	0.162	15.218	2.771	1.892	28.247
22614P	0.576	0.119	0.027	0.998	0.202	0.422	0.104	0.292	0.138	0.998	1.785
22622P	0.531	0.042	-0.011	-0.029	0.085	1.671	0.172	9.206	1.250	0.610	17.919
22637P	NS	0.040	-0.017	0.020	0.270	0.607	5.408	17.536	4.890	11.467	58.009
22655P	NS	0.028	-0.006	0.019	0.145	0.112	0.056	0.145	0.051	0.279	0.481
22662P	NS	0.316	-0.093	0.261	0.558	242.009	3.723	10.797	1.955	6.702	28.110
22683P	NS	0.289	-0.093	0.981	0.723	3.979	0.413	0.413	0.145	6.092	1.136
22836P	NS	0.328	-0.066	0.889	0.984	16.404	0.547	0.875	0.241	0.131	2.625
22840P	0.430	0.041	-0.701	0.033	0.058	0.335	0.092	6.854	0.674	0.414	18.011
22841P	0.925	0.301	1.126	0.074	0.402	5.705	0.416	0.925	0.652	2.621	1.804
22872P	NS	0.241	-0.080	0.348	0.936	12.432	0.936	1.337	0.468	1.297	4.010
22877P	NS	-0.002	-0.003	0.001	0.007	0.003	-0.005	0.035	0.007	0.004	0.306
22881P	NS	0.167	-0.035	0.973	0.625	132.824	0.347	0.764	0.250	1.111	12.295
22882P	NS	0.060	-0.020	0.025	0.320	55.981	12.396	2.759	9.117	87.971	7.118
22883P	NS	0.008	-0.001	0.005	0.010	0.012	-0.011	0.090	0.013	0.011	1.014
22889P	NS	7.224	-2.257	2.664	58.693	-0.903	-4.515	-4.515	-0.903	-1.806	4.515
22894P	NS	0.393	-0.109	0.179	1.092	0.087	0.437	2.183	0.415	-0.087	7.859
22898P	0.038	0.033	0.042	-0.004	0.143	8.345	0.348	3.477	0.939	3.964	4.833
22907P	NS	0.079	-0.014	0.033	0.328	0.049	0.082	0.438	0.233	0.263	5.201
22970P	NS	0.003	-0.005	0.002	0.006	0.002	-0.006	0.138	0.027	0.027	2.313
22981P	NS	-0.072	-0.279	0.062	0.215	544.353	1.433	43.691	4.906	7.019	153.278
22984P	NS	0.053	-0.008	0.023	0.156	0.034	0.078	0.420	0.208	0.142	3.516
23009P	NS	0.130	-0.065	0.221	1.299	0.052	1.039	1.169	0.312	0.195	1.689
23042P	NS	0.611	-0.378	6.485	7.566	0.432	-0.540	1.081	0.216	18.916	6.485
23046P	NS	0.544	-0.194	0.855	4.662	0.233	-0.389	0.389	0.155	0.311	1.554
23419P	NS	0.128	-0.028	0.111	0.278	0.011	0.167	0.334	0.200	0.217	1.223
23422P	NS	0.140	-0.050	0.066	0.501	7.213	0.401	0.200	0.120	1.803	1.102
23424P	0.240	0.031	-0.009	-0.024	0.157	0.218	0.261	23.960	2.897	4.356	39.643

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Hg	As	Au(ppb)	Ba	Co	Cr
23437P	65.430	146.721	B-6	7	5	16	0	170.900	0.064	NS	0.009	-0.010	0.487	-0.037	-0.187
23453P	65.457	146.405	B-5	7	6	1	0	231.200	5.490	NS	2.375	-0.214	-7.124	-2.375	-11.873
23454P	65.398	146.332	B-5	7	7	31	0	208.500	0.939	NS	2.792	0.138	-1.351	-0.430	-2.232
23456P	65.634	146.661	C-6	9	4	2	0	220.600	0.493	NS	0.360	-0.648	22.725	-0.223	-9.601
23463P	65.446	146.328	B-5	7	7	9	0	230.700	2.170	NS	0.705	50.793	14.199	-0.941	-4.703
23484P	65.370	146.372	B-6	6	6	5	0	304.100	2.830	-0.005	3.468	0.141	6.360	0.881	0.750
23485P	65.552	146.725	C-6	8	5	4	0	332.600	2.360	NS	0.201	-0.194	6.333	-0.669	-3.347
23493P	65.691	146.727	C-6	10	5	16	0	596.900	0.160	0.000	0.018	-0.000	7.237	-0.080	-1.340
23495P	65.661	146.624	C-6	10	5	25	0	424.800	1.430	0.017	0.871	-1.215	66.196	0.104	1.428
23500P	65.477	146.839	B-6	8	4	36	0	242.800	1.080	NS	0.324	-0.196	-8.451	-0.445	2.669
23536P	65.557	146.468	C-5	8	6	2	0	306.700	6.350	NS	1.739	-0.290	8.282	-2.070	-10.352
23537P	65.620	146.863	C-6	9	4	11	0	161.800	0.291	0.000	0.224	-0.400	-0.460	-0.160	-5.602
23564P	65.651	146.973	C-6	10	4	32	0	228.900	0.008	0.000	0.002	-0.013	0.839	0.010	0.489
23579P	65.541	146.711	C-6	8	5	10	0	330.300	1.220	-0.002	0.443	-0.031	-1.198	-0.369	-1.847
23592P	65.406	146.433	B-5	7	6	25	0	324.900	3.000	NS	0.677	-0.185	4.617	-1.339	-7.695
23606P	65.624	146.638	C-6	9	5	11	0	234.900	0.136	0.000	0.111	-0.023	-0.108	0.036	-0.288
23619P	65.676	146.959	C-6	10	4	20	0	107.200	0.143	NS	0.137	0.023	320.149	-0.133	-0.667
23640P	65.610	146.402	C-5	9	6	13	0	323.430	2.[illegible]	NS	1.210	-0.312	7.007	-0.637	-5.096
23648P	65.478	146.329	B-6	8	6	33	0	222.200	0.351	0.004	0.337	-0.132	2.360	0.226	0.397
23656P	65.512	146.318	C-5	8	7	21	0	348.000	1.830	NS	0.335	-0.037	3.721	-0.332	-2.636
23676P	65.623	146.497	C-5	9	6	9	0	283.800	0.034	NS	0.017	-0.011	0.947	-0.030	0.143
23679P	65.659	146.632	C-6	10	5	26	0	120.100	2.840	0.041	-1.833	-2.055	59.493	0.114	1.623
23726P	65.423	146.238	B-5	7	7	23	0	339.000	1.[illegible]	NS	1.317	0.345	3.217	-0.460	-2.298
23743P	65.479	146.590	B-6	8	6	31	0	183.300	1.470	NS	0.204	-0.026	2.403	-0.801	-4.005
23749P	65.658	146.872	C-6	10	4	25	0	122.500	0.376	NS	0.368	0.368	20.835	-0.307	-3.987
24119P	65.400	146.408	B-5	7	6	25	0	321.600	3.040	NS	2.647	0.274	-2.836	-0.945	-4.726
24136P	65.610	146.679	C-6	9	5	15	0	170.400	0.009	-0.001	0.017	0.021	-0.016	0.021	0.359
24140P	65.642	146.654	C-6	9	5	2	0	285.400	0.238	0.013	0.219	-0.188	-0.313	0.313	-2.610
24153P	65.583	146.517	C-6	9	5	20	0	201.350	0.773	NS	0.211	-0.042	4.608	-0.384	-1.920
24169P	65.659	146.728	C-6	10	5	13	0	214.600	0.101	NS	0.051	-0.013	4.892	-0.084	0.422

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
234370	NS	-0.002	-0.002	0.007	0.049	0.010	0.037	0.120	0.036	0.013	0.266
234530	NS	-0.119	-0.119	0.014	-0.237	183.216	0.712	0.475	0.380	4.512	0.930
234540	NS	0.117	-0.023	0.631	0.225	0.676	0.133	0.315	0.149	0.631	1.171
234560	NS	-0.011	-0.011	0.014	0.134	71.449	1.250	29.926	5.716	13.620	55.820
234630	NS	0.005	-0.047	0.113	0.752	150.498	0.470	0.752	0.247	1.305	2.257
234840	1.300	0.241	0.066	0.750	0.150	1.687	0.137	0.525	0.217	0.647	1.799
234850	NS	-0.033	-0.033	0.019	0.067	281.112	0.535	8.701	1.017	4.351	20.816
234930	NS	-0.014	-0.001	0.002	0.026	0.027	-0.043	2.949	0.443	0.174	7.211
234950	0.697	0.048	-0.014	-0.049	0.171	195.109	0.488	23.651	2.254	7.316	54.002
235000	NS	-0.022	-0.022	0.071	0.267	5.338	0.379	4.329	0.589	2.203	13.390
235360	NS	0.331	-0.104	0.621	0.828	15.669	1.242	1.863	0.663	6.625	4.969
235370	NS	-0.045	-0.008	0.010	0.224	0.134	-0.016	11.685	1.935	8.433	18.728
235640	NS	0.002	-0.005	0.001	0.012	0.093	0.006	0.020	0.008	0.000	0.109
235790	NS	0.044	-0.018	0.074	0.259	2.894	1.441	2.438	0.687	1.108	5.614
235920	NS	0.339	-0.077	0.071	1.077	9.645	0.769	0.462	0.215	2.308	2.462
236060	NS	0.014	-0.002	0.020	0.025	0.036	-0.011	0.079	0.023	0.014	0.701
236190	NS	0.040	-0.007	0.033	0.027	0.115	-0.013	0.107	0.047	-0.005	0.640
236400	NS	0.089	-0.032	0.083	0.318	203.834	4.641	2.038	2.140	50.547	6.943
236480	0.469	0.079	-0.017	0.324	0.180	0.334	0.243	0.683	0.243	0.555	1.395
236560	NS	0.106	-0.027	0.074	0.425	0.266	0.313	0.532	0.245	0.346	2.073
236760	NS	0.007	-0.003	0.003	0.021	0.012	0.018	0.093	0.035	0.017	0.417
236790	0.260	0.010	-0.022	-0.050	0.076	37.633	0.297	31.361	7.193	-4.219	79.505
237260	NS	0.156	-0.023	0.175	0.322	0.092	0.184	0.322	0.165	0.152	1.792
237430	NS	-0.040	-0.040	0.066	0.080	3.284	0.561	1.041	0.344	1.843	3.124
237490	NS	-0.013	-0.089	0.031	0.153	1.901	0.307	6.440	0.984	3.374	25.885
241190	NS	0.189	-0.047	0.161	0.378	0.234	0.284	0.284	0.152	0.359	1.040
241360	NS	0.002	-0.003	0.002	0.016	0.003	-0.004	0.169	0.003	0.000	0.500
241400	NS	-0.028	-0.005	0.010	0.084	102.327	0.113	4.072	0.334	1.671	11.590
241530	NS	0.069	-0.019	0.069	0.307	0.031	0.230	0.833	0.338	0.119	1.073
241590	NS	0.020	-0.004	0.043	0.067	3.237	-0.008	0.101	0.023	0.007	0.818

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
241784	65.620	146.954	C-6	9	4	8	0	182.600	0.147	0.000	0.233	-0.044	-0.242	0.081	0.966
241879	65.623	146.374	C-5	9	7	7	0	290.500	4.020	NS	1.259	-0.263	-9.687	-1.384	-6.919
241889	65.551	146.270	C-5	8	7	3	0	281.100	4.870	NS	3.292	-0.398	-5.197	-1.732	-8.662
242009	65.371	146.046	B-5	6	8	2	0	470.600	59.000	-0.105	0.631	-1.052	-63.111	-21.037	-105.185
242039	65.486	146.723	B-6	8	5	26	-2	223.200	0.363	0.012	0.374	6.933	-13.987	0.325	-4.879
242099	65.676	146.530	C-6	10	6	20	0	359.300	1.250	NS	0.417	0.407	52.185	0.348	-1.739
242209	65.578	146.506	C-6	9	6	28	0	190.900	0.531	NS	0.072	0.033	2.223	-0.278	1.669
242389	65.523	145.968	C-4	8	9	18	-13	342.800	2.970	NS	2.079	-0.606	-23.393	-0.866	-6.931
242549	65.600	146.790	C-6	9	3	20	0	385.900	0.866	NS	0.631	-0.561	31.614	0.224	3.815
242589	65.536	146.716	C-6	8	5	9	-8	260.500	2.090	NS	0.802	-0.239	29.883	-0.802	-4.012
242709	65.402	146.416	B-5	7	6	23	0	304.000	11.100	NS	1.293	-0.548	-14.805	-3.631	-18.237
242719	65.483	146.837	B-6	8	4	34	0	326.500	0.063	NS	0.010	-0.033	-0.076	-0.025	-0.432
243149	65.545	146.501	C-6	8	6	3	0	236.700	0.457	NS	0.536	0.088	2.675	-0.206	-1.029
243419	65.699	146.925	C-6	10	4	16	0	246.700	1.320	NS	0.910	3.103	31.386	-0.333	-2.675
243489	65.465	146.257	B-5	7	7	3	0	252.500	1.200	NS	0.336	0.049	4.369	-0.488	-2.438
243499	65.657	146.811	C-6	10	4	36	0	210.900	0.436	0.048	0.259	-0.200	-8.231	0.233	-2.622
243549	65.572	146.793	C-6	9	3	23	0	292.600	0.053	NS	0.043	-0.018	1.390	-0.028	-0.227
243599	65.516	146.400	C-5	8	7	13	0	237.700	3.320	NS	1.223	0.171	7.341	-1.223	-6.117
243779	65.440	146.117	B-5	7	8	16	0	390.300	1.890	NS	0.381	-0.160	-1.452	-0.484	-2.420
243929	65.473	146.202	B-5	8	7	36	0	230.500	1.320	NS	0.112	0.442	13.189	-0.659	-3.297
244029	65.441	146.483	B-5	7	6	13	0	310.700	3.970	0.019	29.979	-0.300	11.529	-0.096	0.192
244039	65.557	146.864	C-6	9	4	34	0	208.400	4.310	0.015	1.720	-0.438	23.457	-1.564	-7.819
244049	65.670	146.406	C-5	10	6	25	0	352.000	1.940	NS	1.378	-0.226	19.841	-0.551	-2.756
244179	65.598	146.554	C-6	9	6	20	0	137.500	0.126	NS	0.015	-0.020	1.422	-0.079	-0.395
244319	65.649	146.974	C-6	10	4	32	0	202.200	0.073	0.030	0.033	0.022	7.047	0.037	0.631
244339	65.492	146.425	B-5	8	6	25	0	148.800	1.070	-0.004	1.510	-0.216	7.910	0.403	1.510
244489	65.498	146.525	B-6	8	6	28	0	358.300	2.530	0.010	1.152	-0.480	15.358	0.294	0.640
244509	65.692	146.776	C-6	10	5	18	0	81.000	0.003	NS	0.002	0.010	-0.337	0.011	-0.019
244529	65.609	146.332	C-5	9	7	17	0	283.100	3.290	NS	1.459	-0.226	19.694	-1.130	-5.652
244589	65.510	145.937	C-4	8	9	20	0	279.600	1.790	NS	3.393	-0.433	-13.444	-0.640	-3.841

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
24178P	NS	0.029	-0.004	0.019	0.056	0.081	0.024	0.354	0.087	0.161	1.723
24187P	NS	0.332	-0.083	0.166	1.245	0.747	0.554	0.692	0.291	1.661	3.321
24188P	NS	0.364	-0.087	0.936	1.386	19.057	2.252	1.559	1.195	4.678	3.465
24200P	NS	2.735	-1.052	0.589	25.244	-0.421	-2.104	-2.104	0.421	-0.841	4.207
24203P	NS	-0.047	-0.006	0.026	0.146	0.042	0.472	9.593	1.155	0.504	27.973
24209P	NS	0.042	-0.017	0.021	0.104	834.957	0.870	19.134	2.334	8.697	53.924
24220P	NS	0.050	-0.014	0.021	0.167	0.206	0.139	0.389	0.178	0.039	1.780
24238P	NS	0.208	-0.139	0.199	0.866	1.040	-0.037	0.836	0.165	23.393	7.104
24254P	NS	0.016	-0.011	0.020	0.090	35.905	0.404	22.441	2.593	3.815	65.079
24258P	NS	0.056	-0.040	0.096	0.160	449.290	2.407	12.637	1.918	7.542	29.043
24270P	NS	0.183	-0.183	0.055	0.730	985.855	0.730	0.730	0.511	17.526	1.461
24271P	NS	-0.001	-0.010	0.005	0.038	0.016	-0.015	0.244	0.083	0.016	3.025
24314P	NS	0.056	-0.012	0.027	0.185	0.058	0.041	0.257	0.136	0.782	2.776
24341P	NS	0.123	-0.027	0.182	0.268	0.086	0.054	0.535	0.144	0.037	4.388
24346P	NS	0.088	-0.024	0.078	0.390	0.244	0.195	0.439	0.273	0.249	1.707
24349P	NS	0.063	-0.012	0.035	0.188	0.282	-0.094	3.528	0.571	1.011	10.701
24354P	NS	0.006	-0.001	0.005	0.031	0.020	0.009	0.238	0.066	0.034	1.926
24359P	NS	0.086	-0.061	0.294	0.734	0.147	0.734	0.734	0.269	0.294	1.223
24377P	NS	0.044	-0.039	1.888	0.581	-0.010	0.290	0.581	0.208	0.455	2.130
24392P	NS	0.086	-0.033	0.044	0.396	0.040	0.264	0.396	0.112	-0.026	0.659
24402P	0.749	0.013	-0.077	0.019	0.177	672.514	0.922	3.266	1.216	59.565	4.765
24403P	NS	-0.078	-0.078	0.156	0.156	500.416	2.502	2.815	0.641	14.074	6.412
24404P	NS	0.127	-0.028	0.110	0.441	2.866	1.543	1.102	1.080	14.330	5.889
24417P	NS	0.013	-0.004	0.005	0.071	0.158	0.055	0.166	0.077	0.035	0.869
24431P	NS	0.016	-0.002	0.005	0.030	0.037	0.007	0.089	0.030	0.016	0.682
24435P	0.791	0.125	-0.029	0.201	0.347	0.273	0.388	1.079	0.437	0.518	2.121
24448P	0.602	0.104	-0.026	0.154	0.205	1.024	3.072	7.039	1.849	12.798	12.478
24450P	NS	0.000	-0.003	0.001	0.009	0.001	-0.002	0.008	0.006	0.000	0.025
24452P	NS	0.305	-0.057	0.203	0.791	0.339	0.339	0.565	0.191	0.452	1.130
24458P	NS	0.166	-0.096	0.198	0.576	0.563	0.192	0.832	0.205	56.338	9.667

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Dup. Code	Sample Weight	Heavy Min. Weight	Ag	As	Au(ppb)	Ba	Co	Cr
24485P	65.682	146.639	L-6	10	5	23	0	329.800	2.240	0.014	1.358	0.156	7.471	-0.679	-3.396
24497P	65.599	146.560	L-6	9	6	20	0	310.400	0.062	NS	0.036	-0.012	0.499	0.020	0.160
24510P	65.423	145.879	B-4	7	9	22	0	386.200	170.000	-0.219	0.876	-2.190	306.543	-43.792	-218.959
24533P	65.361	146.478	B-5	6	6	10	0	277.600	0.697	0.011	1.331	175.756	2.311	0.126	0.552
24537P	65.317	146.106	L-5	8	8	16	0	238.400	1.550	NS	0.231	0.952	6.233	-0.519	-2.597
24548P	65.417	146.786	B-6	7	5	19	0	52.900	2.580	NS	1.122	5.365	87.788	-4.677	-24.336
24575P	65.614	146.685	L-6	9	5	15	0	253.400	0.361	-0.031	0.336	-0.326	29.917	-0.285	-5.599
24576P	65.535	146.576	L-6	8	6	8	0	178.000	1.690	-0.005	2.733	-0.635	15.131	1.044	1.139
24581P	65.498	146.661	B-6	7	5	26	0	235.700	3.030	-0.005	0.467	0.128	3.182	0.127	0.318
24596P	65.423	145.864	B-4	7	9	22	0	316.600	8.850	-0.014	1.284	-0.421	-8.424	-2.808	-14.040
24599P	65.474	146.108	B-5	8	8	33	0	195.000	0.621	NS	0.298	-0.057	2.216	-0.317	-1.584
24631P	65.601	146.400	L-5	9	6	13	0	253.400	0.127	NS	0.044	-0.023	-0.551	-0.050	-0.251
24636P	65.505	146.123	L-5	8	8	21	0	331.900	1.560	NS	0.230	0.906	3.899	-0.557	-2.785
24661P	65.440	146.118	B-5	7	8	16	0	268.000	0.830	NS	0.274	2.406	4.196	-0.280	-1.399
24665P	65.477	145.777	B-4	8	10	31	0	223.300	3.450	NS	1.209	-0.232	-6.198	-1.549	-7.747
24668P	65.570	146.895	L-6	9	4	34	-1	309.100	4.130	0.014	1.163	-0.487	18.932	-1.352	-6.762
24687P	65.700	146.610	L-6	10	4	13	0	46.500	0.133	NS	0.623	0.071	132.817	-0.415	7.036
24699P	65.669	146.731	L-6	10	5	28	0	315.400	0.124	0.000	0.067	-0.022	3.420	0.039	0.550
24707P	65.523	146.935	L-6	8	4	15	0	163.500	0.035	-0.002	0.017	-0.016	0.700	0.032	0.493
24711P	65.459	146.062	B-5	7	8	3	0	327.100	2.420	NS	4.661	35.512	-2.220	-0.740	-3.699
24729P	65.518	146.179	L-5	8	8	18	0	303.200	3.760	NS	0.422	-0.223	-7.441	-1.240	-6.201
24738P	65.521	145.850	L-4	8	9	14	0	303.700	2.740	NS	0.749	-0.099	7.218	-0.902	-4.511
24741P	65.537	146.484	L-5	8	6	10	0	404.700	13.800	NS	1.262	0.341	20.460	-3.410	-17.050
24742P	65.477	145.933	B-4	8	9	32	0	316.700	7.360	NS	4.416	53.431	-6.972	-2.324	-11.620

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
16375R	-5.0	-10.0	21.0	1.0	1.1	7.0	-4.0	2.30	-200.0	NA	1100.0	0.5	7.2
16376R	-5.0	-10.0	25.0	10.0	2.4	5.0	-4.0	1.00	-200.0	NA	1300.0	1.0	7.3
16377R	-5.0	20.0	23.0	30.0	3.0	4.0	6.0	-0.05	-200.0	NA	1000.0	1.2	5.3
16378R	-5.0	-10.0	8.0	56.0	4.9	3.0	-4.0	-0.05	-200.0	NA	570.0	3.9	5.2
16379R	-5.0	-10.0	13.0	8.0	2.1	3.0	-4.0	0.11	-200.0	NA	1100.0	2.2	6.3
16380R	-5.0	-10.0	15.0	25.0	4.4	3.0	-4.0	0.25	-200.0	NA	1000.0	4.0	5.6
16382R	-5.0	-10.0	2.0	1.0	0.3	2.0	-4.0	0.94	-200.0	NA	240.0	1.4	1.4
16383R	5.0	-10.0	3.0	36.0	7.1	3.0	-4.0	0.14	-200.0	NA	180.0	3.4	6.3
16384R	-5.0	-10.0	-1.0	1.0	1.3	2.0	-4.0	0.80	-200.0	NA	310.0	1.9	3.1
16385R	7.0	-10.0	-1.0	25.0	6.8	3.0	4.0	0.17	-200.0	NA	150.0	1.5	8.3
16386R	-5.0	-10.0	-1.0	42.0	5.1	2.0	5.0	0.45	-200.0	NA	80.0	1.3	8.4
16387R	-5.0	-10.0	4.0	7.5	3.9	4.0	5.0	0.42	-2.0	NA	360.0	2.0	5.0
16388R	5.0	-10.0	4.0	93.0	11.2	3.0	7.0	0.14	-200.0	NA	270.0	4.4	6.5
16389R	5.0	-10.0	4.0	9.0	4.5	4.0	-4.0	0.84	-200.0	NA	350.0	0.7	4.8
16390R	12.0	40.0	10.0	73.0	3.0	6.0	-4.0	0.69	-200.0	NA	160.0	0.3	10.2
16391R	8.0	70.0	4.0	36.0	2.8	5.0	6.0	1.10	-200.0	22.0	160.0	3.1	10.3
16441R	-5.0	10.0	7.0	64.0	8.5	5.0	17.0	-0.05	300.0	120.0	620.0	-0.2	4.0
16442R	-5.0	10.0	5.0	2.5	1.2	4.0	-4.0	1.40	-200.0	14.0	630.0	0.5	5.4
16501R	13.0	10.0	5.0	170.0	10.4	4.0	-4.0	0.10	400.0	100.0	240.0	4.0	4.8
16510R	9.0	60.0	5.0	29.0	2.7	4.0	-4.0	0.12	-200.0	6.0	150.0	0.4	11.9
16515R	11.0	20.0	7.0	35.0	1.5	3.0	-4.0	0.05	-200.0	150.0	220.0	1.0	3.9
16516R	6.0	10.0	4.0	14.0	0.4	1.0	-4.0	-0.05	-200.0	10.0	70.0	0.9	2.0
16517R	-5.0	10.0	4.0	18.0	0.5	3.0	-4.0	-0.05	-200.0	4.0	80.0	1.0	1.5
16518R	-5.0	20.0	8.0	14.0	1.9	2.0	-4.0	-0.05	-200.0	8.0	130.0	0.8	4.3
16701R	6.0	10.0	11.0	92.0	5.0	4.0	-4.0	-0.05	-200.0	130.0	820.0	1.2	7.4
16702R	-5.0	10.0	6.0	320.0	14.7	4.0	-4.0	-0.05	-300.0	1300.0	540.0	-0.2	4.3
16703R	7.0	20.0	28.0	170.0	4.8	8.0	-4.0	0.05	-200.0	34.0	1400.0	0.9	9.5
16704R	-5.0	-10.0	20.0	35.0	4.5	4.0	-4.0	-0.05	-200.0	140.0	1200.0	1.3	5.5
19002R	8.0	70.0	6.0	22.0	2.6	10.0	-4.0	0.65	-200.0	14.0	120.0	1.2	11.3
19003R	23.0	70.0	9.0	210.0	4.8	3.0	-24.0	0.44	-600.0	18.0	-90.0	41.0	15.2

Table 5-3. Elemental analyses of rock grab and composite chip samples collected in the Lime Peak - Mt. Prindle area of the Circle Quadrangle, Alaska. Analyses are reported in parts per million (ppm) unless indicated otherwise. Negative numbers indicate that the element was not detected at a concentration level equal to the absolute value of the negative number reported. NA = not analyzed.

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
00649R	65.7145	146.6069	C-6	10	5	12	RUSTY SULFIDE-RICH QTZT FAULT BRECCIA	-0.5	-2.0	-5.0	100.0	-0.5
00650R	65.4964	146.5353	B-6	8	6	28	RUSTY QTZ-MICA SCHIST WITH QTZ VNS	1.0	160.0	-7.0	1000.0	3.9
00652R	65.3937	146.3579	B-5	7	7	32	DIKE OR PIPE ADJACENT TO HBL-BIO GRD	-0.5	4.0	-10.0	2000.0	3.6
00662R	65.5871	146.9234	C-6	9	4	21	FE-STAINED QTZ MFLS BRECCIA	20.0	130.0	-5.0	400.0	-0.5
00666R	65.6980	146.6700	C-6	10	5	15	WHITE MIAROLITIC QTZ VN	-0.5	-2.0	-5.0	200.0	-0.6
00667R	65.6951	146.6699	C-6	10	5	15	GRAY ARGILLITE WITH WHITE EFFLORESCENCE	-0.5	3.0	-6.0	1200.0	-1.0
04351R	65.6365	146.8282	C-6	9	4	1	QTZ-TM-MICA-FELD VNS IN QTZT	-0.5	2.0	-5.0	200.0	-0.6
04359R	65.4119	146.4513	C-6	9	5	9	QTZ-TM-TZ(?)-MICA GREISEN IN GR1	1.0	5.0	-5.0	-100.0	-1.2
04361R	65.6474	146.7668	C-6	10	5	32	TM GREISEN IN QTZT MFLS	-0.5	-2.0	-5.0	300.0	-0.8
04362R	65.6474	146.7668	C-6	10	5	32	BLACK HIGHLY ALT RK (MAFIC DIKE?)	-0.5	-2.0	-6.0	500.0	5.7
04363R	65.4459	146.0754	B-5	7	8	10	(CHAN) QTZ-BIO SCHIST WITH FEOX	-0.5	6.0	-5.0	200.0	1.1
04364R	65.4459	146.0754	B-5	7	8	10	(CHAN) GRAPH-QTZ-BIO SCHIST	-0.5	16.0	10.0	900.0	-1.7
04365R	65.4459	146.0754	B-5	7	8	10	CONCORDENT QTZ POD IN GRAPH SCHIST	-0.5	4.0	29.0	-100.0	-0.5
04366R	65.4459	146.0754	B-5	7	8	10	GRAPH SCHIST	-0.5	8.0	-8.0	700.0	-1.6
04367R	65.4459	146.0754	B-5	7	8	10	CONCORDENT QTZ POD IN GRAPH SCHIST	-0.5	-2.0	-5.0	-100.0	-0.6
04368R	65.4459	146.0754	B-5	7	8	10	(CHAN) QTZ-BIO SCHIST WITH FEOX	-0.5	8.0	-5.0	200.0	-1.1
04369R	65.4156	146.4151	B-5	7	6	24	(COMP) FE-STAINED QTZ VN/BRECCIA IN QTZT	-0.5	6.0	-5.0	200.0	-0.7
04370R	65.4138	146.4138	B-5	7	6	24	(COMP) FE-STAINED QTZ VN WITH PY AND GN	3.0	4.0	-5.0	100.0	1.4
04371R	65.4388	146.1654	B-5	7	8	18	QTZ VN RUBBLE IN QTZT	-0.5	2.0	-5.0	-100.0	-0.5
04372R	65.4347	146.1606	B-5	7	8	17	GRAPH SCHIST	-0.5	12.0	-9.0	800.0	-1.8
04373R	65.4321	146.1624	B-5	7	8	17	QTZ-MICA SCHIST	-0.5	2.0	-5.0	300.0	-1.0
04374R	65.4271	146.1644	B-5	7	8	18	CHL-QTZ-SER SCHIST WITH TRACE PY	-0.5	4.0	-6.0	100.0	-1.3
04375R	65.4236	146.1494	B-5	7	8	20	BLACK GRAPH-QTZ SCHIST	-0.5	-2.0	-6.0	600.0	-1.3
04377R	65.4283	146.0683	B-5	7	8	15	(COMP) BLACK GRAPH-QTZ SCHIST	-0.5	10.0	-6.0	200.0	-1.0
04378R	65.4325	146.0676	B-5	7	8	15	QTZ VN FLOAT WITH CHL AND ANKERITE	-0.5	4.0	-5.0	100.0	-0.6

Station	Cu	Fe(%)	Mo	Sb	Sc	Sn	Ta	Th	U	W	La
24485P	NS	0.095	0.095	0.095	0.068	48.223	-0.068	0.408	0.170	5.637	2.241
24497P	NS	0.005	-0.001	0.005	0.016	0.005	0.014	0.076	0.038	0.020	0.575
24510P	NS	6.569	-2.190	0.263	61.309	-0.876	-4.379	-4.379	-0.876	-1.752	4.379
24535P	0.391	0.055	-0.010	0.929	0.105	0.146	0.093	0.477	0.154	0.452	2.109
24537P	NS	0.109	-0.020	0.062	0.519	0.042	0.364	0.416	0.223	0.161	2.182
24548P	NS	0.878	-0.244	0.585	3.902	1.463	7.803	22.677	7.316	19.509	96.079
24575P	NS	-0.038	-0.007	0.012	0.157	0.356	0.370	17.096	1.832	1.033	48.293
24578P	1.329	0.249	-0.036	0.475	0.331	0.532	2.279	3.703	1.323	3.323	9.969
24581P	0.414	0.069	-0.042	0.054	0.094	869.653	0.127	0.320	0.187	2.012	0.829
24596P	NS	0.393	-0.140	2.752	3.370	2.296	0.281	0.281	0.153	7.501	1.404
24599P	NS	0.052	-0.016	0.063	0.283	0.089	0.158	0.233	0.165	2.123	0.982
24631P	NS	0.009	-0.003	0.035	0.030	0.023	0.200	0.132	0.072	1.153	0.692
24636P	NS	0.056	-0.028	0.072	0.001	0.100	0.333	0.301	0.228	0.167	1.949
24661P	NS	0.031	-0.014	0.308	0.364	0.112	0.138	0.364	0.143	0.336	2.042
24663P	NS	0.155	-0.077	1.224	1.549	0.713	-0.155	0.310	0.077	3.719	1.549
24666P	NS	0.081	-0.068	0.149	0.270	213.879	2.973	3.631	0.757	20.285	7.167
24687P	NS	0.100	0.021	0.279	0.291	0.125	-0.042	0.208	0.058	0.046	1.785
24699P	NS	0.013	-0.007	0.007	0.028	0.033	-0.012	0.231	0.040	0.011	0.335
24707P	NS	0.009	-0.006	0.013	0.022	0.015	-0.003	0.064	0.013	-0.001	0.313
24711P	NS	0.133	-0.037	1.238	0.474	13.317	0.233	0.296	0.104	0.348	1.238
24729P	NS	0.112	-0.062	0.069	0.495	198.813	0.639	0.868	0.285	1.240	0.592
24738P	NS	0.135	-0.045	0.397	0.722	-0.018	0.271	0.541	0.153	0.343	2.436
24741P	NS	0.311	-0.170	1.354	2.387	1.228	2.046	2.046	0.511	1.193	3.069
24742P	NS	0.535	-0.116	0.442	2.536	37.183	0.463	1.627	0.232	32.536	6.740

Table N. Rock grab and composite chip samples collected in the Lime Peak - Mt. Prindle area of the Circle Quadrangle, Alaska. All analyses in parts per million (ppm) unless indicated otherwise. NA = not analyzed. Negative numbers indicate the element was not detected at a concentration level equal to the absolute value of the negative number reported.

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
00649R	-5.0	-2.0	-1.0	0.6	-0.5	-4.0	60.0	1.0	3.0	0.3	0.2	0.2	-0.1
00650R	-6.0	16.0	-1.0	19.0	5.0	15.0	90.0	65.0	107.0	6.3	2.0	3.1	0.4
00652R	-5.0	12.0	-1.0	14.0	3.7	-4.0	220.0	57.0	95.0	11.1	3.0	2.8	0.4
00662R	-5.0	550.0	-1.0	4.7	1.3	8.0	290.0	22.0	23.0	1.1	0.5	0.7	0.1
00666R	-5.0	6.0	1.0	5.6	1.3	-4.0	60.0	13.0	23.0	2.2	0.7	1.1	0.1
00667R	-5.0	-2.0	1.0	12.0	0.7	-4.0	80.0	49.0	81.0	4.7	-0.7	2.1	0.3
04351R	-5.0	12.0	5.0	10.0	4.3	4.0	-50.0	29.0	63.0	6.8	0.5	7.5	1.1
04359R	-10.0	440.0	5.0	92.0	36.0	15.0	670.0	129.0	220.0	14.2	-0.9	10.4	1.6
04361R	-5.0	-2.0	-1.0	10.0	1.5	-4.0	-50.0	30.0	47.0	2.7	1.1	1.0	0.1
04362R	-5.0	2.0	-1.0	3.1	0.8	-4.0	110.0	25.0	56.0	4.7	-0.2	3.2	0.4
04363R	-5.0	-2.0	-1.0	5.9	1.2	-4.0	-50.0	14.0	27.0	2.6	-0.4	0.8	0.1
04364R	-8.0	8.0	-1.0	18.0	3.0	-4.0	-50.0	53.0	95.0	8.8	0.9	3.3	0.5
04365R	-5.0	-2.0	-1.0	1.6	0.7	-4.0	-50.0	1.0	3.0	0.3	0.2	0.5	0.1
04366R	-5.0	-2.0	2.0	14.0	2.4	5.0	120.0	51.0	101.0	7.7	0.9	2.8	0.4
04367R	-5.0	-2.0	-1.0	3.9	0.8	-4.0	-50.0	4.0	6.0	0.8	0.3	0.5	-0.1
04368R	-5.0	-2.0	-1.0	8.9	2.0	-4.0	70.0	19.0	36.0	3.6	0.7	1.3	0.3
04369R	-5.0	2.0	-1.0	5.5	1.0	-4.0	-50.0	12.0	27.0	1.6	-0.2	0.5	0.1
04370R	-5.0	4.0	-1.0	4.2	1.2	-4.0	300.0	9.0	12.0	1.5	0.7	0.9	0.1
04371R	-5.0	4.0	-1.0	-0.5	-0.5	-4.0	-50.0	1.0	-3.0	0.1	0.2	-0.2	-0.1
04372R	-5.0	4.0	-2.0	16.0	2.5	6.0	80.0	55.0	87.0	7.7	1.1	2.5	0.5
04373R	-5.0	-2.0	-1.0	7.0	1.0	-4.0	-50.0	16.0	27.0	2.3	0.6	0.9	0.2
04374R	-5.0	-2.0	-1.0	7.8	2.4	-4.0	-60.0	15.0	26.0	2.4	0.7	1.4	0.2
04375R	-5.0	2.0	-1.0	8.9	2.6	-4.0	150.0	30.0	53.0	4.5	1.2	1.6	0.3
04377R	-6.0	2.0	-1.0	4.7	1.9	4.0	80.0	11.0	26.0	2.3	0.8	1.5	0.3
04378R	-5.0	4.0	-1.0	3.1	-0.5	-4.0	-50.0	2.0	7.0	0.5	-0.2	0.5	0.1

Table 5-3 (continued)

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
00649R	-5.0	-10.0	-1.0	17.0	1.5	-1.0	-4.0	-0.05	-200.0	NA	-20.0	0.2	1.6
00650R	18.0	90.0	5.0	42.0	4.0	6.0	-4.0	1.50	300.0	NA	200.0	5.0	15.7
00652R	18.0	80.0	9.0	72.0	5.5	6.0	-4.0	1.20	400.0	10.0	230.0	1.8	21.5
00662R	29.0	10.0	1.0	NA	8.0	-1.0	6.0	-0.05	-200.0	NA	110.0	1.8	6.1
00666R	-5.0	-10.0	2.0	NA	1.3	7.0	-4.0	0.93	-200.0	NA	-30.0	0.2	2.1
00667R	11.0	30.0	4.0	NA	3.3	5.0	-4.0	1.00	-200.0	NA	120.0	-0.2	8.9
04351R	5.0	-10.0	5.0	NA	1.9	3.0	-4.0	0.69	-200.0	NA	130.0	-0.2	4.8
04359R	-5.0	-10.0	5.0	29.0	13.1	10.0	7.0	-0.05	-200.0	NA	220.0	0.6	7.4
04361R	5.0	30.0	6.0	10.0	2.6	4.0	-4.0	0.64	-200.0	NA	140.0	-0.2	5.8
04362R	35.0	160.0	9.0	10.0	7.6	5.0	-4.0	2.10	-200.0	NA	-50.0	-0.2	30.2
04363R	5.0	20.0	-1.0	9.5	1.4	4.0	-4.0	0.55	200.0	4.0	30.0	0.6	3.6
04364R	11.0	80.0	4.0	32.0	4.0	6.0	-4.0	0.46	500.0	8.0	230.0	2.0	15.8
04365R	-5.0	10.0	-1.0	5.5	0.5	-1.0	-4.0	-0.05	-200.0	2.0	-20.0	0.5	0.5
04366R	9.0	90.0	3.0	28.0	3.7	6.0	-4.0	0.58	-200.0	12.0	190.0	2.2	15.5
04367R	-5.0	10.0	-1.0	6.5	1.3	1.0	-4.0	0.22	-200.0	20.0	-20.0	0.4	1.2
04368R	5.0	30.0	2.0	26.0	1.9	6.0	-4.0	0.63	-200.0	4.0	40.0	1.2	4.1
04369R	5.0	20.0	2.0	5.5	0.9	2.0	-4.0	-0.05	-200.0	-2.0	80.0	0.7	3.5
04370R	6.0	10.0	-1.0	25.0	1.0	3.0	-4.0	1.00	-200.0	440.0	-30.0	0.2	2.3
04371R	-5.0	10.0	-1.0	3.5	0.2	1.0	-4.0	-0.05	-200.0	-2.0	-20.0	1.1	0.2
04372R	22.0	110.0	2.0	30.0	5.2	6.0	-5.0	1.20	400.0	-2.0	200.0	0.3	17.8
04373R	-5.0	30.0	1.0	6.0	1.2	6.0	-4.0	0.59	-200.0	-2.0	-30.0	0.4	3.3
04374R	5.0	20.0	-1.0	13.0	2.0	7.0	-4.0	1.50	-200.0	-2.0	60.0	2.6	3.2
04375R	-5.0	50.0	1.0	16.0	2.6	7.0	-4.0	0.68	400.0	-2.0	130.0	0.3	9.7
04377R	13.0	70.0	-1.0	55.0	4.5	3.0	-4.0	0.61	-200.0	-2.0	30.0	0.4	13.6
04378R	-5.0	10.0	-1.0	13.0	1.4	-1.0	-4.0	0.38	-200.0	20.0	-20.0	1.2	1.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
04379R	65.4396	146.0700	B-5	7	8	15	(CHAN) GRAPH-QTZ SCHIST WITH SULFIDE	-0.5	-2.0	46.0	700.0	-1.2
04380R	65.4396	146.0700	B-5	7	8	15	FE-STAINED QTZ VN FLOAT WITH TRACE PY	-0.5	3.0	370.0	-100.0	-1.1
04382R	65.4394	146.0693	B-5	7	8	15	QTZ-CARB-CHL VN WITH PY AND ASP	0.5	1400.0	-12.0	-200.0	3.9
04383R	65.4457	146.0746	B-5	7	8	10	(CHAN) QTZ-BIO GRIT WITH TRACE PY	-0.5	3.0	-5.0	200.0	-0.9
04384R	65.4457	146.0746	B-5	7	8	10	(CHAN) GRAPH-QTZ-BIO SCHIST	-0.5	6.0	-5.0	500.0	-1.0
04385R	65.4456	146.0751	B-5	7	8	10	(COMP) QTZ-BIO GRIT	-0.5	8.0	-5.0	600.0	-1.2
04386R	65.4456	146.0751	B-5	7	8	10	(CHAN) QTZ-BIO SCHIST	-0.5	4.0	-5.0	300.0	-1.0
04387R	65.4456	146.0751	B-5	7	8	10	(CHAN) QTZ-BIO GRIT	-0.5	3.0	-5.0	100.0	-0.8
04388R	65.4456	146.0751	B-5	7	8	10	(CHAN) QTZ-BIO-MUSC SCHIST	-0.5	11.0	-6.0	700.0	-1.3
04389R	65.4457	146.0746	B-5	7	8	10	(CHAN) CHL-BIO QTZT WITH FEOX	-0.5	2.0	-5.0	200.0	-0.8
04390R	65.4457	146.0746	B-5	7	8	10	CONCORDENT QTZ POD WITH FE-STAIN	-0.5	-2.0	-5.0	-100.0	-0.5
04391R	65.4457	146.0746	B-5	7	8	10	(CHAN) QTZ-BIO SCHIST WITH FEOX	-0.5	2.0	-5.0	200.0	-1.0
04392R	65.4457	146.0746	B-5	7	8	10	(CHAN) BLACK GRAPH SCHIST	-0.5	7.0	-7.0	700.0	-1.5
04400R	65.6650	146.6620	C-6	10	5	26	ORANGE WEATHERED QTZT HFLS	0.5	29.0	-6.0	800.0	-1.1
04401R	65.6706	146.6321	C-6	10	5	26	INTRUSIVE BRECCIA IN QTZT	-0.5	16.0	-5.0	200.0	-0.5
04403R	65.6641	146.6505	C-6	10	5	26	FE AND MN-STAINED AND SHEARED GR1	-0.5	-2.0	-5.0	200.0	-1.1
04404R	65.5990	146.7377	C-6	9	5	20	GREISEN IN GR1 FLOAT WITH PY	18.0	5.0	-5.0	200.0	0.7
04405R	65.6347	146.7019	C-6	9	5	4	QTZ-BIO-TM(?) GREISEN IN ALT GR1	2.0	22.0	-5.0	100.0	-0.9
04406R	65.6390	146.6764	C-6	9	5	3	GREISEN WITH PY, CPY, TM, AND FL	1.5	16.0	-5.0	100.0	-0.8
04409R	65.6320	146.6523	C-6	9	5	2	QTZ-BIO-KSPAR RHYOLITE PORPHYRY	-0.5	-2.0	-8.0	400.0	-1.7
04410R	65.6205	146.6911	C-6	9	5	10	(COMP) QTZ-TM GREISEN IN GR1	16.0	7.0	-7.0	-100.0	-1.7
04411R	65.6149	146.7132	C-6	9	5	9	(COMP) QTZ-TM-KSPAR GREISEN	2.5	-2.0	-7.0	100.0	-1.8
04412R	65.6099	146.7377	C-6	9	5	17	SHEARED GR1 WITH FEOX, MNOX, AND TM	-0.5	-2.0	-9.0	500.0	-2.6
04426R	65.5626	146.3891	B-4	7	9	20	QTZT HFLS CLASTS IN QTZ VN WITH ASP	-0.5	200.0	91.0	-100.0	-0.6
04427R	65.4462	145.9180	B-4	7	9	9	BLACK BIO-TM HFLS WITH PO, ASP, AND CPY	0.5	31.0	-6.0	100.0	3.6
04428R	65.4462	145.9180	B-4	7	9	9	QTZ-FELD PORPHYRY ASSOCIATED WITH FAULT	1.0	NA	NA	NA	NA
04429R	65.4451	145.9083	B-4	7	9	9	QTZ-FELD PORPHYRY DIKE(?) WITH PO	0.5	12.0	-7.0	100.0	-1.7
04430R	65.4394	145.9349	B-4	7	9	17	QTZ-FELD PORPHYRY	1.5	170.0	-7.0	400.0	-1.2
04433R	65.5770	146.6563	C-6	9	5	26	BLACK GRITTY QTZT WITH PY	-0.5	3.0	-5.0	300.0	-0.6
04434R	65.5648	146.3893	C-5	9	6	36	SMALL PY VN IN GR RUBBLE	20.0	390.0	34.0	500.0	-0.5

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
04379R	14.0	80.0	3.0	59.0	3.5	5.0	-4.0	0.51	400.0	-2.0	190.0	0.5	18.1
04380R	-5.0	10.0	-1.0	6.5	0.3	4.0	-5.0	3.70	-200.0	-2.0	-30.0	0.4	1.6
04382R	10.0	20.0	-1.0	22.0	2.0	2.0	-5.0	4.50	-300.0	130.0	-30.0	-0.4	1.5
04383R	-5.0	10.0	-1.0	6.0	0.6	4.0	-4.0	0.51	-200.0	8.0	40.0	0.4	1.8
04384R	6.0	30.0	2.0	22.0	2.0	5.0	-4.0	0.15	200.0	8.0	80.0	0.6	6.1
04385R	-5.0	40.0	1.0	15.0	1.4	4.0	-4.0	0.32	-200.0	6.0	60.0	1.2	6.4
04386R	5.0	30.0	3.0	16.0	1.8	5.0	-4.0	0.28	200.0	12.0	90.0	1.0	4.4
04387R	-5.0	10.0	1.0	5.0	0.7	4.0	-4.0	0.41	-200.0	4.0	-20.0	0.6	1.9
04388R	5.0	70.0	3.0	21.0	2.7	6.0	-4.0	0.37	-200.0	-2.0	160.0	1.4	9.1
04389R	-5.0	10.0	1.0	5.0	0.7	4.0	-4.0	0.48	-200.0	-2.0	-20.0	0.5	2.0
04390R	-5.0	-10.0	-1.0	1.5	-0.2	1.0	-4.0	-0.05	-200.0	-2.0	-20.0	0.5	0.2
04391R	-5.0	30.0	1.0	11.0	1.2	4.0	-4.0	0.53	-200.0	2.0	40.0	0.4	2.9
04392R	9.0	50.0	2.0	29.0	3.3	5.0	-4.0	0.36	-200.0	8.0	170.0	0.7	11.8
04400R	-5.0	40.0	11.0	NA	5.5	4.0	-4.0	1.20	-200.0	NA	190.0	1.3	13.3
04401R	5.0	10.0	7.0	NA	1.7	2.0	5.0	0.37	-200.0	NA	200.0	3.1	6.1
04403R	-5.0	-10.0	5.0	NA	1.5	6.0	-4.0	2.00	-200.0	NA	390.0	1.3	5.2
04404R	29.0	60.0	-1.0	NA	14.8	6.0	5.0	-0.05	-200.0	NA	50.0	0.7	8.6
04405R	-5.0	-10.0	4.0	NA	5.2	6.0	-4.0	-0.05	-200.0	NA	250.0	0.8	1.4
04406R	-5.0	-10.0	1.0	NA	9.7	3.0	-4.0	-0.05	-200.0	NA	100.0	0.9	1.9
04409R	-5.0	150.0	6.0	0.5	0.8	6.0	-4.0	2.40	-300.0	NA	850.0	0.2	2.5
04410R	-5.0	110.0	1.0	210.0	16.2	4.0	-4.0	-0.05	-200.0	NA	90.0	0.7	5.3
04411R	-5.0	170.0	5.0	51.0	8.7	5.0	-4.0	0.27	-200.0	NA	350.0	1.3	5.4
04412R	-5.0	190.0	3.0	6.0	1.7	5.0	-4.0	1.50	-300.0	NA	820.0	-0.2	5.1
04426R	-5.0	320.0	1.0	0.5	0.7	1.0	-4.0	-0.05	-200.0	NA	30.0	19.0	1.3
04427R	14.0	260.0	2.0	160.0	5.5	5.0	-4.0	0.37	-200.0	NA	-30.0	1.0	13.1
04428R	NA	NA	NA	1.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
04429R	-5.0	130.0	11.0	0.5	0.6	5.0	-4.0	1.70	-200.0	NA	790.0	1.0	0.8
04430R	-5.0	140.0	14.0	54.0	1.8	5.0	-4.0	0.11	-200.0	NA	750.0	2.4	2.3
04433R	-5.0	20.0	2.0	15.0	1.5	4.0	-4.0	0.42	-200.0	NA	70.0	0.2	4.3
04434R	-5.0	-10.0	11.0	30.0	3.1	3.0	31.0	-0.05	-200.0	NA	360.0	11.0	2.9

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04379R	-5.0	6.0	1.0	7.7	1.8	-4.0	250.0	32.0	56.0	5.2	1.1	2.6	0.3
04380R	-7.0	2.0	-2.0	7.2	1.9	-4.0	110.0	15.0	25.0	-0.4	-0.7	0.4	0.1
04382R	-6.0	-2.0	-2.0	4.9	-1.5	-4.0	80.0	11.0	24.0	1.8	0.8	1.3	0.3
04383R	-5.0	-2.0	-1.0	5.7	1.2	-4.0	-50.0	13.0	23.0	1.9	0.5	0.7	0.2
04384R	-5.0	-2.0	-1.0	7.0	1.5	-4.0	70.0	19.0	39.0	3.2	1.1	1.3	0.2
04385R	-5.0	-2.0	1.0	9.1	2.4	-4.0	80.0	26.0	52.0	6.0	0.9	1.8	0.3
04386R	-5.0	-2.0	-1.0	8.0	2.1	-4.0	70.0	16.0	26.0	2.5	0.8	1.1	0.2
04387R	-5.0	-2.0	-1.0	4.4	1.1	-4.0	-50.0	11.0	20.0	1.7	-0.3	0.5	0.1
04388R	-5.0	-2.0	-1.0	9.1	2.3	-4.0	50.0	29.0	48.0	4.6	1.1	1.9	0.3
04389R	-5.0	-2.0	-1.0	4.9	1.2	-4.0	-50.0	9.0	16.0	1.5	0.4	0.6	0.1
04390R	-5.0	4.0	-1.0	0.7	-0.5	-4.0	-50.0	1.0	-3.0	0.1	-0.2	-0.2	-0.1
04391R	-5.0	-2.0	-1.0	5.5	1.2	-4.0	-50.0	14.0	22.0	2.3	0.5	0.7	0.1
04392R	-5.0	6.0	-1.0	11.0	2.2	4.0	-50.0	39.0	69.0	5.5	2.0	2.0	0.3
04400R	-5.0	2.0	-1.0	16.0	4.3	4.0	130.0	67.0	94.0	6.7	2.0	2.7	0.4
04401R	-5.0	6.0	1.0	6.4	3.9	18.0	80.0	14.0	35.0	2.7	-0.3	4.0	0.5
04403R	-5.0	28.0	2.0	55.0	15.2	4.0	110.0	59.0	111.0	6.1	0.5	7.3	1.1
04404R	-5.0	480.0	-1.0	11.0	2.7	39.0	1900.0	30.0	62.0	7.9	1.9	1.8	0.2
04405R	13.0	780.0	-1.0	51.0	7.7	210.0	-50.0	100.0	151.0	9.3	-0.6	3.7	0.6
04406R	-5.0	500.0	1.0	41.0	74.3	-4.0	570.0	62.0	102.0	6.5	-0.5	4.5	0.7
04409R	-5.0	20.0	8.0	64.0	14.1	8.0	-100.0	6.0	44.0	9.1	-0.7	13.1	2.1
04410R	-8.0	440.0	3.0	62.0	17.2	9.0	1700.0	64.0	112.0	11.5	-0.6	6.4	1.1
04411R	-5.0	86.0	4.0	57.0	28.1	5.0	1100.0	74.0	134.0	14.5	-0.7	6.9	1.3
04412R	-5.0	12.0	-2.0	44.0	5.3	7.0	110.0	113.0	180.0	14.8	1.5	4.9	0.9
04426R	-5.0	-2.0	-1.0	2.3	1.3	-4.0	-50.0	6.0	10.0	1.0	0.3	0.5	-0.1
04427R	-5.0	26.0	-1.0	5.6	1.4	-4.0	90.0	19.0	38.0	4.1	1.2	1.6	0.3
04428R	NA	56.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
04429R	-5.0	64.0	6.0	35.0	10.8	4.0	-80.0	14.0	56.0	6.5	-0.7	9.6	1.5
04430R	-5.0	270.0	4.0	83.0	33.7	6.0	270.0	25.0	63.0	4.7	-0.5	7.5	1.4
04433R	-5.0	-2.0	-1.0	5.2	1.5	-4.0	-50.0	22.0	40.0	2.1	-0.5	0.9	0.1
04434R	-5.0	110.0	6.0	16.0	11.9	5.0	290.0	20.0	40.0	3.1	0.4	4.6	0.6

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
04437R	65.4482	145.9198	B-4	7	9	9	MASSIVE HFLS WITH BIO, TM, AND PO	0.5	16.0	-7.0	300.0	-1.1
04438R	65.3703	146.5638	B-6	6	6	5	CLEAN WHITE QTZT WITH FUCHSITE(?) AND PO	-0.5	3.0	-5.0	100.0	-0.6
04439R	65.6528	146.5915	C-6	10	6	31	CHL-MNOX-QTZ GREISEN IN GR2 RUBBLE	29.0	-2.0	-6.0	400.0	2.4
04440R	65.6600	146.6418	C-6	10	5	26	FL VLT IN GR2 WITH TRACE CHL, AND MNOX	1.5	-2.0	-6.0	600.0	12.0
04441R	65.6600	146.6418	C-6	10	5	26	CHL-QTZ-MNOX-FEOX VNS IN GR2	2.0	-2.0	-6.0	400.0	-1.1
04450R	65.6567	146.5783	C-6	10	6	31	GOSSANOUS QTZ-MNOX GREISEN IN GR2	0.5	-2.0	-9.0	400.0	-2.3
04451R	65.6563	146.5874	C-6	10	6	31	QTZ-TM GREISEN	5.5	9.0	-7.0	200.0	-1.8
04453R	65.6696	146.6576	C-6	10	5	26	SHEARED QTZT HFLS WITH AZURITE AND CAL	2.5	22.0	-7.0	200.0	3.4
04454R	65.4389	146.5988	B-6	7	6	18	QTZ VNS IN QTZ-MICA SCHIST AND QTZT	-0.5	2.0	-7.0	600.0	-1.6
04455R	65.4325	146.6106	B-6	7	5	13	BLACK QTZT WITH PY AND WHITE FELSIC QTZT	-0.5	10.0	-5.0	100.0	-1.0
04456R	65.6566	146.7310	C-6	10	5	33	ALT QTZT WITH SULFIDES, FEOX, AND TM(?)	1.0	8.0	-5.0	300.0	-0.8
04457R	65.6489	146.6118	C-6	10	5	36	QTZ-HEM-CHL GREISEN ALT GR1	2.5	-2.0	6.0	100.0	-1.1
04458R	65.6461	146.6284	C-6	10	5	36	CHL GREISEN SHEAR WITH MALACHITE	7.5	2.0	-7.0	300.0	-2.0
04459R	65.6793	146.6119	C-6	10	5	24	QTZ VNS IN FE-STAINED SANDSTONE	-0.5	38.0	-5.0	-100.0	-0.6
04461R	65.6777	146.5982	C-6	10	5	24	MASSIVE PO VNS	1.0	33.0	-5.0	700.0	0.9
04462R	65.6519	146.5851	C-6	10	6	31	QTZ-HEM-TREMOLITE VNS IN HFLS	-0.5	6.0	-5.0	400.0	-0.9
04463R	65.6550	146.5796	C-6	10	6	31	QTZ-MO VNS IN GR2	-0.5	-2.0	-10.0	400.0	-2.7
04464R	65.5758	146.8970	C-6	9	4	27	CHL-MUSC GREISEN IN GR3	9.5	21.0	-6.0	300.0	-1.1
04465R	65.6749	146.5926	C-6	10	6	19	GR2 WITH TRACE MO	-0.5	2.0	-8.0	300.0	-1.9
04466R	65.4362	146.6030	B-6	7	6	18	FELSITE	8.5	7.0	-5.0	100.0	-1.1
04467R	65.6733	146.6002	C-6	10	5	24	APLITE	0.5	-2.0	-8.0	400.0	-1.7
04468R	65.6748	146.5933	C-6	10	6	19	(COMP) QTZ-CHL-TM GREISEN	1.0	3.0	-7.0	600.0	-1.4
04469R	65.6749	146.5928	C-6	10	6	19	QTZ-HEM-CLAY GREISEN ALT GR2	4.0	38.0	-7.0	600.0	-1.3
04470R	65.6748	146.5933	C-6	10	6	19	QTZ-CHL GREISEN WITH TRACE MO	6.0	-2.0	-6.0	400.0	-1.3
04471R	65.4421	146.5795	B-6	7	6	7	FELSITE	-0.5	2.0	-5.0	100.0	-1.3
04473R	65.6788	146.5778	C-6	10	6	19	GR1	-0.5	22.0	-8.0	300.0	-1.8
04474R	65.4325	146.6106	B-6	7	5	13	PYRITIC BLACK QTZT	-0.5	5.0	5.0	200.0	-1.3
04500R	65.5758	146.8970	C-6	9	4	27	APLITE OR QTZ BRECCIA DIKE WITH SULFIDES	-0.5	16.0	-7.0	300.0	-1.3
04501R	65.5756	146.8967	C-6	9	4	27	RUSTY QTZT BRECCIA HFLS WITH SULFIDES	-0.5	-2.0	-6.0	100.0	-0.7
04502R	65.5756	146.8967	C-6	9	4	27	QTZT HFLS WITH SULFIDES	-0.5	-2.0	-5.0	200.0	1.8

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
04437R	33.0	130.0	96.0	140.0	8.1	6.0	-4.0	2.00	-300.0	NA	240.0	1.2	31.2
04438R	-5.0	10.0	-1.0	2.0	0.8	7.0	-4.0	0.88	-200.0	NA	-30.0	-0.2	1.9
04439R	-5.0	10.0	1.0	350.0	17.0	7.0	33.0	-0.05	-200.0	NA	130.0	0.8	7.6
04440R	-5.0	-10.0	6.0	6.5	2.4	7.0	-4.0	0.79	-200.0	NA	900.0	0.3	3.9
04441R	-5.0	10.0	11.0	28.0	5.1	7.0	11.0	0.53	-200.0	NA	900.0	1.1	6.1
04450R	-5.0	250.0	5.0	4.0	1.2	4.0	-4.0	1.80	-300.0	NA	460.0	-0.2	5.5
04451R	-5.0	180.0	2.0	160.0	12.3	4.0	-4.0	-0.05	-200.0	NA	-40.0	0.8	4.6
04453R	20.0	190.0	3.0	740.0	4.7	8.0	5.0	0.56	-200.0	NA	160.0	1.1	6.1
04454R	7.0	290.0	7.0	19.0	2.7	6.0	-4.0	1.20	-200.0	NA	110.0	0.2	5.5
04455R	-5.0	240.0	4.0	35.0	1.4	4.0	-4.0	0.48	-200.0	NA	-20.0	-0.2	2.4
04456R	-5.0	250.0	1.0	240.0	1.6	3.0	-4.0	0.39	-200.0	NA	80.0	0.4	2.3
04457R	-5.0	150.0	1.0	44.0	4.3	1.0	-4.0	-0.05	200.0	NA	140.0	0.5	1.7
04458R	-5.0	180.0	2.0	4700.0	5.2	4.0	36.0	-0.05	-200.0	NA	330.0	0.3	2.6
04459R	-5.0	230.0	2.0	42.0	1.2	2.0	-4.0	-0.05	-200.0	NA	60.0	0.5	1.6
04461R	49.0	130.0	5.0	750.0	10.1	4.0	-4.0	0.28	-200.0	NA	160.0	0.4	5.5
04462R	6.0	240.0	7.0	14.0	3.3	4.0	-4.0	0.26	-200.0	NA	150.0	-0.2	3.3
04463R	-5.0	290.0	2.0	19.0	0.9	3.0	220.0	1.10	-200.0	NA	220.0	-0.2	3.8
04464R	-5.0	-10.0	12.0	30.0	6.3	3.0	-4.0	0.07	-200.0	48.0	790.0	3.0	5.6
04465R	-5.0	200.0	3.0	0.5	0.4	5.0	130.0	2.30	-200.0	NA	550.0	-0.2	2.9
04466R	-5.0	290.0	-1.0	12.0	0.4	3.0	-4.0	1.30	-200.0	NA	-40.0	0.2	0.8
04467R	5.0	210.0	2.0	7.5	0.5	3.0	26.0	2.20	-200.0	NA	560.0	0.9	4.3
04468R	-5.0	170.0	7.0	33.0	9.8	4.0	20.0	0.07	-200.0	NA	670.0	0.6	4.9
04469R	14.0	190.0	12.0	27.0	6.7	2.0	280.0	-0.05	-200.0	NA	160.0	4.3	4.2
04470R	-5.0	310.0	12.0	210.0	4.4	7.0	230.0	-0.05	-200.0	NA	660.0	9.0	5.0
04471R	-5.0	250.0	1.0	2.5	0.7	4.0	-4.0	1.90	-200.0	NA	-40.0	0.3	1.7
04473R	-5.0	-10.0	11.0	3.5	1.3	5.0	6.0	2.20	400.0	NA	900.0	0.2	7.0
04474R	-5.0	20.0	3.0	20.0	1.2	5.0	-4.0	0.86	-200.0	NA	-30.0	-0.2	2.7
04500R	10.0	60.0	28.0	56.0	3.6	-1.0	-4.0	0.23	-200.0	-2.0	1000.0	0.6	10.1
04501R	-5.0	20.0	31.0	26.0	2.9	6.0	-4.0	-0.05	-200.0	-2.0	810.0	0.7	4.5
04502R	-5.0	20.0	25.0	37.0	2.3	8.0	-4.0	0.31	-200.0	-2.0	840.0	0.4	4.6

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04437R	-5.0	4.0	-1.0	7.9	2.0	-4.0	130.0	27.0	57.0	4.0	1.9	3.1	0.4
04438R	-5.0	-2.0	-1.0	7.1	1.0	-4.0	-50.0	15.0	31.0	1.8	0.7	1.1	0.1
04439R	21.0	210.0	2.0	61.0	18.7	7.0	10000.0	99.0	220.0	12.9	-0.7	10.8	1.5
04440R	-5.0	12.0	-1.0	77.0	7.0	-4.0	540.0	123.0	220.0	12.9	1.1	11.8	1.6
04441R	-5.0	140.0	3.0	49.0	13.0	21.0	810.0	81.0	141.0	8.7	-0.8	5.9	0.9
04450R	-6.0	4.0	-2.0	49.0	18.5	-4.0	560.0	89.0	169.0	18.1	-0.9	9.3	1.6
04451R	-5.0	68.0	4.0	55.0	14.2	11.0	1700.0	70.0	138.0	20.2	1.3	13.7	2.1
04453R	-7.0	34.0	-1.0	9.8	4.9	4.0	1800.0	33.0	69.0	5.7	0.9	2.1	0.4
04454R	-5.0	8.0	-2.0	13.0	3.0	-4.0	-50.0	27.0	40.0	3.5	0.8	1.6	0.3
04455R	-5.0	32.0	-1.0	8.6	1.9	4.0	-50.0	18.0	33.0	4.1	0.8	1.0	0.1
04456R	-5.0	2.0	-1.0	4.9	41.3	-4.0	80.0	14.0	22.0	3.0	-0.3	1.2	0.2
04457R	-5.0	80.0	-1.0	16.0	4.0	5.0	560.0	44.0	78.0	5.9	-0.4	1.8	0.3
04458R	-5.0	510.0	-1.0	39.0	57.9	10.0	360.0	109.0	184.0	14.3	-0.8	5.7	1.4
04459R	-5.0	2.0	-1.0	3.0	1.7	-4.0	110.0	10.0	17.0	1.7	0.3	0.6	0.1
04461R	-5.0	90.0	1.0	3.7	2.7	-4.0	150.0	9.0	17.0	2.2	1.1	2.5	0.4
04462R	-5.0	8.0	1.0	7.5	2.0	-4.0	100.0	18.0	34.0	2.4	0.6	1.4	0.2
04463R	-7.0	6.0	-2.0	77.0	12.3	-4.0	90.0	181.0	365.0	41.2	-1.1	14.9	2.5
04464R	-5.0	320.0	9.0	14.0	17.7	4.0	130.0	24.0	82.0	20.0	-0.4	24.6	4.0
04465R	-5.0	6.0	5.0	32.0	22.9	6.0	-80.0	32.0	76.0	13.2	-0.7	14.1	2.4
04466R	-5.0	2.0	-1.0	5.8	1.2	-4.0	160.0	6.0	12.0	0.9	-0.4	0.7	0.1
04467R	-5.0	6.0	7.0	28.0	18.3	-4.0	-80.0	15.0	47.0	5.7	-0.7	11.3	2.0
04468R	-5.0	1400.0	2.0	34.0	15.3	9.0	900.0	50.0	100.0	13.9	0.6	14.0	2.3
04469R	-5.0	48.0	-1.0	11.0	59.0	6.0	1500.0	38.0	74.0	15.5	-0.5	11.8	2.4
04470R	-5.0	580.0	4.0	52.0	38.1	7.0	210.0	43.0	97.0	17.3	-0.5	17.3	3.1
04471R	-5.0	-2.0	2.0	5.7	1.2	-4.0	-60.0	10.0	17.0	1.3	-0.5	0.7	0.1
04473R	12.0	32.0	8.0	53.0	10.7	9.0	-60.0	41.0	95.0	12.5	-0.7	12.0	1.7
04474R	-5.0	22.0	-1.0	10.0	2.0	8.0	-40.0	23.0	44.0	3.6	0.7	0.9	0.2
04500R	-6.0	24.0	-1.0	12.0	2.5	39.0	100.0	36.0	57.0	5.3	0.9	1.7	0.3
04501R	-6.0	12.0	3.0	8.2	2.6	220.0	70.0	13.0	24.0	2.5	0.6	1.2	0.2
04502R	-5.0	8.0	-1.0	8.9	2.0	21.0	50.0	19.0	34.0	3.2	-0.4	1.3	0.3

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
04503R	65.5756	146.8967	C-6	9	4	27	(COMP) MN-STAINED MUSC-FL GREISEN	1.5	28.0	-8.0	900.0	4.7
04504R	65.5756	146.8967	C-6	9	4	27	QTZ VN IN HFLS	-0.5	4.0	-5.0	200.0	-0.5
04505R	65.5756	146.8967	C-6	9	4	27	BLACK MUSC-FL GREISEN IN GR3	2.5	-2.0	-8.0	200.0	-1.2
04506R	65.5756	146.8967	C-6	9	4	27	GR3 WITH PATCHY AMBER MINERAL ALT	-0.5	-2.0	-8.0	200.0	-1.0
04507R	65.5756	146.8967	C-6	9	4	27	MUSC-CHL-TM GREISEN	3.0	5.0	-8.0	500.0	-1.3
04508R	65.5756	146.8967	C-6	9	4	27	MUSC-FL-CHL GREISEN IN GR3	6.5	10.0	14.0	400.0	-1.3
04509R	65.5756	146.8967	C-6	9	4	27	MUSC-HEM-QTZ-CHL GREISEN	1.0	-2.0	-7.0	700.0	-1.4
04510R	65.5756	146.8967	C-6	9	4	27	QTZ-FL VNS/BRECCIA	8.5	-2.0	-5.0	300.0	1.6
04511R	65.5756	146.8967	C-6	9	4	27	QTZ STOCKWORK IN HFLS WITH LOCAL MUSC VN	-0.5	4.0	-6.0	200.0	-0.8
04512R	65.5756	146.8967	C-6	9	4	27	QTZ-CHL GREISEN WITH FL VNS	3.0	-2.0	-5.0	200.0	-0.5
04513R	65.5756	146.8967	C-6	9	4	27	QTZ-CHL-HEM GREISEN WITH PY	5.0	43.0	-6.0	600.0	-0.9
04514R	65.5756	146.8967	C-6	9	4	27	QTZ-CHL-HEM-CASSITERITE(?) GREISEN IN GR	1.0	-2.0	-6.0	500.0	-1.3
04515R	65.5758	146.8970	C-6	9	4	27	MAFIC DIKE WITH PY AND PO	-0.5	2.0	-5.0	100.0	-0.9
04516R	65.5755	146.8952	C-6	9	4	27	MNOX-CHL-QTZ GREISEN IN GR1	16.0	11.0	-8.0	400.0	-1.7
04517R	65.5755	146.8952	C-6	9	4	27	CHL-QTZ-HEM GREISEN	2.0	4.0	-7.0	500.0	-1.6
04518R	65.5755	146.8952	C-6	9	4	27	CHL-QTZ GREISEN IN GR3	11.0	6.0	-8.0	300.0	-2.1
04519R	65.5917	146.9244	C-6	9	4	21	QTZ-FL VNS IN QTZT HFLS	2.0	-2.0	-5.0	100.0	2.0
04520R	65.5917	146.9241	C-6	9	4	21	QTZT HFLS WITH PY, CHL, AND FEOX	-0.5	8.0	-10.0	900.0	-1.9
04521R	65.5917	146.9241	C-6	9	4	21	MUSC-CHL-QTZ GREISEN VNS IN QTZT HFLS	-0.5	2.0	-5.0	100.0	-1.1
04522R	65.5917	146.9244	C-6	9	4	21	FL-QTZ-CHL GREISEN BRECCIA IN HFLS	24.0	2.0	-6.0	400.0	26.0
04523R	65.5917	146.9241	C-6	9	4	21	CHL-QTZ-HEM GREISEN	1.0	2.0	-7.0	300.0	-1.5
04524R	65.5917	146.9241	C-6	9	4	21	CHL-QTZ-HEM GREISEN	0.5	3.0	-7.0	200.0	-1.5
04525R	65.5587	146.3890	C-5	9	6	36	MUSC-QTZ-TM-CHL GREISEN ALT GR2	0.5	41.0	-7.0	-100.0	-1.5
04526R	65.5587	146.3890	C-5	9	6	36	MUSC-QTZ-TM-CHL GREISEN ALT GR2	2.0	150.0	-6.0	200.0	-1.2
04527R	65.5870	146.3501	C-5	9	7	20	GAR-PYX SKARNOID	-0.5	2.0	13.0	200.0	15.0
04528R	65.5870	146.3501	C-5	9	7	20	AXINITE WITH AMBER GAR OR SCHEELITE	-0.5	8.0	-5.0	-100.0	5.9
04529R	65.4235	146.5246	B-6	7	6	21	GR1 OR GR2 WITH APLITE DIKES AND QTZT	2.0	98.0	15.0	200.0	-1.5
04530R	65.4128	146.4619	B-5	7	6	23	BLACK BIO(?)-GAR QTZT WITH PY	0.5	5.0	-5.0	200.0	-1.1
04531R	65.4128	146.4619	B-5	7	6	23	CHL-AMPH SKARN	8.5	4.0	-9.0	-200.0	3.6
04532R	65.4128	146.4619	B-5	7	6	23	(COMP) QTZ-CHL-FL SKARN IN CALC-SIL HFLS	20.0	280.0	-9.0	400.0	2.7

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
04503R	-5.0	10.0	13.0	5.0	2.6	5.0	-4.0	0.21	-200.0	86.0	1500.0	0.4	8.7
04504R	-5.0	20.0	16.0	32.0	2.0	7.0	-4.0	0.83	-200.0	-2.0	380.0	0.4	3.1
04505R	-5.0	-10.0	35.0	19.0	4.9	-1.0	-4.0	0.25	-200.0	40.0	2200.0	1.9	13.1
04506R	-5.0	10.0	13.0	2.5	0.9	3.0	-4.0	3.20	-300.0	-2.0	1700.0	-0.2	5.7
04507R	-5.0	-10.0	23.0	15.0	5.0	5.0	-4.0	0.06	-200.0	86.0	1800.0	3.1	7.5
04508R	-5.0	20.0	24.0	48.0	4.8	6.0	-4.0	0.09	-200.0	36.0	1500.0	2.6	11.2
04509R	-5.0	-10.0	8.0	70.0	8.2	5.0	-4.0	-0.05	300.0	72.0	800.0	6.3	5.1
04510R	-5.0	20.0	2.0	23.0	1.3	1.0	-4.0	-0.05	200.0	58.0	340.0	0.7	2.2
04511R	-5.0	20.0	21.0	9.0	2.2	5.0	-4.0	0.23	-200.0	-2.0	880.0	0.5	5.6
04512R	-5.0	10.0	1.0	50.0	7.6	3.0	-4.0	-0.05	-200.0	130.0	160.0	1.3	4.1
04513R	-5.0	20.0	3.0	380.0	6.9	-1.0	-4.0	-0.05	-200.0	240.0	210.0	12.0	4.2
04514R	-5.0	-10.0	7.0	42.0	3.4	4.0	-4.0	-0.05	300.0	70.0	730.0	4.3	5.0
04515R	11.0	30.0	11.0	15.0	5.2	5.0	4.0	0.24	-200.0	-2.0	160.0	0.4	4.0
04516R	-5.0	10.0	2.0	3.0	5.6	6.0	-4.0	0.17	-200.0	190.0	330.0	1.1	9.8
04517R	-5.0	10.0	2.0	97.0	5.4	5.0	-4.0	0.08	-200.0	150.0	400.0	1.8	6.3
04518R	-5.0	10.0	2.0	11.0	6.0	4.0	11.0	0.21	400.0	2100.0	410.0	0.9	8.1
04519R	-5.0	20.0	-1.0	36.0	0.8	5.0	-4.0	1.00	-200.0	180.0	70.0	0.9	1.6
04520R	14.0	100.0	10.0	66.0	4.5	6.0	-4.0	0.73	-300.0	6.0	340.0	1.6	17.8
04521R	-5.0	20.0	2.0	24.0	1.9	4.0	-4.0	1.10	-200.0	6.0	130.0	0.5	3.0
04522R	7.0	20.0	-1.0	84.0	4.9	1.0	-4.0	0.60	-200.0	13000.0	250.0	0.7	4.0
04523R	5.0	10.0	3.0	19.0	6.5	3.0	-4.0	0.09	-200.0	370.0	340.0	1.0	4.6
04524R	-5.0	10.0	4.0	8.5	6.3	4.0	-4.0	0.07	-200.0	190.0	350.0	0.6	5.2
04525R	-5.0	10.0	6.0	47.0	0.8	2.0	-4.0	1.70	-200.0	46.0	350.0	1.8	3.7
04526R	-5.0	10.0	11.0	9.5	0.7	4.0	-4.0	0.23	-200.0	390.0	460.0	2.3	2.9
04527R	24.0	20.0	-1.0	4.0	15.9	1.0	-4.0	0.05	-200.0	-2.0	-30.0	0.2	2.6
04528R	-5.0	10.0	-1.0	4.0	2.9	3.0	-4.0	-0.05	-200.0	-2.0	-20.0	-0.2	1.1
04529R	-5.0	10.0	2.0	3.0	1.0	4.0	-4.0	5.70	-300.0	150.0	-60.0	1.4	1.7
04530R	8.0	30.0	6.0	310.0	1.7	2.0	-4.0	0.66	-200.0	4.0	110.0	0.2	4.6
04531R	10.0	20.0	102.0	100.0	16.2	4.0	-4.0	0.14	-200.0	190.0	320.0	4.1	3.7
04532R	9.0	20.0	101.0	250.0	12.1	3.0	-4.0	0.15	-200.0	1000.0	440.0	3.7	3.1

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04503R	-10.0	58.0	21.0	21.0	15.9	300.0	150.0	49.0	155.0	30.8	-0.6	32.4	4.8
04504R	-5.0	6.0	-1.0	9.6	2.9	35.0	-50.0	16.0	34.0	3.5	0.6	1.7	0.2
04505R	17.0	140.0	27.0	20.0	15.7	68.0	260.0	29.0	105.0	18.0	-0.5	23.7	3.6
04506R	11.0	-2.0	13.0	9.1	9.6	22.0	50.0	10.0	30.0	4.1	-0.3	4.1	0.7
04507R	-10.0	210.0	13.0	22.0	27.2	6.0	370.0	33.0	129.0	25.1	-0.5	41.7	6.2
04508R	-12.0	78.0	29.0	17.0	19.3	220.0	150.0	36.0	116.0	22.2	-0.5	28.1	4.5
04509R	-11.0	240.0	22.0	20.0	24.1	4.0	400.0	38.0	130.0	23.0	-0.5	35.9	5.7
04510R	-5.0	26.0	2.0	4.2	4.1	-4.0	220.0	14.0	54.0	9.0	0.4	15.4	2.5
04511R	-5.0	14.0	1.0	8.7	2.4	26.0	50.0	17.0	40.0	5.1	0.5	2.2	0.4
04512R	-6.0	46.0	8.0	5.4	8.8	4.0	280.0	4.0	26.0	3.8	0.2	13.7	2.2
04513R	3.0	2600.0	4.0	5.8	5.6	24.0	440.0	12.0	62.0	16.9	-0.3	27.7	4.2
04514R	-8.0	200.0	11.0	14.0	14.5	10.0	240.0	35.0	118.0	24.3	-0.4	31.4	4.9
04515R	-5.0	8.0	-1.0	7.6	1.4	-4.0	130.0	18.0	36.0	3.0	0.5	1.4	0.2
04516R	-5.0	90.0	3.0	40.0	27.7	4.0	360.0	76.0	118.0	14.5	0.7	9.4	1.6
04517R	-5.0	14.0	4.0	42.0	29.0	18.0	290.0	87.0	135.0	16.3	-0.6	12.6	3.0
04518R	-5.0	36.0	3.0	47.0	22.2	-4.0	1200.0	112.0	222.0	26.2	-0.7	12.1	1.7
04519R	-5.0	12.0	-1.0	7.3	1.7	8.0	250.0	10.0	27.0	2.2	0.4	1.7	0.3
04520R	-8.0	10.0	-1.0	20.0	5.5	-4.0	70.0	63.0	114.0	9.6	1.9	2.9	0.5
04521R	-5.0	12.0	-1.0	5.8	1.4	-4.0	70.0	12.0	23.0	2.0	1.1	1.0	0.1
04522R	-6.0	24.0	-1.0	4.5	2.5	8.0	1100.0	14.0	30.0	3.4	3.4	5.2	0.7
04523R	7.0	120.0	1.0	35.0	11.3	4.0	890.0	60.0	132.0	11.3	0.7	6.8	1.1
04524R	-7.0	110.0	3.0	35.0	19.4	12.0	680.0	67.0	130.0	14.4	0.9	9.2	1.4
04525R	-8.0	42.0	8.0	14.0	9.3	6.0	-60.0	17.0	39.0	3.9	0.6	3.5	0.6
04526R	-5.0	54.0	5.0	20.0	15.4	7.0	230.0	30.0	57.0	5.2	-0.4	3.1	0.6
04527R	-5.0	100.0	1.0	4.9	1.9	-4.0	340.0	20.0	35.0	4.7	1.2	2.0	0.2
04528R	5.0	1800.0	-1.0	4.2	1.1	18.0	120.0	10.0	15.0	2.0	0.6	0.6	0.1
04529R	9.0	250.0	2.0	17.0	22.0	-4.0	100.0	20.0	38.0	4.5	-0.4	3.6	0.8
04530R	-5.0	18.0	-1.0	4.3	0.9	-4.0	-50.0	11.0	19.0	1.8	0.5	1.2	0.2
04531R	-7.0	1100.0	-1.0	4.5	1.8	57.0	4000.0	9.0	26.0	2.7	1.6	0.9	0.1
04532R	-7.0	18000.0	-1.0	4.9	1.7	170.0	1500.0	10.0	30.0	2.2	1.1	1.1	0.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
04533R	65.4162	146.4586	B-5	7	6	23	CALC-SIL SKARN FLOAT	-0.5	25.0	-7.0	-100.0	17.0
04534R	65.4089	146.5090	B-6	7	6	28	GREEN QTZ BRECCIA/GOUGE WITH PY AND FEOX	1.5	6.0	-5.0	200.0	1.2
04535R	65.4126	146.4546	B-5	7	6	23	CALC-SIL HFLS WITH PO ADJACENT GR3	1.0	17.0	-9.0	-200.0	14.0
04536R	65.4126	146.4546	B-5	7	6	23	GAR-IDOCRASE SKARN OR SKARNOID	0.5	7.0	-10.0	-100.0	16.0
04537R	65.4119	146.4507	B-5	7	6	26	GAR-AMPH SKARN WITH POSSIBLE SCHEELITE	16.0	5.0	11.0	200.0	-1.0
04538R	65.4119	146.4507	B-5	7	6	26	(COMP) MASSIVE AMPH-CHL SKARN	1.0	-2.0	-8.0	300.0	9.6
04539R	65.4119	146.4507	B-5	7	6	26	BIO-QTZ HFLS WITH PO	0.5	5.0	-8.0	500.0	11.0
04540R	65.3923	146.4906	B-5	7	6	34	QTZ-FL VN WITH SULFIDES AND MALACHITE	1.0	3.0	-5.0	200.0	2.6
04541R	65.3923	146.4906	B-5	7	6	34	QTZ-HEM VN/FAULT GOUGE	-0.5	14.0	-7.0	300.0	-1.0
04542R	65.3923	146.4906	B-5	7	6	34	QTZ-HEM VN/FAULT GOUGE	-0.5	25.0	-7.0	300.0	-1.2
04543R	65.3940	146.4839	B-5	7	6	34	QTZT HFLS	-0.5	3.0	-5.0	100.0	-0.5
04544R	65.4070	146.5824	B-5	7	6	30	GR(?)	-0.5	3.0	-6.0	100.0	-0.7
04547R	65.5756	146.8967	C-6	9	4	27	QTZ VN IN HFLS	-0.5	-2.0	-8.0	300.0	1.6
04548R	65.5756	146.8967	C-6	9	4	27	GRAY QTZ VNS	-0.5	-2.0	-5.0	100.0	-0.8
04549R	65.5756	146.8967	C-6	9	4	27	QTZ GREISEN IN GR3	0.5	4.0	-10.0	500.0	-1.2
04550R	65.5756	146.8967	C-6	9	4	27	MNOX GREISEN IN QTZT HFLS	4.5	9.0	-7.0	100.0	-0.5
04552R	65.4457	146.3847	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	4.0	-5.0	100.0	-0.5
04553R	65.4457	146.3847	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	4.0	-5.0	-100.0	-0.5
04554R	65.4457	146.3847	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	1.5	28.0	-5.0	300.0	4.2
04555R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	3.0	-5.0	100.0	4.4
04556R	65.4457	146.3847	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	12.0	-5.0	100.0	3.5
04557R	65.4457	146.3847	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	2.0	-5.0	100.0	-0.5
04558R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	5.0	-5.0	100.0	1.4
04559R	65.4457	146.3847	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	-2.0	-5.0	100.0	2.6
04560R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	0.5	-2.0	-5.0	100.0	-0.5
04561R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	2.0	-5.0	100.0	7.9
04562R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	6.0	-5.0	-100.0	18.0
04563R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	2.0	-5.0	100.0	-0.5
04564R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	6.0	-5.0	100.0	-0.5
04565R	65.4458	146.3842	B-5	7	7	7	CHALCEDONY-FL VNS IN SHEARED/ALT GR1	-0.5	3.0	-5.0	200.0	-0.6

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
04533R	12.0	50.0	11.0	2.0	7.8	4.0	-4.0	0.28	-200.0	-2.0	40.0	23.0	8.1
04534R	-5.0	20.0	3.0	32.0	2.6	4.0	-4.0	0.25	-200.0	100.0	-20.0	1.5	2.2
04535R	7.0	50.0	4.0	15.0	8.1	11.0	-4.0	0.23	-200.0	-2.0	-30.0	12.0	7.4
04536R	11.0	20.0	7.0	220.0	7.0	3.0	-4.0	1.00	-200.0	-2.0	40.0	0.7	5.7
04537R	-5.0	10.0	8.0	30.0	5.3	3.0	6.0	1.20	-200.0	36.0	630.0	0.6	9.0
04538R	-5.0	20.0	17.0	120.0	12.9	4.0	-4.0	0.76	-200.0	-2.0	140.0	2.9	4.9
04539R	41.0	70.0	14.0	120.0	6.9	3.0	24.0	0.08	-200.0	2.0	130.0	1.0	15.0
04540R	-5.0	10.0	1.0	100.0	0.6	3.0	-4.0	-0.05	-200.0	8.0	90.0	0.3	1.8
04541R	210.0	20.0	3.0	120.0	10.1	3.0	-4.0	-0.05	400.0	44.0	90.0	1.2	4.2
04542R	6.0	60.0	5.0	66.0	8.0	3.0	-4.0	0.07	200.0	10.0	80.0	1.4	11.2
04543R	-5.0	10.0	5.0	7.0	0.3	1.0	-4.0	-0.05	-200.0	-2.0	70.0	1.2	1.1
04544R	-5.0	10.0	-1.0	5.0	0.3	4.0	-4.0	2.50	-200.0	-2.0	-20.0	0.2	1.2
04547R	6.0	30.0	42.0	28.0	3.8	7.0	-4.0	1.10	-200.0	-2.0	1600.0	1.0	8.3
04548R	-5.0	10.0	3.0	1.0	0.2	1.0	-4.0	0.07	-200.0	-2.0	110.0	-0.2	0.8
04549R	-5.0	10.0	24.0	5.5	2.3	-1.0	-4.0	0.10	-200.0	32.0	1300.0	1.0	8.0
04550R	6.0	30.0	12.0	87.0	3.6	5.0	-4.0	0.13	-200.0	30.0	650.0	0.4	6.2
04552R	-5.0	-10.0	12.0	-0.5	0.5	2.0	-4.0	-0.05	-200.0	NA	560.0	1.6	3.1
04553R	-5.0	-10.0	8.0	9.5	1.0	-1.0	-4.0	-0.05	-200.0	NA	70.0	3.4	1.4
04554R	-5.0	-10.0	5.0	21.0	2.7	-1.0	5.0	-0.05	-200.0	NA	50.0	1.6	1.0
04555R	-5.0	-10.0	4.0	10.0	0.3	-1.0	-4.0	-0.05	-200.0	NA	50.0	2.1	1.3
04556R	-5.0	-10.0	8.0	8.0	0.4	2.0	-4.0	-0.05	-200.0	NA	300.0	1.4	2.1
04557R	-5.0	-10.0	9.0	3.0	0.6	3.0	-4.0	0.05	-200.0	NA	340.0	1.0	2.8
04558R	-5.0	-10.0	12.0	1.5	0.7	2.0	4.0	0.05	-84.0	NA	460.0	2.1	3.2
04559R	-5.0	-10.0	7.0	-0.5	0.5	2.0	-4.0	-0.05	-200.0	NA	230.0	1.0	2.3
04560R	-5.0	-10.0	5.0	10.0	0.5	2.0	-4.0	-0.05	-200.0	NA	190.0	1.0	1.9
04561R	-5.0	-10.0	6.0	1.5	0.4	1.0	-4.0	-0.05	-200.0	NA	150.0	1.4	2.3
04562R	-5.0	-10.0	3.0	1.5	0.6	1.0	-4.0	-0.05	-200.0	NA	70.0	1.1	1.9
04563R	-5.0	-10.0	7.0	11.0	0.4	1.0	-4.0	-0.05	-200.0	NA	350.0	0.6	2.0
04564R	-5.0	-10.0	10.0	7.0	0.5	3.0	-4.0	0.07	-200.0	NA	570.0	0.6	2.7
04565R	-5.0	-10.0	26.0	-0.5	0.7	3.0	-4.0	0.13	-200.0	NA	820.0	0.8	4.2

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04533R	-6.0	320.0	1.0	11.0	2.8	79.0	630.0	37.0	71.0	4.5	1.5	1.2	0.3
04534R	-5.0	540.0	-1.0	5.9	0.8	4.0	440.0	13.0	27.0	1.7	0.3	0.7	0.1
04535R	-14.0	2400.0	-1.0	20.0	7.4	250.0	1000.0	97.0	161.0	9.7	7.3	4.4	0.8
04536R	-8.0	360.0	-1.0	7.9	2.8	760.0	290.0	45.0	78.0	5.1	2.9	1.5	0.3
04537R	-5.0	180.0	5.0	11.0	10.0	4.0	180.0	11.0	31.0	3.5	-0.3	2.3	0.4
04538R	-6.0	2800.0	-1.0	5.6	8.2	14.0	300.0	25.0	46.0	4.6	5.3	1.8	0.4
04539R	-8.0	66.0	1.0	15.0	25.4	4.0	140.0	54.0	88.0	8.2	1.3	3.7	0.5
04540R	-5.0	2.0	-1.0	3.4	0.5	4.0	-50.0	3.0	18.0	1.9	0.7	0.9	0.1
04541R	-5.0	-2.0	-1.0	16.0	8.0	-4.0	220.0	19.0	46.0	5.9	1.1	2.2	0.4
04542R	-5.0	2.0	-1.0	16.0	3.5	-4.0	100.0	23.0	51.0	4.6	0.6	1.8	0.3
04543R	-5.0	24.0	-1.0	1.6	0.6	-4.0	-50.0	2.0	5.0	0.3	0.2	0.2	-0.1
04544R	-5.0	4.0	-1.0	4.0	1.9	-4.0	-50.0	15.0	26.0	1.3	0.6	0.6	0.1
04547R	-6.0	20.0	-1.0	9.9	1.5	19.0	90.0	19.0	41.0	3.4	1.0	2.1	0.3
04548R	-5.0	-2.0	1.0	4.0	1.2	-4.0	-50.0	16.0	39.0	5.1	0.3	5.6	0.7
04549R	-10.0	46.0	10.0	21.0	47.4	800.0	70.0	37.0	128.0	24.4	-0.4	31.3	5.4
04550R	-7.0	22.0	4.0	9.8	4.1	13.0	130.0	24.0	46.0	4.3	-0.4	2.0	0.3
04552R	-5.0	30.0	2.0	13.0	16.4	-4.0	-50.0	13.0	32.0	2.5	-0.3	3.7	0.6
04553R	-5.0	26.0	1.0	7.2	10.9	4.0	-50.0	11.0	27.0	1.3	-0.3	1.4	0.3
04554R	-5.0	10.0	-1.0	3.3	35.2	-4.0	120.0	9.0	26.0	1.5	-0.3	1.7	0.2
04555R	-5.0	20.0	-1.0	4.4	6.1	4.0	-50.0	18.0	37.0	3.1	0.5	2.4	0.3
04556R	-5.0	32.0	2.0	9.2	9.4	-4.0	-50.0	10.0	25.0	2.6	-0.3	4.0	0.6
04557R	-5.0	54.0	3.0	16.0	12.3	-4.0	-50.0	20.0	35.0	3.6	-0.4	4.6	0.7
04558R	-5.0	54.0	2.0	13.0	12.6	-4.0	-50.0	14.0	34.0	2.6	-0.3	3.9	0.6
04559R	11.0	32.0	2.0	10.0	15.0	-4.0	-50.0	12.0	23.0	2.1	-0.3	3.2	0.6
04560R	-5.0	20.0	2.0	10.0	12.6	-4.0	-50.0	10.0	23.0	1.8	-0.3	2.9	0.4
04561R	-5.0	18.0	1.0	6.2	7.5	-4.0	-50.0	7.0	21.0	2.0	0.4	3.7	0.5
04562R	-5.0	10.0	-1.0	4.3	6.5	-4.0	-50.0	7.0	22.0	2.8	0.7	5.2	0.6
04563R	-5.0	22.0	2.0	9.0	10.3	-4.0	-50.0	10.0	23.0	1.8	-0.3	2.7	0.5
04564R	-5.0	350.0	3.0	14.0	15.5	-4.0	-50.0	14.0	29.0	2.5	-0.3	3.7	0.6
04565R	-5.0	32.0	5.0	17.0	23.6	-4.0	-50.0	18.0	41.0	3.2	-0.4	4.9	0.9

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
04571R	65.4031	146.1731	B-5	7	8	30	(COMP) PRE-META QTZ-ANKERITE-CHL VN	-0.5	11.0	-5.0	100.0	-0.5
04572R	65.4114	146.1905	B-5	7	8	30	GRAPH-MUSC QTZT FLOAT WITH PY-ASP VNS	-0.5	-2.0	-5.0	100.0	-0.7
04896R	65.6358	146.7254	C-6	9	5	4	BIO-TM PORPHYRY DIKE	-0.5	4.0	-6.0	100.0	-1.1
05251R	65.6365	146.8282	C-6	9	4	1	FELSIC DIKE IN QTZT	-0.5	-2.0	-5.0	200.0	-0.8
05252R	65.6611	146.6792	C-6	10	5	27	ALT FELSIC DIKE IN HFLS	-0.5	3.0	-7.0	400.0	-1.1
05253R	65.6615	146.6796	C-6	10	5	27	FELSIC DIKE/VN IN HFLS	-0.5	-2.0	-5.0	700.0	-0.7
05254R	65.6531	146.6971	C-6	10	5	34	GR2 GREISEN RUBBLE	0.5	2.0	6.0	100.0	-0.9
05255R	65.4139	146.5799	B-6	7	6	19	SIL-ALT AND BRECCIATED GR2	1.0	270.0	28.0	300.0	-0.5
05313R	65.4349	146.5786	B-6	7	6	18	CLEAN GR2 WITH INTERSTITIAL TM	-0.5	3.0	-5.0	100.0	-0.9
05322R	65.3910	146.6150	B-6	7	5	36	ORANGE-WEATHERING FELSITE RUBBLE	0.5	14.0	-9.0	300.0	-2.0
05325R	65.3988	146.6483	B-6	7	5	26	QTZ VN/BRECCIA IN RUBBLE	-0.5	88.0	11.0	300.0	0.8
05326R	65.4009	146.6502	B-6	7	5	26	FE-STAINED QTZ BRECCIA	2.5	11.0	-6.0	100.0	-1.3
05327R	65.4009	146.6502	B-6	7	5	26	FELSIC INTRUSIVE	-0.5	3.0	-7.0	200.0	2.1
05328R	65.4009	146.6502	B-6	7	5	26	ORANGE-WEATHERING QTZ SCHIST	-0.5	12.0	-7.0	800.0	-1.5
05330R	65.6637	146.7113	C-6	10	5	28	GREENSTONE IN CONTACT WITH GR	2.0	-2.0	-5.0	100.0	-0.6
05331R	65.4473	146.0750	B-5	7	8	10	(CHAN) GRAPH SCHIST AND QTZ-BIO SCHIST	-0.5	9.0	-9.0	800.0	-1.7
05332R	65.4474	146.0753	B-5	7	8	10	CONCORDENT QTZ POD	-0.5	4.0	-5.0	200.0	-0.7
05333R	65.4474	146.0753	B-5	7	8	10	(CHAN) SULFITIC QTZ-BIO SCHIST WITH FEOX	-0.5	7.0	-5.0	200.0	-1.0
05334R	65.4474	146.0753	B-5	7	8	10	(CHAN) SULFITIC QTZ-BIO SCHIST WITH FEOX	-0.5	22.0	-6.0	400.0	-1.1
05335R	65.4474	146.0753	B-5	7	8	10	(CHAN) QTZ-BIO SCHIST AND GRAPH SCHIST	-0.5	25.0	-7.0	600.0	-1.4
05336R	65.4474	146.0753	B-5	7	8	10	(CHAN) CLAY ALT SULFIDE-RICH POD	-0.5	46.0	-10.0	600.0	-2.0
05341R	65.5915	146.9036	C-6	9	4	22	(COMP) GR1 GREISEN FLOAT	3.5	4.0	-7.0	200.0	-1.7
05342R	65.5993	146.9015	C-6	9	4	22	(COMP) RUSTY GR2 GREISEN FLOAT	1.5	2.0	-6.0	300.0	-1.3
05343R	65.6022	146.9010	C-6	9	4	15	DARK GREISEN ALT FLOAT	3.5	3.0	-5.0	300.0	-1.1
05344R	65.5949	146.8600	C-6	9	4	23	GOSSANOUS HEM-CHL GR1 GREISEN	110.0	280.0	-8.0	100.0	-1.2
05345R	65.6111	146.8631	C-6	9	4	14	GREEN GR1 GREISEN FLOAT	1.0	3.0	-6.0	200.0	-1.2
05346R	65.6149	146.8646	C-6	9	4	11	WEAK FE-STAINED GR1 GREISEN	1.5	85.0	-7.0	100.0	-1.9
05347R	65.4378	146.6001	B-6	7	6	18	RUSTY PHYLLITE HFLS WITH QTZ VNS	-0.5	4.0	-5.0	1900.0	-1.0
05348R	65.4355	146.6048	B-6	7	6	18	QTZ-MICA SCHIST	-0.5	-2.0	-5.0	500.0	-1.0
05349R	65.4355	146.6048	B-6	7	6	18	CONCORDENT QTZ VN IN RUSTY QTZT	-0.5	2.0	-7.0	400.0	-1.6

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
04571R	-5.0	10.0	-1.0	4.5	0.5	1.0	-4.0	0.95	-200.0	44.0	-30.0	2.9	0.4
04572R	-5.0	20.0	1.0	5.5	1.3	4.0	-4.0	-0.05	-200.0	4.0	20.0	0.7	2.3
04896R	-5.0	-10.0	21.0	NA	0.8	6.0	-4.0	2.60	-200.0	NA	780.0	0.5	2.3
05251R	-5.0	-10.0	4.0	NA	0.5	5.0	-4.0	1.80	-200.0	NA	360.0	-0.2	3.7
05252R	-5.0	-10.0	3.0	NA	0.9	7.0	-4.0	2.40	-200.0	NA	400.0	-0.2	3.7
05253R	5.0	10.0	2.0	NA	0.9	4.0	-4.0	2.70	-200.0	NA	230.0	-0.2	4.4
05254R	-5.0	-10.0	2.0	NA	16.2	6.0	-4.0	-0.05	-200.0	NA	140.0	5.5	5.1
05255R	-5.0	-10.0	7.0	NA	1.4	1.0	-4.0	0.54	-200.0	NA	190.0	11.0	1.1
05313R	-5.0	-10.0	35.0	NA	0.6	-1.0	-4.0	2.30	-200.0	NA	800.0	0.6	3.2
05322R	5.0	160.0	6.0	2.5	-0.2	1.0	-4.0	4.90	-300.0	NA	830.0	-0.2	1.1
05325R	-5.0	260.0	6.0	3.5	0.8	-1.0	-4.0	-0.05	-200.0	NA	210.0	6.8	2.2
05326R	-5.0	200.0	9.0	9.5	1.0	1.0	18.0	1.90	-200.0	NA	870.0	12.0	2.7
05327R	-5.0	150.0	10.0	6.0	0.7	2.0	-4.0	3.10	-200.0	NA	850.0	3.0	4.6
05328R	12.0	210.0	16.0	20.0	4.3	4.0	-4.0	1.00	-200.0	NA	730.0	7.7	12.1
05330R	24.0	110.0	1.0	15.0	9.1	8.0	-4.0	0.30	-200.0	NA	-30.0	2.4	7.6
05331R	9.0	60.0	2.0	34.0	3.1	6.0	-4.0	0.70	-200.0	10.0	200.0	3.5	12.3
05332R	5.0	20.0	1.0	20.0	1.1	2.0	-4.0	0.10	-200.0	6.0	30.0	1.1	3.0
05333R	-5.0	40.0	1.0	15.0	1.4	4.0	-4.0	0.30	-200.0	6.0	40.0	1.1	5.3
05334R	-5.0	40.0	2.0	17.0	1.6	5.0	-4.0	0.32	-200.0	6.0	70.0	1.5	6.3
05335R	-5.0	50.0	5.0	20.0	3.0	5.0	-4.0	0.21	-200.0	6.0	130.0	1.7	10.4
05336R	7.0	70.0	19.0	44.0	4.7	7.0	-4.0	0.16	-200.0	20.0	90.0	4.7	14.6
05341R	-5.0	180.0	3.0	53.0	9.5	4.0	-4.0	0.21	-200.0	NA	460.0	2.7	5.5
05342R	-5.0	190.0	6.0	19.0	9.1	4.0	-4.0	0.15	-200.0	NA	600.0	1.5	6.1
05343R	-5.0	160.0	1.0	23.0	10.3	3.0	-4.0	0.10	-200.0	NA	100.0	2.0	4.6
05344R	-5.0	160.0	3.0	720.0	27.3	1.0	-4.0	0.12	-200.0	NA	-40.0	3.5	3.1
05345R	-5.0	200.0	10.0	62.0	7.1	4.0	-4.0	-0.05	-200.0	NA	570.0	0.8	5.7
05346R	-5.0	210.0	11.0	12.0	2.8	3.0	-4.0	0.26	-200.0	NA	760.0	0.6	5.0
05347R	8.0	80.0	13.0	12.0	3.1	13.0	-4.0	0.33	-200.0	NA	340.0	0.4	15.0
05348R	-5.0	40.0	5.0	10.0	2.8	5.0	-4.0	1.50	-200.0	NA	100.0	0.3	8.2
05349R	-5.0	50.0	6.0	23.0	2.0	5.0	-4.0	1.90	-200.0	NA	80.0	-0.2	5.9

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04571R	-5.0	-2.0	-1.0	1.4	0.6	-4.0	-50.0	2.0	3.0	0.4	-0.3	0.7	0.1
04572R	-5.0	-2.0	-1.0	5.4	1.7	-4.0	-50.0	13.0	27.0	2.0	0.7	0.8	0.1
04896R	-5.0	22.0	4.0	49.0	12.3	5.0	-60.0	36.0	57.0	9.3	-0.7	9.5	1.3
05251R	-5.0	4.0	1.0	33.0	6.4	-4.0	-50.0	17.0	31.0	2.7	0.9	5.2	0.7
05252R	-5.0	-2.0	1.0	51.0	12.0	-4.0	-50.0	95.0	123.0	13.7	-0.9	9.9	1.1
05253R	-5.0	8.0	2.0	13.0	8.9	6.0	-50.0	29.0	64.0	7.5	0.8	13.0	1.7
05254R	-5.0	130.0	1.0	71.0	12.8	4.0	620.0	78.0	143.0	9.7	-0.6	6.3	0.9
05255R	-5.0	68.0	-1.0	5.5	79.4	5.0	140.0	10.0	13.0	1.1	0.4	2.0	-0.1
05313R	-5.0	48.0	-1.0	11.0	5.1	8.0	-50.0	10.0	20.0	2.0	-0.5	3.2	0.5
05322R	-5.0	380.0	49.0	6.2	12.0	8.0	-110.0	4.0	5.0	0.7	-0.7	0.5	-0.1
05325R	-5.0	22.0	-1.0	3.1	1.3	-4.0	-50.0	13.0	14.0	1.0	-0.3	0.5	0.1
05326R	-5.0	8.0	7.0	9.0	6.2	-4.0	-70.0	5.0	8.0	1.3	-0.5	1.5	0.3
05327R	-10.0	14.0	13.0	13.0	8.2	4.0	-80.0	10.0	17.0	2.7	0.7	3.4	0.6
05328R	13.0	8.0	-1.0	15.0	3.5	10.0	130.0	35.0	56.0	5.5	-0.6	2.2	0.4
05330R	-5.0	-2.0	1.0	7.3	2.5	-4.0	8400.0	5.0	6.0	-0.1	0.6	1.9	0.3
05331R	-5.0	4.0	-1.0	16.0	1.8	-4.0	130.0	50.0	89.0	7.5	-0.7	2.0	0.3
05332R	-5.0	-2.0	-1.0	4.0	0.9	-4.0	50.0	11.0	18.0	1.7	-0.3	0.5	0.1
05333R	-5.0	-2.0	-1.0	7.1	2.0	-4.0	70.0	24.0	43.0	3.8	-0.4	1.3	0.2
05334R	-5.0	-2.0	-1.0	5.4	2.2	-4.0	60.0	26.0	50.0	4.9	1.1	2.1	0.3
05335R	11.0	-2.0	-1.0	6.3	1.6	-4.0	90.0	37.0	66.0	8.2	1.5	4.0	0.6
05336R	-6.0	6.0	-1.0	40.0	2.6	-4.0	100.0	75.0	119.0	12.7	3.0	5.4	0.8
05341R	-5.0	250.0	2.0	41.0	54.2	12.0	2400.0	77.0	140.0	17.0	-0.6	9.1	2.0
05342R	-5.0	640.0	5.0	58.0	43.1	9.0	1000.0	54.0	101.0	15.9	0.5	12.6	2.4
05343R	-5.0	130.0	4.0	42.0	35.9	-4.0	940.0	44.0	89.0	21.2	-0.4	16.7	2.6
05344R	-5.0	140.0	-1.0	45.0	29.6	5.0	2200.0	36.0	58.0	8.8	-0.4	7.1	1.4
05345R	-5.0	150.0	4.0	59.0	20.6	8.0	1300.0	59.0	111.0	14.4	-0.4	9.3	1.5
05346R	-5.0	80.0	-1.0	68.0	19.3	4.0	270.0	115.0	189.0	18.4	-0.7	7.7	1.4
05347R	-5.0	4.0	-1.0	23.0	6.3	-4.0	90.0	62.0	119.0	10.1	1.8	4.0	0.5
05348R	-5.0	4.0	-1.0	11.0	2.3	4.0	-60.0	30.0	51.0	2.8	1.1	1.1	0.2
05349R	-5.0	2.0	-2.0	9.0	2.1	-4.0	-60.0	24.0	41.0	3.2	1.2	1.0	0.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
05350R	65.4338	146.6069	B-6	7	6	18	RUSTY QTZ WITH LIM CLOTS	-0.5	3.0	-5.0	-100.0	-0.5
05375R	65.6729	146.9946	C-6	10	4	19	BEDDED BLACK CHL ARGILLITE FLOAT	0.5	20.0	5.0	1300.0	-0.6
05377R	65.6038	146.9243	C-6	9	4	16	RUSTY QTZT WITH PO	1.0	10.0	-7.0	600.0	3.4
05400R	65.6047	146.9261	C-6	9	4	16	RUSTY-WEATHERING DARK FNG RK	1.0	12.0	-6.0	900.0	-0.5
05401R	65.6244	146.6541	C-6	9	5	11	(COMP) QTZ-FELD GR2 PORPHYRY	-0.5	-2.0	-5.0	700.0	-0.9
05402R	65.3931	146.6729	B-6	7	5	35	RUSTY BLACK SCHIST/WHITE LAMINATIONS	1.0	41.0	-6.0	600.0	4.8
05403R	65.3989	146.6636	B-6	7	5	26	(COMP) RUSTY-WEATHERING QTZT/QTZ VNS	-0.5	6.0	-5.0	-100.0	-0.5
05404R	65.3968	146.6650	B-6	7	5	35	(COMP) RUSTY LAMINATED QTZT/QTZ VNS	-0.5	-2.0	-5.0	-100.0	-0.9
05553R	65.6899	146.5188	C-6	10	6	16	HIGHLY ALT MN-STAINED RK	2.0	5.0	-5.0	200.0	0.7
05574R	65.7000	146.6921	C-6	10	5	15	FE-STAINED BLACK ARGILLITE FLOAT	-0.5	14.0	-5.0	600.0	-0.7
05575R	65.4521	146.7935	B-6	7	5	7	QTZ SCHIST WITH ANKERITE(?)	-0.5	-2.0	-5.0	200.0	-0.5
05576R	65.7103	146.5967	C-6	10	5	12	QTZT HFLS	1.0	8.0	-5.0	900.0	-0.5
05577R	65.6898	146.7519	C-6	10	5	17	QTZ VN WITH FL, FEOX, AND SULFIDES	-0.5	2.0	-5.0	200.0	2.3
05578R	65.5783	146.4767	C-5	9	6	27	INTERMEDIATE INTRUSIVE RK WITH SULFIDES	0.5	4.0	-6.0	2800.0	-1.2
05579R	65.5804	146.4764	C-5	9	6	27	SULFIDE-BEARING FE-STAINED RUBBLE	1.0	14.0	-5.0	200.0	-0.5
05580R	65.5317	146.6913	C-6	8	5	10	QTZ-FEOX VN	-0.5	2.0	-5.0	200.0	-0.8
05581R	65.5522	146.4846	C-5	8	6	3	RUSTY-WEATHERING QTZ SCHIST WITH PO	0.5	-2.0	-9.0	-100.0	6.7
05582R	65.5501	146.4858	C-5	8	6	3	TM-QTZ GREISEN RUBBLE	-0.5	7.0	-5.0	-100.0	-0.8
05583R	65.5585	146.3925	C-5	9	6	36	FL, MUSC, TM, AND MINOR MO IN GR2	-0.5	260.0	-6.0	100.0	-1.3
05584R	65.4462	145.9180	B-4	7	9	9	POSSIBLE AU OR FE-STAINED PO IN SCHIST	1.5	7200.0	7900.0	-500.0	-1.1
05585R	65.4484	145.9159	B-4	7	9	9	(COMP) HFLS WITH ASP(?), GAR, TM, AND MO	1.5	5400.0	2800.0	-400.0	1.6
05586R	65.4441	145.9164	B-4	7	9	9	(COMP) TM-QTZ VN WITH VISIBLE MO	4.0	56.0	37.0	100.0	-0.9
05587R	65.4468	146.5207	B-6	7	6	9	FL AND TM IN GR RUBBLE	-0.5	-2.0	-8.0	500.0	-1.9
05591R	65.5336	146.3434	C-5	8	7	8	(COMP) RED CLAY AND FE-STAINED RUBBLE	-0.5	-2.0	-5.0	300.0	1.1
05593R	65.6049	146.4249	C-5	9	6	14	FE-RICH QTZ VNS	1.0	26.0	-6.0	300.0	-1.1
05594R	65.4753	146.4928	B-5	8	6	34	QTZ-FL ALT GR2 WITH PY	6.5	150.0	-8.0	400.0	4.4
05596R	65.4690	146.8230	B-6	7	4	1	BULL COCKSCOMB-QTZ FLOAT WITH ASP(?)	10.0	4.0	64.0	-100.0	-0.7
05600R	65.6123	146.7949	C-6	9	5	18	GR2	-0.5	9.0	-5.0	200.0	-0.9
05901R	65.6109	146.7975	C-6	9	5	18	GR2	-0.5	4.0	-8.0	300.0	-1.8
05902R	65.6123	146.7952	C-6	9	5	18	GREISEN VLT IN GR2	-0.5	-2.0	-5.0	100.0	-0.8

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
05350R	-5.0	-10.0	2.0	18.0	1.0	-1.0	-4.0	-0.05	-200.0	NA	30.0	0.3	1.1
05375R	5.0	220.0	1.0	110.0	3.5	1.0	-4.0	-0.05	-200.0	NA	50.0	4.8	3.3
05377R	15.0	180.0	3.0	58.0	4.6	5.0	-4.0	1.30	-200.0	NA	140.0	1.2	15.7
05400R	9.0	220.0	7.0	58.0	3.0	5.0	-4.0	0.69	-200.0	NA	280.0	2.1	13.8
05401R	-5.0	150.0	11.0	0.5	0.9	5.0	-4.0	1.20	-200.0	NA	830.0	0.3	2.2
05402R	11.0	210.0	4.0	120.0	3.1	4.0	-4.0	0.62	-200.0	NA	140.0	4.5	10.5
05403R	-5.0	250.0	5.0	17.0	0.8	1.0	-4.0	0.21	-200.0	NA	20.0	0.9	0.8
05404R	-5.0	260.0	1.0	3.5	0.5	3.0	-4.0	0.95	-200.0	NA	40.0	1.0	1.2
05553R	29.0	60.0	-1.0	NA	14.8	6.0	5.0	-0.05	-200.0	NA	50.0	0.7	8.6
05574R	13.0	130.0	5.0	NA	7.6	9.0	10.0	-0.05	-200.0	NA	120.0	4.2	8.3
05575R	-5.0	10.0	1.0	NA	1.1	5.0	-4.0	0.54	-200.0	NA	30.0	0.2	2.5
05576R	-5.0	10.0	1.0	NA	1.1	1.0	-4.0	-0.05	-200.0	NA	-20.0	3.9	3.2
05577R	-5.0	-10.0	-1.0	NA	2.3	2.0	-4.0	0.43	-200.0	NA	20.0	0.2	1.7
05578R	13.0	50.0	3.0	NA	3.4	7.0	8.0	1.90	-200.0	NA	240.0	0.9	14.9
05579R	20.0	10.0	-1.0	NA	1.0	2.0	-4.0	-0.05	-200.0	NA	30.0	1.7	2.7
05580R	7.0	20.0	-1.0	NA	2.7	-1.0	-4.0	2.10	-200.0	NA	40.0	1.4	4.9
05581R	27.0	430.0	7.0	120.0	5.4	2.0	-4.0	2.00	-300.0	NA	-50.0	0.4	34.2
05582R	7.0	120.0	-1.0	5.5	1.7	-1.0	-4.0	0.31	-200.0	NA	-20.0	-0.2	6.1
05583R	-5.0	180.0	10.0	12.0	0.7	3.0	-4.0	1.60	-200.0	NA	490.0	0.2	2.8
05584R	9.0	100.0	6.0	290.0	1.9	-1.0	-9.0	0.20	-200.0	NA	60.0	10.0	6.3
05585R	11.0	110.0	5.0	240.0	2.1	2.0	11.0	0.14	300.0	NA	-30.0	10.0	7.2
05586R	7.0	170.0	1.0	89.0	2.2	2.0	55.0	0.29	-200.0	NA	-20.0	0.5	11.9
05587R	-5.0	-10.0	14.0	0.5	1.4	4.0	-4.0	1.80	-200.0	NA	540.0	-0.2	5.0
05591R	5.0	20.0	-1.0	23.0	2.7	2.0	-4.0	0.13	-200.0	NA	30.0	0.9	3.4
05593R	5.0	10.0	1.0	21.0	2.1	2.0	-4.0	0.83	-200.0	NA	90.0	6.8	3.3
05594R	-5.0	-10.0	6.0	3.0	1.4	2.0	-4.0	0.22	-200.0	NA	240.0	28.0	3.0
05596R	-5.0	-10.0	1.0	13.0	-0.2	1.0	-4.0	-0.05	-200.0	22.0	-20.0	110.0	0.2
05600R	-5.0	-10.0	9.0	NA	0.7	5.0	5.0	2.40	-200.0	NA	670.0	0.2	4.4
05901R	-5.0	10.0	9.0	-0.5	1.1	6.0	-4.0	2.30	-300.0	NA	970.0	0.6	5.9
05902R	-5.0	-10.0	19.0	NA	1.8	6.0	-4.0	2.00	-200.0	NA	890.0	0.3	5.2

Station	Sc	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
05350R	-5.0	-2.0	-1.0	2.0	0.8	-4.0	-50.0	3.0	5.0	0.3	-0.2	1.1	0.1
05375R	-5.0	2.0	-1.0	3.4	5.6	-4.0	100.0	11.0	13.0	1.5	-0.2	0.7	0.1
05377R	-5.0	16.0	1.0	13.0	3.7	-4.0	60.0	44.0	69.0	8.0	1.2	2.8	0.4
05400R	-5.0	6.0	1.0	14.0	3.8	-4.0	110.0	44.0	82.0	7.3	1.1	2.5	0.5
05401R	-5.0	28.0	6.0	50.0	11.2	-4.0	60.0	6.0	31.0	3.4	-0.4	10.3	1.5
05402R	-5.0	2.0	-1.0	11.0	5.9	-4.0	-50.0	40.0	59.0	6.7	1.1	2.5	0.4
05403R	-5.0	8.0	-1.0	2.3	0.7	-4.0	-50.0	4.0	6.0	0.5	0.3	-0.2	-0.1
05404R	-5.0	34.0	-1.0	4.5	1.1	-4.0	-50.0	4.0	11.0	0.7	-0.3	0.5	0.1
05553R	-5.0	32.0	-1.0	11.0	2.7	39.0	1900.0	30.0	62.0	7.9	1.9	1.8	0.2
05574R	-5.0	-2.0	-1.0	9.5	4.6	-4.0	110.0	39.0	60.0	3.0	1.0	1.5	0.3
05575R	-5.0	4.0	-1.0	6.1	1.0	-4.0	-50.0	14.0	22.0	1.4	0.7	0.8	0.1
05576R	-5.0	-2.0	-1.0	1.3	1.1	-4.0	-50.0	6.0	9.0	0.7	0.3	0.4	0.1
05577R	-5.0	-2.0	-1.0	2.4	0.6	-4.0	-50.0	5.0	13.0	1.1	-0.2	0.6	0.1
05578R	-5.0	-2.0	-1.0	28.0	8.2	5.0	220.0	85.0	133.0	7.9	2.1	2.3	0.3
05579R	-5.0	8.0	-1.0	440.0	15.2	-4.0	-50.0	17.0	42.0	5.4	1.6	4.1	0.5
05580R	-5.0	-2.0	-1.0	5.4	1.5	-4.0	60.0	12.0	20.0	1.2	-0.5	0.5	0.1
05581R	-5.0	24.0	-1.0	1.3	-0.8	-4.0	150.0	13.0	26.0	3.2	1.3	1.2	0.2
05582R	-5.0	18.0	-1.0	6.1	2.2	12.0	100.0	18.0	29.0	3.3	0.9	0.7	0.1
05583R	-6.0	40.0	2.0	16.0	10.8	6.0	-50.0	23.0	43.0	5.3	-0.5	4.5	0.8
05584R	-10.0	-2.0	-1.0	3.5	-2.0	11.0	90.0	7.0	19.0	1.6	-0.5	2.5	-0.1
05585R	27.0	4.0	-1.0	1.8	-1.7	7.0	60.0	6.0	20.0	1.7	-0.4	1.2	0.1
05586R	-5.0	42.0	-1.0	6.1	2.2	11.0	-50.0	15.0	24.0	3.1	-0.3	1.3	0.2
05587R	-5.0	22.0	-2.0	27.0	15.8	5.0	-70.0	43.0	87.0	9.0	1.3	4.8	0.9
05591R	-5.0	2.0	-1.0	4.0	1.1	-4.0	60.0	12.0	21.0	1.8	0.8	0.7	0.1
05593R	-5.0	8.0	-1.0	7.8	2.9	-4.0	80.0	16.0	25.0	2.5	0.5	0.9	-0.2
05594R	-5.0	10.0	2.0	12.0	7.5	-4.0	-34.0	25.0	43.0	4.5	1.0	2.3	0.3
05596R	-5.0	-2.0	-1.0	-0.5	-1.1	16.0	-50.0	-1.0	-3.0	0.1	-0.3	-0.5	-0.1
05600R	-5.0	6.0	1.0	42.0	5.9	-4.0	-50.0	26.0	66.0	7.6	-0.6	10.2	1.3
05901R	-5.0	12.0	8.0	58.0	15.5	-4.0	-70.0	27.0	73.0	11.6	-0.7	12.1	1.8
05902R	-5.0	14.0	4.0	30.0	9.3	-4.0	-50.0	20.0	54.0	7.2	-0.5	10.1	1.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
05903R	65.6107	146.8126	C-6	9	4	13	GR2	-0.5	-2.0	-5.0	100.0	-0.9
05904R	65.6107	146.8126	C-6	9	4	13	FINE GRAINED BIO GR DIKE	-0.5	-2.0	-5.0	200.0	-0.9
05906R	65.6192	146.8462	C-6	9	4	11	GR1 WITH MINERALIZED JOINT SURFACES	2.5	60.0	5.0	200.0	-0.8
05907R	65.6148	146.7178	C-6	9	5	9	HEM-STAINED GR1 FLOAT	-0.5	2.0	-5.0	300.0	-0.7
05908R	65.6136	146.7233	C-6	9	5	16	ANDESITE PORPHYRY DIKE	-0.5	2.0	-7.0	400.0	3.8
05912R	65.6006	146.7054	C-6	9	5	16	ALT PORPHYRITIC DIKE	-0.5	4.0	-5.0	100.0	4.8
05915R	65.4184	146.3945	B-5	7	7	19	CRUSHED QTZT FAULT BRECCIA	-0.5	35.0	25.0	100.0	-0.5
05916R	65.4457	146.3847	B-5	7	7	7	GR FLOAT WITH INTERSTITIAL PY	-0.5	34.0	17.0	200.0	-2.0
05917R	65.4527	146.3623	B-5	7	7	8	PY AND PURPLE FL	0.5	23.0	16.0	100.0	1.6
05919R	65.5920	146.9239	C-6	9	4	21	GR WITH GREISEN	5.5	14.0	-5.0	400.0	-0.7
05920R	65.5756	146.8967	C-6	9	4	27	PYRITIC QTZT	4.0	63.0	10.0	-100.0	-0.5
05921R	65.5920	146.9239	C-6	9	4	21	(COMP) WEATHERED PY VLTS IN GR1	4.0	55.0	-5.0	300.0	-0.8
05922R	65.5962	146.9526	C-6	9	4	20	(COMP) FE-STAINED QTZT	-0.5	12.0	-7.0	1100.0	-1.2
05923R	65.4704	146.4388	B-5	8	6	35	(COMP) GREEN QTZT WITH DISSEMINATED PY	1.0	190.0	-6.0	1000.0	-0.7
05925R	65.5920	146.9239	C-6	9	4	21	FL BRECCIA IN QTZ-FELD MATRIX	1.0	9.0	-5.0	200.0	19.0
05926R	65.5915	146.9036	C-6	9	4	22	GREISEN WITH FL	8.5	16.0	16.0	500.0	-1.7
05927R	65.5894	146.8906	C-6	9	4	22	GREISEN VN WITH PY	3.0	37.0	-14.0	200.0	-3.1
05928R	65.5912	146.8759	C-6	9	4	22	SCORIACEOUS GREISEN FLOAT	7.0	280.0	44.0	1000.0	5.5
05929R	65.5919	146.8699	C-6	9	4	23	GREISEN WITH FL	3.0	52.0	9.0	200.0	2.5
05930R	65.5954	146.8656	C-6	9	4	23	GREISEN WITH TM CLOTS	4.0	34.0	-5.0	300.0	2.7
05931R	65.4833	146.9958	B-6	8	4	31	ALT QTZT WITH PY	0.5	840.0	8.0	5400.0	-3.1
06435R	65.4813	146.5283	B-6	8	6	33	(COMP) GRAPH SCHIST WITH FEOX AND PY	-0.5	3.0	-9.0	1000.0	-1.9
06436R	65.4821	146.5255	B-6	8	6	33	(COMP) LIM-SULFATE-STAINED GRAPH SCHIST	-0.5	3.0	-7.0	600.0	-1.6
06440R	65.4254	146.6335	B-6	7	5	24	RUSTY QTZ-MICA SCHIST WITH ASP AND PY	-0.5	3.0	-6.0	400.0	-1.4
06441R	65.6222	146.6523	C-6	9	5	11	GAR-PYX SKARN ALT QTZT BOULDER	4.5	4.0	-8.0	200.0	12.0
06442R	65.6222	146.6527	C-6	9	5	11	(COMP) RHYOLITE WITH MINOR FL	-0.5	2.0	-6.0	900.0	-1.2
06443R	65.6222	146.6523	C-6	9	5	11	RHYOLITE PORPHYRY FLOAT	-0.5	2.0	-6.0	1200.0	-1.2
06444R	65.6210	146.6533	C-6	9	5	11	(COMP) RHYOLITE PORPHYRY	-0.5	2.0	-7.0	400.0	-1.3
06445R	65.6210	146.6533	C-6	9	5	11	VUGGY ALT RHYOLITE PORPHYRY	-0.5	-2.0	-7.0	400.0	-1.6
06446R	65.6179	146.6759	C-6	9	5	10	(COMP) PERVASIVELY ALT GR1 OR GR2	2.5	-2.0	-9.0	200.0	-2.0

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
05903R	-5.0	-10.0	5.0	NA	0.8	6.0	-4.0	2.50	-200.0	NA	720.0	-0.2	3.0
05904R	-5.0	-10.0	6.0	NA	0.6	6.0	-4.0	2.50	-200.0	NA	650.0	-0.2	2.9
05906R	-5.0	-10.0	3.0	NA	5.7	4.0	-4.0	0.21	-200.0	NA	320.0	4.4	3.6
05907R	-5.0	-10.0	4.0	NA	11.4	2.0	6.0	-0.05	-200.0	NA	130.0	2.9	2.9
05908R	33.0	150.0	8.0	NA	6.8	-1.0	-4.0	1.90	-200.0	NA	180.0	0.5	26.4
05912R	43.0	360.0	-1.0	NA	7.3	5.0	-4.0	0.07	-200.0	NA	-20.0	5.5	47.7
05915R	-5.0	230.0	5.0	0.5	0.4	1.0	-4.0	-0.05	-200.0	NA	20.0	0.9	0.7
05916R	-5.0	210.0	5.0	6.5	0.8	2.0	-4.0	3.30	-300.0	NA	510.0	0.3	2.1
05917R	-5.0	250.0	3.0	21.0	0.6	-1.0	-4.0	-0.05	-200.0	NA	50.0	2.2	1.6
05919R	-5.0	-10.0	35.0	27.0	5.2	4.0	-4.0	0.05	-200.0	NA	1900.0	2.7	9.6
05920R	-5.0	-10.0	-1.0	100.0	2.9	2.0	-4.0	-0.05	-200.0	NA	-20.0	6.5	1.3
05921R	5.0	-10.0	3.0	97.0	9.5	4.0	4.0	0.17	-200.0	NA	260.0	1.5	5.6
05922R	-5.0	90.0	14.0	35.0	4.5	8.0	29.0	0.63	-200.0	NA	390.0	3.5	23.3
05923R	15.0	70.0	47.0	170.0	4.1	5.0	-4.0	1.10	-200.0	NA	310.0	0.7	14.8
05925R	-5.0	20.0	3.0	NA	0.6	-1.0	-4.0	-0.05	-200.0	NA	90.8	-5.0	0.0
05926R	-5.0	150.0	-1.0	26.0	5.0	1.0	-4.0	0.09	-200.0	NA	490.0	2.7	9.5
05927R	-5.0	50.0	3.0	10.0	10.0	5.0	-4.0	6.00	-400.0	NA	-90.0	1.1	5.4
05928R	-5.0	100.0	2.0	550.0	12.0	2.0	6.0	0.07	-400.0	NA	250.0	45.0	10.4
05929R	-5.0	120.0	-1.0	900.0	11.8	2.0	-4.0	-0.05	-200.0	NA	70.0	11.0	4.8
05930R	-5.0	150.0	4.0	170.0	7.0	2.0	-4.0	-0.05	-200.0	NA	640.0	1.6	5.1
05931R	7.0	90.0	3.0	35.0	5.6	22.0	-4.0	0.34	-300.0	NA	800.0	170.0	7.3
06435R	-5.0	330.0	3.0	13.0	2.9	7.0	5.0	1.20	-300.0	NA	150.0	0.7	11.4
06436R	-5.0	320.0	3.0	19.0	3.3	4.0	-4.0	0.98	-200.0	NA	70.0	0.4	8.1
06440R	5.0	30.0	4.0	13.0	1.8	6.0	-4.0	0.98	-200.0	NA	140.0	0.2	5.9
06441R	19.0	90.0	69.0	-0.5	11.6	2.0	-4.0	0.47	300.0	NA	-40.0	4.4	2.5
06442R	-5.0	160.0	14.0	-0.5	1.0	4.0	-4.0	0.96	-200.0	NA	970.0	-0.2	2.3
06443R	-5.0	140.0	13.0	-0.5	1.0	5.0	-4.0	0.82	-200.0	NA	1000.0	1.0	2.3
06444R	-5.0	150.0	9.0	-0.5	1.0	5.0	-4.0	1.80	-200.0	NA	760.0	0.3	2.4
06445R	-5.0	180.0	8.0	-0.5	1.1	5.0	-4.0	1.70	-200.0	NA	690.0	-0.2	2.3
06446R	-5.0	150.0	2.0	7.0	8.5	5.0	-4.0	-0.05	-200.0	NA	350.0	0.6	5.3

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
05903R	8.0	8.0	4.0	39.0	11.9	-4.0	130.0	15.0	43.0	6.5	-0.6	9.8	1.4
05904R	-5.0	14.0	4.0	49.0	15.5	-4.0	70.0	17.0	51.0	5.8	-0.6	9.6	1.4
05906R	5.0	72.0	-1.0	51.0	28.7	5.0	570.0	77.0	132.0	9.0	0.5	6.7	1.1
05907R	-5.0	24.0	1.0	37.0	19.6	-4.0	1100.0	62.0	134.0	12.2	-0.4	8.7	1.2
05908R	-5.0	2.0	-1.0	8.1	2.7	150.0	120.0	43.0	91.0	8.9	1.0	6.0	0.7
05912R	-5.0	72.0	1.0	3.5	1.8	-4.0	810.0	34.0	69.0	6.7	2.4	1.3	0.1
05915R	-5.0	-2.0	-1.0	2.0	0.8	-4.0	-50.0	8.0	10.0	0.8	0.3	0.2	-0.1
05916R	-5.0	66.0	8.0	17.0	23.0	-4.0	-100.0	15.0	37.0	4.5	-0.8	4.5	0.8
05917R	-5.0	28.0	1.0	4.4	7.0	-4.0	-50.0	6.0	12.0	1.6	-0.2	1.6	0.3
05919R	-6.0	260.0	15.0	17.0	18.0	7.0	120.0	30.0	107.0	13.2	-0.5	29.1	3.8
05920R	-5.0	8.0	-1.0	2.9	1.2	-4.0	-50.0	5.0	13.0	0.9	-0.2	0.6	0.1
05921R	-5.0	820.0	-1.0	29.0	12.7	7.0	560.0	54.0	103.0	7.2	-0.6	8.5	1.2
05922R	5.0	10.0	2.0	23.0	7.2	6.0	70.0	79.0	131.0	8.3	1.5	4.2	0.7
05923R	-5.0	66.0	-1.0	16.0	5.0	6.0	50.0	57.0	94.0	5.7	1.2	2.5	0.5
05925R	0.0	6.0	-1.0	2.5	5.9	5.0	130.0	13.0	35.0	4.2	1.0	9.5	1.1
05926R	-5.0	110.0	2.0	14.0	36.6	6.0	1100.0	59.0	81.0	15.3	-0.6	12.2	2.4
05927R	-6.0	92.0	-3.0	43.0	20.1	-5.0	820.0	98.0	154.0	23.7	-1.2	11.6	1.9
05928R	-5.0	100.0	-2.0	34.0	161.0	8.0	9500.0	190.0	272.0	38.3	-1.1	36.5	7.1
05929R	-5.0	160.0	-1.0	23.0	28.7	6.0	3600.0	36.0	67.0	8.0	-0.5	5.4	1.2
05930R	-5.0	130.0	2.0	38.0	21.9	7.0	570.0	45.0	85.0	14.1	-0.5	8.4	1.5
05931R	-11.0	-2.0	-2.0	71.0	26.0	31.0	-80.0	180.0	272.0	25.6	5.6	4.3	-0.1
06435R	-5.0	-2.0	-2.0	14.0	1.8	-4.0	-70.0	49.0	79.0	7.1	1.3	2.1	0.4
06436R	-5.0	-2.0	-1.0	12.0	2.7	-4.0	120.0	33.0	50.0	4.2	-0.6	1.6	0.3
06440R	-5.0	-2.0	-1.0	11.0	2.1	4.0	-0.5	26.0	41.0	3.6	0.6	1.5	0.3
06441R	-5.0	200.0	-1.0	2.7	2.4	-4.0	1300.0	6.0	18.0	0.9	0.8	0.6	0.1
06442R	-5.0	22.0	5.0	54.0	12.2	-4.0	-50.0	12.0	44.0	5.4	-0.5	11.3	1.7
06443R	-5.0	44.0	6.0	57.0	15.5	6.0	-50.0	11.0	51.0	4.8	-0.4	11.0	1.7
06444R	-5.0	30.0	6.0	55.0	10.9	-4.0	-60.0	12.0	46.0	6.3	-0.5	11.7	1.8
06445R	-5.0	22.0	5.0	59.0	11.0	-4.0	-70.0	21.0	61.0	8.8	-0.6	12.7	2.0
06446R	-5.0	100.0	-1.0	51.0	6.3	9.0	350.0	110.0	202.0	14.4	-0.8	5.7	0.7

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
06449R	65.6004	146.7593	C-6	9	5	17	CHL ALT GR WITH ASP AND CPY/PO(?)	18.0	13000.0	40.0	200.0	-2.4
06450R	65.6005	146.7549	C-6	9	5	17	CHL ALT GR2	1.0	66.0	-7.0	200.0	-1.6
06452R	65.4345	146.4979	B-5	7	6	15	(COMP) SMALL SIL VN/BRECCIA IN GR2	7.0	58.0	-6.0	100.0	-1.1
06457R	65.4324	146.5401	B-6	7	6	16	ORANGE GR2 WITH TM VNS AND EP VLTS	-0.5	2.0	-8.0	-100.0	-1.7
06459R	65.6810	146.5760	C-6	10	6	19	(COMP, 100 SQ FT) STOCKWORK QTZ VN/HFLS	-0.5	3.0	-5.0	200.0	-0.7
06460R	65.6806	146.5851	C-6	10	6	19	(COMP) CALC-SIL HFLS WITH EP VNS	1.0	2.0	-8.0	2900.0	9.2
06461R	65.6806	146.5851	B-6	10	6	19	(COMP, 200 BY 200 FT AREA) ALT GR2	-0.5	-2.0	-8.0	300.0	3.2
06462R	65.6776	146.5986	C-6	10	5	24	(COMP) VND HFLS, SOME WITH AXINITE	-0.5	20.0	-8.0	500.0	-1.6
06463R	65.6777	146.5982	C-6	10	5	24	(COMP) FELD VN IN GR2 DIKE WITH TM CLOTS	-0.5	2.0	-7.0	400.0	2.1
06464R	65.6855	146.6125	C-6	10	5	24	(COMP) HFLS WITH BLACK VNS	0.5	4.0	-5.0	1300.0	5.1
06465R	65.6855	146.6125	C-6	10	5	24	CALC-SIL HFLS WITH ACT-AXINITE-EP VLTS	1.0	2.0	6.0	8100.0	7.8
06466R	65.6905	146.6095	C-6	10	5	13	(COMP) CHL ALT DIKE WITH BLACK VNS	0.5	-2.0	-5.0	2300.0	3.3
06467R	65.6769	146.6099	C-6	10	5	24	FL SKARN	0.5	60.0	-5.0	300.0	21.0
06468R	65.6769	146.6099	C-6	10	5	24	IDOCRASE-GAR SKARNOID IN MARBLE RUBBLE	1.0	12.0	-5.0	100.0	18.0
06469R	65.6769	146.6099	C-6	10	5	24	LAYERED FL-RICH RX REPLACING MARBLE	1.0	3.0	-5.0	100.0	26.0
06470R	65.6769	146.6099	C-6	10	5	24	CHL-QTZ-FL "SKARN"	1.5	5.0	-5.0	100.0	21.0
06471R	65.6767	146.6090	C-6	10	5	24	SULFIDE-BEARING SKARN	3.0	47.0	-6.0	-100.0	9.1
06472R	65.6280	146.7101	C-6	9	5	9	(COMP) QTZ-CHL GREISEN VN	4.0	-2.0	-5.0	400.0	-0.9
06473R	65.6280	146.7101	C-6	9	5	9	(2 FT CHAN) CHL GREISEN IN GR1	14.0	5.0	-5.0	300.0	-0.8
06474R	65.6280	146.7101	C-6	9	5	9	(1 FT CHAN) MO-BEARING CHL GREISEN ZONE	3.5	-2.0	-5.0	400.0	1.6
06475R	65.6280	146.7101	C-6	9	5	9	KSPAR-BIO-BERYL PEGMATITE POD	0.5	-2.0	-5.0	-100.0	-0.8
06476R	65.6280	146.7101	C-6	9	5	9	FL-TZ(?)-BEARING APLITE, SOME PEGMATITE	0.5	-2.0	-5.0	100.0	-0.7
06477R	65.6280	146.7101	C-6	9	5	9	BIO-RICH PEGMATITE POD	1.5	-2.0	130.0	200.0	1.8
06478R	65.4115	145.9659	B-4	7	9	30	(COMP) QTZ VN MATERIAL IN QTZ-BIO SCHIST	-0.5	3.0	-5.0	100.0	-0.5
06479R	65.4164	145.9492	B-4	7	9	20	(COMP) QTZ VNS IN BIO-QTZ SCHIST	-0.5	-2.0	-5.0	-100.0	-0.5
06480R	65.4447	145.8972	B-4	7	9	9	(COMP) ALT RHYOLITE DIKE OR PLUG	-0.5	17.0	-5.0	200.0	-1.1
06481R	65.4500	145.8909	B-4	7	9	9	(COMP) PYX HFLS/SKARN WITH PO	2.0	2.0	280.0	100.0	11.0
06482R	65.4500	145.8909	B-4	7	9	9	(COMP) PYX-GAR SKARN WITH SCHEELITE	1.0	3.0	120.0	200.0	15.0
06483R	65.4500	145.8909	B-4	7	9	9	(COMP) GAR-PYX SKARN WITH SCHEELITE	0.5	-2.0	29.0	-200.0	11.0
06484R	65.4500	145.8909	B-4	7	9	9	CSG GAR DOMINANT SKARN WITH QTZ	0.5	3.0	17.0	-100.0	20.0

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
06449R	16.0	100.0	35.0	2900.0	13.6	3.0	38.0	-0.05	-400.0	NA	-70.0	8.9	3.1
06450R	-5.0	150.0	5.0	300.0	5.0	4.0	-4.0	-0.05	-200.0	NA	600.0	0.3	5.5
06452R	-5.0	250.0	6.0	14.0	0.7	1.0	-4.0	1.10	-200.0	NA	320.0	2.8	5.4
06457R	-5.0	10.0	23.0	0.5	1.0	3.0	-4.0	2.10	-200.0	NA	680.0	0.3	4.3
06459R	-5.0	250.0	1.0	2.5	1.0	5.0	-4.0	-0.05	-200.0	NA	-20.0	1.8	1.9
06460R	8.0	150.0	11.0	26.0	8.0	5.0	-4.0	1.00	-200.0	NA	130.0	0.3	14.6
06461R	-5.0	230.0	3.0	1.5	0.8	5.0	-4.0	2.30	-200.0	NA	380.0	0.2	3.8
06462R	-5.0	240.0	8.0	9.5	1.1	3.0	-4.0	1.10	-200.0	NA	420.0	0.9	9.6
06463R	-5.0	210.0	3.0	-0.5	0.4	3.0	-4.0	1.90	-200.0	NA	650.0	0.2	3.3
06464R	17.0	130.0	6.0	6.0	11.5	7.0	-4.0	1.00	-200.0	NA	170.0	0.3	12.1
06465R	22.0	70.0	19.0	-0.5	12.5	8.0	5.0	0.52	-200.0	NA	310.0	1.8	11.3
06466R	-5.0	120.0	3.0	6.0	4.8	3.0	-4.0	0.85	-200.0	NA	90.0	0.2	2.0
06467R	-5.0	80.0	2.0	12.0	1.5	-1.0	-4.0	-0.05	-200.0	NA	80.0	1.0	1.9
06468R	-5.0	130.0	-1.0	7.0	6.0	4.0	-4.0	-0.05	-200.0	NA	-20.0	3.0	5.6
06469R	8.0	40.0	2.0	68.0	2.4	3.0	-4.0	-0.05	-200.0	NA	130.0	0.9	3.3
06470R	16.0	90.0	1.0	270.0	5.0	6.0	-4.0	-0.05	-200.0	NA	30.0	2.6	5.9
06471R	17.0	40.0	2.0	53.0	9.7	12.0	6.0	2.50	-300.0	NA	-60.0	1.3	3.0
06472R	-5.0	190.0	23.0	11.0	5.5	7.0	4.0	0.11	-200.0	NA	1400.0	0.7	14.0
06473R	-5.0	180.0	16.0	71.0	5.5	5.0	21.0	0.14	-200.0	NA	1000.0	0.6	7.9
06474R	-5.0	200.0	49.0	6.0	5.2	7.0	410.0	0.28	-200.0	NA	1500.0	0.8	9.7
06475R	-5.0	70.0	42.0	5.5	1.9	-1.0	5.0	0.79	-200.0	NA	750.0	0.6	13.8
06476R	-5.0	60.0	16.0	4.0	1.3	5.0	-4.0	0.71	-200.0	NA	410.0	0.2	2.9
06477R	-5.0	140.0	59.0	4.5	6.9	3.0	59.0	1.00	-200.0	NA	1900.0	1.3	15.4
06478R	-5.0	350.0	-1.0	0.5	0.4	1.0	-4.0	0.08	-200.0	NA	-20.0	0.4	0.5
06479R	-5.0	310.0	-1.0	2.0	0.5	-1.0	-4.0	0.12	-200.0	NA	-20.0	0.3	0.7
06480R	-5.0	140.0	10.0	0.5	0.9	5.0	-4.0	0.92	-200.0	NA	950.0	1.2	1.3
06481R	18.0	130.0	9.0	310.0	11.9	4.0	6.0	0.14	-200.0	NA	-30.0	1.8	6.4
06482R	15.0	190.0	3.0	40.0	10.5	-1.0	20.0	0.07	-200.0	NA	-20.0	0.9	3.2
06483R	12.0	220.0	1.0	39.0	7.2	-1.0	20.0	-0.05	-200.0	NA	-20.0	0.4	2.7
06484R	12.0	190.0	1.0	12.0	7.4	3.0	-4.0	0.07	-200.0	NA	-20.0	0.6	10.3

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
06449R	-14.0	4000.0	-2.0	25.0	16.4	33.0	1800.0	101.0	167.0	16.3	2.4	14.7	1.8
06450R	-5.0	320.0	3.0	55.0	15.2	6.0	250.0	46.0	85.0	11.2	-0.5	10.0	1.5
06452R	-6.0	4300.0	2.0	4.7	28.0	6.0	140.0	8.0	20.0	2.4	-0.4	4.5	0.9
06457R	5.0	34.0	5.0	18.0	9.6	4.0	-70.0	21.0	44.0	5.3	-0.7	4.4	0.7
06459R	-5.0	14.0	-1.0	6.3	1.5	-4.0	50.0	15.0	36.0	2.4	0.9	0.6	0.1
06460R	-5.0	48.0	2.0	17.0	3.8	-4.0	240.0	55.0	105.0	12.4	0.9	5.5	0.8
06461R	-5.0	4.0	5.0	26.0	8.8	-4.0	120.0	24.0	62.0	7.9	-0.7	9.5	1.5
06462R	-5.0	30.0	-1.0	12.0	5.0	5.0	120.0	42.0	69.0	7.0	0.8	3.2	0.5
06463R	-5.0	-2.0	4.0	24.0	12.3	-4.0	-70.0	22.0	49.0	7.3	-0.6	8.8	1.6
06464R	-5.0	78.0	1.0	7.9	3.5	4.0	240.0	45.0	107.0	10.6	1.3	11.1	1.4
06465R	-5.0	190.0	1.0	9.1	6.2	15.0	330.0	60.0	122.0	8.8	1.9	6.8	0.9
06466R	-5.0	88.0	1.0	7.0	1.0	10.0	130.0	8.0	20.0	2.0	-0.2	1.8	0.3
06467R	-5.0	-2.0	-1.0	3.4	1.8	10.0	-50.0	18.0	28.0	2.4	1.4	1.5	0.2
06468R	-5.0	140.0	1.0	13.0	5.1	4.0	120.0	20.0	34.0	3.1	1.1	1.5	0.2
06469R	-5.0	28.0	1.0	6.3	2.2	-4.0	7200.0	20.0	35.0	2.4	1.4	2.1	0.3
06470R	-5.0	30.0	2.0	11.0	2.8	9.0	7900.0	32.0	62.0	3.4	1.3	2.9	0.5
06471R	-5.0	150.0	3.0	14.0	2.7	14.0	2100.0	17.0	40.0	2.3	1.3	2.6	0.3
06472R	-5.0	310.0	3.0	62.0	35.1	6.0	310.0	44.0	100.0	12.5	0.7	15.7	2.4
06473R	-5.0	690.0	2.0	49.0	49.0	4.0	1000.0	44.0	93.0	11.3	-0.6	13.6	2.3
06474R	-6.0	210.0	5.0	62.0	27.4	-4.0	490.0	50.0	109.0	14.0	-0.7	16.3	2.3
06475R	6.0	170.0	2.0	24.0	4.1	110.0	90.0	21.0	39.0	3.2	-0.6	3.0	0.4
06476R	36.0	46.0	1.0	38.0	8.1	18.0	70.0	23.0	46.0	5.6	-0.5	5.2	0.7
06477R	-9.0	46.0	15.0	41.0	20.8	580.0	160.0	56.0	134.0	23.2	-0.5	15.4	2.4
06478R	-5.0	-2.0	-1.0	1.6	-0.5	-4.0	-50.0	3.0	5.0	0.6	-0.2	-0.2	-0.1
06479R	-5.0	-2.0	1.0	0.8	0.7	-4.0	-50.0	3.0	4.0	0.7	0.2	1.6	0.2
06480R	-5.0	52.0	5.0	42.0	20.8	4.0	100.0	21.0	47.0	6.9	0.5	8.4	1.4
06481R	-6.0	110.0	1.0	11.0	3.2	170.0	230.0	32.0	54.0	4.6	1.6	1.3	0.2
06482R	-10.0	110.0	-1.0	3.3	1.2	2300.0	240.0	9.0	28.0	2.5	1.1	2.1	0.3
06483R	-10.0	94.0	-1.0	2.9	1.7	3200.0	200.0	7.0	29.0	2.0	1.1	1.0	0.2
06484R	-22.0	270.0	1.0	9.8	2.1	92.0	240.0	40.0	54.0	5.1	1.1	2.4	0.4

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
06485R	65.4500	145.8909	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	1.0	3.0	47.0	100.0	13.0
06486R	65.4500	145.8909	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	-0.5	-2.0	-9.0	-200.0	14.0
06487R	65.4500	145.8909	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	1.0	5.0	54.0	100.0	14.0
06488R	65.4500	145.8909	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	0.5	-2.0	-7.0	100.0	14.0
06489R	65.4499	145.8906	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	1.0	-2.0	48.0	-100.0	17.0
06593R	65.4500	145.8909	B-4	7	9	9	(COMP) RHYOLITE FLOAT/BIO HFLS CLAST	-0.5	12.0	-9.0	300.0	11.0
06594R	65.4500	145.8909	B-4	7	9	9	(COMP) QTZ VN/BRECCIA NEAR RHYOLITE	-0.5	8.0	-5.0	100.0	-0.5
06595R	65.4500	145.8909	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	-0.5	4.0	280.0	-200.0	13.0
06596R	65.4500	145.8909	B-4	7	9	9	(COMP) SKARN, MIXED TYPES	-0.5	-2.0	-9.0	-100.0	18.0
06597R	65.4499	145.8906	B-4	7	9	9	(COMP) ALT RHYOLITE PLUG	-0.5	13.0	9.0	100.0	-1.0
06598R	65.4465	145.8828	B-4	7	9	10	(COMP) MASSIVE GAR-PYX SKARN	3.0	9.0	420.0	-200.0	13.0
06599R	65.4326	146.5958	B-6	7	6	18	RUSTY QTZ VNS IN QTZT HFLS	-0.5	2.0	-5.0	200.0	-0.8
06600R	65.6359	146.7055	C-6	9	5	4	GREISEN FLOAT IN GR1 AND HFLS	9.5	7.0	-5.0	300.0	-1.1
06601R	65.6124	146.7916	C-6	9	5	18	RUSTY GREISEN IN CONTACT OF GR1 AND GR2	1.0	2.0	-5.0	200.0	-0.6
06602R	65.6148	146.7857	C-6	9	5	7	GREISEN FLOAT IN GR2 WITH FL	3.0	8.0	-5.0	-100.0	-0.9
06603R	65.4910	146.2725	B-5	8	7	27	BULL QTZ IN META-GRIT FLOAT	-0.5	-2.0	-5.0	-100.0	-0.5
06604R	65.4570	145.8815	B-4	7	9	3	RUSTY QTZ FLOAT WITH POSSIBLE SB-STAIN	-0.5	2.0	5.0	-100.0	-0.5
06605R	65.5587	146.4323	C-5	9	6	35	RUSTY BRECCIATED FELSIC PORPHYRITIC RK	5.5	15.0	5.0	300.0	-0.6
06606R	65.5587	146.4323	C-5	9	6	35	RUSTY BRECCIATED FELSIC PORPHYTITIC RK	0.5	10.0	9.0	200.0	-0.5
06611R	65.4291	146.1658	B-5	9	7	18	RUSTY QTZ MATERIAL FROM FROST BOIL	1.0	2.0	-5.0	100.0	-0.6
06612R	65.4488	146.0730	B-5	7	8	10	DARK GRAY PHYLLITE WITH RUSTY QTZ AND PY	0.5	-2.0	-5.0	-100.0	-0.5
06616R	65.4420	146.0730	B-5	7	8	10	DISCORDENT RUSTY QTZ VN IN BLACK SCHIST	-0.5	8.0	-5.0	100.0	-0.5
06617R	65.4438	146.0743	B-5	7	8	10	CONCORDEND RUSTY QTZ VN IN BLACK SCHIST	-0.5	7.0	-8.0	200.0	-1.6
06618R	65.4470	146.0826	B-5	7	8	10	CONCORDENT RUSTY QTZ VN IN GRAPH SCHIST	-0.5	-2.0	-5.0	100.0	-0.6
06619R	65.4474	146.0753	B-5	7	8	10	SMALL CONCORDENT QTZ VN IN BLACK SCHIST	-0.5	-2.0	-8.0	600.0	-1.5
06620R	65.4474	146.0753	B-5	7	8	10	BEDDED RUSTY BLACK QTZT IN MASSIVE QTZT	-0.5	-2.0	-8.0	700.0	-1.4
06621R	65.4538	146.0654	B-5	7	8	10	INTERBEDDED QTZT/GRAPH SCHIST/MICA QTZT	-0.5	21.0	-10.0	1000.0	-1.8
06622R	65.4590	146.0641	B-5	7	8	3	MINERALIZED WHITE SCHIST	-0.5	7.0	-6.0	400.0	-1.1
06623R	65.4590	146.0641	B-5	7	8	3	MINERALIZED WHITE SCHIST	-0.5	6.0	-8.0	800.0	-1.5
06624R	65.4589	146.0645	B-5	7	8	3	SULFIDE-RICH WHITE QTZT/SCHIST	-0.5	3.0	-5.0	-100.0	1.0

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
06485R	14.0	140.0	2.0	32.0	9.3	-1.0	-4.0	-0.05	-200.0	NA	-20.0	0.9	4.5
06486R	11.0	190.0	1.0	14.0	8.4	-1.0	11.0	-0.05	-200.0	NA	-20.0	0.3	4.1
06487R	14.0	130.0	5.0	50.0	9.9	-1.0	45.0	-0.05	-200.0	NA	-20.0	0.8	4.7
06488R	16.0	140.0	2.0	82.0	11.9	-1.0	4.0	-0.05	-200.0	NA	-20.0	0.2	4.2
06489R	11.0	130.0	1.0	170.0	10.7	4.0	18.0	-0.05	200.0	NA	-20.0	0.5	4.2
06593R	20.0	90.0	16.0	170.0	5.4	6.0	-4.0	0.98	-200.0	NA	90.0	0.3	23.2
06594R	-5.0	10.0	1.0	26.0	0.7	-1.0	-4.0	-0.05	-200.0	NA	-20.0	3.6	1.0
06595R	16.0	30.0	2.0	130.0	11.5	-1.0	-4.0	-0.05	-200.0	NA	-20.0	0.9	5.9
06596R	16.0	40.0	5.0	120.0	9.4	-1.0	10.0	-0.05	-200.0	NA	-30.0	1.2	9.0
06597R	-5.0	10.0	14.0	2.0	0.8	5.0	-4.0	0.08	-200.0	NA	1100.0	1.4	1.9
06598R	18.0	20.0	2.0	28.0	11.4	-1.0	8.0	-0.05	-200.0	NA	-30.0	0.6	3.4
06599R	-5.0	10.0	2.0	12.0	0.9	2.0	-4.0	0.36	-200.0	NA	-20.0	-0.2	2.2
06600R	-5.0	-10.0	9.0	400.0	8.5	7.0	17.0	-0.05	-200.0	NA	770.0	0.6	5.2
06601R	-5.0	-10.0	4.0	13.0	6.6	6.0	4.0	-0.05	-200.0	NA	420.0	0.5	6.6
06602R	5.0	-10.0	3.0	46.0	8.5	7.0	17.0	-0.05	-200.0	NA	390.0	1.0	4.4
06603R	-5.0	-10.0	-1.0	13.0	0.2	-1.0	-4.0	-0.05	-200.0	NA	-20.0	-0.2	0.2
06604R	-5.0	-10.0	-1.0	15.0	0.3	-1.0	-4.0	-0.05	-200.0	NA	-20.0	-0.2	0.4
06605R	-5.0	-10.0	15.0	-0.5	0.9	2.0	130.0	0.94	-200.0	NA	320.0	1.8	2.8
06606R	-5.0	-10.0	28.0	-0.5	0.4	1.0	-4.0	0.22	-200.0	NA	190.0	1.6	1.3
06611R	6.0	20.0	-1.0	29.0	1.8	4.0	-4.0	0.16	-200.0	28.0	50.0	0.7	2.8
06612R	-5.0	10.0	-1.0	5.0	0.3	1.0	-4.0	0.19	-200.0	-2.0	-20.0	0.2	0.5
06616R	-5.0	10.0	-1.0	19.0	1.0	1.0	-4.0	-0.05	-200.0	26.0	-20.0	2.3	1.4
06617R	10.0	30.0	-1.0	32.0	2.4	2.0	-4.0	4.00	-200.0	24.0	110.0	0.8	4.7
06618R	6.0	20.0	-1.0	31.0	2.0	1.0	-4.0	0.06	-200.0	4.0	30.0	0.4	2.9
06619R	10.0	80.0	4.0	25.0	4.4	4.0	5.0	0.12	-200.0	34.0	160.0	0.6	14.0
06620R	7.0	80.0	4.0	35.0	4.1	5.0	-4.0	0.20	-200.0	12.0	210.0	0.8	16.4
06621R	13.0	100.0	5.0	40.0	3.8	7.0	-5.0	0.22	-300.0	32.0	270.0	4.0	19.9
06622R	9.0	50.0	4.0	59.0	4.1	4.0	-4.0	0.14	-200.0	12.0	90.0	3.9	9.3
06623R	12.0	60.0	4.0	65.0	3.4	6.0	-4.0	0.62	-200.0	10.0	190.0	4.2	13.9
06624R	-5.0	10.0	1.0	8.5	0.8	1.0	-4.0	-0.05	-200.0	4.0	-20.0	5.0	1.6

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
06485R	-6.0	140.0	-1.0	4.9	1.1	950.0	220.0	15.0	19.0	-0.1	1.0	1.6	0.2
06486R	-8.0	92.0	-1.0	4.5	1.3	2000.0	200.0	12.0	36.0	2.3	0.7	1.1	-0.1
06487R	-6.0	190.0	-1.0	6.8	1.1	850.0	160.0	10.0	21.0	3.3	1.3	1.5	0.2
06488R	-6.0	150.0	1.0	5.8	1.2	710.0	310.0	12.0	25.0	1.9	0.4	0.7	0.1
06489R	-6.0	220.0	-1.0	6.1	2.6	540.0	250.0	19.0	36.0	3.5	1.3	1.3	0.3
06593R	-5.0	86.0	-1.0	17.0	3.6	6.0	190.0	53.0	93.0	9.5	1.8	4.0	0.6
06594R	-5.0	12.0	-1.0	1.4	-0.5	5.0	27.0	4.0	8.0	0.8	0.4	0.3	-0.1
06595R	16.0	120.0	-1.0	6.8	1.3	700.0	270.0	21.0	32.0	2.4	0.4	1.3	0.2
06596R	-8.0	230.0	1.0	11.0	2.4	890.0	250.0	38.0	71.0	5.1	1.0	1.8	0.3
06597R	-5.0	64.0	5.0	40.0	15.2	7.0	45.0	20.0	52.0	8.0	-0.3	11.3	1.7
06598R	-6.0	120.0	-1.0	4.1	2.5	870.0	310.0	11.0	26.0	0.9	0.7	0.9	0.2
06599R	-5.0	8.0	-1.0	4.2	1.1	-4.0	50.0	8.0	16.0	1.2	0.5	0.5	0.1
06600R	-5.0	240.0	1.0	68.0	32.7	13.0	630.0	110.0	186.0	9.5	-0.8	6.2	1.1
06601R	-5.0	210.0	2.0	59.0	20.1	7.0	420.0	35.0	76.0	8.1	0.5	11.6	1.6
06602R	-5.0	260.0	1.0	63.0	21.4	9.0	400.0	84.0	148.0	9.1	-0.6	6.5	0.9
06603R	-5.0	-2.0	-1.0	0.7	-0.5	-4.0	-50.0	1.0	-3.0	0.1	-0.2	-0.2	-0.1
06604R	-5.0	-2.0	-1.0	0.5	-0.5	9.0	-50.0	1.0	-3.0	0.1	-0.2	-0.2	-0.1
06605R	-5.0	12.0	3.0	11.0	13.5	11.0	-50.0	14.0	21.0	1.3	0.6	1.3	0.3
06606R	-5.0	4.0	1.0	8.5	3.8	-4.0	-50.0	11.0	16.0	1.0	0.3	0.8	0.1
06611R	-5.0	8.0	-1.0	4.3	1.0	-4.0	-50.0	7.0	12.0	1.7	0.3	0.6	0.1
06612R	-5.0	-2.0	-1.0	1.6	-0.5	-4.0	-50.0	1.0	-3.0	0.2	-0.2	-0.2	-0.1
06616R	-5.0	-2.0	-1.0	1.8	0.8	-4.0	-50.0	3.0	6.0	0.5	0.2	0.3	-0.1
06617R	-5.0	4.0	-2.0	9.9	2.1	-4.0	-80.0	16.0	27.0	2.7	0.6	1.1	0.2
06618R	-5.0	2.0	-1.0	2.8	-0.5	-4.0	60.0	9.0	16.0	1.5	0.2	1.1	0.1
06619R	-5.0	-2.0	1.0	12.0	2.2	-4.0	130.0	46.0	88.0	7.7	1.5	2.4	0.4
06620R	9.0	6.0	1.0	12.0	2.9	-4.0	80.0	42.0	79.0	7.4	1.6	2.6	0.5
06621R	-6.0	-2.0	1.0	13.0	3.0	7.0	110.0	57.0	100.0	8.0	1.0	2.2	0.5
06622R	-5.0	-2.0	-1.0	9.0	2.0	-4.0	180.0	26.0	45.0	4.2	0.8	2.0	0.3
06623R	-5.0	-2.0	-1.0	9.9	2.7	-4.0	70.0	42.0	69.0	6.4	1.7	2.3	0.4
06624R	-5.0	-2.0	-1.0	1.9	0.6	-4.0	-50.0	3.0	5.0	0.6	-0.2	0.3	-0.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
06625R	65.4589	146.0645	B-5	7	8	3	CONCORDENT QTZ VN IN WHITE SCHIST	-0.5	13.0	7.0	200.0	-0.8
06626R	65.4566	146.0603	B-5	7	8	3	RUSTY VUGGY QTZ-CARB VNS	-0.5	12.0	7.0	100.0	1.7
06627R	65.4590	146.0641	B-5	7	8	3	RUSTY SULFUREOUS BLACK SCHIST AND QTZT	-0.5	4.0	-10.0	800.0	-2.0
06628R	65.4417	146.0727	B-5	7	8	10	SULFIDE-BEARING LAMINATED WHITE QTZT	-0.5	-2.0	8.0	200.0	-0.8
06629R	65.4417	146.0727	B-5	7	8	10	QTZ VN WITH PY, CPY, AND ASP	1.5	-2.0	-5.0	-100.0	-0.5
14951R	65.5945	146.7510	C-6	9	5	20	(COMP) CHL ALT GRI	1.5	7.0	-5.0	200.0	-0.8
15401R	65.5922	146.7513	C-6	9	5	20	(COMP) QTZT HFLS	-0.5	6.0	-5.0	400.0	-1.0
15403R	65.4117	145.9661	B-4	7	9	30	(COMP) QTZ VN IN QTZ-MUSC SCHIST	-0.5	8.0	9.0	-100.0	-0.5
15404R	65.4136	145.9612	B-4	7	9	19	(COMP) BULL QTZ IN QTZ-MUSC-BIO SCHIST	-0.5	-2.0	-5.0	100.0	-0.5
15405R	65.4441	145.9164	B-4	7	9	9	QTZ-TM VN(?) COBBLE	-0.5	6.0	-5.0	200.0	-1.0
15406R	65.4415	145.9130	B-4	7	9	9	BULL QTZ VN	-0.5	7.0	-5.0	100.0	-0.5
15407R	65.4482	145.9198	B-4	7	9	9	(COMP) BULL QTZ VN IN SCHIST, FLOAT	-0.5	-2.0	-5.0	-100.0	-0.5
15408R	65.4482	145.9198	B-4	7	9	9	(COMP) QTZ-TM VN FLOAT	1.0	NA	NA	NA	NA
15409R	65.4482	145.9198	B-4	7	9	9	QTZ VN/SCHIST(?) COBBLE	-0.5	100.0	110.0	100.0	-0.9
15410R	65.4451	145.9083	B-4	7	9	9	QTZ-MUSC SCHIST WITH DISSIMETED SULFIDES	1.0	50.0	110.0	-100.0	-0.5
15418R	65.3709	146.5744	B-6	6	6	5	(COMP) QTZ-MUSC SEMISCHIST/QTZT	-0.5	7.0	-5.0	200.0	-0.6
15419R	65.3703	146.5638	B-6	6	6	5	(COMP) QTZ-CHL-MUSC SCHIST WITH TM(?)	-0.5	8.0	-9.0	700.0	-1.9
15421R	65.3711	146.5729	B-6	6	6	5	QTZ SEMISCHIST	-0.5	2.0	-5.0	400.0	-0.7
15423R	65.3703	146.5638	B-6	6	6	5	(COMP) QTZ SCHIST AND QTZT WITH PY	-0.5	4.0	-7.0	400.0	-1.6
15424R	65.3703	146.5638	B-6	6	6	5	(COMP) QTZ SEMISCHIST/QTZT WITH PY	-0.5	7.0	-5.0	400.0	-0.7
15425R	65.3703	146.5638	B-6	6	6	5	(COMP) QTZ SEMISCHIST/QTZT	-0.5	4.0	6.0	100.0	-1.4
15426R	65.3703	146.5638	B-6	6	6	5	FERRICRETE MATERIAL	-0.5	15.0	-8.0	500.0	-1.5
15427R	65.4549	146.5082	B-6	7	6	9	(COMP) BRECCIATED AND SIL GRI	3.0	130.0	9.0	200.0	-1.2
15428R	65.4549	146.5082	B-6	7	6	9	(COMP) LIM-STAINED AND SIL GRI	3.0	100.0	-6.0	200.0	-1.0
15429R	65.4549	146.5082	B-6	7	6	9	(COMP) CHALCEDONY VN, FEOX, AND SIL GRI	11.0	540.0	11.0	-200.0	-0.8
15430R	65.4549	146.5082	B-6	7	6	9	(COMP) CHALCEDONY, FEOX, AND SIL GRI	4.0	470.0	-8.0	100.0	-0.8
15431R	65.4549	146.5082	B-6	7	6	9	(COMP) CHALCEDONY AND SIL GRI	13.0	280.0	14.0	200.0	-0.9
15432R	65.4549	146.5082	B-6	7	6	9	(COMP) CHALCEDONY AND SIL GRI FROM PIT	8.0	89.0	17.0	200.0	-1.0
15433R	65.4549	146.5082	B-6	7	6	9	(COMP) SIL GRI AND FELSIC DIKE	9.0	60.0	57.0	-100.0	-0.8
15434R	65.4549	146.5082	B-6	7	6	9	(COMP) SIL FELSITE AND SIL GRI	4.0	65.0	41.0	100.0	-0.9

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
06625R	-5.0	20.0	2.0	16.0	2.4	5.0	-4.0	-0.05	-200.0	4.0	20.0	4.4	2.0
06626R	-5.0	10.0	1.0	20.0	1.5	2.0	-4.0	-0.05	-200.0	4.0	-20.0	3.5	1.8
06627R	16.0	90.0	3.0	43.0	5.0	6.0	6.0	0.67	-300.0	10.0	180.0	2.2	17.3
06628R	-5.0	20.0	-1.0	260.0	0.5	3.0	-4.0	0.55	-200.0	6.0	30.0	0.2	1.4
06629R	-5.0	10.0	-1.0	1500.0	0.3	1.0	-4.0	-0.05	-200.0	40.0	-20.0	-0.2	0.1
14951R	-5.0	-10.0	4.0	24.0	9.5	5.0	13.0	0.06	-200.0	NA	200.0	1.6	4.6
15401R	-5.0	30.0	3.0	13.0	1.7	3.0	-4.0	0.37	-200.0	NA	160.0	0.4	5.8
15403R	-5.0	310.0	-1.0	2.5	0.4	-1.0	-4.0	-0.05	-200.0	NA	-20.0	1.0	0.7
15404R	-5.0	260.0	1.0	7.5	1.2	1.0	-4.0	0.06	-200.0	NA	20.0	0.5	1.3
15405R	7.0	140.0	3.0	23.0	2.3	2.0	-4.0	0.40	-200.0	NA	100.0	0.4	8.6
15406R	-5.0	240.0	2.0	11.0	0.6	-1.0	-4.0	0.06	-200.0	NA	20.0	0.5	1.6
15407R	-5.0	-10.0	-1.0	18.0	0.2	-1.0	-4.0	-0.05	-200.0	NA	-20.0	-0.2	0.5
15408R	NA	NA	NA	200.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
15409R	7.0	160.0	3.0	28.0	2.4	-1.0	6.0	0.35	-200.0	NA	-20.0	0.5	13.1
15410R	-5.0	290.0	-1.0	530.0	0.9	-1.0	-4.0	-0.05	-200.0	NA	-20.0	2.0	1.6
15418R	-5.0	20.0	2.0	6.5	2.4	6.0	-4.0	0.84	-200.0	NA	40.0	0.4	4.2
15419R	-5.0	80.0	4.0	13.0	3.2	5.0	-4.0	0.71	-200.0	NA	200.0	0.8	15.8
15421R	5.0	30.0	2.0	13.0	2.7	7.0	-4.0	1.20	-200.0	NA	70.0	1.1	6.3
15423R	7.0	50.0	3.0	29.0	2.6	7.0	-4.0	1.10	-200.0	NA	100.0	0.4	7.9
15424R	-5.0	50.0	3.0	15.0	2.7	7.0	-4.0	0.84	-200.0	NA	140.0	1.6	8.0
15425R	-5.0	40.0	2.0	8.5	2.0	10.0	-4.0	1.00	-200.0	NA	50.0	0.9	5.5
15426R	8.0	50.0	4.0	17.0	9.9	4.0	9.0	0.58	-200.0	NA	100.0	2.6	10.0
15427R	-5.0	10.0	7.0	5.0	1.1	3.0	-4.0	0.10	-200.0	NA	310.0	15.0	3.1
15428R	-5.0	10.0	7.0	4.0	0.5	2.0	7.0	0.06	-200.0	NA	300.0	18.0	2.8
15429R	-5.0	-10.0	5.0	10.0	0.8	1.0	-4.0	-0.05	-200.0	NA	90.0	56.0	1.6
15430R	-5.0	-10.0	7.0	6.5	1.6	1.0	4.0	-0.05	-200.0	NA	100.0	50.0	1.9
15431R	-5.0	10.0	6.0	7.0	1.2	2.0	-4.0	-0.05	-200.0	NA	110.0	37.0	3.0
15432R	-5.0	10.0	7.0	7.5	1.0	2.0	-4.0	-0.05	-200.0	NA	160.0	70.0	3.2
15433R	-5.0	10.0	8.0	4.0	0.7	2.0	-4.0	-0.05	-200.0	NA	170.0	53.0	2.4
15434R	-5.0	10.0	13.0	5.0	0.8	2.0	-4.0	-0.05	-200.0	NA	150.0	9.6	2.4

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
06625R	-5.0	-2.0	-1.0	5.3	1.4	-4.0	-50.0	11.0	16.0	1.7	0.7	0.7	0.1
06626R	-5.0	-2.0	-1.0	1.6	-0.5	-4.0	-50.0	4.0	7.0	1.0	0.3	0.7	0.1
06627R	-8.0	-2.0	3.0	15.0	2.5	6.0	-50.0	55.0	105.0	8.3	1.6	3.0	0.4
06628R	-5.0	-2.0	-1.0	3.4	0.8	-4.0	-50.0	7.0	14.0	1.2	-0.3	0.4	0.1
06629R	-5.0	-2.0	-1.0	-0.5	-0.5	-4.0	-50.0	-1.0	-3.0	0.1	0.2	-0.2	-0.1
14951R	13.0	100.0	1.0	34.0	7.8	11.0	530.0	66.0	121.0	7.7	-0.6	5.2	0.7
15401R	-5.0	10.0	-1.0	6.6	1.6	6.0	-31.0	17.0	27.0	2.6	0.6	0.9	0.2
15403R	-5.0	-2.0	-1.0	1.1	-0.5	-4.0	-50.0	3.0	4.0	0.5	-0.2	0.2	-0.1
15404R	-5.0	4.0	2.0	2.0	0.6	-4.0	-50.0	9.0	13.0	1.7	0.9	2.1	0.3
15405R	-5.0	28.0	-1.0	11.0	1.7	6.0	70.0	28.0	54.0	5.6	0.6	1.4	0.3
15406R	-5.0	-2.0	-1.0	0.8	-0.5	-4.0	-50.0	2.0	-3.0	0.4	-0.2	0.3	-0.1
15407R	-5.0	-2.0	-1.0	-0.5	-0.5	-4.0	-0.5	-1.0	-3.0	0.1	-0.2	-0.2	-0.1
15408R	NA	70.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
15409R	-5.0	4.0	-1.0	6.0	1.8	29.0	50.0	18.0	37.0	4.1	0.5	1.3	0.2
15410R	-5.0	48.0	-1.0	0.6	-0.5	170.0	-50.0	1.0	-3.0	0.3	0.2	0.3	-0.1
15418R	-5.0	6.0	-1.0	7.6	1.6	-4.0	-50.0	18.0	35.0	1.9	1.3	1.2	0.2
15419R	-5.0	4.0	-2.0	14.0	2.1	-4.0	100.0	58.0	104.0	8.1	1.4	2.4	0.4
15421R	-5.0	4.0	-1.0	11.0	2.1	-4.0	-50.0	24.0	46.0	2.6	-0.2	1.4	0.2
15423R	-5.0	-2.0	-1.0	11.0	2.5	-4.0	70.0	25.0	39.0	3.9	-0.6	1.9	0.3
15424R	-5.0	-2.0	-1.0	11.0	2.7	-4.0	80.0	26.0	43.0	2.6	-0.5	1.4	0.2
15425R	-5.0	2.0	2.0	13.0	2.6	-4.0	-50.0	25.0	45.0	3.9	-0.5	1.4	0.3
15426R	-5.0	-2.0	-1.0	11.0	3.2	-4.0	80.0	34.0	66.0	6.1	0.7	2.3	0.3
15427R	-5.0	14.0	-1.0	15.0	5.4	5.0	59.0	22.0	40.0	4.0	0.8	2.3	0.3
15428R	-5.0	12.0	-1.0	12.0	6.1	4.0	47.0	22.0	56.0	3.9	-0.3	2.1	0.4
15429R	-5.0	-2.0	1.0	6.2	5.5	-4.0	-19.0	11.0	20.0	1.9	-0.3	1.2	0.1
15430R	-5.0	-2.0	-1.0	5.8	3.5	-4.0	-19.0	11.0	16.0	1.8	-0.4	0.9	0.1
15431R	-5.0	-2.0	-1.0	6.6	1.7	-4.0	-21.0	16.0	25.0	2.2	0.5	0.7	0.1
15432R	-5.0	-2.0	-1.0	5.7	1.9	5.0	25.0	13.0	24.0	2.1	-0.4	0.6	0.1
15433R	-5.0	8.0	1.0	6.4	3.3	9.0	-24.0	11.0	21.0	2.0	-0.3	1.1	0.1
15434R	-5.0	10.0	-1.0	8.6	3.8	-4.0	-20.0	13.0	24.0	2.2	-0.4	1.3	0.2

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
15435R	-5.0	20.0	11.0	9.0	1.4	1.0	-4.0	-0.05	-200.0	NA	200.0	14.0	3.5
15436R	-5.0	20.0	10.0	8.0	1.7	2.0	-4.0	-0.05	-200.0	NA	240.0	14.0	3.4
15437R	-5.0	20.0	11.0	13.0	1.7	3.0	4.0	0.05	-200.0	NA	190.0	7.4	3.4
15438R	16.0	80.0	4.0	91.0	4.4	4.0	-4.0	0.98	-300.0	NA	180.0	6.4	15.7
15442R	-5.0	10.0	7.0	17.0	0.7	1.0	-4.0	0.08	-200.0	NA	440.0	1.2	1.9
15443R	-5.0	-10.0	2.0	1.0	0.5	2.0	-4.0	2.90	-200.0	NA	100.0	0.4	2.8
15444R	-5.0	-10.0	3.0	9.5	1.1	2.0	-4.0	2.40	-200.0	NA	110.0	1.0	4.2
15445R	-5.0	-10.0	2.0	13.0	0.4	2.0	-4.0	4.30	-300.0	NA	-70.0	0.2	2.5
15447R	-5.0	-10.0	24.0	3.0	1.0	-1.0	-4.0	1.40	-200.0	NA	700.0	0.4	2.8
15463R	-5.0	-10.0	10.0	1.0	0.8	-1.0	-4.0	1.50	-200.0	NA	500.0	-0.2	3.5
15464R	-5.0	-10.0	10.0	1.5	0.8	3.0	-4.0	2.00	-200.0	NA	730.0	-0.2	3.6
15465R	6.0	50.0	13.0	260.0	3.7	4.0	-4.0	1.10	-200.0	NA	500.0	0.8	10.6
15466R	10.0	-10.0	15.0	14.0	1.0	3.0	-4.0	2.70	-200.0	NA	700.0	-0.2	3.4
15471R	-5.0	-10.0	3.0	4.5	1.0	3.0	-4.0	3.20	-200.0	NA	380.0	-0.2	3.3
15472R	-5.0	-10.0	5.0	1000.0	6.1	-1.0	-4.0	0.16	-200.0	NA	270.0	36.0	4.3
15473R	35.0	550.0	-1.0	94.0	6.3	3.0	-4.0	2.30	-300.0	NA	-50.0	0.4	39.7
15475R	12.0	50.0	14.0	19.0	3.3	3.0	-4.0	1.30	-200.0	NA	110.0	0.4	10.6
15476R	-5.0	40.0	2.0	22.0	2.2	3.0	-4.0	0.47	-200.0	NA	40.0	0.2	9.1
15477R	-5.0	10.0	3.0	1.5	1.2	3.0	-4.0	2.00	-200.0	NA	400.0	0.3	3.0
15478R	6.0	50.0	5.0	22.0	2.9	3.0	-4.0	1.10	-200.0	NA	120.0	-0.2	9.2
15479R	-5.0	10.0	10.0	5.5	1.0	2.0	-4.0	1.90	-200.0	NA	440.0	-0.2	5.0
15480R	15.0	40.0	2.0	150.0	8.5	-1.0	-4.0	0.14	-200.0	NA	-20.0	0.7	8.0
15481R	5.0	30.0	1.0	60.0	1.6	-1.0	-4.0	0.25	-200.0	NA	40.0	0.7	7.2
15482R	-5.0	-10.0	9.0	14.0	0.6	5.0	-4.0	2.40	-200.0	NA	550.0	0.4	1.0
15483R	9.0	70.0	11.0	44.0	2.8	4.0	-4.0	0.14	-200.0	NA	220.0	0.4	16.2
15484R	-5.0	10.0	4.0	130.0	2.8	3.0	-4.0	0.17	-200.0	NA	60.0	1.6	2.0
15485R	-5.0	10.0	1.0	9.5	1.4	3.0	-4.0	0.09	-200.0	NA	20.0	0.2	2.2
15486R	-5.0	-10.0	12.0	6.0	0.9	2.0	-4.0	2.10	-200.0	NA	410.0	0.2	3.0
15488R	5.0	120.0	4.0	34.0	3.1	5.0	-4.0	1.10	-300.0	10.0	240.0	0.8	-6.0
15489R	-5.0	10.0	3.0	11.0	2.1	4.0	-6.0	0.18	200.0	30.0	120.0	16.0	6.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
15435R	65.4549	146.5082	B-6	7	6	9	(COMP) FELSITE DIKE	8.5	120.0	32.0	100.0	-0.8
15436R	65.4549	146.5082	B-6	7	6	9	(COMP) ALT AND SIL FELSITE	9.5	57.0	31.0	100.0	-0.9
15437R	65.4549	146.5082	B-6	7	6	9	(COMP) FRESH AND ALT FELSITE	1.5	71.0	59.0	100.0	-0.9
15438R	65.4549	146.5082	B-6	7	6	4	(COMP) LIM-STAINED QTZT HFLS WITH PY	0.5	2.0	-9.0	700.0	4.9
15442R	65.4474	146.4153	B-5	7	6	12	(COMP) CLAY-ALT GR2 BRECCIA	0.5	47.0	-5.0	100.0	2.7
15443R	65.4474	146.4153	B-5	7	6	12	APHANITIC FELSIC PORPHYRY	0.5	-2.0	-5.0	200.0	-0.8
15444R	65.4495	146.4159	B-5	7	6	12	(COMP) FELSITE BRECCIA WITH QTZ AND FL	-0.5	4.0	-6.0	-100.0	-1.6
15445R	65.4495	146.4159	B-5	7	6	12	FELSIC DIKE	1.0	3.0	-8.0	-100.0	-2.1
15447R	65.4496	146.4275	B-5	7	6	12	CHL GREISEN VLTS IN GR1 FLOAT	-0.5	960.0	-11.0	100.0	-1.3
15463R	65.4703	146.4554	B-5	8	6	35	APLITE WITH TM AND MUSC	-0.5	25.0	-6.0	100.0	-1.2
15464R	65.4697	146.4622	B-5	7	6	2	(COMP) PERVASIVELY ALT GR2	-0.5	5.0	-7.0	300.0	-1.7
15465R	65.4712	146.4688	B-5	8	6	35	RECRYSTALLIZED COUNTRY RK IN GR2 DIKE	1.0	13.0	-7.0	300.0	-1.5
15466R	65.4713	146.4682	B-5	8	6	35	TM-RICH GR2 DIKE	-0.5	2.0	-7.0	200.0	-1.6
15471R	65.4259	146.4249	B-5	7	6	24	ALT ORANGE-WEATHERED FELSITE	1.0	11.0	-7.0	200.0	-1.8
15472R	65.5924	146.7874	C-6	9	5	19	(COMP) GR1 WITH INTENSE FE/MNOX-STAIN	15.0	560.0	-10.0	400.0	-1.7
15473R	65.6447	146.8368	C-6	10	4	36	GREENSTONE OR METAGRAYWACKE WITH PY	-0.5	-2.0	-10.0	300.0	5.9
15475R	65.4223	146.4094	B-5	7	6	24	(COMP) TM VN/BRECCIA IN QTZT	-0.5	5.0	-7.0	400.0	1.7
15476R	65.4276	146.4164	B-5	7	6	13	TM VN/BRECCIA IN QTZ-MICA SCHIST	-0.5	2.0	-5.0	-100.0	-0.7
15477R	65.4291	146.4216	B-5	7	6	13	(COMP) MNOX-STAINED GR2 TALUS	1.0	-2.0	-7.0	300.0	-1.7
15478R	65.4304	146.4181	B-5	7	6	13	(COMP) TM VNS IN HFLS	-0.5	26.0	9.0	300.0	-1.4
15479R	65.4608	146.4755	B-5	7	6	3	(COMP) TM GREISEN VN IN GR1	-0.5	-2.0	-7.0	200.0	-1.6
15480R	65.4594	145.8656	B-4	7	9	3	(COMP) CALC-SIL SKARN	0.5	3.0	-5.0	200.0	8.9
15481R	65.4646	145.8779	B-4	7	9	3	(COMP) TM AND QTZ IN QTZ-BIO SCHIST	1.5	38.0	170.0	100.0	-0.5
15482R	65.4730	145.8805	B-4	8	9	34	(COMP) RHYOLITE CHIPS	1.0	9.0	-5.0	100.0	-0.9
15483R	65.5628	146.3704	C-5	9	7	31	FE-WEATHERING GR2 GREISEN FLOAT	-0.5	6.0	-6.0	800.0	-0.8
15484R	65.5636	146.3566	C-5	9	7	31	GREISEN VNS WITH SULFIDES IN QTZ SCHIST	2.0	290.0	6.0	-100.0	-0.5
15485R	65.4422	145.8474	B-4	7	9	11	QTZ-FE VNS IN TALUS	-0.5	2.0	-5.0	200.0	0.6
15486R	65.4719	146.4731	B-5	8	6	34	QTZ PORPHYRY WITH TM CLOTS	-0.5	6.0	-5.0	200.0	-0.8
15488R	65.3592	146.5050	B-6	6	6	10	BLACK SCHIST	-0.5	10.0	-14.0	900.0	-2.3
15489R	65.4067	146.2780	B-5	7	7	27	FE-STAINED BIO-HBL GR2	-0.5	1100.0	-14.0	800.0	-1.5

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
15435R	-6.0	12.0	-1.0	-0.5	4.9	-4.0	23.0	14.0	28.0	2.6	0.6	1.3	0.2
15436R	-5.0	10.0	-1.0	7.3	3.3	-4.0	-23.0	15.0	22.0	2.6	-0.3	1.2	0.2
15437R	-5.0	8.0	-1.0	6.9	2.8	-4.0	-20.0	15.0	32.0	2.6	0.4	1.5	0.2
15438R	-5.0	8.0	-2.0	19.0	4.3	-4.0	70.0	54.0	98.0	9.2	1.2	3.6	0.6
15442R	-5.0	24.0	2.0	7.7	31.4	-4.0	35.0	7.0	18.0	2.7	-0.3	3.0	0.8
15443R	-5.0	14.0	1.0	9.5	11.1	-4.0	-50.0	5.0	14.0	1.2	-0.6	2.7	0.4
15444R	-5.0	24.0	5.0	8.6	20.6	-4.0	-80.0	8.0	17.0	2.6	-0.6	2.8	0.6
15445R	-5.0	64.0	4.0	12.0	18.8	5.0	-110.0	12.0	30.0	3.8	-0.8	3.3	0.8
15447R	-11.0	1200.0	5.0	15.0	27.5	370.0	-70.0	16.0	39.0	4.7	-0.5	4.1	0.8
15463R	-5.0	94.0	16.0	8.9	9.9	76.0	-70.0	4.0	11.0	1.6	-0.5	0.7	0.2
15464R	10.0	62.0	6.0	22.0	17.5	5.0	-80.0	20.0	46.0	6.8	-0.6	6.8	1.2
15465R	-7.0	190.0	7.0	18.0	13.8	16.0	260.0	39.0	62.0	6.8	0.6	3.0	0.7
15466R	-5.0	36.0	4.0	16.0	17.5	-4.0	-90.0	13.0	27.0	4.1	-0.7	4.5	0.9
15471R	-5.0	30.0	5.0	19.0	13.6	-4.0	-90.0	21.0	45.0	4.3	-0.7	3.2	0.6
15472R	-6.0	150.0	-1.0	31.0	67.0	51.0	3100.0	83.0	121.0	21.8	1.0	14.1	2.8
15473R	-5.0	-2.0	-2.0	1.5	-0.9	-5.0	170.0	18.0	34.0	4.3	1.0	1.5	0.2
15475R	-5.0	330.0	-1.0	12.0	1.8	7.0	80.0	23.0	51.0	3.8	0.7	2.0	0.3
15476R	-5.0	190.0	1.0	8.3	2.5	5.0	80.0	5.0	9.0	1.2	-0.3	1.4	0.2
15477R	-5.0	22.0	5.0	19.0	17.0	6.0	-70.0	27.0	50.0	5.2	0.8	2.6	0.5
15478R	-6.0	320.0	-1.0	11.0	2.4	4.0	-60.0	26.0	52.0	4.2	0.7	1.2	0.3
15479R	-7.0	84.0	3.0	16.0	4.3	4.0	-70.0	29.0	57.0	6.1	1.0	2.3	0.4
15480R	-5.0	320.0	1.0	8.6	2.1	580.0	150.0	36.0	49.0	3.2	0.8	1.3	0.2
15481R	-5.0	18.0	-1.0	4.6	1.6	100.0	-50.0	15.0	27.0	2.0	0.7	0.9	0.1
15482R	-5.0	110.0	4.0	24.0	9.0	-4.0	-50.0	9.0	34.0	3.6	-0.6	10.0	1.3
15483R	32.0	14.0	-1.0	18.0	7.7	25.0	60.0	65.0	99.0	6.7	1.5	2.8	0.4
15484R	-5.0	16.0	-1.0	4.4	1.1	270.0	-50.0	7.0	12.0	0.8	-0.2	0.4	0.1
15485R	-5.0	14.0	-1.0	4.7	1.0	-4.0	-50.0	14.0	26.0	1.6	0.4	0.8	0.1
15486R	5.0	-2.0	3.0	13.0	7.7	6.0	-50.0	14.0	29.0	2.4	-0.6	3.6	0.5
15488R	-6.0	4.0	-1.0	22.0	4.6	-11.0	120.0	77.0	118.0	10.8	1.4	2.3	0.5
15489R	-6.0	-2.0	-1.0	15.0	3.4	-4.0	60.0	43.0	68.0	6.1	1.5	1.2	0.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
15500R	65.4475	146.0747	B-5	7	8	10	(CHAN) FELSIC SCHIST WITH .1% SULFIDE	-0.5	21.0	-5.0	100.0	-0.8
15501R	65.4474	146.0753	B-5	7	8	10	(CHAN) FELSIC SCHIST AND QTZ-BIO SCHIST	-0.5	51.0	14.0	100.0	-0.8
15502R	65.4474	146.0753	B-5	7	8	10	(CHAN) GRAPH SCHIST WITH 2% PY	-0.5	28.0	-9.0	600.0	-1.4
15503R	65.4474	146.0753	B-5	7	8	10	(CHAN) GRAPH SCHIST WITH 2% PY	-0.5	25.0	-8.0	500.0	-1.3
15504R	65.4474	146.0753	B-5	7	8	10	(CHAN) SCHIST	-0.5	7.0	-5.0	300.0	-0.8
15505R	65.4474	146.0753	B-5	7	8	10	(CHAN) TALC SCHIST WITH 1% FEOX	-0.5	38.0	-10.0	700.0	4.7
15506R	65.4474	146.0753	B-5	7	8	10	(CHAN) FELSIC SCHIST AND TALC SCHIST	-0.5	17.0	-7.0	400.0	-1.3
15520R	65.5917	146.9244	C-6	9	4	21	ALT GR2 AND POSSIBLE QTZT BRECCIA	0.5	10.0	-5.0	200.0	-0.8
15521R	65.5917	146.9244	C-6	9	4	21	QTZT HFLS	2.5	11.0	-5.0	200.0	-0.5
15522R	65.5917	146.9244	C-6	9	4	21	(COMP) QTZ-FL VNS IN GR2	1.0	2.0	-5.0	200.0	-0.6
15523R	65.5917	146.9241	C-6	9	4	21	(COMP) FE-STAINED HFLS ADJACENT PLUTON	-0.5	16.0	-5.0	900.0	-0.7
15524R	65.5917	146.9241	C-6	9	4	21	(COMP) FE-STAINED HFLS ADJACENT PLUTON	-0.5	6.0	-5.0	600.0	-0.7
15525R	65.5917	146.9244	C-6	9	4	21	(COMP) FE-STAINED HFLS ADJACENT PLUTON	-0.5	4.0	-5.0	900.0	0.9
15526R	65.5917	146.9241	C-6	9	4	21	(COMP) FE-STAINED HFLS ADJACENT PLUTON	-0.5	9.0	-5.0	1100.0	-0.8
15527R	65.5917	146.9241	C-6	9	4	21	(COMP) FE-STAINED HFLS ADJACENT PLUTON	-0.5	3.0	-5.0	900.0	-0.8
15528R	65.5917	146.9244	C-6	9	4	21	(COMP) FE-STAINED HFLS ADJACENT PLUTON	-0.5	4.0	-5.0	200.0	-0.6
15529R	65.5917	146.9244	C-6	9	4	21	CHL-QTZ-FL GREISEN VNS IN GR1	1.0	13.0	6.0	200.0	-0.7
15530R	65.5917	146.9244	C-6	9	4	21	CHL-QTZ-FL GREISEN VNS IN GR1	1.0	-2.0	-5.0	300.0	-0.8
15531R	65.5917	146.9244	C-6	9	4	21	CHL-QTZ-FL GREISEN VNS IN GR1	0.5	30.0	9.0	300.0	-0.7
15532R	65.5917	146.9244	C-6	9	4	21	CHL-QTZ-FL GREISEN VNS IN GR1	1.0	11.0	5.0	300.0	1.1
15559R	65.4465	145.8831	B-4	7	9	10	(COMP) DARK LAYERED GAR-PYX RK	1.0	5.0	30.0	100.0	8.5
15562R	65.6247	146.6589	C-6	9	5	11	CHL-AMPH ALT PYX-GAR SKARN/HFLS	0.5	3.0	-5.0	100.0	9.9
15563R	65.6247	146.6589	C-6	9	5	11	(COMP) LAYERED PYX-GAR HFLS WITH CHL VLT	-0.5	-2.0	-5.0	800.0	14.0
15564R	65.6281	146.7108	C-6	9	5	9	(COMP) QTZ VN WITH VERY CSG CHL	-0.5	-2.0	-6.0	700.0	-1.1
15565R	65.6281	146.7108	C-6	9	5	9	(COMP) CHL VLTS IN WALL RK	-0.5	-2.0	-6.0	200.0	-1.1
15566R	65.6281	146.7108	C-6	9	5	9	(COMP) QTZ-CHL GREISEN ZONE	2.0	-2.0	-9.0	-400.0	-1.3
15567R	65.6281	146.7108	C-6	9	5	9	(COMP) QTZ-CHL GREISEN ZONE	0.5	-2.0	-5.0	100.0	-0.9
15568R	65.6281	146.7108	C-6	9	5	9	(COMP) NORTH-DIPPING EARLY VN	1.0	3.0	-6.0	400.0	-1.1
15569R	65.6281	146.7108	C-6	9	5	9	(COMP) SOUTH-DIPPING LATE VN WITH MUSC	12.0	-2.0	-6.0	400.0	2.6
15570R	65.6281	146.7108	C-6	9	5	9	(COMP) QTZ-CHL-TZ(?) GREISEN ZONE	2.0	-2.0	11.0	200.0	-0.9

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
15500R	-5.0	20.0	1.0	9.5	0.7	3.0	-4.0	0.12	-200.0	6.0	40.0	1.9	2.5
15501R	-5.0	30.0	1.0	10.0	0.8	3.0	-4.0	0.11	-200.0	6.0	40.0	2.1	2.8
15502R	20.0	80.0	4.0	65.0	3.8	5.0	5.0	0.32	-200.0	14.0	150.0	1.2	13.8
15503R	12.0	70.0	4.0	49.0	3.1	4.0	-4.0	0.30	200.0	8.0	150.0	1.5	12.4
15504R	5.0	20.0	-1.0	12.0	0.9	3.0	-4.0	-0.05	-200.0	6.0	-20.0	0.9	2.6
15505R	25.0	50.0	3.0	71.0	3.4	4.0	19.0	0.25	-200.0	24.0	150.0	1.8	11.8
15506R	9.0	50.0	2.0	28.0	1.9	4.0	-4.0	0.09	-200.0	10.0	80.0	1.2	6.6
15520R	-5.0	-10.0	2.0	8.5	0.8	2.0	-4.0	1.50	-200.0	NA	380.0	1.5	2.9
15521R	6.0	20.0	5.0	44.0	4.4	4.0	-4.0	0.34	-200.0	NA	110.0	5.9	4.2
15522R	-5.0	-10.0	-1.0	8.5	0.2	2.0	-4.0	1.10	-200.0	NA	160.0	2.1	1.2
15523R	9.0	80.0	19.0	57.0	4.0	4.0	5.0	0.33	-200.0	NA	320.0	1.4	16.4
15524R	8.0	50.0	9.0	46.0	3.9	5.0	6.0	0.62	-200.0	NA	290.0	0.3	10.3
15525R	9.0	80.0	13.0	22.0	3.9	4.0	-4.0	0.51	200.0	NA	360.0	0.7	16.5
15526R	10.0	80.0	12.0	25.0	3.9	3.0	-4.0	0.47	-200.0	NA	380.0	1.2	17.0
15527R	11.0	70.0	7.0	21.0	3.8	3.0	-4.0	0.43	-200.0	NA	350.0	1.4	16.3
15528R	9.0	40.0	4.0	19.0	2.5	4.0	-4.0	0.57	-200.0	NA	200.0	0.5	6.7
15529R	-5.0	-10.0	4.0	0.5	4.1	4.0	-4.0	0.25	-200.0	NA	240.0	1.3	5.7
15530R	-5.0	-10.0	6.0	-0.5	4.3	4.0	5.0	0.16	-200.0	NA	370.0	1.0	5.1
15531R	5.0	-10.0	5.0	3.5	3.8	2.0	-4.0	0.12	-200.0	NA	250.0	3.4	5.1
15532R	5.0	-10.0	8.0	-0.5	4.0	4.0	-4.0	0.26	-200.0	NA	420.0	1.9	4.6
15559R	13.0	20.0	1.0	31.0	7.9	-1.0	-4.0	0.07	-200.0	NA	-20.0	0.9	5.7
15562R	14.0	40.0	3.0	0.5	8.6	2.0	-4.0	0.06	-200.0	NA	30.0	0.7	7.4
15563R	8.0	50.0	37.0	5.5	3.0	3.0	-4.0	0.56	-200.0	NA	30.0	1.9	9.0
15564R	-5.0	-10.0	3.0	1.0	1.2	4.0	-4.0	1.50	-200.0	NA	400.0	0.2	6.5
15565R	-5.0	-10.0	10.0	1.0	1.5	6.0	-4.0	2.10	-200.0	NA	800.0	-0.2	1.5
15566R	-5.0	-10.0	104.0	100.0	18.3	14.0	14.0	0.28	-300.0	NA	3700.0	1.8	30.9
15567R	-5.0	10.0	28.0	27.0	7.0	7.0	9.0	-0.05	-200.0	NA	1200.0	0.6	6.4
15568R	-5.0	10.0	22.0	30.0	3.6	6.0	-4.0	2.30	-200.0	NA	1100.0	0.3	10.4
15569R	-5.0	-10.0	3.0	62.0	1.2	-1.0	-4.0	2.80	-200.0	NA	480.0	0.2	5.0
15570R	-5.0	-10.0	37.0	15.0	5.0	8.0	63.0	0.19	-200.0	NA	1200.0	0.6	9.0

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
15500R	-5.0	-2.0	-1.0	4.3	1.2	-4.0	-50.0	11.0	23.0	1.8	0.7	0.8	0.1
15501R	-5.0	-2.0	-1.0	4.0	1.7	-4.0	-50.0	12.0	21.0	1.8	0.9	0.6	0.1
15502R	-5.0	4.0	-1.0	6.8	2.4	-5.0	-50.0	31.0	51.0	5.1	1.0	1.7	0.2
15503R	-6.0	-2.0	-1.0	6.5	2.2	-5.0	70.0	26.0	45.0	4.5	0.9	1.4	0.3
15504R	-5.0	-2.0	-1.0	5.3	0.9	-4.0	-50.0	13.0	23.0	2.1	-0.3	0.9	0.1
15505R	-6.0	-2.0	-1.0	12.0	8.9	-5.0	120.0	44.0	88.0	7.4	1.8	3.5	0.5
15506R	-6.0	-2.0	1.0	8.3	2.5	-4.0	80.0	23.0	39.0	3.7	0.8	1.1	0.2
15520R	5.0	-2.0	1.0	19.0	13.1	-4.0	-50.0	19.0	52.0	5.4	-0.5	8.7	1.2
15521R	-5.0	28.0	-1.0	6.3	8.3	11.0	370.0	19.0	34.0	2.1	0.8	2.1	0.3
15522R	-5.0	-2.0	1.0	11.0	8.0	-4.0	-50.0	11.0	31.0	3.6	-0.4	6.6	0.9
15523R	-5.0	14.0	-1.0	17.0	4.4	4.0	70.0	58.0	99.0	5.8	1.3	2.9	0.3
15524R	-5.0	26.0	-1.0	12.0	3.1	5.0	60.0	39.0	67.0	4.3	1.1	2.5	0.3
15525R	-5.0	30.0	1.0	17.0	3.7	-4.0	90.0	61.0	96.0	6.0	1.4	2.5	0.4
15526R	-5.0	-2.0	-1.0	17.0	4.1	4.0	60.0	61.0	104.0	6.5	1.6	3.1	0.4
15527R	-5.0	36.0	-1.0	17.0	5.1	9.0	50.0	62.0	104.0	6.1	1.5	2.9	0.4
15528R	-5.0	22.0	-1.0	8.9	1.6	5.0	-50.0	23.0	44.0	2.4	0.8	1.5	0.2
15529R	-5.0	88.0	1.0	31.0	13.6	6.0	110.0	62.0	129.0	8.8	0.7	7.9	1.0
15530R	-5.0	86.0	1.0	27.0	11.6	7.0	180.0	53.0	123.0	8.9	-0.5	11.2	1.4
15531R	-5.0	40.0	-1.0	20.0	14.8	-4.0	110.0	46.0	74.0	6.3	-0.5	4.2	0.6
15532R	-5.0	110.0	1.0	29.0	13.2	5.0	100.0	60.0	129.0	9.6	-0.6	10.8	1.4
15559R	-5.0	210.0	1.0	6.1	1.6	540.0	190.0	18.0	32.0	2.1	1.2	1.5	0.2
15562R	-5.0	56.0	-1.0	2.4	1.5	-4.0	240.0	26.0	43.0	2.9	1.3	3.2	0.3
15563R	-5.0	68.0	-1.0	8.9	3.3	-4.0	150.0	46.0	71.0	3.7	1.4	1.8	0.2
15564R	-6.0	56.0	11.0	39.0	24.9	4.0	140.0	75.0	202.0	26.1	-0.8	27.6	3.4
15565R	220.0	26.0	2.0	59.0	10.8	99.0	-50.0	48.0	99.0	8.0	-0.8	9.4	1.2
15566R	-6.0	110.0	20.0	150.0	26.5	11.0	830.0	94.0	174.0	11.0	-0.8	5.8	1.0
15567R	-5.0	130.0	4.0	78.0	13.5	6.0	330.0	73.0	139.0	9.0	-0.6	8.2	1.1
15568R	-5.0	92.0	5.0	61.0	21.6	-4.0	380.0	42.0	93.0	9.2	-0.7	10.8	1.5
15569R	6.0	48.0	2.0	38.0	25.8	-4.0	140.0	31.0	73.0	8.8	-0.8	11.4	1.6
15570R	-5.0	130.0	4.0	59.0	23.7	120.0	200.0	59.0	116.0	11.3	-0.4	11.8	1.5

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
15571R	65.6280	146.7106	C-6	9	5	9	ALT DIKE	-0.5	-2.0	-7.0	400.0	6.6
15572R	65.6280	146.7106	C-6	9	5	9	2 INTERSECTING CHL-QTZ GREISEN VNS	2.5	-2.0	-5.0	300.0	1.0
15573R	65.6280	146.7106	C-6	9	5	9	(COMP) GREISEN VN/RESAMPLING OF USBM 108	4.5	-2.0	-5.0	400.0	-0.7
15594R	65.6281	146.7108	C-6	9	5	9	QTZ-CHL ALT VN, RESAMPLING OF USBM 183	5.0	3.0	-5.0	200.0	-1.1
15595R	65.6281	146.7108	C-6	9	5	9	CHL-QTZ-TZ(?) VN, RESAMPLING OF USBM 164	4.5	-2.0	-5.0	300.0	-0.8
15596R	65.6281	146.7108	C-6	9	5	9	GREISEN VN, RESAMPLING OF USBM 151	8.0	2.0	-5.0	200.0	-0.8
15597R	65.6281	146.7108	C-6	9	5	9	20% QTZ-SER VN WITH SULFIDES, 80% WALLRK	0.5	550.0	-6.0	-100.0	-0.8
15598R	65.6280	146.7106	C-6	9	5	9	ALT MAFIC DIKE	-0.5	-2.0	-6.0	400.0	5.3
15599R	65.6281	146.7108	C-6	9	5	9	2 INCH WIDE QTZ-TM-CHL VN	2.5	-2.0	8.0	100.0	-1.0
15600R	65.5917	146.9244	C-6	9	4	21	CHL GREISEN FLOAT	3.5	13.0	-6.0	400.0	-0.8
15601R	65.5917	146.9241	C-6	9	4	21	1 FT BY 10 FT ZONE OF HFLS WITH PY VLTS	-0.5	11.0	-7.0	800.0	-1.1
15602R	65.5917	146.9241	C-6	9	4	21	1-2 INCH WIDE CHL GREISEN VN	4.0	2.0	-6.0	-100.0	1.5
15603R	65.5917	146.9241	C-6	9	4	21	3-4 INCH BY 30 FT GREISEN VN	14.0	6.0	-10.0	600.0	-0.9
15604R	65.5917	146.9241	C-6	9	4	21	3-4 INCH BY 10 FT GREISEN VN	3.0	14.0	-6.0	300.0	-0.8
15605R	65.5917	146.9241	C-6	9	5	21	18 INCH WIDE CHL GREISEN VN	4.0	9.0	-6.0	400.0	-0.9
15606R	65.5917	146.9241	C-6	9	4	21	(CHAN) 8 INCH WIDE GREISEN VN	2.5	-2.0	11.0	200.0	-0.9
15607R	65.5917	146.9244	C-6	9	4	21	6-8 INCH WIDE GREISEN VN	15.0	11.0	-5.0	100.0	-0.6
15608R	65.4343	146.4971	B-5	7	6	15	QTZ-FL(?)-FEOX VN IN GR2	1.5	12.0	-7.0	100.0	-1.1
15609R	65.4343	146.4971	B-5	7	6	15	QTZ-FEOX VN IN GR2	-0.5	10.0	-6.0	300.0	-1.0
15610R	65.4343	146.4971	B-5	7	6	15	TM APLITE WITH SER VLTS	1.0	7.0	-6.0	100.0	-1.0
15612R	65.4344	146.4981	B-5	7	6	15	BLACK VN FLOAT	1.0	22.0	-5.0	100.0	-1.0
15613R	65.4344	146.4981	B-5	7	6	15	GREEN MICRO-XLN QTZ BRECCIA/GR CLAST	1.0	9.0	5.0	-100.0	-0.5
15625R	65.5917	146.9244	C-6	9	4	21	MN-STAINED HFLS BRECCIA	-0.5	24.0	53.0	800.0	-0.8
15626R	65.5917	146.9241	C-6	9	4	21	FE-STAINED GR1 BRECCIA/MICRO-XLN MATRIX	1.5	39.0	29.0	300.0	-0.5
15627R	65.5917	146.9244	C-6	9	4	21	IGNEOUS GR1 BRECCIA	-0.5	2.0	58.0	200.0	-0.6
15628R	65.5917	146.9244	C-6	9	4	21	HEM-CEMENETED BRECCIA WITH FELD CLAST	3.0	200.0	62.0	500.0	4.7
15629R	65.5917	146.9244	C-6	9	4	21	FE-STAINED GREISEN VNS	1.0	19.0	35.0	200.0	-0.8
15630R	65.5917	146.9244	C-6	9	4	21	RHYOLITE PORPHYRY WITH FL AND RARE BN	-0.5	12.0	12.0	200.0	-0.5
15640R	65.5818	146.9332	C-6	9	4	28	QTZT WITH PY	-0.5	35.0	16.0	200.0	-0.8
15641R	65.6727	146.6076	C-6	10	5	24	SULFIDE-BEARING HFLS OR DIKE	5.0	6.0	-8.0	400.0	-1.3

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
15571R	37.0	480.0	30.0	10.0	6.4	2.0	-4.0	2.30	-200.0	NA	90.0	0.3	33.6
15572R	-5.0	10.0	9.0	7.0	4.1	6.0	15.0	0.40	-200.0	NA	650.0	0.3	10.8
15573R	-5.0	-10.0	22.0	31.0	6.0	6.0	43.0	0.08	-200.0	NA	1200.0	0.6	10.0
15594R	-5.0	-10.0	8.0	39.0	3.5	6.0	16.0	1.10	-200.0	NA	830.0	0.2	4.4
15595R	-5.0	-10.0	24.0	17.0	4.8	6.0	47.0	0.78	200.0	NA	1100.0	0.4	9.7
15596R	-5.0	-10.0	11.0	82.0	5.7	5.0	29.0	0.23	-200.0	NA	890.0	0.5	8.3
15597R	-5.0	-10.0	18.0	86.0	2.1	6.0	13.0	1.80	-200.0	NA	970.0	0.3	8.2
15598R	33.0	400.0	25.0	15.0	5.8	2.0	-4.0	1.80	-200.0	NA	140.0	0.4	28.7
15599R	-5.0	-10.0	6.0	1.0	2.4	6.0	8.0	1.50	-200.0	NA	480.0	-0.2	3.1
15600R	-5.0	10.0	3.0	43.0	7.5	4.0	15.0	0.15	-200.0	NA	230.0	5.7	10.5
15601R	10.0	110.0	8.0	37.0	4.7	6.0	-4.0	0.59	-200.0	NA	410.0	2.7	20.9
15602R	-5.0	-10.0	7.0	1.0	6.8	6.0	-4.0	0.05	-200.0	NA	630.0	1.8	9.1
15603R	10.0	-10.0	5.0	18.0	10.4	5.0	-4.0	0.22	-300.0	NA	190.0	1.8	8.6
15604R	-5.0	-10.0	4.0	33.0	5.5	4.0	-4.0	0.09	-200.0	NA	300.0	4.4	5.6
15605R	8.0	-10.0	3.0	5.0	18.4	5.0	8.0	0.05	-200.0	NA	210.0	2.7	8.6
15606R	12.0	10.0	3.0	7.0	11.3	4.0	-4.0	0.22	-200.0	NA	120.0	1.1	6.2
15607R	9.0	-10.0	2.0	31.0	7.0	3.0	5.0	0.15	-200.0	NA	100.0	1.9	7.4
15608R	-5.0	-10.0	10.0	14.0	0.6	-1.0	-4.0	2.30	-200.0	NA	510.0	1.3	2.9
15609R	-5.0	-10.0	12.0	1.0	0.5	3.0	-4.0	2.70	-200.0	NA	600.0	0.5	3.3
15610R	-5.0	-10.0	31.0	1.0	0.6	-1.0	-4.0	3.10	-200.0	NA	660.0	0.6	2.6
15612R	-5.0	-10.0	29.0	1.0	1.2	3.0	-4.0	2.20	-200.0	NA	720.0	0.6	3.6
15613R	-5.0	-10.0	17.0	10.0	0.4	1.0	-4.0	0.08	-84.0	NA	470.0	2.1	2.4
15625R	14.0	90.0	20.0	24.0	4.3	5.0	10.0	0.13	-200.0	NA	500.0	5.7	22.0
15626R	-5.0	10.0	5.0	3.5	2.4	1.0	-4.0	0.09	-200.0	NA	120.0	24.0	3.9
15627R	-5.0	-10.0	3.0	-0.5	0.7	2.0	8.0	0.71	-200.0	NA	250.0	1.0	3.8
15628R	-5.0	-10.0	3.0	10.0	9.5	-1.0	39.0	-0.05	-200.0	NA	30.0	88.0	1.2
15629R	5.0	-10.0	5.0	7.5	5.1	5.0	-4.0	0.10	-200.0	NA	380.0	2.1	5.7
15630R	-5.0	-10.0	12.0	0.5	0.9	2.0	-4.0	0.07	-200.0	NA	290.0	7.9	6.1
15640R	15.0	10.0	1.0	15.0	6.9	6.0	-6.0	0.66	-200.0	NA	-30.0	3.2	3.6
15641R	-5.0	10.0	3.0	27.0	18.0	-1.0	-4.0	-0.05	-200.0	1900.0	60.0	2.0	4.3

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
15571R	-5.0	-2.0	-1.0	0.8	-0.8	-4.0	70.0	8.0	23.0	2.8	1.0	2.5	0.3
15572R	-5.0	370.0	3.0	56.0	18.8	4.0	490.0	40.0	85.0	10.5	-0.5	13.0	1.6
15573R	-5.0	270.0	2.0	62.0	32.4	-4.0	500.0	45.0	101.0	12.6	-0.5	16.7	2.3
15594R	12.0	44.0	-1.0	61.0	21.7	10.0	240.0	68.0	121.0	8.6	-0.7	7.3	1.0
15595R	-5.0	490.0	5.0	50.0	24.6	8.0	210.0	41.0	77.0	10.1	-0.6	12.5	1.7
15596R	-5.0	220.0	3.0	58.0	32.4	4.0	570.0	42.0	87.0	10.5	-0.5	13.4	1.9
15597R	-6.0	440.0	2.0	72.0	31.8	5.0	50.0	64.0	125.0	13.8	-0.5	12.3	1.7
15598R	-5.0	-2.0	-1.0	6.6	2.1	-4.0	120.0	15.0	30.0	3.6	0.9	3.2	0.4
15599R	5.0	-2.0	1.0	55.0	9.8	8.0	-50.0	60.0	122.0	7.6	-0.7	4.2	0.6
15600R	-5.0	420.0	1.0	33.0	26.5	8.0	1100.0	74.0	136.0	11.3	0.9	9.9	1.3
15601R	-5.0	10.0	-1.0	23.0	4.8	-4.0	170.0	77.0	113.0	7.6	1.4	3.3	0.4
15602R	-5.0	36.0	2.0	33.0	20.2	5.0	90.0	94.0	171.0	12.7	1.1	11.6	1.5
15603R	-9.0	90.0	3.0	28.0	27.9	-4.0	700.0	91.0	279.0	54.9	2.9	60.0	7.0
15604R	-5.0	140.0	1.0	25.0	25.8	-4.0	1300.0	50.0	108.0	9.3	-0.4	8.4	1.3
15605R	7.0	900.0	-1.0	46.0	32.9	11.0	530.0	74.0	155.0	12.0	0.9	12.8	1.8
15606R	-5.0	190.0	1.0	32.0	14.6	6.0	570.0	61.0	100.0	7.8	0.7	11.8	1.6
15607R	-5.0	88.0	2.0	26.0	30.3	-4.0	2500.0	50.0	101.0	7.0	-0.5	5.0	0.9
15608R	-5.0	76.0	5.0	14.0	11.4	14.0	-60.0	18.0	36.0	3.3	1.1	4.8	0.7
15609R	-5.0	150.0	3.0	16.0	14.6	-4.0	70.0	20.0	42.0	3.6	-0.7	5.1	0.8
15610R	-5.0	210.0	9.0	11.0	9.4	17.0	-60.0	6.0	12.0	1.4	-0.7	2.5	0.4
15612R	6.0	52.0	3.0	15.0	20.2	8.0	-50.0	22.0	46.0	4.1	-0.7	4.9	0.8
15613R	-5.0	76.0	3.0	7.2	6.8	-4.0	70.0	4.0	9.0	1.0	0.3	1.5	0.2
15625R	-5.0	36.0	-1.0	20.0	25.4	7.0	60.0	69.0	115.0	7.2	0.9	2.9	0.4
15626R	-5.0	60.0	-1.0	6.3	38.8	4.0	-50.0	12.0	18.0	1.6	0.7	1.6	0.2
15627R	-5.0	-2.0	-1.0	20.0	12.3	-4.0	-50.0	31.0	79.0	4.8	-0.3	5.3	0.8
15628R	-5.0	-2.0	-1.0	6.6	144.0	22.0	50.0	20.0	28.0	5.0	0.9	11.0	1.7
15629R	-5.0	390.0	1.0	32.0	19.8	6.0	200.0	43.0	103.0	5.9	-0.5	5.6	0.8
15630R	-5.0	26.0	-1.0	12.0	7.0	-4.0	-50.0	14.0	23.0	2.0	-0.3	1.5	0.2
15640R	-5.0	2.0	-1.0	7.2	2.1	-4.0	60.0	17.0	39.0	1.9	0.8	1.2	0.2
15641R	-5.0	140.0	2.0	9.8	9.5	-4.0	1200.0	41.0	100.0	20.7	-0.5	16.2	2.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
15655R	65.6601	146.6331	C-6	10	5	26	MN-STAINED AND FRACTURED GR1	1.5	11.0	-11.0	300.0	-2.0
15656R	65.6601	146.6331	C-6	10	5	26	EXTREMELY CHL ALT GR1	-0.5	-2.0	-9.0	300.0	-1.4
15657R	65.6597	146.6419	C-6	10	5	26	GOSSANOUS MN-STAINED FL FLOAT	1.5	-2.0	-9.0	1400.0	3.6
15658R	65.6638	146.6408	C-6	10	5	26	CHL ALT GR1	1.5	4.0	-8.0	300.0	-1.5
15659R	65.6636	146.6292	C-6	10	5	25	CHL ALT GR1 WITH 1-2% FL	1.5	-2.0	-12.0	500.0	4.2
15660R	65.6662	146.6080	C-6	10	5	25	HAIRLINE GREISEN VNS IN GR1	1.5	-2.0	10.0	400.0	-1.5
15661R	65.6662	146.6080	C-6	10	5	25	CHL GREISEN VLTS WITH MNOX SELVAGES	1.5	-2.0	-7.0	600.0	-1.4
15662R	65.6662	146.6080	C-6	10	5	25	LIM-MNOX GOSSAN	7.0	-2.0	-6.0	400.0	-0.9
15663R	65.6662	146.6080	C-6	10	5	25	CLAY-ALT FEOX COATED DIKE IN GR1	1.0	-2.0	-7.0	400.0	-1.5
15664R	65.6662	146.6080	C-6	10	5	25	SHEARED CHL-MNOX ALT GR1	4.0	2.0	-7.0	300.0	-1.4
15665R	65.6662	146.6080	C-6	10	5	25	(COMP) MNOX-CLAY-ALT GR1 WITH CHL AND GN	1.0	-2.0	-9.0	300.0	-1.7
15666R	65.6637	146.6123	C-6	10	5	25	MN-STAINED FNG PORPHYRY	0.5	-2.0	-7.0	400.0	-1.3
15667R	65.6661	146.6077	C-6	10	5	25	(COMP) CHL ALT GR1	6.0	-2.0	-8.0	400.0	-1.5
15692R	65.6636	146.6292	C-6	10	5	25	WEAKLY CLAY-ALT GR1	-0.5	-2.0	-8.0	400.0	-1.5
15694R	65.6636	146.6292	C-6	10	5	25	(COMP) CHL GREISEN IN GR1 TALUS	0.5	-2.0	-9.0	300.0	-1.6
15697R	65.6637	146.6123	C-6	10	5	25	(COMP) MNOX COATED FELSITE AND ALT GR1	1.0	-2.0	-8.0	400.0	-1.5
15698R	65.6637	146.6123	C-6	10	5	25	INTENSELY MNOX ALT GR1	0.5	-2.0	-8.0	300.0	-1.6
15699R	65.6706	146.6321	C-6	10	5	26	MNOX-CHL-ALT GR1	0.5	31.0	12.0	300.0	-1.1
15701R	65.6705	146.6329	C-6	10	5	26	WEAK CHL GREISEN IN GR1 AND GR2	1.0	6.0	-6.0	400.0	-1.1
15702R	65.6705	146.6329	C-6	10	5	26	MN-STAINED GR1 WITH CHL GREISEN	2.0	53.0	-8.0	500.0	-1.4
15703R	65.6667	146.6171	C-6	10	5	25	FNG PORPHYRY DIKE FLOAT	-0.5	-2.0	-6.0	300.0	-1.1
15705R	65.6662	146.6080	C-6	10	5	25	MN-STAINED GR2	-0.5	-2.0	-7.0	400.0	-1.1
15706R	65.6662	146.6080	C-6	10	5	25	RHYOLITE PORPHYRY WITH MNOX	0.5	-2.0	-7.0	300.0	-1.2
15708R	65.6660	146.6083	C-6	10	5	25	MNOX COATED JOINTS IN GR1	1.0	-2.0	-7.0	500.0	-1.3
15709R	65.4752	145.8815	B-4	8	9	34	RHYOLITE DIKE WITH TRACE FL	-0.5	-2.0	-6.0	-100.0	-0.9
15710R	65.4260	146.5653	B-6	7	6	20	RHYOLITE PORPHYRY WITH QTZ AND FL	-0.5	5.0	-5.0	-100.0	-0.5
15711R	65.4280	146.5876	B-6	7	6	18	VERY ALT MN-STAINED AND FAULTED GR	0.5	18.0	-7.0	200.0	-1.3
15715R	65.4132	146.4962	B-5	7	6	22	ORANGE-WEATHERING QTZT WITH SULFIDE	-0.5	8.0	-7.0	300.0	4.2
15716R	65.4138	146.5052	B-6	7	6	22	(COMP) SULFIDE-RICH META-IGNEOUS RX	-0.5	7.0	-9.0	500.0	3.7
15718R	65.4056	146.4928	B-5	7	6	27	QTZ VN BOULDER WITH FEOX AND SULFIDES	0.5	5.0	-5.0	100.0	-1.0

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
15655R	5.0	10.0	-2.0	8.5	12.9	9.0	-4.0	6.20	-300.0	NA	-70.0	-0.3	6.3
15656R	5.0	10.0	2.0	-0.5	8.9	7.0	-4.0	2.90	-300.0	NA	-60.0	0.3	10.4
15657R	5.0	-10.0	6.0	0.5	2.1	7.0	-4.0	2.70	-300.0	NA	1000.0	0.9	5.5
15658R	-5.0	-10.0	3.0	10.0	11.7	7.0	-4.0	1.80	-200.0	NA	120.0	2.7	6.2
15659R	-5.0	10.0	-2.0	-0.5	1.6	11.0	-4.0	5.10	-300.0	NA	630.0	-0.3	7.7
15660R	-5.0	-10.0	3.0	1.0	2.7	7.0	-4.0	2.00	-200.0	NA	510.0	0.3	6.3
15661R	-5.0	-10.0	7.0	1.0	1.6	7.0	7.0	2.00	-200.0	NA	520.0	-0.2	4.9
15662R	-5.0	-10.0	7.0	7.0	3.9	1.0	-4.0	0.09	-200.0	NA	50.0	1.1	2.0
15663R	-5.0	-10.0	5.0	5.0	2.6	6.0	11.0	1.90	-200.0	NA	480.0	0.3	4.3
15664R	-5.0	-10.0	4.0	15.0	5.9	6.0	16.0	0.06	-200.0	NA	470.0	0.7	6.4
15665R	-5.0	-10.0	3.0	3.0	2.4	13.0	9.0	2.40	-200.0	NA	510.0	-0.2	6.1
15666R	-5.0	-10.0	4.0	1.0	1.1	11.0	-4.0	2.70	-200.0	NA	510.0	0.3	3.9
15667R	-5.0	-10.0	4.0	33.0	5.7	5.0	21.0	0.71	-200.0	NA	520.0	0.5	6.4
15692R	-5.0	-10.0	5.0	-0.5	1.3	7.0	4.0	2.10	-200.0	NA	630.0	0.4	5.0
15694R	-5.0	-10.0	3.0	1.5	9.9	7.0	5.0	2.90	-300.0	NA	370.0	0.4	4.3
15697R	-5.0	-10.0	5.0	1.0	1.3	5.0	-4.0	2.50	-200.0	NA	280.0	-0.2	3.4
15698R	-5.0	10.0	3.0	1.0	1.9	7.0	-4.0	2.20	-200.0	NA	490.0	-0.2	5.0
15699R	-5.0	20.0	8.0	9.0	2.0	4.0	12.0	2.00	-200.0	NA	540.0	-0.2	6.6
15701R	-5.0	-10.0	5.0	2.0	1.3	6.0	-4.0	2.20	-200.0	NA	630.0	0.2	4.8
15702R	-5.0	-10.0	4.0	32.0	5.7	5.0	10.0	3.00	-200.0	NA	480.0	0.4	6.6
15703R	-5.0	-10.0	6.0	1.0	1.0	10.0	-4.0	2.10	-200.0	NA	820.0	0.2	5.1
15705R	-5.0	-10.0	4.0	6.0	1.2	6.0	8.0	2.50	-200.0	NA	640.0	0.3	4.9
15706R	-5.0	-10.0	4.0	4.5	0.6	7.0	43.0	2.60	-200.0	NA	700.0	-0.2	5.0
15708R	-5.0	-10.0	12.0	1.0	1.5	6.0	6.0	1.90	-200.0	NA	600.0	0.7	5.1
15709R	-5.0	-10.0	22.0	0.5	0.9	6.0	-4.0	1.30	-200.0	NA	1100.0	0.5	0.9
15710R	-5.0	-10.0	16.0	1.5	0.8	1.0	-4.0	0.06	-200.0	NA	330.0	1.5	2.0
15711R	-5.0	-10.0	3.0	-0.5	0.8	3.0	-4.0	4.50	-200.0	NA	250.0	-0.2	3.7
15715R	9.0	60.0	1.0	87.0	3.2	5.0	-4.0	0.48	-200.0	4.0	50.0	1.3	11.7
15716R	12.0	60.0	5.0	130.0	5.2	5.0	-4.0	0.92	-200.0	16.0	70.0	3.3	12.0
15718R	-5.0	10.0	2.0	32.0	0.7	2.0	-4.0	0.68	-200.0	20.0	30.0	1.2	0.9

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
15655R	-7.0	70.0	-2.0	100.0	18.4	9.0	1100.0	89.0	144.0	9.7	-1.3	6.8	1.0
15656R	-6.0	92.0	3.0	61.0	7.7	5.0	510.0	56.0	115.0	6.2	-1.0	7.5	1.0
15657R	-7.0	4.0	-1.0	72.0	18.4	5.0	430.0	83.0	186.0	10.4	-1.1	11.0	1.4
15658R	-6.0	300.0	1.0	61.0	8.9	-4.0	330.0	80.0	156.0	9.4	-0.9	7.1	0.9
15659R	-8.0	2.0	-2.0	120.0	10.0	-4.0	420.0	156.0	272.0	19.8	-1.5	15.7	2.0
15660R	-6.0	42.0	2.0	74.0	11.3	6.0	730.0	99.0	164.0	10.6	-1.0	7.5	1.0
15661R	-6.0	10.0	-1.0	65.0	24.6	-4.0	1000.0	80.0	156.0	9.0	-0.9	8.1	1.2
15662R	-6.0	6.0	1.0	11.0	204.0	4.0	8000.0	59.0	68.0	4.7	-0.6	11.4	1.7
15663R	8.0	190.0	4.0	55.0	13.4	-4.0	1600.0	76.0	143.0	10.2	-1.0	11.4	1.5
15664R	-6.0	200.0	-1.0	60.0	12.9	7.0	1000.0	102.0	178.0	12.2	1.0	8.5	1.1
15665R	-6.0	16.0	-1.0	73.0	5.9	-4.0	880.0	127.0	239.0	13.0	-1.2	8.0	0.9
15666R	-5.0	4.0	-1.0	70.0	18.7	-4.0	510.0	36.0	71.0	6.1	-0.8	7.2	1.1
15667R	-6.0	370.0	-1.0	67.0	16.5	-4.0	1700.0	96.0	166.0	11.1	-0.9	8.6	1.1
15692R	-6.0	-2.0	2.0	70.0	6.6	-4.0	220.0	89.0	162.0	11.3	-1.0	8.4	1.0
15694R	-6.0	86.0	3.0	84.0	13.7	10.0	1200.0	96.0	185.0	18.4	-1.1	20.2	2.5
15697R	-6.0	10.0	-1.0	54.0	10.6	6.0	850.0	75.0	127.0	8.8	-1.1	6.7	0.8
15698R	-6.0	18.0	3.0	66.0	13.8	4.0	360.0	93.0	161.0	10.7	-1.1	7.8	1.1
15699R	7.0	66.0	3.0	33.0	10.0	5.0	140.0	29.0	72.0	7.1	-0.8	13.2	1.7
15701R	-5.0	96.0	3.0	33.0	19.6	-4.0	240.0	30.0	113.0	9.7	-0.7	20.2	2.6
15702R	-6.0	100.0	4.0	40.0	36.7	-4.0	870.0	46.0	101.0	10.5	-0.9	14.9	2.3
15703R	-6.0	-2.0	3.0	62.0	10.8	-4.0	-50.0	32.0	76.0	7.2	-0.8	12.0	1.5
15705R	-5.0	6.0	3.0	57.0	10.4	6.0	220.0	23.0	74.0	6.4	-0.7	13.9	1.7
15706R	-5.0	550.0	4.0	54.0	14.1	9.0	130.0	19.0	75.0	8.0	-0.7	18.5	2.4
15708R	-5.0	4.0	2.0	64.0	13.7	-4.0	70.0	66.0	164.0	11.6	-0.8	12.0	1.5
15709R	-5.0	34.0	5.0	42.0	16.1	5.0	-50.0	18.0	41.0	4.4	-0.6	9.8	1.3
15710R	-5.0	22.0	1.0	6.8	11.8	-4.0	-50.0	8.0	15.0	1.4	-0.3	2.3	0.4
15711R	-5.0	72.0	5.0	17.0	20.1	-4.0	-70.0	19.0	35.0	3.2	-0.9	4.8	0.7
15715R	-5.0	56.0	-1.0	8.3	3.1	-4.0	90.0	28.0	48.0	4.7	1.0	2.1	0.3
15716R	-5.0	20.0	-1.0	11.0	3.0	-4.0	70.0	36.0	63.0	9.8	2.8	2.9	0.4
15718R	-5.0	230.0	-1.0	3.7	1.1	4.0	90.0	8.0	13.0	1.2	0.8	0.4	0.1

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
15719R	65.4343	146.4971	B-5	7	6	15	QTZ VN FLOAT WITH SER ENVELOPE	1.5	48.0	8.0	400.0	-0.6
15720R	65.5826	146.8926	C-6	9	4	27	CHL GREISEN VN RUBBLE	3.0	11.0	-6.0	400.0	-0.8
15721R	65.5808	146.8907	C-6	9	4	27	CHL GREISEN VN RUBBLE IN GR3	8.5	-2.0	-6.0	200.0	-0.9
15722R	65.5756	146.8967	C-6	9	4	27	CHL-MUSC GREISEN VN RUBBLE IN GR	1.5	-2.0	10.0	-100.0	-0.7
15723R	65.5756	146.8967	C-6	9	4	27	CHL VLTS IN MUSC-CHL GR RUBBLE	-0.5	-2.0	-5.0	100.0	-0.8
15724R	65.5756	146.8967	C-6	9	4	27	25% MUSC AND KSPAR-MUSC VNS, 75% WALLRK	-0.5	-2.0	-5.0	100.0	-0.7
15725R	65.5757	146.8959	C-6	9	4	27	CSG KSPAR-MUSC VN CUT BY CHL GREISEN VLT	-0.5	-2.0	-5.0	-200.0	-0.7
15727R	65.5757	146.8959	C-6	9	4	27	CHL-MUSC GREISEN VNS IN GR, 50% WALLRK	1.0	-2.0	-5.0	200.0	-0.7
15728R	65.5757	146.9049	C-6	9	4	27	QTZ-MUSC VNS IN MUSC GR	-0.5	-2.0	-5.0	-100.0	-0.7
15729R	65.5757	146.9049	C-6	9	4	27	QTZ-FL GREISEN	1.0	-2.0	-5.0	200.0	-0.5
15730R	65.5757	146.9049	C-6	9	4	27	20% VUGGY QTZ-SULFIDE VNS IN HFLS(80%)	2.0	-2.0	-5.0	-100.0	-0.5
15731R	65.6650	146.6678	C-6	10	5	27	QTZ-CHL REPLACEMENT OF MB	1.5	-2.0	-5.0	100.0	1.5
15732R	65.6650	146.6678	C-6	10	5	27	QTZ-CHL-(FL) REPLACEMENT OF MB	-0.5	-2.0	-5.0	100.0	0.8
15733R	65.6746	146.6459	C-6	10	5	23	QTZ-CHL REPLACEMENT OF LS/CALC-SIL HFLS	3.0	14.0	-5.0	400.0	4.5
15734R	65.6746	146.6459	C-6	10	5	23	CHL-QTZ REPLACEMENT OF CALC-SIL HFLS/MB	1.5	-2.0	-5.0	600.0	1.6
15735R	65.4451	145.9083	B-4	7	9	9	QTZ-FEOX-PY VNS IN PELITIC SCHIST	-0.5	38.0	5.0	100.0	-0.5
16351R	65.6802	146.6483	C-6	10	5	23	MAGNETITE-GAR SKARN(?) FLOAT	-0.5	2.0	-8.0	-100.0	1.9
16362R	65.5773	146.8898	C-6	9	4	27		-0.5	5.0	-9.0	200.0	-1.9
16363R	65.5773	146.8898	C-6	9	4	27	(COMP) TM(?)-CHL-QTZ GREISEN VNS IN HFLS	1.0	170.0	-5.0	400.0	-0.6
16364R	65.5774	146.8892	C-6	9	4	27	(COMP) QTZT HFLS WITH TM/QTZ-CHL VNS	-0.5	5.0	-5.0	200.0	-0.6
16365R	65.5757	146.8942	C-6	9	4	27	(COMP) HFLS NEAR GR CONTACT	-0.5	9.0	-5.0	500.0	-0.7
16366R	65.5757	146.8942	C-6	9	4	27	LIM-STAINED BIO GR WITH TZ AND GAR(?)	-0.5	25.0	-6.0	1000.0	1.0
16367R	65.5757	146.8942	C-6	9	4	27	CHL GREISEN VLTS IN BIO GR WITH TZ(?)	-0.5	16.0	-5.0	300.0	-0.8
16368R	65.5757	146.8942	C-6	9	4	27	(COMP) FEOX GOSSAN IN CHL ALT GR	-0.5	3.0	-5.0	-100.0	-0.7
16369R	65.5757	146.8942	C-6	9	4	27	(COMP) GREISEN VNS IN GR WITH TM-FEOX	-0.5	-2.0	-5.0	300.0	-0.7
16370R	65.5757	146.8942	C-6	9	4	27	(COMP) CHL-MUSC GREISEN VNS IN BIO GR	-0.5	74.0	-5.0	200.0	0.7
16371R	65.5757	146.8942	C-6	9	4	27	(COMP) QTZT HFLS, DARK VLTS, AND SULFIDE	-0.5	140.0	-5.0	800.0	-0.7
16372R	65.5757	146.8942	C-6	9	4	27	(COMP) 4 CHL GREISEN VNS	-0.5	-2.0	-5.0	200.0	-0.6
16373R	65.5776	146.8959	C-6	9	4	27	(COMP) GREISEN VLTS IN HFLS	-0.5	11.0	5.0	300.0	0.7
16374R	65.5776	146.8959	C-6	9	4	27	(COMP) HFLS WITH GREISEN VNS	0.5	9.0	-5.0	300.0	-0.5

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
15719R	-5.0	-10.0	21.0	1.0	1.7	3.0	-4.0	2.20	-200.0	NA	900.0	2.2	4.9
15720R	-5.0	-10.0	2.0	11.0	7.2	4.0	16.0	0.57	-200.0	NA	380.0	2.1	6.7
15721R	-5.0	-10.0	-1.0	6.5	9.8	4.0	15.0	0.40	-200.0	NA	270.0	4.1	6.4
15722R	-5.0	-10.0	29.0	30.0	5.6	5.0	-4.0	0.05	-200.0	NA	1600.0	2.5	8.2
15723R	-5.0	-10.0	22.0	0.5	1.2	4.0	-4.0	2.50	-200.0	NA	1500.0	0.2	5.8
15724R	-5.0	-10.0	22.0	-0.5	0.9	3.0	-4.0	3.00	-200.0	NA	1400.0	0.4	6.0
15725R	-5.0	-10.0	21.0	-0.5	0.8	4.0	-4.0	2.70	-200.0	NA	1700.0	0.5	5.3
15727R	-5.0	-10.0	13.0	1.0	1.0	3.0	-4.0	1.00	-200.0	NA	1100.0	0.6	5.1
15728R	-5.0	-10.0	33.0	-0.5	1.5	4.0	-4.0	2.20	-200.0	NA	1700.0	0.9	8.8
15729R	-5.0	-10.0	9.0	3.5	0.6	4.0	-4.0	-0.05	-200.0	NA	460.0	0.5	5.8
15730R	5.0	10.0	1.0	60.0	4.3	5.0	-4.0	-0.05	-200.0	NA	50.0	1.4	2.6
15731R	6.0	10.0	1.0	60.0	2.2	3.0	-4.0	1.50	-200.0	NA	-20.0	-0.2	3.0
15732R	9.0	-10.0	2.0	3.0	1.8	-1.0	-4.0	0.12	-200.0	NA	20.0	-0.2	1.8
15733R	28.0	10.0	5.0	73.0	8.1	4.0	6.0	1.90	-200.0	NA	60.0	2.0	9.9
15734R	27.0	210.0	2.0	920.0	4.2	1.0	-4.0	0.20	-200.0	NA	60.0	2.4	10.0
15735R	7.0	40.0	9.0	98.0	2.9	3.0	-4.0	0.16	-200.0	NA	40.0	0.5	6.7
16351R	13.0	10.0	11.0	1.5	42.2	1.0	-4.0	-0.05	-300.0	54.0	-50.0	1.1	1.0
16362R	16.0	10.0	2.0	0.5	42.7	-1.0	5.0	0.11	400.0	-2.0	-50.0	1.5	1.5
16363R	5.0	40.0	60.0	20.0	3.9	3.0	-4.0	0.42	-200.0	NA	2400.0	1.1	16.5
16364R	-5.0	30.0	32.0	13.0	2.3	5.0	-4.0	0.77	-200.0	NA	1000.0	0.5	8.4
16365R	5.0	60.0	48.0	31.0	3.7	9.0	27.0	0.70	200.0	NA	1300.0	0.9	15.8
16366R	-5.0	100.0	31.0	32.0	3.0	4.0	-4.0	0.84	-200.0	NA	1000.0	0.7	20.7
16367R	-5.0	-10.0	24.0	2.0	1.2	4.0	-4.0	2.80	-200.0	NA	1400.0	0.6	7.3
16368R	-5.0	-10.0	12.0	150.0	3.7	5.0	-4.0	-0.05	-200.0	NA	550.0	0.2	4.3
16369R	-5.0	-10.0	58.0	34.0	3.9	9.0	-4.0	0.73	-200.0	NA	2200.0	1.0	11.0
16370R	-5.0	-10.0	45.0	8.5	3.7	4.0	-4.0	0.15	-200.0	NA	2000.0	0.8	9.7
16371R	6.0	60.0	40.0	56.0	3.1	4.0	11.0	0.40	-200.0	NA	770.0	0.9	13.4
16372R	-5.0	-10.0	40.0	1.0	2.8	-1.0	-4.0	1.00	-200.0	NA	1800.0	0.5	8.2
16373R	6.0	40.0	30.0	22.0	3.0	5.0	-4.0	0.47	-200.0	NA	760.0	0.6	9.3
16374R	-5.0	40.0	29.0	14.0	2.7	5.0	-4.0	0.31	-200.0	NA	830.0	0.6	9.0

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
16375R	65.5776	146.8959	C-6	9	4	27	QTZ-KSPAR(?)-TZ(?)-CHL PEGMATITE BOULDER	-0.5	2.0	-5.0	400.0	-0.8
16376R	65.5778	146.8963	C-6	9	4	27	WEAK CHL GREISEN IN BIO GR RUBBLE	1.0	-2.0	-5.0	300.0	1.3
16377R	65.5776	146.8959	C-6	9	4	27	CHL GREISEN VN IN QTZT HFLS	1.5	-2.0	-5.0	300.0	-0.6
16378R	65.5779	146.9012	C-6	9	4	27	(COMP) FE-STAINED CHL-TM GREISEN FLOAT	0.5	-2.0	-5.0	300.0	-0.5
16379R	65.5779	146.9012	C-6	9	4	27	CHL-MUSC GREISEN IN BIO GR	1.5	-2.0	-5.0	300.0	0.9
16380R	65.5758	146.8970	C-6	9	4	27	(COMP) CHL-MUSC GREISEN VN IN BIO GR	2.0	-2.0	-5.0	300.0	0.9
16382R	65.5917	146.9244	C-6	9	4	21	(COMP) RYOLITE PORPHYRY PIPE/GR1 CLAST	-0.5	-2.0	-5.0	200.0	-0.5
16383R	65.5917	146.9244	C-6	9	4	21	(COMP) CHL-PY GREISEN ALT GR1 CUT BY GR2	7.5	35.0	11.0	200.0	-0.7
16384R	65.5917	146.9244	C-6	9	4	21	(COMP) QTZ-CHL-FL STOCKWORK IN GR1	-0.5	5.0	-5.0	400.0	-0.7
16385R	65.5917	146.9241	C-6	9	4	21	(COMP) CHL-MUSC GREISEN VN	4.5	15.0	-5.0	200.0	-0.8
16386R	65.5917	146.9241	C-6	9	4	21	(COMP) FE-STAINED PY-BEARING CHL ALT GR1	9.5	22.0	-5.0	200.0	-0.5
16387R	65.5917	146.9244	C-6	9	4	21	(COMP) MUSC GREISEN VNS/FE-STAINED VNS	0.5	9.0	9.0	300.0	-0.8
16388R	65.5917	146.9241	C-6	9	4	21	(COMP) LIM-STAINED CHL GREISEN VNS	4.0	73.0	12.0	300.0	-0.7
16389R	65.5917	146.9244	C-6	9	4	21	(COMP) LIM-STAINED GR1 WITH CHL GREISEN	2.0	-2.0	-5.0	300.0	-0.8
16390R	65.4059	146.4539	B-5	7	6	26	QTZT HFLS WITH SULFIDES AND SKARN/HFLS	-0.5	64.0	-5.0	600.0	5.8
16391R	65.4954	146.5394	B-6	8	6	28	BIO QTZT HFLS/SCHIST WITH PO AND PY	1.0	40.0	-10.0	700.0	4.2
16441R	65.6330	146.6863	C-6	9	5	3	3-5 INCH WIDE CHL GREISEN VN	2.0	-2.0	-8.0	200.0	-1.9
16442R	65.6465	146.7097	C-6	10	5	33	CHL ALT RHYOLITE PORPHYRY	-0.5	4.0	-9.0	300.0	-2.1
16501R	65.5920	146.9239	C-6	9	4	21	(COMP) PY-BEARING CHL GREISEN SELVAGES	27.0	120.0	25.0	300.0	-1.5
16510R	65.4268	146.0150	B-5	7	8	13	GRAPH-MICA SCHIST WITH PY AND LIM-STAIN	-0.5	30.0	-7.0	300.0	-1.0
16515R	65.3858	146.4759	B-5	7	6	34	(COMP) FAULT BRECCIA WITH QTZ MATRIX	2.0	43.0	16.0	600.0	-1.0
16516R	65.3840	146.4779	B-5	7	6	34	(COMP) QTZ CEMENTED QTZT BRECCIA	-0.5	8.0	-5.0	100.0	0.8
16517R	65.3840	146.4779	B-5	7	6	34	(COMP) BRECCIA BOULDER WITH FL AND LIM	-0.5	6.0	-5.0	100.0	9.2
16518R	65.3825	146.4810	B-5	6	6	3	(COMP) COCKSCOMB QTZ AND QTZ FRAGMENTS	-0.5	20.0	-6.0	300.0	-0.8
16701R	65.5764	146.8808	C-6	9	4	27	CHL GREISEN IN GR1 RUBBLE	5.5	11.0	-8.0	300.0	1.9
16702R	65.6330	146.6863	C-6	9	5	3	3-5 INCH WIDE CHL GREISEN VN	6.5	-2.0	-10.0	200.0	-1.8
16703R	65.5764	146.8808	C-6	9	4	27	CHL ALT GR1 WITH CHL GREISEN VNS	-0.5	-2.0	-10.0	500.0	-1.4
16704R	65.5764	146.8808	C-6	9	4	27	CHL-MUSC ALT GR1 WITH CHL GREISEN VNS	1.0	44.0	-8.0	400.0	-1.0
19002R	65.5850	146.4413	C-5	9	6	26	FE/MN-STAINED MICACEOUS QTZT	-0.5	13.0	-7.0	800.0	-1.3
19003R	65.4483	145.9204	B-4	7	9	9	CHL-BIO-QTZ, BIO-TM, AND QTZ-TM SCHIST	3.6	20000.0	9400.0	600.0	-2.8

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
15719R	-5.0	290.0	2.0	13.0	70.5	-4.0	130.0	23.0	30.0	2.4	-0.3	4.7	0.6
15720R	-5.0	70.0	2.0	33.0	24.7	-4.0	690.0	23.0	49.0	7.5	0.7	12.2	1.7
15721R	-5.0	34.0	3.0	36.0	24.3	-4.0	220.0	37.0	72.0	7.1	-0.5	10.9	1.5
15722R	-7.0	110.0	22.0	18.0	17.4	130.0	220.0	24.0	86.0	12.7	-0.5	28.0	3.7
15723R	-5.0	40.0	11.0	11.0	7.2	11.0	-50.0	16.0	56.0	7.0	-0.5	12.5	1.6
15724R	-5.0	6.0	12.0	4.9	5.6	14.0	-50.0	8.0	26.0	2.8	-0.5	5.7	0.8
15725R	-5.0	4.0	18.0	7.2	4.6	20.0	80.0	4.0	7.0	0.8	-0.5	1.2	0.2
15727R	-5.0	120.0	9.0	13.0	6.2	6.0	50.0	22.0	82.0	10.9	-0.4	18.5	2.3
15728R	-5.0	8.0	16.0	9.9	3.7	11.0	-50.0	14.0	48.0	5.4	-0.5	8.9	1.1
15729R	-5.0	92.0	19.0	16.0	9.8	9.0	-50.0	34.0	194.0	12.7	-0.3	14.9	1.9
15730R	-5.0	60.0	-1.0	6.0	1.4	8.0	220.0	14.0	28.0	1.6	0.4	1.0	0.1
15731R	-5.0	6.0	-1.0	2.6	0.5	-4.0	1000.0	12.0	22.0	1.5	0.6	1.1	0.1
15732R	-5.0	-2.0	-1.0	1.5	-0.5	-4.0	100.0	6.0	3.0	0.7	0.3	0.5	-0.1
15733R	-5.0	20.0	1.0	2.6	0.8	4.0	210.0	30.0	51.0	3.5	2.7	1.0	0.1
15734R	-5.0	2.0	-1.0	0.7	-0.5	-4.0	160.0	9.0	16.0	1.6	0.8	0.9	0.1
15735R	-5.0	12.0	-1.0	3.3	0.9	-4.0	-50.0	10.0	19.0	1.5	0.7	0.9	0.1
16351R	-5.0	62.0	-1.0	1.5	2.0	9.0	390.0	3.0	4.0	0.2	-0.2	-0.5	-0.1
16362R	-5.0	70.0	-1.0	8.9	14.3	9.0	610.0	96.0	156.0	3.3	1.1	0.3	0.1
16363R	-5.0	40.0	17.0	13.0	2.1	14.0	60.0	30.0	57.0	5.1	0.6	4.9	0.7
16364R	-5.0	20.0	9.0	9.1	2.0	49.0	60.0	20.0	31.0	2.3	0.5	1.4	0.2
16365R	8.0	30.0	4.0	23.0	14.4	22.0	-50.0	39.0	82.0	6.5	0.6	17.5	2.3
16366R	-5.0	22.0	-1.0	20.0	5.0	23.0	-50.0	72.0	118.0	8.0	2.4	3.1	0.5
16367R	8.0	14.0	19.0	13.0	6.6	24.0	-50.0	23.0	81.0	10.5	-0.5	15.8	2.0
16368R	36.0	140.0	9.0	24.0	4.7	28.0	-50.0	45.0	118.0	12.3	-0.4	10.7	1.3
16369R	56.0	32.0	19.0	25.0	30.4	130.0	60.0	36.0	104.0	13.0	-0.4	27.0	3.7
16370R	5.0	38.0	13.0	15.0	15.8	180.0	50.0	25.0	84.0	10.8	-0.3	17.7	2.4
16371R	110.0	14.0	-1.0	15.0	3.7	55.0	-50.0	49.0	95.0	5.2	1.4	2.1	0.3
16372R	6.0	22.0	14.0	14.0	12.3	290.0	-50.0	25.0	81.0	10.4	-0.4	14.9	2.0
16373R	-5.0	16.0	-1.0	11.0	2.4	13.0	-50.0	31.0	50.0	3.6	-0.2	2.1	0.3
16374R	-5.0	30.0	2.0	11.0	2.4	10.0	70.0	27.0	47.0	3.0	0.8	1.6	0.2

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
16375R	-5.0	-10.0	21.0	1.0	1.1	7.0	-4.0	2.30	-200.0	NA	1100.0	0.5	7.2
16376R	-5.0	-10.0	25.0	10.0	2.4	5.0	-4.0	1.00	-200.0	NA	1300.0	1.0	7.3
16377R	-5.0	20.0	23.0	30.0	3.0	4.0	6.0	-0.05	-200.0	NA	1000.0	1.2	5.3
16378R	-5.0	-10.0	8.0	56.0	4.9	3.0	-4.0	-0.05	-200.0	NA	570.0	3.9	5.2
16379R	-5.0	-10.0	13.0	8.0	2.1	3.0	-4.0	0.11	-200.0	NA	1100.0	2.2	6.3
16380R	-5.0	-10.0	15.0	25.0	4.4	3.0	-4.0	0.25	-200.0	NA	1000.0	4.0	5.6
16382R	-5.0	-10.0	2.0	1.0	0.3	2.0	-4.0	0.94	-200.0	NA	240.0	1.4	1.4
16383R	5.0	-10.0	3.0	36.0	7.1	3.0	-4.0	0.14	-200.0	NA	180.0	3.4	6.3
16384R	-5.0	-10.0	-1.0	1.0	1.3	2.0	-4.0	0.80	-200.0	NA	310.0	1.9	3.1
16385R	7.0	-10.0	-1.0	25.0	6.8	3.0	4.0	0.17	-200.0	NA	150.0	1.5	8.3
16386R	-5.0	-10.0	-1.0	42.0	5.1	2.0	5.0	0.45	-200.0	NA	80.0	1.3	8.4
16387R	-5.0	-10.0	4.0	7.5	3.9	4.0	5.0	0.42	-2.0	NA	360.0	2.0	5.0
16388R	5.0	-10.0	4.0	93.0	11.2	3.0	7.0	0.14	-200.0	NA	270.0	4.4	6.5
16389R	5.0	-10.0	4.0	9.0	4.5	4.0	-4.0	0.84	-200.0	NA	350.0	0.7	4.8
16390R	12.0	40.0	10.0	73.0	3.0	6.0	-4.0	0.69	-200.0	NA	160.0	0.3	10.2
16391R	8.0	70.0	4.0	36.0	2.8	5.0	6.0	1.10	-200.0	22.0	160.0	3.1	10.3
16441R	-5.0	10.0	7.0	64.0	8.5	5.0	17.0	-0.05	300.0	120.0	620.0	-0.2	4.0
16442R	-5.0	10.0	5.0	2.5	1.2	4.0	-4.0	1.40	-200.0	14.0	630.0	0.5	5.4
16501R	13.0	10.0	5.0	170.0	10.4	4.0	-4.0	0.10	400.0	100.0	240.0	4.0	4.8
16510R	9.0	60.0	5.0	29.0	2.7	4.0	-4.0	0.12	-200.0	6.0	150.0	0.4	11.9
16515R	11.0	20.0	7.0	35.0	1.5	3.0	-4.0	0.05	-200.0	150.0	220.0	1.0	3.9
16516R	6.0	10.0	4.0	14.0	0.4	1.0	-4.0	-0.05	-200.0	10.0	70.0	0.9	2.0
16517R	-5.0	10.0	4.0	18.0	0.5	3.0	-4.0	-0.05	-200.0	4.0	80.0	1.0	1.5
16518R	-5.0	20.0	8.0	14.0	1.9	2.0	-4.0	-0.05	-200.0	8.0	130.0	0.8	4.3
16701R	6.0	10.0	11.0	92.0	5.0	4.0	-4.0	-0.05	-200.0	130.0	820.0	1.2	7.4
16702R	-5.0	10.0	6.0	320.0	14.7	4.0	-4.0	-0.05	-300.0	1300.0	540.0	-0.2	4.3
16703R	7.0	20.0	28.0	170.0	4.8	8.0	-4.0	0.05	-200.0	34.0	1400.0	0.9	9.5
16704R	-5.0	-10.0	20.0	35.0	4.5	4.0	-4.0	-0.05	-200.0	140.0	1200.0	1.3	5.5
19002R	8.0	70.0	6.0	22.0	2.6	10.0	-4.0	0.65	-200.0	14.0	120.0	1.2	11.3
19003R	23.0	70.0	9.0	210.0	4.8	3.0	-24.0	0.44	-600.0	18.0	-90.0	41.0	15.2

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
16375R	-5.0	2.0	8.0	27.0	25.4	12.0	-50.0	38.0	97.0	16.5	-0.5	21.1	2.8
16376R	-5.0	88.0	7.0	34.0	18.8	6.0	140.0	57.0	180.0	23.6	-0.6	30.8	3.9
16377R	-5.0	110.0	3.0	17.0	10.7	34.0	160.0	32.0	82.0	11.2	1.0	18.8	2.3
16378R	-5.0	220.0	8.0	15.0	17.4	4.0	220.0	24.0	86.0	10.6	-0.3	22.2	2.9
16379R	-5.0	82.0	11.0	15.0	15.3	4.0	60.0	32.0	125.0	15.7	-0.4	29.8	3.9
16380R	-5.0	130.0	12.0	14.0	14.6	5.0	160.0	33.0	118.0	16.6	-0.4	29.6	3.7
16382R	38.0	-2.0	-1.0	16.0	6.4	-4.0	-50.0	17.0	38.0	3.6	-0.4	4.7	0.6
16383R	-6.0	1000.0	1.0	26.0	16.4	5.0	400.0	56.0	99.0	7.2	0.6	5.3	0.8
16384R	-5.0	4.0	1.0	18.0	8.1	-4.0	50.0	38.0	75.0	5.3	-0.4	3.1	0.5
16385R	12.0	1100.0	-1.0	23.0	33.5	5.0	930.0	63.0	111.0	9.3	0.5	7.4	1.2
16386R	5.0	1400.0	-1.0	19.0	10.5	4.0	600.0	23.0	41.0	3.8	0.4	4.9	0.7
16387R	-5.0	160.0	1.0	26.0	19.8	8.0	520.0	65.0	104.0	8.5	-0.4	6.0	0.8
16388R	5.0	110.0	-1.0	30.0	52.4	10.0	2300.0	87.0	105.0	11.5	1.0	8.8	1.3
16389R	-5.0	98.0	1.0	30.0	24.9	9.0	220.0	77.0	102.0	10.9	0.7	10.6	1.4
16390R	-5.0	66.0	-1.0	11.0	3.5	-4.0	150.0	36.0	64.0	3.9	1.0	2.1	0.3
16391R	-5.0	8.0	-1.0	13.0	4.5	-5.0	140.0	43.0	69.0	6.5	1.0	1.9	0.3
16441R	-5.0	2000.0	3.0	55.0	12.4	8.0	550.0	83.0	147.0	13.5	-0.6	5.9	0.9
16442R	-6.0	24.0	2.0	57.0	14.4	-4.0	100.0	70.0	135.0	13.6	-0.7	9.8	1.5
16501R	-6.0	2200.0	2.0	25.0	40.9	8.0	4700.0	60.0	115.0	12.2	0.5	8.9	1.8
16510R	-5.0	14.0	-1.0	8.0	1.9	9.0	130.0	11.0	40.0	1.7	0.5	1.5	0.3
16515R	5.0	14.0	-1.0	8.6	3.6	-4.0	110.0	24.0	38.0	3.0	0.5	0.6	0.2
16516R	-5.0	4.0	-1.0	2.7	-0.6	-4.0	-50.0	12.0	21.0	1.0	0.3	0.4	-0.1
16517R	-5.0	-2.0	-1.0	2.3	1.3	-4.0	-50.0	7.0	14.0	2.5	1.3	1.8	0.2
16518R	-5.0	4.0	-1.0	4.1	2.7	-4.0	-50.0	9.0	12.0	1.4	0.6	0.6	0.1
16701R	-9.0	16000.0	7.0	23.0	21.5	6.0	130.0	37.0	106.0	18.0	-0.5	21.4	3.5
16702R	-8.0	450.0	-1.0	42.0	12.8	12.0	1900.0	65.0	118.0	10.4	-0.6	5.5	0.8
16703R	-6.0	160.0	32.0	31.0	30.2	38.0	230.0	30.0	93.0	19.0	-0.4	34.7	5.3
16704R	-9.0	18000.0	8.0	17.0	15.4	36.0	210.0	19.0	79.0	13.5	0.4	33.3	5.0
19002R	-5.0	6.0	1.0	18.0	4.0	-4.0	70.0	53.0	88.0	8.0	1.1	3.3	0.5
19003R	-25.0	38.0	-3.0	4.5	-7.8	26.0	210.0	14.0	30.0	2.7	-1.1	4.2	0.2

Station	Lat.	Long.	Quad.	T.	R.	Sec.	Sample Description	Ag	As	Au(ppb)	Ba	Ca(%)
19004R	65.4274	145.9249	B-4	7	9	17	CALC-SIL SCHIST WITH SULFIDES	-0.5	5600.0	1300.0	-500.0	2.5
19005R	65.4309	145.9499	B-4	7	9	17	(COMP) CALC-SIL SKARNOID WITH FEOX	-0.5	45.0	9.0	200.0	-0.8
19006R	65.4318	145.9543	B-4	7	9	17	FE-STAINED HFLS PELITIC SCHIST	0.5	13.0	9.0	300.0	-1.0

Station	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni	Pb	Rb	Sb	Sc
19004R	17.0	90.0	2.0	210.0	4.0	4.0	-9.0	0.43	-300.0	8.0	60.0	16.0	12.7
19005R	6.0	30.0	2.0	17.0	1.5	3.0	-4.0	-0.05	-200.0	6.0	90.0	1.3	5.6
19006R	17.0	70.0	4.0	110.0	6.2	4.0	-4.0	0.49	-200.0	-2.0	60.0	-0.2	15.6

Station	Se	Sn	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
19004R	-10.0	64.0	-1.0	4.4	-2.8	-6.0	150.0	15.0	23.0	3.0	0.8	2.3	0.3
19005R	-5.0	10.0	-1.0	9.0	2.3	4.0	60.0	11.0	20.0	1.9	0.4	1.4	0.2
19006R	-5.0	2.0	-1.0	5.4	1.3	-5.0	130.0	18.0	34.0	4.2	1.1	1.5	0.2

Table 5-4. Elemental analyses of soil samples collected in the Lime Peak - Mt. Prindle area of the Circle Quadrangle, Alaska. Analyses are reported in parts per million (ppm) unless indicated otherwise. Negative numbers indicate that the element was not detected at a concentration level equal to the absolute value of the negative number reported.

Station	Quad.	T.	R.	Sec.	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni
00665L	C-6	9	5	20	-0.5	33.0	-7.0	700.0	-1.6	9.0	80.0	6.0	25.0	3.5	9.0	-4.0	1.3	-200.0
00671L	C-6	9	5	20	-0.5	27.0	-7.0	600.0	-1.5	10.0	80.0	5.0	28.0	3.5	7.0	8.0	1.3	-200.0
00672L	C-6	9	5	20	-0.5	30.0	-7.0	800.0	-1.6	11.0	70.0	6.0	26.0	3.5	8.0	-4.0	1.4	-200.0
00673L	C-6	9	5	20	-0.5	23.0	-5.0	800.0	-1.6	14.0	80.0	5.0	29.0	3.5	10.0	-4.0	1.3	-200.0
04328L	C-6	9	5	20	-0.5	23.0	-7.0	700.0	2.1	12.0	80.0	5.0	27.0	3.6	9.0	9.0	1.2	-200.0
04329L	C-6	9	5	20	-0.5	18.0	14.0	500.0	-2.6	7.0	50.0	7.0	20.0	2.7	13.0	-4.0	1.5	-400.0
04330L	C-6	9	5	20	-0.5	15.0	-7.0	800.0	-1.7	12.0	80.0	4.0	25.0	4.0	10.0	-4.0	1.4	-300.0
04331L	C-6	9	5	20	-0.5	14.0	-10.0	900.0	-2.4	9.0	70.0	6.0	30.0	2.8	10.0	6.0	1.2	-300.0
04332L	C-6	9	5	20	-0.5	12.0	-11.0	800.0	-2.4	8.0	40.0	7.0	22.0	2.5	7.0	-4.0	1.3	-300.0
04333L	C-6	9	5	20	-0.5	16.0	-10.0	700.0	-2.4	11.0	60.0	5.0	31.0	2.9	11.0	-4.0	1.3	-300.0
04334L	C-6	9	5	20	-0.5	18.0	-7.0	800.0	-1.4	12.0	80.0	5.0	31.0	3.9	9.0	-4.0	1.3	-200.0
04335L	C-6	9	5	20	-0.5	17.0	11.0	600.0	-1.6	13.0	60.0	6.0	25.0	3.6	10.0	-4.0	1.2	-200.0
04336L	C-6	9	5	20	-0.5	19.0	-6.0	700.0	-1.3	12.0	90.0	4.0	31.0	4.0	8.0	-4.0	1.2	-200.0
04337L	C-6	9	5	20	-0.5	19.0	-7.0	700.0	1.8	13.0	100.0	4.0	36.0	3.9	9.0	-4.0	1.3	-200.0
04416L	B-6	7	6	9	-0.5	79.0	9.0	600.0	-1.2	10.0	70.0	17.0	19.0	3.3	7.0	-4.0	0.9	-200.0
04417L	B-6	7	6	9	0.5	220.0	14.0	600.0	-0.9	6.0	50.0	26.0	12.0	3.3	10.0	-4.0	0.7	-200.0
04418L	B-6	7	6	9	1.0	320.0	14.0	400.0	-1.2	-5.0	10.0	45.0	9.0	3.7	8.0	-4.0	0.1	200.0
04419L	B-6	7	6	9	0.5	200.0	15.0	200.0	1.5	-5.0	10.0	37.0	6.0	2.9	8.0	-4.0	0.1	-200.0
04420L	B-6	7	6	9	-0.5	180.0	9.0	300.0	-1.3	-5.0	10.0	35.0	5.0	2.0	9.0	-4.0	0.2	200.0
04421L	B-6	7	6	9	-0.5	160.0	20.0	400.0	-1.2	-5.0	10.0	32.0	4.0	2.9	7.0	-4.0	0.1	300.0

Table A-5 (continued)

Station	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
00665L	160.0	220.0	0.8	13.2	-6.0	-1.0	35.0	6.3	-4.0	160.0	84.0	151.0	9.4	2.0	5.7	0.9
00671L	94.0	140.0	0.9	13.1	-5.0	-1.0	30.0	5.7	-4.0	150.0	69.0	146.0	7.8	-1.0	5.1	0.7
00672L	400.0	290.0	0.9	13.1	-5.0	-1.0	43.0	8.6	-4.0	250.0	95.0	172.0	10.5	-1.1	7.8	1.0
00673L	220.0	320.0	1.0	13.2	-5.0	-1.0	39.0	9.7	-4.0	250.0	96.0	174.0	11.4	1.9	7.9	1.1
04328L	120.0	260.0	0.9	13.1	-5.0	-1.0	54.0	10.4	4.0	240.0	90.0	195.0	10.4	1.3	7.5	1.1
04329L	410.0	390.0	0.8	11.2	-8.0	-2.0	63.0	18.9	5.0	360.0	138.0	220.0	14.6	-1.9	12.2	1.6
04330L	100.0	310.0	1.0	15.0	-5.0	-1.0	43.0	9.2	-4.0	190.0	96.0	197.0	11.4	1.4	7.9	1.0
04331L	260.0	330.0	0.5	11.9	-7.0	-2.0	45.0	10.4	-4.0	260.0	118.0	202.0	13.6	-1.7	9.9	1.5
04332L	150.0	360.0	0.7	10.8	-6.0	-2.0	51.0	10.8	7.0	310.0	121.0	207.0	13.6	-1.7	11.1	1.6
04333L	100.0	300.0	0.7	12.1	-49.0	3.0	45.0	9.5	5.0	210.0	106.0	173.0	11.2	1.9	6.9	1.1
04334L	58.0	190.0	0.9	14.5	-5.0	-1.0	36.0	7.3	-4.0	190.0	67.0	138.0	8.3	1.4	5.1	0.7
04335L	78.0	260.0	0.8	12.0	-6.0	-1.0	63.0	10.8	4.0	220.0	92.0	184.0	10.1	-1.1	6.5	0.9
04336L	72.0	190.0	1.0	14.0	-5.0	-1.0	30.0	7.3	-4.0	180.0	66.0	129.0	7.7	1.7	4.3	0.6
04337L	66.0	250.0	0.9	15.1	-5.0	2.0	31.0	8.2	4.0	170.0	70.0	135.0	8.4	-1.0	4.1	0.6
04416L	14.0	370.0	5.1	11.3	-5.0	-1.0	25.0	10.6	8.0	45.0	49.0	107.0	6.2	-0.8	4.5	0.8
04417L	20.0	500.0	11.0	10.4	51.0	3.0	47.0	18.0	21.0	28.0	84.0	164.0	11.2	1.1	9.0	1.3
04418L	30.0	710.0	17.0	8.3	-6.0	4.0	46.0	20.9	29.0	14.0	70.0	137.0	9.9	-0.9	8.7	1.3
04419L	26.0	640.0	14.0	7.5	-6.0	3.0	43.0	18.4	40.0	8.0	70.0	128.0	9.8	-0.8	8.4	1.3
04420L	12.0	820.0	11.0	7.7	10.0	3.0	54.0	17.7	43.0	5.0	81.0	162.0	11.4	-0.8	10.3	1.5
04421L	24.0	750.0	14.0	7.5	-5.0	2.0	44.0	13.3	37.0	4.0	64.0	123.0	8.5	-0.8	7.6	1.1

Station	Quad.	T.	R.	Sec.	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni
04422L	B-6	7	6	9	-0.5	170.0	9.0	400.0	-1.1	-5.0	-10.0	28.0	2.5	2.4	8.0	-4.0	0.2	-200.0
04423L	B-6	7	6	9	-0.5	62.0	6.0	300.0	-1.2	-5.0	-10.0	27.0	3.5	2.7	7.0	-4.0	0.2	-200.0
04424L	B-6	7	6	9	-0.5	43.0	-5.0	500.0	1.7	-5.0	20.0	38.0	5.0	1.8	7.0	-4.0	0.4	-200.0
04425L	B-6	7	6	9	-0.5	12.0	-6.0	600.0	-1.4	7.0	50.0	31.0	13.0	3.0	7.0	-4.0	1.2	-200.0
04431L	B-6	6	6	5	-0.5	14.0	-5.0	500.0	-1.3	5.0	40.0	2.0	16.0	3.7	7.0	-4.0	0.6	-200.0
04432L	C-6	9	4	14	-0.5	7.0	-10.0	500.0	-3.1	-5.0	-10.0	14.0	5.0	3.3	15.0	-4.0	0.8	-300.0
05933L	C-6	9	4	20	-0.5	39.0	11.0	800.0	-2.1	10.0	80.0	6.0	17.0	2.9	11.0	-4.0	1.6	-300.0
05934L	C-6	9	4	20	-0.5	22.0	-7.0	800.0	-1.4	20.0	100.0	3.0	14.0	4.2	8.0	-4.0	1.5	-200.0
05935L	C-6	9	4	20	-0.5	21.0	8.0	800.0	-1.4	15.0	90.0	5.0	30.0	3.9	7.0	-4.0	1.4	-200.0
05936L	C-6	9	4	20	-0.5	33.0	-7.0	500.0	-1.5	11.0	70.0	5.0	24.0	3.5	10.0	4.0	1.4	-200.0
05937L	C-6	9	4	20	-0.5	18.0	-5.0	900.0	-1.1	17.0	110.0	4.0	23.0	4.2	8.0	-4.0	1.6	-200.0
05938L	C-6	9	4	20	-0.5	30.0	-10.0	800.0	-2.3	14.0	60.0	6.0	24.0	3.1	11.0	-4.0	1.4	-300.0
05939L	C-6	9	4	20	-0.5	53.0	-11.0	1100.0	-2.5	12.0	80.0	7.0	22.0	3.2	14.0	-4.0	1.4	-300.0
05940L	C-6	9	4	20	-0.5	16.0	8.0	800.0	-1.5	18.0	100.0	4.0	25.0	3.9	8.0	4.0	1.6	-200.0
05941L	C-6	9	4	20	-0.5	27.0	6.0	700.0	-1.5	8.0	70.0	5.0	13.0	3.6	11.0	9.0	1.5	-200.0
05942L	C-6	9	4	20	-0.5	31.0	-6.0	700.0	-1.3	9.0	90.0	5.0	29.0	4.0	8.0	-4.0	1.4	-200.0
05943L	C-6	9	5	20	-0.5	32.0	-8.0	500.0	-2.1	9.0	70.0	3.0	28.0	3.3	6.0	-4.0	1.2	-300.0
05944L	C-6	9	5	20	-0.5	26.0	-8.0	700.0	2.9	11.0	90.0	3.0	29.0	3.4	5.0	-4.0	1.2	-300.0
05945L	C-6	9	5	20	-0.5	32.0	9.0	500.0	-2.3	9.0	60.0	6.0	21.0	3.3	7.0	-4.0	1.2	-300.0
05946L	C-6	9	5	20	-0.5	13.0	-8.0	700.0	-2.1	7.0	70.0	3.0	19.0	2.8	8.0	-4.0	1.4	-300.0
05947L	C-6	9	5	20	-0.5	14.0	-7.0	600.0	-1.8	10.0	80.0	2.0	22.0	3.2	6.0	-4.0	1.2	-300.0
05948L	C-6	9	5	20	-0.5	11.0	8.0	700.0	-2.0	11.0	80.0	3.0	28.0	3.3	5.0	-4.0	1.2	-200.0
05949L	C-6	9	5	20	-0.5	14.0	-7.0	700.0	-1.8	10.0	70.0	2.0	28.0	3.2	4.0	-4.0	1.1	-300.0
05950L	C-6	9	5	20	-0.5	18.0	10.0	800.0	-1.9	11.0	70.0	3.0	26.0	3.3	6.0	-4.0	1.2	-300.0
06431L	C-6	9	5	20	-0.5	23.0	-8.0	700.0	-2.0	9.0	70.0	3.0	23.0	3.0	7.0	-4.0	1.2	-300.0

Station	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04422L	22.0	690.0	9.5	6.5	210.0	3.0	44.0	11.1	48.0	3.0	66.0	141.0	9.0	-0.7	8.3	1.0
04423L	22.0	700.0	8.9	6.7	-5.0	3.0	45.0	11.5	47.0	4.0	70.0	132.0	9.3	1.0	8.8	1.2
04424L	24.0	710.0	1.7	7.7	-5.0	4.0	36.0	16.4	44.0	19.0	57.0	110.0	8.1	-0.8	7.4	1.1
04425L	20.0	420.0	0.9	11.7	-5.0	2.0	33.0	16.9	7.0	74.0	59.0	118.0	8.1	-1.0	7.4	1.1
04431L	10.0	50.0	3.4	7.2	-5.0	-1.0	11.0	5.3	-4.0	36.0	31.0	60.0	5.7	1.0	2.5	0.4
04432L	50.0	530.0	0.6	12.6	-5.0	4.0	160.0	75.1	18.0	71.0	243.0	419.0	40.4	-1.1	22.7	4.0
05933L	120.0	330.0	0.6	11.5	-6.0	-2.0	45.0	9.7	4.0	190.0	72.0	122.0	8.3	-1.4	7.9	1.2
05934L	100.0	110.0	1.1	16.4	-8.0	-1.0	25.0	9.6	-4.0	180.0	60.0	118.0	10.2	2.2	6.4	0.9
05935L	62.0	100.0	1.3	15.3	-5.0	2.0	25.0	8.7	-4.0	110.0	56.0	126.0	9.5	1.8	6.2	0.9
05936L	120.0	280.0	1.0	13.1	-5.0	2.0	49.0	11.5	-4.0	180.0	80.0	181.0	11.1	1.2	7.8	1.1
05937L	64.0	160.0	0.9	16.0	-5.0	-1.0	27.0	7.2	-4.0	99.0	74.0	137.0	9.2	2.2	5.7	0.9
05938L	120.0	340.0	1.1	13.7	-7.0	-2.0	39.0	10.5	5.0	160.0	90.0	157.0	11.2	-1.6	7.4	1.1
05939L	110.0	320.0	1.1	14.4	-7.0	-2.0	50.0	10.9	-4.0	160.0	109.0	193.0	15.3	1.8	10.1	1.4
05940L	46.0	140.0	1.0	16.6	-5.0	-1.0	20.0	7.1	-4.0	83.0	63.0	122.0	8.2	1.5	4.7	0.7
05941L	78.0	290.0	0.8	13.6	-5.0	-1.0	44.0	9.4	5.0	110.0	74.0	137.0	8.9	1.3	7.8	1.1
05942L	110.0	130.0	1.1	14.5	-6.0	-1.0	26.0	7.6	-4.0	130.0	64.0	114.0	7.8	-0.2	5.1	0.8
05943L	120.0	300.0	0.7	12.3	-5.0	-2.0	47.0	11.9	5.0	200.0	72.0	152.0	14.4	2.0	6.9	1.1
05944L	76.0	130.0	0.9	14.6	-5.0	-2.0	28.0	10.4	-4.0	150.0	74.0	135.0	15.7	1.5	6.2	1.0
05945L	96.0	310.0	0.8	11.6	-5.0	3.0	54.0	10.7	5.0	190.0	82.0	151.0	14.7	1.7	7.9	1.3
05946L	44.0	150.0	0.6	12.0	-5.0	-2.0	29.0	6.8	4.0	180.0	67.0	112.0	13.4	1.0	6.2	1.1
05947L	50.0	130.0	1.0	11.9	6.0	-2.0	20.0	5.6	4.0	100.0	53.0	88.0	9.3	-0.8	3.4	0.6
05948L	36.0	110.0	0.9	13.5	-5.0	-2.0	14.0	5.2	-4.0	85.0	53.0	83.0	9.2	-0.9	2.9	0.5
05949L	46.0	90.0	0.8	12.1	-5.0	-2.0	20.0	6.0	-4.0	120.0	48.0	83.0	9.3	1.3	3.8	0.6
05950L	48.0	120.0	0.9	12.8	-5.0	-2.0	26.0	5.6	-4.0	120.0	58.0	121.0	10.8	1.2	4.7	0.8
06431L	70.0	260.0	0.8	11.3	-5.0	-2.0	31.0	6.3	-4.0	140.0	58.0	106.0	10.1	-0.9	5.7	0.9

Station	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
04422L	22.0	690.0	9.5	6.5	210.0	3.0	44.0	11.1	48.0	3.0	66.0	141.0	9.0	-0.7	8.3	1.0
04423L	22.0	700.0	8.9	6.7	-5.0	3.0	45.0	11.5	47.0	4.0	70.0	132.0	9.3	1.0	8.8	1.2
04424L	24.0	710.0	1.7	7.7	-5.0	4.0	36.0	16.4	44.0	19.0	57.0	110.0	8.1	-0.8	7.4	1.1
04425L	20.0	420.0	0.9	11.7	-5.0	2.0	33.0	16.9	7.0	74.0	59.0	118.0	8.1	-1.0	7.4	1.1
04431L	10.0	50.0	3.4	7.2	-5.0	-1.0	11.0	5.3	-4.0	36.0	31.0	60.0	5.7	1.0	2.5	0.4
04432L	50.0	530.0	0.6	12.6	-5.0	4.0	160.0	75.1	18.0	71.0	243.0	419.0	40.4	-1.1	22.7	4.0
05933L	120.0	330.0	0.6	11.5	-6.0	-2.0	45.0	9.7	4.0	190.0	72.0	122.0	8.3	-1.4	7.9	1.2
05934L	100.0	110.0	1.1	16.4	-8.0	-1.0	25.0	9.6	-4.0	180.0	60.0	118.0	10.2	2.2	6.4	0.9
05935L	62.0	100.0	1.3	15.3	-5.0	2.0	25.0	8.7	-4.0	110.0	56.0	126.0	9.5	1.8	6.2	0.9
05936L	120.0	280.0	1.0	13.1	-5.0	2.0	49.0	11.5	-4.0	180.0	80.0	181.0	11.1	1.2	7.8	1.1
05937L	64.0	160.0	0.9	16.0	-5.0	-1.0	27.0	7.2	-4.0	99.0	74.0	137.0	9.2	2.2	5.7	0.9
05938L	120.0	340.0	1.1	13.7	-7.0	-2.0	39.0	10.5	5.0	160.0	90.0	157.0	11.2	-1.6	7.4	1.1
05939L	110.0	320.0	1.1	14.4	-7.0	-2.0	50.0	10.9	-4.0	160.0	109.0	193.0	15.3	1.8	10.1	1.4
05940L	46.0	140.0	1.0	16.6	-5.0	-1.0	20.0	7.1	-4.0	83.0	63.0	122.0	8.2	1.5	4.7	0.7
05941L	78.0	290.0	0.8	13.6	-5.0	-1.0	44.0	9.4	5.0	110.0	74.0	137.0	8.9	1.3	7.8	1.1
05942L	110.0	130.0	1.1	14.5	-6.0	-1.0	26.0	7.6	-4.0	130.0	64.0	114.0	7.8	-0.2	5.1	0.8
05943L	120.0	300.0	0.7	12.3	-5.0	-2.0	47.0	11.9	5.0	200.0	72.0	152.0	14.4	2.0	6.9	1.1
05944L	76.0	130.0	0.9	14.6	-5.0	-2.0	28.0	10.4	-4.0	150.0	74.0	135.0	15.7	1.5	6.2	1.0
05945L	96.0	310.0	0.8	11.6	-5.0	3.0	54.0	10.7	5.0	190.0	82.0	151.0	14.7	1.7	7.9	1.3
05946L	44.0	150.0	0.6	12.0	-5.0	-2.0	29.0	6.8	4.0	180.0	67.0	112.0	13.4	1.0	6.2	1.1
05947L	50.0	130.0	1.0	11.9	6.0	-2.0	20.0	5.6	4.0	100.0	53.0	88.0	9.3	-0.8	3.4	0.6
05948L	36.0	110.0	0.9	13.5	-5.0	-2.0	14.0	5.2	-4.0	85.0	53.0	83.0	9.2	-0.9	2.9	0.5
05949L	46.0	90.0	0.8	12.1	-5.0	-2.0	20.0	6.0	-4.0	120.0	48.0	83.0	9.3	1.3	3.8	0.6
05950L	48.0	120.0	0.9	12.8	-5.0	-2.0	26.0	5.6	-4.0	120.0	58.0	121.0	10.8	1.2	4.7	0.8
06431L	70.0	260.0	0.8	11.3	-5.0	-2.0	31.0	6.3	-4.0	140.0	58.0	106.0	10.1	-0.9	5.7	0.9

Station	Quad.	T.	R.	Sec.	Ag	As	Au(ppb)	Ba	Ca(%)	Co	Cr	Cs	Cu	Fe(%)	Hf	Mo	Na(%)	Ni
06432L	C-6	9	5	20	-0.5	32.0	-9.0	600.0	-2.3	10.0	60.0	4.0	29.0	3.2	7.0	-4.0	1.0	-300.0
06632L	C-6	9	5	20	-0.5	20.0	-8.0	600.0	-2.0	9.0	50.0	3.0	44.0	2.9	6.0	-4.0	1.0	-300.0
06633L	C-6	9	5	20	-0.5	24.0	14.0	700.0	-2.0	11.0	60.0	2.0	42.0	3.1	6.0	-4.0	1.1	-300.0
06634L	C-6	9	5	20	-0.5	22.0	-8.0	600.0	-2.0	8.0	70.0	4.0	51.0	2.8	7.0	-4.0	1.0	500.0
15420L	B-6	6	6	5	-0.5	12.0	-6.0	600.0	-1.5	9.0	50.0	2.0	18.0	2.5	6.0	-4.0	0.7	-200.0
15487L	B-4	7	9	12	-0.5	-2.0	-9.0	900.0	-2.0	7.0	150.0	5.0	31.0	6.3	8.0	-4.0	0.2	-300.0

Station	Pb	Rb	Sb	Sc	Se	Ta	Th	U	W	Zn	La	Ce	Sm	Eu	Yb	Lu
06432L	220.0	290.0	0.8	11.1	-5.0	-2.0	45.0	10.0	-4.0	270.0	98.0	195.0	18.5	2.6	7.3	1.3
06632L	130.0	180.0	0.7	11.6	-5.0	-2.0	30.0	6.6	-4.0	240.0	74.0	129.0	12.7	1.1	4.1	0.8
06633L	72.0	130.0	0.9	12.6	-9.0	-2.0	21.0	7.1	-4.0	180.0	60.0	107.0	10.8	1.0	3.5	0.6
06634L	98.0	230.0	1.0	10.8	-5.0	-2.0	28.0	8.3	-4.0	280.0	60.0	116.0	10.2	-0.9	4.2	0.7
15420L	12.0	90.0	1.8	8.9	5.0	-1.0	10.0	2.8	-4.0	56.0	37.0	58.0	5.9	-0.7	2.1	0.4
15487L	4.0	300.0	-0.2	32.6	-6.0	-2.0	16.0	2.1	4.0	38.0	56.0	102.0	11.0	1.4	4.2	0.7