

Public-data File 91-22g

**NATIONAL URANIUM RESOURCE EVALUATION GEOCHEMICAL
DATA FOR STREAM- AND LAKE-SEDIMENT SAMPLES IN THE
BIG DELTA QUADRANGLE, ALASKA**

by

M.A. Wiltse

**Alaska Division of
Geological & Geophysical Surveys**

December 1990

**THIS REPORT HAS NOT BEEN REVIEWED FOR
TECHNICAL CONTENT (EXCEPT AS NOTED IN
TEXT) OR FOR CONFORMITY TO THE
EDITORIAL STANDARDS OF DGGS.**

**794 University Avenue, Suite 200
Fairbanks, Alaska 99709-3645**

NATIONAL URANIUM RESOURCE EVALUATION GEOCHEMICAL DATA FOR STREAM- AND LAKE-SEDIMENT SAMPLES IN THE BIG DELTA QUADRANGLE, ALASKA

by
M.A. Wiltse

INTRODUCTION

Purpose:

In December of 1990 the Alaska Division of Geological and Geophysical Surveys (ADGGS) began a mineral resource evaluation of those lands still available for state selection under the Alaska Statehood Act. As part of that process ADGGS is reviewing the stream- and lake-sediment geochemical data generated during the U.S. Department of Energy, National Uranium Resource Evaluation (NURE) program.

This Public-data File has been released so that a summary of that data is available to interested persons. This publication has not been formally reviewed for technical accuracy or for conformity to the editorial standards of ADGGS.

Scope of data:

ADGGS has reviewed NURE geochemical data for the following 1:250,000 quadrangles:

Anchorage	ANC
Baird Mountains	XBM
Beaver	BVR
Bendeleben	BEN
Bering Glacier	XBG
Bettles	BET
Big Delta	XBD
Black River	BLR
Candle	CAN
Chandalar	CHN
Charley River	CHR
Circle	CIR
Eagle	EAG
Gulkana	GUL
Healy	HEA
Hughes	HUG
Iditarod	IDT
Kateel River	KAT
Lime Hills	LIM
Livengood	LIV
Medfra	MED
Melozitna	MLZ
Misheguk Mountain	MIS
Mount Hayes	XMH
Nabesna	NAB

Nome	NOM
Norton Bay	NOB
Nulato	NUT
Phillip Smith Mountains	PSM
Point Hope	XPH
Point Lay	XPL
Ruby	RUB
Selawik	SLK
Shungnak	SHU
Sleetmute	SLT
Solomon	SOL
Talkeetna Mountains	TLM
Tanacross	TNX
Tanana	TAN
Teller	TEL
Umiat	UMI
Unalakleet	UKT
Utukok River	XUR
Valdez	VAL
Wiseman	WIS

Limitations of data:

Our review has been limited to the following elements: Ag, As, Au, Ba, Be, Bi, Cd, Co, Cr, Cu, Fe, La, Mn, Mo, Ni, Pb, Sb, Sn, Ti, U, U/Th, V, W, Zn

The Nure data set also contains analyses for: Al, Ca, Ce, Cl, Cs, Dy, Eu, Hf, K, Li, Lu, Mg, Na, Nb, Rb, Sc, Sm, Sr, Ta, Tb, Th, Yb, Zr. These data have not been analyzed in the present study.

Because of the procedures used in generating the initial chemical analyses, the NURE geochemical data set has severe limitations. Many elements were determined at only a few sample sites resulting in many samples having incomplete data coverage. The detection limit for many elements is high, making those data of limited effectiveness in delineating mineral resources. Regardless of these and other shortcomings, however, the NURE data do provide information concerning mineralization in many poorly accessible parts of Alaska.

Contents:

This Public-data File (PDF), and the PDF's for the above listed quadrangles, contain a columnar ASCII file on a 5 1/4" high density floppy disk that includes: sample number, replicate code, sample type code, latitude, longitude, and the complete set of elemental analyses available for each sample in the quadrangle. These data are consistently ordered in the file as shown below:

Sample number, Replicate code, Latitude, Longitude, Sample-type code, U Ag Bi Cd Cu Nb Ni
Pb Sn W As Zr Mo Be Li Al Au Ba Ca Ce Cl Co Cr Cs Dy Eu Fe Hf K La Lu Mn Mg Na Rb Sb Sc
Sm Sr Ta Tb Th Ti V Yb Zn U/Th

All values are entered as parts per million. The data file bears a three letter identification and the extension "ASC" (eg. EAG.ASC for the Eagle Quadrangle data file).

A sample replicate code of "0" indicates that the sample is the initial sample taken at a site and is the code found for most samples. Subsequent samples collected from the same site have successively

higher integer designations. Sample type codes range from "01" to "99". The definition of these codes is found in Appendix A "Key to Sample Types".

Within the elemental analysis fields of a sample, values of -999 indicate that no analyses was attempted for that element. Other negative numbers (eg. -5) in an elemental analysis field of a record indicate that the element was not detected at a level equal to the absolute value of the negative number tabulated.

TREATMENT OF DATA

Elements:

Although all the elemental NURE data available for a quadrangle is included in the digital ASCII file supplied with this PDF, only a 24 element subset of data was analyzed for this PDF: Ag, As, Au, Ba, Be, Bi, Cd, Co, Cr, Cu, Fe, La, Mn, Mo, Ni, Pb, Sb, Sn, Ti, U, U/Th, V, W, Zn.

Grouping of data:

The majority of the Alaska Nure geochemical data is derived from stream sediment or lake sediment samples. Many data sets, however, have a few samples that are subtypes of these two fundamental sample groups. For the purpose of the data review released in this PDF, all subtype samples have been recoded to either the stream sediment type or the lake sediment type, whichever type they most closely resembled. We estimate that less than 1 percent of the samples encountered in this review were recoded.

Following sample-type recoding, brief summary statistics were calculated separately for the stream sediment samples (type=12) and for the lake sediment samples (type=13). These statistics provide a quick reference to the number of samples that have analytical values exceeding the detection limit and provide an indication of the geochemical dispersion of the elements for each sample type.

Single-element Pseudomaps of the data have been made that show the location of all samples having analytical values greater than the mean. This was accomplished by separately standardizing the data for each sample type, recoding all standard scores that were less-than-or-equal-to-zero to zero and then plotting a symbol at each sample site, the size of which is proportional to the elemental standardized value (Z-score) at that sample site. Because Z-scores are measures of standard deviation, this procedure results in a pseudomap with varying symbol size that directly reflects how far a sample's element content is above the mean. The larger symbols correspond to element values that are farthest above the mean value for the element in question. A Symbol-size key is provided in figure 1 which indicates the symbol size for element abundances from 1 to 6 standard deviations above the mean.

THESE RESULTS ARE FOR XBDM NURE DATA

TYPE 12 = STREAM SEDIMENTS, TYPE 13 = LAKE,

THE FOLLOWING RESULTS ARE FOR:

TYPE = 12.000

TOTAL OBSERVATIONS: 1022

	U	AG	BI	CD	CU
N OF CASES	1022	1	106	14	978
MINIMUM	0.440	6.000	5.000	5.000	10.000
MAXIMUM	42.080	6.000	13.000	14.000	136.000
MEAN	5.465	6.000	6.330	6.929	26.396
STANDARD DEV	3.934	.	1.787	2.526	11.210

	NI	PB	SN	W	AS
N OF CASES	902	765	9	50	975
MINIMUM	15.000	5.000	10.000	15.000	5.000
MAXIMUM	365.000	291.000	52.000	73.000	1080.000
MEAN	36.874	11.759	19.111	23.100	30.729
STANDARD DEV	26.654	17.414	13.688	11.200	65.785

	MO	BE	AU	BA	CO
N OF CASES	0	0	7	985	1003
MINIMUM	.	.	0.120	256.000	2.400
MAXIMUM	.	.	0.910	3221.000	196.700
MEAN	.	.	0.389	748.429	17.121
STANDARD DEV	.	.	0.251	248.820	8.529

	CR	FE	MN	SB	TI
N OF CASES	998	1022	1022	80	992
MINIMUM	20.000	3174.000	60.000	2.000	1310.000
MAXIMUM	1280.000	299600.000	7813.000	118.000	33330.000
MEAN	137.967	40509.028	837.925	11.113	5193.167
STANDARD DEV	86.378	20237.730	534.542	14.598	1555.657

	V	ZN	UTH	LA
N OF CASES	1020	463	1000	974
MINIMUM	20.000	50.000	0.123	13.000
MAXIMUM	865.000	759.000	6.971	252.000
MEAN	115.490	160.013	0.421	48.705
STANDARD DEV	37.484	90.822	0.384	17.827

THE FOLLOWING RESULTS ARE FOR:
 TYPE = 13.000

TOTAL OBSERVATIONS: 216

	U	AG	BI	CD	CU
N OF CASES	216	0	5	1	199
MINIMUM	0.630	.	5.000	5.000	10.000
MAXIMUM	18.410	.	16.000	5.000	78.000
MEAN	3.435	.	8.800	5.000	32.764
STANDARD DEV	2.272	.	4.324	.	12.815


	NI	PB	SN	W	AS
N OF CASES	182	107	0	4	193
MINIMUM	15.000	5.000	.	15.000	5.000
MAXIMUM	144.000	66.000	.	29.000	895.000
MEAN	33.835	9.542	.	20.750	33.171
STANDARD DEV	22.674	7.448	.	6.021	104.012

	MO	BE	AU	BA	CO
N OF CASES	0	0	0	181	197
MINIMUM	.	.	.	329.000	4.100
MAXIMUM	.	.	.	7099.000	145.200
MEAN	.	.	.	753.337	16.486
STANDARD DEV	.	.	.	517.108	13.415


	CR	FE	MN	SB	TI
N OF CASES	197	215	216	4	189
MINIMUM	33.000	4720.000	71.000	5.000	1125.000
MAXIMUM	2394.000	390000.000	55490.000	141.000	7986.000
MEAN	129.609	34809.981	1243.306	39.250	4331.058
STANDARD DEV	180.766	27927.395	4545.305	67.835	1227.229

	V	ZN	UTH	LA
N OF CASES	208	83	192	149
MINIMUM	22.000	47.000	0.178	14.000
MAXIMUM	189.000	391.000	2.488	115.000
MEAN	99.317	151.518	0.379	39.570
STANDARD DEV	31.016	61.843	0.217	14.021


Figure 1. Symbol-size key for single element pseudomaps indicating the size of plotted symbols for values that are from 1 to 6 standard deviations above the mean.




XBDZMAP NURE DATA FOR AG




XBDZMAP NURE DATA FOR AS




XBDZMAP NURE DATA FOR AU




XBDZMAP NURE DATA FOR BE




XBDZMAP NURE DATA FOR CD




XBDZMAP NURE DATA FOR CO




XBDZMAP NURE DATA FOR CR




XBDZMAP NURE DATA FOR CU




XBDZMAP NURE DATA FOR FE




XBDZMAP NURE DATA FOR LA




XBDZMAP NURE DATA FOR MN




XBDZMAP NURE DATA FOR MO




XBDZMAP NURE DATA FOR NI




XBDZMAP NURE DATA FOR PB




XBDZMAP NURE DATA FOR SB




XBDZMAP NURE DATA FOR SN




XBDZMAP NURE DATA FOR TI




XBDZMAP NURE DATA FOR U




XBDZMAP NURE DATA FOR UTH




XBDZMAP NURE DATA FOR V




XBDZMAP NURE DATA FOR W




XBDZMAP NURE DATA FOR ZN



XBDZMAP NURE DATA FOR BA



XBDZMAP NURE DATA FOR BI



APPENDIX A

KEY TO SAMPLE TYPES

This numerical key provides the necessary tie between the specific type or form of each sample taken and each individual suite of field and laboratory data to which the sample relates. It defines the various sample types collected by the LASL in the DOE HSSR for uranium.

The two-digit key number assigned to each sample type designates three distinct properties of the samples taken. These properties are: (a) The general sample source (spring, stream, dry stream, etc.); (b) The sample medium (water or sediment); and (c) The treatment given the sample in the field or laboratory prior to its analysis by the LASL.

The key numbers are inserted in the sample type columns of the specially formatted DOE sample numbering system to positively identify the sample type for all LASL sample data submitted.

<u>KEY NO.</u>	<u>SOURCE / MEDIUM / TREATMENT</u>
01 -	<u>Spring water sample untreated.</u>
02 -	<u>Stream water sample untreated.</u>
03 -	<u>Well water sample untreated.</u>
04 -	<u>Natural pond water sample untreated.</u>
05 -	<u>Artificial pond water sample untreated.</u>
06 -	<u>Spring water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
07 -	<u>Stream water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
08 -	<u>Well water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
09 -	<u>Natural pond water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
10 -	<u>Artificial pond water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
11 -	<u>Wet spring sediment sample dried</u> at $\leq 100^\circ\text{C}$ and <u>sieved to -100 mesh</u> through stainless steel sieves.
12 -	<u>Wet stream sediment sample dried</u> at $\leq 100^\circ\text{C}$ <u>and sieved to -100 mesh</u> through stainless steel sieves.
13 -	<u>Wet natural pond sediment sample dried</u> at $\leq 100^\circ\text{C}$ <u>and sieved to -100 mesh</u> through stainless steel sieves.

- 14 - Wet artificial pond sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -100 mesh through stainless steel sieves.
- 15 - Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to -100 mesh through stainless steel sieves.
- 26 - Spring water sample acidified to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
- 27 - Stream water sample acidified to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
- 29 - Natural pond or lake water sample acidified to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
- 31- Wet spring sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -40 mesh through stainless steel sieves.
- 32- Wet stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -40 mesh through stainless steel sieves.
- 33- Wet natural lake sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -40 mesh through stainless steel sieves.
- 35- Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -40 mesh through stainless steel sieves.
- 41- Wet spring sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -80 mesh through stainless steel sieves.
- 42- Wet stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -80 mesh through stainless steel sieves.
- 43- Wet natural lake sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -80 mesh through stainless steel sieves.
- 45- Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -80 mesh through stainless steel sieves.
- 51- Wet spring sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -170 mesh through stainless steel sieves.
- 52- Wet stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -170 mesh through stainless steel sieves.
- 53- Wet natural lake sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -170 mesh through stainless steel sieves.
- 55- Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -170 mesh through stainless steel sieves.
- 61- Wet spring sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -230 mesh through stainless steel sieves.
- 62- Wet stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -230 mesh through stainless steel sieves.
- 63- Wet natural lake sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -230 mesh through stainless steel sieves.

- 65- Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -230 mesh through stainless steel sieves.
- 71- Sediment sample collected from the stream bank, dried at $\leq 100^{\circ}\text{C}$, and sieved to -40 mesh through stainless steel sieves.
- 72- Sediment sample collected from the stream bank, dried at $\leq 100^{\circ}\text{C}$, and sieved to -80 mesh through stainless steel sieves.
- 73- Sediment sample collected from the stream bank, dried at $\leq 100^{\circ}\text{C}$, and sieved to -100 mesh through stainless steel sieves.
- 74- Sediment sample collected from the stream bank, dried at $\leq 100^{\circ}\text{C}$, and sieved to -170 mesh through stainless steel sieves.
- 75- Sediment sample collected from the stream bank, dried at $\leq 100^{\circ}\text{C}$, and sieved to -230 mesh through stainless steel sieves.
- 96 - Dry natural pond sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to -100 mesh through stainless steel sieves.
- 97 - Dry artificial pond sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to -100 mesh through stainless steel sieves.
- 98 - Other water These key numbers are to be used only for water (98) or sediment (99) samples coming from a special source and/or given a special treatment not described for any of the types of samples above.
- 99 - Other sediment

PDF 91 - 22: ERRATA

ONE ELEMENT WAS OMITTED FROM LISTING OF
ELEMENTS ON DISK. THAT ELEMENT WAS
....SE.....IT SHOULD GO BETWEEN AS AND ZR.

AND --- MG AND MN ARE IN THE WRONG ORDER

CORRECT ORDER OF ELEMENTS ON FILE IS:

U	AG	BI	CD	CU	NB	NI	PB	SN
W	AS	SE	ZR	MO	BE	LI	AL	AU
BA	CA	CE	CL	CO	CR	CS	DY	EU
FE	HF	K	LA	LU	MG	MN	NA	RB
SB	SC	SM	SR	TA	TB	TH	TI	V
YB	ZN	and	U/TH					

PDF 91-22 - UPDATE

The section of PDF 91-22 which describes the format of the NURE data as it is available on computer disk has changed. Instead of all data on one file/quadrangle in columnar format separated by blanks, it is now split into 3 files/quadrangle with commas and blanks separating the fields. The new files are named "NXXX#.ASC". N is for NURE data, XXX is the 3 character quadrangle identification, and # is 1, 2, or 3. This new version will make it easier for users to input the data directly into Quatro-Pro, Lotus, or other spread sheets with a 250 character limit on record length. In Quatro-Pro use IMPORT option, ASCII file, QUOTE & COMMA delimited. Two records were added in front of the data:

- 1.) a header record which says
"Part <n>, Quadrangle: <name>"
- 2.) a record with column headings so users can tell which elements are in the file and the order. The column headings are comma and blank delimited too. The data is still in ASCII format and the commas can be eliminated by using a variety of text editors.

Following are the formats of the 3 files. Column 1 was left blank for all records so that all data in the files could be printed even when the first item is interpreted as a carriage control character.

FILE 1:

Record 1: 55 Characters of text. - starts col 2 and length depends on length of quadrangle name. It is enclosed in quotes.

Record 2: col 2-39

"Samp-Id", "RC", "Lat.", "Long.", "ST" (Sample Type--see main text)

Starting in col 40, 14 groups of: , "Xx" which are the elements names for the columns. For this record they are: U, Ag, Bi, Cd, Cu, Nb, Ni, Pb, Sn, W, As, Se, Zr, and Mo. NOTE: There is NOT a comma after the last item and all items are enclosed in quotes.

Record 3 to end:

col 2-8. 7 digit sample number.

col 9-10 ", " - a comma followed by a blank

col 11-13 replicate code - 3 digits allowed, most values will be 0 or 1 digit.

col 14-24 ", " followed by Latitude in decimal degrees with 5 decimal places

col 25-35 ", " followed by Longitude in decimal degrees with 5 decimal places

col 36-39 ", " followed by 2 digit sample type

Starting in col 40, 17 groups of ", " (comma) followed by 8 digit value of element in ppm.

Decimal point is present. None of the values require all 8 digits so that leaves a blank space after the comma. NOTE: no comma after the last item.

FILE 2:

Record 1: - Same as for file 1

Record 2: col 2 to 8 - "Samp-Id"

Starting in col 9, 17 groups of: , "Xx", which are element names for the columns. For this file they are: Be, Li, Al, Au, Ba, Ca, Ce, Cl, Co, Cr, Cs, Dy, Eu, Fe, Hf, K, and La. NOTE: no comma at end and items enclosed in quotes.

Record 3 to end:

Col 2-8 7 digit sample number.

Starting in col 9, 17 groups of ", " followed by 8 eight digit value of element. As in File 1.

FILE 3: Same format as file 2 with different elements. The elements are: Lu, Mn, Mg, Na, Rb, Sb, Sc, Sm, Sr, Ta, Tb, Th, Ti, V, Yb, Zn, and U/Th

NOTE: In the original listing of the elements, Se was accidentally left out. It goes between As and Zr.

A copy of this file is included on disk. It is labeled README.NUR. If there are any problems reading this data contact Shirley Liss at DGGS. (907) - 474 - 7147.