

IC 9177

Bureau of Mines Information Circular/1988

Selected Significant Mineral Deposits in Alaska

A Minerals Availability System Overview



UNITED STATES DEPARTMENT OF THE INTERIOR



Information Circular 9177

Selected Significant Mineral Deposits in Alaska

A Minerals Availability System Overview

**By Donald W. Baggs, Michael J. Northam, Mark P. Meyer,
and Kenneth M. Maas**

**UNITED STATES DEPARTMENT OF THE INTERIOR
Donald Paul Hodel, Secretary**

**BUREAU OF MINES
T S Ary, Director**

As the Nation's principal conservation agency, the Department of the Interior has responsibility for most of our nationally owned public lands and natural resources. This includes fostering the wisest use of our land and water resources, protecting our fish and wildlife, preserving the environment and cultural values of our national parks and historical places, and providing for the enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to assure that their development is in the best interests of all our people. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.

Library of Congress Cataloging-in-Publication Data

Selected significant mineral deposits in Alaska.

(Information circular ; 9177)

Bibliography: p. 92-111.

Supt. of Docs. no.: I 28.27 : 9177.

1. Mines and mineral resources—Alaska. 2. Mining engineering—Alaska.
I. Baggs, Donald W. II. Series: Information circular (United States. Bureau of Mines);
9177.

TN295.U4 [TN24.A4] 622s [553'.09798] 87-600073

CONTENTS

	Page		Page
Abstract	1	Golden Zone	48
Introduction	2	Grant	49
Organization of report	2	Greens Creek	50
Commodity and deposit selection	10	Groundhog Basin	51
Summary of mining activity in Alaska	10	Horsfeld	52
Infrastructural and institutional factors affecting mining activities in Alaska	13	Jualin	53
Electric power	13	Jumbo Basin	54
Natural gas	13	Kasna Creek	55
Oil	18	Klukwan	56
Hydroelectric power	19	Lik	57
Coal	20	Lituya Beach Sands	58
Transportation	20	Livengood Creek	59
Rail	20	Lost River	60
Roads and highways	20	Margerie	61
Air	21	Massive Chalcopyrite	62
Marine	21	McCarty	63
River	22	Mikado	64
Regulation	22	Mirror Harbor	65
Taxation	23	Morelock Creek	66
State mineral development incentives	23	Moth Bay	67
Mining revolving loan fund	23	Mountain View	68
Placer mining demonstration grants	24	Nome Beaches	69
Special assistance	24	Nunatak	70
Abstracts of selected deposits in Alaska	24	Orange Hill	71
Alaska Chief	25	Port Snettisham	72
Apollo	26	Potato Mountain	73
Arctic Camp	27	Quartz Hill	74
Balboa Bay	28	Red Bluff Bay	75
Bartholomae	29	Red Dog	76
Baultoff Creek	30	Red Mountain	77
Beatson	31	Riverside	78
Big Hurrah	32	Salmon River	79
Bonanza Creek	33	Salt Chuck	80
Bond Creek	34	Slate Creek	81
Bornite	35	Snipe Bay	82
Brady Glacier	36	Spirit Mountain	83
Cape Mountain Lode	37	Sumdum	84
Cape Mountain Placer	38	Tofty Tin Belt	85
Carl Creek	39	Tozimoran Creek	86
Claim Point	40	Tracy Group	87
Coal Creek	41	Union Bay	88
Colbert	42	Valdez Creek	89
Copper Bullion	43	Wachusett Inlet	90
Denali	44	Yakobi Island	91
Dundas Bay	45	References	92
Fish Creek	46	Appendix.—Additional major mineral deposits in Alaska	112
Funter Bay	47		

ILLUSTRATIONS

1. Selected significant mineral deposits in Alaska	Pocket
2. Alaska mining districts	7
3. Alaska 1:250,000-scale quadrangles	9
4. Location of electrical generating systems in Alaska	15
5. Typical price ranges for energy in Alaska during 1981	16
6. Electrical transmission systems in Alaska	17
7. Petroleum product distribution network in Alaska	19
8. Alaska railroad track system	20
9. Alaska highway system	21

TABLES

	Page
1. Selected significant mineral deposits in Alaska, by map number	3
2. Selected significant mineral deposits in Alaska, by deposit name	4
3. Alaska mining districts, by region	6
4. Alaska 1:250,000-scale quadrangles	8
5. Alaska placer production	11
6. Alaska gold production, 1979-84	12
7. Location of electrical generating systems and their installed capacity in Alaska	14
8. Costs of transmission line construction in Alaska	18
9. Alaska natural gas reserves	18
10. Costs of natural-gas-powered electrical plants in Alaska	18
11. Costs of diesel-powered electrical generation plants in Alaska	18
12. Alaska crude oil reserves	18
13. Costs of a small-scale hydroelectric project in Alaska	19
14. Coal reserves of major fields in Alaska	20
15. 1980 marine tariffs from Seattle to selected sites in Alaska	22
16. 1980 charter rates from Seattle to selected sites in Alaska	22
17. Major navigable Alaska inland waterways	23
18. Alaska corporate tax rates	23

UNIT OF MEASURE ABBREVIATIONS USED IN THIS REPORT

bbl	barrel	kW	kilowatt
bbl/d	barrel per day	kW•h	kilowatt hour
Btu	British thermal unit	lb	pound avoirdupois
ft	foot	m	meter
ft ³	cubic foot	m ³	cubic meter
ft ³ /yr	cubic foot per year	Mft ³	thousand cubic feet
gal	gallon	mt	metric ton
g/m ³	gram per cubic meter	MW	megawatt
g/mt	gram per metric ton	MW•h	megawatt hour
hp	horsepower	pct	percent
in	inch	st	short ton
kg/m ³	kilogram per cubic meter	st/d	short ton per day
km	kilometer	tr oz	troy ounce
kV	kilovolt	yr	year

SELECTED SIGNIFICANT MINERAL DEPOSITS IN ALASKA

A Minerals Availability System Overview

By Donald W. Baggs,¹ Michael J. Northam,² Mark P. Meyer,³ and Kenneth M. Maas⁴

ABSTRACT

This Bureau of Mines publication presents a summary of mining activity in Alaska, as well as institutional and infrastructural factors affecting mineral development in Alaska. Salient information on 67 significant mineral deposits in the State of Alaska is presented in abstract form. The deposits covered are those whose principal commodity is 1 of 20 commodities that appear to have commercial production potential within the State. Many of the deposits described are properties evaluated under the Bureau's Minerals Availability Program (MAP); additional deposits are included for more complete coverage. The appendix provides reference information on 214 additional significant mineral deposits.

¹ Supervisory physical scientist.

² Mineral specialist.

³ Geologist.

⁴ Physical science technician.

Alaska Field Operations Center, Bureau of Mines, Juneau, AK.

INTRODUCTION

About a decade ago, the Bureau of Mines embarked upon an ambitious program to systematically assess mineral supplies available to the U.S. economy. The Minerals Availability Program (MAP), formally established in 1975 (46),⁵ provides current appraisals of nonfuel mineral supplies for consideration in the development of U.S. minerals policies. Results of these appraisals are published, on a commodity basis, in a series of availability reports that describe the supply of a commodity from domestic or foreign sources in terms of tonnage-price relationships.

The keystones of MAP appraisals are deposit-specific evaluations conducted by geologists and engineers in the Bureau's field operations centers and by private consultants under contract to the Bureau. The deposit evaluations examine in detail the geologic, engineering, and economic factors that determine the viability of individual deposits. Deposit data are obtained from many sources, including published and unpublished Bureau reports, records, and files; U.S. Geological Survey (USGS) Bulletins, Professional Papers, and other reports; technical and professional journals; State and other Federal agency publications; proprietary company reports; data generated during field examinations; and information obtained from knowledgeable individuals.

The Bureau's purpose in publishing this report is to present, in a single volume, nonproprietary data on significant

mineral deposits in the State of Alaska. The format provides locational, geological, and operational data for selected deposits, along with presentation of institutional and infrastructural factors affecting mineral development in the State.

Much of the deposit-specific data were derived from MAP deposit evaluations that have been conducted over the past 10 yr. Additional deposit data, as well as information on transportation, water, electricity, natural gas, and taxes, were gathered from recent newspapers and journals and from interviews with company and State officials. Data on mineral production and mining history were obtained from publications of the Bureau and of the Alaska Department of Natural Resources, Division of Geological and Geophysical Surveys (ADGGS). It is anticipated that the information contained in this publication will be of benefit to geologists, mining engineers, prospectors, mining companies, suppliers of mining and milling equipment, and others directly involved in the State's mineral industry. It is also anticipated that the data will be equally as valuable to municipal, borough, and State planners, transportation and utilities commissions, local tax advisory boards, and other public and private organizations that develop policies affecting mining and mineral development in Alaska.

ORGANIZATION OF REPORT

This publication is organized in the following manner: this section is followed by a section that discusses commodity and deposit selection criteria, a section containing a brief summary of the mining history of Alaska, and a section describing infrastructural and institutional factors affecting mining in the State. The site-specific deposit abstract section provides detailed information on 67 mineral occurrences. An extensive reference section is followed by an appendix, which contains information on additional major mineral deposits in Alaska.

The summary of mining activity section and the infrastructural section present background information on the minerals industry of Alaska and a description of some

existing infrastructure-institutional factors that affect commercial development of Alaska's mineral deposits. Units of measure in these sections are U.S. customary units, commonly used in engineering.

The infrastructure section contains brief discussions and maps of the transportation (highway, marine, and railroad) and utility (electricity and natural gas) networks in the State. It also contains general information on permitting and taxation procedures and policies affecting mineral development in Alaska.

The largest sections of this publication ("Abstracts of Selected Deposits in Alaska" and the appendix) describe 281 selected significant mineral deposits in Alaska. These deposits are shown in figure 1, which is keyed to tables 1 and 2.

⁵ Italicized numbers in parentheses refer to items in the list of references preceding the appendix at the end of this report.

Table 1.—Selected significant mineral deposits in Alaska, by map number

Map No. ¹	Name	Principal commodity ²	Map No. ¹	Name	Principal commodity ²	Map No. ¹	Name	Principal commodity ²
1	{ Lik ³	Zn	57	Colbert ³	W	119	Bernard Mountain	Cr
	{ Su	Zn	58	Blue Lead	Au	120	Spirit Mountain ³	Ni
2	Red Dog ³	Zn	59	Slate Creek ³	asb	121	Silver Star	Ag
3	Misheguk Mountain	Cu	60	Poovookpuk Mountain	Mo	122	London and Cape	Cu
4	Drenchwater Creek	Pb	61	Mount Hurst	Cr	123	{ Green Butte	Cu
5	Siniktanneyak	Cr	62	Nixon Fork Mine	Au		{ Bonanza (Kennecott)	Cu
6	Kivliktort Mountain	Pb	63	Greenback	Cu	124	{ Peavine	Cu
7	Omar River	Cu	64	Slate Creek Antimony	Sb		{ Nelson	Cu
8	Frost	Cu	65	Quigley Ridge	Ag	125	Colorado	Cu
9	Smucker	Zn	66	Carlson Creek	Cu	126	{ Schaefer	Hg
10	Naniratkohort Creek	Cu	67	Twin Hills	Au		{ Cinnabar	Hg
11	Bornite ³	Cu	68	Stampede Lode	Sb	127	Pass	Cu
12	Riley Lode	Cu	69	Mount Eielson	Zn	128	Kijik River	Zn
13	{ Ruby	Cu	70	Partin Creek	Cu	129	Kasna Creek ³	Cu
	{ Shungnak River	Cu	71	Ohio Creek	Au	130	Tazmina	Cu
14	Ambler Shungnak Ridge	Cu	72	Golden Zone ³	Au	131	{ Johnson River	Au
15	KAV	Cu	73	Virginia Creek	Cu		{ Diffcult Creek	Au
16	{ Arctic Camp ³	Cu	74	Valdez Creek ³	Au	132	Alaska Oracle	Au
	{ Dead Creek	Cu	75	Gold Hill	Au	133	Lucky Strike	Au
17	Shishakshinovik Pass	Cu	76	Denali ³	Cu	134	Crown Point	Au
18	Kogoluktuk East	Cu	77	Kathleen Margaret	Cu	135	Granite	Au
19	{ Picnic Creek	Cu	78	Rainy Creek Lode	Cu	136	{ Beatson ³	Cu
	{ Sun Group	Zn	79	Emerick Lode	Ni		{ Latouche Island	Cu
20	Arrigetch Peaks	Cu	80	Tok River	Pb		{ Copper Mining Co.	
21	Roosevelt Creek	Cu	81	Peternie	Mo	137	Copper Bullion ³	Cu
22	Ann Group	Pb	82	Mount Fairplay	Cu	138	Ellamar	Cu
23	ABO	Pb	83	Bluff	Cu	139	Landlocked Bay	Cu
24	Galena Creek	Pb	84	Big Creek	Pb	140	Schlosser	Cu
25	Upper Camp Group	Cu	85	Ladue	Pb	141	Kemuk Mountain	Fe
26	Mikado ³	Au	86	BC	Au	142	Frying Pan	Fe
27	Caribou Mountain	Cr	87	Wolf Creek Mountain	Hg	143	Battle	Cu
28	Bonanza	W	88	Decourcy	Hg	144	Millet	Cu
29	Trout Creek	Au	89	Golden Horn	Au	145	Chenik	Fe
30	{ Cape Mountain Lode ³	Sn	90	Chip Loy	Ni	146	Duryea	Au
	{ Cape Mountain Placer ³	Sn	91	Ozzna Creek Tributary	Pb	147	Ursus	Fe
31	Potato Mountain ³	Sn	92	{ Sheep Creek	Pb	148	Dutton	Cu
32	Lost River ³	Sn		{ Rat Fork	Pb	149	Iliamna	Fe
33	Kougarak Project	Sn	93	Bowser Creek	Ag	150	Iniskin Bay	Cu
34	Serpentine Hot Springs	Sn	94	Shellabarger Pass	Cu	151	Claim Point ³	Cr
35	Hannum	Pb	95	Coal Creek Tin	Sn	152	Red Mountain ³	Cr
36	Peace River	Cu	96	Indian	Ag	153	{ Beauty Bay	Au
37	Tozimoran Creek ³	Au	97	Iron Creek	Cu		{ Nuka Bay	Au
38	{ Bonanza Creek ³	Au	98	Long Lake	Pb	154	Margerie ³	Cu
	{ Morelock Creek ³	Au	99	Silver Creek	Ag	155	Massive Chalcopyrite ³	Cu
39	Tofty Tin Belt ³	Sn	100	Nabesna Mine	Au	156	{ Glacier Creek Lode	Ba
40	Sawtooth Mountain	Sb	101	Orange Hill ³	Cu		{ Stampede	Au
41	Livengood Creek ³	Au	102	Nabesna Glacier	Cu	157	Klukwan ³	Fe
	{ McCarty ³	Au	103	Bond Creek ³	Cu	158	Salmon River ³	PGM
42	{ Cleary Summit	Au	104	Cross Creek	Cu	159	Lituya Beach Sands ³	Ti
	{ Cleary Hill	Au	105	Carl Creek ³	Cu	160	{ Leroy	Au
	{ North Cleary Summit	Au	106	{ Baultoff Creek ³	Cu		{ Orange Point	Zn
43	Mount Schwatka	Pb		{ Horsfield ³	Cu	161	Brady Glacier ³	Ni
44	Cache Mountain	U	107	Fortyseven Creek	Au	162	Wachusett Inlet ³	Mo
45	Hi-Yu	Au	108	Mountain Top	Hg	163	Nunatak ³	Mo
46	Mount Prindle	U	109	Red Devil	Hg	164	{ Dundas Bay ³	Fe
47	Eagle Summit	Sb	110	Jimmy Lake	Cu		{ Dundas Bay Copper	Cu
48	Coal Creek ³	Au	111	Chill Group	Cu	165	Alaska Chief ³	Cu
49	Nome Beaches ³	Au	112	Trimble 1-35	Zn	166	William Henry Bay	RE
50	Windy Creek	Mo		{ Lucky Shot	Au	167	{ Jualin ³	Au
51	Wheeler	Pb	113	{ Independence	Au		{ Eureka-Kensington	Au
52	Big Hurrah ³	Au		{ Gold Cord	Au	168	Eagle River	Au
53	Illinois Creek/Round Top	Cu		{ Ready Bullion	Au	169	{ Funter Bay ³	Ni
54	Yuki River Chromite	Cr	114	{ Wolverine Chromite	Cr		{ Hawk Inlet	Au
55	Liberty Bell	Au	115	{ Sheep Mountain	Cu	170	Greens Creek ³	Zn
	{ Bartholomae ³	Au	116	Cliff	Au		{ Alaska Juneau	Au
56	{ Grant ³	Au	117	Midas	Cu	171	{ Perseverance	Au
	{ Clipper	Sb	118	Tiekel Lode Prospect	Au		{ Treadwell	Au

See explanatory notes at end of table.

Table 1.—Selected significant mineral deposits in Alaska, by map number—Continued

Map No. ¹	Name	Principal commodity ²	Map No. ¹	Name	Principal commodity ²	Map No. ¹	Name	Principal commodity ²
172	Mount Ogden	Mo	198	Cornwallis Peninsula	Pb	220	{ Jumbo Basin ³	Fe
173	Puale Bay	Cu	199	Kupreanof Mountain	Cu	221	{ Copper Mountain	Cu
174	Amok	Au	200	Taylor Creek	Zn	221	{ Mount Andrews Magnetite	Fe
175	Old Harbor	Cu	201	Castle Island Mine	Ba	221	{ Rich Hill	Cu
176	Baumann and Strickler	Au	202	Helen S	Zn	222	Khayyam	Cu
177	Chalet Mountain	W	203	Salmon Bay	RE	223	Union Bay ³	Cr
178	Yakobi Island ³	Cu	204	St. John Harbor	Zn	224	{ Moonshine	Cu
179	Apex El Nido	Au	205	Zarebo Island	Mo	224	{ Hope	Ag
180	Mirror Harbor ³	Ni	206	Groundhog Basin ³	Zn	225	{ Friendship	Cu
181	Cobol Mine	Au	207	Pat	U	225	{ Helm Bay King	Au
182	Chichagoff	Au	208	North Bradfield River	Fe	225	{ Gold Standard Group	Au
183	Pyrola	Zn	209	Cantu	Pb	226	Niblack	Cu
184	Warm Springs Bay	Cu	210	{ Riverside ³	W	227	Valparaiso	Au
185	Patty	Zn		{ Fish Creek ³	Ag	228	Seal Cove	Cu
186	Port Snettisham ³	Fe	211	{ Mountain View ³	W	229	Burroughs Bay	Mo
187	{ Tracy Group ³	Zn		{ Apollo ³	Au	230	Mahoney	Zn
188	Sweetheart Ridge	Au	212	{ Sitka	Au	231	Driest Point	Ba
189	Point Astley	Zn		{ Shumagin	Au	232	Moth Bay ³	Zn
190	Sumdum ³	Cu	213	Balboa Bay ³	Cu	233	Alamo	Cu
191	Sumdum Chief	Au	214	Herman	Au	234	IXL	Cu
192	Mildred	Au	215	Coronation Island	Pb	235	Quartz Hill ³	Mo
193	Cathedral Creek	Cu	216	Tanya-Marie	Cu	236	McLeod Bay	Au
194	Mallard Duck Bay	Cu	217	Pin Peak	Au	237	Ross-Adams	U
195	Warner Bay	Cu	218	Dawson	Au	238	Nichols Bay	Cu
196	Silver Bay	Au	219	Flagstaff	Au	239	{ Hall Cove	Cr
197	Snipe Bay ³	Ni	219	{ Salt Chuck ³	PGM	240	{ Judd Harbor	Cr
197	Red Bluff Bay ³	Cr		{ It	Cu		{ Sedanka Island	Pb

¹ Map numbers refer to locations on figure 1.

² Chemical symbols are used, except for the following: asb, asbestos; PGM, platinum-group metals; RE, rare-earth elements.

³ Description for this deposit is in the deposit abstract section; other deposits are referenced in the appendix.

Table 2.—Selected significant mineral deposits in Alaska, by deposit name

Name	Principal commodity ¹	Map No. ²	Name	Principal commodity ¹	Map No. ²	Name	Principal commodity ¹	Map No. ²
ABO	Pb	23	Brady Glacier ³	Ni	161	Cross Creek	Cu	104
Alamo	Cu	233	Burroughs Bay	Mo	229	Crown Point	Au	134
Alaska Chief ³	Cu	165	Cache Mountain	U	44	Dawson	Au	217
Alaska Juneau	Au	171	Cantu	Pb	209	Dead Creek	Cu	16
Alaska Oracle	Au	132	Cape Mountain Lode ³	Sn	30	Decourcy	Hg	88
Ambler Shungnak Ridge	Cu	14	Cape Mountain Placer ³	Sn	30	Denali ³	Cu	76
Amok	Au	174	Caribou Mountain	Cr	27	Difficult Creek	Au	131
Ann Group	Pb	22	Carl Creek ³	Cu	105	Drenchwater Creek	Pb	4
Apex El Nido	Au	179	Carlson Creek	Cu	66	Driest Point	Ba	231
Apollo ³	Au	211	Castle Island Mine	Ba	201	Dundas Bay ³	Fe	164
Arctic Camp ³	Cu	16	Cathedral Creek	Cu	192	Dundas Bay Copper	Cu	164
Arrigetch Peaks	Cu	20	Chalet Mountain	W	177	Duryea	Au	146
BC	Au	86	Chenik	Fe	145	Dutton	Cu	148
Balboa Bay ³	Cu	212	Chichagoff	Au	182	Eagle River	Au	168
Bartholomae ³	Au	56	Chill Group	Cu	111	Eagle Summit	Sb	47
Battle	Cu	143	Chip Loy	Ni	90	Ellamar	Cu	138
Baultoff Creek ³	Cu	106	Cinnabar	Hg	126	Emerick Lode	Ni	79
Baumann and Strickler	Au	176	Claim Point ³	Cr	151	Eureka-Kensington	Au	167
Beatson ³	Cu	136	Cleary Hill	Au	42	Fish Creek ³	Ag	210
Beauty Bay	Au	153	Cleary Summit	Au	42	Flagstaff	Au	218
Bernard Mountain	Cr	119	Cliff	Au	116	Fortyseven Creek	Au	107
Big Creek	Pb	84	Clipper	Sb	56	Friendship	Cu	224
Big Hurrah ³	Au	52	Coal Creek ³	Au	48	Frost	Cu	8
Blue Lead	Au	58	Coal Creek Tin	Sn	95	Frying Pan	Fe	142
Bluff	Cu	83	Cobol Mine	Au	181	Funter Bay ³	Ni	169
Bonanza	W	28	Colbert ³	W	57	Galena Creek	Pb	24
Bonanza (Kennebecott)	Cu	123	Colorado	Cu	125	Glacier Creek Lode	Ba	156
Bonanza Creek ³	Au	38	Copper Bullion ³	Cu	137	Gold Cord	Au	113
Bond Creek ³	Cu	103	Copper Mountain	Cu	220	Gold Hill	Au	75
Bornite ³	Cu	11	Cornwallis Peninsula	Pb	198	Gold Standard Group	Au	225
Bowser Creek	Ag	93	Coronation Island	Pb	214	Golden Horn	Au	89

See explanatory notes at end of table.

Table 2.—Selected significant mineral deposits in Alaska, by deposit name—Continued

Name	Principal commodity ¹	Map No. ²	Name	Principal commodity ¹	Map No. ²	Name	Principal commodity ¹	Map No. ²
Golden Zone ³	Au	72	Millet	Cu	144	Ruby	Cu	13
Granite	Au	135	Mirror Harbor ³	Ni	180	Salmon Bay	RE	203
Grant ³	Au	56	Misheguk Mountain	Cu	3	Salmon River ³	PGM	158
Green Butte	Cu	123	Moonshine	Cu	224	Salt Chuck ³	PGM	219
Greenback	Cu	63	Morelock Creek ³	Au	38	Sawtooth Mountain	Sb	40
Greens Creek ³	Zn	170	Moth Bay ³	Zn	232	Schaefer	Hg	126
Groundhog Basin ³	Zn	206	Mount Andrews Magnetite	Fe	221	Schlosser	Cu	140
Hall Cove	Cr	239	Mount Eielson	Zn	69	Seal Cove	Cu	228
Hannum	Pb	35	Mount Fairplay	Cu	82	Sedanka Island	Pb	240
Hawk Inlet	Au	169	Mount Hurst	Cr	61	Serpentine Hot Springs	Sn	34
Helen S	Zn	202	Mount Ogden	Mo	172	Sheep Creek	Pb	92
Helm Bay King	Au	225	Mount Prindle	U	46	Sheep Mountain	Cu	115
Herman	Au	213	Mount Schwatka	Pb	43	Shellabarger Pass	Cu	94
Hi-Yu	Au	45	Mountain Top	Hg	108	Shishakhinovich Pass	Cu	17
Hope	Ag	224	Mountain View ³	W	210	Shumagin	Au	211
Horsfeld ³	Cu	106	Nabesna Glacier	Cu	102	Shungnak River	Cu	13
IXL	Cu	234	Nabesna Mine	Au	100	Silver Bay	Au	195
Iliamna	Fe	149	Naniratkohort Creek	Cu	10	Silver Creek	Ag	99
Illinois Creek/Round Top	Cu	53	Nelson	Cu	124	Silver Star	Ag	121
Independence	Au	113	Niblack	Cu	226	Siniktanneyak	Cr	5
Indian	Ag	96	Nichols Bay	Cu	238	Sitka	Au	211
Iniskin Bay	Cu	150	Nixon Fork Mine	Au	62	Slate Creek ³	asb	59
Iron Creek	Cu	97	Nome Beaches ³	Au	49	Slate Creek Antimony	Sb	64
It	Cu	219	North Bradfield River	Fe	208	Smucker	Zn	9
Jimmy Lake	Cu	110	North Cleary Summit	Au	42	Snipe Bay ³	Ni	196
Johnson River	Au	131	Nuka Bay	Au	153	Spirit Mountain ³	Ni	120
Jualin ³	Au	167	Nunatak ³	Mo	163	St. John Harbor	Zn	204
Judd Harbor	Cr	239	Ohio Creek	Au	71	Stampede	Au	156
Jumbo Basin ³	Fe	220	Old Harbor	Cu	175	Stampede Lode	Sb	68
KAV	Cu	15	Omar River	Cu	7	Su	Zn	1
Kasna Creek ³	Cu	129	Orange Hill ³	Cu	101	Sumdum ³	Cu	189
Kathleen Margaret	Cu	77	Ozanna Point	Zn	160	Sumdum Chief	Au	190
Kemuk Mountain	Fe	141	Ozzna Creek Tributary	Pb	91	Sun Group	Zn	19
Khayyam	Cu	222	Partin Creek	Cu	70	Sweetheart Ridge	Au	187
Kijik River	Zn	128	Pass	Cu	127	Tanya-Marie	Cu	215
Kivliktort Mountain	Pb	6	Pat	U	207	Taylor Creek	Zn	200
Klukwan ³	Fe	157	Patty	Zn	185	Tazimina	Cu	130
Kogoluktuk East	Cu	18	Peace River	Cu	36	Tiekel Lode Prospect	Au	118
Kougarok Project	Sn	33	Peavine	Cu	124	Tofty Tin Belt ³	Sn	39
Kupreanof Mountain	Cu	199	Perseverance	Au	171	Tok River	Pb	80
Ladue	Pb	85	Peternie	Mo	81	Tozimoran Creek ³	Au	37
Landlocked Bay	Cu	139	Picnic Creek	Cu	19	Tracy Group ³	Zn	187
Latouche Island Copper Mining Co.	Cu	136	Pin Peak	Au	216	Treadwell	Au	171
Leroy	Au	160	Point Astley	Zn	188	Trimble 1-35	Zn	112
Liberty Bell	Au	55	Poovookpuk Mountain	Mo	60	Trout Creek	Au	29
Lik ³	Zn	1	Port Snettisham ³	Fe	186	Twin Hills	Au	67
Lituya Beach Sands ³	Ti	159	Potato Mountain ³	Sn	31	Union Bay ³	Cr	223
Livengood Creek ³	Au	41	Puale Bay	Cu	173	Upper Camp Group	Cu	25
London and Cape	Cu	122	Pyrola	Zn	183	Ursus	Fe	147
Long Lake	Pb	98	Quartz Hill ³	Mo	235	Valdez Creek ³	Au	74
Lost River ³	Sn	32	Quigley Ridge	Ag	65	Valparaiso	Au	227
Lucky Shot	Au	113	Rainy Creek Lode	Cu	78	Virginia Creek	Cu	73
Lucky Strike	Au	133	Rat Fork	Pb	92	Wachusett Inlet ³	Mo	162
Mahoney	Zn	230	Ready Bullion	Au	113	Warm Springs Bay	Cu	184
Mallard Duck Bay	Cu	193	Red Bluff Bay ³	Cr	197	Warner Bay	Cu	194
Margerie ³	Cu	154	Red Devil	Hg	109	Wheeler	Pb	51
Massive Chalcopyrite ³	Cu	155	Red Dog ³	Zn	2	William Henry Bay	RE	166
McCarty ³	Au	42	Red Mountain ³	Cr	152	Windy Creek	Mo	50
McLeod Bay	Au	236	Rich Hill	Cu	221	Wolf Creek Mountain	Hg	87
Midas	Cu	117	Riley Lode	Cu	12	Wolverine Chromite	Cr	114
Mikado ³	Cu	26	Riverside ³	W	210	Yakobi Island ³	Cu	178
Mildred	Au	191	Roosevelt Creek	Cu	21	Yuki River Chromite	Cr	54
			Ross-Adams	U	237	Zarembo Island	Mo	205

¹ Chemical symbols are used, except for the following: asb, asbestos; PGM, platinum-group metals; RE, rare-earth elements.

² Map numbers refer to locations on figure 1.

³ Description for this deposit is in the deposit abstract section; other deposits are referenced in the appendix.

Deposit Abstracts.—The deposit abstract section is a series of single-page summaries of information pertaining to 67 of the 281 deposits. The abstracts are arranged alphabetically by deposit name. Each abstract is composed of the following six main subject areas:

1. Deposit name and commodity.
2. Location and ownership.
3. Geology.
4. Development.
5. Published reserves and/or resources.
6. References.

Within each subject area there are several individual data elements. Not all data elements, however, are reported for each deposit; proprietary data have been omitted, and some information has yet to be determined or is not presently available. Mining districts given in the abstracts are identified by Bureau mining district names, as shown on figure 2 and in table 3 (672).

SI (metric) units are used throughout the deposit abstracts. Published reserves and/or resources have been recalculated into SI units for comparison purposes regardless of the units used in the cited publication. (It is incumbent upon the reader to evaluate the reserve-resource data in light of his or her own knowledge, experience, and assessment of the source's credibility.)

The reference section of each abstract includes bibliographic references for the deposit, the largest scale map on which the deposit is located (see figure 3 for Alaska quadrangle locations), and the Bureau's file reference or sequence number. The sequence number is a 10-digit number that is unique to the deposit and allows rapid retrieval of relevant data from the MAP database. The first three digits are the State code (002 for Alaska), the fourth through sixth digits are the Bureau's quadrangle number (table 4), and the last four digits are a unique number for each mineral deposit. Three other file references are included: the Mine Safety and Health Administration (MSHA) number (Mid number), which is assigned by MSHA to active properties; the USGS's Mineral Resources Data System (MRDS) number (MRDS is the former USGS Computerized Resources Information Bank (CRIB)); and Alaska Kardex numbers, a system maintained by the ADGGS to monitor the status of mining claim activity in the State.

Appendix Listing.—The appendix consists of a listing of each of 214 significant mineral deposits that do not have a publishable reserve and grade figure. In order to save space, the format consists simply of deposit name, map

number, commodities, and an extensive list of bibliographic references. Deposits in the appendix may be as important or perhaps of greater significance than deposits with full abstracts, but insufficient information exists to warrant their inclusion in the main body of the report.

Table 3.—Alaska mining districts, by region

Map No. ¹	District	Map No. ¹	District
COOK INLET-SUSITNA		SOUTHEASTERN ALASKA	
1	Anchorage.	34	Admiralty.
2	Redoubt.	35	Chichagof
3	Valdez Creek.	36	Hyder.
4	Willow Creek.	37	Juneau.
5	Yentna.	38	Ketchikan.
COPPER RIVER		39	Kupreanof.
6	Chistochina.	40	Petersburg.
7	Nelchina.	41	Yakutat.
8	Nizina.	YUKON RIVER	
9	Prince William Sound.	42	Anvik.
10	Yakataga.	43	Black.
KENAI PENINSULA		44	Bonnifield.
11	Homer.	45	Chandalar.
12	Hope.	46	Chisana.
13	Seward.	47	Circle.
KUSKOKWIM RIVER		48	Delta River.
14	Aniak.	49	Eagle.
15	Bethel.	50	Fairbanks.
16	Goodnews Bay.	51	Fortymile.
17	McGrath.	52	Goodpastor.
NORTHERN ALASKA		53	Hot Springs.
18	Barrow.	54	Hughes.
19	Canning.	55	Iditarod.
20	Colville.	56	Innoko.
21	Lisburne.	57	Kaiyuh.
22	Wainwright.	58	Kantishna.
NORTHWESTERN ALASKA		59	Koyukuk.
23	Kiana.	60	Marshall.
24	Noatak.	61	Melozitna.
25	Selawik.	62	Rampart.
26	Shungnak.	63	Ruby.
SEWARD PENINSULA		64	Sheenjek.
27	Council.	65	Tok.
28	Fairhaven.	66	Tolovana.
29	Kougarok.	67	Yukon Flats.
30	Koyuk.		
31	Nome.		
32	Port Clarence.		
33	Serpentine.		

¹ Map numbers refer to locations on figure 2.

Source: Reference 672.




Figure 2.—Alaska mining districts. (Source: reference 672.)

Table 4.—Alaska 1:250,000-scale quadrangles

Map No. ¹	Quadrangle name	Map No. ¹	Quadrangle name	Map No. ¹	Quadrangle name
1	Barrow.	52	Nome.	103	Iliamna.
2	Wainwright	53	Solomon.	104	Seldovia.
3	Meade River.	54	Norton Bay.	105	Blying Sound.
4	Teshekpuk.	55	Nulato.	106	Middleton Island.
5	Harrison Bay.	56	Ruby.	107	Icy Bay.
6	Beechey Point.	57	Kantishna River.	108	Yakutat.
7	Flaxman Island.	58	Fairbanks.	109	Skagway.
8	Barter Island.	59	Big Delta.	110	Atlin.
9	Point Lay.	60	Eagle.	111	Mount Fairweather.
10	Utukok River.	61	St. Lawrence.	112	Juneau.
11	Lookout Ridge.	62	St. Michael.	113	Taku River.
12	Ikpikpuk River.	63	Unalakleet.	114	Sitka.
13	Umiat.	64	Ophir.	115	Sumdum.
14	Sagavanirktok.	65	Medfra.	116	Port Alexander.
15	Mount Michelson.	66	Mount McKinley.	117	Petersburg.
16	Demarcation Point.	67	Healy.	118	Bradfield Canal.
17	Point Hope.	68	Mount Hayes.	119	Craig.
18	De Long Mountains.	69	Tanacross.	120	Ketchikan.
19	Misheguk Mountain.	70	Black.	121	Dixon Entrance.
20	Howard Pass.	71	Kwiguk.	122	Prince Rupert.
21	Killik River.	72	Holy Cross.	123	Hagemeister Island.
22	Chandler Lake.	73	Iditarod.	124	Nushagak Bay
23	Philip Smith Mountains.	74	McGrath.	125	Naknek.
24	Arctic.	75	Talkeetna.	126	Mount Katmai.
25	Table Mountain.	76	Talkeetna Mountains.	127	Afognak.
26	Noatak.	77	Gulkana.	128	Bristol Bay.
27	Baird Mountains.	78	Nabesna.	129	Ugashik.
28	Ambler River.	79	Hooper Bay.	130	Karluk.
29	Survey Pass.	80	Marshall.	131	Kodiak.
30	Wiseman.	81	Russian Mission.	132	Pribilof Islands.
31	Chandalar.	82	Sleetmute.	133	Chignik.
32	Christian.	83	Lime Hills.	134	Sutwik Island.
33	Coleen.	84	Tyonek.	135	Trinity Islands.
34	Shishmaref.	85	Anchorage.	136	Kaguyak.
35	Kotzebue.	86	Valdez.	137	Stepovak Bay.
36	Selawik.	87	McCarthy.	138	Port Moller.
37	Shungnak.	88	St. Matthew.	139	Cold Bay.
38	Hughes.	89	Nunivak Island.	140	Simeonof Island.
39	Bettles.	90	Baird Inlet.	141	False Pass.
40	Beaver.	91	Bethel.	142	Unimak.
41	Fort Yukon.	92	Taylor Mountains.	143	Unalaska.
42	Black River.	93	Lake Clark.	144	Umnak.
43	Teller.	94	Kenai.	145	Samalga Island.
44	Bendeleben.	95	Seward.	146	Amukta.
45	Candle.	96	Cordova.	147	Seguam.
46	Kateel River.	97	Bering Glacier.	148	Atka.
47	Melozitna.	98	Mount St. Elias.	149	Adak.
48	Tanana.	99	Cape Mendenhall.	150	Gareloi Island.
49	Livengood.	100	Kuskokwim Bay.	151	Rat Islands.
50	Circle.	101	Goodnews.	152	Kiska.
51	Charley River.	102	Dillingham.	153	Attu.

¹ Map numbers refer to locations on figure 3.




Figure 3.—Alaska 1:250,000-scale quadrangles.

COMMODITY AND DEPOSIT SELECTION

This publication is in a sense a directory of significant mineral deposits in the State of Alaska. Deposit and commodity coverage mainly reflects the Bureau's work conducted under MAP, which is concerned with a continuing assessment of the geologic, engineering, and economic availability of mineral supplies for the U.S. economy. Although the Bureau's ultimate objective is to incorporate all nonfuel mineral commodities into MAP, current MAP studies cover only the commodities shown below:

Aluminum	*Gold	*Platinum
*Antimony	*Graphite	Potash
*Asbestos	*Iron	Rare earths
*Barite	*Lead	*Silver
*Beryllium	Lithium	Sulfur
*Chromium	Magnesium	*Tin
*Cobalt	Manganese	Titanium
Columbium- tantalum	*Mercury	Thorium
*Copper	*Molybdenum	*Tungsten
*Fluorspar	*Nickel	*Zinc
	Phosphate	Zirconium- hafnium

All of these commodities, with the exception of hafnium, reportedly occur in Alaska. Based on current knowledge, however, only those marked by asterisks appear to have potential commercial production opportunities based on deposit size, grade, and market. This publication focuses on deposits whose principal commodity is 1 of the 20 commodities so marked.

Under MAP, the Bureau has evaluated nearly 40 deposits in Alaska. Most were found to have identified

reserves or resources; it is these deposits that form the core of the deposit abstract section in this report. Description of other properties that appear to have commercial potential and that have yet to be evaluated under MAP are also included to provide more complete commodity coverage.

Final deposit selection was made after consultation with individuals and agencies familiar with the Alaska mining industry. In addition to hosting one of the commodities listed above (as a principal commodity), a deposit had to meet one or more of the following criteria:

1. It had been evaluated under MAP.
2. Its reserves or resources had been published. (Several deposits were included that have minor reserve estimates, to indicate the type of reserve and grade typically found in a district.)
3. It was a producing or past producing mine with known production potential.
4. It was a nonproducing property with a known production potential based on proprietary and/or public exploration and economic data.
5. There was sufficient nonproprietary geological and development data to permit completion of a deposit abstract.

Deposit abstracts have been prepared for 67 of the significant deposits, including significant placer deposits with publishable reserve data. However, coverage of all the significant placer deposits in Alaska at this level of detail is beyond the scope of this publication. Instead, a summary of the major placer districts in the State is given in the following section.

SUMMARY OF MINING ACTIVITY IN ALASKA

Mining has taken place in some form or another since the aboriginal inhabitants first used gold, copper, and other metals for ornamental beadwork, jewelry, utensils, and weapons (720). Gold mining has dominated the history of mining in Alaska. Largely as a result of placer mining, Alaska ranks in the top four States in total gold production (296). Of the more than 30 million tr oz of gold that have been produced from Alaska, about two-thirds has come from placer deposits. Table 5 provides a listing of Alaskan

placer production and compares the relative productivity of the various Alaskan placer districts.⁶

⁶The production amounts and years given are those listed in the source (490). However, Bureau of Mines mining district names are used. Production figures for years past 1959 were not added to the table because different reporting methods have been used since that time. The Bureau is currently assessing placer production figures for Alaska mining districts, and more up-to-date production totals will be published in the near future.

Table 5.—Alaska placer production

Region and district	Production, tr oz	Discovery date	Years of recorded production
Cook Inlet-Susitna:			
Valdez Creek . . .	34,900	1903	1908-36
Yentna	115,200	1905	1905-59
Total	150,100	NAp	NAp
Copper River:			
Chistochina . . .	141,000	1898	1900-59
Nizina	143,440	1902	1902-59
Yakataga	15,709	1891	1891-1959
Total	300,149	NAp	NAp
Kenai Peninsula:			
Homer, Hope, and Seward . . .	96,500	1848	1895-1959
Kuskokwim River:			
Aniak	245,055	1907	1909-59
Goodnews Bay . .	29,700	1900	1911-47
McGrath	13,900	1908	1908-59
Total	288,655	NAp	NAp
Northwestern Alaska:			
Kiana and Shungnak	12,500	1898	1898-1959
Seward Peninsula:			
Council	839,000	1865	1898-1959
Fairhaven	379,200	1900	1901-59
Kougarok	150,400	1899	1900-57
Koyuk	52,000	1900	1918-59
Nome	3,606,000	1897	1897-1959
Port Clarence . .	28,000	1898	1898-1959
Total	5,054,600	NAp	NAp
Southeastern Alaska:			
Juneau	12,500	1898	1898-1959
Yukon River:			
Bonnifield	36,600	1903	1903-59
Chandalar	30,708	1906	1906-59
Chisana	44,760	1913	1913-59
Circle	705,660	1893	1894-1959
Eagle	40,220	1895	1906-59
Fairbanks	7,303,996	1878	1901-59
Fortymile	400,000	1883	1883-1959
Hot Springs	447,850	1898	1904-59
Iditarod	1,297,500	1908	1908-59
Innoko	518,565	1906	1906-59
Kantishna	45,925	1904	1905-57
Koyukuk	278,000	1898	1900-59
Marshall	113,200	1913	1914-57
Rampart	86,800	1882	1904-59
Ruby	389,100	1907	1907-59
Tolovana	375,000	1892	1915-59
Total	12,113,884	NAp	NAp

NAp Not applicable.

¹ Discovery date is questionable.

Sources: References 490, pp. 8-31, and 672.

The first reports of European-discovered gold in the territory came from a Russian-American Co. party, who found gold on the Russian River drainage on the Kenai Peninsula in 1834 (720).

In the 1850's, the Russians began mining coal on the Kenai Peninsula for local use and to fuel ships. The Russian-American Co. attempted to export coal to a Russian colony in California from their mine at Port Graham but that venture failed, although the mine continued to produce for local and maritime use (50).

Americans began mining placer gold in southeast Alaska in the late 1860's. It was reported that 2,000 tr oz had been produced from Windham and Holkam Bays by 1871 (121). During this period, hard-rock mining commenced at the Stewart Mine near Sitka, also in southeast Alaska.

Joseph Juneau and Richard Harris found placer gold in 1880 at what is now called Gold Creek near present-day Juneau. Their search was aided by natives who showed Juneau and Harris the gold they had found in the area. Extensive placer mining took place at Gold Creek, and eventually large low-grade gold lode deposits were discovered, several of which were in production by 1882.

On Douglas Island, across the channel from Juneau, the Treadwell Mining complex was developed into a world-class underground gold mine by 1887. There was a disastrous cave-in and subsequent flooding in 1917, which permanently closed three of the four mines that made up the complex. When the last mine, the Ready Bullion, closed in 1922, over 3 million tr oz of gold had been produced from 28.2 million st of ore (720). During the early years of the development of the Juneau area, there were also discoveries and production from the Fortymile district (1886), the Kenai Peninsula (1888), Unga Island (1891), and the Circle district (1893).

The Klondike gold rush in the Yukon Territory in 1896 led to increased prospecting activity in Alaska and to similar rushes in Nome (1898), Fairbanks (1902), Iditarod (1909), and Livengood (1914).

The early 1900's also saw production of placer tin from the Seward Peninsula and marble, gypsum, and garnet from various locations in southeast Alaska.

During this time, copper mines went into production in southeast Alaska. By 1905 there were 10 mines producing copper from the area west of Ketchikan. After completion of the 186-mile-long railroad from Cordova to McCarthy in 1911, production began from the world-famous Kennecott copper mines near McCarthy (121). The Kennecott mines produced a staggering amount of high-grade ore; at one time

in 1916 the aerial tramway that carried material from the hillside mines to the mill transported 175 st/d of crude ore averaging 70 pct Cu. The Kennecott operation closed in 1938.

During World War I, there was also some small, high-grade production of tungsten, antimony, and chromium from various locations (121).

When the Alaska Railroad was completed in the 1920's, larger scale coal production began from both the Matanuska and Healy coalfields. This lower cost source of power encouraged the major mining companies to enlarge their operations. They brought large, electric-powered dredges into the Fairbanks area, and their success soon encouraged companies in several other districts to do the same.

Silver lodes were developed at several locations in the State, including Hyder in southeast Alaska and Kantishna, north of Mount McKinley in the interior. The late 1920's saw a profit finally come to the Alaska Juneau gold mine in southeast Alaska after several operators and many lean years had passed. The Alaska Juneau Mine became famous as one of the lowest grade gold mines ever operated at a profit. It continued producing almost continuously until 1944 when it closed because of increased costs for both labor and operations.

In 1926, platinum was discovered at Goodnews Bay. A bucket line dredge that operated continuously for 40 yr was later installed (121). Alaska has been the largest producer of platinum metals in the United States. More than 98 pct of Alaskan platinum production has come from two mines in Alaska: Goodnews Bay produced over 545,000 tr oz, and the Salt Chuck Mine, near Ketchikan, produced over 22,000 tr oz between 1907 and 1940.

Most mineral production was on a downswing as the Great Depression approached at the end of the 1920's. In 1934, the U.S. Government raised the price of gold from \$20.67/tr oz to \$35.00/tr oz. This caused both placer and lode gold production to increase dramatically through the 1930's.

During World War II, the U.S. Government declared that gold mining was a nonessential industry and therefore closed almost all gold mines in the United States. The Alaska Juneau and several other gold mines were exempted from the closure because they contained byproducts important to the war effort and were judged important to the local economies. Platinum production continued at Goodnews Bay. Antimony, mercury, tungsten, chromium, asbestos, coal, and sand and gravel were all produced in varying amounts, often with Federal subsidies, to support the war effort. Most operations closed at the end of the war.

During the Korean war, the U.S. Government financed construction of a mine at the Lost River tin deposit, one of the largest tin reserves in North America. The reserves had been blocked out by the Government during World War II in preparation for production that did not come about at that time. Government financing ended after the war, and the mine was closed in 1956. Tin placers have been mined in the area since that time.

The Bokan Mountain uranium (thorium) lode deposit was put into production in 1955. This southeast Alaska deposit produced intermittently until 1971.

Gold production recovered after World War II, only to go into a slow, steady decline from 1950 to 1972 when the price of gold was decontrolled by the Government and allowed to be set in the marketplace. Between 1972 and 1980 there was a threefold increase in the quantity of gold produced. As shown in table 6, gold production has continued its upward climb.

Table 6.—Alaska gold production, 1979-84, thousand troy ounces

1979	65	1982	175
1980	75	1983	169
1981	134	1984	175

Sources: References 121, 295-296.

By 1957, mercury production had reached its highest level. Production peaked at nearly 20 pct of U.S. requirements and continued at this level until 1963. The mercury-producing area was centered in the Aniak district in southwest Alaska.

In 1958, Fremont Mining Co. discovered nickel-copper sulfides in nunataks, or rock islands, near the edge of Brady Glacier in what is now Glacier Bay National Park (518). Extensive drilling through glacier ice delineated one of the largest nickel deposits in the United States.

The 1960's were marked by increased use of helicopter-supported exploration efforts in remote terrain. The Ambler schist belt of copper mineralization in northwest Alaska was explored, and many major deposits were discovered, such as the Arctic deposit, which was discovered by Bear Creek Mining Co. in 1965.

The USGS located chrysotile fiber near Slate Creek in the Fortymile district in 1968. Doyon Regional Corp., one of the Native companies formed through the Alaska Native

Claims Settlement Act (ANCSA), chose the area in one of its allotted land selections in the mid-1970's. In 1980, Doyon announced the discovery of a major deposit.

In 1974, geologists working for U.S. Borax and Chemical Corp. followed anomalous stream sediment samples to a surface outcrop of molybdenite that turned out to be part of a world-class porphyry molybdenum deposit. Quartz Hill, located about 45 miles east of Ketchikan, is now known to be one of the world's largest molybdenum deposits.

The first indications of mineralization at the now-developing Red Dog zinc-lead deposit were geochemical anomalies announced by the USGS in 1968. As a result of publicity generated by a Bureau of Mines press release in 1976, several companies staked claims in the area of the deposit, although much of the land was closed to mineral entry. NANA, a Native corporation, selected the same area,

and ownership of the deposit was in doubt for several years. NANA and Cominco Alaska are now working together to develop the property. Other major zinc-lead deposits have been located in the vicinity.

The announcement of the discovery of the Greens Creek zinc, lead, copper, silver, and gold deposit came in 1977. Greens Creek is located near Juneau on Admiralty Island.

Many people see the development of several large deposits in Alaska's future (119). As these new Alaskan mines move closer to production, it is probable that the infrastructure necessary to develop them will encourage owners to bring other nearby deposits into production. The development into production of Alaskan mines will depend upon world metal prices, the stability of the Alaskan investment climate, and the availability of infrastructure in interior Alaska.

INFRASTRUCTURAL AND INSTITUTIONAL FACTORS AFFECTING MINING ACTIVITIES IN ALASKA

ELECTRIC POWER

The State of Alaska's electrical power generation systems consist of the central systems associated with electricity generation in the railbelt area (the area traversed by the Alaska Railroad, between Seward and Fairbanks) and the decentralized systems associated with electricity generation in rural areas. Alaska's electrical power is generated by utilities, industry, military, and independent operators (in rural and isolated areas). The utilities and independent operators account for 66.6 pct (1,374 MW) of Alaska's installed capacity, industry accounts for 23.5 pct (485 MW), and national defense for 9.9 pct (205 MW) (9). Figure 4 shows the locations of electrical generating systems; table 7 shows their installed capacities. Figure 5 shows typical price ranges for energy in 1981 by region.

Figure 6 shows existing electrical transmission systems in Alaska. Table 8 lists costs and specifications of various types of transmission line construction.

Electrical generation in Alaska is powered primarily by natural gas, diesel (fuel oil), hydroelectric power, and coal,

as discussed in following sections. Electric costs to the consumer in Alaska range from 5¢ to 6¢/kW•h in Anchorage to 27¢/kW•h (\$2.00/gal fuel oil) in the bush communities (9).

Electricity supplies should be adequate for new mining and mineral processing facilities located close to major power sources and transmission lines. New mining and mineral processing facilities in remote locations would require their own electrical generation plants.

NATURAL GAS

Alaska's natural gas is produced in two areas: the North Slope region, and the Cook Inlet area. The North Slope region contains 29 trillion ft³ of proven reserves, while Cook Inlet contains 3 trillion ft³ of proven reserves (table 9).

Cook Inlet gas is used for in-State heating and electrical generation for residential, commercial, and industrial users in south-central Alaska. North Slope natural gas from the Barrow gas field supplies the community of Barrow.

Table 7.—Location of electrical generating systems and their installed capacity in Alaska

Map No. ¹	Location	Installed capacity, MW	Type ²	Map No. ¹	Location	Installed capacity, MW	Type ²	Map No. ¹	Location	Installed capacity, MW	Type ²
1	Barrow	7.0	CT, D	39	Unalakleet	1.9	D	74	Eek	.2	D
2	Wainwright	1.1	D	40	Gambell	.5	D	75	Nondalton	.2	D
3	Atkasook	.7	D	41	Savoonga	.7	D	76	Iliamna	1.0	D
4	Nuiqsut	.8	D	42	Dot Lake	.3	D		Newhalen	.2	D
5	Deadhorse	6.1	D	43	Saint Michael	.3	D	77	Quinhagak	.4	D
6	Kaktovik	.7	D		Stebbins	.2	D	78	Yakutat	2.0	D
7	Point Lay	.4	D	44	Tok	3.5	D	79	New Stuyahok	.3	D
8	Point Hope	.9	D	45	Kotlik	.5	D	80	Skagway	3.8	D, H
9	Anaktuvuk Pass	.9	D	46	Paxson Lodge	.4	D	81	Seldovia	2.1	D
10	Kivalina	.5	D	47	Northway	.9	D	82	Klukwan	.7	D
11	Noatak	.3	D	48	McGrath	1.5	D	83	Haines	4.1	D
12	Ambler	.4	D	49	Grayling	.2	D	84	Togiak	.5	D
13	Kiana	.7	D	50	Emmonak	.8	D	85	Goodnews Bay	.2	D
14	Bettles	.6	D	51	Alakanuk	.8	D	86	Dillingham	3.9	D
15	Kotzebue	6.6	D	52	Shageluk	2.4	D	87	Manokotak	.6	D
16	Shungnak	3.6	D	53	Anvik	.2	D	88	Naknek	6.3	D
17	Noorvik	.6	D	54	Chistochina	.5	D	89	Juneau	113.9	D, H
18	Selawik	.7	D	55	Holy Cross	.2	D	90	Hoonah	1.2	D
19	Fort Yukon	1.4	D	56	Glennallen	7.6	D	91	Pelican	.5	D, H
20	Shishmaref	.6	D	57	Mountain Village	1.1	D	92	Kodiak	29.9	D, H
21	Hughes	.2	D					93	Tenakee Springs	.3	D
22	Circle	.3	D	58	Saint Mary's	1.5	D	94	Larsen Bay	.2	D
23	Huslia	.3	D	59	Pilot Station	.4	D	95	Angoon	.9	D
24	Wales	3.1	D	60	Scammon Bay	.3	D	96	Old Harbor	.3	D
25	Rampart	.2	D	61	Marshall	.2	D	97	Sitka	32.6	D, H
26	Teller	.4	D	62	Aniak	1.3	D	98	Kake	1.6	D
27	Tanana	2.0	D	63	Chevak	.8	D	99	Petersburg	7.1	D, H
28	Minto	.2	D		Hooper Bay	.8	D	100	Wrangell	7.7	D, H
29	Manley Hot Springs	.2	D	64	Lower Kalskag	.5	D	101	Chignik	.3	D
30	Koyuk	.3	D	65	Anchorage and vicinity	771.2	CT, D, H, ST	102	Craig	1.3	D
31	Fairbanks and vicinity	284.7	CT, D, ST	66	Valdez	22.0	D, H	103	Klawock	1.4	D
32	Galena	.8	D	67	Nunapitchuk	.6	D	104	Ketchikan	28.8	D, H
33	Nulato	.7	D	68	Bethel	8.2	D	105	Sand Point	4.1	D
34	Elim	.2	D		Kwethluk	.6	D	106	Hydaburg	.7	D
35	Nome	7.0	D	69	Napakiak	.3	D	107	Cold Bay	2.0	D
36	Shaktoolik	.2	D	70	Tununak	.2	D	108	Metlakatla	6.0	D, H
37	Kaltag	.3	D	71	Cordova	8.5	D	109	King Cove	.6	D
38	Lake Minchumina	.1	D	72	Toksook Bay	.5	D	110	Nikolski	.1	D
				73	Mekoryuk	.3	D	111	Atka	.2	D

¹ Map numbers refer to locations on figure 4.

² Symbols used: CT, combustion turbine; D, diesel; H, hydroelectric; ST, steam turbine.

Source: Reference 9.




Figure 4.—Location of electrical generating systems in Alaska. (Source: reference 9.)




Figure 5.—Typical price ranges for energy in Alaska during 1981. (Source: reference 41.)




Figure 6.—Electrical transmission systems in Alaska. (Source: reference 9.)

Table 8.—Costs of transmission line construction in Alaska, by line type

	Single wire	69 kV	115 kV	230 kV	345 kV
Length.....miles..	10	30	80	160	240
Size.....kW..	94	32,000	64,000	112,000	280,000
Annual energy production.....MW•h..	558	224,256	448,512	784,896	1,962,240
1982 construction costs.....10 ³ ..	\$379	\$9,750	\$30,000	\$60,000	\$114,000
Capital cost breakdown, pct:					
Materials and equipment.....	58	50	50	50	50
Labor.....	42	50	50	50	50
Project life.....yr..	15	30	30	30	30

Source: Alaska Department of Commerce and Economic Development.

Table 9.—Alaska natural gas reserves, trillion cubic feet

Area	Proven	Undiscovered	
		95-pct probability	Mean
North Slope.....	29.02	16.4	73.5
Bering Sea.....	ND	ND	13.2
Gulf of Alaska ¹	3.0	1.8	10.5
Other.....	ND	34.9	4.0
Total.....	32.02	53.1	101.2

ND Not determined. ¹ Includes Cook Inlet.

Source: Reference 275.

Two natural gas processing facilities are located at Kenai, where a liquefied natural gas (LNG) plant processes 50 billion ft³/yr, and an ammonia-urea plant processes 50 to 51 billion ft³/yr (9).

Construction costs of natural gas pipelines in Alaska range from \$300 to \$400 per mile in 1982 dollars. Cost of Cook Inlet gas to its customers, based on pipeline costs, is \$1.76 to \$3.42/Mft³ + cost of gas + cost of local distribution. At a \$2.32 gas price (1982) + \$1.80/Mft³, the range of consumer gas prices would be \$5.88 to \$7.54/Mft³ (41).

If a pipeline were to be built from the North Slope to Fairbanks, the cost of natural gas would be \$3.00 to \$5.00/Mft³ (pipeline cost + cost of gas) + \$2.00 to \$2.50/Mft³ (distribution costs) = \$5.00 to \$5.50/Mft³ (consumer price). Current cost (1982 price) for Fairbanks customers is \$10.00/Mft³ (41).

Table 10 shows cost of natural-gas-powered electrical generation plants.

OIL

Alaska's oils are not extensively used by the larger electric utilities, because they are supplied by natural gas, coal, and hydropower. Diesel fuel is used extensively in the rural communities for electrical generation. The cost of two sizes of diesel electrical generation plants are shown on table 11.

Proven reserves of crude oil in Alaska are estimated at 8.7 billion bbl onshore and 0.2 billion bbl offshore, as shown on table 12 (9).

Table 10.—Costs of natural-gas-powered electrical plants in Alaska, by plant size

	24,000 kW ¹	75,000 kW ²
Annual energy production.....MW•h..	105,120	459,900
1982 construction costs.....10 ³ ..	\$9,600	\$78,750
Capital cost breakdown, pct:		
Materials and equipment.....	70	70
Labor.....	30	30
Operational and maintenance charges per kilowatt hour.....	\$0.013	\$0.0027
Project life.....yr..	20	25

¹ Combustion turbine. ² Combined cycle combustion turbine.

Source: Reference 41.

Table 11.—Costs of diesel-powered electrical plants in Alaska, by plant size

	500 kW	10,000 kW
Annual energy production.....MW•h..	1,752	5,256
1982 construction costs.....10 ³ ..	\$137.5	\$8,500
Capital cost breakdown, pct:		
Materials and equipment.....	73	80
Labor.....	27	20
Operational and maintenance charges per kilowatt hour.....	\$0.17	\$0.101
Project life.....yr..	15	20

Source: Reference 41.

Table 12.—Alaska crude oil reserves, billion barrels

Area	Proven	Undiscovered	
		95-pct probability	Mean
North Slope.....	8.3	3.1	14.4
Bering Sea.....	ND	ND	1.8
Gulf of Alaska ¹6	.2	1.9
Other.....	ND	3.8	1.0
Total.....	8.9	7.1	19.1

ND Not determined. ¹ Includes Cook Inlet.

Source: Reference 275.

Four in-State refineries have the potential to supply 58 pct of Alaska's refined petroleum products, such as diesel and gasoline. Two refineries are located at Kenai and have capacities of 22,000 bbl/d and 48,500 bbl/d; a North Pole refinery has a capacity of 46,000 bbl/d; and a Prudhoe Bay refinery has a 14,000 bbl/d capacity (9). However, because of marketing and transportation considerations, much of the refined products are shipped out-of-State, and many required petroleum products are shipped into Alaska for consumption. The Alaska petroleum product distribution network is shown on figure 7.

HYDROELECTRIC POWER

Alaska possesses the highest undeveloped hydroelectric power potential in the entire United States. Hydroelectric power could be a viable alternative for a small-scale min-

ing operation. Table 13 lists the costs of a small-scale hydroelectric plant in Alaska.

Hydroelectric power can provide an inexpensive and inexhaustible source of electricity. Power costs vary according to the scale of the facility and the size of the demand it serves.

Table 13.—Costs of a small-scale hydroelectric project in Alaska

Annual energy production	MW•h	307
1982 construction costs	10 ³	\$1,200
Capital cost breakdown, pct:		
Materials and equipment		40
Labor		60
Operational and maintenance charges per kilowatt hour		\$4.80
Project life	yr.	20

Source: Reference 41.




Figure 7.—Petroleum product distribution network in Alaska. (Source: reference 41.)

COAL

Alaska has reserves of 425,270 million st of coal located in eight coalfields (9). Table 14 lists the proven, indicated, and hypothetical reserves of each major field in Alaska.

Table 14.—Coal reserves of major fields in Alaska, million short tons

	Proven	Indicated	Hypothetical
Northern fields	235.0	49,000-120,000	330,000
Nenana	861.1	6,000	8,700
Jarvis Creek3	13- 76	0
Susitna (Beluga)	275.0	2,700- 10,200	27,000
Matanuska	6.6	108- 130	149
Bering River0	0	36- 1,000
Herendeen Bay0	10- 100	300
Chignik0	100	300
Total¹	1,378.0	57,900-136,606	366,000-367,000

¹ Rounded.

Source: Reference 121, p. 49.

Coals in Alaska are mostly subbituminous, though grading from lignite to anthracite in rank. At present, coal is used for electric power generation at Healy in interior Alaska. Future utilization of Alaskan coal depends upon development of markets that will be able to bear the transportation costs, and the economics of competing sources of energy.

TRANSPORTATION

Alaska's transportation system is extremely diverse, as it must move people and goods over great distances. The system includes rail, highway, air, and water transportation. Transportation in Alaska has developed because of the growth of economic activity in mining, petroleum, timber, defense, fisheries, and government.

The major population centers in Alaska have access to land, air, and water transportation systems. These cities are the hub of the transportation networks in which people and goods are moved into and out of the rural communities. The transportation network in turn has an effect on the development of the State's resources.

Rail

Alaska is served by one operating railroad, the Alaska Railroad, which is a public-owned line operated by the State of Alaska. Authorized by the U.S. Congress in 1914 and completed in 1924, the railroad was operated by the Federal Government until 1985. The railroad has 470 miles of track running from Seward to Anchorage to Fairbanks, and also 65 miles of branch lines (fig. 8). The railroad is a light-density line providing passenger and freight service. During 1984, the railroad hauled 8.3 million st of freight, of which 6.5 million st were sand and gravel, and 642,000 st were coal (295, p. 28). The track and bridges are built to accommodate cars carrying loads up to 100 st with most bulk (gravel and coal) cars limited to 80 st, to limit track wear (14).

Roads and Highways

Early roads and trails in Alaska were constructed to haul supplies to mining camps. These early routes followed native trails or were constructed by the miners, the U.S. Army, or the Alaska Road Commission. The Alaska road system contains 10,000 miles of highways, roads, and streets, as shown in figure 9.

This system connects the major population centers and provides access to the continental United States through Canada via the Alcan Highway. Jurisdiction of the roads is controlled by (1) the Federal Government with 28 pct of the mileage, (2) the State government with 54 pct, and (3) local governments with 18 pct (14).

The Alaska Department of Transportation and Public Facilities is authorized by statute to participate with mineral developers and other private entities in the construction and maintenance of access roads into mineral areas of valid commercial promise that are inaccessible to truck haulage, and into State lands programmed for surface disposal. In the case of mineral access roads, the road becomes the property of the State and as long as the road is open to the public, the State will participate in road maintenance. The State has no obligation to maintain access roads into State land disposal areas (14).




Figure 8.—Alaska railroad track system. (Source: reference 14.)

Table 15.—1980 marine tariffs from Seattle to selected sites in Alaska, dollars per 100 lb

Minimum quantity, 10 ³ lb	Akak	Anchorage	Bethel	Juneau	Ketchikan	Kotzebue	Nome	Sitka	Unalaska
FOODSTUFFS									
5	NAP	NAP	NAP	7.07	6.10	NAP	NAP	6.83	NAP
10	NAP	NAP	9.50	5.74	4.87	13.75	11.24	5.54	9.28
20	10.25	NAP	7.72	2.91	2.76	11.75	10.49	3.35	6.49
60	NAP	5.15	6.87	NAP	NAP	10.44	9.13	NAP	NAP
81	NAP	4.25	NAP	NAP	NAP	NAP	NAP	NAP	NAP
99	NAP	3.82	6.02	NAP	NAP	8.43	7.72	NAP	NAP
LUMBER									
10	NAP	NAP	8.43	5.02	4.37	11.79	11.26	5.22	8.17
24	NAP	NAP	6.39	2.09	2.01	9.03	8.62	2.99	7.37
38	11.48	5.90	6.18	NAP	NAP	NAP	8.41	NAP	4.97
72	NAP	4.02	NAP	NAP	1.92	NAP	NAP	NAP	NAP
114	NAP	2.94	NAP	NAP	NAP	NAP	NAP	NAP	NAP
MACHINERY									
16	10.39	NAP	9.71	4.39	4.06	14.13	13.45	4.66	9.01
24	7.07	10.78	7.76	3.97	3.63	11.35	10.83	4.14	5.45
30	NAP	7.68	NAP	NAP	NAP	NAP	NAP	NAP	5.05
42	NAP	7.13	NAP	NAP	NAP	NAP	NAP	NAP	NAP
72	NAP	5.80	7.52	NAP	NAP	NAP	10.06	NAP	NAP
120	NAP	4.74	NAP	NAP	NAP	NAP	NAP	NAP	NAP
IRON AND STEEL									
10	NAP	NAP	6.95	5.68	4.97	10.96	10.03	6.24	8.67
24	NAP	9.35	6.81	3.26	2.57	10.27	9.57	3.30	6.97
35	NAP	6.11	5.41	2.91	2.23	8.18	7.61	3.06	6.44
76	NAP	3.86	NAP	NAP	NAP	NAP	NAP	NAP	NAP
96	NAP	NAP	NAP	2.31	NAP	NAP	NAP	NAP	NAP
132	NAP	3.30	NAP	NAP	NAP	NAP	NAP	NAP	NAP

NAP Not Applicable.

Source: Reference 14, p. 6-27.

Table 16.—1980 charter rates from Seattle to selected sites in Alaska

(Based on one 4,000-hp tug and two 300-ft barges)

	Cost	Time, days
Bethel	\$450,000	25
Dillingham	450,000	25
Kodiak	300,000	15
Kotzebue	555,000	32
Nome	480,000	27
Unalaska	390,000	21

NOTE.—All rates include 5 days unloading time at destination. Does not include lighterage at Nome or Kotzebue, loading and lashing at Seattle (about \$27/st) or Marine Cargo Insurance (2 to 7 pct of cargo value).

Source: Reference 14, p. 6-29.

River

The first extensive transportation system into interior Alaska was along the State's major rivers, listed in table 17. The rivers have influenced the settlement of Alaska, especially along the Yukon and Kuskokwim Rivers.

Alaska's rivers are used to transport low-value, high-volume freight (gravel and fuel oil) to communities along the river during the ice-free summers (14).

REGULATION

Mining and mineral exploration are vital to the economies of numerous communities throughout the State as the industry brings jobs, revenues, and satellite industries.

Regulations governing the development of Alaska's mineral resources occur at both the Federal and State levels. State and Federal mining laws differ, so if there is any question as to the land status, it is best to stake according to both State and Federal laws. Any questions regarding land status can be directed to the Alaska Department of Natural Resources, Division of Lands, or to the U.S. Bureau of Land Management (BLM).

Federal mining laws are set forth in the U.S. Code of Federal Regulations (CFR), titles 30 and 43, amended December 15, 1977, 95th Congress, first session. Regulations pertaining to Federal claims are located in the CFR, title 43, part 3800, and are administered by the BLM (667). The major portion of the Federal mining laws deals with claim location (lode and placer), tunnel sites, mill sites, recordation, and assessment work. Patent may be given to claimants who hold valid mining claims and mill sites that meet the "prudent man" test (397).

Mining regulations on State of Alaska land are covered in Alaska statutes 38.05.185 through 38.05.280. The law is administered by the State Division of Lands under the regulations in title II, division I, chapter 6 of the Alaska Administrative Code (397). The State regulations deal mainly with claim location, recording, and assessment work. The State is required by the Statehood Act (Public Law 85-508) to retain title to minerals in all lands selected by the State, and by the Submerged Lands Act (Public Law 83-31) to minerals in tide, submerged, and shore lands. Alaska statutes 38.05.125 provides for reservation of minerals in all State lands except those acquired by gift, escheat, or foreclosure. Therefore, the State of Alaska may not sell or convey mineral rights to the private sector except for those in lands acquired by gift, escheat, or foreclosure.

Table 17.—Major navigable Alaska inland waterways

River	Restrictions
Chilkat	Navigable by shallow-draft vessels to village of Klukwan, 25 miles above mouth.
Kobuk	Controlling channel depth is about 5 ft through Hotham Inlet, 3 ft to Ambler, and 2 ft to Kobuk Village, about 210 river miles.
Koyukuk	Navigable by vessels drawing up to 3 ft to Allakaket during normally high river flow and to Bettles during occasional higher flows.
Kuskokwim	Navigable by 18-ft draft ocean-going vessels from mouth upriver 65 miles to Bethel. Shallow-draft (4-ft) vessels can ascend river to mile 465. McGrath at mile 400.
Kvichak	Navigable for vessels of 10-ft draft to Alagnak River, 22 miles above the mouth of Kvichak River. Remainder of river (28 miles) navigable by craft drawing 2 to 4 ft depending on stage of river. Drains Lake Iliamna, which is navigable an additional 70 miles.
Naknek	Navigable for vessels of 12-ft draft for 12 miles with adequate tide. Vessels with 3-ft draft can continue an additional 7.5 miles.
Noatak	Shallow-draft barges can ascend to a point about 18 miles below Noatak village. Shallow-draft vessels can continue on to Noatak.
Nushagak	Navigable by small vessels of 2.5-ft draft to Nunachuak about 100 miles above the mouth. Shallow-draft ocean-going vessels can navigate to mouth of Wood River, mile 84.
Porcupine	Navigable to Old Crow, Yukon Territory, by vessels drawing 3 ft, during spring runoff and fall rain floods.
Stikine	Navigable (May 1 to Oct. 15) from mouth 165 miles to Telegraph Creek, B.C., by shallow-draft, flat-bottom river boats.
Susitna	Not navigable by ocean-going vessels. Stern wheelers and shallow-draft, flat-bottom riverboats can navigate to confluence of Talkeetna River, 75 miles upstream, but cannot cross bars at mouth of river.
Tanana	Navigable by shallow-draft (4-ft) flat-bottom vessels and barges from the mouth to Nenana and by smaller river craft to the Chena River 201 miles above the mouth. Craft of 4-ft draft can navigate to Chena River on high water to University Avenue Bridge in Fairbanks.
Yukon	Navigable by shallow-draft, flat-bottom river boats from the mouth to near the head of Lake Bennett. It cannot be entered or navigated by ocean-going vessels. Controlling depths are 7 ft to Stevens Village and 3 to 5 ft thereon to Fort Yukon.

Source: U.S. Army Corps of Engineers.

Those minerals not covered under the locatable mineral laws may be obtained through the leasable mineral laws. Mineral rights for leasable minerals located on Federal, State, or private lands are reserved by the Federal or State Governments. Leasable minerals include oil, natural gas, oil shale, asphalt, bitumen, coal, phosphate, sodium, and potassium; in the State of Alaska, sulfur is also included.

Water rights in Alaska are covered by the Water Use Act of 1966. The law (1) applies to all waters in the State including those on Federal, State, and private lands, (2) recognizes existing water rights, (3) provides acquisition of water rights under a permit system, and (4) allows sale or transfer of water rights. The Water Use Act is administered by the State Division of Land and Water Management, Department of Environmental Conservation. The State of Alaska Department of Fish and Game has jurisdiction of all streams that have been specified as important to the fishing industry (397).

A list of permits required by the mining industry may be obtained from the State of Alaska Department of Commerce and Economic Development, Office of Mineral Development.

TAXATION

The Alaska mineral tax structure is made up of three different taxes: (1) mining license tax, (2) State corporate income tax, and (3) local property taxes (972).

The mining license tax is a special tax on mining activity, which requires that all new mining operators obtain licenses. New operations, except sand and gravel, are exempt for the first 3.5 yr after production begins. The tax is based on net income with allowable deductions including operating costs, royalties, depreciation, depletion, development costs, taxes (other than license tax), and Federal income tax. Net income is taxed at the following rates: \$40,000 to \$50,000 at 3 pct, \$50,000 to \$100,000 at 5 pct of excess over \$50,000 plus \$1,500, \$100,000-plus at 7 pct of excess over \$100,000 plus \$4,000 (972).

The State corporate income tax is a tax levied on net income derived from sources within the State. No allowance is made for Federal income taxes. Table 18 lists the Alaska corporate tax rates.

Table 18.—Alaska corporate tax rates

Taxable income	Base tax	Rate over set amount	
		pct	Amount
< \$10,000	0	1	0
\$10,000-\$20,000	\$100	2	\$10,000
\$20,000-\$30,000	300	3	20,000
\$30,000-\$40,000	600	4	30,000
\$40,000-\$50,000	1,000	5	40,000
\$50,000-\$60,000	1,500	6	50,000
\$60,000-\$70,000	2,100	7	60,000
\$70,000-\$80,000	2,800	8	70,000
\$80,000-\$90,000	3,600	9	80,000
>\$90,000	4,500	9.4	90,000

NOTE.—As an example, taxable income of \$15,000 has a base tax of \$100 plus 2 pct of the taxable income over \$10,000, or \$100, which gives a total tax of \$200.

Source: Reference 972, p. 10.

The State of Alaska does not administer a property tax, but municipalities and boroughs are authorized to levy taxes on real and personal property. The property is assessed on January 1 of every year at its full and true value, which is the estimated price the property would bring in an open market under prevailing market conditions. Property tax rates are fixed locally, with a maximum of 3 pct for cities (972).

STATE MINERAL DEVELOPMENT INCENTIVES

The State of Alaska has expressed interest in the development of a long-term minerals industry to provide for sustained economic growth. Presently the oil industry provides the majority of the State's royalty income. Recognizing the fact that declining oil revenues are inevitable in the future, some steps have been taken to provide incentive for mineral development.

Mining Revolving Loan Fund

The mining loan fund was established in 1980 by the State (AS27.09.010-.060) in order to provide low-interest

loans to underwrite advanced mineral exploration, development, and mining within Alaska. The program is administered by the Alaska Department of Commerce and Economic Development, Division of Investments. As of June 1985, a total of 54 loans with a value of \$20.3 million were outstanding. The balance of the fund as of May 30, 1985, was approximately \$31.5 million.

Individual borrowers must be residents of the State and have at least 5 yr experience in prospecting or mining in Alaska. In partnerships, Alaskan residents must make up at least 50 pct, with at least half of the partners having 5 yr experience in the State. A corporation is eligible if at least 51 pct of its shares are held by persons having at least 5 yr mining or prospecting experience in the State and at least 51 pct of its shares are held by persons who are residents of Alaska. Loans may be granted for up to \$5 million at an interest rate of 10 pct per annum with a maximum term of 15 yr. No loan may exceed 75 pct of the value of the collateral offered. Terms of all loans are fixed by a loan committee appointed by the Commissioner of the Department of Commerce and Economic Development. Approval of loans requires a majority consensus of the loan committee.

The borrower pays all costs incurred in processing the loan application but is not required to pay a commitment fee, closing fee, or other costs not directly related to the administrative expense of processing the loan application. Principal repayment of loans other than those for placer mining commences not later than 1 yr after production begins or 5 yr from the date of the loan, whichever comes first. Principal repayment of placer loans must commence by the end of the second placer mining season after the loan is made. Accrual of interest for all loans begins when the loan is made, and interest must be repaid each year.

Placer Mining Demonstration Grants

Placer mining demonstration grants are an example of the State of Alaska's willingness to encourage modern, en-

vironmentally sound mineral development. Grants are designed to provide funds for research in innovative placer mining methods to decrease environmental damage. The program was initiated in July 1984, and a total of 81 applications were received prior to the February 1985 deadline. A total of 30 grants worth \$2.7 million were issued by the State Departments of Environmental Conservation and Natural Resources.

Both reduction in environmental damage and increased gold recovery should result from the program. Increased gold recovery reduces the probability that a stream will be continually remined, in addition to benefiting the mining operation's revenues.

Special Assistance

In keeping with its commitment to encourage mineral development, the Alaska legislature passed two bills in 1985 designed to assist in the development of the Red Dog deposit, 90 miles north of Kotzebue. The State will finance a \$65 million port facility and a \$85 million road from the coast to the mine site. Cominco Alaska, operators of the Red Dog project, had stated that such assistance was required in order to proceed with development of the high-grade zinc-lead-silver deposit. The State investment will be repaid by user fees and taxes and should return about \$620 million over the proposed 30-yr operating period of the mine. Construction of the road and port may prompt development of additional base-metal deposits in the area.

ABSTRACTS OF SELECTED DEPOSITS IN ALASKA

As previously described, the heart of this publication consists of single-page, site-specific deposit abstracts for 67 selected deposits in Alaska. Figure 1 and tables 1 and 2 serve as indexes for the deposit abstract section.

ALASKA CHIEF—COPPER

Alternate name: Peacock Nos. 1-2
Map location No.: 165

Commodities: Cu, Ag, Au, Zn, Ni, Co

LOCATION-OWNERSHIP

Quadrangle	Mount Fairweather.	Reference point	Claim.
Mining district	Juneau.	Meridian	Copper River.
Elevation	366 m.	Tract	Sec. 1, T 40 S, R 56 E.
Topography	Very rugged.	Latitude	58°26'14" N.
Domain	National wilderness.	Longitude	136°5'25" W.
Owner	The Nature Conservancy.		

GEOLOGY

Type of ore body	Replacement.	Host formation	Tidal and Rendu.
Origin	Metasomatic.	Geologic age	Devonian.
Shape of ore body	Massive.	Deformation	Metamorphism, intrusion.
Ore controls	Contact zone.	Age of deformation	Mesozoic.
Mineral names	Chalcopyrite, bornite, azurite, malachite, sphalerite, epidote, goethite, calcite, orthoclase, pyrite, pyrrhotite, quartz, chlorite, zoisite.	Rock types	Skarn, limestone, marble, hornfels, diorite, quartz monzonite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	1899.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	25,400 mt.	1.00 pct Cu, 68.60 g/mt Ag	1978	72, p. C353.

REFERENCES

40, No. F-12; 55, p. 162; 56; 72, pp. C353, D16, plates 1A, 1B, 2; 198; 233, pp. 7-8; 519, pp. 3, 5, 45-48, 69, 73; 548, p. 1; 695, p. 37; 696, pp. 72-73; 767, p. 49, plate 1; 997, pp. 221-222.	USGS quadrangle map	Mount Fairweather (B-1), 15'.
	USBM MAS sequence No	0021110066.
	MSHA Mid No	Not available.
	USGS MRDS No	A002074.
	Alaska Kardex No	111-028, 111-054.

APOLLO—GOLD

Alternate name: Unga Island
Map location No.: 211

Commodities: Au, Ag, Cu, Pb, Zn

LOCATION-OWNERSHIP

Quadrangle Port Moller.	Reference point Claim.	
Mining district Alaska Peninsula.	Meridian Seward.	
Elevation 30 m.	Tract Sec. 28, T 58 S, R 74 W.	
Topography Rolling.	Latitude 55°11'23" N.	
Domain BLM-administered.	Longitude 160°33'25" W.	
Owner Alaska Apollo Gold Mines Ltd.		

GEOLOGY

Type of ore body Fissure vein, shear zone, stockwork.	Host formation Unnamed igneous.
Origin Hydrothermal.	Geologic age Tertiary.
Shape of ore body Tabular.	Deformation Major faulting, intrusion.
Ore controls Fracturing, igneous.	Age of deformation Tertiary.
Mineral names Gold, chalcopyrite, sphalerite, galena, pyrite, quartz.	Rock types Andesite, dacite, basalt.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Underground.	Road requirement Less than 10 km.
Year of discovery 1891.	Distance to power supply On-site.
Discovery method Ore-mineral in place.	
First production year 1891.	
Last production year 1904.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	453,600 mt.	10.30 g/mt Au, 34.30 g/mt Ag	1984	295, p. 11.

REFERENCES

40, No. D-92; 44, pp. 21, 125-126; 45, pp. 149-150; 47, p. 22; 55 p. 5; 77, p. 47; 79, pp. 49-50; 84, pp. 28-29; 86, p. 66; 91, p. 6; 95, p. 34; 96, p. 33; 97, p. 28; 98, p. 38; 103; 105, p. 33; 120, pp. 12, 13, 17, 18; 121, p. 17; 204; 277, p. 10; 295, p. 11; 296, p. 13; 490, p. 23; 521; 812; 829, p. 24; 837, p. 28; 915; 934, pp. 196, 199; 955, p. 111; 963.	USGS quadrangle map Port Moller (A-2), 15'. USBM MAS sequence No 0021380012. MSHA Mid No 5001421. USGS MRDS No A002675. Alaska Kardex No 138-002, 138-003.
--	--

ARCTIC CAMP—COPPER

Alternate name: Arctic
Map location No.: 16

Commodities: Cu, Zn, Pb, Ag, Au

LOCATION-OWNERSHIP

Quadrangle	Ambler River.	Reference point	Mineralized zone.
Mining district	Ambler.	Meridian	Kateel River.
Elevation	975 m.	Tract	Sec. 35, T 21 N, R 11 E.
Topography	Rugged.	Latitude	67°10'39" N.
Domain	BLM-administered.	Longitude	156°22'44" W.
Owner	Kennecott Corp.		

GEOLOGY

Type of ore body	Stratiform, stratabound.	Host formation	Unnamed metamorphics.
Origin	Metamorphism, sedimentation.	Geologic age	Paleozoic.
Shape of ore body	Tabular.	Deformation	Metamorphism, faulting.
Ore controls	Bedding, lithology.	Age of deformation	Pre-Devonian.
Mineral names	Chalcopyrite, sphalerite, pyrite, pyrrhotite, chalcocite, bornite, galena, tennantite, quartz, talc, feldspar, calcite, epidote, graphite, muscovite, chlorite, biotite, tremolite, microcline, garnet.	Rock types	Schist, phyllite.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	More than 100 km.
Year of discovery	1965.	Distance to power supply	Do.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	30,838,000 mt	4.00 pct Cu, 5.50 pct Zn, 1.00 pct Pb, 51.40 g/mt Ag. Reserves estimated 27,200,000-31,750,000 mt.	1976	811, p. 14.
Do	30,000,000 mt	4.00 pct Cu, 5.50 pct Zn, 1.00 pct Pb, 51.40 g/mt Ag, 0.65 g/mt Au.	1978	864, p. 34.
Do	36,288,000 mt	4.00 pct Cu, 5.50 pct Zn, 0.80 pct Pb, 54.80 g/mt Ag, 0.69 g/mt Au. Reserves estimated 31,750,000- 36,288,000 mt.	1984	295, pp. 6, 42.

REFERENCES

15, pp. 7-8; 16, pp. 27-30; 40, No. A-24; 120, p. 8; 121 pp. 10, 38; 269, p. 79; 274; 295, pp. 6, 42; 296, p. 6; 366; 439; 508; 650; 654; 811; 864, pp. 31-33, 34, 160-163; 982.	USGS quadrangle map	Ambler River, 1:250,000.
	USBM MAS sequence No	0020280004.
	MSHA Mid No	5001241.
	USGS MRDS No	Not available.
	Alaska Kardex No	028-044.

BALBOA BAY—COPPER

Alternate name: Pyramid
Map location No.: 212

Commodities: Cu, Mo

LOCATION-OWNERSHIP

Quadrangle	Port Moller.	Reference point	Mineralized zone.
Mining district	Alaska Peninsula.	Meridian	Seward.
Elevation	152 m.	Tract	Sec. 14, T 53 S, R 74 W.
Topography	Hilly.	Latitude	55°35'20" N.
Domain	Federal.	Longitude	160°35'5" W.
Owner	U.S. Fish and Wildlife Service.		

GEOLOGY

Type of ore body	Shear zone.	Host formation	Unnamed igneous.
Origin	Hydrothermal.	Geologic age	Tertiary.
Shape of ore body	Tabular, irregular.	Deformation	Major faulting, intrusion.
Ore controls	Fracturing, faulting.	Age of deformation	Tertiary.
Mineral names	Chalcopyrite, sphalerite, galena, pyrite, quartz.	Rock types	Andesite, dacite, basalt.

DEVELOPMENT

Current status	Raw prospect.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	Not available.	Distance to power supply	More than 100 km.
Discovery method	Do.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	90,700,000 mt	0.50 pct Cu, 0.03 pct Mo. Reserve includes Stepovak Bay, San Diego, Pyramid.	1979	269, p. 84.

REFERENCES

40, No. D-91; 44, pp. 21, 129; 45, p. 152; 55, pp. 6-7; 85, p. 35; 121, p. 12; 204; 269, p. 84; 521; 955, p. 112.	USGS quadrangle map	Port Moller (C-2), 15'.
	USBM MAS sequence No	0021380006.
	MSHA Mid No	Not available.
	USGS MRDS No	A002676.
	Alaska Kardex No	138-006.

BARTHOLOMAE—GOLD

Alternate name: Ryan Lode
Map location No.: 56

Commodities: Au, Sb, Pb

LOCATION-OWNERSHIP

Quadrangle	Fairbanks.	Reference point	Mineralized zone.
Mining district	Fairbanks.	Meridian	Fairbanks.
Elevation	304 m.	Tract	Sec. 32, T 1 N, R 2 W.
Topography	Hilly.	Latitude	64°51'52" N.
Domain	State.	Longitude	147°59'18" W.
Operator	Citigold.		

GEOLOGY

Type of ore body	Fissure vein, shear zone, replacement.	Host formation	Birch Creek Schist.
Origin	Hydrothermal, oxidation.	Geologic age	Paleozoic.
Shape of ore body	Tabular, irregular.	Deformation	Metamorphism, faulting, intrusion.
Ore controls	Fracturing, faulting.	Age of deformation	Mesozoic.
Mineral names	Gold, stibnite, arsenopyrite, galena, quartz.	Rock types	Schist.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	On-site.
Type of operation	Surface-underground.	Road requirement	None.
Year of discovery	1911.	Distance to power supply	On-site.
Discovery method	Ore-mineral in place.		
First production year	1911.		
Last production year	1976.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Measured	195,000 mt.	} 13.69 g/mt Au	1967	916, p. 1.
Indicated	364,000 mt.			
Inferred	455,000 mt.			

REFERENCES

65; 74, p. 15; 80, p. 45; 81, p. 30; 97, p. 33; 105, p. 35; 106, p. 81; 121, p. 16; 159, p. 323; 163, p. 17; 173; 295, p. 10; 296, p. 8; 329; 410, pp. 135-142; 453, p. 11; 475, pp. 17-18; 534, pp. 12, 40; 560, pp. 412-413; 821, p. 207; 822, p. 193; 825, p. 15; 826, p. 17; 827, p. 20; 828, p. 19; 829, pp. 18-19; 832, p. 20; 836, p. 26; 837, p. 23; 838, p. 23; 916; 944.	USGS quadrangle map	Fairbanks (D-2) SW, 7.5'.
	USBM MAS sequence No	0020580018.
	MSHA Mid No	5000365.
	USGS MRDS No	A001128.
	Alaska Kardex No	058-008, 058-154, 058-156.

BAULTOFF CREEK—COPPER

Alternate name: Not available
 Map location No.: 106

Commodity: Cu

LOCATION-OWNERSHIP

Quadrangle	Nabesna.	Reference point	Mineralized zone.
Mining district	Chisana.	Meridian	Copper River.
Elevation	1,768 m.	Tract	Sec. 21, T 4 N, R 23 E.
Topography	Very rugged.	Latitude	62°6'20" N.
Domain	Federal.	Longitude	141°13'0" W.
Owner	Gerald Wood.		

GEOLOGY

Type of ore body	Stockwork, disseminated.	Host formation	Nabesna Pluton.
Origin	Hydrothermal.	Geologic age	Cretaceous.
Shape of ore body	Irregular, massive.	Deformation	Intrusion, metamorphism.
Ore controls	Igneous.	Age of deformation	Cretaceous.
Mineral names	Chalcopyrite, bornite, pyrite, magnetite, albite, quartz.	Rock types	Diorite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 50 km.
Year of discovery	Not available.	Distance to power supply	More than 100 km.
Discovery method	Do.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	145,100,000 mt	0.20 pct Cu	1979	269, p. 83.

REFERENCES

40, No. E-56; 269, p. 83, No. 144; 417; 522.	USGS quadrangle map	Nabesna (A-1), 15'.
	USBM MAS sequence No	0020780041.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	078-085.

BEATSON—COPPER

Alternate name: Beatson-Bonanza
Map location No.: 136

Commodities: Cu, Ag, Au, Zn

LOCATION-OWNERSHIP

Quadrangle Seward.	Reference point Mineralized zone.
Mining district Prince William Sound.	Meridian Seward.
Elevation 46 m.	Tract Sec. 33, T 1 S, R 9 E.
Topography Hilly.	Latitude 60°3'0" N.
Domain Private.	Longitude 147°53'55" W.
Owner Kennecott Corp.	

GEOLOGY

Type of ore body Replacement, fissure vein.	Host formation Orca Group.
Origin Hydrothermal.	Geologic age Post-Ordovician.
Shape of ore body Lenticular, massive.	Deformation Faulting, intrusion, minor folding.
Ore controls Igneous, faulting.	Age of deformation Jurassic.
Mineral names Chalcopyrite, pyrite, copper, quartz, epidote, siderite, sphalerite, galena, gold, silver, arsenopyrite, feldspar, chlorite, ankerite, calcite.	Rock types Graywacke, argillite, greenstone, conglomerate, limestone.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Surface-underground.	Road requirement None.
Year of discovery 1897.	Distance to power supply Less than 100 km.
Discovery method Ore-mineral in place.	
First production year 1899.	
Last production year 1930.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	4,536,000 mt	1.00 pct Cu, 34.30 g/mt Ag	1984	295, p. 45, No. 80.

REFERENCES

40, No. E-85; 47, p. 33; 51; 55; 74, pp. 28, 38; 76, p. 62; 77, p. 45; 79, p. 44; 80, pp. 19, 21, 39-40; 81, pp. 10, 23-24; 85, pp. 12-14, 21-24; 92, p. 27; 95, p. 39; 96, pp. 31, 81; 97, pp. 27-28; 98, p. 34; 105, pp. 15, 28, 119; 106, pp. 69, 77; 121, pp. 11, 36; 144, pp. 13-14, 60-61; 258; 269, p. 83, No. 160; 345, pp. 25-26, 205-206, 219-220, 269; 358, pp. 82, 85-87; 359; 360, pp. 88-89; 363, pp. 52-54, 56-58, 63-67; 437, pp. 126-129; 455, pp. 201-202, 204-206, 208-209; 460, pp. 240, 243; 461, pp. 131-133; 462, pp. 138-139; 463, p. 184; 464, pp. 144-145; 496; 522; 533, pp. 18, 31; 534, pp. 32-33; 593, pp. 228, 262, 266, 281, 298-300, 302; 600, pp. 27-28; 609, p. 178; 610; 617, pp. 63-65; 799, pp. 419-420; 823, p. 20; 824, pp. 32, 35; 825, pp. 45-46; 826, pp. 53-54; 827, p. 59; 828, p. 61; 829, pp. 60-61; 830, p. 57; 851, pp. 41, 52; 852, pp. 47-48; 869, pp. 110, 118.	USGS quadrangle map Seward (A-3), 15'. USBM MAS sequence No 0020950009. MSHA Mid No Not available. USGS MRDS No A002937. Alaska Kardex No 095-052, 095-088, 095-227, 095-233, 095-274.
---	---

BIG HURRAH—GOLD

Alternate name: King Solomon
Map location No.: 52

Commodities: Au, Ag, W

LOCATION-OWNERSHIP

Quadrangle	Solomon.	Reference point	Entrance to underground workings.
Mining district	Nome.	Meridian	Kateel River.
Elevation	84 m.	Tract	Sec. 3, T 10 S, R 28 W.
Topography	Gentle.	Latitude	64°39'15" N.
Domain	BLM-administered.	Longitude	164°13'45" W.
Owner-operator	Cornwall Pacific-Night Hawk Resources, Ltd.		

GEOLOGY

Type of ore body	Fissure vein.	Host formation	Hurrah Slate.
Origin	Hydrothermal.	Geologic age	Devonian.
Shape of ore body	Lenticular.	Deformation	Metamorphism, major folding, faulting.
Ore controls	Faulting.	Age of deformation	Devonian.
Mineral names	Gold, silver, scheelite, quartz.	Rock types	Slate.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	On-site.
Type of operation	Underground.	Road requirement	Less than 10 km.
Year of discovery	1901.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1903.		
Last production year	1953.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Measured	21,100 mt.	} 21.60 g/mt Au, 13.00 g/mt Ag, 0.10 pct WO ₃	1931	878, p. 2.
Indicated	57,100 mt.			
Inferred	26,300 mt.			
Not reported in reference	680,000 mt.			

REFERENCES

37, p. 43; 40, No. A-54; 42, pp. 2, 5-6, 12-14, 21, 29; 55, pp. 126-127; 78, p. 69; 86, p. 73; 91, p. 6; 95, p. 38; 99, p. 22; 120, p. 11; 150, pp. 163, 173-174, 179, 198, 200-204; 171, pp. 1-2, 4; 211; 215, p. 89; 216, p. 45; 241, p. 23; 255, pp. 223, 228-232; 269, p. 80, No. 46; 295, p. 8; 396, p. 360; 430; 434; 490, pp. 16, 19; 595, p. 137; 736, p. 2; 747, pp. 4-5; 785, pp. 72, 95-96; 786, p. 5; 814, pp. 59, 93, 139, 143-147; 815, pp. 146-147, 155; 817, pp. 234-237; 827, p. 23; 828, p. 23; 829, p. 24; 830, p. 22; 835, p. 33; 836, p. 31; 845, p. 292; 852, p. 55; 971, pp. 1-2, 4; 978, p. 5; 979, pp. 7-8.	USGS quadrangle map	Solomon (C-5), 15'.
	USBM MAS sequence No	0020530057.
	MSHA Mid No	Not available.
	USGS MRDS No	A003243.
	Alaska Kardex No	053-022, 053-023, 053-207.

BONANZA CREEK—GOLD

Alternate name: Edward Vogt
Map location No.: 38

Commodities: Au, Ag, Sn

LOCATION-OWNERSHIP

Quadrangle Tanana.	Reference point Claim.
Mining district Melozitna.	Meridian Fairbanks.
Elevation 183 m.	Tract Sec. 19, T 6 N, R 18 W.
Topography Hilly.	Latitude 65°19'50" N.
Domain BLM-administered.	Longitude 151°20'0" W.
Owner Edward Vogt Estate.	

GEOLOGY

Type of ore body Placer.	Host formation Alluvium.
Origin Sedimentation.	Geologic age Quaternary.
Shape of ore body Irregular.	Deformation Not available.
Ore controls Bedding, fracturing.	Age of deformation Do.
Mineral names Gold, cassiterite, quartz, magnetite, ilmenite.	Rock types Gravel, silt.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply On-site.
Type of operation Placer.	Road requirement Less than 50 km.
Year of discovery 1902.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	45,000 m ³	0.36 g/m ³ Au, 28.70 g/m ³ Sn. Ag mentioned in past production but not in assay.	1945	895, p. 8.

REFERENCES

162, pp. 5-13; 213; 563, p. 192; 887, p. 7; 895.

USGS quadrangle map	Tanana (B-3), 15'.
USBM MAS sequence No	0020480012.
MSHA Mid No	Not available.
USGS MRDS No	A003524.
Alaska Kardex No	048-026.

BOND CREEK—COPPER

Alternate name: Taku 1-27
Map location No.: 103

Commodities: Cu, Mo

LOCATION-OWNERSHIP

Quadrangle Nabesna.	Reference point Mineralized zone.
Mining district Chisana.	Meridian Copper River.
Elevation 2,042 m.	Tract Sec. 19, T 5 N, R 15 E.
Topography Very rugged.	Latitude 62°12'0" N.
Domain Federal.	Longitude 142°42'0" W.

Owner-operator Kennecott Corp.

GEOLOGY

Type of ore body Stockwork, disseminated.	Host formation Nabesna Pluton.
Origin Hydrothermal.	Geologic age Cretaceous.
Shape of ore body Massive, irregular.	Deformation Intrusion, metamorphism.
Ore controls Igneous.	Age of deformation Cretaceous.
Mineral names Chalcopyrite, molybdenite, biotite, chlorite, feldspar, quartz, pyrite, galena, sphalerite.	Rock types Diorite.

DEVELOPMENT

Current status Explored deposit.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 50 km.
Year of discovery 1962.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	453,600,000 mt	0.40 pct Cu, 0.03 pct MoS ₂ . Grade ranges 0.3-0.5 pct Cu.	1979	269, p. 83.

REFERENCES

40, No. E-50; 121, p. 11; 269, p. 83, No. 145; 295, p. 45, No. 73; 417; 522; 701; 707; 710; 881.	USGS quadrangle map Nabesna (A-4), 15'
	USBM MAS sequence No 0020780016.
	MSHA Mid No Not available.
	USGS MRDS No Do.
	Alaska Kardex No 078-065.

BORNITE—COPPER

Alternate name: Ruby Creek
Map location No.: 11

Commodities: Cu, Au, Pb, Co, Zn

LOCATION-OWNERSHIP

Quadrangle	Ambler River.	Reference point	Entrance to underground workings.
Mining district	Shungnak.	Meridian	Kateel River.
Elevation	280 m.	Tract	Sec. 8, T 19 N, R 9 E.
Topography	Hilly.	Latitude	67°4'0" N.
Domain	BLM-administered.	Longitude	156°56'25" W.
Owner-operator	Kennecott Corp.		

GEOLOGY

Type of ore body	Replacement, breccia fill.	Host formation	Unnamed metasediments.
Origin	Hydrothermal.	Geologic age	Middle Devonian.
Shape of ore body	Tabular.	Deformation	Faulting, major folding, metamorphism, intrusion.
Ore controls	Lithology, bedding.	Age of deformation	Cretaceous.
Mineral names	Chalcopyrite, bornite, chalcocite, pyrite, tennantite, sphalerite, galena, pyrrhotite, dickite, barite, siderite.	Rock types	Limestone, dolomite, marble, phyllite, schist.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	More than 10 km.
Type of operation	Underground.	Road requirement	More than 100 km.
Year of discovery	1948.	Distance to power supply	Do.
Discovery method	Geological inference.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference	90,718,000 mt	1.20 pct Cu. Estimate appears large for dimensions of ore body.	1961	507.
Do	4,536,000 mt	4.00 pct Cu. Cu grade ranges 4-12 pct	1984	295, p. 42.
Do	36,288,000 mt	2.00 pct Cu.		

REFERENCES

37, p. 24; 40, No. A-27; 55, pp. 105-106; 73, p. 180; 85, p. 36; 120, p. 8; 121, pp. 9, 19, 38, 39; 174; 215, pp. 57, 60; 216, pp. 33, 35; 237; 248; 249; 261, pp. 38-41; 295, pp. 6, 42, No. 8; 296, p. 6; 306; 341, pp. 39-54, 58, 63; 342, pp. 3-6, 9; 346; 412; 489; 543, pp. 39-40; 545; 546; 650; 772; 841, pp. 147-149, 153; 848, pp. 300-303; 850, pp. 339-341; 912; 955, pp. 48-49.	USGS quadrangle map	Ambler River, 1:250,000.
	USBM MAS sequence No	0020280002.
	MSHA Mid No	5000485.
	USGS MRDS No	A000006.
	Alaska Kardex No	028-005, 028-008A, 028-008B, 028-009A, 028-009B, 028-017, 028-032, 028-033, 028-039A, 028-039B.

BRADY GLACIER—NICKEL

Alternate name: Nunatak
Map location No.: 161

Commodities: Ni, Cu, Co, PGM

LOCATION-OWNERSHIP

Quadrangle Mount Fairweather.	Reference point Claim.
Mining district Yakutat.	Meridian Copper River.
Elevation 1,052 m.	Tract Sec. 26, T 38 S, R 51 E.
Topography Very rugged.	Latitude 58°33'25" N.
Domain National wilderness.	Longitude 136°55'0" W.
Operator Newmont Exploration Limited.	

GEOLOGY

Type of ore body Stockwork, disseminated, massive.	Host formation Crillon-Laperouse Stock
Origin Magmatic differentiation.	Geologic age Mesozoic.
Shape of ore body Pipelike.	Deformation Intrusion, faulting.
Ore controls Igneous.	Age of deformation Mesozoic.
Mineral names Pentlandite, chalcopyrite, pyrrhotite, epidote, forsterite, enstatite, augite, serpentine, picotite, pyroxene, quartz, plagioclase, biotite, tremolite.	Rock types Gabbro, peridotite, diorite, aplite, dunite, schist.

DEVELOPMENT

Current status Explored deposit.	Distance to water supply On-site.
Type of operation Prospect.	Road requirement Less than 50 km.
Year of discovery 1958.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	75,860,000 mt	0.54 pct Ni, 0.33 pct Cu	1974	323, p. 16
Measured	90,719,000 mt	0.50 pct Ni, 0.30 pct Cu	1983	296, p. 43, No. 98.

REFERENCES

<p>40, No. F-9; 55, pp. 162; 56; 72, pp. C96-C101; 73; 117, pp. 329-330; 121, pp. 15, 39, 43; 198; 221, p. 3; 236, pp. 12-13; 244, p. 10, No. 233; 262; 266; 296, p. 43, No. 98; 382; 411; 431; 471; 502; 519, pp. 79-82; 565; 575; 638, p. 65; 661; 696; 767; 769; 770; 843, pp. 177-178; 905; 930; 933; 989.</p>	<p>USGS quadrangle map Mount Fairweather (C-3), 15'. USBM MAS sequence No 0021110007. MSHA Mid No Not available. USGS MRDS No A002078. Alaska Kardex No 111-041.</p>
--	--

CAPE MOUNTAIN LODE—TIN

Alternate name: U.S. Tin Corp.
Map location No.: 30

Commodity: Sn

LOCATION-OWNERSHIP

Quadrangle Teller.	Reference point Entrance to underground workings.
Mining district Port Clarence.	Meridian Kateel River.
Elevation 213 m.	Tract Sec. 12, T 2 N, R 45 W.
Topography Rugged.	Latitude 65°35'5" N.
Domain Federal.	Longitude 167°57'15" W.
Owner Grace Streauch Malone.	

GEOLOGY

Type of ore body Stockwork, replacement, shear zone.	Host formation Port Clarence Group.
Origin Metasomatic, hydrothermal.	Geologic age Upper Mississippian.
Shape of ore body Irregular, tabular.	Deformation Intrusion, major folding, metamorphism.
Ore controls Igneous, contact zone.	Age of deformation Cretaceous.
Mineral names Cassiterite, albite, apatite, beryl, biotite, calcite, actinolite, chert, chlorite, diopside, dolomite, epidote, fluorite, garnet, goethite, gold, graphite, hornblende, ilmenite, kaolin, lepidolite, limonite, magnetite, mica, microcline.	Rock types Limestone, quartzite, olivine basalt, granite, marble.

DEVELOPMENT

Current status Past producer.	Distance to water supply Less than 3 km.
Type of operation Underground.	Road requirement Less than 10 km.
Year of discovery 1902.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year 1903.	
Last production year 1941.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	650 mt	} 7.28 pct Sn	1946	773, pp. 2-3.
Inferred	1,350 mt			

REFERENCES

40. No. A-28; 55; 78, p. 28; 92, pp. 28-29; 95, p. 39; 98, p. 50; 152, p. 407; 252, pp. 124-125; 254, pp. 16, 24-25; 379, p. 358; 393; 408, pp. 89-91; 409, pp. 150-155; 430; 484, pp. 35-41; 487, pp. 260-261; 631; 773; 827, p. 68; 851, p. 27; 868, pp. 96-102; 922, pp. 157-158, 160-162, 166-167; 937, p. 1.	USGS quadrangle map Teller (C-6). 15'. USBM MAS sequence No 0020430001. MSHA Mid No 5000293. USGS MRDS No A003627. Alaska Kardex No 043-021, 043-029, 043-033.
---	--

CAPE MOUNTAIN PLACER—TIN

Alternate name: Cape Creek
Map location No.: 30

Commodity: Sn

LOCATION-OWNERSHIP

Quadrangle Teller.	Reference point Mineralized zone.
Mining district Port Clarence.	Meridian Kateel River.
Elevation 43 m.	Tract Sec. 13, T 2 N, R 45 W.
Topography Rolling.	Latitude 65°34'25" N.
Domain BLM-administered.	Longitude 167°55'40" W.
Owner-operator Lost River Mining Co.	

GEOLOGY

Type of ore body Placer.	Host formation Alluvium.
Origin Sedimentation.	Geologic age Quaternary.
Shape of ore body Irregular.	Deformation Not available.
Ore controls Lithology, bedding.	Age of deformation Do.
Mineral names Cassiterite, apatite, augite, biotite, calcite, albite, chlorite, ottrelite, diopside, dolomite, epidote, feldspar, forsterite, garnet, glaucophane, goethite, hematite, hornblende, hypersthene, limonite, magnetite, microcline, monazite, olivine.	Rock types Gravel, silt.

DEVELOPMENT

Current status Producer.	Distance to water supply Less than 3 km.
Type of operation Placer.	Road requirement Less than 10 km.
Year of discovery 1903.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year 1924.	
Last production year 1985.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	285,550 m ³	1,320.00 g/m ³ Sn. Reserves from Cape, Goodwin, Granite, Boulder, Village Crs.	1943	386, p. 1.
Indicated	448,060 m ³	682.90 g/m ³ Sn. Reserves from Cape, 1st Chance, Boulder, Village Crs.	1945	389, p. 1.
Do	80,100 m ³	101.00 g/m ³ Sn. Reserves based on drilling Cape, 1st Chance, Boulder Crs.		
Do	2,027,100 m ³	1,061.00 g/m ³ Sn	1957	894, p. 1.

REFERENCES

<p>40, No. A-29; 120, p. 24; 121, pp. 13, 31; 122, p. 24; 215; 252; 254; 295, pp. 8, 25; 296, p. 21; 386; 387; 389; 392; 393; 409; 430; 466, pp. 44-45; 484; 631; 633; 779; 781; 868, pp. 102-110; 894.</p>	<p>USGS quadrangle map Teller (C-6), 15'. USBM MAS sequence No 0020430002. MSHA Mid No 5001439. USGS MRDS No A003626. Alaska Kardex No 043-001, 043-003, 043-004, 043-008, 043-013, 043-014, 043-015, 043-016, 043-019, 043-024, 043-030, 043-034, 043-037, 043-039, 043-102, 043-128, 043-129.</p>
---	---

CARL CREEK—COPPER

Alternate name: CCCU 1-101
Map location No.: 105

Commodities: Cu, Mo

LOCATION-OWNERSHIP

Quadrangle	Nabesna.	Reference point	Mineralized zone.
Mining district	Chisana.	Meridian	Copper River.
Elevation	1,615 m.	Tract	Sec. 9, T 3 N, R 21 E.
Topography	Very rugged.	Latitude	62°3'0" N.
Domain	National park.	Longitude	141°35'0" W.
Operator	Donald Dippel.		

GEOLOGY

Type of ore body	Stockwork, disseminated.	Host formation	Nabesna Pluton.
Origin	Hydrothermal.	Geologic age	Cretaceous.
Shape of ore body	Irregular, massive.	Deformation	Intrusion, metamorphism.
Ore controls	Igneous.	Age of deformation	Cretaceous.
Mineral names	Chalcopyrite, bornite, pyrite, molybdenite, magnetite, ortho- clase, quartz.	Rock types	Quartz monzonite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 50 km.
Year of discovery	1973.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	14,510,000 mt	0.20 pct. Cu	1979	269, p. 83.

REFERENCES

11; 40, No. E-54; 121; 269, p. 83, No. 144; 417; 522; 711.	USGS quadrangle map	Nabesna (A-2), 15'.
	USBM MAS sequence No	0020780038.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	078-101.

CLAIM POINT—CHROMIUM

Alternate name: Reef Deposit
Map location No.: 151

Commodity: Cr

LOCATION-OWNERSHIP

Quadrangle	Seldovia.	Reference point	Mineralized zone.
Mining district	Homer.	Meridian	Seward.
Elevation	61 m.	Tract	Sec. 21, T 11 S. R 15 W.
Topography	Rolling.	Latitude	59°12'25" N.
Domain	Private.	Longitude	151°49'10" W.
Owner	Whitney and Lass.		

GEOLOGY

Type of ore body	Stratiform.	Host formation	Unnamed ultramafic.
Origin	Magmatic differentiation.	Geologic age	Upper Jurassic.
Shape of ore body	Tabular, irregular.	Deformation	Faulting, metamorphism, intrusion.
Ore controls	Igneous.	Age of deformation	Upper Jurassic.
Mineral names	Chromite, olivine, serpentine, uvarovite, garnet, pyroxene.	Rock types	Dunite, pyroxenite, serpentinite.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	Less than 10 km.
Type of operation	Surface.	Road requirement	Do.
Year of discovery	1909.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1917.		
Last production year	1918.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	267,000 mt.	17.81 pct Cr ₂ O ₃ , Cr:Fe ratio 2.71:1.	1943	791, p. 1.
Do.	909,800 mt.	8.40 pct Cr ₂ O ₃	1984	324, p. 42.

REFERENCES

40, No. D-74; 47, pp. 69-70; 55, pp. 78-79; 60; 79, p. 22; 85, p. 40; 121, p. 40; 207; 239, pp. 11-13; 244, p. 9, No. 213; 269, p. 83, No. 166; 324, pp. 41-43; 353, pp. 1-2; 354, pp. 100-111; 362, pp. 168-169; 369, pp. 129-143; 522, p. 54; 524, p. 17; 534, pp. 23, 34; 540, pp. 237-238; 553; 791; 792; 904, pp. 10-11.	USGS quadrangle map Seldovia (A-5), 15'. USBM MAS sequence No 0021040002. MSHA Mid No Not available. USGS MRDS No A002796. Alaska Kardex No 104-008, 104-009.
---	---

COAL CREEK—GOLD

Alternate name: Ernest Wolff
Map location No.: 48

Commodities: Au, Ag

LOCATION-OWNERSHIP

Quadrangle	Charley River.	Reference point	Claim.
Mining district	Circle.	Meridian	Fairbanks.
Elevation	305 m.	Tract	Sec. 35, T 6 N, R 22 E.
Topography	Hilly.	Latitude	65°18'20" N.
Domain	Federal.	Longitude	143°9'15" W.
Owner	Au Placer, Inc.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular, tabular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Gold, quartz, scheelite, magnetite, ilmenite.	Rock types	Gravel.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	On-site.
Type of operation	Placer.	Road requirement	Less than 10 km.
Year of discovery	1901.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1902.		
Last production year	1976.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference	3,058,000 m ³	8.95 g/m ³ Au	1984	940.

REFERENCES

66; 77, p. 61; 78, p. 63; 83, pp. 202-203; 94, p. 54; 146, p. 19; 161, p. 360; 181; 215; 216, p. 66; 269, p. 81, No. 83; 302; 307, p. 213; 308, p. 172; 555, pp. 165-166; 557, pp. 251-254; 570, pp. 246-251, 254; 648, p. 109; 664, p. 76; 665, p. 23; 666, pp. 201, 208-209; 832, p. 39; 833, pp. 42-43; 834, pp. 49, 71-72; 835, pp. 49, 76; 836, pp. 47, 74; 837, pp. 43, 70; 838, pp. 40, 67; 921, p. 48; 940.	USGS quadrangle map	Charley River (B-5), 15'.
	USBM MAS sequence No	0020510008.
	MSHA Mid No	Not available.
	USGS MRDS No	A000568.
	Alaska Kardex No	051-003.

COLBERT—TUNGSTEN

Alternate name: Cleary Hill
 Map location No.: 57

Commodities: W, Sn, Mo, Sb

LOCATION-OWNERSHIP

Quadrangle Fairbanks.	Reference point Claim.
Mining district Fairbanks.	Meridian Fairbanks.
Elevation 694 m.	Tract Sec. 21, T 2 N, R 2 E.
Topography Hilly.	Latitude 64°58'52" N.
Domain State.	Longitude 147°21'44" W.
Owner-operator Alaska Metals Mining Co.	

GEOLOGY

Type of ore body Replacement.	Host formation Birch Creek Schist.
Origin Residual concentration, metasomatic.	Geologic age Paleozoic.
Shape of ore body Irregular.	Deformation Metamorphism, faulting, intrusion.
Ore controls Contact zone, igneous.	Age of deformation Mesozoic.
Mineral names Scheelite, gold, molybdenite, stib- nite, pyrolusite, cassiterite, quartz, calcite, diopside, hornblende, garnet, apatite, pyrite, pyrrhotite.	Rock types Schist, quartzite, limestone.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Surface-underground.	Road requirement None.
Year of discovery 1915.	Distance to power supply Less than 50 km.
Discovery method Ore-mineral in place.	
First production year 1918.	
Last production year 1944.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	8,100 mt.	} 3.60 pct WO ₃	1945	793, p. 1.
Inferred	11,200 mt.			
Indicated	1,360 mt.			

REFERENCES

47; 55; 88; 89; 90; 121, p. 41; 125; 163; 453; 454; 538; 539; 793; 816; 893.	USGS quadrangle map Fairbanks (D-1), 15'.
	USBM MAS sequence No 0020580032.
	MSHA Mid No Not available.
	USGS MRDS No A001075.
	Alaska Kardex No 058-002, 058-003, 058-004, 058-159, 058-239, 058-243, 058-246.

COPPER BULLION—COPPER

Alternate name: Rua Cove
Map location No.: 137

Commodities: Cu, Zn, Fe, S

LOCATION-OWNERSHIP

Quadrangle Seward.	Reference point Entrance to underground workings.
Mining district Prince William Sound.	Meridian Seward.
Elevation 152 m.	Tract Sec. 13, T 3 N, R 10 E.
Topography Very rugged.	Latitude 60°21'5" N.
Domain Private.	Longitude 147°38'50" W.

Operator Solar Development Co.

GEOLOGY

Type of ore body Shear zone, replacement, disseminated.	Host formation Orca Group.
Origin Hydrothermal.	Geologic age Cretaceous.
Shape of ore body Tabular, lenticular, irregular.	Deformation Major faulting.
Ore controls Faulting, fracturing.	Age of deformation Post-Jurassic.
Mineral names Chalcopyrite, pyrrhotite, sphalerite, quartz, chlorite.	Rock types Greenstone, schist, quartz diorite.

DEVELOPMENT

Current status Explored deposit.	Distance to water supply On-site.
Type of operation Underground.	Road requirement Less than 10 km.
Year of discovery 1906.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Measured	22,700 mt	} 1.25 pct Cu	1946	867, pp. 91-92.
Indicated	1,022,000 mt			
Inferred	181,000 mt			
Not reported in reference	997,900 mt	1.25 pct Cu	1984	295, p. 45.

REFERENCES

<p>40, No. E-86; 55; 74, pp. 28, 38; 80, p. 40; 81, p. 24; 85, pp. 22-23; 105, pp. 28-29; 121, p. 11; 258; 269, p. 83, No. 161; 295, p. 45, No. 81; 359, p. 165; 360, p. 92; 363, p. 69; 455, pp. 213-214; 464, p. 145; 522; 533, p. 31; 593, pp. 300-301; 704, p. 26; 775; 823, p. 21; 826, pp. 54-55; 827, pp. 22, 60; 828, pp. 21-22; 867.</p>	<p>USGS quadrangle map Seward (B-2), 15'. USBM MAS sequence No 0020950037. MSHA Mid No Not available. USGS MRDS No A002859. Alaska Kardex No 095-098, 095-099</p>
---	---

DENALI—COPPER

Alternate name: Copper King
Map location No.: 76

Commodities: Cu, Zn, Fe, S

LOCATION-OWNERSHIP

Quadrangle	Healy.	Reference point	Entrance to underground workings.
Mining district	Valdez Creek.	Meridian	Fairbanks.
Elevation	1,411 m.	Tract	Sec. 27, T 20 S, R 3 E.
Topography	Very rugged.	Latitude	63°8'50" N.
Domain	BLM-administered.	Longitude	147°8'20" W.
Owner-operator	Cities Service Co.		

GEOLOGY

Type of ore body	Stratiform, stratabound.	Host formation	Unnamed sedimentary.
Origin	Sedimentation.	Geologic age	Jurassic.
Shape of ore body	Irregular.	Deformation	Major faulting, metamorphism, intrusion.
Ore controls	Bedding.	Age of deformation	Paleocene.
Mineral names	Chalcopyrite, pyrite, bornite, sphalerite, chalcocite, silver.	Rock types	Limestone, argillite, shale.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	Less than 3 km.
Type of operation	Underground.	Road requirement	Less than 10 km.
Year of discovery	1963.	Distance to power supply	More than 100 km.
Discovery method	Geochemical anomaly.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference . . .	4,536,000 mt	2.00 pct Cu	1979	269, p. 83.

REFERENCES

40, No. E-24; 55; 121, p. 11, 269, p. 83; 295, p. 44, No. 67; 469; 522; 596; 766; 802; 853; 854.	USGS quadrangle map	Healy (A-1), 15'.
	USBM MAS sequence No	0020670008.
	MSHA Mid No	5000056.
	USGS MRDS No	Not available.
	Alaska Kardex No	067-065, 067-142, 067-143, 067-144, 067-155.

DUNDAS BAY—IRON

Alternate name: Pulver & Winn
 Map location No.: 164

Commodity: Fe

LOCATION-OWNERSHIP

Quadrangle	Mount Fairweather.	Reference point	Claim.
Mining district	Juneau.	Meridian	Copper River.
Elevation	518 m.	Tract	Sec. 24, T 40 S, R 55 E.
Topography	Very rugged.	Latitude	58°23'5" N.
Domain	National wilderness.	Longitude	136°14'45" W.
Operator	R.G. Dalton.		

GEOLOGY

Type of ore body	Replacement.	Host formation	Unnamed sedimentary.
Origin	Metasomatic.	Geologic age	Devonian.
Shape of ore body	Lenticular, massive.	Deformation	Metamorphism, intrusion.
Ore controls	Contact zone.	Age of deformation	Tertiary.
Mineral names	Magnetite, chalcopyrite, hematite, pyrite, malachite, quartz.	Rock types	Limestone, skarn, granodiorite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	1903.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	453,600 mt.	65.00 pct FeO	1917	880, pp. 2, 5.

REFERENCES

72, p. C369, plates 1A, 1B, 2; 198; 519, pp. 16, 36, 70; 880.	USGS quadrangle map	Mount Fairweather (B-1), 15'.
	USBM MAS sequence No	0021110067.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	Do.

FISH CREEK—SILVER

Alternate name: Roanan Vein
 Map location No.: 210

Commodities: Ag, Pb, Cu, Zn, Au

LOCATION-OWNERSHIP

Quadrangle	Ketchikan.	Reference point	Mineralized zone.
Mining district	Hyder.	Meridian	Copper River.
Elevation	606 m.	Tract	Sec. 11, T 68 S, R 99 E.
Topography	Rugged.	Latitude	55°59'0" N.
Domain	National forest.	Longitude	130°3'0" W.
Owner	Mineral Basin Mining Corp.		

GEOLOGY

Type of ore body	Fissure vein, disseminated.	Host formation	Texas Creek Granodiorite.
Origin	Hydrothermal.	Geologic age	Jurassic.
Shape of ore body	Tabular, irregular, lenticular.	Deformation	Intrusion.
Ore controls	Fracturing, contact zone.	Age of deformation	Jurassic.
Mineral names	Galena, chalcopryrite, tetrahedrite sphalerite, pyrite, scheelite, barite, freibergite, quartz.	Rock types	Granodiorite.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	Less than 10 km.
Type of operation	Underground.	Road requirement	Do.
Year of discovery	1906.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1916.		
Last production year	1940.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	2,300 mt	630.40 g/mt Ag, 5.71 pct Pb, 1.00 pct Cu, 1.49 pct Zn, 2.06 g/mt Au.	1945	909, p. 1.
Inferred	8,000 mt			

REFERENCES

47, pp. 42, 68-69; 55, p. 147; 81, p. 21; 113, pp. 43, 63-67; 115, pp. 74, 76-77; 116, pp. 41-42, 54-55; 117, pp. 317, 324, 327, 330, 358; 121; 126, p. 138; 158, p. 98; 191; 320; 600, p. 31; 826, p. 16; 827, p. 17; 843, p. 171; 893, pp. 4-5, 36, 38, 45-49; 909; 968, pp. 138-139; 996, p. 66.	USGS quadrangle map	Ketchikan (D-1), 15'.
	USBM MAS sequence No	0021200064.
	MSHA Mid No	Not available.
	USGS MRDS No	A001606.
	Alaska Kardex No	120-008, 120-063, 120-080, 120-087.

FUNTER BAY—NICKEL

Alternate name: Mertie Adit
Map location No.: 169

Commodities: Ni, Cu, Co, Au, Pb, Zn, Ag

LOCATION-OWNERSHIP

Quadrangle	Juneau.	Reference point	Mineralized zone.
Mining district	Admiralty.	Meridian	Copper River.
Elevation	518 m.	Tract	Sec. 18, T 42 S, R 65 E.
Topography	Very rugged.	Latitude	58°13'55" N.
Domain	National forest.	Longitude	134°51'21" W.
Owner-operator	Admiralty-Alaska Gold Mining Co.		

GEOLOGY

Type of ore body	Disseminated.	Host formation	Unnamed igneous.
Origin	Magmatic differentiation.	Geologic age	Pre-Permian.
Shape of ore body	Pipelike.	Deformation	Intrusion.
Ore controls	Igneous.	Age of deformation	Pre-Permian.
Mineral names	Pentlandite, pyrrhotite, chalcopyrite, violarite, olivine, labradorite, biotite, serpentine, chlorite, magnetite, augite, pyrite, hypersthene, talc, anthophyllite, calcite.	Rock types	Gabbro, greenstone.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	Less than 10 km.
Type of operation	Underground.	Road requirement	Do.
Year of discovery	1886.	Distance to power supply	Less than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1895.		
Last production year	1939.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Not reported in reference	508,030 mt.	0.34 pct Ni, 0.35 pct Cu, 0.15 pct Co	1984	295, p. 46.

REFERENCES

<i>I</i> ; 35; 40, No. F-24; 47, pp. 70-71; 49; 53, pp. 62-63, 77-78; 55, pp. 137, 140; 56, p. 57, No. 137; 58, p. 27; 73, p. 440; 74, p. 12; 80, pp. 36-37; 81, p. 22; 115, pp. 72, 95, 109; 116, pp. 41-46; 117, p. 348; 121, p. 39; 158, p. 76; 189; 233, pp. 6-10; 244, p. 10, No. 239; 246, p. 130; 262, pp. 13, 37-38; 279; 282, pp. 86-92; 295, p. 46, No. 99; 343; 368; 380; 399, p. 33; 419, pp. 1-15; 492; 494, p. 43; 534, p. 30; 547; 561, pp. 113-116; 638, p. 65; 670; 671, pp. 4, 15, 19-20; 693; 694; 823, p. 7; 826, p. 14; 827, p. 16; 828, p. 16; 829, pp. 15-16; 830, p. 15; 831, p. 17; 832, pp. 16, 82-83; 833, p. 17; 834, p. 17; 835, p. 19; 836, pp. 19, 105; 837, p. 18; 838, p. 17; 843, p. 174; 852, p. 16; 863, p. 149; 904, p. 7; 920; 962, pp. 51-52; 987, p. 113; 996, p. 55.	USGS quadrangle map	Juneau (A-3), 15'.
	USBM MAS sequence No.	0021120072.
	MSHA Mid No.	Not available.
	USGS MRDS No.	A001484.
	Alaska Kardex No.	112-024, 112-086, 112-087, 112-100.

GOLDEN ZONE—GOLD

Alternate name: Mayflower 1-2
Map location No.: 72

Commodities: Au, Ag, Cu, Pb, Zn

LOCATION-OWNERSHIP

Quadrangle Healy.	Reference point Entrance to underground workings.
Mining district Valdez Creek.	Meridian Fairbanks.
Elevation 1,000 m.	Tract Sec. 34, T 19 S, R 11 W.
Topography Rugged.	Latitude 63°13'8" N.
Domain BLM-administered.	Longitude 149°38'25" W.
Owner Hawley Resource Group.	

GEOLOGY

Type of ore body Breccia fill.	Host formation Unnamed porphyry stock.
Origin Hydrothermal.	Geologic age Tertiary.
Shape of ore body Pipelike.	Deformation Faulting, major folding, intrusion.
Ore controls Igneous fracturing.	Age of deformation Tertiary.
Mineral names Gold, pyrite, chalcopyrite, sphalerite, galena, molybdenite, cassiterite, arsenopyrite, silver, tourmaline, pyrrhotite, copper, cer- rusite, sericite, smithsonite, quartz, limonite, chlorite, malachite, stibnite, bismuth.	Rock types Volcanic breccia, quartz diorite.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Underground.	Road requirement None.
Year of discovery 1912.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year 1941.	
Last production year 1942.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Measured	80,000 mt	3.43 g/mt Au. This reserve is the portion between surface and 200 level.	1979	269, p. 83.
Do.	9,072,000 mt	3.43 g/mt Au	1984	295, p. 44.

REFERENCES

40, No. E-14; 55, pp. 23-26; 121, pp. 13, 16; 129, pp. 298-300; 130, p. 135; 140, pp. 221, 226-227; 166; 269, p. 83, No. 125; 295, pp. 12, 44, No. 64; 383, pp. 4-9; 384; 522; 634; 765; 833, p. 29; 834, p. 34; 835, p. 30; 837, p. 27; 838, p. 27; 955, p. 74; 957, pp. 1, 6-8; 971, p. 7.	USGS quadrangle map Healy (A-6), 15'. USBM MAS sequence No 0020670154. MSHA Mid No 5001453. USGS MRDS No A001294. Alaska Kardex No 067-006, 067-014.
--	--

GRANT—GOLD

Alternate name: Irishman
Map location No.: 56

Commodity: Au

LOCATION-OWNERSHIP

Quadrangle	Fairbanks.	Reference point	Entrance to underground workings.
Mining district	Fairbanks.	Meridian	Fairbanks.
Elevation	236 m.	Tract	Sec. 28, T 1 N, R 2 W.
Topography	Hilly.	Latitude	64°55'50" N.
Domain	State.	Longitude	147°57'25" W.
Owner	Silverado Mines.		

GEOLOGY

Type of ore body	Fissure vein.	Host formation	Birch Creek Schist.
Origin	Hydrothermal.	Geologic age	Paleozoic.
Shape of ore body	Lenticular, tabular, irregular.	Deformation	Metamorphism, faulting, intrusion.
Ore controls	Fracturing.	Age of deformation	Mesozoic.
Mineral names	Gold, stibnite, galena, pyrite, tetrahedrite, quartz.	Rock types	Schist, quartzite.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	On-site.
Type of operation	Underground.	Road requirement	None.
Year of discovery	1912.	Distance to power supply	On-site.
Discovery method	Ore-mineral in place.		
First production year	1912.		
Last production year	1985.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Measured	67,100 mt	24.00 g/mt Au	1982	278.
Not reported in reference.	1,167,000 mt	20.90 g/mt Au	1985	966.

REFERENCES

17; 120, pp. 12, 25; 121, pp. 16, 21, 22, 31; 163, p. 17; 173; 278; 295, pp. 10, 16; 296, p. 11; 410, p. 150; 475, p. 19; 828, p. 19; 835, p. 25; 966.	USGS quadrangle map	Fairbanks, (D-2) NW, 7.5'
	USBM MAS sequence No	0020580021.
	MSHA Mid No	5001314.
	USGS MRDS No	A001108.
	Alaska Kardex No	058-035, 058-283.

GREENS CREEK—ZINC

Alternate name: Big Sore
Map location No.: 170

Commodities: Zn, Pb, Cu, Ag, Au

LOCATION-OWNERSHIP

Quadrangle Juneau.	Reference point Claim.
Mining district Admiralty.	Meridian Copper River.
Elevation 411 m.	Tract Sec. 9, T 44 S, R 66 E.
Topography Very Rugged.	Latitude 58°4'45" N.
Domain National monument.	Longitude 134°37'35" W.
Owner-operator Amselco Minerals Co.	

GEOLOGY

Type of ore body Stratabound, stratiform.	Host formation Unnamed metavolcanoseds.
Origin Sedimentation.	Geologic age Paleozoic.
Shape of ore body Tabular.	Deformation Minor folding, metamorphism.
Ore controls Lithology, folding.	Age of deformation Paleozoic.
Mineral names Sphalerite, galena, chalcopyrite, pyrrhotite, calcite, tetrahedrite.	Rock types Phyllite, chert, tuff, volcanic breccia.

DEVELOPMENT

Current status Explored deposit.	Distance to water supply Less than 10 km.
Type of operation Underground.	Road requirement Less than 50 km.
Year of discovery 1974.	Distance to power supply Less than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	3,600,000 mt	7.50 pct Zn, 2.50 pct Pb, 0.40 pct Cu, 445.60 g/mt Ag, 3.40 g/mt Au.	1983	311.
Measured	3,175,000 mt	6.40 pct Zn, 2.10 pct Pb, 1.50 pct Cu, 353.00 g/mt Ag, 3.10 g/mt Au. Reserves estimated at 3,175,000- 3,629,000 mt.	1984	295, pp. 18, 46.

REFERENCES

13; 19; 40, No. F-28; 56; 120, p. 18; 121, pp. 12, 25; 269, p. 84, No. 221; 295, pp. 14, 18, 46; 296, pp. 1, 14; 311; 864.	USGS quadrangle map Juneau (A-2), 15'. USBM MAS sequence No 0021120035. MSHA Mid No 5001267. USGS MRDS No Not available. Alaska Kardex No 112-158, 112-162.
---	---

GROUNDHOG BASIN—ZINC

Alternate name: General Lee
Map location No.: 206

Commodities: Zn, Pb, Ag, Cu, Mo

LOCATION-OWNERSHIP

Quadrangle	Petersburg.	Reference point	Claim.
Mining district	Petersburg.	Meridian	Copper River.
Elevation	534 m.	Tract	Sec. 7, T 62 S, R 86 E.
Topography	Very rugged.	Latitude	56°30'52" N.
Domain	National forest.	Longitude	132°3'45" W.
Owner	William D. Grant.		

GEOLOGY

Type of ore body	Replacement, disseminated.	Host formation	Wrangell-Revillagigedo.
Origin	Hydrothermal.	Geologic age	Paleozoic.
Shape of ore body	Tabular.	Deformation	Intrusion, metamorphism.
Ore controls	Bedding, lithology.	Age of deformation	Tertiary.
Mineral names	Sphalerite, galena, chalcopyrite, tetrahedrite, tennantite, pyr- rhotite, molybdenite, magnetite, pyrite, quartz, hornblende, pyrox- ene, epidote, garnet, biotite, chlorite, actinolite.	Rock types	Schist, gneiss, phyllite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 10 km.
Type of operation	Prospect.	Road requirement	Less than 50 km.
Year of discovery	1904.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Indicated	499,000 mt.	8.00 pct Zn, 1.50 pct Pb	} 1953	904, p. 6.
Do	454,000 mt.	2.50 pct Zn, 1.00 pct Pb		

REFERENCES

40, No. F-48; 47, p. 41; 55, pp. 191-192; 56; 114, pp. 57-63; 117, pp. 318, 328, 361; 121, pp. 12, 14; 157, pp. 74-75; 158, pp. 78, 98-99; 202; 295, p. 46; No. 112; 352, pp. 15, 17-29, 33, 37, 40; 468, p. 12; 517, p. 7; 638, p. 64; 828, p. 81; 843, p. 172; 904, p. 6; 906, pp. 37-38; 991, p. 72; 996, p. 61; 998, p. 189; 999, p. 53.	USGS quadrangle map	Petersburg (C-1), 15'.
	USBM MAS sequence No	0021170018.
	MSHA Mid No	Not available.
	USGS MRDS No	A002628.
	Alaska Kardex No	117-001, 117-005, 117-056.

HORSFELD—COPPER

Alternate name: Horsfall
 Map location No.: 106

Commodity: Cu

LOCATION-OWNERSHIP

Quadrangle	Nabesna.	Reference point	Mineralized zone.
Mining district	Chisana.	Meridian	Copper River.
Elevation	1,676 m.	Tract	Sec. 9, T 3 N, R 23 E.
Topography	Very rugged.	Latitude	62°3'2" N.
Domain	Federal.	Longitude	141°13'5" W.
Owner	Oil Development Co. of Texas.		

GEOLOGY

Type of ore body	Stockwork, breccia fill, disseminated.	Host formation	Nabesna Pluton.
Origin	Hydrothermal.	Geologic age	Cretaceous.
Shape of ore body	Irregular, massive.	Deformation	Intrusion, metamorphism.
Ore controls	Igneous.	Age of deformation	Cretaceous.
Mineral names	Chalcopyrite, bornite, pyrite, molybdenite, magnetite, ortho- clase, quartz.	Rock types	Quartz monzonite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 50 km.
Year of discovery	Not available.	Distance to power supply	More than 100 km.
Discovery method	Do.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	54,420,000 mt	0.20 pct Cu	1979	269, p. 83.

REFERENCES

40, No. E-55; 269, p. 83, No. 144; 417; 522, 715.	USGS quadrangle map	Nabesna (A-1), 15'.
	USBM MAS sequence No	0020780043.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	078-106.

JUALIN—GOLD

Alternate name: Jualin Mines Co.
Map location No.: 167

Commodities: Au, Ag, Pb, Zn, Cu

LOCATION-OWNERSHIP

Quadrangle Juneau.	Reference point Entrance to underground workings.
Mining district Juneau.	Meridian Copper River.
Elevation 210 m.	Tract Sec. 15, T 35 S, R 62 E.
Topography Very rugged.	Latitude 58°50'28" N.
Domain National forest.	Longitude 135°2'42" W.
Owner Hyak Mining Co.-Neil MacKinnon.	

GEOLOGY

Type of ore body Fissure vein, stockwork, shear zone.	Host formation Jualin Diorite.
Origin Hydrothermal.	Geologic age Lower Cretaceous.
Shape of ore body Tabular, pipelike, lenticular.	Deformation Intrusion, faulting.
Ore controls Faulting, contact zone.	Age of deformation Lower Cretaceous.
Mineral names Gold, quartz, pyrite, chalcopyrite, galena, sphalerite, calcite, arsenopyrite, malachite, azurite.	Rock types Diorite, basalt, slate, graywacke.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Underground.	Road requirement Less than 50 km.
Year of discovery 1895.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year 1896.	
Last production year 1919.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Not reported in reference . . .	90,000 mt	8.70 g/mt Au	} 1983	120, p. 12.
Do	9,979,000 mt	3.40 g/mt Au		

REFERENCES

<p>11; 33; 40, No F-16; 56; 76, p. 59; 77, p. 41; 80, p. 36; 86, p. 67; 97, p. 26; 98, p. 32; 105, pp. 24-25; 117, pp. 317-318, 345-346; 120, p. 12; 121, p. 17; 158, p. 77; 189; 282, pp. 77-83, plate 6; 285, p. 101; 295, p. 13; 398; 399; 483, pp. 38-48; 485, pp. 136-138; 533, p. 29; 534, p. 30; 561, pp. 107-108; 638, p. 60; 675, pp. 18-19; 732; 745; 778; 826, p. 14; 827, p. 16; 832, p. 16; 851, pp. 35, 36, 52; 852, pp. 23-24; 874; 922, p. 38; 991, pp. 57-58; 992, p. 90; 993, p. 71; 996, p. 54; 999, pp. 32-34.</p>	<p>USGS quadrangle map Juneau (D-4), 15'</p> <p>USBM MAS sequence No 0021120052.</p> <p>MSHA Mid No Not available</p> <p>USGS MRDS No A001504.</p> <p>Alaska Kardex No 112-007, 112-008, 112-009, 112-010, 112-012, 112-013, 112-014, 112-016, 112-017, 112-018, 112-019, 112-097, 112-122, 112-123.</p>
--	--

JUMBO BASIN—IRON

Alternate name: Sulzer
Map location No.: 220

Commodities: Fe, Cu, Au, Ag, Mo, Zn, Cr

LOCATION-OWNERSHIP

Quadrangle Craig.	Reference point Mineralized zone.
Mining district Ketchikan.	Meridian Copper River.
Elevation 610 m.	Tract Sec. 34, T 76 S, R 84 E.
Topography Very rugged.	Latitude 55°14'30" N.
Domain National forest.	Longitude 132°37'54" W.
Owner Eskil Anderson.	

GEOLOGY

Type of ore body Replacement.	Host formation Unnamed igneous.
Origin Metasomatic.	Geologic age Lower Cretaceous.
Shape of ore body Tabular, irregular.	Deformation Intrusion, metamorphism, major folding, faulting.
Ore controls Igneous, contact zone.	Age of deformation Lower Cretaceous.
Mineral names Magnetite, chalcopyrite, molybdenite, pyrite, pyrrhotite, hematite, pyroxene, quartz, scapolite, amphibole, epidote, calcite, garnet, diopside, hornblende, copper, limonite, malachite, azurite, chrysocolla, sericite, albite, talc.	Rock types Skarn, granodiorite, limestone, marble, quartzite, schist.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Surface-underground.	Road requirement Less than 10 km.
Year of discovery 1897.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year 1907.	
Last production year 1923.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Measured	96,760 mt.	} 43.40 pct Fe, 0.67 pct Cu, 0.38 g/mt Au, 28.50 g/mt Ag.	1945	421, p. 1.
Indicated	150,760 mt.			
Inferred	69,660 mt.			
Not reported in reference	589,680 mt.	45.20 pct Fe, 0.75 pct Cu, 0.34 g/mt Au, 2.70 g/mt Ag.	1984	295, p. 46.

REFERENCES

40, No. F-63; 55, p. 171; 56, p. 27, No. 111; 74, p. 36; 76, p. 60; 77, p. 41; 85, p. 17; 95, p. 38; 97, p. 26; 98, p. 33; 105, p. 23; 106, p. 69; 117, pp. 316-317, 369; 118, pp. 19-20; 121, p. 36; 147, pp. 80, 102; 156, p. 88; 157, p. 68; 158, pp. 83, 90; 184; 231, pp. 103-105; 256, pp. 34-35; 295, p. 46, No. 118; 357; 421; 470, pp. 1, 3-4, 13-14, 22-23, 27-28, 31, 36-40; 485, p. 142; 486, pp. 99, 101; 533, p. 28; 534, p. 28; 637; 638, p. 54; 735, p. 10; 748, p. 10; 758, p. 13; 820, p. 83; 843, pp. 165-166; 851, pp. 29, 52; 852, p. 26; 990, pp. 33, 36, 42, 46, 49, 51, 53, 58-61, 106-107; 992, p. 94; 993, pp. 81-82; 998, pp. 99-102; 1000.	USGS quadrangle map Craig (A-2), 15'. USBM MAS sequence No 0021190002., MSHA Mid No 5000048. USGS MRDS No A000812. Alaska Kardex No 119-015, 119-086, 119-186, 119-188.
--	---

KASNA CREEK—COPPER

Alternate name: Platsburg
Map location No.: 129

Commodities: Cu, Fe

LOCATION-OWNERSHIP

Quadrangle Lake Clark.	Reference point Mineralized zone.
Mining district Bristol Bay.	Meridian Seward.
Elevation 762 m.	Tract Sec. 24, T 1 N, R 28 W.
Topography Very rugged.	Latitude 60°9'25" N.
Domain National wilderness.	Longitude 154°3'15" W.
Owner St. Eugene Mining Corp. Ltd.	

GEOLOGY

Type of ore body Replacement, disseminated.	Host formation Unnamed limestone.
Origin Metasomatic.	Geologic age Devonian.
Shape of ore body Lenticular, irregular.	Deformation Major folding, faulting, intrusion.
Ore controls Lithology, bedding.	Age of deformation Lower Jurassic.
Mineral names Chalcopyrite, hematite, magnetite, talc, quartz, pyrite, calcite, sphalerite, amphibole, chlorite.	Rock types Limestone, dolomite, basalt, andesite, felsic igneous.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply On-site.
Type of operation Prospect.	Road requirement Less than 100 km.
Year of discovery 1906.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference . . .	9,072,000 mt	1.00 pct Cu	1984	295, p. 45.

REFERENCES

<p>40, No. D-52; 47, p. 33; 55, pp. 14-16; 141, pp. 92-93; 193; 269, p. 83, No. 173; 291, pp. 2, 4-10, 14; 295, p. 45, No. 92; 541, pp. 121-122; 542, pp. 198-199; 625, pp. 3-4; 677, pp. 13-16; 819, pp. 150-151; 943; 955, p. 77.</p>	<p>USGS quadrangle map Lake Clark (A-3), 15'. USBM MAS sequence No 0020930001. MSHA Mid No 5000198. USGS MRDS No A001713. Alaska Kardex No 093-007, 093-013.</p>
---	--

KLUKWAN—IRON

Alternate name: Alaska Iron Co.
Map location No.: 157

Commodities: Fe, Ti, PGM

LOCATION-OWNERSHIP

Quadrangle Skagway.	Reference point Mineralized zone.
Mining district Juneau.	Meridian Copper River.
Elevation 250 m.	Tract Sec. 28, T 28 S, R 56 E.
Topography Hilly.	Latitude 59°24'56" N.
Domain Mixed.	Longitude 135°53'42" W.
Owner Falconbridge.	

GEOLOGY

Type of ore body Placer.	Host formation Alluvium.
Origin Sedimentation.	Geologic age Quaternary.
Shape of ore body Lenticular, irregular.	Deformation Not available.
Ore controls Lithology.	Age of deformation Do.
Mineral names Magnetite, pyroxene, amphibole, ilmenite, chlorite, epidote, calcite, feldspar, quartz, apatite.	Rock types Gravel, pyroxenite, diorite.

DEVELOPMENT

Current status Explored deposit.	Distance to water supply On-site.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1899.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference	454,000,000 mt	10.00 pct Fe. Iron content expressed as magnetite	1955	718, p. 36.
Do	907,800,000 mt	10.80 pct. Fe. Alluvial fan portion of deposit; assay is soluble Fe. }	1972	876, p. 5.
Do	3,210,100,000 mt	16.80 pct Fe. Lode portion of deposit; assay is soluble Fe.		

REFERENCES

40, No. F-3; 55, p. 163; 56, p. 117, Nos. 67-68; 147, pp. 80-81, 102; 212; 215, p. 103; 222, p. 4; 223, pp. 4-5; 236, pp. 92-93; 244, p. 10, No. 236; 269, p. 84, No. 215; 295, p. 45, No. 96; 312; 322, p. 5; 468, p. 11; 523, pp. 18, 24-25; 718; 876; 933, p. 159; 961.	USGS quadrangle map Skagway (B-3), 15'
	USBM MAS sequence No 0021090001.
	MSHA Mid No 5000049.
	USGS MRDS No A003176.
	Alaska Kardex No 109-001, 109-002.

LIK—ZINC

Alternate name: Wulik River
Map location No.: 1

Commodities: Zn, Pb, Ag, Cd

LOCATION-OWNERSHIP

Quadrangle	De Long Mountains.	Reference point	Claim.
Mining district	Lisburne.	Meridian	Kateel River.
Elevation	548 m.	Tract	Sec. 15, T 32 N, R 20 W.
Topography	Rugged.	Latitude	68°10'28" N.
Domain	BLM-administered.	Longitude	163°12'30" W.
Owner	General Crude Oil Co.-Noranda Exploration, Inc.		

GEOLOGY

Type of ore body	Stratabound, disseminated, stockwork.	Host formation	Lisburne Group.
Origin	Sedimentation.	Geologic age	Mississippian.
Shape of ore body	Lenticular, massive, tabular.	Deformation	Major faulting, folding.
Ore controls	Lithology, bedding.	Age of deformation	Post-Tertiary.
Mineral names	Sphalerite, galena, pyrite, barite, quartz.	Rock types	Chert, shale, limestone.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	Less than 100 km.
Year of discovery	1975.	Distance to power supply	More than 100 km.
Discovery method	Not available.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference . . .	21,773,000 mt	9.00 pct Zn, 3.10 pct Pb, 48.00 g/mt Ag	1984	295, pp. 6, 42.

REFERENCES

8; 38; 40, No. A-6; 120, pp. 7, 8; 121, p. 9; 295, pp. 6, 42; 296, p. 6; 310.	USGS quadrangle map	De Long Mountains (A-3), 15'.
	USBM MAS sequence No	0020180001.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	018-009.

LITUYA BEACH SANDS—TITANIUM

Alternate name: Lituya Bay Beach Placer
Map location No.: 159

Commodities: Ti, Au, PGM

LOCATION-OWNERSHIP

Quadrangle	Mount Fairweather.	Reference point	Mineralized zone.
Mining district	Juneau.	Meridian	Copper River.
Elevation	3 m.	Tract	Sec. 32, T 37 S, R 47 E.
Topography	Gentle.	Latitude	58°37'20" N.
Domain	National wilderness.	Longitude	137°40'30" W.
Owner	U.S. Park Service.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Tabular, irregular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Gold, platinum.	Rock types	Sand.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	More than 10 km.
Type of operation	Placer.	Road requirement	Less than 50 km.
Year of discovery	1867.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1890.		
Last production year	1917.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference . . .	68,800,000 m ³	8.90 kg/m ³ TiO ₂ . Total hypothetical reserves of beach.	1978	72, pp. D23-D24.

REFERENCES

40, No. F-5; 56; 72, pp. D6-D7, D23-D24; 215.	USGS quadrangle map	Mount Fairweather (C-6), 15'.
	USBM MAS sequence No	0021110127.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	Do.

LIVENGOOD CREEK—GOLD

Alternate name: Livengood
Map location No.: 41

Commodities: Au, Ag, Sb, Cr, Sn, W

LOCATION-OWNERSHIP

Quadrangle	Livengood.	Reference point	Claim.
Mining district	Tolovana.	Meridian	Fairbanks.
Elevation	197 m.	Tract	Sec. 15, T 8 N, R 5 W.
Topography	Hilly.	Latitude	65°31'30" N.
Domain	BLM-administered.	Longitude	148°33'0" W.
Owner	Callahan Mining Corp.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Gold, magnetite, ilmenite, limonite, pyrite, chromite, stibnite.	Rock types	Gravel, silt.

DEVELOPMENT

Current status	Producer.	Distance to water supply	On-site.
Type of operation	Placer.	Road requirement	None.
Year of discovery	1914.	Distance to power supply	Less than 100 km.
Discovery method	Ore-mineral not in place.		
First production year	1915.		
Last production year	1983.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Measured	5,887,000 m ³	0.50 g/m ³ Au	1975	375, p. 366.
Indicated	5,734,000 m ³			
Inferred	11,468,000 m ³			
		0.50 g/m ³ Au. Reserve data established by use of 800 churn drill holes.		

REFERENCES

40, No. B-32; 55, p. 239; 74, p. 21; 77, pp. 51-52; 78, p. 63; 79, p. 56; 80, p. 47; 81, p. 31; 101, pp. 205-208; 105, p. 37; 106, p. 82; 120, pp. 23, 24; 121, pp. 22, 23; 195; 215, pp. 174-176; 216, pp. 98-99; 219, p. 21; 220, p. 29; 234, pp. 115-117; 244, p. 5, No. 86; 269, p. 81, No. 75; 292, pp. 1-2; 296, p. 11; 302, p. 67; 303, p. 25; 317; 332, pp. 1, 3; 333; 375; 381; 453, pp. 14, 17, 34, 39; 490, p. 31; 558, pp. 262-268; 584; 585; 600, p. 19; 643; 647, pp. 178-181, 183-184; 798; 823, p. 14; 824, p. 21; 825, p. 27; 826, p. 30; 827, p. 36; 828, p. 36; 830, p. 34; 831, p. 39; 832, pp. 39-40; 833, p. 44; 834, p. 52; 835, pp. 53-54; 836, pp. 52-53; 837, pp. 48-49; 838, pp. 45-46, 68; 851, pp. 24-25; 852, pp. 2, 52; 953, p. 11.	USGS quadrangle map	Livengood (C-4), 15'.	
		USBM MAS sequence No	0020490064.
		MSHA Mid No	5000998.
		USGS MRDS No	A001738.
		Alaska Kardex No	049-018, 049-089, 049-158, 049-159, 049-267, 049-281, 049-282, 049-401.

LOST RIVER—TIN

Alternate name: Cassiterite Creek
Map location No.: 32

Commodities: Sn, F, W, Be

LOCATION-OWNERSHIP

Quadrangle Teller.	Reference point Entrance to underground workings.
Mining district Port Clarence.	Meridian Kateel River.
Elevation 107 m.	Tract Sec. 22, T 1 N, R 41 W.
Topography Rugged.	Latitude 65°28'45" N.
Domain BLM-administered.	Longitude 167°9'35" W.
Owner Pan Central Explorations Ltd.	

GEOLOGY

Type of ore body Disseminated.	Host formation Port Clarence Limestone.
Origin Metasomatic, hydrothermal.	Geologic age Ordovician.
Shape of ore body Massive.	Deformation Intrusion, metamorphism.
Ore controls Fracturing, igneous.	Age of deformation Cretaceous.
Mineral names Cassiterite, scheelite, fluorite, arsenopyrite, azurite, beryl, biotite, calcite, albite, chalcedony, chalcopryrite, chlorite, chrysoberyl, corundum, dickite, dolomite, epidote, euclase, feldspar, andra- dite, galena, goethite, gold, mica, hematite.	Rock types Limestone, granite, rhyolite, lamprophyre.

DEVELOPMENT

Current status Past producer.	Distance to water supply Less than 3 km.
Type of operation Surface-underground.	Road requirement Less than 10 km.
Year of discovery 1903.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year 1913.	
Last production year 1955.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Not reported in reference	30,679,800 mt	0.16 pct Sn, 17.23 pct CaF ₂ , 0.03 pct W ₂ O ₃ , Zone 1; grades required calculation by evaluator.	} 1972	506, pp. 1, 4.
Do	3,457,300 mt	30.33 pct CaF ₂ , Zone 2		

REFERENCES

<p>40, No. A-31; 55; 76, pp. 58, 71; 77, p. 68; 78, p. 28; 79, pp. 19, 62; 80, pp. 22, 65; 85, pp. 37-38; 92, pp. 28-29; 95, p. 39; 98, p. 50; 106, pp. 71, 95; 120, p. 10; 121, pp. 13, 19, 40, 41; 150, pp. 163, 185; 152, p. 407; 172, pp. 1-3; 252, pp. 121-123; 254, pp. 18-23; 269, p. 80, No. 34; 287, pp. 84-88; 304; 378, p. 236; 379, pp. 354-357, 359; 387, pp. 2-44; 388; 393, pp. 9-10; 408, pp. 89, 91-92; 409, pp. 146-150; 430; 484, pp. 44, 49-50, 52-55; 487, pp. 262-263; 505; 506; 533, p. 41; 534, pp. 21-22. 52; 562, pp. 436-437; 782; 826, pp. 61-62; 827, p. 68; 843, p. 203; 851, p. 27; 852, p. 4; 868, pp. 51-74; 893, p. 31; 904, p. 7; 922, pp. 157-160, 166-167; 937, p. 1; 980; 981.</p>	<p>USGS quadrangle map Teller (B-5), 15'. USBM MAS sequence No 0020430003. MSHA Mid No Not available. USGS MRDS No A003662. Alaska Kardex No 043-010, 043-022, 043-023, 043-025, 043-026, 043-054, 043-055, 043-056, 043-057, 043-058, 043-059, 043-084, 043-087, 043-090, 043-091, 043-092, 043-093, 043-094, 043-095, 043-096, 043-097, 043-098, 043-099, 043-100, 043-101, 043-104, 043-105, 043-106, 043-108, 043-111, 043-113, 043-114, 043-118, 043-124, 043-126, 043-130, 043-131.</p>
--	---

MARGERIE—COPPER

Alternate name: Margerie Glacier
Map location No.: 154

Commodities: Cu, Au, Ag, W, Bi, As, Mo, Ba

LOCATION-OWNERSHIP

Quadrangle	Skagway.	Reference point	Surface workings.
Mining district	Juneau.	Meridian	Copper River.
Elevation	550 m.	Tract	Sec. 17, T 33 S, R 50 E.
Topography	Very rugged.	Latitude	59°0'40" N.
Domain	National wilderness.	Longitude	137°6'0" W.
Owner	U.S. Park Service.		

GEOLOGY

Type of ore body	Stockwork, disseminated, replacement.	Host formation	Unnamed igneous.
Origin	Hydrothermal.	Geologic age	Tertiary.
Shape of ore body	Domelike.	Deformation	Faulting, intrusion, metamorphism.
Ore controls	Fracturing, faulting.	Age of deformation	Tertiary.
Mineral names	Cassiterite, scheelite, fluorite, arsenopyrite, azurite, beryl, biotite, calcite, albite, chalcedony, chalcopyrite, chlorite, chrysoberyl, corundum, dickite, dolomite, epidote, euclase, feldspar, andradite, galena, goethite, gold, mica, hematite.	Rock types	Quartz monzonite, granodiorite, diorite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 10 km.
Type of operation	Prospect.	Road requirement	Do.
Year of discovery	1960.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Inferred	145,000,000 mt	0.20 pct Cu, 0.27 g/mt Au, 4.50 g/mt Ag, 0.01 pct WO ₃ .	1978	72, p. C160.
Do	68,000 mt	0.50 pct Cu, 1.70 g/mt Au, 13.70 g/mt Ag	1978	72, p. C161.

REFERENCES

40, No. F-6; 56, p. 111, No. 2; 72, pp. C149-C161, plates 1A, 1B, 2; 148, pp. 53-54; 209; 222, p. 5; 223, p. 5; 236, p. 95; 417; 518; 519, pp. 3, 5, 26, 35, 40, 43; 548, p. 16; 933, p. 159.	USGS quadrangle map	Skagway (A-6), 15'.
	USBM MAS sequence No	0021090002.
	MSHA Mid No	Not available.
	USGS MRDS No	A003178.
	Alaska Kardex No	109-057.

MASSIVE CHALCOPYRITE—COPPER

Alternate name: Ship
Map location No.: 155

Commodities: Cu, Au, Ag, W, Zn

LOCATION-OWNERSHIP

Quadrangle Skagway.	Reference point Mineralized zone.
Mining district Juneau.	Meridian Copper River.
Elevation 1,554 m.	Tract Sec. 6, T 33 S, R 52 E.
Topography Very rugged.	Latitude 59°1'54" N.
Domain National wilderness.	Longitude 136°47'56" W.
Owner U.S. Park Service.	

GEOLOGY

Type of ore body Replacement.	Host formation Tidal and Rendau.
Origin Metasomatic, metamorphism.	Geologic age Devonian.
Shape of ore body Massive, lenticular, irregular.	Deformation Intrusion, metamorphism.
Ore controls Contact zone, igneous.	Age of deformation Cretaceous.
Mineral names Chalcopyrite, albite, andesine, apatite, biotite, calcite, actinolite, chlorite, covellite, diopside, epidote, garnet, goethite, horn- blende, ilmenite, magnetite, oligoclase, powellite, pyrite, pyr- rhotite, quartz, sericite, sphalerite, sphene.	Rock types Skarn.

DEVELOPMENT

Current status Raw prospect.	Distance to water supply Less than 10 km.
Type of operation Prospect.	Road requirement Do.
Year of discovery 1966.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	3,900 mt.	5.00 pct Cu, 5.10 g/mt Au, 240.00 g/mt Ag, 0.52 pct WO ₃ .	1978	72, p. C183.

REFERENCES

72, pp. C179-C185; 236, p. 105; 519, pp. 4, 40, 43.	USGS quadrangle map Skagway (A-5), 15'.
	USBM MAS sequence No 0021090073.
	MSHA Mid No Not available.
	USGS MRDS No Do.
	Alaska Kardex No Do.

MCCARTY—GOLD

Alternate name: American Eagle Vein
Map location No.: 42

Commodities: Au, Sb

LOCATION-OWNERSHIP

Quadrangle	Livengood.	Reference point	Mineralized zone.
Mining district	Fairbanks.	Meridian	Fairbanks.
Elevation	579 m.	Tract	Sec. 28, T 3 N, R 2 E.
Topography	Hilly.	Latitude	65°3'45" N.
Domain	State.	Longitude	147°21'0" W.
Owner	Placid Oil Co.		

GEOLOGY

Type of ore body	Fissure vein, shear zone, replacement.	Host formation	Birch Creek Schist.
Origin	Hydrothermal, oxidation.	Geologic age	Paleozoic.
Shape of ore body	Irregular.	Deformation	Metamorphism, faulting, intrusion.
Ore controls	Fracturing, faulting.	Age of deformation	Post-Jurassic.
Mineral names	Gold, stibnite, sphalerite, arsenopyrite, jamesonite, quartz.	Rock types	Schist, quartz diorite, monzonite.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	On-site.
Type of operation	Surface-underground.	Road requirement	None.
Year of discovery	1908.	Distance to power supply	On-site.
Discovery method	Ore-mineral in place.		
First production year	1911.		
Last production year	1942.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	1,925,000 mt	} 2.11 g/mt Au. Reserves are a result of IMC evaluation of Cleary area.	1970	656, p. ii.
Inferred	1,925,000 mt			

REFERENCES

78, p. 60; 96, p. 34; 97, p. 31.; 121; 124, p. 15; 155, p. 331; 159, p. 322; 163, p. 8; 195; 410, pp. 75, 102-106; 451; 453, p. 10; 454, pp. 7-8; 475, pp. 12-14, 33-35, 41-42; 560, pp. 411-412; 640; 656; 663, p. 227; 685; 821, pp. 164-167; 822, pp. 149-153; 825, p. 14; 826, p. 17; 827, p. 20; 828, pp. 19-20; 829, p. 19; 831, p. 20; 834, p. 22; 835, pp. 23-24; 836, pp. 25-26; 837, p. 22; 838, p. 22; 851, pp. 53, 230.	USGS quadrangle map	Livengood (A-1), 15'.
	USBM MAS sequence No	0020490046.
	MSHA Mid No	5001436.
	USGS MRDS No	A001832.
	Alaska Kardex No	049-103, 049-358.

MIKADO—GOLD

Alternate name: Little Squaw
Map location No.: 26

Commodities: Au, Ag

LOCATION-OWNERSHIP

Quadrangle Chandalar.	Reference point Mineralized zone.
Mining district Chandalar.	Meridian Fairbanks.
Elevation 1,303 m.	Tract Sec. 4, T 31 N, R 3 W.
Topography Rugged.	Latitude 67°32'22" N.
Domain State.	Longitude 148°17'0" W.
Owner Little Squaw Gold Mining Co.	

GEOLOGY

Type of ore body Fissure vein, shear zone.	Host formation Unnamed calc-schist.
Origin Hydrothermal.	Geologic age Devonian.
Shape of ore body Tabular, irregular.	Deformation Minor folding, faulting, meta- morphism, intrusion.
Ore controls Faulting, fracturing.	Age of deformation Mesozoic.
Mineral names Gold, sphalerite, galena, quartz, limonite.	Rock types Schist, phyllite, limestone, slate, greenstone, granite.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Underground.	Road requirement None.
Year of discovery 1908.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year 1908.	
Last production year 1983.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Measured	13,600 mt	} 85.20 g/mt Au. Mikado ore zone	} 1980	} 265, p. 2
Indicated	4,500 mt			
Inferred	18,200 mt			
Measured	9,100 mt	} 58.70 g/mt Au. Little Squaw ore zone		

REFERENCES

<p>40, No. B-20; 55, p. 204; 62; 63; 76, p. 68; 96, p. 35; 97, p. 34; 109, pp. 3, 14-16; 110; 121, pp. 15, 19, 20, 30; 165, pp. 5, 19-21; 215, p. 113; 230, pp. 6-8, 42, 48; 265; 269, p. 80, No. 30; 295, p. 23; 366; 395, p. 14; 490, p. 25; 497; 498; 499; 500; 501; 527, pp. 112-115; 556, pp. 261-262; 686; 687; 688; 796, pp. 4-8; 866; 889; 964.</p>	<p>USGS quadrangle map Chandalar 1:250,000. USBM MAS sequence No 0020310001. MSHA Mid No 5001401. USGS MRDS No A003931. Alaska Kardex No 031-002, 031-012, 031-016, 031-017, 031-021, 031-039, 031-044, 031-048.</p>
---	--

MIRROR HARBOR—NICKEL

Alternate name: Alaska Nickel Mines
Map location No.: 180

Commodities: Ni, Cu, Co, PGM

LOCATION-OWNERSHIP

Quadrangle	Sitka.	Reference point	Mineralized zone.
Mining district	Chichagof.	Meridian	Copper River.
Elevation	20 m.	Tract	Sec. 22, T 47 S. R 56 E.
Topography	Gentle.	Latitude	57°47'7" N.
Domain	National wilderness.	Longitude	136°18'25" W.
Owner-operator	Galactic Resources, Inc.		

GEOLOGY

Type of ore body	Disseminated, massive.	Host formation	Unnamed mafic intrusive.
Origin	Magmatic differentiation.	Geologic age	Post-Jurassic.
Shape of ore body	Tabular, irregular.	Deformation	Faulting, intrusion.
Ore controls	Igneous, lithology.	Age of deformation	Post-Jurassic.
Mineral names	Pentlandite, chalcopyrite, pyrrhotite, amphibole, pyroxene, plagioclase.	Rock types	Gabbro, norite, diorite.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	1911.	Distance to power supply	Less than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference	7,257 mt.	1.60 pct Ni, 1.00 pct Cu	} 1984	295, p. 46.
Indicated	6,625 mt.	1.57 pct Ni, 0.88 pct Cu		

REFERENCES

40, No. F-21; 55, p. 144; 56, p. 100, No. 26; 75, p. 97; 79, pp. 25, 41; 115, pp. 95-98, 110-111; 117, pp. 348-351; 120, p. 10; 121, pp. 15, 39, 43; 158, p. 78; 208; 240, pp. 82-84; 244, p. 10, No. 242; 262, pp. 13, 38; 295, p. 46, No. 102; 296, pp. 8, 15; 468, p. 12; 472, pp. 56-63; 491; 503, p. 91; 533, pp. 22-23, 30; 638, p. 65; 644, pp. 125-133; 652; 669; 748, p. 3; 795; 899; 904, p. 7; 985.	USGS quadrangle map	Sitka (D-7), 15'.
	USBM MAS sequence No	0021140068.
	MSHA Mid No	Not available.
	USGS MRDS No	A003133.
	Alaska Kardex No	114-017.

MORELOCK CREEK—GOLD

Alternate name: Homestake Creek
Map location No.: 38

Commodities: Au, Ag, Sn

LOCATION-OWNERSHIP

Quadrangle Tanana.	Reference point Claim.
Mining district Melozitna.	Meridian Fairbanks.
Elevation 151 m.	Tract Sec. 30, T 6 N, R 18 W.
Topography Hilly.	Latitude 65°19'20" N.
Domain BLM-administered.	Longitude 151°20'12" W.
Owner Edward Vogt Estate.	

GEOLOGY

Type of ore body Placer.	Host formation Alluvium.
Origin Sedimentation.	Geologic age Quaternary.
Shape of ore body Irregular.	Deformation Not available.
Ore controls Bedding, fracturing.	Age of deformation Do.
Mineral names Gold, cassiterite, magnetite, limonite, hematite, garnet.	Rock types Gravel.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Placer.	Road requirement Less than 50 km.
Year of discovery 1901.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year 1902.	
Last production year 1944.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	91,000 m ³	0.29 g/m ³ Au, 90.19 g/m ³ Sn. Ag mentioned in past production but not in assay.	1945	895, p. 8.

REFERENCES

94, p. 55; 162, p. 5; 283, p. 383; 288, p. 82, plate 2; 563, p. 43; 831, p. 43; 833, p. 47; 835, pp. 57-58; 887; 895, p. 8.	USGS quadrangle map Tanana (B-3), 15'. USBM MAS sequence No 0020480013. MSHA Mid No Not available. USGS MRDS No A003567. Alaska Kardex No 048-006, 048-042, 048-053.
--	--

MOTH BAY—ZINC

Alternate name: Maiden Bay
Map location No.: 232

Commodities: Zn, Cu, Ag, Au, Pb

LOCATION-OWNERSHIP

Quadrangle Ketchikan.	Reference point Entrance to underground workings.
Mining district Ketchikan.	Meridian Copper River.
Elevation 100 m.	Tract Sec. 7, T 76 S, R 93 E.
Topography Hilly.	Latitude 55°17'50" N.
Domain National forest.	Longitude 131°20'30" W.
Owner Robert Emmert Gray.	

GEOLOGY

Type of ore body Stratiform, replacement.	Host formation Unnamed mica schists.
Origin Hydrothermal.	Geologic age Jurassic.
Shape of ore body Tabular, irregular.	Deformation Metamorphism, intrusion, major faulting.
Ore controls Lithology, bedding.	Age of deformation Cretaceous.
Mineral names Sphalerite, chalcopyrite, galena, pyrite, pyrrhotite, calcite, quartz, muscovite, magnetite.	Rock types Schist, quartzite.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1911.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Measured	2,700 mt.	} 2.90 pct Cu. High-grade copper zone	} 1953	} 719, pp. 69-70.
Indicated	4,500 mt.			
Measured	1,630 mt.	} 2.00 pct Zn, 0.50 pct Cu, Low-grade zinc-copper zone.		
Indicated	1,630 mt.			
Inferred	100,000 mt.	} 7.50 pct Zn, 1.00 pct Cu. High-grade zinc-copper zone.		
Measured	31,750 mt.			
Indicated	59,900 mt.			

REFERENCES

40, No. F-71; 56; 719, pp. 59-71; 820, pp. 90-91; 827, p. 18; 828, pp. 15-16; 904, p. 6; 945.	USGS quadrangle map Ketchikan (B-5), 15'.
	USBM MAS sequence No 0021200025.
	MSHA Mid No Not available.
	USGS MRDS No A001641.
	Alaska Kardex No 120-048.

MOUNTAIN VIEW—TUNGSTEN

Alternate name: Gray Copper Vein
Map location No.: 210

Commodities: W, Ag, Au, Pb

LOCATION-OWNERSHIP

Quadrangle Ketchikan.	Reference point Claim.
Mining district Hyder.	Meridian Copper River.
Elevation 212 m.	Tract Sec. 11, T 68 S, R 99 E.
Topography Very rugged.	Latitude 55°59'20" N.
Domain National forest.	Longitude 130°2'58" W.
Owner Mineral Basin Mining Co.	

GEOLOGY

Type of ore body Fissure vein.	Host formation Texas Creek Granodiorite.
Origin Hydrothermal.	Geologic age Jurassic.
Shape of ore body Irregular, tabular.	Deformation Intrusion, faulting.
Ore controls Fracturing, igneous.	Age of deformation Jurassic.
Mineral names Scheelite, galena, sphalerite, chalcopyrite, pyrite, quartz, pyrrhotite, barite, chlorite.	Rock types Granodiorite, tuff, volcanic breccia, quartzite, slate, schist.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1917.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Indicated	8,137 mt.	} 0.52 pct WO ₃ , 69.94 g/mt Ag, 1.78 g/mt Au.	1945	627, p. 1.
Inferred	1,415 mt.			

REFERENCES

<p>47, pp. 42, 68-69; 81, p. 21; 113, pp. 43, 63-67; 115, pp. 74, 76-77; 116, pp. 41-42, 54-55; 117, pp. 317, 324, 330, 358; 320, pp. 1-10; 600, p. 31; 627; 826, p. 16; 827, p. 17; 843, p. 171; 893, pp. 4-5, 36, 38, 45-49; 968, pp. 138-139.</p>	<p>USGS quadrangle map Ketchikan (D-1), 15'. USBM MAS sequence No 0021200157. MSHA Mid No Not available. USGS MRDS No A001642. Alaska Kardex No Not available.</p>
--	--

NOME BEACHES—GOLD

Alternate name: Outer Submarine Beach
Map location No.: 49

Commodities: Au, Ag

LOCATION-OWNERSHIP

Quadrangle	Nome.	Reference point	Mineralized zone.
Mining district	Nome.	Meridian	Kateel River.
Elevation	11 m.	Tract	Sec. 26, T 11 S, R 34 W.
Topography	Gentle.	Latitude	64°30'0" N.
Domain	BLM-administered.	Longitude	165°25'0" W.
Operator	Alaska Gold Co.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Gold, silver.	Rock types	Gravel, sand, clay.

DEVELOPMENT

Current status	Producer.	Distance to water supply	On-site.
Type of operation	Placer.	Road requirement	Do.
Year of discovery	1898.	Distance to power supply	Less than 10 km.
Discovery method	Ore-mineral not in place.		
First production year	1898.		
Last production year	Not available.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	94,800,000 m ³	0.39 g/m ³ Au	1977	803, p. 62.

REFERENCES

4; 5; 40, No. A-49; 73, pp. 263-275; 80, pp. 7-67; 99; 105, pp. 3-49; 108, pp. 1-180; 120, pp. 23, 24; 121, pp. 15, 20, 30; 151; 160; 201; 215; 226, p. 213; 255; 269, p. 80, No. 43; 281; 295, pp. 8, 24; 296, pp. 10, 21; 305; 364; 396; 429; 430; 434; 490; 550; 567; 592; 595; 600; 608; 636; 651; 668; 785; 800; 803, p. 62; 809; 810; 817; 823, pp. 1-30; 824, pp. 1-50; 825; 826; 827; 828; 829; 830; 831, pp. 47-48, 56-57; 832; 833; 834; 835; 836; 837; 838; 842; 843; 845; 851; 852; 868, pp. 3-52; 882; 989.	USGS quadrangle map	Nome (B-1), 15'.
	USBM MAS sequence No	0020520017.
	MSHA Mid No	Not available.
	USGS MRDS No	A002502.
	Alaska Kardex No	Not available.

NUNATAK—MOLYBDENUM

Alternate name: O.K. Nos. 1-4
Map location No.: 163

Commodities: Mo, Cu, Au, Ag, Fe

LOCATION-OWNERSHIP

Quadrangle Mount Fairweather.	Reference point Claim.
Mining district Juneau.	Meridian Copper River.
Elevation 335 m.	Tract Sec. 20, T 33 S, R 56 E.
Topography Rugged.	Latitude 58°59'20" N.
Domain National wilderness.	Longitude 136°6'0" W.
Owner U.S. Park Service.	

GEOLOGY

Type of ore body Stockwork, disseminated, replacement.	Host formation Tidal Formation.
Origin Hydrothermal.	Geologic age Devonian.
Shape of ore body Massive, irregular.	Deformation Metamorphism, intrusion, faulting.
Ore controls Igneous, fracturing.	Age of deformation Cretaceous.
Mineral names Molybdenite, chalcopyrite, bornite, andesine, apatite, biotite, actinolite, calcite, albite, chert, chlorite, clinozoisite, diopside, enargite, epidote, feldspar, garnet, hornblende, orthoclase, magnetite, malachite, alunite, montmorillonite.	Rock types Chert, skarn.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1941.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Not reported in reference	2,038,400 mt	0.07 pct MoS ₂ , 0.02 pct Cu. Stockwork deposit, above sea level.	} 1971	519, p. 1.
Do	117,507,900 mt	0.03 pct MoS ₂ , 0.02 pct Cu. Remainder of stockworks and fault zone deposit.		
Indicated	7,438,900 mt	} 0.06 pct Mo, 0.02 pct Cu. Stockwork with conspicuous molybdenite.	} 1978	72, p. C294.
Inferred	8,255,400 mt			
Indicated	124,284,300 mt			

REFERENCES

39; 40, No. F-10; 55, p. 163; 56; 72, pp. C274-C295, plates 1A, 1B, 2; 198; 233, pp. 42-45; 246, p. 193; 468, p. 12; 518; 519; 695, pp. 56-57; 696, pp. 56-57; 767, p. 49; 790, pp. 1-6; 843, pp. 178-180; 906, pp. 9-18; 913; 941; 987, p. 150.	USGS quadrangle map Mount Fairweather (D-1), 15'. USBM MAS sequence No 0021110050. MSHA Mid No Not available. USGS MRDS No A002101. Alaska Kardex No 111-020, 111-041, 111-050, 111-051, 111-057.
--	---

ORANGE HILL—COPPER

Alternate name: Alaska Nabesna Corporation
Map location No.: 101

Commodities: Cu, Mo, Zn, Au, Ag

LOCATION-OWNERSHIP

Quadrangle	Nabesna.	Reference point	Mineralized zone.
Mining district	Chisana.	Meridian	Copper River.
Elevation	884 m.	Tract	Sec. 20, T 5 N, R 14 E.
Topography	Very rugged.	Latitude	62°12'12" N.
Domain	Federal.	Longitude	142°50'0" W.
Owner-operator	Wallace McGregor.		

GEOLOGY

Type of ore body	Stockwork, disseminated.	Host formation	Nabesna Pluton.
Origin	Hydrothermal.	Geologic age	Upper Cretaceous.
Shape of ore body	Massive.	Deformation	Intrusion.
Ore controls	Igneous.	Age of deformation	Upper Cretaceous.
Mineral names	Chalcopyrite, pyrite, molybdenite, tetrahedrite, sphalerite, quartz, feldspar, hornblende, biotite, magnetite, chlorite, sericite, calcite, kaolin, limonite, bornite.	Rock types	Quartz diorite, granodiorite.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	Less than 50 km.
Year of discovery	1898.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	290,302,000 mt	0.35 pct Cu, 0.03 pct MoS ₂	1979	269, p. 83.

REFERENCES

40. No. E-49; 55, pp. 205, 208-209; 121, p. 11; 138, p. 227; 264, pp. 9-10; 269, p. 83, No. 145; 295, p. 45, No. 73; 417; 522; 552, pp. 33-45; 590, pp. 189, 201, 203, 205-207, 209; 611, p. 103; 619, pp. 54-55, 58; 635, p. 4; 701; 706, pp. 5, 14, 18-19, 24; 707; 708; 709; 710; 713; 715; 824, p. 36; 826, p. 54; 827, p. 60; 828, p. 63; 843, p. 193; 881; 904, pp. 5-6; 938, pp. 1-16; 948, pp. 166-168; 952, pp. 6-7; 955, p. 108.	USGS quadrangle map	Nabesna (A-4), 15'.
	USBM MAS sequence No	002078015.
	MSHA Mid No	Not available.
	USGS MRDS No	A002357.
	Alaska Kardex No	078-014, 078-061.

PORT SNETTISHAM—IRON

Alternate name: Michele
Map location No.: 186

Commodity: Fe

LOCATION-OWNERSHIP

Quadrangle Sumdum.	Reference point Mineralized zone.
Mining district Juneau.	Meridian Copper River.
Elevation 152 m.	Tract Sec. 8, T 45 S, R 72 E.
Topography Rugged.	Latitude 57°59'0" N.
Domain National forest.	Longitude 133°46'30" W.
Owner Andy and Sam Pekovich.	

GEOLOGY

Type of ore body Disseminated, massive.	Host formation Wrangell-Revillagigedo.
Origin Magmatic differentiation.	Geologic age Upper Jurassic.
Shape of ore body Tabular, irregular.	Deformation Intrusion, metamorphism.
Ore controls Igneous.	Age of deformation Upper Jurassic.
Mineral names Magnetite, ilmenite, biotite, pyroxene, sphene, apatite, epidote, hornblende, chlorite, pyrrhotite, chalcopyrite, spinel.	Rock types Phyllite, diorite, pyroxenite.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1895.	Distance to power supply Do.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	450,000,000 mt	19.00 pct Fe	1974	312.

REFERENCES

40, No. F-30; 49; 55, pp. 155, 164; 56, p. 120, No. 2; 71, pp. 128, 165; 73, p. 541; 98, p. 33; 105, p. 24; 115, pp. 133-134; 117, p. 352; 147, pp. 81, 102; 212; 242, pp. 25-26; 244, p. 10, No. 250; 312; 322, p. 5; 418, pp. 2, 4-5, 9-12, 16-17, 23; 468; 482, pp. 39-40; 485, p. 139; 486, p. 97; 517, p. 4; 638, p. 64; 863, pp. 47-48; 896; 904, p. 10; 922, p. 36; 992, p. 90; 996, p. 53.	USGS quadrangle map Sumdum (D-6), 15'. USBM MAS sequence No 0021150001. MSHA Mid No Not available. USGS MRDS No A003396. Alaska Kardex No 115-010, 115-019, 115-054.
---	--

POTATO MOUNTAIN—TIN

Alternate name: Buck Creek
Map location No.: 31

Commodity: Sn

LOCATION-OWNERSHIP

Quadrangle	Teller.	Reference point	Mineralized zone.
Mining district	Port Clarence.	Meridian	Kateel River.
Elevation	106 m.	Tract	Sec. 22, T 3 N, R 43 W.
Topography	Rolling.	Latitude	65°38'30" N.
Domain	BLM-administered.	Longitude	167°31'0" W.
Owner	Richard Lee & Associates.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular.	Deformation	Not available.
Ore controls	Bedding, fracturing.	Age of deformation	Do.
Mineral names	Cassiterite, hematite, magnetite, pyrite, gold, quartz, feldspar, tour- maline, garnet, calcite.	Rock types	Gravel.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	Less than 10 km.
Type of operation	Placer.	Road requirement	Less than 50 km.
Year of discovery	1901.	Distance to power supply	Less than 100 km.
Discovery method	Ore-mineral not in place.		
First production year	1911.		
Last production year	1953.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference ...	878,000 m ³	195.90 g/m ³ Sn	1945	390, p. 11.

REFERENCES

40, No. A-30; 78, pp. 27-28; 80, p. 22; 86, pp. 88-90; 92, pp. 28-29; 95, p. 39; 98, p. 50; 103; 104; 151, p. 195; 160, p. 393; 215; 253; 255, pp. 268-282; 287; 378, p. 236; 379; 387; 390; 391; 392; 393; 408; 409, pp. 145-147; 430; 484; 487; 505; 562, pp. 443-458; 632; 633; 779; 868; 923.	USGS quadrangle map	Teller (C-6), 15'.
	USBM MAS sequence No	0020430005.
	MSHA Mid No	Not available.
	USGS MRDS No	A003672.
	Alaska Kardex No	043-012, 043-041, 043-047, 043-049, 043-050, 043-062, 043-107, 043-109, 043-110, 043-111, 043-125.

RED BLUFF BAY—CHROMIUM

Alternate name: Red Bluff Deposit 1-8
Map location No.: 197

Commodity: Cr

LOCATION-OWNERSHIP

Quadrangle Port Alexander.	Reference point Mineralized zone.
Mining district Chichagof.	Meridian Copper River.
Elevation 106 m.	Tract Sec. 9, T 58 S, R 68 E.
Topography Very rugged.	Latitude 56°51'10" N.
Domain National wilderness.	Longitude 134°42'40" W.
Owner U.S. Forest Service.	

GEOLOGY

Type of ore body Stratiform, disseminated.	Host formation Unnamed ultramafics.
Origin Magmatic differentiation.	Geologic age Pre-Triassic.
Shape of ore body Tabular, lenticular, irregular.	Deformation Intrusion, metamorphism.
Ore controls Igneous, faulting.	Age of deformation Pre-Triassic.
Mineral names Chromite, serpentine, antigorite, ankerite, talc, diopside, olivine.	Rock types Dunite, pyroxenite.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 10 km.
Type of operation Prospect.	Road requirement Less than 50 km.
Year of discovery 1933.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Measured	2,100 mt.	} 12.00 pct Cr ₂ O ₃	1942	370, p. 186.
Indicated	29,500 mt.			
Not reported in reference	517 mt.	} 40.00 pct Cr ₂ O ₃	1984	295, p. 46.
Do	26,308 mt.			

REFERENCES

55, p. 145; 56, p. 94, No. 24; 203; 238, p. 21; 244, p. 10, No. 246; 295, p. 46, No. 109; 370, pp. 173, 178-187; 471, pp. 73-75; 503, pp. 91-92; 833, p. 88; 834, p. 98; 904, p. 11.	USGS quadrangle map Port Alexander (D-3), 15'. USBM MAS sequence No 0021160001. MSHA Mid No Not available. USGS MRDS No A002669. Alaska Kardex No 116-008.
--	--

RED MOUNTAIN—CHROMIUM

Alternate name: Star No. 4
Map location No.: 152

Commodities: Cr, Fe, Si

LOCATION-OWNERSHIP

Quadrangle Seldovia.	Reference point Claim.
Mining district Homer.	Meridian Seward.
Elevation 549 m.	Tract Sec. 28, T 9 S, R 13 W.
Topography Very rugged.	Latitude 59°22'30" N.
Domain Private.	Longitude 151°28'30" W.
Owner Cook Inlet Region, Inc.	

GEOLOGY

Type of ore body Stratiform.	Host formation Red Mountain Pluton.
Origin Magmatic differentiation.	Geologic age Upper Jurassic.
Shape of ore body Tabular, irregular.	Deformation Intrusion.
Ore controls Igneous.	Age of deformation Upper Jurassic.
Mineral names Chromite, olivine, serpentine, garnet, pyroxene, amphibole, ilmenite, augite, iron.	Rock types Dunite, pyroxenite, serpentinite.

DEVELOPMENT

Current status Past producer.	Distance to water supply Less than 3 km.
Type of operation Underground.	Road requirement None.
Year of discovery 1909.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year 1943.	
Last production year 1957.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Indicated	90,000 mt	45.00 pct Cr ₂ O ₃ , 15.50 pct Fe, 19.10 pct SiO ₂	} 1922	353, p. 43.
Inferred	220,000 mt	42.00 pct Cr ₂ O ₃ , 15.50 pct Fe, 19.10 pct SiO ₂ , Cr:Fe ratio 2.7:1.		
Do	29,540,700 mt	5.10 pct Cr ₂ O ₃ . Grade required calculation by evaluator.	1984	324, p. 34.

REFERENCES

40. No. D-73; 47, pp. 69-70; 55, pp. 78-79; 79, p. 22; 80, p. 24; 85, p. 40; 121, pp. 14, 15, 40; 207; 239, pp. 28-31; 244, p. 9, No. 214; 269, p. 83, No. 166; 324; 353, pp. 1-2, 13, 16-29, 44-45; 354, pp. 101, 111, 120, 122, 123; 362, pp. 168, 169; 369, pp. 140, 141, 148, 152, 163-175; 477, p. 6; 522; 534, p. 34; 540, pp. 237, 238; 553, pp. 265, 267; 625, p. 5; 774; 789; 792; 829, pp. 79, 80; 830, p. 75; 831, p. 81; 832, p. 83; 833, pp. 87, 88; 834, p. 98; 904, pp. 10, 11; 960.	USGS quadrangle map Seldovia (B-4), 15'. USBM MAS sequence No 0021040001. MSHA Mid No Not available. USGS MRDS No A002811. Alaska Kardex No 104-012, 104-013, 104-014, 104-015, 104-017, 104-018, 104-048, 104-049, 104-063, 104-065, 104-080.
---	---

SALMON RIVER—PLATINUM GROUP

Alternate name: Goodnews Bay Mine
 Map location No.: 158

Commodities: PGM, Au, Cr

LOCATION-OWNERSHIP

Quadrangle	Hagemeister Island.	Reference point	Claim.
Mining district	Goodnews Bay.	Meridian	Seward.
Elevation	53 m.	Tract	Sec. 25, T 14 S, R 75 W.
Topography	Gentle.	Latitude	58°55'30" N.
Domain	BLM-administered.	Longitude	161°42'45" W.
Owner-operator	Hanson Properties, Inc.		

GEOLOGY

Type of ore body	Placer, sedimentary.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Platinum, iridosmine, gold, ilmenite, chromite, magnetite, sperrylite, enstatite, rutile, tremolite, epidote, spinel, diamond, tourmaline, topaz, corundum.	Rock types	Gravel.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	On-site.
Type of operation	Placer.	Road requirement	None.
Year of discovery	1926.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral not in place.		
First production year	1927.		
Last production year	1984.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference	47,800,000 m ³	0.33 g/m ³ Pt.	1981	314.

REFERENCES

13, No. 547; 40, No. D-56; 120, pp. 10, 25; 121, pp. 5, 6, 14, 23, 31, 39; 122, p. 27; 187; 215, p. 50; 216, pp. 29-30; 217, p. 24, No. 8; 218, pp. 14, 18, 19, 22, 24, 27, 31; 244, p. 9, No. 206; 295, p. 11; 296, pp. 8, 12, 21; 302, p. 50, No. 6; 314; 414; 554, pp. 77, 79-88; 559, pp. 65-67; 568, pp. 127-128; 569, p. 26; 831, pp. 67-68; 833, p. 73; 834, p. 83; 835, pp. 62, 89; 836, pp. 61, 82-83; 837, pp. 76-77; 838, pp. 73-74.	USGS quadrangle map	Hagemeister Island (D-6), 15'.
	USBM MAS sequence No	0021230004.
	MSHA Mid No	5000338.
	USGS MRDS No	A001253.
	Alaska Kardex No	123-002, 123-004, 123-008, 123-019.

SALT CHUCK—PLATINUM GROUP

Alternate name: Donald P. Richter
Map location No.: 219

Commodities: PGM, Cu, Ag, Au, V, Fe

LOCATION-OWNERSHIP

Quadrangle	Craig.	Reference point	Entrance to underground workings.
Mining district	Ketchikan.	Meridian	Copper River.
Elevation	120 m.	Tract	Sec. 17, T 72 S, R 84 E.
Topography	Rugged.	Latitude	55°38'0" N.
Domain	National forest.	Longitude	132°33'30" W.
Owner	Orbex Minerals.		

GEOLOGY

Type of ore body	Disseminated.	Host formation	Coast Range Intrusives.
Origin	Magmatic differentiation.	Geologic age	Mesozoic.
Shape of ore body	Irregular.	Deformation	Intrusion, faulting.
Ore controls	Igneous, fracturing.	Age of deformation	Mesozoic.
Mineral names	Bornite, chalcocite, copper, chalcopyrite, covellite, gold, silver, palladium, platinum, augite, feldspar, magnetite, chlorite, epidote, pyrite.	Rock types	Gabbro, pyroxenite, diorite, basalt.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	Less than 3 km.
Type of operation	Surface-underground.	Road requirement	Less than 10 km.
Year of discovery	1905.	Distance to power supply	Less than 100 km.
Discovery method	Ore-mineral in place.		
First production year	1907.		
Last production year	1941.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Inferred	138,800 mt.	0.55 pct Cu, 2.74 g/mt Ag, 0.14 g/mt Au. North ore body; no PGM found in drill holes.	1945	349, p. 18.
Do	18,100 mt.	0.14 g/mt PGM, 0.92 pct Cu, 8.92 g/mt Ag, 0.86 g/mt Au. Middle ore body.		
Do	9,100 mt.	0.14 g/mt PGM, 0.50 pct Cu, 7.89 g/mt Ag, 0.28 g/mt Au. Southeast ore body.		

REFERENCES

40, No. F-58; 47, pp. 30, 73; 55, pp. 165-166; 56, p. 18, No. 50; 73, pp. 540-543; 74, pp. 30-31; 75, p. 96; 79, p. 22; 80, pp. 21, 23, 34-35; 81, pp. 13, 20; 85, pp. 18-19, 38; 86, p. 80; 95, p. 38; 105, pp. 17, 23; 106, pp. 69, 71; 116, p. 41; 117, pp. 319, 322-323, 351, 370; 118, pp. 1-2, 9; 120, p. 10; 121, pp. 15, 36, 39; 156, p. 86; 157, p. 65; 158, pp. 83, 85; 184; 231, pp. 183-188; 244, p. 10, No. 255; 256, pp. 34, 36; 268, pp. 1, 4; 295, p. 14; 339, p. 8; 349, pp. 1-18; 398, p. 22; 420, pp. 1-16; 425; 426; 485, p. 141; 490, p. 22; 533, p. 28; 534, pp. 23, 28; 554, pp. 76-77; 561, pp. 121-127; 600, pp. 10, 25-28, 33; 638, pp. 53-54, 62; 658; 748, pp. 3-6; 750, p. 2; 752, pp. 1-2; 753, p. 13; 784, pp. 333-334, 355, 358; 806; 823, pp. 20, 24-26; 824, pp. 10, 32-33, 39; 825, pp. 13, 51-52; 826, pp. 16, 59; 827, pp. 17, 59, 65; 828, pp. 15, 61-62, 67-68; 829, pp. 66-67; 830, pp. 63-64; 831, p. 69; 832, pp. 16-17, 66, 70; 833, pp. 17-18, 70, 74; 834, pp. 18, 80, 83-84; 835, pp. 20-21, 85, 89; 836, pp. 21, 83, 87; 837, pp. 19, 77, 80; 838, pp. 18-19, 74, 77; 851, pp. 29, 52; 904, p. 5; 917; 933, pp. 157, 159-160; 946, pp. 5, 37; 976, pp. 2-4; 983, p. 194; 987, p. 98; 990, pp. 77, 85-86, 99; 993, p. 79; 995, pp. 110-111; 998, pp. 125-126.	USGS quadrangle map	Craig (C-2), 15'.	
	USBM MAS sequence No	0021190135.	
	MSHA Mid No	Not available.	
	USGS MRDS No	A000877.	
	Alaska Kardex No	119-001, 119-069, 119-221, 119-222.	

SLATE CREEK—ASBESTOS

Alternate name: Helen Foster Discovery
Map location No.: 59

Commodity: asbestos

LOCATION-OWNERSHIP

Quadrangle	Eagle.	Reference point	Mineralized zone.
Mining district	Fortymile.	Meridian	Fairbanks.
Elevation	1,067 m.	Tract	Sec. 15, T 4 S, R 26 E.
Topography	Rugged.	Latitude	64°34'3" N.
Domain	Private.	Longitude	142°30'1" W.
Owner	Doyon, Ltd. (Tanana Asbestos).		

GEOLOGY

Type of ore body	Fissure vein, shear zone.	Host formation	Unnamed metamorphics.
Origin	Metamorphism.	Geologic age	Paleozoic.
Shape of ore body	Irregular.	Deformation	Metamorphism, faulting.
Ore controls	Fracturing, lithology.	Age of deformation	Mesozoic.
Mineral names	Chrysotile, antigorite.	Rock types	Serpentinite, quartzite.

DEVELOPMENT

Current status	Explored deposit.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	Less than 100 km.
Year of discovery	1968.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference	49,887,000 mt	6.35 pct asbestos	1981	659.
Do	55,339,000 mt	5.00 pct asbestos. Grade ranges 5-6 pct.	1984	295, p. 44.

REFERENCES

64; 120, p. 16; 121, pp. 18, 27; 295, p. 44, No. 59; 296, pp. 1, 12; 331; 659.	USGS quadrangle map	Eagle (C-4), 15'.
	USBM MAS sequence No	0020600017.
	MSHA Mid No	Not available.
	USGS MRDS No	A001027.
	Alaska Kardex No	060-189, 060-190, 060-191, 060-222.

SNIPE BAY—NICKEL

Alternate name: Snipe 899, 900, 976, 998, 1000
Map location No.: 196

Commodities: Ni, Cu, Ag, PGM, Co

LOCATION-OWNERSHIP

Quadrangle Port Alexander.	Reference point Mineralized zone.
Mining district Chichagof.	Meridian Copper River.
Elevation 145 m.	Tract Sec. 9, T 63 S, R 67 E.
Topography Rugged.	Latitude 56°25'25" N.
Domain National forest.	Longitude 134°57'17" W.
Owner Donald McDonald and David Johnson.	

GEOLOGY

Type of ore body Disseminated, massive.	Host formation Unnamed igneous.
Origin Magmatic differentiation.	Geologic age Pre-Jurassic.
Shape of ore body Tabular, irregular.	Deformation Metamorphism, intrusion.
Ore controls Igneous, lithology.	Age of deformation Pre-Jurassic.
Mineral names Pentlandite, chalcopyrite, pyrrhotite, pyrite, magnetite, hornblende, albite.	Rock types Gabbro, amphibolite.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1953.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Not reported in reference . . .	390,000 mt.	0.30 pct Ni, 0.30 pct Cu	1944	699, p. 328.
Inferred	390,100 mt.	0.30 pct Ni, 0.30 pct Cu, 4.50 g/mt Ag	1984	295, p. 46.

REFERENCES

74, pp. 31, 37; 115, pp. 72, 95, 106-107, 110, 113; 117, pp. 337, 348-351; 262, pp. 13, 39; 295, p. 46, No. 113; 468, p. 12; 638, p. 65; 699; 748, p. 5; 834, p. 98; 904, p. 7.	USGS quadrangle map Port Alexander (B-3), 15'. USBM MAS sequence No 0021160025. MSHA Mid No Not available. USGS MRDS No A002674. Alaska Kardex No 116-016, 116-032.
---	---

SPIRIT MOUNTAIN—NICKEL

Alternate name: Spirit Mountain Mng. Co.
Map location No.: 120

Commodities: Ni, Cu, Co, Ag, PGM

LOCATION-OWNERSHIP

Quadrangle Valdez.	Reference point Claim.
Mining district Nizina.	Meridian Copper River.
Elevation 1,189 m.	Tract Sec. 36, T 6 S, R 6 E.
Topography Very rugged.	Latitude 61°18'34" N.
Domain National wilderness.	Longitude 144°15'45" W.
Owner Valdez Mines Ltd.	

GEOLOGY

Type of ore body Disseminated, massive sulfide.	Host formation Unnamed igneous.
Origin Magmatic differentiation.	Geologic age Permian.
Shape of ore body Lenticular, irregular.	Deformation Faulting.
Ore controls Igneous, bedding.	Age of deformation Permian.
Mineral names Pentlandite, chalcopyrite, sphalerite, pyrite, pyrrhotite, bravoite, augite, enstatite, horn- blende, olivine, anorthite, chlorite, talc, tremolite, magnetite, limonite, serpentine.	Rock types Peridotite, pyroxenite.

DEVELOPMENT

Current status Explored prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 50 km.
Year of discovery 1907.	Distance to power supply Do.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Not reported in reference . . .	5,900 mt	1.32 pct Ni, 1.26 pct Cu, 0.18 pct Co. Grade determination required calculation by evaluator.	} 1945	478, pp. 55-56.
Do	15 mt	7.61 pct Ni, 1.56 pct Cu, 0.18 pct. Co. High-grade massive sulfide lens.		

REFERENCES

40, No. E-65; 47, pp. 70-71; 55, pp. 62, 64; 75, p. 97; 79, pp. 25, 43; 85, p. 40; 243, pp. 130-132; 244, p. 9, No. 200; 247; 262, pp. 13, 39; 269, p. 83, No. 151; 405, pp. 2, 5-6; 427, pp. 4-5, plates 1, 2; 450; 478, pp. 49-56; 522, p. 81, No. 52; 524, p. 19; 533, p. 23; 589, p. 105; 591, pp. 52-53; 613, pp. 103-104; 646; 655, pp. 2-8; 904, p. 7.	USGS quadrangle map Valdez (B-1), 15'. USBM MAS sequence No 0020860104. MSHA Mid No Not available. USGS MRDS No W000322. Alaska Kardex No 086-017, 086-149.
---	---

SUMDUM—COPPER

Alternate name: Sumdum Chief Discovery
Map location No.: 189

Commodities: Cu, Zn, Ag, Au

LOCATION-OWNERSHIP

Quadrangle	Sumdum.	Reference point	Claim.
Mining district	Juneau.	Meridian	Copper River.
Elevation	1,170 m.	Tract	Sec. 28, T 47 S, R 74 E.
Topography	Very rugged.	Latitude	57°46'20" N.
Domain	National wilderness.	Longitude	133°26'10" W.
Owner	Sumdum Development Corp.		

GEOLOGY

Type of ore body	Replacement, disseminated.	Host formation	Unnamed metamorphics.
Origin	Hydrothermal.	Geologic age	Pre-Permian.
Shape of ore body	Tabular, irregular, lenticular.	Deformation	Metamorphism, major folding, faulting, intrusion.
Ore controls	Faulting, folding.	Age of deformation	Pre-Permian.
Mineral names	Chalcopyrite, sphalerite, pyrite, pyrrhotite, hornblende, staurolite, almandite, quartz, andesine, biotite, muscovite.	Rock types	Hornfels, schist, gneiss, marble, amphibolite, lamprophyre, quartz diorite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	1958.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	1,697,000 mt	} 0.57 pct Cu, 0.37 pct Zn, 10.29 g/mt Ag	1977	71, p. 212.
Inferred	24,229,000 mt			

REFERENCES

40, No. F-33; 47, pp. 41-42; 55, pp. 189-190; 56, p. 122, Nos. 13-14; 71; 121; 212; 242, pp. 28-29; 269, p. 84; 294, p. 34; 295, p. 46, No. 106; 406, pp. 68-69; 507; 517; 638, pp. 63, 65; 924, p. 54.	USGS quadrangle map	Sumdum (D-5), 15'.
	USBM MAS sequence No	0021150003.
	MSHA Mid No	Not available.
	USGS MRDS No	A003398.
	Alaska Kardex No	115-050.

TOFTY TIN BELT—TIN

Alternate name: Woodchopper Creek
Map location No.: 39

Commodities: Sn, Au, Nb, Ta, Ag

LOCATION-OWNERSHIP

Quadrangle	Tanana.	Reference point	Mineralized zone.
Mining district	Hot Springs.	Meridian	Fairbanks.
Elevation	183 m.	Tract	Sec. 1, T 3 N, R 16 W.
Topography	Rugged.	Latitude	65°5'45" N.
Domain	State.	Longitude	150°52'45" W.
Owner-operator	Jack Neubauer.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Cassiterite, gold, quartz, tourmaline, pyrite, ilmenite, magnetite, picotite, zircon, feld- spar, hypersthene, apatite, epidote, brookite, anatase, monazite, barite, garnet, sphene, diopside, augite, copper.	Rock types	Gravel, silt.

DEVELOPMENT

Current status	Past producer.	Distance to water supply	Less than 3 km.
Type of operation	Placer.	Road requirement	None.
Year of discovery	1906.	Distance to power supply	Less than 100 km.
Discovery method	Ore-mineral not in place.		
First production year	1911.		
Last production year	1982.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	1,162,000 m ³	1561.00 g/m ³ Sn, 0.57 g/m ³ Au. Indicated reserves are placers.	1961	886, p. 55.
Inferred	963,000 m ³	573.00 g/m ³ Sn. Inferred reserves are tailings.		

REFERENCES

40, No. B-30; 121, p. 31; 215; 269, p. 81, No. 72; 295, p. 26; 302; 886; 892; 949.	USGS quadrangle map	Tanana (A-2), 15'
	USBM MAS sequence No	0020480032.
	MSHA Mid No	5000299.
	USGS MRDS No	A003583.
	Alaska Kardex No	048-003, 048-007, 048-009, 048-010, 048-013, 048-019, 048-038, 048-039, 048-071, 048-073, 048-074, 048-075, 048-076, 048-077, 048-078, 048-079, 048-127, 048-133

TOZIMORAN CREEK—GOLD

Alternate name: Moraine Creek
Map location No.: 37

Commodities: Au, Sn

LOCATION-OWNERSHIP

Quadrangle Tanana.	Reference point Claim.
Mining district Melozitna.	Meridian Fairbanks.
Elevation 274 m.	Tract Sec. 1, T 6 N, R 26 W.
Topography Rugged.	Latitude 65°22'45" N.
Domain State.	Longitude 152°48'2" W.

Owner-operator I. W. Purkeypile and David Purkey.

GEOLOGY

Type of ore body Placer.	Host formation Alluvium.
Origin Sedimentation.	Geologic age Quaternary.
Shape of ore body Tabular, irregular.	Deformation Not available.
Ore controls Bedding.	Age of deformation Do.
Mineral names Gold, cassiterite, magnetite, limonite, quartz.	Rock types Gravel, silt.

DEVELOPMENT

Current status Past producer.	Distance to water supply On-site.
Type of operation Placer.	Road requirement Less than 50 km.
Year of discovery 1902.	Distance to power supply More than 100 km.
Discovery method Ore-mineral not in place.	
First production year 1902.	
Last production year 1957.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	6,800 m ³	} 0.93 g/m ³ Au, 332.00 g/m ³ Sn	1945	919, p. 15.
Inferred	6,800 m ³			

REFERENCES

<p>40, No. B-29; 55, p. 236; 93, p. 46; 120, p. 24; 162, pp. 14-20, 22, 24-32; 213; 215; 216, p. 91; 295, p. 26; 302; 827, p. 40; 828, pp. 42, 70; 829, p. 41; 832, p. 45; 833, p. 47; 888; 919; 953, p. 35; 955, p. 97.</p>	<p>USGS quadrangle map Tanana (B-6), 15'. USBM MAS sequence No 0020480011. MSHA Mid No Not available. USGS MRDS No A003586. Alaska Kardex No 048-055.</p>
--	---

TRACY GROUP—ZINC

Alternate name: Tracy 1-24
Map location No.: 187

Commodities: Zn, Cu, Pb, Ag, Au

LOCATION-OWNERSHIP

Quadrangle	Sumdum.	Reference point	Mineralized zone.
Mining district	Juneau.	Meridian	Copper River.
Elevation	303 m.	Tract	Sec. 10, T 46 S, R 73 E.
Topography	Very rugged.	Latitude	57°54'0" N.
Domain	National wilderness.	Longitude	133°33'50" W.
Owner-operator	Ray Renshaw and Associates.		

GEOLOGY

Type of ore body	Shear zone, fissure vein, replacement.	Host formation	Unnamed metamorphics.
Origin	Metasomatic, hydrothermal.	Geologic age	Triassic.
Shape of ore body	Tabular.	Deformation	Metamorphism, major folding, faulting, intrusion.
Ore controls	Contact zone, igneous.	Age of deformation	Mesozoic.
Mineral names	Sphalerite, chalcopyrite, galena, pyrite, marcasite, pyrrhotite, magnetite.	Rock types	Schist, phyllite, quartz diorite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	On-site.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	1916.	Distance to power supply	More than 100 km.
Discovery method	Ore-mineral in place.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Indicated	6,350 mt.	} 4.10 pct Zn, 1.50 pct Cu, 34.30 g/mt Ag, 0.34 g/mt Au.	1946	350, p. 10.
Inferred	127,000 mt.			

REFERENCES

40, No. F-32; 56, p. 121, No. 9; 71, pp. 4, 114, 128-129, 200-203; 115, pp. 130-131; 117, pp. 69-70; 158, p. 99; 212; 242, pp. 34, 35; 350, pp. 41-42; 406, pp. 68-74; 549; 904, p. 6; 910.	USGS quadrangle map	Sumdum (D-5), 15'.
	USBM MAS sequence No	0021150002.
	MSHA Mid No	Not available.
	USGS MRDS No	Do.
	Alaska Kardex No	115-057B, 115-057C, 115-065, 115-067.

UNION BAY—CHROMIUM

Alternate name: Doris Group
Map location No.: 223

Commodities: Cr, Fe, PGM, V

LOCATION-OWNERSHIP

Quadrangle	Craig.	Reference point	Mineralized zone.
Mining district	Ketchikan.	Meridian	Copper River.
Elevation	579 m.	Tract	Sec. 25, T 70 S, R 86 E.
Topography	Rugged.	Latitude	55°46'36" N.
Domain	National forest.	Longitude	132°9'0" W.
Owner-operator	U.S. Steel.		

GEOLOGY

Type of ore body	Massive, disseminated.	Host formation	Unnamed ultramafics.
Origin	Magmatic differentiation.	Geologic age	Mesozoic.
Shape of ore body	Lenticular, irregular.	Deformation	Intrusion, faulting.
Ore controls	Fracturing, igneous.	Age of deformation	Mesozoic.
Mineral names	Chromite, magnetite, serpentine, augite, olivine.	Rock types	Dunite, pyroxenite.

DEVELOPMENT

Current status	Explored prospect.	Distance to water supply	Less than 3 km.
Type of operation	Prospect.	Road requirement	Less than 10 km.
Year of discovery	Not available.	Distance to power supply	Less than 100 km.
Discovery method	Do.		
First production year	Not applicable.		
Last production year	Do.		

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Indicated	23 mt	27.01 pct Cr ₂ O ₃ , 37.37 pct FeO. Reserve figure consists of locality B only.	1946	471, p. 83.

REFERENCES

40, No. F-61; 55, p. 183; 56, p. 35, No. 167; 73, pp. 540, 542-545; 117, pp. 351-352; 184; 231, pp. 212-213; 244, p. 10, No. 256; 246, p. 81; 256, p. 10, 35-36; 322, p. 5; 415; 468, p. 11; 471, pp. 80-83; 638, p. 6; 771; 904, p. 11; 933, pp. 159-160; 942, pp. 227-231; 987, p. 102.	USGS quadrangle map	Craig (D-1), 15'.
	USBM MAS sequence No	0021190112.
	MSHA Mid No	5000050.
	USGS MRDS No	A000903.
	Alaska Kardex No	119-005, 119-017, 119-021, 119-210, 119-213, 119-271.

VALDEZ CREEK—GOLD

Alternate name: Tammany Channel
Map location No.: 74

Commodities: Au, Ag

LOCATION-OWNERSHIP

Quadrangle	Healy.	Reference point	Mineralized zone.
Mining district	Valdez Creek.	Meridian	Fairbanks.
Elevation	790 m.	Tract	Sec. 13, T 20 S, R 1 E.
Topography	Hilly.	Latitude	63°10'45" N.
Domain	BLM-administered.	Longitude	147°27'50" W.
Owner-operator	Valdez Creek Joint Venture.		

GEOLOGY

Type of ore body	Placer.	Host formation	Alluvium.
Origin	Sedimentation.	Geologic age	Quaternary.
Shape of ore body	Irregular.	Deformation	Not available.
Ore controls	Bedding.	Age of deformation	Do.
Mineral names	Gold, chromite, magnetite, serpentine, augite, olivine.	Rock types	Gravel.

DEVELOPMENT

Current status	Producer.	Distance to water supply	On-site.
Type of operation	Placer.	Road requirement	None.
Year of discovery	1903.	Distance to power supply	On-site.
Discovery method	Ore-mineral not in place.		
First production year	1903.		
Last production year	Not available.		

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Measured	357,000 m ³	4.27 g/m ³ Au, 0.73 g/m ³ Ag	1984	295, p. 26.

REFERENCES

- | | | |
|--|--------------------------------|---|
| 40. No. E-21; 76, p. 67; 77, p. 49; 78, p. 56; 79, p. 49; 80, p. 39; 93, pp. 37-38; 94, p. 52; 95, pp. 42-43; 98, p. 44; 105, p. 32; 106, p. 78; 107, pp. 167-169; 120, pp. 12, 17, 26; 130, p. 137; 146, p. 36; 166; 215; 216, pp. 11-12; 295, pp. 12, 17, 26; 469, pp. 1, 5; 490, p. 12; 522; 533, p. 22; 551, pp. 117-118; 596, pp. 53-54, 56-62; 604, pp. 159-160; 607; 615, pp. 119-121; 766, pp. 427-428, 437, 444-453; 824, p. 18; 825, p. 23; 826, p. 26; 827, p. 31; 828, p. 29; 829, pp. 29-30; 830, p. 28; 831, p. 32; 832, p. 34; 833, p. 37; 835, p. 42; 836, p. 40; 837, p. 36; 838, p. 36; 852, pp. 42-43; 901, pp. 122-127; 931. | USGS quadrangle map | Healy (A-1), 15'. |
| | USBM MAS sequence No | 0020670007. |
| | MSHA Mid No | 5001107. |
| | USGS MRDS No | A001335. |
| | Alaska Kardex No | 067-004, 067-005, 067-009, 067-012, 067-015, 067-016, 067-019, 067-024, 067-025, 067-029, 067-031, 067-034, 067-035, 067-037, 067-043, 067-112, 067-133, 067-135, 067-139, 067-169, 067-170, 067-185, 067-187, 067-217, 067-220, 067-243, 067-244, 067-248, 067-257, 067-259, 067-260, 067-294. |

WACHUSETT INLET—MOLYBDENUM

Alternate name: Not available
Map location No.: 162

Commodities: Mo, Cu, Ag

LOCATION-OWNERSHIP

Quadrangle Mount Fairweather.	Reference point Mineralized zone.
Mining district Juneau.	Meridian Copper River.
Elevation 30 m.	Tract Sec. 2, T 34 S, R 54 E.
Topography Very rugged.	Latitude 58°57'16" N.
Domain National wilderness.	Longitude 136°21'11" W.
Owner U.S. Park Service.	

GEOLOGY

Type of ore body Fissure vein.	Host formation Unnamed igneous.
Origin Hydrothermal.	Geologic age Cretaceous.
Shape of ore body Tabular.	Deformation Faulting, metamorphism, intrusion.
Ore controls Fracturing.	Age of deformation Cretaceous.
Mineral names Molybdenite, chalcopyrite, sphalerite, chlorite, epidote, goethite, gold, hornblende, ortho- clase, magnetite, albite, pyrite, pyrrhotite, quartz, biotite, zircon.	Rock types Granite, quartz diorite, andesite, pegmatite.

DEVELOPMENT

Current status Raw prospect.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1966.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

<i>Class</i>	<i>Quantity</i>	<i>Grade</i>	<i>Year</i>	<i>Reference</i>
Inferred	726 mt	0.01 pct Mo, 0.44 pct, Cu, 1.17 g/mt Ag	1978	72, p. C307.

REFERENCES

72, pp. C307-C309, plates 1A, 1B, 2; 198; 236, p. 67; 519, pp. 53, 78.	USGS quadrangle map Mount Fairweather (D-2), 15'.
	USBM MAS sequence No 0021110047.
	MSHA Mid No Not available.
	USGS MRDS No A002122.
	Alaska Kardex No Not available.

YAKOBI ISLAND—COPPER

Alternate name: Bohemia Basin
Map location No.: 178

Commodities: Cu, Ni, Co

LOCATION-OWNERSHIP

Quadrangle Sitka.	Reference point Claim.
Mining district Chichagof.	Meridian Copper River.
Elevation 275 m.	Tract Sec. 12, T 45 S, R 55 E.
Topography Rugged.	Latitude 57°58'40" N.
Domain National forest.	Longitude 136°25'25" W.
Owner-operator Galactic Resources Ltd.	

GEOLOGY

Type of ore body Disseminated, massive sulfide.	Host formation Unnamed diorite group.
Origin Magmatic differentiation.	Geologic age Mesozoic.
Shape of ore body Massive, tabular.	Deformation Intrusion, metamorphism.
Ore controls Igneous.	Age of deformation Mesozoic.
Mineral names Chalcopyrite, pentlandite, pyrrhotite, magnetite.	Rock types Gabbro, norite, diorite, quartz diorite.

DEVELOPMENT

Current status Explored deposit.	Distance to water supply Less than 3 km.
Type of operation Prospect.	Road requirement Less than 10 km.
Year of discovery 1921.	Distance to power supply More than 100 km.
Discovery method Ore-mineral in place.	
First production year Not applicable.	
Last production year Do.	

PUBLISHED RESERVES-RESOURCES

Class	Quantity	Grade	Year	Reference
Indicated	21,860,000 mt	0.18 pct Cu, 0.31 pct Ni, 0.04 pct. Co.	1978	435, pp. 1-2.
Not reported in reference	19,958,000 mt	0.21 pct Cu, 0.33 pct Ni, 0.04 pct Co. Cu grade ranges 0.21-0.27 pct, Ni 0.33-0.51 pct.	1984	295, p. 46, No. 103

REFERENCES

40, No. F-19; 49; 55, pp. 143-144; 56, p. 98, No. 2-3; 112; 115, pp. 95, 98-105, 113; 117, pp. 348-351, 373, 389; 120, p. 10; 121, pp. 15, 26, 39, 43; 208; 240, pp. 20-21; 244, p. 10, No. 241; 262, pp. 13, 36-37; 269, p. 84, No. 219; 295, pp. 14, 46, No. 103; 296, pp. 8, 15; 298; 347; 419; 472, pp. 42-43, 45-56; 503, p. 91; 638, p. 65; 652; 698, pp. 118-125, 127-130, 132-138; 722; 729, p. 1; 748, p. 2; 804, p. 7; 836, p. 104; 864; 904, p. 7.	USGS quadrangle map Sitka (D-8), 15'. USBM MAS sequence No 0021140017. MSHA Mid No Not available. USGS MRDS No A003149. Alaska Kardex No 114-003, 114-014, 114-020, 114-124A, 114-153A.
---	--

REFERENCES

1. Agocs, W.B. Admiralty-Alaska Gold Manufacturing Company (Funter Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-13, 1955, 13 pp.
2. Ahrenstedt, H. Point Astley Claims. AK Territorial Dep. Mines Misc. Rep. MR-115-3, 1927, 6 pp.
3. Alaska Business and Industry. U.S. Borax Molybdenum Mine Awaits Final Federal Go-Ahead. V. 14, No. 7, 1982, pp. 17-19.
4. Alaska Construction and Oil. Alaska Gold: Busy at Nome. V. 18, No. 5, 1977, pp. 36-42.
5. _____. Alaska Gold Co. Begins 2nd Season With 2 Dredges. V. 17, No. 6, 1976, pp. 42-43.
6. _____. Mining and Molybdenum Deposit. V. 17, No. 5, 1976, p. 92.
7. _____. Quartz Hill. V. 22, No. 9, 1981, pp. 12-16.
8. _____. Winter Construction Preview 1976-1977. V. 17, No. 9, 1976, pp. 16, 18.
9. _____. Alaska Department of Commerce and Economic Development, Office of Energy. Alaska's Energy Plan—1985. V. 1, 1985, 198 pp.
10. Alaska Department of Revenue. Mine License Application. 1982, 4 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
11. _____. Mine License Application. 1983, 4 pp.; available from D. W. Baggs, BuMines, Juneau, AK.
12. _____. Mine License Application. 1984, 4 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
13. _____. Mine License Application. 1985, 4 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
14. Alaska Department of Transportation and Public Facilities. State Transportation Policy Plan. Nov. 1982, 236 pp.
15. Alaska Division of Geological and Geophysical Surveys. Annual Report 1972. 1973, 57 pp.
16. _____. Annual Report 1973. 1974, 59 pp.
17. _____. Firm Wants To Develop New Mine at Old Site. Mines and Geol. Bull., v. 34, No. 2, 1985, pp. 7-8.
18. _____. Paul Pieper Claims, North Bradfield River. Misc. Rep. MR-118-3, 1961, 62 pp.
19. Alaska Economic Report (Anchorage). Alaska Mineral Exploration Increasing, but Land Uncertainties Cloud Future. May 15, 1979, p. 7.
20. _____. Officials With U.S. Borax, the Company. Nov. 1, 1976, p. 2.
21. _____. U.S. Borax Find Near Ketchikan: State Delaying Mine Development. Mar. 15, 1977, p. 1.
22. _____. Alaska From the Inside. At a Meeting With Officials in Juneau Recently. Feb. 9, 1977, p. 3.
23. _____. Quartz Hill Deposit May Be World's Largest. Jan. 9, 1980, pp. 1-2.
24. _____. Sunshine Mining Company Has Released Assays on Its Copper Prospect. Nov. 26, 1975, p. 2.
25. _____. U.S. Borax Now Plans Two Contracts. Dec. 28, 1977, p. 1.
26. _____. U.S. Borax Reports 1979 Activity. Dec. 5, 1979, p. 3.
27. Alaska Industry. Borax Confirms Moly Find. V. 8, No. 4, 1976, p. 17.
28. _____. Officials See New Developments in Alaska Minerals. V. 3, No. 8, 1971, p. 26.
29. Alaska Journal of Commerce (Anchorage). Borax Needs Multiple Use. Sept. 3, 1979, p. 1.
30. _____. Borax Ups Its Estimate. Jan. 22, 1979, p. 2.
31. _____. Business Briefs: Ketchikan. Jan 7, 1980, p. 1.
32. _____. Gold Found on Cook. Feb. 27, 1984, p. 9.
33. Alaska Territorial Department of Mines. Kensington Mines Company (Berners Bay). Misc. Rep. MR-112-2, undated, 112 pp.
34. _____. Silver, Lead, and Zinc in Alaska. Misc. Rep. MR-195-3, undated, 34 pp.
35. _____. Summary Report of the Mining Survey Team for Alaska. Misc. Rep. MR-195-35, 1962, 31 pp.
36. Allen, A.W. (ed.). The Alaska Juneau Enterprise. Eng. and Min. J., v. 133, No. 9, 1932, pp. 459-503.
37. Anderson, E. Mineral Occurrences Other Than Gold Deposits in Northwestern Alaska. AK Territorial Dep. Mines Pam. 5-R, 1947, 48 pp.
38. Andrews, S. Companies Discover Minerals in Brooks. Anchorage Daily Times, Sept. 13, 1977, pp. 1, 3.
39. Apell, G.A., A.E. Erickson, and A.W. Tolonen. Muir Inlet or Nunatak Molybdenum Deposits, Glacier Bay, Southeastern Alaska. BuMines War Miner. Rep. 300, 1943, 4 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
40. Arctic Environmental Information and Data Center (Anchorage, AK). Mineral Terranes of Alaska; 1982. 1982, scale 1:1,000,000.
41. Arthur D. Little, Inc. 1983 Energy Report. AK Div. Energy and Power Dev., 1983, 237 pp.
42. Asher, R.R. Geologic and Geochemical Study, Solomon C-5 Quadrangle Seward Peninsula. AK Div. Geol. and Geophys. Surv. Geol. Rep. 33, 1969, 64 pp.
43. _____. Geology and Geochemistry of Part of the Iron Creek Area, Solomon D-6 Quadrangle, Seward Peninsula. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 18, 1969, 19 pp.
44. Atwood, W.W. Geology and Mineral Resources of Parts of the Alaska Peninsula. U.S. Geol. Surv. Bull. 467, 1911, 137 pp.
45. _____. Mineral Resources of Southwestern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 108-152.
46. Babitzke, H.R., A.F. Barsotti, J.S. Coffman, J.G. Thompson, and H.J. Bennett. The Bureau of Mines Minerals Availability System: An Update of Information Circular 8654. BuMines IC 8887, 1982, 54 pp.
47. Bain, H.F. Alaska's Minerals as a Basis for Industry. BuMines IC 7379, 1946, 89 pp.
48. Barker, J.C. Mineral Investigations of Certain Lands in the Eastern Brooks Range. BuMines OFR 37-81, 1981, 288 pp.
49. Barker, J.C., J.C. Still, T.C. Mowatt, and J.J. Mulligan. Critical and Strategic Minerals in Alaska: Cobalt, the Platinum-Group Metals, and Chromite. BuMines IC 8869, 1981, 8 pp.
50. Barry, M.J. A History of Mining on the Kenai Peninsula. AK Northwest Publ. Co., Anchorage, 1973, 214 pp.
51. Bateman, A.M. Geology of the Beatson Copper Mine, Alaska. Econ. Geol. and Bull. Soc. Econ. Geol., v. 19, No. 4, 1924, pp. 338-368.
52. Bates, R.G., and H. Wedow, Jr. Preliminary Summary Review of Thorium-Bearing Mineral Occurrences in Alaska. U.S. Geol. Surv. Circ. 202, 1953, 13 pp.
53. Becker, G.F. Reconnaissance of the Gold Fields of Southern Alaska, With Some Notes on General Geology. Ch. in Eighteenth Annual Report of the United States Geological Survey, Part III. U.S. Geol. Surv., 1898, pp. 1-86.
54. Berg, H.C. Geologic Map of Annette Island, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-684, 1972, 8 pp.
55. Berg, H.C., and E.H. Cobb. Metalliferous Lode Deposits of Alaska. U.S. Geol. Surv. Bull. 1246, 1967, 254 pp.
56. Berg, H.C., J.E. Decker, and B.S. Abramson. Metallic Mineral Deposits of Southeastern Alaska. U.S. Geol. Surv. Open File Rep. 81-122, 1981, 142 pp., 1 sheet.
57. Berg, H.C., and D.J. Grybeck. Upper Triassic Volcanogenic Zn-Pb-Ag-Cu-Au Mineral Deposits Near Petersburg, Alaska. U.S. Geol. Surv. Open File Rep. 80-527, 1980, 9 pp.
58. Bilbery, J.H., Jr. Cobalt. A Materials Survey. BuMines IC 8103, 1962, 140 pp.
59. Birch, S. Geology and Mining Methods of Beatson Mine. Trans. AIME, v. 72, 1925, pp. 147-153.
60. Bird, M.L. Electron-Microprobe Analysis of Chromite and Olivine From Alpine Ultramafic Complexes. U.S. Geol. Surv. Open File Rep. 77-236, 1977, 66 pp.
61. Bjorklund, S.C. Decoursey Mountain Mercury Deposit, Iditarod District, Alaska. BuMines War Miner. Rep. 223, 1944, 13 pp.; available from D.W. Baggs, BuMines, Juneau, AK.

62. Boadway, E.A. Mikado Mine (Little Squaw Area). AK Territorial Dep. Mines Misc. Rep. MR-31-7, 1933, 35 pp.
63. _____. Sulzer Properties (Endicott Range). AK Territorial Dep. Mines Misc. Rep. MR-31-6, 1932, 25 pp.
64. Bottge, R.G. Comparative Asbestos Mining and Processing Costs—Alaska Versus Yukon Territory. BuMines IC 8672, 1975, 33 pp.
65. _____. Comparative Porphyry Copper Mining and Processing Costs—Alaska and Arizona. BuMines IC 8656, 1974, 55 pp.
66. Brabb, E.E., and M. Churkin, Jr. Geologic Map of the Charley River Quadrangle, East-Central Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-573, 1970, scale 1:250,000.
67. Bradley, P.R. Estimation of Ore Reserves and Mining Methods in Alaska Juneau Mine. Trans. AIME, v. 72, 1925, pp. 100-121.
68. _____. Milling Practice at the Alaska Juneau Concentrator. BuMines IC 6236, 1930, 16 pp.
69. _____. Mining Methods and Costs, Alaska-Juneau Gold Mining Co., Juneau, Alaska. BuMines IC 6186, 1929, 18 pp.
70. _____. The Story of the Successful Alaska Juneau Mine. Western Min. News, Sept. 1935, pp. 11-13.
71. Brew, D.A., D.J. Grybeck, B. R. Johnson, and R.C. Jachens. Mineral Resources of the Tracy Arm-Fords Terror Wilderness Study Area and Vicinity, Alaska. U.S. Geol. Surv. Open File Rep. 77-649, 1977, 467 pp., 4 sheets.
72. Brew, D.A., B.R. Johnson, D.J. Grybeck, A. Griscom, and D.F. Barnes. Mineral Resources of the Glacier Bay National Wilderness Study Area, Alaska. U.S. Geol. Surv. Open File Rep. 78-494, 1978, 670 pp., 7 sheets.
73. Brobst, D.A., and W.P. Pratt (eds.). United States Mineral Resources. U.S. Geol. Surv. Prof. Paper 820, 1973, 722 pp.
74. Brooks, A.H. Alaska's Mineral Resources and Production, 1923. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1923. U.S. Geol. Surv. Bull. 773, 1925, pp. 1-52.
75. _____. Alaska's Mineral Supplies. Ch. in Our Mineral Supplies. U.S. Geol. Surv. Bull. 666, 191, pp. 89-102.
76. _____. The Alaskan Mining Industry in 1913. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 45-74.
77. _____. The Alaskan Mining Industry in 1914. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 15-68.
78. _____. The Alaskan Mining Industry in 1915. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1915. U.S. Geol. Surv. Bull. 642, 1916, pp. 16-71.
79. _____. The Alaskan Mining Industry in 1916. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 11-62.
80. _____. The Alaskan Mining Industry in 1920. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1920. U.S. Geol. Surv. Bull. 722, 1922, pp. 1-74.
81. _____. The Alaskan Mining Industry in 1921. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1921. U.S. Geol. Surv. Bull. 739, 1923, pp. 1-50.
82. _____. Antimony Deposits of Alaska. U.S. Geol. Surv. Bull. 649, 1916, 67 pp.
83. _____. The Circle Precinct, Alaska. Ch. in Report of Progress of Investigations of Mineral Resources of Alaska in 1906. U.S. Geol. Surv. Bull. 314, 1907, pp. 187-204.
84. _____. The Distribution of Mineral Resources in Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 18-29.
85. _____. The Future of Alaska Mining. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 5-57.
86. _____. Geologic Features of Alaskan Metalliferous Lodes. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 43-93.
87. _____. Gold Deposits Near Valdez. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 108-130.
88. _____. Mineral Resources of Alaska, Report on Progress of Investigations in 1912. U.S. Geol. Surv. Bull. 542, 1913, 308 pp.
89. _____. Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, 469 pp.
90. _____. Mineral Resources of Alaska, Report on Progress of Investigations in 1922. U.S. Geol. Surv. Bull. 755, 1924, 222 pp.
91. _____. The Mining Industry in 1905. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1905. U.S. Geol. Surv. Bull. 284, 1906, pp. 4-9.
92. _____. The Mining Industry in 1906. Ch. in Report of Progress of Investigations of Mineral Resources of Alaska in 1906. U.S. Geol. Surv. Bull. 314, 1907, pp. 19-39.
93. _____. The Mining Industry in 1907. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 30-53.
94. _____. The Mining Industry in 1908. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 21-62.
95. _____. The Mining Industry in 1909. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 20-46.
96. _____. The Mining Industry in 1910. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 21-42.
97. _____. The Mining Industry in 1911. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 17-44.
98. _____. The Mining Industry in 1912. Ch. in A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Bull. 542, 1913, pp. 18-51.
99. _____. Placer Mining in Alaska in 1904. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1904. U.S. Geol. Surv. Bull. 259, 1905, pp. 18-31.
100. _____. Preliminary Report on the Ketchikan Mining District, Alaska, With an Introductory Sketch of the Geology of Southeastern Alaska. U.S. Geol. Surv. Prof. Paper 1, 1902, 120 pp.
101. _____. Preliminary Report on the Tolovana District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1915. U.S. Geol. Surv. Bull. 642, 1916, pp. 201-209.
102. _____. A Reconnaissance From Pyramid Harbor to Eagle City, Alaska, Including a Description of Copper Deposits of the Upper White and Tanana Rivers. Ch. in Twenty-first Annual Report of the United States Geological Survey, Part II. U.S. Geol. Surv., 1900, pp. 331-391.
103. Brooks, A.H., and others. Report on Progress of Investigations of Mineral Resources of Alaska in 1904. U.S. Geol. Surv. Bull. 259, 1905, pp. 196 pp.
104. _____. Report on Progress of Investigations of Mineral Resources of Alaska in 1905. U.S. Geol. Surv. Bull. 284, 1906, 169 pp.
105. Brooks, A.H., and S.R. Capps. The Alaskan Mining Industry in 1922. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1922. U.S. Geol. Surv. Bull. 755, 1924, pp. 1-56.
106. Brooks, A.H., and G.C. Martin. The Alaskan Mining Industry in 1919. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 59-95.
107. Brooks, A.H., and L.M. Prindle. The Mount McKinley Region, Alaska. U.S. Geol. Surv. Prof. Paper 70, 1911, 234 pp.
108. Brooks, A.H., G.B. Richardson, A.J. Collier, and W.C. Mendenhall. Reconnaissance in the Cape Nome and Norton Bay Regions, Alaska, in 1900. U.S. Geol. Surv. Spec. Publ., 1900, 222 pp.
109. Brosge, W.P., and H. N. Reiser. Geochemical Reconnaissance in the Wiseman and Chandalar Districts and Adjacent Region, Southern Brooks Range, Alaska. U.S. Geol. Surv. Prof. Paper 709, 1927, 21 pp.
110. _____. Geologic Map and Section of the Chandalar Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-375, 1964, scale 1:250,000.
111. Brown J.S. The Nixon Fork Country. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1924. U.S. Geol. Surv. Bull. 783, 1926, pp. 97-144.
112. Buddington, A.F. Alaskan Nickel Minerals. Econ. Geol. and Bull. Soc. Econ. Geol., v. 19, No. 6, 1924, pp. 521-541.

113. _____. Geology of Hyder and Vicinity, Southeastern Alaska, With a Reconnaissance of Chickamin River. U.S. Geol. Surv. Bull. 807, 1929, 124 pp.
114. _____. Mineral Deposits of the Wrangell District, Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1921. U.S. Geol. Surv. Bull. 739, 1923, pp. 51-75.
115. _____. Mineral Investigations in Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1923. U.S. Geol. Surv. Bull. 773, 1925, pp. 71-139.
116. _____. Mineral Investigations in Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1924. U.S. Geol. Surv. Bull. 783, 1926, pp. 41-62.
117. Buddington, A.F., and T. Chapin. Geology and Mineral Deposits of Southeastern Alaska. U.S. Geol. Surv. Bull. 800, 1929, 398 pp.
118. Bufvers, J. History of Mines and Prospects, Ketchikan District, Prior to 1952. AK Div. Geol. and Geophys. Surv. Spec. Rep. 1, 1967, 32 pp.
119. Bundtzen, T.K. Alaska's Strategic Minerals. AK Geogr. Q., v. 9. No. 4, 1982, pp. 52-73.
120. Bundtzen, T.K., G.R. Eakins, J.G. Clough, L.L. Lueck, C.B. Green, M.S. Robinson, and D.A. Coleman. Alaska's Mineral Industry—1983. AK Div. Geol. and Geophys. Surv. Spec. Rep. 33, 1984, 56 pp.
121. Bundtzen, T.K., G.R. Eakins, and C.N. Conwell. Review of Alaska's Mineral Resources. AK Div. Geol. and Geophys. Surv. and AK Dep. Commer. and Econ. Dev., 1982, 52 pp.
122. Bundtzen, T.K., G.R. Eakins, C.B. Green, and L.L. Lueck. Alaska's Mineral Industry—1985. AK Div. Geol. and Geophys. Surv. Spec. Rep. 39, 1986, 68 pp.
123. Burand, W.M. Foster Lead Prospect (Hannum Creek). AK Territorial Dep. Mines Prop. Exam. PE-44-2, 1957, 8 pp.
124. _____. Geochemical Investigations of Selected Areas in the Yukon-Tanana Region of Alaska, 1965 and 1966. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 13, 1968, 51 pp.
125. Byers, F.M., Jr. Tungsten Deposits in the Fairbanks District, Alaska. U.S. Geol. Surv. Bull. 1024-I, 1957, pp. 179-216.
126. Byers, F.M., Jr., and C.L. Sainsbury. Tungsten Deposits of the Hyder District, Alaska. U.S. Geol. Surv. Bull. 1024-F, 1957, pp. 123-140.
127. Cady, W.M., R.E. Wallace, J.M. Hoare, and E.J. Webber. The Central Kuskokwim Region, Alaska. U.S. Geol. Surv. Prof. Paper 268, 1955, 132 pp.
128. Capps, S.R. The Chisana-White River District, Alaska. U.S. Geol. Surv. Bull. 630, 1916, 130 pp.
129. _____. The Eastern Portion of Mount McKinley National Park. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1930. U.S. Geol. Surv. Bull. 836, 1933, pp. 219-300.
130. _____. Geology and Mineral Resources of the Region Traversed by the Alaska Railroad. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1922. U.S. Geol. Surv. Bull. 755, 1924, pp. 73-150.
131. _____. Gold Lode Mining in the Willow Creek District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 177-186.
132. _____. Gold Lodes and Placers of the Willow Creek District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 245-272.
133. _____. Gold Mining in the Willow Creek District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1915. U.S. Geol. Surv. Bull. 642, 1916, pp. 195-200.
134. _____. The Kantishna Region, Alaska. U.S. Geol. Surv. Bull. 687, 1919, 118 pp.
135. _____. Kodiak and Adjacent Islands. U.S. Geol. Surv. Bull. 880-C, 1937, pp. 111-184.
136. _____. Kodiak and Vicinity. U.S. Geol. Surv. Bull. 868-B, 1937, pp. 93-134.
137. _____. Mineral Investigations in the Alaska Railroad Belt, 1931. U.S. Geol. Surv. Bull. 844-B, 1933, pp. 119-135.
138. _____. Mineral Resources of the Chisana-White River District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 189-228.
139. _____. Mineral Resources of the Kantishna Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 279-331.
140. _____. Mineral Resources of the Upper Chulitna Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 207-232.
141. _____. The Southern Alaska Range. U.S. Geol. Surv. Bull. 862, 1935, 101 pp.
142. _____. The Toklat-Tonzona River Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1925. U.S. Geol. Surv. Bull. 792, 1927, pp. 73-110.
143. _____. The Willow Creek District, Alaska. U.S. Geol. Surv. Bull. 607, 1915, 86 pp.
144. Capps, S.R., and B.L. Johnson. The Ellamar District, Alaska. U.S. Geol. Surv. Bull. 605, 1915, 125 pp.
145. _____. Mineral Deposits of the Ellamar District. Ch. in A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Bull. 542, 1913, pp. 86-124.
146. Carnes, R.D. Active Alaskan Placer Operations, 1975. BuMines OFR 98-76, 1976, 86 pp.
147. _____. Carr, M.S., and C.E. Dutton. Iron-Ore Resources of the United States Including Alaska and Puerto Rico, 1955. U.S. Geol. Surv. Bull. 1082-C, 1959, pp. 61-134.
148. Carter, C. (ed.). United States Geological Survey Alaska Program, 1974. U.S. Geol. Surv. Circ. 700, 1974, 63 pp.
149. Cass, J.T. Reconnaissance Geologic Map of the Candle Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-287, 1959, scale 1:250,000.
150. Cathcart, S.H. Metalliferous Lodes in Southern Seward Peninsula, Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1920. U.S. Geol. Surv. Bull. 722, 1922, pp. 163-261.
151. _____. Mining in Northwestern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1918. U.S. Geol. Surv. Bull. 712, 1920, pp. 185-198.
152. Chapin, T. Lode Developments on Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 397-407.
153. _____. Lode Developments in the Willow Creek District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1918. U.S. Geol. Surv. Bull. 712, 1920, pp. 169-176.
154. _____. Lode Developments in the Willow Creek District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 201-206.
155. _____. Lode Mining Near Fairbanks. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 321-355.
156. _____. Mining Developments in the Ketchikan District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 85-89.
157. _____. Mining Developments in the Ketchikan and Wrangell Mining Districts. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 63-75.
158. _____. Mining Developments in Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1915. U.S. Geol. Surv. Bull. 642, 1916, pp. 73-104.
159. _____. Mining in the Fairbanks District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 321-327.
160. _____. Placer Mining on Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 385-395.
161. _____. Placer Mining in the Yukon-Tanana Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 357-362.

162. Chapman, R.M., R.R. Coats, and T.G. Payne. Placer Tin Deposits in Central Alaska. U.S. Geol. Surv. Open File Rep. 239, 1963, 53 pp.
163. Chapman, R.M., and R.L. Foster. Lode Mines and Prospects in the Fairbanks District, Alaska. U.S. Geol. Surv. Prof. Paper 625-D, 1969, 25 pp.
164. Chapman, R.M., and R.H. Saunders. The Kathleen-Margaret (K-M) Copper Prospect on the Upper Maclaren River, Alaska. U.S. Geol. Surv. Circ. 332, 1954, 5 pp.
165. Chipp, E.R. Geology and Geochemistry of the Chandalar Area, Brooks Range. AK Div. Geol. and Geophys. Surv. Geol. Rep. 42, 1970, 39 pp.
166. Clark, A.L., and E.H. Cobb. Metallic Mineral Resources Map of the Healy Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-394, 1972, scale 1:250,000.
167. _____. Metallic Mineral Resources Map of the Talkeetna Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-369, 1972, scale 1:250,000.
168. Clark, S.H.B. The Wolverine Complex, a Newly Discovered Layered Ultramafic Body in the Western Chugach Mountains, Alaska. U.S. Geol. Surv. Open File Rep. 522, 1972, 10 pp., 1 sheet.
169. Clauson, V.C. The Alaska-Juneau Mill—A Record of Events Leading up to and Influencing Its Design and Construction. *Min. and Sci. Press*, v. 109, 1921, pp. 629-634.
170. Coats, R.R. Graphite Deposits on the North Side of the Kigluaik Mountains, Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 10, 1944, 8 pp.
171. _____. Lode Scheelite Deposits of the Nome Area, Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 17, 1944, 6 pp.
172. Coats, R.R., and P.L. Killeen. Fluorite Reserves at the Lost River Tin Mine, Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 2, 1944, 3 pp.
173. Cobb, E.H. Metallic Mineral Resource Map of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-410, 1972, scale 1:250,000.
174. _____. Metallic Mineral Resources Map of the Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-454, 1972, scale 1:250,000.
175. _____. Metallic Mineral Resources Map of the Anchorage Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-409, 1972, scale 1:250,000.
176. _____. Metallic Mineral Resources Map of the Beaver Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-439, 1972, scale 1:250,000.
177. _____. Metallic Mineral Resources Map of the Bendeleben Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-417, 1972, scale 1:250,000.
178. _____. Metallic Mineral Resources Map of the Big Delta Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-388, 1972, scale 1:250,000.
179. _____. Metallic Mineral Resources Map of the Bradfield Canal Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-418, 1972, scale 1:250,000.
180. _____. Metallic Mineral Resources Map of the Candle Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-389, 1972, scale 1:250,000.
181. _____. Metallic Mineral Resources Map of the Charley River Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-390, 1972, scale 1:250,000.
182. _____. Metallic Mineral Resources Map of the Chignik Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-374, 1972, scale 1:250,000.
183. _____. Metallic Mineral Resources Map of the Cordova Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-392, 1972, scale 1:250,000.
184. _____. Metallic Mineral Resources Map of the Craig Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-433, 1973, scale 1:250,000.
185. _____. Metallic Mineral Resources Map of the Dillingham Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-375, 1972, scale 1:250,000.
186. _____. Metallic Mineral Resources Map of the Dixon Entrance Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-434, 1972, scale 1:250,000.
187. _____. Metallic Mineral Resources Map of the Hagemeyer Island Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-362, 1972, scale 1:250,000.
188. _____. Metallic Mineral Resources Map of the Iditarod Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-363, 1972, scale 1:250,000.
189. _____. Metallic Mineral Resources Map of the Juneau Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-435, 1972, scale 1:250,000.
190. _____. Metallic Mineral Resources Map of the Karluk Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-459, 1972, scale 1:250,000.
191. _____. Metallic Mineral Resources Map of the Ketchikan Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-420, 1972, scale 1:250,000.
192. _____. Metallic Mineral Resources Map of the Kodiak Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-460, 1972, scale 1:250,000.
193. _____. Metallic Mineral Resources Map of the Lake Clark Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-378, 1972, scale 1:250,000.
194. _____. Metallic Mineral Resources Map of the Lime Hills Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-412, 1972, scale 1:250,000.
195. _____. Metallic Mineral Resources Map of the Livengood Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-413, 1972, 2 sheets.
196. _____. Metallic Mineral Resources Map of the McGrath Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-379, 1972, scale 1:250,000.
197. _____. Metallic Mineral Resources Map of the Medfra Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-365, 1972, scale 1:250,000.
198. _____. Metallic Mineral Resources Map of the Mount Fairweather Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-436, 1972, scale 1:250,000.
199. _____. Metallic Mineral Resources Map of the Mount Hayes Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-414, 1972, scale 1:250,000.
200. _____. Metallic Mineral Resources Map of the Mount McKinley Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-366, 1972, scale 1:250,000.
201. _____. Metallic Mineral Resources Map of the Nome Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-463, 1972, scale 1:250,000.
202. _____. Metallic Mineral Resources Map of the Petersburg Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-415, 1972, scale 1:250,000.
203. _____. Metallic Mineral Resources Map of the Port Alexander Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-464, 1972, scale 1:250,000.
204. _____. Metallic Mineral Resources Map of the Port Moller Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-443, 1972, scale 1:250,000.
205. _____. Metallic Mineral Resources Map of the Prince Rupert Quadrangle Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-437, 1972, scale 1:250,000.
206. _____. Metallic Mineral Resources Map of the Saint Lawrence Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-465, 1972, scale 1:250,000.
207. _____. Metallic Mineral Resources Map of the Seldovia Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-397, 1972, scale 1:250,000.
208. _____. Metallic Mineral Resources Map of the Sitka Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-467, 1972, scale 1:250,000.

209. _____. Metallic Mineral Resources Map of the Skagway Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-424, 1972, scale 1:250,000.
210. _____. Metallic Mineral Resources Map of the Sleetmute Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-368, 1972, scale 1:250,000.
211. _____. Metallic Mineral Resources Map of the Solomon Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-445, 1972, scale 1:250,000.
212. _____. Metallic Mineral Resources Map of the Sumdum Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-425, 1972, scale 1:250,000.
213. _____. Metallic Mineral Resources Map of the Tanana Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-371, 1972, scale 1:250,000.
214. _____. Metallic Mineral Resources Map of the Unalaska Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-446, 1972, scale 1:250,000.
215. _____. Placer Deposits of Alaska. U.S. Geol. Surv. Bull. 1374, 1973, 213 pp.
216. _____. Placer Deposits of Alaska. U.S. Geol. Surv. Open File Rep. 508, 1972, 132 pp., 1 sheet.
217. _____. Placer Deposits Map of Central Alaska. U.S. Geol. Surv. Open File Rep. 77-168-B, 1977, 65 pp., 1 sheet.
218. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Deposits in Fifteen Quadrangles in Southwestern and West-Central Alaska. U.S. Geol. Surv. Open File Rep. 80-909, 1980, 104 pp.
219. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the Livengood Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-1342-A. 1981, 49 pp.
220. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the Livengood Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-1342-B. 1981, 54 pp.
221. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the Mount Fairweather Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-249-A. 1981, 21 pp.
222. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the Skagway Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-82-A. 1981, 11 pp.
223. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the Skagway Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-82-B. 1981, 10 pp.
224. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels) in the Iliamna, Lake Clark, Lime Hills and McGrath Quadrangles, Alaska. U.S. Geol. Surv. Open File Rep. 76-485, 1976, 101 pp.
225. _____. Summary of References to Mineral Occurrences (Other Than Fuel and Construction Materials) in the Beaver, Bettles, and Medfra Quadrangles. U.S. Geol. Surv. Open File Rep. 78-94, 1978, 55 pp.
226. _____. Summary of References to Mineral Occurrences (Other Than Fuel and Construction Materials) in the Nome Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-93, 1978, 213 pp.
227. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Anchorage Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 79-1095, 1979, 184 pp.
228. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Bendeleben Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 75-429, 1975, 120 pp.
229. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Candle, Holy Cross, Norton Bay, Nulato and Unalakleet Quadrangles, Alaska. U.S. Geol. Surv. Open File Rep. 76-866, 1976, 102 pp.
230. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Chandalar and Wiseman Quadrangles, Alaska. U.S. Geol. Surv. Open File Rep. 76-340, 1976, 205 pp.
231. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Craig Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-869, 1978, 262 pp.
232. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Iditarod and Ophir Quadrangles. U.S. Geol. Surv. Open File Rep. 76-576, 1976, 101 pp.
233. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Juneau Quadrangle. U.S. Geol. Surv. Open File Rep. 78-374, 1978, 156 pp.
234. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Livengood Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 76-819, 1976, 241 pp.
235. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Mount Hayes Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 79-238, 1979, 141 pp.
236. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Mt. Fairweather and Skagway Quadrangles. U.S. Geol. Surv. Open File Rep. 78-316, 1978, 128 pp.
237. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in Northern Alaska. U.S. Geol. Surv. Open File Rep. 75-628, 1975, 106 pp.
238. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Port Alexander Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-787, 1978, 33 pp.
239. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Seldovia Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 80-87, 1980, 48 pp.
240. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Sitka Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-450, 1978, 125 pp.
241. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Solomon Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-181, 1978, 186 pp.
242. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Sumdum and Taku River Quadrangles, Alaska. U.S. Geol. Surv. Open File Rep. 78-698, 1978, 65 pp.
243. _____. Summary of References to Mineral Occurrences (Other Than Mineral Fuels and Construction Materials) in the Valdez Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 79-1241, 1979, 167 pp.
244. Cobb, E.H., and D.R. St. Aubin. Occurrences of Selected Critical and Strategic Mineral Commodities in Alaska. U.S. Geol. Surv. Open File Rep. 82-719, 1982, 25 pp., 1 sheet.
245. Cobb, E.H., and R.L. Elliott. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Deposits in the Ketchikan and Prince Rupert Quadrangles, Alaska. U.S. Geol. Surv. Open File Rep. 80-1053, 1980, 157 pp.
246. Cobb, E.H., and R. Kachadoorian. Index of Metallic and Nonmetallic Mineral Deposits of Alaska Compiled From Published Reports of Federal and State Agencies Through 1959. U.S. Geol. Surv. Bull. 1139, 1961, 363 pp.
247. Cobb, E.H., and N.A. Matson, Jr. Metallic Mineral Resources Map of the Valdez Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-438, 1972, scale 1:250,000.
248. Cobb, E.H., and C.F. Mayfield. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-570-A, 1981, 14 pp.
249. _____. Summaries of Data on and Lists of References to Metallic and Selected Nonmetallic Mineral Occurrences in the

- Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 81-570-B, 1981, 12 pp.
250. Cobb, E.H., A.A. Wanek, A. Grantz, and C. Carter. Summary Report on the Geology and Mineral Resources of the Bering Sea, Bogoslof, Simeonof, Semidi, Tuxedni, St. Lazaria, Hazy Islands, and Forrester Island National Wildlife Refuges, Alaska. U.S. Geol. Surv. Bull. 1260-K, 1968, 28 pp.
251. Cohen, K.K. Independence Mine and the Willow Creek Mining District. AK Div. Parks, June 1982, 169 pp.
252. Collier, A.J. Recent Development of Alaskan Tin Deposits. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1904. U.S. Geol. Surv. Bull. 259, 1905, pp. 120-127.
253. _____. A Reconnaissance of the Northwestern Portions of Seward Peninsula, Alaska. U.S. Geol. Surv. Prof. Paper 2, 1902, 70 pp.
254. _____. The Tin Deposits of the York Region, Alaska. U.S. Geol. Surv. Bull. 229, 1904, 61 pp.
255. Collier, A.J., F.H. Hess, P.S. Smith, and A.H. Brooks. The Gold Placers of Parts of Seward Peninsula, Alaska, Including the Nome, Council, Kougarok, Port Clarence, and Goodhope Precincts. U.S. Geol. Surv. Bull. 328, 1908, 343 pp.
256. Condon, W.H. Geology of the Craig Quadrangle, Alaska. U.S. Geol. Surv. Bull. 1108-B, 1962, 43 pp.
257. _____. Map of Eastern Prince William Sound Area, Alaska, Showing Fracture Traces Inferred From Aerial Photographs. U.S. Geol. Surv. Misc. Geol. Invest. Map I-453, 1965, 4 pp.
258. Condon, W.H., and J.T. Cass. Map of a Part of the Prince William Sound Area, Alaska, Showing Linear Geologic Features as Shown on Aerial Photographs. U.S. Geol. Surv. Misc. Geol. Invest. Map I-273, 1958, scale 1:125,000.
259. Conwell, C.E. Palmer Barite Deposit. AK Div. Geol. and Geophys. Surv. Prop. Exam. PE-109-6, 1970, 19 pp.
260. _____. Tiekel Prospect, Valdez Quadrangle. AK Div. Geol. and Geophys. Surv. Prop. Exam. PE-86-14, 1972, 5 pp.
261. Coonrad, W.L. (ed.). The United States Geological Survey in Alaska: Accomplishments During 1980. U.S. Geol. Surv. Circ. 844, 1982, 178 pp.
262. Cornwall, H.R. Nickel Deposits of North America. U.S. Geol. Surv. Bull. 1223, 1966, 62 pp.
263. Coulter, H.W., and R.R. Migliaccio. Effects of the Earthquake of March 27, 1964, at Valdez, Alaska. U.S. Geol. Surv. Prof. Paper 542-C, 1966, 36 pp.
264. Creasey, S.C. Geology and Resources. Ch. in Molybdenum. A Materials Survey. BuMines IC 7784, 1957, pp. 6-15.
265. Curti, J. Little Squaw Gold Mining. Northwest Investment Rev., Mar. 10, 1980, pp. 1-4.
266. Czamanske, G.K., J. Haffty, and S.W. Nabbs. Pt, Pd, and Rh Analyses and Beneficiation of Mineralized Ultramafic Rocks From the La Perouse Layered Gabbro, Alaska. Econ. Geol. and Bull. Soc. Econ. Geol., v. 76, No. 7, 1981, pp. 2001-2011.
267. Daveler, E.V., and others. General Organization and Metallurgy of the Alaska Gastineau Mining Company Plant, Thane, Alaska. Pres. at Alaska Min. and Eng. Soc., Thane Meet., Nov. 16, 1917, pp. 1-14; available from D.W. Baggs, BuMines, Juneau, AK.
268. Davis, C.W. Analysis of Copper-Palladium-Gold-Silver Concentrates. BuMines RI 2731, 1926, 5 pp.
269. Dayton, S. (ed). Alaska: A Land and People in Search of a Future. Eng. and Min. J., v. 180, No. 5, 1979, pp. 72-87.
270. Degenhart, C.E., R.J. Griffis, J.F. McOuat, and C.G. Bigelow. Mineral Studies of the Western Brooks Range Performed Under Contract to the U.S. Bureau of Mines, Contract #J0155089 (WGM Inc.) BuMines OFR 103-78, 1978, 588 pp.; NTIS PB 295 192.
271. Denny, R.L. Operations at the Ross-Adams Uranium Deposit, Dixon Entrance Quadrangle. Ch. in Alaska Division of Mines and Geology Annual Report for the Year 1962. AK Div. Mines and Geol., undated, pp. 89-93.
272. Dettelman, R.L., and E.H. Cobb. Metallic Mineral Resources Map of the Iliamna Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-364, 1972, scale 1:250,000.
273. Dettelman, R.L., and J.K. Hartsock. Geology of the Iniskin-Tuxedni Region, Alaska. U.S. Geol. Surv. Prof. Paper 512, 1967, 78 pp.
274. Dillon, J.T., and G.H. Pessel. Brooks Range Mineral Resource Studies. AK Div. Geol. and Geophys. Surv. Mines and Geol. Bull., v. 26, No. 4, 1977, pp. 4-5.
275. Dolton, G.L., K.H. Carlson, R.R. Charpentier, A.B. Coury, R.A. Crovelli, S.E. Frezon, A.S. Khan, J.H. Lister, R.H. McMullin, R.S. Pike, R.B. Powers, E.W. Scott, and K.L. Varnes. Estimates of Undiscovered Recoverable Resources of Conventionally Producing Oil and Gas in the United States—A Summary. U.S. Geol. Surv. Open File Rep. 81-192, 1981, 18 pp.
276. Drewes, H., G.D. Fraser, G.L. Snyder, and H.F. Barnett, Jr. Geology of Unalaska Island and Adjacent Insular Shelf, Aleutian Islands, Alaska. U.S. Geol. Surv. Bull. 1028-S, 1962, pp. 583-676.
277. Duval, D. Report From Vancouver: Catalina Energy and Resources. Northern Miner (Toronto), Sept. 10, 1981, p. 20.
278. _____. Report From Vancouver: Silverado Mines. Northern Miner (Toronto), Sept. 9, 1982, p. 6.
279. Eakin, H.A. Admiralty-Alaska Gold Manufacturing Company (Funter Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-6A, 1929, 14 pp.
280. Eakin, H.M. Gold Placer Mining in the Porcupine District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 93-100.
281. _____. Iron-Ore Deposits Near Nome. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 361-365.
282. _____. Lode Mining in the Juneau Gold Belt. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 77-92.
283. _____. Mineral Resources of the Yukon-Koyukuk Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 371-384.
284. _____. Mining in the Fairbanks District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 229-238.
285. _____. Mining in the Juneau Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 95-102.
286. _____. The Porcupine Gold Placer District, Alaska. U.S. Geol. Surv. Bull. 699, 1919, 29 pp.
287. _____. Tin Mining in Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 81-94.
288. _____. The Yukon-Koyukuk Region, Alaska. U.S. Geol. Surv. Bull. 631, 1916, 88 pp.
289. _____. Eakins, G.R. An Experiment in Geobotanical Prospecting for Uranium, Bokan Mountain Area, Southeastern Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 41, 1970, 51 pp.
290. _____. A Geochemical Investigation of the Wood River-Tikhik Lakes Area, Southwestern Alaska. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 17, 1968, 31 pp.
291. _____. Geology and Geochemistry at Kontrashibuna Lake, Lake Clark Region, Southwestern Alaska. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 20, 1970, 34 pp.
292. _____. Preliminary Investigations, Livengood Mining District. AK Div. Geol. and Geophys. Surv. Open File Rep. AOF-40, 1974, 16 pp.
293. _____. Uranium in Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 38, 1969, 49 pp.
294. _____. Uranium Investigations in Southeastern Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 44, 1975, 62 pp.
295. Eakins, G.R., T.K. Bundtzen, L.L. Lueck, C.B. Green, J.L. Gallagher, and M.S. Robinson. Alaska's Mineral Industry—1984. AK Div. Geol. and Geophys. Surv. Spec. Rep. 38, 1985, 57 pp.
296. Eakins, G.R., T.K. Bundtzen, M.S. Robinson, J.G. Clough, C.B. Green, K.H. Clautice, and M.A. Albanese. Alaska's Mineral Industry—1982. AK Div. Geol. and Geophys. Surv. Spec. Rep. 31, 1983, 63 pp.
297. Eakins, G.R., and R.B. Forbes. Investigation of Alaska's Uranium Potential. AK Div. Geol. and Geophys. Surv. Spec. Rep. 12, 1976, 372 pp.
298. East, J.H., Jr., W.M. Traver, Jr., R.S. Sanford, and W.S. Wright. Yakobi Island Nickel Deposit, Sitka Mining District, Alaska. BuMines RI 4182, 1948, 28 pp.

299. Ebbley, N., Jr. Slate Creek Antimony Prospect, Kantishna District, Alaska. BuMines War Miner. Rep. 456, 1945, 10 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
300. Ebbley, N., Jr., and R.L. Thorne. Red Devil Mine, Sleitmut Area, Southwestern Alaska. BuMines War Miner. Rep. 147, 1943, 21 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
301. Ebbley, N., Jr., and W.S. Wright. Antimony Deposits in Alaska. BuMines RI 4173, 1948, 41 pp.
302. Eberlein, G.D., R.M. Chapman, H.L. Foster, and J.S. Gassaway. Map and Table Describing Known Metalliferous and Selected Nonmetalliferous Mineral Deposits in Central Alaska. U.S. Geol. Surv. Open File Rep. 77-168-D, 1977, 132 pp., 1 sheet.
303. Eberlein, G.D., and W.D. Menzie. Map and Tables Describing Metalliferous Mineral Resource Potential of Central Alaska. U.S. Geol. Surv. Open File Rep. 78-1-D, 1978, 35 pp., 2 sheets.
304. Edmondson, A.C. Lost River Chips at Mine Obstacles. Anchorage Daily News, Apr. 10, 1972, p. 3A.
305. _____. When Will the Boom Come in Alaska Mining. AK Ind., v. 5, No. 9, 1973, pp. 27-28, 30.
306. Ellersieck, I.F. Map Showing Chromium, Nickel and Cobalt Stream-Sediment Geochemical Anomalies, Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-120-H, 1978, 1 sheet.
307. Ellsworth, C.E., and R.W. Davenport. Placer Mining in the Yukon-Tanana Region. Ch. in A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Bull. 542, 1913, pp. 203-222.
308. Ellsworth, C.E., and G.L. Parker. Placer Mining in the Yukon-Tanana Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 153-172.
309. Engineering and Mining Journal. Core Hole Drilling Expands Reserves at Quartz Hill Moly Find. V. 181, No. 3, 1980, p. 13.
310. _____. Major Lead-Zinc-Silver Is Claimed in Alaska's Brooks Range. V. 178, No. 10, 1977, p. 17.
311. _____. Noranda Details Plans for Possible Greens Creek Project. V. 184, No. 6, 1983, p. 40.
312. _____. North American Deposits Account for One-third of World Ore Resources. V. 175, No. 11, 1974, p. 97.
313. _____. Regional News: Alaska. V. 145, No. 3, 1944, p. 115.
314. _____. Spokane Industrialist Re-Opens Only U.S. Platinum Mine in Alaska. V. 182, No. 7, 1981, p. 41.
315. _____. U.S. Borax Finds Molybdenum in Alaska. V. 177, No. 5, 1976, p. 17.
316. _____. U.S. Borax Outlines Possible Development Plan for Quartz Hill. V. 181, No. 1, 1980, pp. 35-39.
317. _____. In the US: Alaska. V. 174, No. 9, 1973, p. 202.
318. _____. Why Alaska Juneau Shut Down. V. 145, No. 7, 1944, p. 77.
319. _____. Will U.S. Sacrifice Quartz Hill Moly Find to Protect Alaskan Wilderness? V. 180, No. 4, 1979, pp. 35-37.
320. Erickson, A.W. Exploration of Mountain View Tungsten Deposit, Hyder, Alaska. BuMines RI 3944, 1946, 10 pp.
321. Erspamer, E.G., and R.R. Wells. Selective Extraction of Mercury and Antimony From Cinnabar-Stibnite Ore. BuMines RI 5243, 1956, 15 pp.
322. Fischer, R.P. Vanadium Resources in Titaniferous Magnetite Deposits. U.S. Geol. Surv. Prof. Paper 926-B, 1975, 10 pp.
323. Fluor Utah, Inc. Preliminary Engineering Study and Order of Magnitude Estimate, Brady Glacier Project, Dixon Harbor, Alaska. Apr. 30, 1974, 74 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
324. Foley, J.Y., and J.C. Barker. Chromite Deposits Along the Border Ranges Fault, Southern Alaska. (In Two Parts.) 1. Field Investigations and Descriptions of Chromite Deposits. BuMines IC 8990, 1985, 58 pp.
325. Foley, J.Y., T. Hinderman, D.E. Kirby, and C.L. Mardock. Chromite Occurrences in the Kaiyuh Hills, West-Central Alaska. BuMines OFR 178-84, 1983, 27 pp.; NTIS PB 85-106219.
326. Foley, J.Y., and M.M. McDermott. Podiform Chromite Occurrences in the Caribou Mountain and Lower Kanuti River Areas, Central Alaska. Part I: Reconnaissance Investigations. BuMines IC 8915, 1983, 27 pp.
327. Foley, R. It May Be Mining or Fish Says F&G of Borax Plans. Ketchikan Daily News, June 9, 1976, p. 1.
328. _____. No Borax Road This Summer. Ketchikan Daily News, Jan. 31, 1977, pp. 1, 4.
329. Forbes, R.B., H.D. Pilkington, and D.B. Hawkins. Gold Gradients and Anomalies in the Pedro-Cleary Summit Area, Fairbanks District, Alaska. U.S. Geol. Surv. Open File Rep. 324, 1968, 43 pp., 1 sheet.
330. Fosse, E.L. Exploration of the Copper-Sulfur Deposit, Khayyam and Stumble-On Properties, Prince of Wales Island, Alaska. BuMines RI 3942, 1946, 8 pp.
331. Foster, H.L. Asbestos Occurrence in the Eagle C-4 Quadrangle, Alaska. U.S. Geol. Surv. Circ. 611, 1969, 7 pp.
332. Foster, R.L. Potential for Lode Deposits in the Livengood Gold Placer District, East-Central Alaska. U.S. Geol. Surv. Circ. 590, 1968, 18 pp.
333. Foster, R.L., and R.M. Chapman. Locations and Descriptions of Lode Prospects in the Livengood Area, East-Central Alaska. U.S. Geol. Surv. Open File Rep. 275, 1967, 6 pp.
334. Fowler, H.M. Leroy Mine (Glacier Bay). AK Territorial Dep. Mines Prop. Exam. PE-111-4, 1950, 4 pp.
335. _____. Polymetal Lode (Cholmondeley Sound). AK Territorial Dep. Mines Prop. Exam. PE-119-22, 1948, 7 pp.
336. _____. Report of Investigations in the Hyder, Ketchikan, Wrangell, Petersburg, Juneau, Sitka, Skagway Mining Precincts, May 24-November 10, 1950. AK Territorial Dep. Mines Itinerary Rep., 1950, 29 pp.
337. _____. Report of Investigations in the Ketchikan-Hyder Mining Precincts, Alaska, May 23-July 14, 1949. AK Territorial Dep. Mines Itinerary Rep., 1949, 5 pp.
338. _____. Report of Investigations in the McCarthy-Chitina-Chisana-Wasilla, Seward, and Talkeetna Mining District, Alaska, August 6-September 23, 1949. AK Territorial Dep. Mines Itinerary Rep., 1949, 9 pp.
339. _____. Report of Investigations in the Petersburg-Ketchikan Mining Precincts, Alaska, May 30-August 1, 1948. AK Territorial Dep. Mines Itinerary Rep., 1948, 12 pp.
340. Freeman, V.L. Examination of Uranium Prospects, 1956. Ch. in Contributions to Economic Geology of Alaska. U.S. Geol. Surv. Bull. 1155, 1963, pp. 29-33.
341. Fritts, C.E. Geology and Geochemistry of the Cosmos Hills, Ambler River and Shungnak Quadrangles. AK Div. Geol. and Geophys. Surv. Geol. Rep. 39, 1970, 63 pp.
342. _____. Geology and Geochemistry in the Southeastern Part of the Cosmos Hills, Shungnak D-2 Quadrangle. AK Div. Geol. and Geophys. Surv. Geol. Rep. 37, 1969, 35 pp.
343. Fursman, O.C. Recovery of Mineral Values in Cupriferous and Nickeliferous Pyrrhotite. BuMines RI 6043, 1962, 24 pp.
344. Galloway, J.D., Dolomi Mines, Prince of Wales Island. AK Div. Geol. and Geophys. Surv. Misc. Rep. MR-119-7, undated, 18 pp.
345. Gardner, E.D., C.H. Johnson, and B.S. Butler. Copper Mining in North America. BuMines B 405, 1938, 300 pp.
346. Garland, R.E., and G.H. Pessel. Geology and Geochemical Analysis of Stream-Sediment Samples From the Ambler River A-1, A-2, A-3, B-1, B-2, B-3, C-1, C-2, and C-3 Quadrangles. AK Div. Geol. and Geophys. Surv. Open File Rep. AOF-37, 1975, 7 pp.
347. Gates, G.O. Yakobi Island, Sitka Mining District, Alaska—Nickel, Copper. BuMines War Miner. Rep. 174, 1944, 73 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
348. Gates, G.O., and C. Wahrhaftig. Zinc Deposits of the Mt. Eielson District, Alaska. U.S. Geol. Surv. Open File Rep. 16, 1944, 7 pp.
349. Gault, H.R. The Salt Chuck Copper-Palladium Mine, Prince of Wales Island, Southeastern Alaska. U.S. Geol. Surv. Open File Rep., 1945, 16 pp.
350. Gault, H.R., and R.E. Fellows. Zinc-Copper Deposit at Tracy Arm, Petersburg District, Alaska. U.S. Geol. Surv. Bull. 998-A, 1953, pp. 1-13.
351. Gault, H.R., P.L. Killeen, W.S. West, and others. Reconnaissance for Radioactive Deposits in the Northeastern Part of the Seward Peninsula, Alaska, 1945-47 and 1951. U.S. Geol. Surv. Circ. 250, 1953, 31 pp.

352. Gault, H.R., D.L. Rossman, G.M. Flint, Jr., and R.G. Ray. Some Zinc-Lead Deposits of the Wrangell District, Alaska. U.S. Geol. Surv. Bull. 998-B, 1953, pp. 15-58.
353. Gill, A.C. Chromite of Kenai Peninsula, Alaska. U.S. Geol. Surv. Bull. 742, 1922, 52 pp.
354. _____. Preliminary Report on the Chromite of Kenai Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1918. U.S. Geol. Surv. Bull. 712, 1920, pp. 99-129.
355. Glover, A.E. Kelp and Duke Islands Magnetics. AK Territorial Dep. Mines Miner. Invest. MI-122-2, 1954, 1 p.
356. _____. Salmon Bay-Red Bay Reconnaissance (Prince of Wales Island). AK Territorial Dep. Mines Miner. Invest. MI-117-1, 1951, 4 pp.
357. Gonnason Exploration Co. Magnetometer Survey Jumbo Mine (Prince of Wales Island). AK Territorial Dep. Mines Misc. Rep. MR-119-4, 1963, 12 pp.
358. Grant, U.S. Copper and Other Mineral Resources of Prince William Sound. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1905. U.S. Geol. Surv. Bull. 284, 1906, pp. 78-87.
359. _____. Mining and Prospecting on Prince William Sound in 1909. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 164-165.
360. Grant, U.S., and D.F. Higgins, Jr. Copper Mining and Prospecting on Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 87-96.
361. _____. Notes on Geology and Mineral Prospects in the Vicinity of Seward, Kenai Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 98-107.
362. _____. Preliminary Report on the Mineral Resources of the Southern Part of Kenai Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 166-178.
363. _____. Reconnaissance of the Geology and Mineral Resources of Prince William Sound, Alaska. U.S. Geol. Surv. Bull. 443, 1910, 89 pp.
364. Greene, H.G. Morphology, Sedimentation and Seismic Characteristics of an Arctic Beach, Nome, Alaska—With Economic Significances. U.S. Geol. Surv. Open File Rep. 414, 1970, 139 pp.
365. Gries, J.P. Providing New Sources of Mineral Supply. BuMines IC 8789, 1979, 42 pp.
366. Grybeck, D.J. Map Showing Known Mineral Deposits of the Brooks Range, Alaska. U.S. Geol. Surv. Open File Rep. 77-166-C, 1977, 45 pp., 1 sheet.
367. Grybeck, D.J., and J.H. DeYoung, Jr. Map and Tables Describing Mineral Resource Potential of the Brooks Range, Alaska. U.S. Geol. Surv. Open File Rep. 78-1-B, 1978, 39 pp., 1 sheet.
368. Guard, A.K. Report on Admiralty Mine (Funter Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-16, 1958, 35 pp.
369. Guild, P.W. Chromite Deposits of Kenai Peninsula, Alaska. U.S. Geol. Surv. Bull. 931-G, 1942, pp. 139-175.
370. Guild, P.W., and J.R. Balsley, Jr. Chromite Deposits of Red Bluff Bay and Vicinity, Baranof Island, Alaska. U.S. Geol. Surv. Bull. 936-G, 1942, pp. 171-187.
371. Hall, R.G. The Importance of Flotation at Alaska Juneau. Eng. and Min. J., v. 139, No. 1, 1938, pp. 39-42.
372. _____. Milling Procedure of Alaska Juneau Mine. Western Min. News, Sept. 1935, pp. 14-16.
373. Hanchett, J. Misty Fiords: Southern Southeast's Monument. Southeast. Log (Ketchikan), Apr. 1979, p. 26.
374. Hanson, L.G. Bedrock Geology of the Rainbow Mountain Area, Alaska Range. AK Div. Geol. and Geophys. Surv. Geol. Rep. 2, 1963, 83 pp.
375. Hargreaves, D. The Livengood Placer Deposit—A Developing Alaskan Gold Mine. Min. Mag., v. 132, No. 5, 1975, pp. 363-372.
376. Harmon, G.M. Molybdenum Mine Plans Studied by Alaska Offshore. Southeast AK Empire (Juneau), Aug. 31, 1976, p. 1.
377. Harrington, G.L. The Gold and Platinum Placers of the Kivalik-Koyuk Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 369-400.
378. _____. Mining on Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 229-237.
379. _____. Tin Mining in Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 353-361.
380. Hart, E.A. Admiralty-Alaska Gold Manufacturing Company (Funter Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-14, 1956, 2 pp.
381. Hartman, D.C. The Alaska Mineral Industry: Interior Alaska. Mines and Geol. Bull., v. 24, No. 2, 1975, p. 6.
382. Hawkes, H.E. Dithizone Field Tests. Econ. Geol. and Bull. Soc. Econ. Geol., v. 58, No. 4, 1963, pp. 579-586.
383. Hawley, C.C., and A.L. Clark. Occurrences of Gold and Other Metals in the Upper Chulitna District, Alaska. U.S. Geol. Surv. Circ. 564, 1968, 21 pp.
384. Hawley, C.C., A.L. Clark, and J.A. Benfer. Geology of the Golden Zone Mine Area, Alaska. U.S. Geol. Surv. Open File Rep. 305, 1968, 16 pp.
385. Hawley, C.C., A.L. Clark, M.A. Hendrick, and S.H.B. Clark. Results of Geological and Geochemical Investigations in an Area Northwest of the Chulitna River, Central Alaska Range. U.S. Geol. Surv. Circ. 617, 1969, 19 pp.
386. Heide, H.E. Cape Mountain Tin Placer Deposits, Seward Peninsula, Alaska. BuMines War Miner. Rep. 164, 1943, 31 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
387. _____. Investigation of the Lost River Tin Deposit, Seward Peninsula, Alaska. BuMines RI 3902, 1946, 57 pp.
388. _____. Lost River Mines, Seward Peninsula, Alaska—Tin. BuMines War Miner. Rep. 45, 1943, 9 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
389. Heide, H.E., and R. Coats. Cape Mountain Tin Placer Deposits, Seward Peninsula, Alaska. BuMines War Miner. Rep. 413, 1945, 8 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
390. _____. Potato Mountain Tin Placer Deposits, Seward Peninsula, Alaska. BuMines War Miner. Rep. 431, 1945, 11 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
391. Heide, H.E., and F.A. Rutledge. Investigation of Potato Mountain Tin Placer Deposits, Seward Peninsula, Northwestern Alaska. BuMines RI 4418, 1949, 21 pp.
392. Heide, H.E., and R.S. Sanford. Churn Drilling at Cape Mountain Tin Placer Deposits, Seward Peninsula, Alaska. BuMines RI 4345, 1948, 14 pp.
393. Heide, H.E., W.S. Wright, and R.S. Sanford. Exploration of Cape Mountain Lode-Tin Deposits, Seward Peninsula, Alaska. BuMines RI 3978, 1946, 16 pp.
394. Heiner, L.E., and E. Porter. A Computer Processable Storage and Retrieval Program for Alaska Mineral Information—Alaskan Mineral Properties. Miner. Ind. Res. Lab., Univ. AK, Rep. 24, v. 2, 1972, 669 pp.
395. Heiner, L.E., and E.N. Wolff. Final Report, Mineral Resources of Northern Alaska, Submitted to the North Commission. Miner. Ind. Res. Lab., Univ. AK, Rep. 16, 1968, 306 pp.
396. Henshaw, F.F. Mining in Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 353-371.
397. Herbert, C.F. Alaska Mining Law Manual. Miner. Ind. Res. Lab., Univ. AK, May 1970, 77 pp.
398. Herbert, C.F., and W.H. Race. Geochemical Investigations of Selected Areas in Southeastern Alaska, 1964. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 1, 1964, 45 pp.
399. _____. Geochemical Investigations of Selected Areas in Southeastern Alaska, 1964 and 1965. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 6, 1965, 67 pp.
400. Herreid, G. Geological and Geochemical Investigations Southwest of Farewell. AK Div. Geol. and Geophys. Surv. Geol. Rep. 26, 1968, 24 pp.
401. _____. The Geology and Geochemistry of the Inmachuk River Map Area, Seward Peninsula. AK Div. Geol. and Geophys. Surv. Geol. Rep. 23, 1966, 25 pp.

402. _____. Geology and Geochemistry of the Nixon Fork Area. Medfra Quadrangle. AK Div. Geol. and Geophys. Surv. Geol. Rep. 22, 1966, 29 pp.
403. _____. Geology and Mineral Deposits of the Dolomi Area, Prince of Wales Island. AK Div. Geol. and Geophys. Surv. Geol. Rep. 27, 1967, 29 pp.
404. _____. Geology of the Niblack Anchorage Area, Southeastern Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 5, 1964, 10 pp.
405. _____. Geology of the Spirit Mountain Nickel-Copper Prospect and Surrounding Area. AK Div. Geol. and Geophys. Surv. Geol. Rep. 40, 1970, 19 pp.
406. _____. Preliminary Report on Geologic Mapping in the Coast Range Mineral Belt. AK Div. Geol. and Geophys. Surv. Geol. Rep. 1, 1962, 29 pp.
407. Herreid, G., and A.W. Rose. Geology and Geochemistry of the Hollis and Twelvemile Creek Areas, Prince of Wales Island, Southeastern Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 17, 1966, 32 pp.
408. Hess, F.L. Tin Resources of Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 89-92.
409. _____. The York Tin Region. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1905. U.S. Geol. Surv. Bull. 284, 1906, pp. 145-157.
410. Hill, J.M. Lode Deposits of the Fairbanks District, Alaska. U.S. Geol. Surv. Bull. 849-B, 1933, pp. 29-163.
411. Himmelberg, G.R., and R.A. Loney. Petrology of the Ultramafic and Gabbroic Rocks of the Brady Glacier Nickel-Copper Deposit, Fairweather Range, Southeastern Alaska. U.S. Geol. Surv. Prof. Paper 1195, 1981, 26 pp.
412. Hitzman, M.W. Ruby Creek Is Discussion Topic. . . From the Convention. AK Miner, v. 9, No. 11, 1981, pp. 14, 22.
413. Hitzman, M.W., T.E. Smith, and J.M. Proffett. Bedrock Geology of the Ambler District, Southwestern Brooks Range. AK Div. Geol. and Geophys. Surv. Geol. Rep. 75, 1982, 2 sheets, scale 1:125,000.
414. Hoare, J.M., and W.L. Coonrad. Geologic Map of the Hagemeyer Island Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-321, 1961, scale 1:250,000.
415. Holdsworth, P.R. Investigation of Claim Staking (Union Bay Area). AK Territorial Dep. Mines Prop. Exam. PE-119-23, 1954, 6 pp.
416. _____. Mount Parker Mine (Glacier Bay). AK Territorial Dep. Mines Prop. Exam. PE-111-5, 1955, 3 pp.
417. Hollister, V.F., S.A. Anzalone, and D.H. Richter. Porphyry Copper Belts of Southern Alaska and Contiguous Yukon Territory. CIM Bull., v. 68, No. 756, 1975, pp. 104-112.
418. Holmes, W.T. II, and L.H. Banning. Electric Smelting of Titaniferous Iron Ores From Alaska, Montana, and Wyoming. BuMines RI 6497, 1964, 23 pp.
419. Holt, S.P., and J.M. Moss. Exploration of a Nickel-Copper-Cobalt Deposit at Funter Bay, Admiralty Island, Alaska. BuMines RI 3950, 1946, 15 pp.
420. Holt, S.P., J.G. Shepard, R.L. Thorne, A.W. Tolonen, and E.L. Fosse. Investigation of the Salt Chuck Copper Mine, Kasaan Peninsula, Prince of Wales Island, Southeastern Alaska. BuMines RI 4358, 1948, 16 pp.
421. Holt, S.P., W.S. Wright, and E.L. Fosse. Jumbo Basin, Prince of Wales Island, Southeastern Alaska—Iron, Copper. BuMines War Miner. Rep. 447, 1945, 13 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
422. Holzheimer, F.W. Lode Mining Activity, Otter Creek. AK Territorial Dep. Mines Misc. Rep. MR-73-1, 1926, 7 pp.
423. _____. Quicksilver Resources of the Kuskokwim River District. AK Territorial Dep. Mines Misc. Rep. MR-73-2, 1926, 41 pp.
424. Houston, J.R., R.G. Bates, R.S. Velikanje, and H. Wedow, Jr. Reconnaissance for Radioactive Deposits in Southeastern Alaska, 1952. U.S. Geol. Surv. Bull. 1058-A, 1958, pp. 1-31.
425. Howard, A.L. Rush and Brown—Salt Chuck (Alaska Gold and Metals Co., Kasaan Bay). AK Territorial Dep. Mines Misc. Rep. MR-119-2, 1935, 8 pp.
426. _____. Salt Chuck Mine (Alaska Gold and Metals Co., Kasaan Bay). AK Territorial Dep. Mines Misc. Rep. MR-119-2A, 1935, 14 pp.
427. Huber, D.W. Coal Mining in Alaska. AK Territorial Dep. Mines Misc. Rep. MR-195-36, 1964, 11 pp.
428. Hudson, T., J.G. Arth, and K.G. Muth. Geochemistry of Intrusive Rocks Associated With Molybdenite Deposits, Ketchikan Quadrangle, Southeastern Alaska. Econ. Geol. and Bull. Soc. Econ. Geol., v. 76, No. 5, 1981, pp. 1225-1232.
429. Hudson, T.L. Geologic Map of Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 77-796-A, 1977, 1 sheet.
430. Hudson, T.L., M.L. Miller, and W.J. Peckthorn. Map Showing Metalliferous and Selected Non-Metalliferous Mineral Deposits, Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 77-796-B, 1977, 46 pp., 1 sheet.
431. Huff, L.C. A Sensitive Field Test for Determining Heavy Metals in Soil or Sediment. Econ. Geol. and Bull. Soc. Econ. Geol., v. 46, No. 5, 1951, pp. 524-540.
432. Hughes, H. Ready or Not: The Moly Mine is Coming. AK Fisherman's J., Dec. 1981, pp. 24-27.
433. Humble Oil and Refining Co. Kemuk Mountain Iron Ore Prospect. AK Territorial Dep. Mines Misc. Rep. MR-102-1, 1959, 9 pp.
434. Hummel, C.L. Mineral Deposits, Occurrences, and Associated Altered Rocks in Southwestern Seward Peninsula, Western Alaska. U.S. Geol. Surv. Open File Rep. 75-2, 1975, 1 sheet.
435. Inspiration Development Co. (Spokane). Facts Concerning Copper-Nickel-Cobalt Deposits on Yakobi Island, Alaska. Mar. 1978, 2 pp.
436. Irvine, T.N. Petrology of the Duke Island Ultramafic Complex, Southeastern Alaska. Geol. Soc. Am. Mem. 138, 1974, 240 pp.
437. Jackson, C.F., and E.D. Gardner. Stopping Methods and Costs. BuMines B 390, 1936, 296 pp.
438. Jansons, U., and D.W. Baggs. Mineral Investigations of the Misheguk Mountain and Howard Pass Quadrangles, National Petroleum Reserve-Alaska. BuMines OFR 38-80, 1980, 76 pp.
439. Jansons, U., and R.G. Bottge. Economic Mining Feasibility Studies of Selected Mineral Deposit Types in the Western Brooks Range, Alaska. BuMines OFR 128-77, 1977, 96 pp.
440. Jansons, U., and M.A. Parke. 1978 Mineral Investigations of Misheguk Mountain and Howard Pass Quadrangles, Alaska. BuMines OFR 26-81, 1980, 295 pp.
441. Jasper, J.W. Barney Locks Copper Prospect (Glacier Pan Creek). AK Territorial Dep. Mines Prop. Exam. PE-85-20, 1957, 16 pp.
442. Jasper, M.W. Cinnabar Province (Kuskokwim Region). AK Territorial Dep. Mines Miner. Invest. MI-194-1, 1962, 26 pp.
443. _____. Geochemical Investigation of Selected Areas in South-Central Alaska, 1964. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 4, 1965, 31 pp.
444. _____. Geochemical Investigations Along the Valdez to Chitina Highway in South-Central Alaska—1966. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 15, 1967, 31 pp.
445. _____. Kodiak Exploration Company Scheelite Prospect (Anton Larson Bay). AK Territorial Dep. Mines Prop. Exam. PE-131-7, 1955, 11 pp.
446. _____. Midas Copper Mine (Solomon Creek). AK Territorial Dep. Mines Prop. Exam. PE-86-11, 1953, 5 pp.
447. _____. Resume of 1963 Field Investigations and Mining Activity in Third and Section of Fourth Judicial Districts. AK Div. Geol. and Geophys. Surv. Itinerary Rep., Jan. 3, 1964, 16 pp.
448. _____. Rusaw and Anell Copper Prospect (Rusaw Creek). AK Territorial Dep. Mines Prop. Exam. PE-85-21, 1959, 6 pp.
449. _____. Sheep Mountain Copper Prospect (Yellow Jacket Gulch). AK Territorial Dep. Mines Prop. Exam. PE-85-16, 1954, 13 pp.
450. _____. Spirit Mountain Nickel-Copper Prospect (Canyon Creek Valley). AK Territorial Dep. Mines Prop. Exam. PE-86-13, 1960, 19 pp.
451. Joesting, H.R. McCarty Mine (Fairbanks Creek). AK Territorial Dep. Mines Prop. Exam. PE-49-5, 1941, 6 pp.

452. _____. Notes on Lode Mining, Fairbanks Precinct. AK Territorial Dep. Mines Misc. Rep. MR-194-9, 1939, 3 pp.
453. _____. Strategic Mineral Occurrences in Interior Alaska. AK Territorial Dep. Mines Pam. 1, 1942, 46 pp.
454. _____. Supplement to Pamphlet No. 1—Strategic Mineral Occurrences in Interior Alaska. AK Territorial Dep. Mines Pam. 2, 1943, 28 pp.
455. Johnson, B.L. Copper Deposits of the Latouche and Knight Island Districts, Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 193-220.
456. _____. The Gold and Copper Deposits of the Port Valdez District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 140-188.
457. _____. Gold Deposits of the Seward-Sunrise Region, Kenai Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 131-173.
458. _____. Mineral Resources of Jack Bay District and Vicinity, Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 153-173.
459. _____. Mining in General and Northern Kenai Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 175-176.
460. _____. Mining on Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 237-243.
461. _____. Mining on Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 131-139.
462. _____. Mining on Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1915. U.S. Geol. Surv. Bull. 642, 1916, pp. 137-145.
463. _____. Mining on Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 183-192.
464. _____. Mining on Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 143-151.
465. _____. The Port Wells Gold-Lode District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 195-236.
466. Johnson, K.M. (ed.). The United States Geological Survey in Alaska: Accomplishments During 1977. U.S. Geol. Surv. Circ. 772-B, 1978, 115 pp.
467. Katz, F.J. A Reconnaissance of Willow Creek Gold Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 139-152.
468. Kaufman, A. Southeastern Alaska's Mineral Industry. BuMines IC 7844, 1958, 37 pp.
469. Kaufman, M.A. Geology and Mineral Deposits of the Denali-Maclaren River Area. AK Div. Geol. and Geophys. Surv. Geol. Rep. 4, 1964, 14 pp.
470. Kennedy, G.C. Geology and Mineral Deposits of Jumbo Basin, Southeastern Alaska. U.S. Geol. Surv. Prof. Paper 251, 1953, 46 pp.
471. Kennedy, G.C., and M.S. Walton, Jr. Geology and Associated Mineral Deposits of Some Ultrabasic Rock Bodies in Southeastern Alaska. U.S. Geol. Surv. Bull. 947-D, 1946, pp. 65-84.
472. _____. Nickel Investigations in Southeastern Alaska. U.S. Geol. Surv. Bull. 947-C, 1946, pp. 39-64.
473. Kerns, W.H. Investigation of Taylor Creek Lead-Zinc Deposit, Kupreanof Island, Petersburg, Alaska. BuMines RI 4669, 1950, 13 pp.
474. Ketchikan Daily News. 200 Set To Hear Borax at Annual Chamber Meet. Feb. 8, 1977, p. 1.
475. Killeen, P.L., and J.B. Mertie, Jr. Antimony Ore in the Fairbanks District, Alaska. U.S. Geol. Surv. Open File Rep. 42, 1951, 44 pp., 2 sheets.
476. Kimball, A.L. Reconnaissance Sampling of Decomposed Monzonite for Gold Near Flat, Alaska. BuMines OFR 6-69, 1969, 39 pp.
477. Kingston, G.A., R.A. Miller, and F.V. Carrillo. Availability of U.S. Chromium Resources. BuMines IC 8465, 1970, 23 pp.
478. Kingston, J., and J.D. Miller. Nickel-Copper Prospect Near Spirit Mountain, Copper River Region, Alaska. U.S. Geol. Surv. Bull. 943-C, 1945, pp. 49-57.
479. Kinzie, R.A. Treadwell Mines (Douglas Island, Alaska). AK Territorial Dep. Mines Misc. Rep. MR-112-17, 1903, 47 pp.
480. Knaebel, J. Geochemical Survey and Geological Reconnaissance of the White River Area, South-Central Alaska. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 21, 1970, 60 pp.
481. Knappen, R.S. Geology and Mineral Resources of the Aniakchak District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1926. U.S. Geol. Surv. Bull. 797, 1929, pp. 161-227.
482. Knopf, A. The Eagle River Region, Southeastern Alaska. U.S. Geol. Surv. Bull. 502, 1912, 61 pp.
483. _____. Geology of the Berners Bay Region, Alaska. U.S. Geol. Surv. Bull. 446, 1911, 58 pp.
484. _____. Geology of the Seward Peninsula Tin Deposits, Alaska. U.S. Geol. Surv. Bull. 358, 1908, 71 pp.
485. _____. Mining in Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 133-143.
486. _____. Mining in Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 94-102.
487. _____. The Seward Peninsula Tin Deposits. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 251-267.
488. _____. The Sitka Mining District, Alaska. U.S. Geol. Surv. Bull. 504, 1912, 32 pp.
489. Knox, R.G. \$10 Million Dollar Gamble at Bornite Could Pay Big Dividends. AK Constr. and Oil, v. 9, No. 2, 1968, pp. 16-21.
490. Koschmann, A.H., and M.H. Bergendahl. Principal Gold-Producing Districts of the United States. U.S. Geol. Surv. Prof. Paper 610, 1968, 283 pp.
491. Laney, F.B. Alaska Nickel Mines (Mirror Harbor, Sitka). AK Territorial Dep. Mines Misc. Rep. MR-114-5, 1942, 7 pp.
492. Lathram, E.H., R.A. Loney, H.C. Berg, and J.S. Pomeroy. Progress Map of the Geology of Admiralty Island Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-323, 1960, scale 1:250,000.
493. Lathram, E.H., R.A. Loney, W.H. Condon, and H.C. Berg. Progress Map of the Geology of the Juneau Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-303, 1959, scale 1:250,000.
494. Lathram, E.H., J.S. Pomeroy, H.C. Berg, and R.A. Loney. Reconnaissance Geology of Admiralty Island, Alaska. U.S. Geol. Surv. Bull. 1181-R, 1965, 48 pp.
495. Lerchen, F.H. Sedanka Island Zinc Deposits (Aleutian Islands). AK Territorial Dep. Mines Misc. Rep. MR-143-1, 1937, 6 pp.
496. Lincoln, F.C. The Big Bonanza Copper Mine of Latouche Island, Alaska. Econ. Geol. and Bull. Soc. Econ. Geol., v. 4, No. 3, 1909, pp. 201-213.
497. Little Squaw Gold Mining Co. (Spokane). Annual Report. 1978, 6 pp.
498. _____. Annual Report. 1979, 6 pp.
499. _____. Annual Report. 1980, 9 pp.
500. _____. Interim Report. 1981, 11 pp.
501. _____. Interim Report. Nov. 1981, 1 p.
502. Loney, R.A., D.A. Brew, and M.A. Lanphere. Post-Paleozoic Radiometric Ages and Their Relevance to Fault Movements, Northern Southeastern Alaska. Geol. Soc. Am. Bull., v. 78, No. 4, 1967, pp. 511-526.
503. Loney, R.A., D.A. Brew, L.J.P. Muffler, and J.S. Pomeroy. Reconnaissance Geology of Chichagof, Baranof, and Kruzof Islands, Southeastern Alaska. U.S. Geol. Surv. Prof. Paper 792, 1975, 105 pp.
504. Long, N. Cover Photo. AK Constr. and Oil, v. 20, No. 2, 1979, p. 1.
505. Lorain, S.H., R.R. Wells, M. Mihelich, J.J. Mulligan, R.L. Thorne, and J.A. Herdlick. Lode-Tin Mining at Lost River, Seward Peninsula, Alaska. BuMines IC 7871, 1958, 76 pp.

506. Lost River Mining Corp., Ltd. (Toronto). Annual Report, 1972, 15 pp.
507. Lund, R.J. Future of Alaska Mineral Industry: Sumdum, Ruby Creek. *Min. Eng. (N.Y.)*, v. 13, No. 12, 1961, p. 1353.
508. Lyle, W.M. Geologic and Mineral Evaluation of the Charley River Drainage. AK Div. Geol. and Geophys. Surv. Open File Rep. AOF-28, 1973, 6 pp.
509. MacKevett, E.M., Jr. Analyses of Samples and Preliminary Geologic Summary of Barite-Silver-Base Metal Deposits Near Glacier Creek, Skagway B-4 Quadrangle, Southeastern Alaska. U.S. Geol. Surv. Open File Rep. 500, 1971, 8 pp.
510. _____. Geology and Ore Deposits of the Bokan Mountain Uranium-Thorium Area, Southeastern Alaska. U.S. Geol. Surv. Bull. 1154, 1964, 125 pp.
511. _____. Geology of the Ross-Adams Uranium-Thorium Deposit, Alaska. *Min. Eng. (N.Y.)*, v. 11, No. 9, 1959, pp. 915-919.
512. _____. Mineral Deposits and Occurrences in the McCarthy Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-773-B, 1976, 2 sheets.
513. _____. Preliminary Geologic Map of the McCarthy B-5 Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-438, 1966, scale 1:63,360.
514. _____. Stratigraphy and General Geology of the McCarthy C-5 Quadrangle, Alaska. U.S. Geol. Surv. Bull. 1323, 1971, 35 pp.
515. MacKevett, E.M., Jr., and H.C. Berg. Geology of the Red Devil Quicksilver Mine, Alaska. U.S. Geol. Surv. Bull. 1142-G, 1963, 16 pp.
516. MacKevett, E.M., Jr., and M.C. Blake, Jr. Geology of the North Bradford River Iron Prospect, Southeastern Alaska. U.S. Geol. Surv. Bull. 1108-D, 1963, 21 pp.
517. _____. Geology of the Sumdum Copper-Zinc Prospect, Southeastern Alaska. U.S. Geol. Surv. Bull. 1108-E, 1964, 31 pp.
518. MacKevett, E.M., Jr., D.A. Brew, C.C. Hawley, L.C. Huff, and J.G. Smith. Mineral Resources of Glacier Bay National Monument, Alaska. U.S. Geol. Surv. Open File Rep. 280, 1967, 189 pp.
519. _____. Mineral Resources of Glacier Bay National Monument, Alaska. U.S. Geol. Surv. Prof. Paper 632, 1971, 90 pp.
520. MacKevett, E.M., Jr., and E.H. Cobb. Metallic Mineral Resources Map of the McCarthy Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-395, 1972, scale 1:250,000.
521. MacKevett, E.M., Jr., and C.D. Holloway. Map Showing Metalliferous Mineral Deposits in the Western Part of Southern Alaska. U.S. Geol. Surv. Open File Rep. 77-169-F, 1977, 39 pp., 1 sheet.
522. _____. Map Summarizing Metalliferous and Selected Nonmetalliferous Mineral Deposits in the Eastern Part of Southern Alaska. U.S. Geol. Surv. Open File Rep. 77-169-A, 1977, 99 pp., 1 sheet.
523. MacKevett, E.M., Jr., E.C. Robertson, and G.R. Winkler. Geology of the Skagway B-3 and B-4 Quadrangles, Southeastern Alaska. U.S. Geol. Surv. Prof. Paper 832, 1974, 33 pp.
524. MacKevett, E.M., Jr., D.A. Singer, and C.D. Holloway. Maps and Tables Describing Metalliferous Mineral Resource Potential of Southern Alaska. U.S. Geol. Surv. Open File Rep. 78-1-E, 1978, 45 pp., 2 sheets.
525. MacKevett, E.M., Jr., and J.G. Smith. Distribution of Gold, Copper, and Some Other Metals in the McCarthy B-4 and B-5 Quadrangles, Alaska. U.S. Geol. Surv. Circ. 604, 1968, 25 pp.
526. _____. Geologic Map of the McCarthy B-4 Quadrangle, Alaska. U.S. Geol. Surv. Geol. Quadrangle Map GQ-943, 1972, scale 1:63,360.
527. Maddren, A.G. The Koyukuk-Chandalal Region, Alaska. U.S. Geol. Surv. Bull. 532, 1913, 119 pp.
528. Malone, K. Mercury in Alaska. Ch. in *Mercury Potential of the United States*. BuMines IC 8252, 1965, pp. 31-59.
529. _____. Mercury Occurrences in Alaska. BuMines IC 8131, 1962, 57 pp.
530. Maloney, R.P. Investigation of Mercury-Antimony Deposits Near Flat, Yukon River Region, Alaska. BuMines RI 5991, 1962, 44 pp.
531. Marrs, C.D., D.A. Heatwole, and T.E. Smith. Geology of the Sun Volcanogenic Massive Sulfide Deposit, Ambler District, Alaska. Pres. at Northwest Min. Association, Spokane, WA, 1978, 12 pp.; available from D.W. Baggs. BuMines, Juneau, AK.
532. Marsh, J.K. Quartz Hill Progress Stymied by Legal Action. Southeast. Log (Ketchikan), Oct. 1981, pp. 20-21.
533. Martin, G.C. The Alaskan Mining Industry in 1917. Ch. in *Mineral Resources of Alaska, Report on Progress of Investigations in 1917*. U.S. Geol. Surv. Bull. 692, 1919, pp. 11-42.
534. _____. The Alaskan Mining Industry in 1918. Ch. in *Mineral Resources of Alaska, Report on Progress of Investigations in 1918*. U.S. Geol. Surv. Bull. 712, 1920, pp. 1-52.
535. _____. Gold Deposits of the Shumagin Islands. Ch. in *Report on Progress of Investigations of Mineral Resources of Alaska in 1904*. U.S. Geol. Surv. Bull. 259, 1905, pp. 100-101.
536. _____. Gold Lodes in the Upper Kuskokwim Region. Ch. in *Mineral Resources of Alaska, Report on Progress of Investigations in 1920*. U.S. Geol. Surv. Bull. 722, 1922, pp. 149-161.
537. _____. Mineral Deposits of Kodiak and the Neighboring Islands. Ch. in *A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska*. U.S. Geol. Surv. Bull. 542, 1913, pp. 135-136.
538. Martin, G.C., and others. Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, 408 pp.
539. _____. Mineral Resources of Alaska, Report on Progress of Investigations in 1918. U.S. Geol. Surv. Bull. 712, 1920, 204 pp.
540. Martin, G.C., B.L. Johnson, and U.S. Grant. Geology and Mineral Resources of Kenai Peninsula, Alaska. U.S. Geol. Surv. Bull. 587, 1915, 243 pp.
541. Martin, G.C., and F.J. Katz. A Geologic Reconnaissance of the Iliamna Region, Alaska. U.S. Geol. Surv. Bull. 485, 1912, 138 pp.
542. _____. Outline of the Geology and Mineral Resources of the Iliamna and Lake Clark Region. Ch. in *Mineral Resources of Alaska, Report on Progress of Investigations in 1909*. U.S. Geol. Surv. Bull. 442, 1910, pp. 179-200.
543. Matzko, J.J., and V.L. Freeman. Summary of Reconnaissance for Uranium in Alaska, 1955. Ch. in *Contributions to Economic Geology of Alaska*. U.S. Geol. Surv. Bull. 1155, 1963, pp. 33-49.
544. Mayfield, C.F., S.M. Curtis, I.F. Eilersieck, and I.L. Tailleir. Reconnaissance Geology of the Ginny Creek Zinc-Lead-Silver and Nimiuktuk Barite Deposits, Northwestern Brooks Range, Alaska. U.S. Geol. Surv. Open File Rep. 79-1092, 1979, 21 pp., 2 sheets.
545. Mayfield, C.F., and D.J. Grybeck. Mineral Occurrences and Resources Map of the Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-120-I, 1978, 1 sheet.
546. Mayfield, C.F., and I.L. Tailleir. Bedrock Geologic Map of the Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 78-120-A, 1978, 1 sheet.
547. McDougall, J.J. Admiralty Island—Alaska Nickel-Copper Deposit (Funter Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-12, 1954, 29 pp.
548. McGee, D.L. Geologic Report of Glacier Bay National Monument. AK Div. Geol. and Geophys. Surv. Open File Rep. AOF-47, 1974, 16 pp.
549. McGinley, L. House Panel Hears Miners. Southeast AK Empire (Juneau), Feb. 7, 1979, pp. 1-2.
550. McKinney, V. Gold Mining in Nome: A Troubled Revival. *AK Ind.*, v. 8, No. 9, 1976, pp. 50-51, 58-60.
551. Mendenhall, W.C. Geology of the Central Copper River Region, Alaska. U.S. Geol. Surv. Prof. Paper 41, 1905, 133 pp.
552. Mendenhall, W.C., and F.C. Schrader. The Mineral Resources of the Mount Wrangell District, Alaska. U.S. Geol. Surv. Prof. Paper 15, 1903, 71 pp.
553. Mertie, J.B., Jr. Chromite Deposits in Alaska. Ch. in *Mineral Resources of Alaska, Report on Progress of Investigations in 1917*. U.S. Geol. Surv. Bull. 692, 1919, pp. 265-267.
554. _____. Economic Geology of the Platinum Metals. U.S. Geol. Surv. Prof. Paper 630, 1969, 120 pp.
555. _____. Geology of the Eagle-Circle District, Alaska. U.S. Geol. Surv. Bull. 816, 1930, 168 pp.
556. _____. Gold Placers and Gold Placers of the Chandalar District, Alaska. Ch. in *Mineral Resources of Alaska, Report on Progress of Investigations in 1923*. U.S. Geol. Surv. Bull. 773, 1925, pp. 215-263.
557. _____. Gold Placers of the Fortymile, Eagle, and Circle Districts, Alaska. U.S. Geol. Surv. Bull. 897-C, 1938, pp. 133-261.

558. _____. The Gold Placers of the Tolovana District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 221-277.
559. _____. The Goodnews Platinum Deposits, Alaska. U.S. Geol. Surv. Bull. 918, 1940, 97 pp.
560. _____. Lode Mining in the Fairbanks District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 403-424.
561. _____. Lode Mining in the Juneau and Ketchikan Districts. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 105-128.
562. _____. Lode Mining and Prospecting on Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 425-449.
563. _____. Mineral Deposits of the Rampart and Hot Springs Districts, Alaska. U.S. Geol. Surv. Bull. 844-D, 1934, pp. 163-226.
564. _____. Mineral Deposits of the Ruby-Kuskokwim Region. U.S. Geol. Surv. Bull. 864-C, 1936, pp. 115-245.
565. _____. Notes on the Geography and Geology of Lituya Bay. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1930. U.S. Geol. Surv. Bull. 836, 1933, pp. 117-135.
566. _____. Notes on the Salmon-Unuk River Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 129-142.
567. _____. Placer Mining on Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 451-458.
568. _____. Platinum Deposits of the Goodnews Bay District, Alaska. U.S. Geol. Surv. Bull. 910-B, 1940, pp. 115-145.
569. _____. Platinum Deposits of the Goodnews Bay District, Alaska. U.S. Geol. Surv. Prof. Paper 938, 1976, 42 pp.
570. _____. Tertiary Deposits of the Eagle-Circle District, Alaska. U.S. Geol. Surv. Bull. 917-D, 1942, pp. 213-264.
571. Mertie, J.B., Jr., and G.L. Harrington. Mineral Resources of the Ruby-Kuskokwim Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1915. U.S. Geol. Surv. Bull. 642, 1916, pp. 223-266.
572. _____. The Ruby-Kuskokwim Region, Alaska. U.S. Geol. Surv. Bull. 754, 1924, 129 pp.
573. Mihelich, M., and R.R. Wells. Copper Mines and Prospects Adjacent to Landlocked Bay, Prince William Sound, Alaska. BuMines RI 5320, 1957, 21 pp.
574. Miller, D.J. Copper Deposits of the Nizina District, Alaska. U.S. Geol. Surv. Bull. 947-F, 1946, pp. 93-120.
575. Miller, D.J., T.G. Payne, and G. Grc. Geology of Possible Petroleum Provinces in Alaska. U.S. Geol. Surv. Bull. 1094, 1959, 131 pp.
576. Miller, T.P., and R.L. Elliott. Metalliferous Deposits Near Granite Mountain, Eastern Seward Peninsula, Alaska. U.S. Geol. Surv. Circ. 614, 1969, 19 pp.
577. Mining Engineering (New York). Alaska Exploration Expenditures Surpass \$75 Million. V. 31, No. 5, 1979, pp. 473-476.
578. Mining Journal (London). Alaskan Molybdenum Find. V. 286, No. 7336, 1976, p. 249.
579. _____. Molybdenum—American Metal, American Problem. V. 293, No. 7512, 1979, p. 105.
580. _____. Molybdenum—Slow Progress at Quartz Hill. V. 293, No. 7531, 1979, pp. 521-522.
581. Mining Magazine. Molybdenum Deposit Found in Alaska. V. 134, No. 5, 1976, pp. 349-351.
582. _____. Panorama: Molybdenum Developments in Colorado and Alaska. V. 142, No. 4, 1980, pp. 311-312.
583. Mining World. Alaska Juneau—Secondary Blasting, Bulldozing Practice. Sept. 1942, pp. 9-14.
584. _____. Alaska—Gold Output at Post-War Peak: Platinum and Tin Placering. V. 13, No. 5, 1951, p. 55.
585. _____. International News: Alaska. V. 12, No. 5, 1950, pp. 51-52.
586. _____. Long-Hole Blasting as it Is Practiced at Alaska Juneau. Dec. 1941, pp. 3-8.
587. Moffit, F.H. The Chitina Copper District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 105-107.
588. _____. The Fairhaven Gold Placers, Seward Peninsula, Alaska. U.S. Geol. Surv. Bull. 247, 1905, 85 pp.
589. _____. Geology of the Chitina Valley and Adjacent Area, Alaska. U.S. Geol. Surv. Bull. 894, 1938, 137 pp.
590. _____. Geology of the Eastern Part of the Alaska Range and Adjacent Area. U.S. Geol. Surv. Bull. 989-D, 1954, pp. 65-218.
591. _____. Geology of the Hanagita-Bremner Region, Alaska. U.S. Geol. Surv. Bull. 576, 1914, 56 pp.
592. _____. Geology of the Nome and Grand Central Quadrangles, Alaska. U.S. Geol. Surv. Bull. 533, 1913, 140 pp.
593. _____. Geology of the Prince William Sound Region, Alaska. U.S. Geol. Surv. Bull. 989-E, 1954, pp. 225-310.
594. _____. Geology of the Slana-Tok District, Alaska. U.S. Geol. Surv. Bull. 904, 1938, 54 pp.
595. _____. Gold Mining on Seward Peninsula. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1905. U.S. Geol. Surv. Bull. 284, 1906, pp. 132-144.
596. _____. Headwater Regions of Gulkana and Susitna Rivers, Alaska, With Accounts of the Valdez Creek and Chistochina Placer Districts. U.S. Geol. Surv. Bull. 498, 1912, 82 pp.
597. _____. The Kantishna District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1930. U.S. Geol. Surv. Bull. 836, 1933, pp. 301-338.
598. _____. The Metalliferous Deposits of Chitina Valley, Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1922. U.S. Geol. Surv. Bull. 755, 1924, pp. 57-72.
599. _____. Mineral Deposits of the Kotsina-Kuskulana District, With Notes on Mining in Chitina Valley. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 103-117.
600. _____. Mineral Industry of Alaska in 1925. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1925. U.S. Geol. Surv. Bull. 792, 1927, pp. 1-39.
601. _____. Mining in Chitina Valley. Ch. in A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Bull. 542, 1913, pp. 81-85.
602. _____. Mining in Chitina Valley. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1919. U.S. Geol. Surv. Bull. 714, 1921, pp. 189-196.
603. _____. Mining Development in the Tantalika and Totatlanika Basins. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1930. U.S. Geol. Surv. Bull. 836, 1933, pp. 339-345.
604. _____. Mining in the Kotsina-Chitina, Chistochina, and Valdez Creek Regions. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 153-160.
605. _____. Mining in the Lower Copper River Basin. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 155-182.
606. _____. Mining in the Northern Copper River Region, Alaska. U.S. Geol. Surv. Bull. 943-B, 1944, pp. 25-47.
607. _____. Mining in the Valdez Creek Placer District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 307-308.
608. _____. The Nome Region, Alaska. Ch. in Report of Progress of Investigations of Mineral Resources of Alaska in 1906. U.S. Geol. Surv. Bull. 314, 1907, pp. 126-145.
609. _____. Notes on Copper Prospects of Prince William Sound. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 176-178.
610. _____. The Occurrence of Copper on Prince William Sound, Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1923. U.S. Geol. Surv. Bull. 773, 1925, pp. 141-158.
611. _____. Recent Mineral Developments in the Copper River Region. U.S. Geol. Surv. Bull. 880-B, 1937, pp. 97-109.
612. _____. The Suslota Pass District, Upper Copper River Region, Alaska. U.S. Geol. Surv. Bull. 844-C, 1933, pp. 137-162.
613. _____. The Taral and Bremner River Districts. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 93-104.

614. _____. Upper Copper and Tanana Rivers. U.S. Geol. Surv. Bull. 868-C, 1936, pp. 135-143.
615. _____. The Upper Susitna and Chistochina Districts. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 112-127.
616. Moffit, F.H., and S.R. Capps. Geology and Mineral Resources of the Nizina District, Alaska. U.S. Geol. Surv. Bull. 448, 1911, 111 pp.
617. Moffit, F.H., and R.E. Fellows. Copper Deposits of the Prince William Sound District, Alaska. U.S. Geol. Surv. Bull. 963-B, 1950, pp. 47-80.
618. Moffit, F.H., and A. Knopf. Mineral Resources of the Nebesna-White River District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 161-180.
619. Moffit, F.H., A. Knopf, and S.R. Capps. Mineral Resources of the Nabesna-White River District, Alaska. U.S. Geol. Surv. Bull. 417, 1910, 64 pp.
620. Moffit, F.H., and A.G. Maddren. The Mineral Resources of the Kotsina and Chitina Valleys, Copper River Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 127-175.
621. _____. Mineral Resources of the Kotsina-Chitina Region, Alaska. U.S. Geol. Surv. Bull. 374, 1909, 103 pp.
622. Moffitt, F.H., and J.B. Mertie, Jr. The Kotsina-Kuskulana District, Alaska. U.S. Geol. Surv. Bull. 745, 1923, 149 pp.
623. Moffit, F.H., and R.G. Wayland. Geology of the Nutzotin Mountains, Alaska. U.S. Geol. Surv. Bull. 933-B, 1943, pp. 103-174.
624. Moxham, R.M., and A.E. Nelson. Reconnaissance for Radioactive Deposits in South-Central Alaska, 1947-49. U.S. Geol. Surv. Circ. 184, 1952, 14 pp.
625. _____. Reconnaissance for Radioactive Deposits in the Southern Cook Inlet Region, Alaska, 1949. U.S. Geol. Surv. Circ. 207, 1952, 7 pp.
626. Muir, N.M. Riverside Mine, Hyder District, Alaska. BuMines War Miner. Rep. 420, 1945, 18 pp.
627. Muir, N.M., and A.E. Erickson. Mountain View Mine, Hyder, Alaska. BuMines Draft War Miner. Rep., June 1945, 26 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
628. Muir, N.M., B.I. Thomas, and R.S. Sanford. Investigation of the Mount Eielson Zinc-Lead Deposits, Mount McKinley National Park, Alaska. BuMines RI 4121, 1947, 13 pp.
629. Mulligan, J.J. Examination of Hannum Lead Prospect, Fairhaven District, Seward Peninsula, Alaska. BuMines OFR 6-65, 1965, 16 pp.
630. _____. Mineral Resources of the Trans-Alaska Pipeline Corridor. BuMines IC 8626, 1974, 24 pp.
631. _____. Tin-Lode Investigations, Cape Mountain Area, Seward Peninsula, Alaska. BuMines RI 6737, 1966, 43 pp.
632. _____. Tin-Lode Investigations, Potato Mountain Area, Seward Peninsula, Alaska. BuMines RI 6587, 1965, 85 pp.
633. Mulligan, J.J., and R.L. Thorne. Tin-Placer Sampling Methods and Results, Cape Mountain District, Seward Peninsula, Alaska. BuMines IC 7878, 1959, 69 pp.
634. Mulligan, J.J., R.S. Warfield, and R.R. Wells. Sampling a Gold-Copper Deposit, Golden Zone Mine, South-Central Alaska. BuMines OFR 9-67, 1967, 59 pp.
635. Nelson, A.E., W.S. West, and J.J. Matzko. Reconnaissance for Radioactive Deposits in Eastern Alaska, 1952. U.S. Geol. Surv. Circ. 348, 1954, 21 pp.
636. Nelson, C.H., and D.M. Hopkins. Sedimentary Processes and Distribution of Particulate Gold in the Northern Bering Sea. U.S. Geol. Surv. Prof. Paper 689, 1972, 27 pp.
637. Noel, G.A. Peacock Fraction. AK Div. Geol. and Geophys. Surv. Misc. Rep. MR-119-5, 1963, 8 pp.
638. _____. The Productive Mineral Deposits of Southeastern Alaska. Ch. in Alaska Division of Mines and Geology Annual Report for the Year 1966. AK Div. Mines and Geol., 1967, pp. 51-68.
639. Nokleberg, W.J., and G.R. Winkler. Geologic Setting of the Lead and Zinc Deposits, Drenchwater Creek Area, Howard Pass Quadrangle, Western Brooks Range, Alaska. U.S. Geol. Surv. Open File Rep. 78-70-C, 1978, 17 pp.
640. Nordale, A. Keystone Mines Report. Keystone Mines, Inc., undated, 6 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
641. Northern Miner (Toronto). Major Molybdenum Deposit Discovered in Southeastern Alaska. Mar. 25, 1976, p. 6.
642. _____. Quartz Hill Molybdenum Mine: U.S. Borax Pioneer in Major Alaska Discovery. Aug. 19, 1982, pp. B-7, B-8.
643. _____. Stanford's Early Production Results Indicate a Profitable Operation. Sept. 28, 1975, p. 30.
644. Overbeck, R.M. Geology and Mineral Resources of the West Coast of Chichagof Island. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1917. U.S. Geol. Surv. Bull. 692, 1919, pp. 91-136.
645. _____. Lode Deposits Near the Nenana Coal Field. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1916. U.S. Geol. Surv. Bull. 662, 1918, pp. 351-362.
646. _____. Nickel Deposits in the Lower Copper River Valley. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1918. U.S. Geol. Surv. Bull. 712, 1920, pp. 91-98.
647. _____. Placer Mining in the Tolovana District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1918. U.S. Geol. Surv. Bull. 712, 1920, pp. 177-184.
648. Overstreet, W.C. The Geologic Occurrence of Monazite. U.S. Geol. Surv. Prof. Paper 530, 1967, 327 pp.
649. Patton, W.W., Jr., and B. Csejtey, Jr. Preliminary Geologic Investigations of Western St. Lawrence Island, Alaska. U.S. Geol. Surv. Prof. Paper 684-C, 1971, 15 pp.
650. Patton, W.W., Jr., T.P. Miller, and I.L. Tailleux. Regional Geologic Map of the Shungnak and Southern Part of the Ambler River Quadrangles, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-554, 1968, scale 1:250,000.
651. Paul, T. Good "Looking" Year but the Pickens Are Slim. AK Ind., v. 6, No. 9, 1974, pp. 33-35, 42-48, 52.
652. Pecora, W.T. Nickel-Copper Deposits on the West Coast of Chichagof Island, Alaska. U.S. Geol. Surv. Bull. 936-I, 1942, pp. 221-243.
653. Pennington, J.W. Mercury. A Materials Survey. BuMines IC 7941, 1959, 92 pp.
654. Pessel, G.H., and W.P. Brosge. Preliminary Reconnaissance Geologic Map of Ambler River Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 77-28, 1977, 1 sheet.
655. Pierce, H.C. Exploration of Spirit Mountain Nickel Prospect, Canyon Creek, Lower Copper River Region, Alaska. BuMines RI 3913, 1946, 8 pp.
656. Pilkington, H.D. Keystone Mines Exploration Program: Summary and Recommendations—Exploration. IMC Explor. Rep., Jan. 5, 1970, 26 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
657. Pillmore, C.L., and K. McQueen. Map of Hollis Area, Prince of Wales Island, Alaska, Showing Linear Features as Seen on Aerial Photographs, Part 2. U.S. Geol. Surv. Misc. Geol. Invest. Map I-232, 1956, scale 1:12,000.
658. _____. Map of Salt Chuck Area, Prince of Wales Island, Alaska, Showing Linear Features as Seen on Aerial Photographs. U.S. Geol. Surv. Misc. Geol. Invest. Map I-230, 1956, scale 1:12,000.
659. Pittman, T.L. Mining Picks Up Across the State. AK Constr. and Oil, v. 22, No. 6, 1981, p. 31.
660. Plafker, G. Geologic Investigations of Proposed Powersites at Sheep Creek, Carlson Creek, and Turner Lake, Alaska. U.S. Geol. Surv. Bull. 1031-F, 1962, pp. 127-148.
661. _____. Geologic Map of the Gulf of Alaska Tertiary Province, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-484, 1967, scale 1:500,000.
662. Plahuta, J.T. Geologic Map and Cross Sections of the Red Dog Prospect, DeLong Mountains, Northwestern Alaska. BuMines OFR 65-78, 1978, 11 pp.
663. Prindle, L.M. Auriferous Quartz Veins in the Fairbanks District. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 210-229.
664. _____. A Geologic Reconnaissance of the Circle Quadrangle, Alaska. U.S. Geol. Surv. Bull. 538, 1913, 82 pp.
665. _____. The Yukon-Tanana Region Alaska; Description of Circle Quadrangle. U.S. Geol. Surv. Bull. 295, 1906, 27 pp.

666. Prindle, L.M., and J.B. Mertie, Jr. Gold Placers Between Woodchopper and Fourth of July Creeks, Upper Yukon River. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 201-210.
667. Pruitt, R.G., Jr. Digest of Mining Claim Laws. Rocky Mountain Mineral Law Found., Boulder, CO, 1978, 177 pp.
668. Purington, C.W. Methods and Costs of Gravel and Placer Mining in Alaska. U.S. Geol. Surv. Bull. 263, 1905, 273 pp.
669. Pursley, R.J. Letter to Sheldon Wimpfen, Chief Mining Engineer, Bureau of Mines. Mar. 14, 1977, 2 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
670. Quebec Metal Ltd. Admiralty-Alaska Gold Manufacturing Company—Lab Tests (Funter Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-15, 1956, 28 pp.
671. Race, W.H., and A.W. Rose. Geochemical and Geological Investigations of Admiralty Island, Southeastern Alaska. AK Div. Geol. and Geophys. Surv. Geochem. Rep. 8, 1967, 43 pp.
672. Ransome, A.L., and W. H. Kerns. Names and Definitions of Regions, Districts, and Subdistricts in Alaska. BuMines IC 7679, 1954, 91 pp.
673. Ray, J.C. The Willow Creek Gold-Lode District, Alaska. U.S. Geol. Surv. Bull. 849-C, 1933, pp. 165-229.
674. Ray, R.G. Geology and Ore Deposits of the Willow Creek Mining District, Alaska. U.S. Geol. Surv. Bull. 1004, 1954, 86 pp.
675. Redman, E.C. An Index to Mines and Prospects in the Juneau Gold Belt from Juneau Area Newspapers, 1882-1912. AK Div. of State Libraries, 1987, 66 pp.
676. _____. The Sweetheart Ridge Prospect, Southeast Alaska. Rep. by C.C. Hawley and Associates for MAPCO, 1978, 37 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
677. Read, B.L. Results of Stream Sediment Sampling and Bedrock Analyses in the Eastern Part of the Iliamna Quad, and at Kasma Creek, Lake Clark Quad, Alaska. U.S. Geol. Surv. Open File Rep. 272, 1967, 18 pp.
678. Reed, B.L., and G.D. Eberlein. Massive Sulfide Deposits Near Shellabarger Pass, Southern Alaska Range, Alaska. U.S. Geol. Surv. Bull. 1342, 1972, 45 pp.
679. Reed, B.L., and R.L. Elliott. Geochemical Anomalies and Metalliferous Deposits Between Windy Fork and Post River, Southern Alaska Range. U.S. Geol. Surv. Circ. 569, 1968, 22 pp.
680. _____. Lead, Zinc, and Silver Deposits at Bowser Creek, McGrath A-2 Quadrangle, Alaska. U.S. Geol. Surv. Circ. 559, 1968, 17 pp.
681. _____. Reconnaissance Geologic Map, Analyses of Bedrock and Stream Sediment Samples, and an Aeromagnetic Map of Parts of the Southern Alaska Range. U.S. Geol. Surv. Open File Rep. 413, 1970, 145 pp., 4 sheets.
682. Reed, B.L., and M.A. Lanphere. Generalized Geologic Map of the Alaska Aleutian Range Batholith Showing Potassium-Argon Ages of the Plutonic Rocks. U.S. Geol. Surv. Misc. Field Stud. Map MF-372, 1972, 2 sheets.
683. Reed, B.L., and R.L. Miller. Orientation Geochemical Soil Survey at the Nixon Fork Mines, Medfra Quadrangle, Alaska. U.S. Geol. Surv. Bull. 1312-K, 1971, 21 pp.
684. Reed, I. Goodpaster Quartz Lode Mining at Head of Johnson and Boulder Creeks. AK Territorial Dep. Mines Misc. Rep. MR-59-1, 1937, 2 pp.
685. _____. Hi Yu Mining Company (Fairbanks Creek). AK Territorial Dep. Mines Prop. Exam. PE-49-4, 1938, 8 pp.
686. Reed, I.M. Chandalar Quartz Prospects. AK Territorial Dep. Mines Misc. Rep. MR-31-2, 1927, 4 pp.
687. _____. Little Squaw Area. AK Territorial Dep. Mines Misc. Rep. MR-31-4, 1930, 18 pp.
688. _____. Mining in the Chandalar District. AK Territorial Dep. Mines Misc. Rep. MR-31-3, 1929, 5 pp.
689. _____. Mining on Seward Peninsula. AK Territorial Dep. Mines Misc. Rep. MR-192-2, 1929, 45 pp.
690. _____. Upper Koyukuk Region, Alaska (Wiseman, Chandalar, and Bettles). AK Territorial Dep. Mines Misc. Rep. MR-194-7, 1938, 169 pp.
691. Reed, J.C. Geology of the Mount McKinley Quadrangle, Alaska. U.S. Geol. Surv. Bull. 1108-A, 1961, 36 pp.
692. _____. The Mount Eielson District, Alaska. U.S. Geol. Surv. Bull. 849-D, 1933, pp. 231-287.
693. _____. Nickel Content of an Alaskan Basic Rock. U.S. Geol. Surv. Bull. 897-D, 1939, pp. 263-268.
694. _____. Nickel-Copper Deposit at Funter Bay, Admiralty Island, Alaska. U.S. Geol. Surv. Bull. 936-0, 1942, pp. 349-361.
695. _____. Some Mineral Deposits of Glacier Bay. AK Territorial Dep. Mines Misc. Rep. MR-111-1, 1938, 29 pp.
696. _____. Some Mineral Deposits of Glacier Bay and Vicinity, Alaska. Econ. Geol. and Bull. Soc. Econ. Geol., v. 33, No. 1, 1938, pp. 52-80.
697. Reed, J.C., and R.R. Coats. Geology and Ore Deposits of the Chichagof Mining District, Alaska. U.S. Geol. Surv. Bull. 929, 1942, 148 pp.
698. Reed, J.C., and J.V.N. Dorr, 2d. Nickel Deposits of Bohemia Basin and Vicinity, Yakobi Island, Alaska. U.S. Geol. Surv. Bull. 931-F, 1942, pp. 105-138.
699. Reed, J.C., and G.O. Gates. Nickel-Copper Deposits at Snipe Bay, Baranof Island, Alaska. U.S. Geol. Surv. Bull. 936-M, 1942, pp. 321-330.
700. Richardson, P. U.S. Borax Awaits Numerous Permits for Mine Access Road. AK Constr. and Oil, v. 19, No. 9, 1978, pp. 21-28.
701. Richter, D.H. Geologic Map of the Nabesna Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-932, 1976, scale 1:250,000.
702. _____. Geology and Lode-Gold Deposits of the Naku Bay Area, Kenai Peninsula, Alaska. U.S. Geol. Surv. Prof. Paper 625-B, 1970, 16 pp.
703. _____. Geology and Mineral Deposits of the Ahtell Creek Area, Slana District, South-Central Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 6, 1964, 17 pp.
704. _____. Geology and Mineral Deposits of Central Knight Island, Prince William Sound. AK Div. Geol. and Geophys. Surv. Geol. Rep. 16, 1965, 37 pp.
705. _____. Geology of the Slana District, South-Central Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 21, 1966, 51 pp.
706. _____. Geology of the Upper Slana-Mentasta Pass Area, South-Central Alaska. AK Div. Geol. and Geophys. Surv. Geol. Rep. 30, 1967, 27 pp.
707. _____. Reconnaissance Geologic Map of the Nabesna A-4 Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-789, 1974, scale 1:63,360.
708. _____. Reconnaissance Geologic Map of the Nabesna A-4 Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 509, 1972, 1 sheet.
709. _____. Reconnaissance Geologic Map and Section of the Nabesna A-3 Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-655, 1971, scale 1:63,360.
710. Richter, D.H., N.R.D. Albert, D.F. Barnes, A. Griscom, S.P. Marsh, and D.A. Singer. The Alaskan Mineral Resource Assessment Program; Background Information To Accompany Folio of Geologic and Mineral Resource Maps of the Nabesna Quadrangle, Alaska. U.S. Geol. Surv. Circ. 718, 1975, 11 pp.
711. Richter, D.H. and D.L. Jones. Reconnaissance Geologic Map of the Nabesna A-2 Quadrangle, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-749, 1973, scale 1:63,360.
712. Richter, D.H., and N.A. Matson, Jr. Distribution of Gold and Some Base Metals in the Slana Area, Eastern Alaska Range, Alaska. U.S. Geol. Surv. Circ. 593, 1968, 20 pp.
713. _____. Geochemical Data From the Nabesna A-4 Quadrangle, Alaska. U.S. Geol. Surv. Open File Rep. 398, 1970, 8 pp., 1 sheet.
714. _____. Metallic Mineral Resources Map of the Gulkana Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-419, 1972, scale 1:250,000.
715. _____. Metallic Mineral Resources Map of the Nabesna Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-422, 1972, scale 1:250,000.
716. Richter, D.H., D.A. Singer, and D.P. Cox. Mineral Resources Map of the Nabesna Quadrangle, Alaska. U.S. Geol. Surv. Misc. Field Stud. Map MF-655-K, 1975, scale 1:250,000.

717. Roberts, W.S. Economic Potential for Chromium, Platinum, and Palladium in the Mount Hurst Ultramafics, West-Central Area, Alaska, BuMines OFR 22-84, 1984, 52 pp.
718. Robertson, E.C. Magnetite Deposits Near Klukwan and Haines, Alaska. U.S. Geol. Surv. Open File Rep. 132, 1956, 37 pp.
719. Robinson, G.D., and W.S. Twenhofel. Some Lead-Zinc and Zinc-Copper Deposits of the Ketchikan and Wales Districts, Alaska. U.S. Geol. Surv. Bull. 998-C, 1953, pp. 59-84.
720. Robinson, M.S., and T.K. Bundtzen. Historic Gold Production in Alaska—A 'Minisummary'. AK Div. Geol. and Geophys. Surv. Mines and Geol. Bull., v. 28, No. 3, 1979, pp. 1-4.
721. Roehm, J.C. Beat Lode (Sleeping Beauty Mountain, Helm Bay). AK Territorial Dep. Mines Prop. Exam. PE-119-12A, 1938, 3 pp.
722. _____. Bohemia Tunnel (Bohemia Basin). AK Territorial Dep. Mines Prop. Exam. PE-114-9, 1938, 2 pp.
723. _____. Chugach Gold Mines, Inc. (Cliff Mine, Valdez). AK Territorial Dep. Mines Prop. Exam. PE-86-9, 1936, 4 pp.
724. _____. Golden Horn Mine (Otter Creek). AK Territorial Dep. Mines Prop. Exam. PE-73-1, 1937, 11 pp.
725. _____. Harris Creek Mine (Twelvemile Arm, Kasaan Bay). AK Territorial Dep. Mines Prop. Exam. PE-119-2, 1936, 9 pp.
726. _____. Helm Bay Properties. AK Territorial Dep. Mines Misc. Rep. MR-191-3, 1936, 21 pp.
727. _____. Investigations in the Chistochina-Slana, Nabesna, Tiekell, Valdez, Prince William Sound and Kodiak Mining Districts, September 1-October 27, 1936. AK Territorial Dep. Mines Itinerary Rep., 1936, 18 pp.
728. _____. Investigations in the Innoko, Mt. McKinley, Knik, and Talkeetna Precincts, September 1-October 31, 1937. AK Territorial Dep. Mines Itinerary Rep., 1937, 16 pp.
729. _____. Investigations in the Sitka and Juneau Mining Districts, Vicinities of Yakobi, Chichagof, Kruzof, Krestof, Halleck and Admiralty Islands, April 21-30, 1938. AK Territorial Dep. Mines Itinerary Rep., 1938, 12 pp.
730. _____. Investigations—Ketchikan Mining District; Summary Report and Itinerary of J.C. Roehm, May 25-June 23, 1936. AK Territorial Dep. Mines Itinerary Rep., 1936, 8 pp.
731. _____. Investigations—Sitka Mining District, Vicinities of Lisianski Inlet and West Coast of Chichagof Island and Itinerary of J.C. Roehm, June 29-July 8, 1936. AK Territorial Dep. Mines Itinerary Rep., 1936, 11 pp.
732. _____. Jualin Mine (Berners Bay). AK Territorial Dep. Mines Prop. Exam. PE-112-15, 1939, 24 pp.
733. _____. Leroy Mining Company (Glacier Bay). AK Territorial Dep. Mines Prop. Exam. PE-111-2, 1942, 3 pp.
734. _____. Lone Jack Prospect (Karta Bay). AK Territorial Dep. Mines Prop. Exam. PE-119-8, 1938, 2 pp.
735. _____. Mining Investigations and Itinerary of J.C. Roehm in the Ketchikan, Wrangell, Petersburg, and Juneau Mining Precincts, August 1-September 13, 1942. AK Territorial Dep. Mines Itinerary Rep., 1942, 23 pp.
736. _____. Mining Investigations on Seward Peninsula. AK Territorial Dep. Mines Misc. Rep. MR-192-8, 1946, 12 pp.
737. _____. Operating Mines and Prospects—Willow Creek District. AK Territorial Dep. Mines Misc. Rep. MR-85-4, 1937, 9 pp.
738. _____. Peterson-Wixon-Arwick Group (Bear Lake). AK Territorial Dep. Mines Prop. Exam. PE-119-1, 1936, 3 pp.
739. _____. Portland Group (Bert Libe Property, Helm Bay). AK Territorial Dep. Mines Prop. Exam. PE-119-13, 1938, 4 pp.
740. _____. Preliminary Report of Investigations and Itinerary of J.C. Roehm in the Ketchikan and Hyder Mining Precincts, July 14-August 18, 1945. AK Territorial Dep. Mines Itinerary Rep., 1945, 14 pp.
741. _____. Red Devil Group (Sleetmute). AK Territorial Dep. Mines Prop. Exam. PE-82-1, 1939, 5 pp.
742. _____. Report of Investigations by J.C. Roehm in the Sitka Mining Precinct, July 3-15, 1947. AK Territorial Dep. Mines Itinerary Rep., 1947, 16 pp.
743. _____. Report of Investigations and Itinerary of J.C. Roehm in the Hyder and Ketchikan Mining Precincts, Alaska, July 27-August 18, 1947. AK Territorial Dep. Mines Itinerary Rep., 1947, 13 pp.
744. _____. Report of Investigations and Itinerary of J.C. Roehm in the Petersburg and Ketchikan Mining Precincts, June 11-July 2, 1946. AK Territorial Dep. Mines Itinerary Rep., 1946, 13 pp.
745. _____. Rusty Lode Group (Berners Bay). AK Territorial Dep. Mines Prop. Exam. PE-112-14, 1938, 6 pp.
746. _____. Shepard Group (Kasaan Peninsula). AK Territorial Dep. Mines Prop. Exam. PE-119-11, 1938, 2 pp.
747. _____. Some Operations and Geology—Seward Peninsula. AK Territorial Dep. Mines Misc. Rep. MR-192-5, 1940, 6 pp.
748. _____. Strategic and Critical Mineral Occurrences in Southeastern Alaska. AK Territorial Dep. Mines Misc. Rep. MR-191-5, 1943, 87 pp.
749. _____. Summary Report of Mining Investigations in the Fairbanks, Fortymile, Knik, and Kenai Precincts and Itinerary of J.C. Roehm, September 1-30, 1939. AK Territorial Dep. Mines Itinerary Rep., 1939, 28 pp.
750. _____. Summary Report of Mining Investigations and Itinerary in the Ketchikan District, September 10-October 9, 1941. AK Territorial Dep. Mines Itinerary Rep., 1941, 4 pp.
751. _____. Summary Report of Mining Investigations in the Ketchikan District and Itinerary of J.C. Roehm, May 7-June 2, 1939. AK Territorial Dep. Mines Itinerary Rep., 1939, 14 pp.
752. _____. Summary Report of Mining Investigations in the Ketchikan and Petersburg Mining Districts and Itinerary of J.C. Roehm, May 23-July 13, 1938. AK Territorial Dep. Mines Itinerary Rep., 1938, 16 pp.
753. _____. Summary Report of Mining Investigations in the Ketchikan and Wrangell Districts and Itinerary of J.C. Roehm, May 24-June 18, 1940. AK Territorial Dep. Mines Itinerary Rep., 1940, 17 pp.
754. _____. Summary Report of Mining Investigations in the Ketchikan, Wrangell, Petersburg, and Juneau Precincts, and Itinerary of J.C. Roehm, May 24-June 27, 1942. AK Territorial Dep. Mines Itinerary Rep., 1942, 18 pp.
755. _____. Summary Report of Mining Investigations in the Willow Creek District and Itinerary of J.C. Roehm, July 27-August 12, 1938. AK Territorial Dep. Mines Itinerary Rep., 1938, 9 pp.
756. Roehm, J.C., and H.B. Humphrey. Eagle River Mine (Eagle River). AK Territorial Dep. Mines Prop. Exam. PE-112-2, 1936, 3 pp.
757. Roppel, P. Sumdum. AK J., v. 1, No. 3, 1971, pp. 47-50.
758. _____. Those Disappearing Mining Towns: Copper Mount, Hadley, Sulzer. New Alaskan, Sept. 1976, pp. 12-13.
759. Rose, A.W. Geological and Geochemical Investigations in the Eureka Creek and Rainy Creek Areas, Mt. Hayes Quadrangle. AK Div. Geol. and Geophys. Surv. Geol. Rep. 20, 1966, 36 pp.
760. _____. Geology and Mineral Deposits of the Rainy Creek Area, Mt. Hayes Quadrangle. AK Div. Geol. and Geophys. Surv. Geol. Rep. 14, 1965, 51 pp.
761. _____. Geology and Mineralization of the Midas Mine and Sulphide Gulch Areas Near Valdez. AK Div. Geol. and Geophys. Surv. Geol. Rep. 15, 1965, 21 pp.
762. _____. Geology of the Upper Chistochina River Area, Mt. Hayes Quadrangle. AK Div. Geol. and Geophys. Surv. Geol. Rep. 28, 1967, 41 pp.
763. Rose, A.W., and D.H. Richter. Geology and Stream Sediment Geochemistry of Anton Larsen Bay and Vicinity, Kodiak Island. AK Div. Geol. and Geophys. Surv. Geol. Rep. 31, 1967, 10 pp.
764. Rose, A.W., and R.H. Saunders. Geology and Geochemical Investigations Near Paxson, Northern Copper River Basin. AK Div. Geol. and Geophys. Surv. Geol. Rep. 13, 1965, 35 pp.
765. Ross, C.P. Mineral Deposits Near the West Fork at the Chulitna River, Alaska. U.S. Geol. Surv. Bull. 849-E, 1933, pp. 289-333.
766. _____. The Valdez Creek Mining District, Alaska. U.S. Geol. Surv. Bull. 849-H, 1933, pp. 425-468.
767. Rossman, D.L. Geology of the Eastern Part of the Mount Fairweather Quadrangle, Glacier Bay, Alaska. U.S. Geol. Surv. Bull. 1121-K, 1963, 57 pp.
768. _____. Geology and Ore Deposits of Northwestern Chichagof Island, Alaska. U.S. Geol. Surv. Bull. 1058-E, 1960, pp. 139-216.
769. _____. Geology and Ore Deposits in the Reid Inlet Area, Glacier Bay, Alaska. U.S. Geol. Surv. Bull. 1058-B, 1959, pp. 33-59.

770. _____. Geology and Petrology of Two Stocks of Layered Gabbro in the Fairweather Range, Alaska. U.S. Geol. Surv. Bull. 1121-F, 1963, 50 pp.
771. Ruckmick, J.C., and J.A. Noble. Origin of the Ultramafic Complex at Union Bay, Southeastern Alaska. Geol. Soc. Am. Bull., v. 70, No. 8, 1959, pp. 981-1018.
772. Runnells, D.D. The Mineralogy and Sulfur Isotopes of the Ruby Creek Copper Property, Bornite, Alaska. Econ. Geol. and Bull. Soc. Econ. Geol., v. 64, No. 1, 1969, pp. 75-90.
773. Rutledge, F.A. Diamond Drilling the Lucky Queen Deposit, Cape Mountain Lode-tin Deposits, Seward Peninsula, Alaska. Supplement to BuMines RI 3978, 1950, 7 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
774. _____. Exploration of Red Mountain Chromite Deposits, Kenai Peninsula, Alaska. BuMines RI 3885, 1946, 26 pp.
775. _____. Investigation of the Copper Bullion Claims, Rua Cove, Knight Island, Alaska. BuMines RI 4986, 1953, 6 pp.
776. _____. Investigation of Mercury Deposits, Cinnabar Creek Area, Georgetown and Akiak Districts, Kuskokwim Region, Southwestern Alaska. BuMines RI 4719, 1950, 9 pp.
777. Rutledge, F.A., and J.J. Mulligan. Investigation of the Millett Copper Deposit, Iliamna Lake, Southwestern Alaska. BuMines RI 4890, 1952, 22 pp.
778. S.E. Alaska Mining Co. (Juneau). Jualin Mine (Berners Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-6, 1928, 37 pp.
779. Sainsbury, C.L. Beryllium Deposits of the Western Seward Peninsula, Alaska. U.S. Geol. Surv. Circ. 479, 1963, 18 pp.
780. _____. Geologic Map of the Bendeleben 1:250,000 Quadrangle, Seward Peninsula, Alaska. Mapmakers, Anchorage, AK, 1974, 31 pp.
781. _____. Geologic Map of the Teller Quadrangle, Western Seward Peninsula, Alaska. U.S. Geol. Surv. Misc. Geol. Invest. Map I-685, 1972, 4 pp.
782. _____. Geology of Lost River Mine Area, Alaska. U.S. Geol. Surv. Bull. 1129, 1964, 80 pp.
783. _____. Geology of the Nelson and Radovan Copper Prospects, Glacier Creek, Alaska. U.S. Geol. Surv. Open File Rep. 61, 1952, 20 pp., 2 sheets.
784. _____. Geology of Part of the Craig C-2 Quadrangle and Adjoining Areas, Prince of Wales Island, Southeastern Alaska. U.S. Geol. Surv. Bull. 1058-H, 1961, pp. 299-362.
785. _____. Geology, Ore Deposits and Mineral Potential of the Seward Peninsula, Alaska. BuMines OFR 73-75, 1975, 108 pp.
786. Sainsbury, C.L., T.L. Hudson, R. Ewing, and W.R. Marsh. Reconnaissance Geologic Map of the Solomon D-5 and C-5 Quadrangles, Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 511, 1972, 12 pp., 2 sheets.
787. Sainsbury, C.L., T.L. Hudson, R. Ewing, and T.R. Richards. Reconnaissance Geologic Maps of the Solomon D-6 Quadrangle, Seward Peninsula, Alaska. U.S. Geol. Surv. Open File Rep. 512, 1972, 15 pp., 1 sheet.
788. Sainsbury, C.L., and E.M. MacKevett, Jr. Quicksilver Deposits of Southwestern Alaska. U.S. Geol. Surv. Bull. 1187, 1965, 89 pp.
789. Sanford, R.S. Red Mountain Chromite Deposits, Kenai Peninsula, Alaska. BuMines War Miner. Rep. 191, 1944, 51 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
790. Sanford, R.S., G.A. Apell, and F.A. Rutledge. Investigation of Muir Inlet or Nunatak Molybdenum Deposits, Glacier Bay, Southeastern Alaska. BuMines RI 4421, 1949, 6 pp.
791. Sanford, R.S., and J.W. Cole. Claim Point Chromite Deposit, Kenai Peninsula, Alaska. BuMines War Miner. Rep. 253, 1943, 34 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
792. _____. Investigation of the Claim Point Chromite Deposits, Kenai Peninsula, Alaska. BuMines RI 4419, 1941, 11 pp.
793. Sanford, R.S., N. Ebbley, Jr., L.C. Doheny, and R.L. Thorne. Cleary Hill Tungsten Mine, Fairbanks District, Alaska. BuMines War Miner. Rep. 358, 1945, 19 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
794. Sanford, R.S., and R.L. Thorne. Colbert Tungsten Prospect, Fairbanks District, Central Alaska. BuMines War Miner. Rep. 380, 1945, 10 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
795. Sanford, R.S., and W.M. Traver. Mirror Harbor, Chichagof Island, Alaska—Nickel, Copper. BuMines War Miner. Rep. 333, 1944, 9 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
796. Saunders, R.H. Itinerary Report on a Trip to the Chandalar District, 1959. AK Territorial Dep. Mines, Dec. 1959, 11 pp.
797. _____. K-M Copper Prospect (Maclaren River). AK Territorial Dep. Mines Prop. Exam. PE-68-2, 1957, 9 pp.
798. _____. Notes on Mineral Resources of the Livengood Creek, Hess Creek, and Tributaries. AK Territorial Dep. Mines Misc. Rep. MR-49-3, 1958, 4 pp.
799. Schrader, F.C. A Reconnaissance of a Part of Prince William Sound and the Copper River District, Alaska, in 1898. Ch. in Twentieth Annual Report of the United States Geological Survey, Part VII. U.S. Geol. Surv., 1900, pp. 341-423.
800. Schrader, F.C., and A.H. Brooks. Preliminary Report on the Cape Nome Gold Region, Alaska. U.S. Geol. Surv. Spec. Publ., 1900, 56 pp.
801. Schrader, F.C., and A.C. Spencer. The Geology and Mineral Resources of a Portion of the Copper River District, Alaska. U.S. Geol. Surv. Spec. Publ., 1901, 94 pp.
802. Seraphim, R.H. Denali—A Nonmetamorphosed Stratiform Sulfide Deposit. Econ. Geol. and Bull. Soc. Econ. Geol., v. 70, No. 5, 1975, pp. 949-959.
803. Service, A.L. The Mineral Industry of Alaska. Ch. in BuMines Minerals Yearbook 1977, v. 2, undated, pp. 57-64.
804. Shacklette, H.T. Bryophytes Associated with Mineral Deposits and Solutions in Alaska. U.S. Geol. Surv. Bull. 1198-C, 1965, 18 pp.
805. Shepard, J.G. Hyder District Properties. AK Territorial Dep. Mines Misc. Rep. MR-191-2, 1927, 54 pp.
806. _____. Ketchikan District Properties. AK Territorial Dep. Mines Misc. Rep. MR-191-1A, 1926, 19 pp.
807. _____. Valdez Mining Company (Valdez Glacier). AK Territorial Dep. Mines Prop. Exam. PE-86-6, 1926, 2pp.
808. _____. The Valdez Mining District. AK Territorial Dep. Mines Itinerary Rep., 1926, 2 pp.
809. Sheth, M. A Heavy Mineral Study of Pleistocene and Holocene Sediments Near Nome, Alaska. M.S. Thesis, San Jose State Coll., CA, 1971, 83 pp.
810. _____. A Heavy Mineral Study of Pleistocene and Holocene Sediments Near Nome, Alaska. U.S. Geol. Surv. Open File Rep. 464, 1971, 96 pp.
811. Sichermann, H.A., R.H. Russell, and P.R. Fikkan. The Geology and Mineralization of the Ambler District, Alaska. Pres. at Northwest Min. Association, Spokane, WA, 1976, 22 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
812. Smith, A. Report on Apollo and Sitka Mines, Unga Island, Alaska. Aleutian Peninsula Min. Div., June 19, 1948, 24 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
813. Smith, L.H. Doolth Peninsula, Geologic and Economic Sketch (Chichagof Island). AK Territorial Dep. Mines Misc. Rep. MR-114-1, undated, 6 pp.
814. Smith, P.S. Geology and Mineral Resources of the Solomon and Casadepaga Quadrangles, Seward Peninsula, Alaska. U.S. Geol. Surv. Bull. 433, 1910, 234 pp.
815. _____. Gold Fields of the Solomon and Niukluk River Basins. Ch. in Report of Progress of Investigations of Mineral Resources of Alaska in 1906. U.S. Geol. Surv. Bull. 314, 1907, pp. 146-156.
816. Smith, P.S., and others. Investigations in Alaska Railroad Belt, 1931. U.S. Geol. Surv. Bull. 849, 1933, 530 pp.
817. Smith, P.S. Investigations of the Mineral Deposits of Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 206-250.
818. _____. The Iron Creek Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 302-354.
819. _____. The Lake Clark-Central Kuskokwim Region, Alaska. U.S. Geol. Surv. Bull. 655, 1917, 162 pp.
820. _____. Lode Mining in the Ketchikan Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1913. U.S. Geol. Surv. Bull. 592, 1914, pp. 75-94.

821. _____. Lode Mining Near Fairbanks. Ch. in A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Bull. 525, 1913, pp. 153-216.
822. _____. Lode Mining Near Fairbanks. Ch. in A Geologic Reconnaissance of the Fairbanks Quadrangle, Alaska. U.S. Geol. Surv. Bull. 542, 1913, pp. 137-202.
823. _____. Mineral Industry of Alaska in 1924 and Administrative Report. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1924. U.S. Geol. Surv. Bull. 783, 1926, pp. 1-39.
824. _____. Mineral Industry of Alaska in 1926. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1926. U.S. Geol. Surv. Bull. 797, 1929, pp. 1-49.
825. _____. Mineral Industry of Alaska in 1927. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1927. U.S. Geol. Surv. Bull. 810, 1930, pp. 1-64.
826. _____. Mineral Industry of Alaska in 1928. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1928. U.S. Geol. Surv. Bull. 813, 1930, pp. 1-72.
827. _____. Mineral Industry of Alaska in 1929. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1929. U.S. Geol. Surv. Bull. 824, 1932, pp. 1-81.
828. _____. Mineral Industry of Alaska in 1930. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1930. U.S. Geol. Surv. Bull. 836, 1933, pp. 1-83.
829. _____. Mineral Industry of Alaska in 1931. U.S. Geol. Surv. Bull. 844-A, 1933, pp. 1-82.
830. _____. Mineral Industry of Alaska in 1932. U.S. Geol. Surv. Bull. 857-A, 1934, pp. 1-91.
831. _____. Mineral Industry of Alaska in 1933. U.S. Geol. Surv. Bull. 864-A, 1934, pp. 1-94.
832. _____. Mineral Industry of Alaska in 1934. U.S. Geol. Surv. Bull. 868-A, 1936, pp. 1-91.
833. _____. Mineral Industry of Alaska in 1935. U.S. Geol. Surv. Bull. 880-A, 1937, pp. 1-95.
834. _____. Mineral Industry of Alaska in 1936. U.S. Geol. Surv. Bull. 897-A, 1938, pp. 1-107.
835. _____. Mineral Industry of Alaska in 1937. U.S. Geol. Surv. Bull. 910-A, 1939, pp. 1-113.
836. _____. Mineral Industry of Alaska in 1938. U.S. Geol. Surv. Bull. 917-A, 1939, pp. 1-113.
837. _____. Mineral Industry of Alaska in 1939. U.S. Geol. Surv. Bull. 926-A, 1941, pp. 1-106.
838. _____. Mineral Industry of Alaska in 1940. U.S. Geol. Surv. Bull. 933-A, 1942, pp. 1-102.
839. _____. Mineral Industry of Alaska in 1941 and 1942. U.S. Geol. Surv. Bull. 943-A, 1944, pp. 1-23.
840. _____. Mineral Resources of the Lake Clark-Iditarod Region. Ch. in Mineral Resources of Alaska Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 247-271.
841. _____. The Noatak-Kobuk Region, Alaska. U.S. Geol. Surv. Bull. 536, 1913, 160 pp.
842. _____. Notes on Mining in Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1911. U.S. Geol. Surv. Bull. 520, 1912, pp. 339-344.
843. _____. Occurrences of Molybdenum Minerals in Alaska. U.S. Geol. Surv. Bull. 926-C, 1942, pp. 161-210.
844. _____. Past Lode-Gold Production From Alaska. U.S. Geol. Surv. Bull. 917-C, 1941, pp. 159-212.
845. _____. Recent Developments in Southern Seward Peninsula. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 267-301.
846. Smith, P.S., and H.M. Eakin. A Geologic Reconnaissance in Southeastern Seward Peninsula and the Norton Bay-Nulato Region, Alaska. U.S. Geol. Surv. Bull. 449, 1911, 146 pp.
847. _____. Mineral Resources of the Nulato-Council Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1909. U.S. Geol. Surv. Bull. 442, 1910, pp. 316-352.
848. _____. The Shungnak Region, Kobuk Valley. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1910. U.S. Geol. Surv. Bull. 480, 1911, pp. 271-305.
849. Smith, P.S., and A.G. Maddren. Quicksilver Deposits of the Kuskokwim Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1914. U.S. Geol. Surv. Bull. 622, 1915, pp. 272-291.
850. Smith, P.S., and J.B. Mertie, Jr. Geology and Mineral Resources of Northwestern Alaska. U.S. Geol. Surv. Bull. 815, 1930, 351 pp.
851. Smith, S.S. The Mining Industry in the Territory of Alaska During the Calendar Year 1915. BuMines B 142, 1917, 65 pp.
852. _____. The Mining Industry in the Territory of Alaska During the Calendar Year 1916. BuMines B 153, 1917, 89 pp.
853. Smith, T.E. Geologic Map of the Western Clearwater Mountains. AK Div. Geol. and Geophys. Surv. Open File Rep. AOF-29, 1973, scale 1:63,360.
854. _____. Results of Geochemical Sampling in the Western Clearwater Mountains, Alaska. U.S. Geol. Surv. Open File Rep. 441, 1970, 249 pp.
855. Southeast Alaska Empire (Juneau). Borax Spends \$3 Million on Quartz Hill. Feb. 21, 1979, p. 1.
856. _____. Mine Looms in the Future for Ketchikan. Mar. 22, 1976, p. 1.
857. _____. Mining Slated for Ketchikan. Dec. 23, 1975, p. 10.
858. Southeastern Log (Ketchikan). Borax Looks at Sites. Sept. 1982, p. A-9.
859. Speed, B. Borax Exec Emphasizes: Mining Plans Very Tentative. Ketchikan Daily News, Feb. 9, 1977, pp. 1, 2.
860. _____. Last Meeting Also Smallest on U.S. Borax Mining Plans. Ketchikan Daily News, Feb. 11, 1977, pp. 1, 3.
861. _____. TCS, Borax Agree Mining and Wilderness Don't Mix. Ketchikan Daily News, Feb. 10, 1977, pp. 1, 3.
862. _____. U.S. Borax Expects Mine Employing 500, Total Investment of \$250 Million in Area. Ketchikan Daily News, Mar. 17, 1976, p. 1.
863. Spencer, A.C., and C.W. Wright. The Juneau Gold Belt, Alaska. U.S. Geol. Surv. Bull. 287, 1906, 161 pp.
864. SRI International (Menlo Park, CA). Impact of the Withdrawal of Alaskan Federal Lands. 1978, 192 pp.
865. Staatz, M.H., R.B. Hall, D.L. Macke, T.J. Armbrustmacher, and I.K. Brownfield. Thorium Resources of Selected Regions in the United States. U.S. Geol. Surv. Circ. 824, 1980, 32 pp.
866. Stanford, J.V. Little Sqaw, Bonanza, and Mikado Groups (Chandalar River). AK Territorial Dep. Mines Misc. Rep. MR-31-5, 1931, 10 pp.
867. Stefansson, K., and R.M. Moxham. Copper Bullion Claims, Rua Cove, Knight Island, Alaska. U.S. Geol. Surv. Bull. 947-E, 1946, pp. 85-92.
868. Steidtmann, E., and S.H. Cathcart. Geology of the York Tin Deposits, Alaska. U.S. Geol. Surv. Bull. 733, 1922, 130 pp.
869. Stejer, F.A. Pyrite Deposits at Horseshoe Bay, Latouche Island, Alaska. U.S. Geol. Surv. Bull. 1024-E, 1956, pp. 107-122.
870. Stephens, J.E. A Large New Porphyry Molybdenum Discovery in Southeastern Alaska Using Geology and Geochemistry. Econ. Geol. and Bull. Soc. Econ. Geol., v. 70, No. 4, 1977, p. 742.
871. Stevens, F.H. Uranium in Alaska—The Kendrick Bay Project. Western Miner (Vancouver), Oct. 1971, pp. 151-158.
872. Stewart, B.D. Annual Report of the Territorial Mine Inspector to the Governor of Alaska. Juneau, 1921, 72 pp.
873. _____. Flagstaff Mining Company (Karta Bay). AK Territorial Dep. Mines Prop. Exam. PE-119-20, 1944, 32 pp.
874. _____. Jualin Mine (Berners Bay). AK Territorial Dep. Mines Misc. Rep. MR-112-8, 1937, 5 pp.
875. _____. Mineral Resources of the Chichagof Island. AK Territorial Dep. Mines Misc. Rep. MR-114-3, 1931, 9 pp.
876. Still, J.C. Copper, Gold, Platinum, and Palladium Sample Results From the Klukwan Mafic/Ultramafic Complex, Southeast Alaska. BuMines OFR 21-84, 1983, 53 pp.
877. _____. Stratiform Massive Sulfide Deposits of the Mt. Henry Clay Area, Southeast Alaska. BuMines OFR 118-84, 1984, 65 pp.
878. Stines, N.C. Report on Big Hurrah Quartz Mine, Solomon River District, Seward Peninsula, Alaska. Nov. 14, 1953, 28 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
879. Stoll, W.C. Relations of Structure to Mineral Deposition at the Independence Mine, Alaska. U.S. Geol. Surv. Bull. 933-C, 1944, pp. 201-217.

880. Storm, L.W. Report on the Dundas Bay Iron Property. AK Juneau Gold Mining Co., June 26, 1917, 5 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
881. Sutulov, A. Copper Porphyries. Miller Freeman, 1975, 206 pp.
882. Tagg, A.R. and H.G. Greene. High-Resolution Seismic Survey of an Offshore Area Near Nome, Alaska. U.S. Geol. Surv. Prof. Paper 759-A, 1973, 23 pp.
883. Tailleur, I.L., G.D. Eberlein, and R. Wehr. Lead-Zinc and Barite-Bearing Samples From the Western Brooks Range, Alaska. With a Section on Petrography and Mineralogy. U.S. Geol. Surv. Open File Rep. 445, 1970, 16 pp.
884. Tarrant, B. U.S. Borax—Quartz Hill Molybdenum Project. AK J. Commer. (Anchorage), Dec. 3, 1979, pp. 10-11.
885. Thane, B.L. Eagle River Mining Company (Yankee Basin). AK Territorial Dep. Mines Misc. Rep. MR-112-5, 1916, 6 pp.
886. Thomas, B. I. Tin-Bearing Placer Deposits Near Tofty, Hot Springs District, Central Alaska. BuMines RI 5373, 1957, 56 pp.
887. Thomas, B.I., and W.S. Wright. Investigation of the Morelock Creek Tin Placer Deposits, Fort Gibbon District, Alaska. BuMines RI 4322, 1948, 8 pp.
888. _____. Investigation of the Tozimoran Creek Tin Placer Deposits, Fort Gibbon District, Alaska. BuMines RI 4323, 1948, 11 pp.
889. Thompson, G.L. Chandalar Gold Company (Endicott Range). AK Territorial Dep. Mines Misc. Rep. MR-31-1, 1925, 18 pp.
890. Thorne, R.L. Exploration of Argentiferous Lead-Copper Deposits of the Slana District, Alaska. BuMines RI 3940, 1946, 9 pp.
891. _____. Silver in Alaska. Ch. in Silver in the United States—Potential Resources. BuMines OFR 22-69. 1969, pp. 32-38.
892. _____. Sullivan Creek Tailings, Manley Hot Springs, Tofty, Alaska—Tin. BuMines War Miner. Rep. 467, 1945, 9 pp.
893. Thorne, R.L., N.M. Muir, A.W. Erickson, B.I. Thomas, H.E. Heide, and W.S. Wright. Tungsten Deposits in Alaska. BuMines RI 4174, 1948, 51 pp.
894. Thorne, R.L., and J.J. Mulligan. Zenda Gold Mining Company—Placer Tin Exploration, Cape and Boulder Creeks, Seward Peninsula, Alaska. Defense Miner. Explor. Agency Final Rep., Docket DMA-842 (Cassiterite), May 1957, 51 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
895. Thorne, R.L., and B.I. Thomas. Morelock Creek Area, Fort Gibbon District, Alaska—Tin. BuMines War Miner. Rep. 406, 1945, 8 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
896. Thorne, R.L., and R.R. Wells. Studies of the Snettisham Magnetite Deposit, Southeastern Alaska. BuMines RI 5195, 1956, 41 pp.
897. Thurow, G. Geology of Coal Creek Tin Prospect, South-Central Alaska. AK Miner, Dec. 1983, p. 24.
898. Townsend, H.H. Alaska Empire Mine (Hawk Inlet). AK Territorial Dep. Mines Misc. Rep. MR-112-11, 1941, 36 pp.
899. Traver, W.M., Jr. Mirror Harbor Nickel Deposits, Chichagof Island, Alaska. BuMines RI 4168, 1948, 13 pp.
900. Tuck, R. The Moose Pass-Hope District, Kenai Peninsula, Alaska. U.S. Geol. Surv. Bull. 849-I, 1933, pp. 469-530.
901. _____. The Valdez Creek Mining District in 1936. U.S. Geol. Surv. Bull. 897-B, 1938, pp. 109-131.
902. Tundra Times (Anchorage). CIRI Finds Gold. Jan. 29, 1984, pp. 1, 8.
903. Twenhofel, W.S. Geology of the Alaska-Juneau Lode System, Alaska. U.S. Geol. Surv. Open File Rep. 60, 1952, 178 pp., 2 sheets.
904. _____. Potential Alaskan Mineral Resources for Proposed Electrochemical and Electrometallurgical Industries in the Upper Lynn Canal Area, Alaska. U.S. Geol. Surv. Circ. 252, 1953, 14 pp.
905. Twenhofel, W.S., J.C. Reed, and G.O. Gates. Some Mineral Investigations in Southeastern Alaska. U.S. Geol. Surv. Bull. 963-A, 1949, pp. 1-45.
906. Twenhofel, W.S., G.D. Robinson, and H.R. Gault. Molybdenite Investigations in Southeastern Alaska. U.S. Geol. Surv. Bull. 947-B, 1946, pp. 7-38.
907. U.S. Borax Corp. Quartz Hill: A Mineral Milestone for Alaska. May 1982, 15 pp.
908. U.S. Bureau of Mines. Alaska 1:250,000 Scale Quadrangle Map Overlays Showing Mineral Deposit Locations, Principal Minerals, and Number and Type of Claims. OFR 20-73, 1973.
909. _____. Fish Creek Claims. Draft War Miner. Rep., 1945, 11 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
910. _____. Jingle-Jangle Prospect, Tracy Arm, Southeastern Alaska—Zinc-Copper. Draft War Miner. Rep., 1944, 11 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
911. _____. Known Gold Deposits in the U.S. IC 8331, 1967, 24 pp.
912. _____. Mineral Appraisal of the Proposed Kobuk Valley National Park, Alaska: A Preliminary Comment. OFR 110-78, 1978, 30 pp.
913. _____. Molybdenum Deposits, Muir Inlet, Alaska. War Miner. Rep. 40, 1943, 7 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
914. _____. Mount Andrew Iron Deposit, Kasaan Peninsula, Prince of Wales Island, Southeastern Alaska. Draft War Miner. Rep., 1945, 42 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
915. _____. Proposed Investigation of Mineral Deposits on Alaska Peninsula and Aleutian Islands. Draft War Miner. Rep., 1945, 16 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
916. _____. Ryan Lode, Fairbanks District, Alaska. Jan. 1967, 2 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
917. _____. Salt Chuck Mine, Kasaan Peninsula, Prince of Wales Island, Southeastern Alaska—Copper, Palladium. War Miner. Rep. 423, 1945, 11 pp.
918. _____. Stampede Antimony Mine, Kantishna District, Alaska. Draft War Miner. Rep., 1943, 50 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
919. _____. Tozimoran Creek Tin Placer Deposits, Fort Gibbon District, Alaska. Draft Final War Miner. Rep., 1945, 16 pp.; available from D.W. Baggs, BuMines, Juneau, AK.
920. U.S. Geological Survey. Contributions to Economic Geology of Alaska. Bull. 1155, 1963, 93 pp.
921. _____. Contributions to Economic Geology, 1902. Bull. 213, 1903, 449 pp.
922. _____. Contributions to Economic Geology, 1903. Bull. 225, 1904, 527 pp.
923. _____. Contributions to Economic Geology, 1904. Bull. 260, 1905, 620 pp.
924. _____. Geological Survey Research 1962, Synopsis of Geologic, Hydrologic, and Topographic Results. Prof. Paper 450-A, 1962, 257 pp.
925. _____. Geological Survey Research 1964. Prof. Paper 501-A, 1964, 367 pp.
926. _____. Geological Survey Research 1964. Prof. Paper 501-C, 1964, 197 pp.
927. _____. Geological Survey Research 1965. Prof. Paper 525-A, 1966, 376 pp.
928. _____. Geological Survey Research 1966. Prof. Paper 550-B, 1966, 227 pp.
929. _____. Geological Survey Research 1969. Prof. Paper 650-D, 1970, 299 pp.
930. _____. Geological Survey Research 1970, Chapter B. Prof. Paper 700-B, 1970, 267 pp.
931. _____. Geological Survey Research 1970, Chapter D. Prof. Paper 700-D, 1970, 317 pp.
932. _____. Geological Survey Research 1971. Prof. Paper 750-A, 1972, 418 pp.
933. _____. Geological Survey Research 1972. Prof. Paper 800-C, 1972, 283 pp.
934. _____. Papers on the Conservation of Mineral Resources. Bull. 394, 1909, 214 pp.
935. _____. Short Papers in the Geological Sciences, Articles 1-232. Prof. Paper 400-B, 1960, 515 pp.
936. _____. Some Shorter Mineral Resource Investigations in Alaska. Circ. 615, 1969, 25 pp.
937. _____. Tin Deposits in Western Seward Peninsula, Alaska. Open File Rep. 21, 1945, 1 p.
938. Van Alstine, R.E., and R.F. Black. Mineral Deposits at Orange Hill, Alaska. U.S. Geol. Surv. Open File Rep. 76, 1946, 28 pp., 1 sheet.
939. Wallace Miner. Dawn Uses Option for Sale of Uranium Oxide. Dec. 22, 1970, p. 1.
940. _____. Gold Capital Wants Help. Oct. 18, 1984, p. 3.

941. Walper. Muir Inlet Nunatak Drill Logs. AK Div. Geol and Geophys. Surv. Misc. Rep. MR-111-2, 1966, 42 pp.
942. Walton, M.S., Jr. The Blaske Island Ultrabasic Complex With Notes on Related Areas in Southeastern Alaska. U.S. Geol. Surv. Open File Rep. 126, 1951, 266 pp.
943. Warfield, R.S., and F.A. Rutledge. Investigation of Kasna Creek Copper Prospect, Lake Kontrashibuna, Lake Clark Region, Alaska. BuMines RI 4828, 1951, 10 pp.
944. Warfield, R.S., and B.I. Thomas. Rotary Drilling Exploration of the Ryan Lode Properties, Fairbanks Mining District, Alaska. BuMines OFR 23-72, 1972, 21 pp.
945. Warfield, R.S., and R.R. Wells. Sampling the Moth Bay Zinc-Copper Deposit, Revillagigedo Island, Southeastern Alaska. BuMines OFR 12-67, 1967, 19 pp.
946. Warner, L.A., E.N. Goddard, and others. Iron and Copper Deposits of Kasaan Peninsula, Prince of Wales Island, Southeastern Alaska. U.S. Geol. Surv. Bull. 1090, 1961, 136 pp.
947. Wayland, R.G. The Alaska-Juneau Ore Body. Neues Jahrb. Mineral. Abh., v. 94, 1960, pp. 267-279.
948. _____. Gold Deposits Near Nabesna. Ch. in Geology of the Nutzotin Mountains, Alaska. U.S. Geol. Surv. Bull. 933-B, 1943, pp. 175-199.
949. _____. Tofty Tin Belt, Manley Hot Springs District, Alaska. U.S. Geol. Surv. Bull. 1058-I, 1961, pp. 363-414.
950. Webber, B.S., S.C. Bjorklund, F.A. Rutledge, B.I. Thomas, and W.S. Wright. Mercury Deposits of Southwestern Alaska. BuMines RI 4065, 1947, 57 pp.
951. Webber, B.S., J.M. Moss, and F.A. Rutledge. Exploration of Sedanka Zinc Deposit, Sedanka Island, Alaska. BuMines RI 3967, 1946, 15 pp.
952. Wedow, H., Jr., and others. Preliminary Summary of Reconnaissance for Uranium and Thorium in Alaska, 1952. U.S. Geol. Surv. Circ. 248, 1953, 15 pp.
953. Wedow, H., Jr., P.L. Killeen, and others. Reconnaissance for Radioactive Deposits in Eastern Interior Alaska, 1946. U.S. Geol. Surv. Circ. 331, 1954, 36 pp.
954. Wedow, H., Jr., M.G. White, and others. Reconnaissance for Radioactive Deposits in East-Central Alaska, 1949. U.S. Geol. Surv. Circ. 335, 1954, 22 pp.
955. Wedow, H., Jr., M.G. White, and R.M. Moxham. Interim Report on an Appraisal of the Uranium Possibilities of Alaska. U.S. Geol. Surv. Open File Rep. 51, 1952, 124 pp.
956. Wells, F.G. Lode Deposits of Eureka and Vicinity, Kantishna District, Alaska. U.S. Geol. Surv. Bull. 849-F, 1933, pp. 335-379.
957. Wells, R.R. Laboratory Concentration of Various Alaska Copper Ores. BuMines RI 5245, 1956, 9 pp.
958. Wells, R.R., E.G. Erspamer, and F.T. Sterling. Beneficiation of Iron-Copper Ores From Kasaan Peninsula, Prince of Wales Island, Alaska. BuMines RI 5312, 1957, 15 pp.
959. Wells, R.R., M.M. Johnson, and F.T. Sterling. Recovering Mercury From Cinnabar-Stibnite Ore by Flotation and Fluidized-Bed Roasting. BuMines RI 5433, 1958, 19 pp.
960. Wells, R.R., F.T. Sterling, E.G. Erspamer, and W.A. Stickney. Laboratory Concentration of Chromite Ores, Red Mountain District, Kenai Peninsula, Alaska. BuMines RI 5377, 1957, 22 pp.
961. Wells, R.R., and R.L. Thorne. Concentration of Klukwan, Alaska, Magnetite Ore. BuMines RI 4984, 1953, 15 pp.
962. West, W.S., and P.D. Benson. Investigations for Radioactive Deposits in Southeastern Alaska. U.S. Geol. Surv. Bull. 1024-B, 1955, pp. 25-57.
963. Western Mining News (Spokane). Catalina Energy Makes Bid for Apollo Gold. Sept. 11, 1981, p. 11.
964. _____. Little Squaw Gold Developing Alaska Property. July 16, 1976, p. 1.
965. _____. Midnite Mines Reports on Alaska Uranium Operations. Aug. 20, 1971, p. 1.
966. _____. Production Decision Made for Silverado's Grant Mine. Mar. 1, 1985, p. 1.
967. _____. Uranium Production High for Midnight. Jan. 7, 1972, p. 1.
968. Westgate, L.G. Ore Deposits of the Salmon River District, Portland Canal Region. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1920. U.S. Geol. Surv. Bull. 722, 1922, pp. 117-140.
969. White, D.E. Antimony Deposits of the Stampede Creek Area, Kantishna District, Alaska. U.S. Geol. Surv. Bull. 936-N, 1942, pp. 331-348.
970. White, M.G., and J.M. Stevens. Reconnaissance for Radioactive Deposits in the Ruby-Poorman and Nixon Fork Districts, West-Central Alaska. U.S. Geol. Surv. Circ. 279, 1953, 19 pp.
971. White, M.G., W.S. West, G.E. Tolbert, A.E. Nelson, and J.R. Houston. Preliminary Summary of Reconnaissance for Uranium in Alaska, 1951. U.S. Geol. Surv. Circ. 196, 1952, 17 pp.
972. Whitney and Whitney, Inc. Alaska Mineral Taxation, Compared to Taxes on Mines in Eleven States. AK Dep. Commer. and Econ. Dev., Office of Miner. Dev., Jan. 1982, 27 pp.
973. Wilcox, H.G. Dakoo Gold Group (Dakoo Harbor). AK Territorial Dep. Mines Misc. Rep. MR-121-1, 1936, 2 pp.
974. _____. Flagstaff Group (Twelvemile Arm). AK Territorial Dep. Mines Prop. Exam. PE-119-6, 1938, 6 pp.
975. _____. Kasaan Gold Property (Twelvemile Arm, Harris Creek). AK Territorial Dep. Mines Prop. Exam. PE-119-5, 1938, 3 pp.
976. _____. Miscellaneous Properties—McLean Arm & Kasaan Bay, No. 3. AK Territorial Dep. Mines Itinerary Rep., 1937, 8 pp.
977. Williams, J.A. Ariel Property (El Nido, Lisianski Inlet). AK Territorial Dep. Mines Prop. Exam. PE-114-13, 1955, 7 pp.
978. _____. Field Trip by James A. Williams and Robert H. Saunders to Seward Peninsula, June 26 to July 4, 1953. AK Territorial Dep. Mines Itinerary Rep., Sept. 9, 1953, 9 pp.
979. _____. Field Trip Made by Robert H. Saunders and James A. Williams Through the Fairbanks, Circle, Cape Nome and Valdez Precincts, July 12 to September 2, 1952. AK Territorial Dep. Mines Itinerary Rep., Nov. 20, 1952, 19 pp.
980. Williams, J.A., and R.H. Saunders. Lost River Geophysical Work—Tin Deposit. AK Territorial Dep. Mines Prop. Exam. PE-43-2, 1953, 28 pp.
981. _____. Magnetic Exploration of Cape Mountain Placer-Tin Deposits. AK Territorial Dep. Mines Prop. Exam. PE-43-3, 1954, 23 pp.
982. Wiltse, M.A. Geology of the Arctic Camp Prospect, Ambler River Quadrangle. AK Div. Geol. and Geophys. Surv. Open File Rep. AOF-60, 1975, 41 pp.
983. Wimmeler, N.L. Placer Mining in Alaska in 1924 and 1925 and Lode Mining by Districts. AK Territorial Dep. Mines Misc. Rep. MR-195-10, 1925, 229 pp.
984. _____. Valdez Creek Lode Properties. AK Territorial Dep. Mines Misc. Rep. MR-67-2, 1925, 5 pp.
985. Winchell, H.V. Alaska Nickel Mines (Mirror Harbor). AK Territorial Dep. Mines Misc. Rep. MR-114-2, 1918, 14 pp.
986. Winkler, G.R., and E.M. MacKevett, Jr. Analyses of Bedrock and Stream-Sediment Samples From the Haines-Porcupine Region, Southeastern Alaska. U.S. Geol. Surv. Open File Rep. 406, 1970, 91 pp., 1 sheet.
987. Wolff, E.N., and L.E. Heiner. Mineral Resources of Southeastern Alaska. Miner. Ind. Res. Lab., Univ. AK, Rep. 28, 1971, 334 pp.
988. Woodcock, J.R. A Guide to the Molybdenum Resources of North America and Ongoing Plans for Development. Eng. and Min. J., v. 180, No. 8, 1979, pp. 86-89.
989. Woodman, B. UV Industries Reactivates Dredge. AK Constr. and Oil, v. 15, No. 10, 1974, pp. 8-14.
990. Wright, C.W. Geology and Ore Deposits of Copper Mountain and Kasaan Peninsula, Alaska. U.S. Geol. Surv. Prof. Paper 87, 1915, 110 pp.
991. _____. Lode Mining in Southeastern Alaska. Ch. in Report of Progress of Investigations of Mineral Resources of Alaska in 1906. U.S. Geol. Surv. Bull. 314, 1907, pp. 47-72.
992. _____. Lode Mining in Southeastern Alaska, 1907. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 78-97.
993. _____. Mining in Southeastern Alaska. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1908. U.S. Geol. Surv. Bull. 379, 1909, pp. 67-86.

994. _____. The Porcupine Placer District, Alaska. U.S. Geol. Surv. Bull. 236, 1904, 35 pp.
995. Wright, C.W., and S. Paige. Copper Deposits on Kasaan Peninsula, Prince of Wales Island. Ch. in Mineral Resources of Alaska, Report on Progress of Investigations in 1907. U.S. Geol. Surv. Bull. 345, 1908, pp. 98-115.
996. Wright, F.E., and C.W. Wright. Economic Developments in Southeastern Alaska. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1904. U.S. Geol. Surv. Bull. 259, 1905, pp. 47-68.
997. _____. The Glacier Bay National Monument in Southeastern Alaska—Its Glaciers and Geology. U.S. Geol. Surv. Open File Rep. 195, 1960, 224 pp.
998. _____. The Ketchikan and Wrangell Mining Districts, Alaska. U.S. Geol. Surv. Bull. 347, 1908, 210 pp.
999. _____. Lode Mining in Southeastern Alaska. Ch. in Report on Progress of Investigations of Mineral Resources of Alaska in 1905. U.S. Geol. Surv. Bull. 284, 1906, pp. 30-54.
1000. Wright, W.S., and E.L. Fosse. Exploration of the Jumbo Basin Iron Deposit, Prince of Wales Island, Southeastern Alaska. BuMines RI 3952, 1946, 9 pp.
1001. Wright, W.S., and A.W. Tolonen. Mount Andrew Iron Deposit, Kasaan Peninsula, Prince of Wales Island, Southeastern Alaska. BuMines RI 4129, 1947, 27 pp.
1002. Zeigler, G.E. Willow Creek District Lodes. AK Territorial Dep. Mines Misc. Rep. MR-85-4A, 1940, 4 pp.

APPENDIX.—ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA

Name	Map No. ¹	Commodities ²	MAS No.	References ³
ABO	23	Pb, Zn, Ag, Cu.	0020300094	40, No. B-12; 121; 269, p. 79, No. 22; 295, p. 42, No. 15.
Alamo	233	Cu, Zn, Ag, Au.	0021200085	40, No. F-53; 56.
Alaska Juneau	171	Au, Ag, Pb, Zn.	0021120147	36; 40, No. F-26; 47, pp. 14-20, 34; 53, pp. 62-63, 72-73; 55, pp. 154-155; 56; 67; 68; 69; 70; 74, pp. 14-15, 37; 76, p. 59; 77, p. 41; 80, pp. 14, 36; 81, p. 21; 97, p. 25; 98, p. 32; 105, pp. 8, 24; 120, p. 12; 121, p. 5; 158, pp. 73, 75; 169; 189; 216, p. 57; 246, p. 140; 267; 269, p. 84, No. 220; 282, pp. 80-81; 285, pp. 98, 100; 295, p. 14; 318; 371; 372; 406, pp. 19-20; 468, p. 7; 485, p. 135; 486, p. 96; 490, pp. 19-21; 533, p. 29; 534, p. 29; 561, pp. 106-107; 583; 586; 600, pp. 9, 29-30; 638, pp. 54, 60; 660, p. 137; 675, pp. 2-3; 823, pp. 6-7, 22; 824, pp. 9-10, 38-39; 825, pp. 10-12, 48, 51, 63; 826, pp. 12-13, 55, 58; 827, pp. 13-15, 61, 64; 828, pp. 12-14, 63, 66-67; 829, pp. 13-14, 62, 65; 830, pp. 12-14, 58, 61; 831, pp. 13-14, 63, 66; 832, pp. 13-15, 61, 68; 833, pp. 13-16, 64, 71-72; 834, pp. 14-16, 74, 81; 835, pp. 16-18, 79, 86-87; 836, pp. 17-19, 78, 89; 837, pp. 16-18, 72, 81-82; 838, pp. 15-17, 69, 78-79; 839, pp. 8-9, 14-15; 851, pp. 32-33, 52; 852, pp. 18-19; 863, pp. 58, 69-73; 891, p. 33; 903; 911, pp. 6-7; 922, p. 29-30, 35; 947, pp. 268-279; 962, p. 53; 983, p. 197; 987, p. 125; 991, p. 55; 992, pp. 87-88; 993, p. 70; 996, p. 53; 999, p. 37.
Alaska Oracle	132	Au, Ag, Pb.	0020950191	40, No. E-76; 522; 828, p. 20; 831, p. 22; 832, p. 23; 833, pp. 26-27; 835, p. 29; 837, p. 25; 843, p. 186; 900, pp. 507-510.
Ambler Shungnak Ridge ...	14	Cu	0020280045	40, No. A-21; 121, p. 10; 269, p. 79, No. 13; 295, p. 6; 366.
Amok	174	Au	0021310040	40, No. D-78; 55, p. 83; 76, p. 64; 135, p. 175; 192; 521; 537, pp. 132-133; 824, p. 12.
Ann Group	22	Pb, Zn, Ag, Cu.	0020300106	40, No. B-11; 269, p. 79, No. 22; 295, p. 42, No. 15; 366.
Apex El Nido	179	Au, Ag, W.	0021140008	40, No. F-20; 55, p. 142; 56; 74, pp. 12, 31; 80, pp. 37-38; 81, p. 22; 105, p. 25; 115, pp. 114-121; 116, p. 41; 117, pp. 317-319, 330-331, 346, 372, 378; 208; 269, p. 84, No. 222; 295, p. 14; 468, p. 13; 503, p. 91, plate 1; 600, p. 10; 638, pp. 53-54, 61, 63; 695, pp. 76-78; 697, pp. 143-145; 742, p. 1; 748, p. 3; 768, pp. 143, 200-204; 823, p. 7; 824, p. 10; 825, p. 12; 826, p. 14; 827, p. 16; 828, p. 14; 830, p. 15; 831, p. 15; 832, p. 15; 833, p. 16; 834, p. 17; 835, p. 19; 836, p. 20; 837, p. 19; 893, pp. 5, 48-51; 905, pp. 20-23; 977; 983, p. 199.
Arrigetch Peaks	20	Cu, Zn, W.	0020290024	40, No. B-10; 270; 366.
B C	86	Au	0020690020	40, No. E-45; 522.
Battle	143	Cu, Au, Ag.	0021030028	40, No. D-70; 55, p. 14; 272; 302.
Baumann and Strickler	176	Au, Ag ..	0021310023	40, No. D-76; 55, p. 83; 135, p. 177; 136, pp. 132-133; 191; 521.
Beauty Bay	153	Au, Ag, Cu, Pb, Zn.	0021040014	207; 269, p. 83, No. 165; 702, pp. 6, 13.
Bernard Mountain	119	Cr, Ni, PGM.	0020860001	40, No. E-64; 55, pp. 49, 52; 243, p. 14; 244, p. 9, No. 197; 247; 444, pp. 2, 4; 522, p. 81, No. 42; 524, p. 19; 630, p. 18.
Big Creek	84	Pb, Zn, Ag.	0020690008	40, No. E-43; 295, p. 44, No. 58; 302.
Blue Lead	58	Au, Cu, Sb, Ag.	0020590022	40, No. B-51, 55, p. 222; 178; 302; 452, p. 1; 684; 834, pp. 22-23; 836, p. 30.
Bluff	83	Cu, Mo ..	0020690045	40, No. E-41; 302.
Bonanza	28	W	0020390051	40, No. B-24.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Bonanza (Kennecott)	123	Cu, Ag . .	0020870010	40, No. E-69; 47, pp. 32-33; 55, pp. 52-53, 56; 74, pp. 28, 37; 76, pp. 60-61; 77, p. 44; 78, p. 54; 79, pp. 16, 43; 80, pp. 19, 21, 38-39; 81, pp. 13, 23; 85, pp. 12-13, 25, 27-28; 86, pp. 84-86; 92, p. 28; 95, p. 34; 96, pp. 27-28; 105, pp. 15, 26-27; 106, p. 69; 121, pp. 11, 31, 36, 37; 269, p. 83, No. 149; 345, pp. 25, 205-206, 209-211, 275; 512; 514, pp. 32-34; 520; 525, p. 2; 533, pp. 17-18, 30; 534, pp. 30-31; 551, pp. 92, 103-104; 552, pp. 16-18, 27-28; 574, pp. 98-101; 587, pp. 105-106; 589, pp. 118-122, 125, 129, 131; 598, pp. 62-65, 68, 70-72; 599, pp. 104-105, 114-115; 600, pp. 27-28; 601, pp. 82, 84; 602, pp. 194-195; 604, pp. 153-154; 605, pp. 163-175; 611, p. 98; 616, pp. 76, 83-93; 619, p. 160; 620, pp. 161-165; 621, pp. 80-88; 801, p. 86; 823, p. 20; 824, pp. 32, 34-35; 825, pp. 45-46, 48; 826, pp. 52-53; 827, pp. 58-59; 828, pp. 60-61; 829, pp. 59-60; 830, pp. 56-57; 831, p. 59; 832, p. 67; 833, pp. 69-70; 834, pp. 78-80; 835, pp. 84-85; 836, pp. 85-87; 851, pp. 37-38, 52; 852, pp. 30-32; 904, p. 5; 921, pp. 144-145; 927, pp. 8, 104; 928, pp. 165-166, 168; 929, pp. 61-62; 955, p. 107.
Bowser Creek	93	Ag, Cu, Au, Pb, Zn.	0020740020	40, No. D-26; 196; 224, p. 69; 269, p. 82, No. 117; 521; 679, pp. 2-4; 680.
Burroughs Bay	229	Mo	0021200163	40, No. F-50; 56.
Cache Mountain	44	U	0020490148	269, p. 81, No. 76.
Cantu	209	Pb, Zn, Ag, Au, Cu.	0021180011	40, No. F-51; 55, p. 147; 56; 113, pp. 43, 91-92; 117, p. 324; 126, p. 140; 179; 336, pp. 9, 25; 337, p. 2; 600, p. 30; 748, p. 12; 805, p. 2; 827, p. 17; 831, p. 16; 834, p. 19; 962, p. 30.
Caribou Mountain	27	Cr, Co . . .	0020390058	40, No. B-23; 326.
Carlson Creek	66	Cu, Pb, Zn.	0020660051	40, No. E-6; 55; 200; 522; 597, pp. 322-323.
Castle Island Mine	201	Ba, Zn, Ag, Au, Cu.	0021170002	40, No. F-43; 55; 56.
Cathedral Creek	192	Cu, Au, Ag, Pb, Mn, Zn.	0021330002	40, No. D-83; 121; 521; 682.
Chalet Mountain	177	W	0021310016	40, No. D-77; 55, p. 87; 192; 445; 522; 763, pp. 4-5, 9; 920.
Chenik	145	Fe, Ti, Cu, Au, Ag, Zn, Pb.	0021030012	40, No. D-69; 55, p. 14; 272.
Chichagoff	182	Au, Ag, Pb.	0021140023	40, No. F-22; 55, pp. 141-142; 56; 74, pp. 11-12, 15, 37; 76, p. 60; 77, p. 43; 79, p. 41; 80, p. 37; 81, p. 22; 97, p. 24; 98, p. 34; 105, p. 25; 106, p. 76; 116, p. 41; 117, pp. 317, 319, 343, 372; 120, p. 12; 158, p. 78; 208; 269, p. 84, No. 222; 295, p. 13; 296, p. 9; 468, p. 7; 485, p. 139; 486, p. 98; 488, pp. 18, 22-25, fig. 1; 490, p. 20; 533, p. 30; 534, p. 30; 600, p. 10; 638, pp. 54, 61; 644, pp. 110-111, 113-116, 119; 697, pp. 86-101; 728, p. 16; 742, p. 4; 768, p. 143; 813, p. 3; 823, p. 7; 824, p. 10; 825, pp. 12, 46; 826, p. 14; 828, p. 14; 829, p. 15; 830, p. 14; 831, pp. 14-15; 832, p. 15; 833, pp. 16, 72; 834, p. 16; 835, p. 18; 836, p. 20; 837, pp. 18-19; 838, p. 18; 851, pp. 36, 52; 852, p. 29; 875, p. 2; 962, pp. 49-50; 983, p. 199; 991, p. 61; 992, p. 91; 993, p. 73.
Chill Group	111	Cu, Pb, Ag.	0020830009	40, No. D-38; 194; 521; 681, p. 21.
Chip Loy	90	Ni, Cu, Co.	0020740016	40, No. D-22; 196; 224, pp. 72, 86; 400, pp. 1, 8; 522.
Cinnabar	126	Hg, Sb . .	0020920002	40, No. D-34; 55, pp. 92, 93; 121; 127, p. 115; 213; 269, p. 83, No. 183; 302; 528, pp. 39, 53; 529, pp. 39, 41, 43; 776, pp. 4, 8; 788, pp. 3, 35-40, 80-81; 932, pp. 52-53; 936, pp. 16, 18-20; 950, pp. 44-46.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Cleary Hill	42	Au, Ag, Sb, Pb, Cu, Sn, W, Zn.	0020490039	55, p. 220; 78, p. 60; 81, p. 30; 82, pp. 34-35; 96, pp. 33-35; 97, p. 31; 121, p. 16; 124, p. 15; 125, pp. 180, 206, 208-209; 155, pp. 337-338; 159, p. 322; 163, p. 10; 195; 284, pp. 236-237; 295, p. 9; 410, pp. 30, 49, 52, 62, 69-71, 75, 84, 93-96; 453, p. 8; 454, p. 9; 475, pp. 29-31; 560, p. 411; 600, p. 12; 663, p. 225; 821, pp. 177-182; 822, pp. 163-168; 823, p. 9; 824, p. 13; 825, p. 15; 826, p. 17; 827, p. 20; 828, p. 19; 829, p. 19; 830, p. 17; 831, pp. 19-20; 832, p. 20; 833, p. 20; 834, p. 21; 835, p. 23; 836, p. 25; 837, pp. 22-23; 838, pp. 22-23; 851, pp. 23-24, 53; 954, p. 2.
Cleary Summit	42	Au, Sb, Pb, Ag, W.	0020490035	155, p. 340; 159, p. 322; 163, pp. 11, 12; 195; 284, p. 238; 295, p. 9; 410, pp. 90-91; 663, p. 225; 821, pp. 182-183, 185-186; 822, pp. 169, 171-172.
Cliff	116	Au, Pb, Zn, Cu.	0020860037	40, No. E-79; 55, p. 72; 76, p. 63; 77, p. 45; 80, pp. 14, 40; 86, p. 62; 87, pp. 108, 112, 116-118, 121-123; 96, pp. 29-31; 97, p. 27; 98, p. 35; 120, p. 12; 247; 263, p. 30; 296, p. 22; 359, p. 165; 363, pp. 72-74, 76-77; 456, pp. 152-156, 170-172, plate 8; 460, p. 237; 462, pp. 143-144; 463, pp. 190-191; 464, pp. 149-150; 490, pp. 31-32; 522; 534, p. 33; 589, p. 127; 593, pp. 304-306; 723; 823, p. 8; 824, p. 11; 831, pp. 23-24; 833, p. 23; 834, p. 24; 835, pp. 26-27; 836, p. 27; 837, p. 26; 838, p. 26; 844, p. 197; 851, pp. 39, 52; 852, p. 44.
Clipper	56	Sb, Au . .	0020580014	55, p. 219; 78, p. 61; 82, pp. 38-39; 155, pp. 354-355; 163, p. 17; 173; 295, p. 9; 301, p. 38; 410, p. 152; 453, p. 8; 475, pp. 12, 14-15, 41, 43; 600, p. 12; 821, p. 209; 822, p. 194; 823, pp. 8-9; 826, p. 17.
Coal Creek Tin	95	Sn, Cu, Ag, Zn.	0020760063	10; 40, No. E-12; 120, p. 10; 269, p. 83, No. 123; 295, p. 12; 897.
Cobol Mine	181	Au	0021140025	40, No. F-23; 55, p. 143; 56; 105, p. 25; 115, pp. 72, 114, 121-123; 117, pp. 346, 378; 121, p. 17; 208; 638, p. 54; 697, pp. 142-143; 731; 768, pp. 143, 209-210, 213; 824, p. 10; 825, p. 12; 905, p. 23.
Colorado	125	Cu, Au, Ag.	0020870096	40, No. E-57; 55, pp. 205, 208; 128, pp. 90, 118; 138, p. 224; 480, p. 16; 512; 520; 522; 618, p. 177; 619, p. 59; 948, pp. 163-164.
Copper Mountain	220	Cu, Au, Ag.	0021190057	55, pp. 171-172; 77, p. 41; 85, p. 17; 98, p. 33; 100, pp. 105-107; 118, p. 21; 121, p. 11; 158, p. 91; 184; 256, pp. 34-35; 269, p. 84, No. 238; 398, p. 10; 468, p. 11; 748, p. 10; 758, p. 12; 820, p. 84; 990, pp. 50, 55-58; 991, p. 70; 992, p. 94; 993, p. 82; 996, p. 64; 998, pp. 96-98; 999, pp. 51-52; 1000, p. 2.
Cornwallis Peninsula	198	Pb, Zn, Ag, Cu.	0021160058	40, No. F-39.
Coronation Island	214	Pb, Zn, Sb.	0021190037	34, pp. 1-2; 40, No. F-47; 55, pp. 188-189; 56; 158, pp. 98-99; 184; 231; 250, p. 23; 256, pp. 35-36; 424, p. 24; 735, pp. 20-21; 748, pp. 7, 10-11; 753, pp. 16-17; 905, pp. 38-40; 952, p. 11; 955, p. 67; 987, p. 81; 998, pp. 190-191.
Cross Creek	104	Cu, Pb, Ag, Zn.	0020780028	40, No. E-52; 55, p. 209; 128, p. 121; 522; 590, p. 210; 618, p. 173; 619, p. 55; 708; 713; 715; 948, p. 174.
Crown Point	134	Au, Ag, Pb, Cu, Zn.	0020950114	40, No. E-77; 76, p. 63; 78, p. 56; 79, p. 45; 96, p. 32; 98, pp. 37-38; 361, p. 107; 362, p. 173; 457, pp. 138, 142, 147-150, 160; 459, p. 175; 522; 540, pp. 157-163; 833, p. 26; 834, pp. 32-33; 835, p. 29; 851, pp. 43, 50; 852, p. 35.
Dawson	217	Au, Ag, Cu, Pb, Zn.	0021190064	40, No. F-57; 55, p. 169; 56; 74, p. 15; 76, p. 60; 77, p. 42; 80, p. 35; 81, p. 20; 97, p. 26; 105, p. 23; 116, p. 41; 117, pp. 321, 371; 118, pp. 10-11, 14-16; 121; 156, p. 88; 157, p. 65; 158, pp. 80-81; 184; 231, pp. 26, 31, 55-57, 72, 85; 246, pp. 66, 68, 71-73; 256, p. 34; 336, pp. 1, 25; 337, p. 1; 339, pp. 7-8; 407, pp. 1-29; 485, p. 139; 486, p. 98; 533, p. 28; 534, p. 28; 561, pp. 127-128; 600, p. 10; 725; 730, p. 5; 743, pp. 7-8; 750, p. 4; 751; 752, pp. 2-3; 753, pp. 12, 14; 806; 820, pp. 78-79; 823, p. 7; 824, p. 10; 825, pp. 13, 51; 826, pp. 15-16; 827, p. 18; 828, p. 15; 829, p. 16; 837, pp. 19-20; 851, pp. 29, 52; 975; 983, p. 194; 987, pp. 78-79, 82, 87, 88; 991, p. 62; 992, p. 92; 993, p. 79; 996, p. 67; 998, pp. 161-162.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Dead Creek	16	Cu, Zn, Pb, Ag.	0020280048	40, No. A-22; 121, p. 10; 295, p. 6; 366.
Decourcy	88	Hg, Sb ..	0020730019	40, No. D-14; 47, pp. 63-64; 55, p. 226; 61; 74, pp. 31, 47; 80, pp. 24, 57; 81, p. 13; 127, pp. 2, 105, 108, 111-113; 188; 215; p. 146; 216, p. 79; 232, pp. 10-12; 302; 423; 453, pp. 24-26; 454, p. 17; 528, pp. 31-33, 46-49, 54; 529, pp. 2-3, 8, 11, 45-50; 564, p. 243; 653, pp. 12, 52, 85; 788, pp. 2-3, 43-46; 823, pp. 25-26; 838, p. 91; 950, pp. 3, 9, 29-43.
Difficult Creek	131	Au, Ag, Pb.	0020940033	32; 295, p. 12; 902, pp. 7, 8.
Drenchwater Creek	4	Pb, Zn ...	0020200002	40, No. A-10; 269, p. 78, No. 5; 438, pp. 30-46; 639.
Driest Point	231	Ba, Pb, Zn.	0021200038	40, No. F-69; 54; 56.
Dundas Bay Copper	164	Cu, Mo ..	0021110065	40, No. F-11; 56; 72; 198; 519, pp. 30, 36, 40, 48, 79.
Duryea	146	Au, Ag, Pb, Zn.	0021030039	40, No. D-62; 47, p. 33; 55, pp. 14-15; 76, p. 64; 77, p. 47; 81, p. 27; 98, pp. 38-39; 105, p. 33; 141, pp. 93-94; 272; 521; 541, pp. 124-125; 542, pp. 196-197; 625, pp. 3-4; 955, pp. 75-76.
Dutton	148	Cu, Au, Mo, Fe.	0021030027	40, No. D-66; 55, p. 14; 521.
Eagle River	168	Au, Ag, Cu, Zn, Pb.	0021120084	40, No. F-17; 55, p. 158; 56; 76, p. 59; 77, p. 41; 97, p. 26; 98, p. 32; 121; 158, pp. 76-77; 189; 246, p. 134; 282, p. 77; 285, p. 101; 482; 485, p. 138; 486, p. 97; 534, p. 30; 675, p. 10; 731, pp. 9-10; 748; 756; 831, p. 17; 851, pp. 35, 52; 852, p. 23; 863, pp. 130-131; 885; 987, p. 119; 991, p. 57; 992, p. 89; 993, pp. 70-71; 996, p. 54; 999, p. 35.
Eagle Summit	47	Sb	0020500285	295, p. 26.
Ellamar	138	Cu, Au, Ag, Pb, Zn.	0020960001	40, No. E-81; 47, p. 33; 55, p. 69; 76, p. 62; 77, p. 45; 79, p. 44; 80, p. 20; 85, p. 22; 86, p. 81; 92, p. 27; 95, pp. 32, 39; 96, pp. 31-32; 97, p. 27; 106, pp. 69, 77; 144, pp. 13-14, 51-55, 57-64, 71-72, 87-92; 145; 183; 257; 358, pp. 82, 87; 359, p. 164; 360, pp. 87-88, 94-95; 363, pp. 52-53, 56-57, 59-61, 78; 460, pp. 240-241; 461, pp. 131, 133; 462, pp. 138, 140; 463, pp. 184-186; 464, pp. 144, 147; 490, p. 32; 522; 533, p. 31; 534, p. 35; 593, pp. 228, 296-298, 302; 609, p. 178; 617, pp. 55-56; 801, p. 89; 851, pp. 39, 52; 852, pp. 44-45.
Emerick Lode	79	Ni, Cu, Au, PGM, Ag, Pb.	0020680052	40, No. E-28; 55, pp. 211-212; 199; 235, p. 28; 244, p. 7, No. 153; 374, pp. 67-74; 522, p. 38, No. 29; 630, p. 16; 760, pp. 21-25, 32-33, 46.
Eureka-Kensington	167	Au, Ag ..	0021120099	40, No. F-15; 55, pp. 159-160; 56; 76, p. 59; 77, p. 41; 86, pp. 67-68; 97, p. 26; 98, p. 32; 117, pp. 317-318, 345-346; 120, p. 12; 121; 158, pp. 77-78; 189; 282, pp. 77, 82-83; 285, p. 101; 295, p. 14; 483, pp. 39-44; 534, p. 30; 638, p. 60; 675, pp. 20, 35-36; 826, p. 14; 827, p. 16; 831, p. 17; 832, p. 16; 833, p. 17; 834, p. 17; 835, p. 19; 838, p. 17; 851, pp. 36, 52; 852, p. 24; 863, p. 137; 922, p. 38; 991, p. 57; 996, p. 54; 999, pp. 32-33.
Flagstaff	218	Au, Ag, Cu, Pb.	0021190113	40, No. F-56; 55, p. 169; 56; 118, pp. 8-9, 18; 157, p. 65; 158, p. 80; 184; 231, pp. 27-34, 51, 64-74, 106, 120-121; 246, pp. 65-66, 68-70, 73-74; 407, p. 17; 657; 734; 740, p. 7; 750, p. 3; 751, pp. 5-6; 752, pp. 7-8; 753, pp. 1, 10-12; 784, pp. 353, 356; 836, pp. 21-22; 837, pp. 19-20; 838, pp. 18-19; 873; 905, pp. 10-13; 974; 976, p. 9; 987, pp. 77-79, 82, 84-85, 89-91; 991, p. 62; 998, pp. 164-165; 999, pp. 41-42.
Fortyseven Creek	107	Au, Ag, W, Sb.	0020820010	40, No. D-35; 121, p. 13; 127, pp. 119-121; 210; 215; 295, p. 11; 302.
Friendship	224	Cu, Au, Zn, Pb, Mo.	0021190094	55, p. 173; 100, p. 87; 121, p. 11; 184; 231, pp. 69-70; 246, p. 70; 295, p. 14; 335; 987, pp. 84, 85; 999, p. 50.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Frost	8	Cu, Zn, Pb, Ag, Ba.	0020270028	40, No. A-16; 270; 295, p. 42, No. 7; 366.
Frying Pan	142	Fe, Ti ...	0021030034	40, No. D-60; 522.
Galena Creek	24	Pb	0020300035	40, No. B-4; 48; 690, p. 138.
Glacier Creek Lode	156	Ba, Zn, Ag, Cu, Pb, Au.	0021090026	40, No. F-1; 56; 121, p. 18; 209; 259; 509; 523; 877; 986, pp. 2, 7.
Gold Cord	113	Au, Ag, Cu, Pb, W, Zn.	0020850066	74, pp. 39-40; 120, p. 26; 121, p. 16; 131, pp. 180-181, 185; 153, pp. 174-175; 154, p. 204; 175; 295, pp. 12, 26; 296, p. 8; 533, p. 32; 534, p. 34; 624, p. 5; 673, pp. 186, 188, 192, 215, 217-220; 674, pp. 1, 31-32, 54-58; 737, pp. 6-7; 749, p. 19; 755, p. 6; 826, p. 16; 827, p. 19; 829, pp. 17-18; 830, p. 17; 831, p. 19; 832, p. 19; 834, p. 20; 836, p. 23; 837, p. 21; 838, pp. 19, 21; 893, p. 35.
Gold Hill	75	Au, Ag, Mo, Zn, Pb.	0020670119	40, No. E-22; 166; 596, p. 57; 835, pp. 30-31; 901, pp. 118-119; 984, pp. 1-2.
Gold Standard Group	225	Au, Cu, Bi.	0021200002	40, No. F-62; 56; 77, p. 42; 80, pp. 35-36; 158, p. 82; 820, p. 86; 826, p. 16; 830, p. 16; 831, p. 16; 832, pp. 16-17; 833, p. 17; 834, p. 18; 836, p. 22; 837, p. 20; 838, p. 19; 991, p. 63; 992, p. 92; 998, pp. 153-155; 999, pp. 44-45.
Golden Horn	89	Au, Ag, W, Hg, Zn, Pb, Sb.	0020730027	40, No. D-16; 55, p. 227; 78, pp. 47-48; 120, p. 10; 121, p. 13; 188; 216, pp. 79-80; 232, pp. 27-28; 295, pp. 11, 26; 302; 422, pp. 1-7; 453, p. 26; 476, p. 5; 530, pp. 4-5, 8-9, 17-18; 564, p. 242; 571, p. 259; 572, pp. 116-117; 724; 728; 819, pp. 145, 152; 832, p. 25; 833, pp. 27, 72; 835, pp. 32-33; 840, pp. 266-267; 849, p. 287.
Granite	135	Au, Ag, Cu, Pb, Zn.	0020950226	40, No. E-78; 55; 77, p. 45; 80, p. 14; 82, p. 61; 461, pp. 135-138; 462, pp. 141-142; 463, pp. 187-188; 464, p. 149; 465, p. 230; 522; 534, p. 33; 826, p. 18; 831, p. 22; 832, p. 22; 833, pp. 22, 25; 834, p. 24; 835, pp. 26-27; 836, p. 27; 837, p. 26; 851, pp. 40-41, 52; 852, p. 47.
Green Butte	123	Cu, Ag ..	0020870006	40, No. E-70; 55, pp. 53, 56-57; 74, pp. 28, 37; 81, p. 23; 105, p. 27; 512; 513; 520; 522; 534, p. 31; 574, pp. 98, 103-104; 589, p. 121; 600, pp. 27-28; 823, p. 20; 824, pp. 35-36; 825, p. 47; 826, p. 54; 827, p. 60; 828, p. 63.
Greenback	63	Cu, Au, Pb, Zn.	0020660047	40, No. D-12; 200; 522; 597, pp. 319-320.
Hall Cove	239	Cr, Ni, Fe, PGM, Cu.	0021220002	40, No. F-77; 49; 55, p. 183; 205; 244, p. 10, No. 261; 245, p. 137; 269, p. 85, No. 239; 355; 436; 933, p. 159.
Hannum	35	Pb, Zn, Ag, Au, Sn.	0020440001	37, p. 31; 40, No. A-36; 55, pp. 114-115; 123; 177; 228; 295, p. 43, No. 27; 401, pp. 5-6, 10, 17, 24-25; 430; 588, p. 54; 629; 780, pp. 13, 19, 23.
Hawk Inlet	169	Au, Ag ..	0021120086	40, No. F-25; 55, p. 137; 56; 74, p. 12; 115, p. 72; 116, pp. 41-44, 47-50; 121; 189; 246, p. 130; 492; 494; 671, pp. 14-15, 20; 823, p. 7; 827, p. 16; 831, p. 17; 832, p. 16; 833, pp. 16-17; 834, p. 17; 835, p. 19; 836, p. 19; 837, p. 18; 838, p. 17; 898.
Helen S	202	Zn, Pb, Au.	0021170014	40, No. F-44; 55, p. 185; 56; 114, p. 67; 158, p. 78; 202; 991, pp. 63, 72; 992, p. 91; 993, p. 73; 996, p. 59; 998, p. 184.
Helm Bay King	225	Au	0021190114	55, p. 179; 74, pp. 10, 15; 77, p. 42; 80, pp. 35-36; 100, pp. 57-60; 105, p. 23; 115, pp. 72, 128; 118, pp. 6-8; 158, p. 82; 184; 231, pp. 7, 24, 76-88, 110, 132-133, 166; 246, pp. 66, 70-71, 73-75, 78; 256, p. 35; 269, p. 84, No. 236; 336, pp. 3-4; 394, p. 621; 407; 721; 726, pp. 1-3; 730, p. 4; 738; 739; 744, p. 5; 751, pp. 9, 10; 752, pp. 2-3, 10, 12; 753, pp. 2-4; 820, pp. 86-87; 825, p. 16; 826, p. 16; 827, p. 18; 830, p. 16; 831, p. 16; 832, pp. 16-17; 833, p. 17; 834, p. 18; 836, p. 22; 837, p. 20; 838, p. 19; 976, p. 3; 987, pp. 78, 86-87, 90, 92, 96; 991, p. 63; 992, p. 92; 998, pp. 153-157; 999, pp. 44-45.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Herman	213	Au, Ag ..	0021380001	44, pp. 20, 125; 45, p. 149; 55, p. 5; 74, p. 23; 77, p. 47; 97, p. 37; 98, p. 43; 269, p. 84, No. 200; 827, p. 23.
Hi-Yu	45	Au, Sb, Pb, Ag, Zn.	0020490051	74, p. 15; 78, p. 60; 80, p. 45; 81, p. 9; 82, pp. 37-38; 105, p. 35; 106, p. 81; 124, p. 15; 155, pp. 327-329; 159, p. 321; 163, p. 7; 195; 284, pp. 236-237; 295, p. 9; 410, pp. 30-113; 453, pp. 8, 10; 454, p. 7; 475, pp. 12, 14, 37-38, 41-42; 534, p. 39; 560, pp. 404-405, 407-408; 600, p. 12; 821, pp. 156-159; 822, pp. 142, 144-145; 823, p. 9; 824, p. 13; 825, p. 14; 826, p. 17; 827, p. 20; 828, p. 20; 829, p. 20; 831, p. 20; 832, p. 20; 833, pp. 20-21; 834, p. 21; 835, pp. 23-24; 836, pp. 25-26; 837, pp. 22-23; 838, pp. 22-23; 851, pp. 23, 53.
Hope	224	Ag, Pb, Zn.	0021190092	34, p. 1; 40, No. F-65; 55, p. 173; 56; 117, pp. 367-368; 158, p. 82; 184; 231, p. 91; 246, p. 71; 748, p. 6; 754, p. 11; 806; 987, p. 87; 999, pp. 53-54.
I X L	234	Cu, Zn, Pb, Ag.	0021200092	269, p. 85, No. 242.
Iliamna	149	Fe, Ti ...	0021030001	40, No. D-64; 55, p. 14; 272.
Illinois Creek/Round Top ...	53	Cu, Au, Pb, Zn.	0020550011	40, No. A-64; 120, p. 8; 121; 295, pp. 8, 25.
Independence	113	Au, Ag ..	0020850061	40, No. E-58; 55; 74, p. 40; 79, p. 48; 80, p. 41; 105, p. 30; 106, p. 77; 120, pp. 17, 26; 121, pp. 16, 24, 25; 131, p. 180; 137, p. 127; 153, p. 174; 154, p. 204; 175; 251; 295, p. 26; 296, pp. 8, 13, 21; 338, p. 6; 522; 624, p. 5; 673, pp. 169, 188, 215-216; 674, pp. 1, 32, 51-53, 58-65; 737, pp. 1-5; 749, pp. 20-23; 755, p. 1; 824, p. 12; 827, p. 19; 831, p. 19; 832, p. 20; 834, p. 20; 836, p. 23; 837, p. 21; 838, pp. 19-20; 851, pp. 44, 52; 852, p. 40; 879; 893, p. 34.
Indian	96	Ag, Pb, Au, Cu, Bi.	0020760069	40, No. E-32; 55; 522.
Iniskin Bay	150	Cu, Au, Ag, Fe, Ti.	0021030006	40, No. D-65; 272; 273, p. 75; 521.
Iron Creek	97	Cu	0020760034	77, p. 47; 96, pp. 32-33; 97, p. 28; 269, p. 83, No. 127; 955, pp. 79, 81.
It	219	Cu, Ag, Au, Fe.	0021190137	40, No. F-59; 55, pp. 165-168; 56; 77, p. 42; 85, pp. 17, 19; 95, p. 38; 97, p. 26; 98, p. 33; 117, pp. 316-317, 369; 118, pp. 2-3; 156, pp. 85-86; 157, p. 64; 158, pp. 83-85; 184; 231, pp. 6, 25, 32, 100-101; 246, pp. 64, 66, 72; 256, p. 34; 486, p. 101; 533, p. 28; 534, p. 28; 638, pp. 54, 62; 746; 752, p. 10; 852, pp. 25-26; 946, pp. 5, 32, 40, 50, 122-126, 132; 987, pp. 75, 78-79, 88; 990, pp. 73, 91, 94-95, 97, 100; 993, p. 79; 995, pp. 109, 113; 998, pp. 118-121.
Jimmy Lake	110	Cu, Mo, Au.	0020830010	40, No. D-28; 121, p. 13; 521.
Johnson River	131	Au, Zn, Cu, Ag, Pb.	0020940032	12; 32; 40, No. D-55; 120, p. 9; 295, p. 12; 902, pp. 7, 8.
Judd Harbor	239	Cr, Ni, Fe.	0021220003	40, No. F-77; 49; 55, p. 183; 205; 244, p. 10, No. 262; 245, p. 137; 269, p. 85, No. 239; 355; 436.
K A V	15	Cu, Ag, Sb.	0020280057	40, No. A-18; 270; 544.
Kathleen Margaret	77	Cu, Au ..	0020680036	55, pp. 27-28; 85, p. 35; 164; 199; 246, p. 196; 269, p. 83, No. 130; 427, pp. 5-6; 447, p. 9; 469, pp. 9-10; 534, p. 20; 543, p. 43; 759, pp. 20-21; 764, p. 10; 797; 804, pp. 7-8; 925, p. 119; 926; 957, pp. 1, 9.
Kemuk Mountain	141	Fe, Ti, PGM.	0021020008	40, No. D-59; 55, p. 11; 185; 290, p. 8; 302; 433.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Khayyam	222	Cu, Au, Ag, Zn, Pb.	0021190036	40, No. F-64; 55, p. 172; 56; 100, pp. 88, 94-96; 117, p. 325; 118, pp. 22-23; 121, p. 36; 184; 231, pp. 11, 17, 84, 111-112, 167, 199-200; 246, pp. 65, 71, 73, 78, 80; 256, p. 36; 330, pp. 1, 3-4, 6-8; 638, pp. 54, 63; 735, pp. 2-4; 748, p. 10; 976, p. 5; 987, pp. 76-77, 86, 89, 97, 100; 991, p. 69; 992, p. 96; 998, pp. 135-137; 999, p. 49.
Kijik River	128	Zn, Au, Ag, Pb, Mo, Cu.	0020930002	40, No. D-47; 55, p. 14; 76, p. 64; 98, p. 39; 193; 291, p. 5; 302; 521; 625, pp. 3-4; 819, pp. 137, 153; 840, pp. 257, 268; 843, pp. 190-191; 955, pp. 76-77.
Kivliktort Mountain	6	Pb, Zn...	0020200003	40, No. A-13; 261; 440, pp. 122-143.
Kogoluktuk East	18	Cu.....	0020280049	121; 295, p. 7.
Kougarok Project	33	Sn.....	0020430042	40, No. A-33; 120, p. 10; 121, p. 13; 295, p. 8; 296, p. 7.
Kupreanof Mountain	199	Cu, Zn, Ag, Au.	0021170082	40, No. F-41; 121.
Ladue	85	Pb, Zn, Ag.	0020690035	40, No. E-44; 121; 295, p. 44, No. 58; 302.
Landlocked Bay	139	Cu, Zn, Au.	0020960069	40, No. E-82; 55; 76, p. 62; 144, pp. 14, 51, 96-97; 145, pp. 122-123; 183; 257; 460, p. 241; 461, p. 133; 462, p. 141; 463, p. 186; 464, p. 148; 522; 573, pp. 5-6, 17-18; 617, pp. 57-58; 851, pp. 41, 52; 852, p. 48.
Latouche Island Copper Mining Co.	136	Cu, Zn ..	0020950001	258; 269, p. 83, No. 160; 360, p. 89; 455, pp. 210-211, plate 12, No. 5; 462, p. 139.
Leroy	160	Au, Ag, Cu, Pb, Zn, Cd.	0021110023	40, No. F-8; 55, p. 160; 56; 72, pp. C195-C207; 236, pp. 30-31; 334; 416; 519, pp. 53, 55-59; 733, pp. 3-5; 769, pp. 37-39, 42, 45-46; 838, p. 17; 905, pp. 32-34.
Liberty Bell	55	Au, Cu, Bi, Ag, As, Sb.	0020580040	40, No. B-42; 55, p. 202; 74, p. 31; 75, p. 98; 105, p. 40; 120, p. 9; 130, p. 139; 173; 269, p. 82, No. 102; 295, pp. 10, 44, No. 54; 522; 534, p. 41; 603, pp. 340-345; 645, pp. 351, 355-356, 360; 823, p. 26; 829, pp. 19, 80-81; 830, pp. 19, 76; 831, pp. 23, 80; 832, p. 24; 833, pp. 28-29; 834, pp. 35-36; 955, pp. 72, 81; 971, p. 9.
London and Cape	122	Cu, Mo ..	0020870069	40, No. E-67; 55; 512; 520; 522; 605, pp. 159-160; 622, pp. 136-137.
Long Lake	98	Pb, Mo, Cu, Zn.	0020770047	40, No. E-33; 705, pp. 31, 48; 712, p. 2; 714.
Lucky Shot.....	113	Au, Ag, Cu, Pb.	0020850052	40, No. E-59; 55, p. 34; 74, pp. 15, 40-41; 76, p. 65; 77, p. 48; 79, p. 48; 80, p. 41; 81, p. 25; 95, p. 35; 97, p. 29; 98, p. 39; 105, p. 30; 106, p. 77; 131, pp. 178-179; 132, pp. 260-262; 133, p. 197; 143, pp. 50, 66-69; 153, pp. 173-174; 154, p. 202; 175; 467, pp. 146-147; 522; 533, p. 32; 534, pp. 34-35; 600, p. 11; 673, pp. 169, 181-214; 674, pp. 1, 31, 42, 83; 737, pp. 8-12; 749, p. 16; 755, p. 7; 823, p. 8; 824, p. 12; 825, pp. 14, 46; 826, p. 16; 827, p. 18; 828, pp. 16-17; 829, p. 17; 830, p. 16; 831, p. 18; 832, p. 18; 833, p. 19; 834, pp. 19-20; 835, p. 22; 836, p. 23; 837, p. 21; 838, pp. 19-21; 851, pp. 44, 52; 852, pp. 40-42; 983, p. 214; 1002, p. 1.
Lucky Strike	133	Au, Ag, Pb, Cu.	0020950292	40, No. E-75; 74, pp. 15, 38; 77, p. 46; 78, p. 56; 79, p. 45; 80, p. 40; 81, p. 24; 105, pp. 29-30; 459, p. 176; 522; 540, p. 171; 600, p. 11; 824, p. 12; 825, p. 17; 826, p. 18; 827, p. 21; 828, p. 20; 829, pp. 20-21; 830, p. 20; 831, p. 22; 833, p. 26; 834, p. 33; 835, p. 29; 837, p. 25; 852, pp. 35-36; 900, pp. 494-498.
Mahoney	230	Zn, Pb, Cu, Au, Ag.	0021200024	40, No. F-70; 56; 100, pp. 63-64; 820, pp. 88-90; 904, p. 6; 998, pp. 150-151.
Mallard Duck Bay	193	Cu, Au, Ag, Zn, Pb.	0021330004	40, No. D-86; 44, p. 128; 55, pp. 5-6; 182; 481, p. 222; 521; 955, p. 112.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
McLeod Bay	236	Au, Ag, Cu, Pb.	0021210005	40, No. F-75; 55, p. 176; 56; 85, p. 18; 118, pp. 31-32; 157, pp. 70-71; 186; 295, p. 14; 313; 752, p. 2; 973; 976, pp. 3-4; 991, p. 62; 996, p. 67; 998, p. 181; 999, p. 43.
Midas	117	Cu, Au, Ag, Pb, Zn.	0020860062	40, No. E-68; 55, pp. 69-70; 76, p. 62; 77, p. 45; 79, p. 44; 81, p. 24; 85, p. 22; 87, p. 117; 98, p. 36; 247; 358, pp. 82-83; 446; 456, pp. 151-157, 187-188; 458, p. 157; 460, p. 240; 461, pp. 132-133; 462, pp. 144-145; 463, pp. 184-185; 464, pp. 144, 147; 522; 533, p. 31; 534, p. 33; 593, pp. 298, 302; 617, pp. 51-52; 761, pp. 1, 5, 12, 19; 808; 851, pp. 38, 40, 52; 852, pp. 46-47.
Mildred	191	Au, Ag, Pb, Zn.	0021150046	40, No. F-36; 56; 71; 80, p. 36; 115, p. 127; 212; 517, p. 5; 863, pp. 41-42; 872, p. 20.
Millet	144	Cu, Au, Ag.	0021030046	40, No. D-61; 55, p. 15; 76, p. 64; 98, p. 39; 141, p. 92; 272; 521; 541, pp. 122-123; 542, pp. 197-198; 625, pp. 2-3; 777; 819, p. 150; 955, p. 76.
Misheguk Mountain	3	Cu	0020190002	40, No. A-9; 269, p. 78, No. 3; 366.
Moonshine	224	Cu, Zn, Pb, Au, Ag.	0021190090	34, p. 1; 40, No. F-65; 55, p. 173; 56; 81, p. 20; 97, p. 26; 98, pp. 33-34; 100, p. 88; 105, p. 16; 117, pp. 327, 367-368; 118, p. 23; 158, p. 82; 184; 231, pp. 137-138; 246, p. 75; 486, p. 102; 600, p. 30; 638, p. 54; 748, p. 6; 754, p. 111; 806; 987, p. 93; 991, p. 72; 992, p. 97; 993, pp. 83-84; 998, pp. 187-188.
Mount Andrews Magnetite .	221	Fe, Cu, Au, Ag, Co.	0021190004	40, No. F-60; 47, pp. 32, 44-46; 55, pp. 165-167; 56, p. 22; 79, p. 42; 85, pp. 17, 19, 41; 86, p. 76; 95, pp. 38-39; 97, p. 26; 98, p. 33; 100, pp. 102-103; 117, pp. 316-317, 369; 118, pp. 5-6; 121, p. 36; 147, pp. 80, 102, 112; 156, p. 85; 157, pp. 64-65; 158, pp. 83-85; 184; 231, pp. 143-145, 159; 246, p. 76; 256, p. 34; 427, pp. 6-7; 485, pp. 141-142; 486, p. 100; 533, p. 28; 534, p. 28; 638, pp. 54, 61-62; 748, pp. 5-7, 10; 831, pp. 16-17; 851, pp. 30, 52; 852, pp. 25-27; 904, p. 10; 914; 946; 958, pp. 2, 4, 14; 975; 976, p. 2; 987, p. 93; 990, pp. 86, 88-89, 91-94; 991, p. 67; 993, p. 78; 995, pp. 103-106, 113-114; 996, pp. 63-64; 998, pp. 112-117; 999, pp. 46-47; 1001, pp. 2, 4-27.
Mount Eielson	69	Zn, Pb, Ag, Cu, Au.	0020660054	40, No. E-8; 55, p. 230; 105, pp. 42-43; 142, p. 107; 200; 348; 522; 597, pp. 314-319; 628; 691, pp. 28, 30; 692; 904, p. 6; 955, pp. 69-70, 81.
Mount Fairplay	82	Cu, Pb, Zn, Mo.	0020690029	269, p. 83, No. 140.
Mount Hurst	61	Cr, PGM, Fe, Mg.	0020640009	40, No. D-4; 717.
Mount Ogden	172	Mo, Cu ..	0021130007	40, No. F-18.
Mount Prindle	46	U	0020500251	121; 269, p. 81, No. 78; 295, p. 44, No. 50; 296, p. 9.
Mount Schwatka	43	Pb, Zn, Ag.	0020490151	40, No. B-27; 121; 269, p. 81, No. 77.
Mountain Top	108	Hg	0020820027	122, p. 27; 295, p. 26.
Nabesna Glacier	102	Cu, Zn ..	0020780026	40, No. E-51; 715; 716.
Nabesna Mine	100	Au, Ag, Cu, Pb, Zn.	0020780010	40, No. E-48; 47, p. 30; 55, pp. 205, 208-209; 86, p. 65; 120, p. 11; 128, pp. 90, 118; 138, p. 224; 216, p. 64; 269, p. 83, No. 146; 490, p. 30; 522; 590, pp. 66, 189-190, 201-203; 606, pp. 45-46; 611, pp. 103-104; 612, pp. 159-162; 614, pp. 141-142; 618, pp. 176-177; 619, p. 58; 623; 635, pp. 3-4; 715; 827, pp. 22-23; 828, p. 22; 829, p. 21; 830, pp. 18-19; 831, p. 21; 832, pp. 21, 66; 833, pp. 21-22, 70, 72; 834, pp. 23-24, 80; 835, pp. 25-26, 85; 836, pp. 24, 87; 837, pp. 23-24, 80; 838, pp. 24, 76-77; 948, p. 168; 952, p. 7; 955, p. 108.
Naniratkohort Creek	10	Cu	0020280044	40, No. A-21; 121; 269, p. 79, No. 13; 295, p. 6; 366.
Nelson	124	Cu, Ag ..	0020870026	40, No. E-71; 55, pp. 53, 59-60; 512; 520; 522; 525, pp. 6-9, 14; 526; 574, pp. 110-114; 783, pp. 1-13; 827, p. 60; 828, p. 62.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Niblack	226	Cu, Au, Ag, Zn, Pb.	0021190050	40, No. F-66; 55, p. 174; 56; 100, pp. 75-78; 120, p. 9; 121, pp. 11, 36; 158, p. 90; 184; 231, pp. 54, 61, 117, 149-150, 217, 223; 246, pp. 74, 76; 256, p. 35; 269, p. 84, No. 238; 295, p. 14; 339, p. 7; 404, pp. 1, 6-9; 468, p. 11; 485, p. 143; 638, p. 63; 748, p. 10; 820, p. 82; 905, pp. 7-8; 987, pp. 83, 90, 94, 103; 991, p. 70; 992, pp. 95-96; 993, p. 82; 996, pp. 62-63; 998, pp. 129-132; 999, p. 50.
Nichols Bay	238	Cu, Pb, Zn, Au, Ag.	0021210001	55, p. 176; 157, p. 67; 186; 269, pp. 84, 85, No. 238.
Nixon Fork Mine	62	Au, Cu, Bi, W.	0020650022	40, No. D-7; 55, pp. 96-97; 74, p. 15; 80, pp. 59-60; 81, p. 42; 105, p. 47; 106, p. 93; 111, pp. 127-128, 130-134; 121, pp. 16, 31; 197; 225, pp. 29-32, 40-41; 269, p. 82, No. 109; 302; 402, pp. 2-3, 6-12; 536, pp. 159-160; 564, pp. 229-241; 572, p. 116; 600, p. 13; 683, pp. 12-14, 16-18; 823, p. 9; 825, pp. 15-16; 826, p. 18; 827, pp. 20-22; 828, p. 21; 829, p. 22; 830, p. 19; 831, p. 23; 832, pp. 21-22; 833, p. 27; 834, p. 33; 835, p. 28; 836, p. 29; 837, p. 26; 838, p. 26; 955, p. 89; 970, pp. 10, 12, 14, 16, 18-19.
North Bradfield River	208	Fe, Cu ..	0021180049	18; 40, No. F-49; 55, p. 193; 56; 179; 516.
North Cleary Summit	42	Au, Sb, Cu, Pb, Ag, Zn.	0020490043	121; 163, p. 9; 195; 295, p. 9; 821, p. 175; 822, pp. 161-162.
Nuka Bay	153	Au, Ag ..	0021040016	40, No. E-84; 55; 207; 522; 702, pp. 6, 10-11; 827, p. 21; 834, p. 30.
Ohio Creek	71	Au, Cu, Pb, Zn.	0020670142	40, No. E-9; 55, p. 26; 121; 130, p. 135; 140, pp. 228-229; 166; 385, pp. 8, 11; 522; 765, pp. 311-313, 316, 318-320; 955, p. 73; 971, p. 7.
Old Harbor	175	Cu	0021310045	40, No. D-80; 55, pp. 87-88; 192; 521.
Omar River	7	Cu, Zn, Pb, Ag.	0020270020	40, No. A-15; 270; 295, p. 42, No. 7; 366.
Orange Point	160	Zn, Cu, Au, Ag, Co.	0021110091	40, No. F-7; 56, p. 82, No. 111; 72, plates 1A, 1B, 2; 198; 236, p. 26; 518, pp. 86-87; 519, pp. 38-39, 51-52; 695, pp. 52-80; 696.
Ozzna Creek Tributary	91	Pb, Ag, Cu, Zn.	0020740033	40, No. D-23; 196; 224, p. 77; 522; 679, pp. 4-8.
Partin Creek	70	Cu, Au, Ag, Pb, Zn, Sb, As.	0020670003	40, No. E-11; 166; 269, p. 83, No. 122; 385, p. 8; 522.
Pass	127	Cu, Ag ..	0020930023	40, No. D-49; 302.
Pat	207	U	0021180070	295, p. 14.
Patty	185	Zn, Pb, Ag, Au.	0021140197	40, No. F-37.
Peace River	36	Cu, Mo, U, Th, Au, Ag, Pb, Zn, Bi, Cr.	0020450001	37, p. 23; 40, No. A-44; 55, p. 119; 121; 149; 180; 216, pp. 46-47; 351, pp. 9, 24-26, 28-31; 377, p. 380; 430; 576, pp. 12-14, 18-19; 846, pp. 114, 135; 847, p. 340; 955, pp. 17, 43-45; 971, pp. 2, 5.
Peavine	124	Cu, Ag ..	0020870025	40, No. E-72; 55, p. 60; 512; 520; 522; 525, pp. 8, 14; 526; 574, p. 120; 620, pp. 166-167; 621, pp. 89-90.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Perseverance	171	Au, Ag, Pb, Zn.	0021120148	47, pp. 14-20; 55, p. 154; 67; 68, pp. 1-17; 69, pp. 1-18; 76, pp. 58-59; 77, p. 41; 80, pp. 14, 36; 81, p. 21; 97, p. 25; 98, p. 32; 105, p. 8; 117, p. 355; 158, pp. 75-76, 98; 169; 189; 246, p. 140; 267; 282, p. 80; 285, pp. 98-100; 295, p. 14; 485, p. 135; 486, p. 96; 533, p. 29; 534, p. 29; 561, p. 106; 675, pp. 28-32; 833, p. 15; 834, pp. 15-16; 851, pp. 31-32, 52; 852, pp. 17-18; 863, pp. 74-76; 922, p. 35; 947, pp. 268-279; 983, p. 197; 987, p. 125; 991, p. 55; 992, pp. 87-88; 993, p. 70; 996, p. 53; 999, pp. 37-38.
Peternie	81	Mo	0020690031	40, No. E-39; 121; 269, p. 83, No. 139; 295, p. 44, No. 56; 302.
Picnic Creek	19	Cu, Pb, Zn, Ag, Au.	0020290010	40, No. B-8; 120, p. 8; 269, p. 79, No. 18; 366.
Pin Peak	216	Au, Ag, Cu, Pb, Zn.	0021190123	40, No. F-55; 55, p. 170; 116, p. 52; 184; 231, p. 189; 246, p. 79; 987, p. 99.
Point Astley	188	Zn, Pb, Cu, Ag, Au.	0021150019	2; 40, No. F-34; 55, p. 190; 56; 71; 91, plate 9; 115, pp. 131-133; 117, pp. 318, 323, 327; 212; 406, pp. 68, 70-71; 424, pp. 25, 27; 517, p. 4; 675, p. 33; 754, pp. 17-18; 863, pp. 44-45; 952, pp. 6, 10; 955, p. 60; 993, p. 72.
Poovookpuk Mountain	60	Mo, Cu, Ag.	0020610009	40, No. C-1; 206; 295, p. 43, No. 39; 649, pp. 8, 11-14.
Puale Bay	173	Cu, Ag, Au.	0021300011	55, p. 7; 190; 269, p. 84, No. 189.
Pyrola	183	Zn, Pb, Ag, Ba.	0021140184	40, No. F-29.
Quigley Ridge	65	Ag, Au, Pb, Zn, Sb, W, Cu.	0020660030	40, No. E-4; 55, pp. 229-230; 74, p. 29; 80, pp. 52-53; 81, p. 36; 105, pp. 16, 42; 106, pp. 84-85; 134, pp. 102-103; 139, pp. 320-321; 200; 454, p. 20; 597, p. 330; 691, p. 27; 831, p. 25; 835, p. 31; 836, p. 30; 956, pp. 368-369.
Rainy Creek Lode	78	Cu, Au ..	0020680159	40, No. E-27; 79, pp. 43-44; 199; 216, p. 68; 235, p. 62; 246, p. 197; 522; 534, pp. 20, 44; 551, p. 117; 552, p. 59; 596, pp. 65-66; 760, pp. 2, 34; 762, pp. 19-20, 33; 825, p. 26; 827, p. 34.
Rat Fork	92	Pb, Zn, Cu, Ag.	0020740036	40, No. D-24; 196; 224, p. 81; 521; 679, pp. 4, 6-7, 11-21.
Ready Bullion	113	Au, Ag ..	0020850166	295, p. 12; 807.
Red Devil	109	Hg, Sb ..	0020820005	40, No. D-19; 47, p. 63; 55, p. 89; 121, p. 41; 127, pp. 2, 65, 106, 108-111; 210; 269, p. 83, No. 183; 295, p. 11; 300; 302; 321, pp. 1-2, 4-10; 442, pp. 14-18; 453, pp. 21, 23-24; 454, p. 17; 515; 528, pp. 31-33, 42-45, 53; 529, pp. 2, 8, 11-33; 653, pp. 12, 52, 85; 741; 788, pp. 2-3, 8-11, 20-21, 81; 804, pp. 9-10; 838, p. 90; 925, p. 5; 935, p. 35; 936, pp. 16, 18-20; 950, pp. 3, 9-18; 959, pp. 1-6, 8, 11-19.
Rich Hill	221	Cu, Au, Ag, Fe.	0021190130	55, p. 168; 100, p. 101; 118, pp. 3-4; 156, p. 87; 170, pp. 1-6; 184; 231, pp. 45, 62, 171-172, 211; 246, pp. 67, 78, 80-81; 256, pp. 10, 34; 269, p. 84, No. 235; 339, p. 7; 533, p. 28; 534, pp. 28-29; 637, p. 9; 638, p. 62; 828, p. 15; 946, pp. 5, 32, 50, 126-132; 990, pp. 94-95; 991, pp. 67-68; 993, p. 79; 995, pp. 107-108; 998, pp. 117-118; 999, pp. 47-48.
Riley Lode	12	Cu, Ag, Au.	0020280047	40, No. A-26; 55; 95, p. 46; 366; 533, p. 42; 831, p. 53; 832, pp. 55-56; 833, p. 58; 834, p. 68; 835, p. 73; 836, p. 71; 837, p. 67; 838, p. 64; 841, pp. 121-129; 848, pp. 294-296, 299; 850, pp. 324-325.
Roosevelt Creek	21	Cu, Pb, Zn, Ag.	0020300100	40, No. B-13; 121.
Ross-Adams	237	U, Th, RE.	0021210003	28; 40, No. F-76; 55, pp. 183-184; 120, p. 14; 121, p. 5; 186; 269, p. 84, No. 238; 271; 289; 293, pp. 5-6; 294, p. 7; 296, p. 9; 297; 340, pp. 30-31; 468, p. 13; 510, pp. 52, 60-93; 511; 543, pp. 44-49; 638, pp. 53, 55, 63; 865; 871; 939; 965; 967.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Ruby	13	Cu	0020280042	40, No. A-21; 121, p. 10; 269, p. 79, No. 13; 295, p. 6; 366.
Salmon Bay	203	RE, U, Th.	0021170052	40, No. F-46; 52, pp. 1, 8; 56; 294, pp. 1-12, 50-54; 356; 971, pp. 13, 14, 16.
Sawtooth Mountain	40	Sb, Au, Ag.	0020490002	55, p. 239; 195; 269, p. 81, No. 74; 295, p. 26; 454, p. 16.
Schaefer	126	Hg	0020920001	40, No. D-34; 55; 127, pp. 66, 108, 115; 213; 269, p. 83, No. 183; 302; 528, pp. 31, 40; 529, pp. 2, 8, 39, 41, 44, 57; 776, pp. 1, 3-4, 9; 788, pp. 35, 40-43.
Schlosser	140	Cu, Zn . .	0020960014	40, No. E-83; 55, pp. 69-70; 76, p. 62; 80, pp. 21, 40; 85, p. 22; 97, p. 27; 98, p. 34; 106, pp. 69-70; 144, pp. 117-120, 122; 183; 257; 360, p. 96; 363, p. 63; 460, pp. 240-242; 462, p. 141; 463, pp. 184, 186-187; 464, pp. 144, 148-149; 522; 533, p. 31; 534, p. 33; 593, pp. 298, 302; 617, pp. 60-61; 851, pp. 38, 52; 852, p. 43.
Seal Cove	228	Cu, Au, Ag, Zn.	0021200015	97, p. 28; 98, p. 33; 100, pp. 70-73; 158, pp. 93-94; 269, p. 84, No. 237; 485, p. 143; 486, p. 102; 820, p. 93; 991, p. 72; 993, p. 83; 998, pp. 139-140.
Sedanka Island	240	Pb, Zn, Ag, Au, Cu, Cd.	0021430005	47, pp. 42-43; 55, p. 8; 214; 269, p. 84, No. 207; 276, pp. 657-658; 495; 904, p. 7; 951.
Serpentine Hot Springs	34	Sn	0020440011	37, p. 41; 40, No. A-35; 254, pp. 17, 28; 269, p. 80, No. 36; 297.
Sheep Creek	92	Pb, Ag, Cu.	0020740029	40, No. D-25; 522.
Sheep Mountain	115	Cu, Ag, Au.	0020850098	55, p. 34; 142, p. 73; 175; 269, p. 83, No. 156; 441; 443, p. 4; 448; 449.
Shellabarger Pass	94	Cu, Zn, Au, Ag.	0020750015	40, No. D-9; 167; 522; 678.
Shishakshinovik Pass	17	Cu, Au, Pb, Ag, Zn.	0020280017	37, p. 23; 40, No. A-19; 55, pp. 105-106; 174; 366; 841, p. 150; 850, p. 342.
Shumagin	211	Au	0021380003	44, pp. 21, 125, 127; 45, pp. 149, 151; 204; 269, p. 84, No. 201; 295, p. 11; 535, p. 101; 955, p. 111.
Shungnak River	13	Cu, Zn, Pb, Ag.	0020280056	40, No. A-21; 269, p. 79, No. 13; 366.
Silver Bay	195	Au, Ag . .	0021160023	53, p. 79; 55, p. 143; 203; 295, p. 14; 471, pp. 72-73; 488, p. 29; 991, p. 60; 993, p. 73; 999, p. 45.
Silver Creek	99	Ag, Pb, Cu, Zn, Au.	0020770017	40, No. E-34; 55, p. 45; 246, p. 113; 522; 590, pp. 210-211; 594, pp. 46-47; 635, p. 3; 703, pp. 9-10; 705, pp. 32-33, 49; 712, p. 2; 714; 727, p. 4; 890, pp. 7-8; 952, p. 8; 953, pp. 16, 18.
Silver Star	121	Ag, Cu, Bi, Sb, Pb, Zn.	0020870049	13; 40, No. E-66; 55, p. 43; 120, p. 26; 121, p. 31; 512; 520; 589, pp. 125, 129-130; 599, p. 110; 622, pp. 87, 110-112.
Siniktanneyak	5	Cr, asb . .	0020200006	40, No. A-11; 49; 366; 367, p. 2.
Sitka	211	Au, Ag, Cu, Zn, Pb.	0021380002	44, pp. 21, 125-127; 45, pp. 149-150; 120, pp. 13, 17, 18; 204; 295, p. 11; 296, p. 13; 535, p. 101; 837, p. 28; 955, p. 111.
Slate Creek Antimony	64	Sb	0020660043	40, No. D-11; 47, p. 67; 55; 82, p. 43; 120, p. 25; 130, p. 144; 134, pp. 107-108; 139, pp. 325-326; 299; 301, pp. 4-5, 20-28; 453, p. 3; 522; 597, p. 313; 956, pp. 353, 376-377.
Smucker	9	Zn, Pb, Cu, Ag.	0020280033	40, No. A-20; 120, p. 8; 121, p. 10; 248; 269, p. 79, No. 15; 295, pp. 7, 42, No. 11; 366; 413.
St. John Harbor	204	Zn, Cu, Ag.	0021170055	40, No. F-45; 57; 114, p. 69; 121; 295, p. 13.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Stampede	156	Au, Ag ..	0021090039	76, p. 60; 102, p. 375; 105, p. 25; 280; 286, pp. 14, 29; 295, p. 13; 827, p. 15; 994, pp. 12, 19.
Stampede Lode	68	Sb, Au, Ag, Pb.	0020660010	40, No. E-2; 47, p. 67; 55, p. 230; 121, p. 41; 130, p. 144; 134, p. 109; 139, p. 327; 200; 216, p. 85; 269, p. 82, No. 105; 295, p. 44, No. 62; 301, pp. 3-20; 453, p. 3; 522; 597, pp. 311-313; 691, pp. 27-29; 826, pp. 70-71; 827, p. 79; 828, p. 80; 834, pp. 35, 97-98; 835, pp. 102-103; 836, p. 102; 837, p. 93; 838, p. 89; 918; 920; 955, p. 71; 969.
Su	1	Zn, Pb, Ag, Ba.	0020180004	120, pp. 7, 8; 269, p. 78; 296, p. 6.
Sumdum Chief	190	Au, Ag, Pb, Zn.	0021150027	40, No. F-35; 53, pp. 62-63, 75-76; 55, p. 190; 56; 71; 117, p. 317; 212; 406, p. 68; 490, p. 20; 517, p. 5; 675, pp. 40-41; 757, p. 50; 863, pp. 4, 44; 922, pp. 29, 36; 991, p. 58; 992, p. 90; 996, p. 53; 999, pp. 40-41.
Sun Group	19	Zn, Pb, Cu, Ag, Au.	0020290015	24; 40, No. B-8; 120, p. 8; 121, p. 10; 269, p. 79, No. 18; 295, p. 7; 366; 531; 864.
Sweetheart Ridge	187	Au, Ag, Cu.	0021150057	40, No. F-31; 56; 71; 121; 676.
Tanya-Marie	215	Cu, Mo ..	0021190077	40, No. F-54.
Taylor Creek	200	Zn, Pb, Ag, Cu.	0021170013	40, No. F-42; 55, p. 188; 56; 202; 468, p. 12; 473; 998, p. 142.
Tazimina	130	Cu, Mo ..	0020930022	40, No. D-53; 302.
Tiekel Lode Prospect	118	Au	0020860152	260; 269, p. 83, No. 153.
Tok River	80	Pb, Zn...	0020690034	40, No. E-36; 121; 269, p. 83, No. 136; 522.
Treadwell	171	Au, Ag, Pb, Zn, Cu, Mo.	0021120188	40, No. F-27; 47, pp. 12-14; 53, pp. 62-70; 55, pp. 154-155; 56; 76, p. 58; 77, p. 41; 80, pp. 14, 36; 81, p. 21; 86, pp. 60, 67-76, 93; 91, p. 6; 93, p. 35; 94, pp. 28-29; 95, p. 33; 96, p. 28; 97, p. 25; 98, pp. 31, 32; 103; 105, pp. 8, 23-24; 117; 120, p. 12; 158, pp. 73-74; 189; 246, pp. 131-132; 269, p. 84, No. 220; 282, pp. 77-79; 285, pp. 96-97; 295, p. 14; 468, p. 7; 479; 485, p. 134; 486, pp. 95-96; 490, pp. 20-21; 533, p. 29; 534, pp. 14, 29-30; 561, pp. 112-113; 600, p. 10; 638, pp. 54, 60; 668, p. 13; 675, pp. 42-45; 825, p. 12; 826, p. 13; 833, p. 15; 834, p. 18; 843, pp. 172-174; 851, pp. 33-35, 52; 852, pp. 20-22; 863, pp. 3-4, 36, 90-116; 903, pp. 4, 15, 19-23, 45, 85, 93; 911, pp. 6-7; 922, pp. 29, 39-40; 934, pp. 194-195, 199; 962, pp. 52-53; 987, p. 115; 991, pp. 50-53; 992, pp. 86-87; 993, p. 69; 996, pp. 52-53; 999, p. 39.
Trimble 1-35	112	Zn, Pb, Cu, Ag.	0020840031	40, No. E-31.
Trout Creek	29	Au, Mo, Zn.	0020400004	55, p. 240; 176; 215, p. 177; 269, p. 81, No. 63; 843, p. 197.
Twin Hills	67	Au, Ag, Cu, Fe, Pb, Zn.	0020660052	40, No. E-7; 55; 200; 522; 597, p. 323.
Upper Camp Group	25	Cu, Zn, Pb, Ag.	0020310023	40, No. B-17; 121; 269, p. 77; 366.
Ursus	147	Fe, Ti ...	0021030015	40, No. D-67; 55.
Valparaiso	227	Au, Ag, Pb, Zn, Cu.	0021190100	40, No. F-67; 55, p. 174; 56; 76, p. 60; 77, p. 42; 98, p. 33; 100, pp. 82-84; 118, pp. 24-26; 121, p. 17; 158, p. 81; 184; 231, pp. 214-215; 246, p. 82; 256, p. 35; 269, p. 84, No. 238; 339, p. 6; 344; 403, pp. 11-13; 638, pp. 54, 61; 740, p. 4; 750, p. 2; 751, pp. 1-2; 806; 820, pp. 80-81; 827, p. 18; 829, p. 16; 831, p. 17; 832, p. 17; 833, p. 18; 851, pp. 30, 52; 852, p. 27; 987, p. 102; 991, p. 62; 992, pp. 91-92; 993, p. 73; 996, pp. 64-65; 998, pp. 173-174; 999, pp. 42-43.

See footnotes at end of tabulation.

ADDITIONAL MAJOR MINERAL DEPOSITS IN ALASKA—Continued

Name	Map No. ¹	Commodities ²	MAS No.	References ³
Virginia Creek	73	Cu, Pb, Zn, Ag, Au.	0020670024	40, No. E-19; 120, p. 9; 121, p. 11; 269, p. 82, No. 100; 295, p. 44, No. 54.
Warm Springs Bay	184	Cu, Mo . .	0021140154	40, No. F-38; 908.
Warner Bay	194	Cu, Pb, Zn.	0021330005	40, No. D-87; 44, pp. 21, 129, 131; 45, p. 152; 55, pp. 6-7; 85, p. 35; 182; 481, pp. 222-223; 521; 955, p. 112.
Wheeler	51	Pb, Zn, Ag, Cu, Au.	0020530113	37, p. 28; 40, No. A-53; 43, pp. 5-6; 55, pp. 115, 118; 150, pp. 182-183, 210-211; 211; 241, pp. 167-168; 430; 434; 562, p. 446; 689, pp. 8-9; 787, p. 10; 817, pp. 246-247; 818, pp. 343-344.
William Henry Bay	166	RE, U, Th.	0021120140	40, No. F-14; 55, p. 162; 56; 189; 293; 294, pp. 12-17; 493; 543, p. 44.
Windy Creek	50	Mo, Pb, Zn, F, graph.	0020520032	40, No. A-57; 150, pp. 185, 223; 269, p. 80, No. 51; 295, p. 43, No. 35; 430; 562, pp. 448-449; 592, p. 136.
Wolf Creek Mountain	87	Hg, Sb . .	0020720004	229, p. 65; 269, p. 82, No. 114.
Wolverine Chromite	114	Cr, Ni, Co.	0020850006	168, p. 5; 175; 227, p. 166; 244, p. 9, No. 191; 269, p. 83, No. 162; 522, p. 6, No. 35.
Yuki River Chromite	54	Cr	0020550012	40, No. A-65; 325.
Zarembo Island	205	Mo, U, F	0021170133	121; 269, p. 84, No. 233.

¹ See figure 1.² Chemical symbols are used, except for the following: asb, asbestos; graph, graphite; PGM, platinum-group metals; RE, rare-earth elements.³ Items in the list of references preceding this appendix.