Topographic Map Series, 1953

BRADFIELD

KETCHIKAN

CANAL

BREW, David A., Reconnaissance Geologic Map of the

Petersburg B-2 Quadrangle, southeastern Alaska

PETERSBURG

LINE SYMBOLS

scanning and digitizing of this map data

SITKA

PORT

ALEXANDER

CRAIG

future scanning and digitizing of this map data

Contact; shown as solid line where position is known or inferred and where concealed

High-angle fault; shown as solid line where position is known or inferred and where

Index map of Petersburg project area (Brew and others, 1984) showing locations of belts mentioned in text

The 1:63,360-scale quadrangles in this Open-File Report map series (OFR 97-156a-n) are indicated by capital


and on Correlation of Map Units diagram and the locations of 1:250,000- and 1:63,360-scale quadrangles.

letters. The different types of lines bounding the belts have no special significance.

concealed by younger units or water; this convention has been adopted to facilitate

by younger units or water; this convention has been adopted to facilitate future

# CORRELATION OF MAP UNITS IN THE PETERSBURG B-2 QUADRANGLE (SEE INDEX MAP FOR LOCATION OF BELTS)



# BRIEF DESCRIPTION OF MAP UNITS IN THE PETERSBURG B-2 QUADRANGLE

SURFICIAL DEPOSITS (Holocene and(or) Pleistocene)--Alluvium, colluvium, tidal mudflat

EXTRUSIVE AND INTRUSIVE VOLCANIC ROCKS OF KUIU-ETOLIN VOLCANIC-PLUTONIC BELT (Quaternary

INTRUSIVE GRANITIC AND OTHER ROCKS OF KUIU-ETOLIN VOLCANIC-PLUTONIC BELT (Miocene and(or)

Granite of Central and Northern Etolin Island

Alkali Granite of Northwestern Etolin and Southeastern Zarembo Islands

HORNFELSED SEYMOUR CANAL FORMATION ROCKS (Miocene and(or) Oligocene)

INTRUSIVE ROCKS OF ADMIRALTY-REVILLAGIGEDO PLUTONIC BELT AND ASSOCIATED MIGMATITE (Upper

Garnet-Biotite Tonalite and Minor Granodiorite

Biotite-Epidote-Hornblende Quartz Monzodiorite

METAMORPHOSED STEPHENS PASSAGE GROUP ROCKS (Upper Cretaceous)

INTRUSIVE ROCKS OF KLUKWAN-DUKE PLUTONIC BELT (Cretaceous)

Hornblendite

STEPHENS PASSAGE GROUP (Upper Cretaceous/Cenomanian to Upper Jurassic(?))

intercalated tuff, volcanic graywacke, phyllite and slate.

DUNCAN CANAL-ZAREMBO ISLAND-SCREEN ISLAND SUB-BELT OF THE GRAVINA BELT

METAMORPHOSED STEPHENS PASSAGE GROUP AND OTHER ROCKS (Upper(?) Mesozoic) Semischist and phyllite

Greenschist and Greenstone Metamorphosed From Intermediate to Mafic Volcanic Rocks

deposits, and some glaciofluvial deposits.

# KUIU-ETOLIN BELT

and Tertiary)

Rhyolite, Rhyodacite, and Related Siliceous Extrusive and Intrusive Rocks

Oligocene)

# **GRAVINA BELT**

Hornblende-Biotite Tonalite and Granodiorite, Quartz Monzodiorite, and Quartz Diorite Hornblende-Biotite Tonalite, Granodiorite, Quartz Monzodiorite, and Quartz Diorite

Hornblende-Biotite Tonalite

Schist and Hornfels Phyllite

Brothers Volcanics/Douglas Island Volcanics--Augite-bearing flows, volcanic breccia, and

Seymour Canal Formation--Graywacke, slate, and minor conglomerate.

Gabbro

R.D. Koch, R.P. Morrell, A.T. Ovenshine, K. Reading, R.A. Sonnevil; 1971-1982

# EASTERN Base from U.S.G.S 1:63,360 Geologic Mapping by D.A. Brew, H.C. Berg, P.D. Burrell, A.B. Ford, C. Huie, S.J. Hunt, S.M. Karl,

1 1/2 0

CONTOUR INTERVAL 100 FEET DATUM IS MEAN SEA LEVEL
DEPTH CURVES IN FEET-DATUM IS MEAN LOWER LOW WATER

# RECONNAISSANCE GEOLOGIC MAP OF THE PETERSBURG B-2 QUADRANGLE, SOUTHEASTERN ALASKA