

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Bibliographic References to Alaskan Fossils, 1839 - May 1979

Compiled by Carol W. Wilson

Open-File Report 81-624

1981

This report has not been edited for conformity
with Geological Survey editorial standards or
stratigraphic nomenclature.

CONTENTS

	Page
Introduction	1
Microfossils	1
Algae	4
Conodonta	4
Diatomae	5
Foraminifera	6
Nannofossils (Coccolithophorids)	11
Ostracoda	12
Palynomorphs (pollen, spores, and Dinoflagellata)	13
Radiolaria	20
Megafossils	21
Faunal assemblages	21
Invertebrata	38
Annelida	38
Arthropoda	38
Crustacea	38
Insecta (also see Amber)	38
Trilobita	39
Brachiopoda	40
Bryozoa	42
Coelenterata	43
Anthozoa	43
Scyphozoa	47
Echinodermata	47
Crinoidea	47
Echinoidea	47
Graptolithina	48
Mollusca	49
Cephalopoda	53
Gastropoda	56
Pelecypoda	57
Vertebrata	60
Mammalia	60
Picea	63
Flora	64
Floral assemblages	64
Amber (also see Insecta)	71
Bryophyta	71
Ichnofossils	72
Problematical fossils	72

Bibliographic References to Alaskan Fossils, 1839-May 1979

Compiled by Carol W. Wilson

INTRODUCTION

This bibliographic compilation on Alaskan fossils contains approximately 900 references to articles published from 1839 through May 1979. The list was accumulated through manual searches and through computer searches done by the U.S. Department of the Interior, Natural Resource Library of Anchorage, Alaska.

A reference that mentions three or fewer types of fossils, floral or faunal, is listed under all the appropriate subheadings that categorize each of the fossil types. A reference that mentions more than three types of fossils is listed only under one of the general headings: Microfossils, Faunal Assemblages or Floral Assemblages. Ichnofossils and problematical fossils are listed under separate headings at the end of the bibliography.

MICROFOSSILS

Armstrong, A. K., and Mamet, B. L., 1975, Carboniferous biostratigraphy, northeastern Brooks Range, arctic Alaska: U.S. Geological Survey Professional Paper 884, 29 p., illus., charts, strat. cols., maps.

_____, 1977, Carboniferous microfacies, microfossils and corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p., 47 plates, 19 figures.

Armstrong, A. K., and Mamet, B. L., Brosgé, W. P., and Reiser, H. N., 1976 Carboniferous section and unconformity at Mount Doonerak, Brooks Range, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 60, no. 6, p. 962-973, illus., strat. col., map.

Bergquist, H. R., 1949, Paleontological correlations in northern part of Naval Petroleum Reserve No. 4, 1949: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 12, 9 p., plates; open-file, 1954.

_____, 1950, Summary of paleontology of wells drilled since April, 1949: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 26, 9 p.; open-file, 1954.

_____, 1951, Recent developments in paleontological studies: U.S. Geological Survey Investigation of Naval Petroleum Reserves and adjacent areas Special Report 29, 13 p.; open-file, 1954.

_____, 1952, Micropaleontological studies in 1952: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 39, 10 p., 2 figures; open-file, 1954.

- Bergquist, H. R., 1956a, Microfossil zones in Cretaceous rocks of northern Alaska [abstract]: Geological Society of America Bulletin, v. 67, no. 12, part 2, p. 1670.
- _____, 1956b, Paleontology of test wells and core tests in the Oumalik area, Alaska, in Robinson, F. M., Core tests and test wells, Oumalik area, Alaska: U.S. Geological Survey Professional Paper 305-A, p. 65-68.
- _____, 1958a, Micropaleontologic study of the Umiat field, northern Alaska, in Collins, F. R., Test wells, Umiat area, Alaska: U.S. Geological Survey Professional Paper 305-B, p. 199-204.
- _____, 1958b, Micropaleontologic study of the Gubik test wells, northern Alaska, in Robinson, F. M., Test wells, Gubik area, Alaska: U.S. Geological Survey Professional Paper 305-C, p. 259-261.
- _____, 1958c, Micropaleontologic study of the Topagoruk test wells, northern Alaska, in Collins, F. R., Test wells, Topagoruk area, Alaska: U.S. Geological Survey Professional Paper 305-D, p. 311-314.
- _____, 1958d, Micropaleontologic study of Grandstand test well 1, northern Alaska, in Robinson, F. M., Test well, Grandstand area, Alaska: U.S. Geological Survey Professional Paper 305-E, p. 337-338.
- _____, 1958e, Micropaleontology of Meade test well 1 and Kaolak test well 1, northern Alaska, in Collins, F. R., Test wells, Meade and Kaolak areas, Alaska: U.S. Geological Survey Professional Paper 305-F, 376 p.
- _____, 1959a, Micropaleontologic study of test wells in the Titaluk and Knifeblade areas, northern Alaska, in Robinson, F. M., Test wells, Titaluk and Knifeblade areas, Alaska: U.S. Geological Survey Professional Paper 305-C, p. 417-419.
- _____, 1959b, Micropaleontology of Square Lake test well 1 and the Wolf Creek test wells, northern Alaska, in Collins, F. R., Test wells, Square Lake and Wolf Creek areas, Alaska: U.S. Geological Survey Professional Paper 305-H, p. 479-482.
- _____, 1961, Early Cretaceous (middle Neocomian) microfossils in south-central Alaska: U.S. Geological Survey Professional Paper 424-D, art. 374, p. 236.
- _____, 1966, Micropaleontology of the Mesozoic rocks of northern Alaska: U.S. Geological Survey Professional Paper 302-D, p 93-227, illus., tables. (Summary of well and outcrop data gives tops in wells in NPR-4).
- Creager, J. S., and others, 1973, Site 183: Deep Sea Drilling Project, Initial Report, v. 19, Kodiak, Alaska to Yokohama (Japan), July-September 1971, p. 19-91, illus., strat. cols., map.
- Jopling, D., and Templeton, J. S., 1945, Preliminary lithologic and paleontologic report on Umiat well no. 1, Naval Petroleum Reserve No. 4: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Report 45-4, 22 p., map; open-file, 1954.

- Loeblich, H. N., 1947, Progress of microfossils investigations, Naval Petroleum Reserve No. 4, Alaska: U.S. Geological Survey Investigation of Naval Petroleum Reserve and adjacent area Regular Report 8, 9 p., 2 plates; open-file, 1954.
- _____, 1948a, Progress report on microfossil investigations: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Preliminary Report 21, 6 p., 7 plates; open-file, 1954.
- _____, 1948b, Progress report on microfossil investigations, Naval Petroleum Reserve No. 4: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Regular Report 21, 6 p., 7 plates, open-file, 1954.
- _____, 1949a, Progress report on microfossil studies in Washington: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 11, 26 p.; open-file, 1954.
- _____, 1949b, Summary of microfossil investigations, April 1948 to April 1949 with special reference to the Barrow and Simpson areas: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Regular Report 26, 8 p., app. A, B, C, D, 80 p.; open-file, 1954.
- Mamet, B. L., 1977, Carboniferous microfaunas, microfossils, and corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p., 39 plates.
- McLean, Hugh, 1977, Organic geochemistry, lithology and paleontology of Tertiary and Mesozoic rocks from wells on the Alaska Peninsula: U.S. Geological Survey Open-File Report 77-813, 68 p.
- Plummer, H. J., 1948, Stratigraphy and paleontology in the Simpson area, with comments on Mrs. Plummer's report on micropaleontology of the Simpson area, by Helen N. Loeblich: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 1, 25 p.; open-file, 1954.
- Sellman, P. V., and Brown, Jerry, 1973, Stratigraphy and diagenesis of perennially frozen sediments in the Barrow, Alaska, region, in Permafrost, North American Contributions, 2nd International Conference, Regional distribution and characteristics of permafrost, p. 171-181, illus., maps: National Academy of Science, Washington, D.C.
- Tappan, Helen, 1951, Micropaleontology, in Payne, T. G., and others, Geology of the arctic slope of Alaska: U.S. Geological Survey Oil and Gas Investigations Map OM-126, scale 1:1,000,000, 3 sheets, text.
- Templeton, J. S., 1946, Final report on fossils collected from Naval Petroleum Reserve No. 4, Alaska, 1945 (field parties): U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Report 45-6, 8 p., table; open-file, 1954.
- Walowick, W., and Norem, W. L., 1957, Geographic range of Tyrtthodiscus extended to Alaska: Journal of Paleontology, v. 31, no. 3, p. 674-675.

Algae

- Mamet, B. L., 1972, Paleoclimatologic reconstruction based on algal microflora of the Visean (Un essai de reconstitution paleoclimatique base sur les microflores algaires du Visean), in Paleontology--Paleontologie, section 7, International Geological Congress, Proceedings, Programme, no. 24, p. 282-291, illus., map.
- Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p., 39 plates.
- Mamet, B. L., and Rudloff, B., 1972, Carboniferous algae of the northern part of North America (Algues carboniferes de la partie septentrionale de l'Amerique du Nord): Review of Micropaleontology, v. 15, no. 2, p. 75-114, illus., map.

Conodonta

- Bergquist, H. R., 1960, Occurrence of Foraminifera and conodonts in upper Paleozoic and Triassic rocks, northern Alaska: Journal of Paleontology, v. 34, no. 3, p. 596-601.
- Boucot, A. J., Dunkle, D. H., Potter, A., Savage, N. M., and Rohr, D., 1974, Middle Devonian orogeny in western North America?; a fish and other fossils: Journal of Geology, v. 82, no. 6, p. 691-708, illus., map.
- Johnson, J. G., 1977, Status of Devonian studies in western and Arctic North America [abstract]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1038.
- Klapper, Gilbert, and others, 1971, North American Devonian conodont biostratigraphy, in Conodont biostratigraphy: Geological Society of America Memoir 127, p. 285-316, illus.
- Lane, H. R., 1974, Iroedus tainyricus (Conodonta) from the Salmontrout Limestone (Lower Devonian), Alaska: Journal of Paleontology, v. 48, no. 4, p. 721-726, illus.
- Lane, H. R., and Ormiston, A. R., 1973, Biostratigraphy of the Salmontrout Limestone, east-central Alaska [abstract]: Geological Society of America Abstracts with Programs, v. 5, no. 4, p. 330.
- Ovenshine, A. T., and Webster, G. D., 1969, Silurian conodonts from southeastern Alaska [abstract]: Geological Society of America Abstracts with Programs for 1969, pt. 3, Cordilleran Section, p. 51-52.
- Savage, N. M., 1977a, Lower Devonian conodonts from the Karheen Formation, southeastern Alaska: Canadian Journal of Earth Science, v. 14, no. 2, p. 278-284, table, plate, map.

- Savage, N. M., 1977b, Middle Devonian (Eifelian) conodonts of the genus *Polygnathus* from the Wadleigh Limestone, southeastern Alaska: Canadian Journal of Earth Sciences, v. 14, no. 6, p. 1343-1355, table, plates, map.
- Savage, N. M., Eberlein, G. D., and Churkin, M., Jr., 1976, Devonian conodonts from southeastern Alaska [abstract]: Geological Society of America Abstracts with Programs, v. 8, no. 3, p. 406
- Savage, N. M., Churkin, M., Jr., and Eberlein, G. D., 1977, Lower Devonian conodonts from Port St. Nicholas, southeastern Alaska: Canadian Journal of Earth Sciences, v. 14, no. 12, p. 2928-2936 (including French summary), table, plates, map.

Diatomae

- Conley, S. M., 1973, The distribution of diatoms in the inside passage of Alaska: Master's thesis, University of Oregon.
- Glenn, T., Crow, J. H., Koppen, J. D., and Herschman, A., ed., 1978, Marsh, mudflat and freshwater diatoms in marine animals from Kachemak Bay, Alaska, in Abstracts of Papers of the 144th National Meeting, 12-17 February 1978: American Association for Advancement of Science, Washington, D.C., p. 127.
- Hanna, G. D., 1919, Geological notes on the Pribilof Islands, Alaska, with an account of the fossil diatoms: American Journal of Science, ser. 4, v. 48, p. 216-224.
- _____, 1970, Fossil diatoms from the Pribilof Islands, Bering Sea, Alaska: California Academy of Science Proceedings, ser. 4, v. 37, no. 5, p. 167-234, illus.
- Hogan, L. G., Scheidegger, K. F., Kulm, L. D., Dymond, J., and Mikklesen, N., 1978, Biostratigraphic and tectonic implications of ^{40}Ar - ^{39}Ar dates of ash layers from the northeast Gulf of Alaska: Geological Society of America Bulletin, v. 89, no. 8, p. 1259-1264.
- McLaughlin, R. B., 1972, A preliminary account of diatomaceous deposits on Kenai Peninsula, Alaska: Microscopy, v. 32, no. 5, p. 151-154, maps.
- Plafker, George, 1956, Occurrence of diatomaceous earth near Kenai, Alaska: U.S. Geological Survey Bulletin 1039-B, p. 25-31.
- Triplehorn, D. M., 1976, Volcanic-ash partings in coals--Characteristics and stratigraphic significance [abstract]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, AAPG-SEPM-SEG Pacific Section Meeting, p. 2191.

Foraminifera

- Allison, R. C., 1973, Marine paleoclimatology and paleoecology of a Pleistocene invertebrate fauna from Adak Island, Aleutian Islands, Alaska: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 12, no. 1, p. 15-48, illus.
- Armstrong, A. K., 1970, Foraminifera and rugose coral zones of Mississippian - Pennsylvanian Lisburne Group, Brooks Range, arctic Alaska [abstract]: *American Association of Petroleum Geologists Bulletin*, v. 54, no. 3, p. 559.
- Armstrong, A. K., and Mamet, B. L., 1970, Biostratigraphy and dolomite porosity trends of the Lisburne Group (with discussions), in *Proceedings of the geological seminar on the North Slope of Alaska*: American Association of Petroleum Geologists Pacific Section, Los Angeles, California, p. N1-N16, 12 figures.
- _____, 1974, Carboniferous biostratigraphy, Prudhoe Bay State 1 to northeastern Brooks Range, arctic Alaska: *American Association of Petroleum Geologists Bulletin*, v. 58, no. 4, p. 646-660, illus., maps.
- _____, 1976, Carboniferous (Mississippian) Lisburne Group microfacies, Endicott Mountains, arctic Alaska [abstract]: *Geological Association of Canada--Mineral Association of Canada, Joint Annual Meeting, Program Abstracts*, v. 1, p. 45.
- Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1969, Foraminiferal zonation and carbonate facies of the Mississippian and Pennsylvanian Lisburne Group, central and eastern Brooks Range, arctic Alaska: *U.S. Geological Survey Open-File Report*, 26 p.
- _____, 1970, Foraminiferal zonation and carbonate facies of Carboniferous (Mississippian and Pennsylvanian) Lisburne Group, central and eastern Brooks Range, arctic Alaska: *American Association of Petroleum Geologists Bulletin*, v. 54, no. 5, p. 687-698, illus.
- _____, 1971, Lisburne Group, Cape Lewis-Niak Creek, northwestern Alaska, in *Geological Survey research 1971*: *U.S. Geological Survey Professional Paper 750-B*, p. 23-34, 9 figures.
- Askren, D. R., Creager, J. S., Sternberg, R. W., and Echols, R. J., 1977, Shelf sediment, benthic Foraminifera, and dynamics of the southeastern Bering Sea [abstract]: *Geological Society of America, Abstracts with Programs*, v. 9, no. 7, p. 883-884.
- Bandy, O. L., Butler, A. E., and Wright, R. C., 1969, Alaska upper Miocene deposits and the *Turborotalia pachyderma* datum plane: *Science*, v. 166, no. 3905, p. 607-609, illus.
- Bergen, F. W., and O'Neil, Philip, 1978, Distribution of Holocene Foraminifera in Gulf of Alaska [abstract]: *American Association of Petroleum Geologists Bulletin*, v. 62, no. 9, p. 1754.

- Bergquist, H. R., 1960, Occurrence of Foraminifera and conodonts in Upper Paleozoic and Triassic rocks, northern Alaska: *Journal of Paleontology*, v. 34, no. 3, p. 596-601.
- 1970, Foraminiferal biostratigraphy of Mesozoic of northern Alaska [abstract], in *International Symposium on Arctic Geology*, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, p. 2468-2469.
- Berry, K. D., 1974, Mesozoic foraminiferal zonation, Turonian to Tithonian stages, Pacific Coast Province, in *SEPM preprints, Pacific Section Meeting*, p. 1-29, illus., maps: Society of Economic Paleontologists and Mineralogists, San Diego, California.
- Bird, K. J., 1976, Environmental and time significance of local guide fossils, Lisburne Group, northeast Alaska [abstract]: *American Association of Petroleum Geologists Bulletin*, v. 60, no. 12, p. 2175.
- Carter, L. D., and others, 1977, Gubik and pre-Gubik Cenozoic deposits along the Colville River near Ocean Point, North Slope, Alaska, in Blean, K.M., ed., *The United States Geological Survey in Alaska--Accomplishments during 1976: U.S. Geological Survey Circular 751-B*, p. 12-14.
- Cushman, J. A., 1941, Some fossil Foraminifera from Alaska: *Cushman Laboratory Foraminifera Research Contributions*, v. 17, pt. 2, p. 33-38, plate 9.
- Cushman, J. A., and Todd, Ruth, 1947, A foraminiferal fauna from Amchitka Island, Alaska: *Cushman Laboratory Foraminifera Research Contributions*, v. 23, pt. 3, p. 60-70, plates 14-16.
- Detterman, R. L., Reiser, H. N., Brosig, W. P., and Dutro, J. T., Jr., 1975, Post-Carboniferous stratigraphy, northeastern Alaska: *U.S. Geological Survey Professional Paper 886*, 46 p., illus., strat. cols., map.
- Douglass, R. C., 1970, Pennsylvanian fusulinids from southeastern Alaska [abstract]: *American Association of Petroleum Geologists Bulletin*, v. 54, no. 5, p. 845.
- 1971, Pennsylvanian fusulinids from southeastern Alaska: *U.S. Geological Survey Professional Paper 706*, 21 p., plates 1-7.
- 1974, Fusulinids in southeastern Alaska: *Journal of Paleontology*, v. 48, no. 4, p. 854-855.
- Dunbar, C. O., 1946, *Parafusulina* from the Permian of Alaska: *American Museum Novitates*, no. 1325, September 16, 1946, 4 p., 1 plate.
- Echols, R. J., 1974, Benthic Foraminifera of the Alaska shelf and slope of the Beaufort Sea [abstract], in Reed, J. C., and others, eds., *The coast and shelf of the Beaufort Sea: Arctic Institute of North America*, Arlington, Virginia, p. 491.

- Enbysk, B. J., 1960, Distribution of Foraminifera in the northeast Pacific: Ph.D. dissertation, University of Washington, 150 p., 23 figures, 11 tables, 21 plates.
- Faas, R. W., 1963, Foraminiferal paleoecology of the Gubik (Pleistocene) Formation of the Barrow area, northern Alaska: Iowa Academy Science Proceedings, 1962, v. 69, p. 354-361.
- Harman, R. A., and Cooper, S. C., 1969, Distribution of Foraminifera on Alaskan and Siberian continental shelves: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 446.
- Hussey, K. M., and Faas, R. W., 1962, Foraminiferal paleoecology of the Gubik (Pleistocene) Formation of the Barrow area, northern Alaska: Ames, Iowa, University of Iowa, 11 p.
- King, R. E., 1930, The geology of the Glass Mountains, Texas; pt. 2, Faunal summary and correlation of the Permian formations, with description of brachiopods: University of Texas Bulletin 3042, 245 p., 44 plates, 5 figures.
- Lagoe, M. B., 1978, Foraminifera from the uppermost Poul Creek and lowermost Yakataga Formations, Yakataga District [abstract]: Stanford Publications Geological Sciences, v. 14, p. 34-35.
- 1978, Recent benthonic foraminiferal biofacies in Arctic Ocean [abstract]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2357.
- 1979, Modern Foraminifera from Prudhoe Bay, Alaska: Journal of Paleontology, v. 53, no. 2, p. 258-262.
- Lattanzi, R. D., 1979, Biostratigraphy of EXXON OCS-Y-0080 No. 1, Gulf of Alaska, in Alaska's mineral and energy resources, economics, and land status: Alaska Geological Society Symposium, Program and Abstracts, April 1979, Anchorage, Alaska, p. 14.
- Loeblich, A. R., Jr., and Tappan, Helen, 1953, Studies of Arctic Foraminifera: Smithsonian Institution Miscellaneous Collection, v. 121, no. 7, 150 p., 24 plates, 1 figure.
- 1964, The species and stratigraphic distribution of Caucasina and Aeolomorphella, new genus (Foraminiferida): Tulane Studies Geology, v. 2, no. 3, p. 69-88.
- Loeblich, H. N., 1954, Recent stratigraphic revisions in Naval Petroleum Reserve No. 4 and correlations with the Canadian Cretaceous based on Foraminifera: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 18, 13 p., 2 figures; open-file, 1954.
- Macbeth, J. I., and Schmidt, R. A. M., 1973, Upper Cretaceous based on Foraminifera from Ocean Point, northern Alaska: Journal of Paleontology, v. 47, no. 6, p. 1047-1061, map.

- Mamet, B. L., 1970, Foraminiferal biostratigraphy and Carboniferous microfacies, north Alaska and Yukon [abstract], in International Symposium of Arctic Geology, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2494.
- 1977a, Foraminiferal zonation of the Lower Carboniferous; methods and stratigraphic implications, in Kauffman, E. G., and Hazel, J. E., eds., Concepts and methods of biostratigraphy: Dowden, Hutchinson & Ross, Stroudsburg, Pennsylvania, p. 445-462, illus.
- 1977b, Carboniferous microfacies, microfossils, and corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 849, 144p., 39 plates.
- Mamet, B. L., and Armstrong, A. K., 1972, Lisburne Group, Franklin and Romanzof Mountains, northeastern Alaska: U.S. Geological Survey Professional Paper 800-C, p. 127-144, 10 figures.
- Mamet, B. L., and Skipp, B. A., 1970, Preliminary foraminiferal correlations of early Carboniferous strata in the North American Cordillera, in Colloque sur la stratigraphie du carbonifere: University of Liege, Congress Colloquiem, v. 55, p. 327-348 (including French summary), illus., map.
- Mancini, E. A., and Deeter, T. M., 1977, Alaska Peninsula Late Cretaceous fore-arc deposition [abstract]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 811 (AAPG-SEPM Annual Meeting, Washington, D.C., June 12-16, 1977).
- Miller, D. J., 1971, Geology of the Yakataga district, Gulf of Alaska Tertiary Province, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-610, scale 1:125,000.
- Petocz, R. G., 1967, Preliminary observations on Fusulinidae from east-central Alaska Range: Journal of Paleontology, v. 41, no. 6, p. 1547-1549, illus.
- 1971, Biostratigraphy and Lower Permian Fusulinidae of the Upper Delta River area, east-central Alaska Range: Geological Society of America Special Paper 130, 94 p., illus., maps.
- Rau, W. W., 1963, Foraminifera from the upper part of the Poul Creek Formation of southeastern Alaska: Cushman Foundation Foraminifera Research Contributions, v. 14, p. 135-145.
- Rau, W. W., Plafker, George, and Winkler, G. R., 1977, Preliminary foraminiferal biostratigraphy and correlation of selected stratigraphic sections and wells in the Gulf of Alaska Tertiary province: U.S. Geological Survey Open-File Report 77-747, 54 p.
- 1978, Foraminiferal biostratigraphy in Gulf of Alaska Tertiary province [abstract]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2360; also, Stanford University Publications in Geological Sciences, v. 14, p. 45-46, 1978.

- Richter, D. H., and Dutro, J. T., Jr., 1975, Revision of the type Mankomen Formation (Pennsylvanian and Permian), Eagle Creek area, eastern Alaska Range, Alaska: U.S. Geological Survey Bulletin 1395-B, 25 p., illus., strat. cols., map.
- Ross, C. A., 1974, Zonation of Arctic fusulinacean province [abstract]: American Association of Petroleum Geologists, Society of Economic Paleontologists and Mineralogists, Annual Meeting Abstracts, v. 1, p. 75-76.
- Skinner, J. W., and Wilde, G. L., 1966, Permian fusulinids from Pacific Northwest and Alaska: University of Kansas Paleontology Contribution Paper 4, 64 p., illus.
- Sliter, W. V., 1972, Upper Cretaceous planktonic foraminiferal zoogeography and ecology - eastern Pacific margin, in Eastern Pacific plankton biostratigraphy and palaeoecology: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 12, no. 1-2, p. 15-31.
- Smith, P. B., 1963, Possible Pleistocene - Recent boundary in the Gulf of Alaska, based on benthonic Foraminifera: U.S. Geological Survey Professional Paper 475-C, p. 73-77.
- 1973, Foraminifera of the North Pacific Ocean: U.S. Geological Survey Professional Paper 766, 27 p., 4 plates, 5 figures, 2 tables.
- Smith, R. K., 1967, Glacio-marine Foraminifera of British Columbia and southeast Alaska [abstract]: Dissertation Abstracts, Section B, Science and Engineering, v. 27, no. 12, p. 4452B.
- 1971, Late glacial Foraminifera from southeast Alaska and British Columbia and a world-wide high northern latitude shallow-water faunal province: Archives of Science (Societe Physique et Histoire Naturelle Geneva), v. 23 (1970), p. 675-701, illus.
- Sutherland, G. D., and Steick, C. R., 1972, Foraminifera from the Cretaceous Neogastropites zone, Moberly Lake, British Columbia: Bulletin of Canadian Petroleum Geologists, v. 20, no. 3, p. 549-582, illus., maps.
- Tailleux, I. L., Mamet, B. L., and Dutro, J. R., Jr., 1973, Revised age and structural interpretations of Nuka Formation at Nuka Ridge, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 57, no. 7, p. 1348-1352, illus., map.
- Tappan, Helen, 1951a, Northern Alaska index Foraminifera; Cushman Foundation Foraminifera Research Contributions, v. 2, pt. 1, p. 1-8; correction, v. 4, pt. 1, p. 23.
- 1951b, Triassic Foraminifera, general introduction and part 1 of Foraminifera from the arctic slope of Alaska: U.S. Geological Survey Professional Paper 236-A, p. 1-20, plates 1-5, 2 figures.
- 1955, Jurassic Foraminifera, pt. 2 of Foraminifera from the arctic slope of Alaska: U.S. Geological Survey Professional Paper 236-B, p. 21-90, plates 6-28, figures 3-9, 1 chart.

- Tappan, Helen, 1957, New Cretaceous index Foraminifera from northern Alaska: U.S. National Museum Bulletin 215, p. 201-222, figure 29, plates 65-71.
- 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297, figures 1-7, plates 1-2.
- 1961, Foraminifera from Pleistocene Gubik Formation of northern Alaska [abstract]: American Association of Petroleum Geologists Bulletin, v. 45, no. 1, p. 132.
- 1962, Cretaceous Foraminifera, part 3 of Foraminifera from the arctic slope of Alaska: U.S. Geological Survey Professional Paper 236-C, p. 91-208, plates 29-58, figures 10-18.
- Todd, Ruth, 1953, Foraminifera from the lower Tertiary of Amchitka Island, Aleutian Islands: Cushman Foundation Foraminifera Research Contributions, v. 4, part 1, p. 1-7, plates 1-2.
- 1957, Foraminifera from Carter Creek, northeastern Alaska: U.S. Geological Survey Professional Paper 294-F, p. 223-235, 2 plates, 2 figures, 2 tables.
- Todd, Ruth, and Low, Doris, 1967, Recent Foraminifera from the Gulf of Alaska and southeastern Alaska: U.S. Geological Survey Professional Paper 573-A, p. 1-46, illus., tables.
- Whitmore, F. C., Jr., and Gard, L. M., Jr., 1977, Steller's sea cow (Hydrodamalis gigas) of late Pleistocene age from Amchitka, Aleutian Islands, Alaska: U.S. Geological Survey Professional Paper 1036, 19 p., tables, plates, maps. (Article also discusses Foraminifera.)

Nannofossils

(Coccolithophorids)

- Allison, C. W., and Moorman, M. A., 1973, Microbiota from the late Proterozoic Tindire Group, Alaska: Geology, v. 1, no. 2, p. 65-68, illus.
- Manton, I., Sutherland, J., and Oates, K., 1976, Arctic coccolithophorids; two species of Turrisphaera gen. nov. from West Greenland, Alaska, and the Northwest Passage: Royal Society of London, Proceedings, serial B, V. 194, no. 1115, p. 179-194, plates, map.
- 1977, Arctic coccolithophorids; Wigwamma arctica gen. et sp. nov. from Greenland and arctic Canada; W. annulifera sp. nov. from South Africa and South Alaska and Calciarcus alaskensis gen. et sp. nov. from South Alaska: Royal Society of London, Proceedings, serial B, v. 197, no. 1127, p. 145-168, illus., plates, map.

Worsley, T. R., 1973, Calcareous nannofossils: Leg 19 of the Deep Sea Drilling Project: Deep Sea Drilling Project, Initial Report, v. 19, Kodiak, Alaska, to Yokohama, Japan, July-September 1971, p. 741-750, illus., charts, map.

Ostracoda

Allison, R. C., 1973, Marine paleoclimatology and paleoecology of a Pleistocene invertebrate fauna from Amchitka Islands, Aleutian Island, Alaska: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 12, no. 1, p. 15-48, illus.

Berdan, J. M., and Copeland, M. J., 1973, Ostracodes from Lower Devonian formations in Alaska and Yukon Territory: U.S. Geological Survey Professional Paper 825, 47 p.

Carter, L. D., and others, 1977, Gubik and pre-Gubik Cenozoic deposits along the Colville River near Ocean Point, North Slope, Alaska, in Blean, K.M., ed., The United States Geological Survey in Alaska--Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. 12-14.

Cushing, H. P., 1892, Notes on the geology of the vicinity of Muir Glacier: National Geographic Magazine, v. 4, p. 56-62.

Neal, J. W., and Schmidt, R. A. M., 1967, On Normanicythere leioderma (Norman) and Normanicythere concinella Swain: Micropaleontology, v. 13, no. 3, p. 345-350, illus.

Schmidt, R. A. M., 1967, New generic assignments for some Pleistocene Ostracoda from Alaska: Journal of Paleontology, v. 41, no. 2, p. 487-488, illus.

Schmidt, R. A. M., and Sellman, P. V., 1966, Mummified Pleistocene ostracodes in Alaska: Science, v. 153, p. 167-168, illus.

Sohn, I. G., 1964, Significance of Triassic ostracodes from Alaska and Nevada: U.S. Geological Survey Professional Paper 501-D, p. 40-42.

_____, 1971, New Late Mississippian ostracode genera and species from northern Alaska: U.S. Geological Survey Professional Paper 711-A, p. 1-24.

Swain, F. M., Jr., 1949, Ostracoda from well, shot hole, and outcrop samples in Naval Petroleum Reserve No. 4: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Regular Report 27, 75 p.; open-file, 1954.

_____, 1959, Quaternary Ostracoda from Naval Petroleum Reserve No. 4, northern Alaska [abstract]: Canadian Oil and Gas Industries, v. 12, no. 12, p. 61-62.

Swain, F. M., Jr., 1960, Ostracoda from the Pleistocene Gubik Formation, Arctic coastal plain, Alaska, in Raasch, G. O., editor, Geology of the Arctic: International Symposium Arctic Geology, 1st, Calgary, Alberta, 1960, Proceedings, p. 606; 1961, Toronto, Ontario, University of Toronto Press.

——— 1963, Pleistocene Ostracoda from the Gubik Formation, Arctic coastal plain, Alaska: Journal of Paleontology, v. 37, no. 4, p. 798-834, plates 95-99, 13 figures.

Palynomorphs

(pollen, spores, and Dinoflagellata)

Adkison, W. L., and Newman, K. R., 1973, Lithologic characteristics and palynology of Upper Cretaceous and Tertiary rocks in the Deep Creek unit well, Kenai Peninsula, Alaska: U.S. Geological Survey Open-File Report, 271 p.

Adkison, W. L., Kelley, J. S., and Newman, K. R., 1975, Lithology and palynology of the Beluga and Sterling Formations exposed near Homer, Kenai Peninsula, Alaska: U.S. Geological Survey Open-File Report 75-383, 239 p., 1 plate, 4 figures.

Ager, T. A., 1975a, Late Quaternary environmental history of the Tanana Valley, Alaska: Ohio State University Institute Polar Studies Report no. 54, 117 p., illus., tables, maps.

——— 1975b, Late Quaternary pollen record from Birch Lake, Tanana Valley, Alaska [abstract]: Geological Society of America Abstracts with Programs, v. 7, no. 3, p. 289-290.

——— 1976, Late Quaternary environmental history of the Tanana Valley, Alaska: Ph.D. dissertation, Ohio State University.

Ager, T. A., and Goldthwait, R. P., 1975, Quaternary palynology and sedimentology of four lacustrine cores from interior Alaska [abstract], in Karrow, P. F., organizer, et al., Quaternary Nonmarine Paleocology Conference, Program and Abstracts: University of Waterloo, Waterloo, Ontario, Canada, unpaginated.

Ames, H., and Riegel, W., 1962, Palynological investigation of coals from the Chikiloon Formation, Alaska [abstract]: Pollen et Spores, v. 4, no. 2, p. 238.

Anderson, J. H., 1975a, A palynological study of late Holocene vegetation and climate in the Healy Lake area of Alaska: Arctic, v. 28, no. 1, p. 62-69 (with French and Russian summaries), illus., map.

——— 1975b, A palynological study of late Holocene vegetation and climate in the Healy Lake area, Alaska: Alaska Science Conference Proceedings, no. 24, Climate of the Arctic, p. 43-47, illus., table, map.

- Benninghoff, W. S., and Holmes, G. W., 1961, Preliminary report on upper Cenozoic carbonaceous deposits in the Johnson River area, Alaska Range [abstract], *in* *Geology of the Arctic*, v. 1, Toronto, Ontario, University of Toronto Press, p. 599.
- Biske, S. F., 1973, Correlation of Tertiary nonmarine deposits in Alaska and northeastern Asia, *in* *Arctic geology: American Association of Petroleum Geologists Memoir 19*, p. 239-245, illus.
- Bowman, P. W., 1934, Pollen analysis of Kodiak bogs: *Ecology*, v. 15, no. 2, p. 97-100.
- Brabb, E. E., and Churkin, Michael, Jr., 1967, Stratigraphic evidence for the Late Devonian age of the Nation River Formation, east-central Alaska: U.S. Geological Survey Professional Paper 575-D, p. 4-15, illus.
- Brabb, E. E., and Grant, R. E., 1971, Stratigraphy and paleontology of the revised type section for the Tahkandit limestone (Permian) in east-central Alaska: U.S. Geological Survey Professional Paper 703, 26 p.
- Churkin, Michael, Jr., and Brabb, E. E., 1965, Ordovician, Silurian, and Devonian biostratigraphy of east-central Alaska: *American Association of Petroleum Geologists Bulletin*, v. 49, no. 2, p. 172-185, illus., tables.
- Colinvaux, P. A., 1962, Pollen studies at Imuruk Lake, Seward Peninsula, Alaska [abstract]: *Pollen et Spores*, v. 4, no. 2, p. 340.
- 1963, A pollen record from arctic Alaska reaching glacial and Bering land bridge times: *Nature*, v. 198, no. 4880, p. 609-610, illus., table.
- 1964, Origin of ice ages; pollen evidence from arctic Alaska: *Science*, v. 145, no. 3633, p. 707-708, illus.
- 1965, Pollen from Alaska and the origin of ice ages (reply to comments on 1964 paper by W. L. Donn and Maurice Ewing, 1965): *Science*, v. 147, no. 3658, p. 633, illus., table.
- 1967a, Bering land bridge--evidence of spruce in Late Wisconsin time: *Science*, v. 156, no. 3773, p. 380-383, illus., tables.
- 1967b, Quaternary vegetational history of arctic Alaska, *in* Hopkins, D. M., ed., *The Bering land bridge*: Stanford, California, Stanford University Press, p. 207-231, illus., tables.
- 1967c, A long pollen record from St. Lawrence Island, Bering Sea (Alaska): *Palaeogeography, Palaeoclimatology, and Palaeoecology*, v. 3, no. 1, p. 29-48, illus., tables.
- 1975, An arctic pollen record of two glacial cycles to correlate with the paleomagnetic history, *in* *International Symposium on Global-scale Paleolimnology and Paleoclimate [abstract]*: Kyoto University, Kyoto, Japan, 1 p.

- Cornell, W. C., 1977, Cretaceous and Paleogene chrysomonad cysts from Arctic Ocean sediments [abstract], in *Palynology*, v. 1: American Association of Stratigraphic Palynologists, 8th Annual Meeting, Houston, Texas, October 1975, Proceedings, p. 172.
- Donn, W. L., and Ewing, Maurice, 1965, Pollen from Alaska and the origin of ice ages (discussion of paper by Paul Colinvaux, 1964): *Science*, v. 147, no. 3658, p. 632.
- Elsik, W. C., 1973, Auriculidites paleocenicus sp. nov. from the Paleocene of Cook Inlet area, Alaska: *Pollen et Spores*, v. 15, no. 1, p. 135-138 (with French summary), illus.
- _____, 1977, Epicephalopsis indentata from the Gulf of Alaska Tertiary [abstract], in *Palynology*, v. 1: American Association of Stratigraphic Palynologists, 8th Annual Meeting, Houston, Texas, October 1975, Proceedings, p. 172.
- Englehardt, D. W., 1966, Rugae pollis kachemakensis gen. et sp. nov. from the Tertiary of Alaska (with French abstract): *Pollen et Spores*, v. 8, no. 1, p. 135-139, illus.
- Fradkuna, A. F., Kuseleva, A. V., Ermoleva, N. V. Zhabreva, L. D., and Zharukova, L., 1971, Pozdneoligotsenovaya i miotsenovaya flora basseyna Aldana i yeye sravneniye s florami Severo-Vostoka SSSR i Alyaski, po palinologicheskim dannym (Late Oligocene and Miocene flora of the Aldan River basin and comparison with floras of northeast USSR and Alaska, based on palynological data): *Akademiya Nauk SSSR, Sibirskoye Otdeleniye, Instituta Geologii i Geofiziki Trudy*, no. 135, p. 22-39 (with English summary), illus.
- Fraser, G. D., and Barnett, H. F., 1959, Geology of the Delarof and westernmost Andreanof Islands, Aleutian Islands, Alaska: U.S. Geological Survey Bulletin 1028-I, p. 211-248.
- Gray, Jane, and Browning, J. L., 1959, Caytonialean microspores from the Jurassic and Cretaceous of Alaska [abstract]: *Geological Society of America Bulletin* 70, no. 12, pt. 2, p. 1722.
- Hedlund, R. W., and Engelhardt, D. W., 1970, Rugaepollis fragilis sp. nov. from the Tertiary of Kachemak Bay, Alaska: *Pollen et Spores*, v. 12, no. 2, p. 173-176, illus.; erratum, *ibid*, no. 3, p. 482.
- Heusser, C. J., 1952a, Post-Wisconsin history of the region of the Juneau Ice Field as revealed by pollen analysis [abstract]: *American Geophysical Union Transactions*, v. 331, p. 333-334.
- _____, 1952b, Pollen profiles from southeastern Alaska: *Ecology Monograph*, v. 22, no. 4, p. 331-352; additional profiles, 1954, in *American Journal of Science*, v. 252, no. 3, p. 106-119.
- _____, 1954, Palynology of the Taku Glacier snowcover, Alaska, and its significance in the determination of glacier regimen: *American Journal of Science*, v. 252, no. 5, p. 291-308.

- Heusser, C. J., 1955, Pollen profiles from Prince William Sound and southeastern Kenai Peninsula, Alaska: *Ecology*, v. 36, no. 2, p. 185-202.
- _____, 1963a, Pollen diagrams from Ogotoruk Creek, Cape Thompson, Alaska: *Grana Palynologica*, v. 4, no. 1, p. 149-159.
- _____, 1963b, Postglacial palynology and archaeology in the Nanek River drainage area, Alaska: *American Antiquity*, v. 29, no. 1, p. 74-81, illus.
- _____, 1965, A Pleistocene phytogeographical sketch of the Pacific Northwest and Alaska, in *The Quaternary of the United States*: Princeton University Press, Princeton, New Jersey, p. 469-483, illus., table.
- _____, 1966, Palynology of the Ogotoruk Creek area, in *Environment of the Cape Thompson region, Alaska*: Washington, D.C., U.S. Atomic Energy Commission, p. 355-362, illus., table.
- _____, 1973, Postglacial vegetation on Umnak Island, Aleutian Islands, Alaska: *Review of Paleobotany and Palynology*, v. 15, no. 4, p. 277-285, illus., map.
- Hopkins, D. M., and Benninghoff, W. S., 1961, Upper Tertiary sediments in Alaska and northwestern Canada [abstract], in *Geology of the Arctic*, v. 1: University of Toronto Press, Toronto, Ontario, p. 598.
- Hopkins, D. M., Gitterman, R. E., and Matthews, J. V., Jr., 1976, Interstadial mammoth remains and associated pollen and insect fossils, Kotzebue Sound area, northwestern Alaska: *Geology*, v. 4, no. 3, p. 169-172, table, section, map.
- Hopkins, D. M., Matthews, J. V., Wolfe, J. A., and Silberman, M. L., 1971, A Pliocene flora and insect fauna from the Bering Strait region: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 9, p. 211-231, illus., maps.
- Hopkins, D. M., and others, 1969, Cretaceous, Tertiary, and early Pleistocene rocks from the continental margin in the Bering Sea: *Geological Society of America Bulletin*, v. 80, no. 8, p. 1471-1480.
- Judson, S. S., 1946, Late glacial and postglacial chronology on Adak Island, Aleutians, Alaska: *Journal of Geology*, v. 54, no. 6, p. 376-385, illus., maps.
- Leffingwell, H. A., and Morgan, R. P., 1977, Restudy and comparison of the dinoflagellate cyst genus *Carpodinium* to that of *Prionodinium* n. gen.: *Journal of Paleontology*, v. 51, no. 2, p. 288-302, illus., chart, plates, map.
- Livingstone, D. A., 1955, Some pollen profiles from arctic Alaska: *Ecology*, v. 36, no. 4, p. 587-600.
- _____, 1957, Pollen analysis of a valley fill near Umiat, Alaska: *American Journal of Science*, v. 255, no. 4, p. 254-260.

- Mancini, E. A., and Deeter, T. M., 1977, Alaska Peninsula Late Cretaceous fore-arc deposition [abstract]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 811 (AAPG-SEPM Annual Meeting, Washington, D. C., June 12-16, 1977).
- Matthews, J. V., Jr., 1970, Quaternary environmental history of interior Alaska; pollen samples from organic colluvium and peats: Arctic Alpine Research, v. 2, no. 4, p. 241-251, illus., table.
- 1974a, Quaternary environments at Cape Deceit (Seward Peninsula, Alaska): Evolution of a Tundra Ecosystem: Geological Society of America Bulletin, v. 85, no. 9, p. 1353-1384, illus., maps.
- 1974b, Wisconsin environment of interior Alaska: Pollen and macrofossil analysis of a 27-meter core from the Isabella Basin (Fairbanks, Alaska): Canadian Journal of Earth Sciences, v. 11, no. 6, p. 826-841, illus., map.
- May, F. E., 1979, Dinoflagellate assemblages from surface and subsurface Nanushuk Group (Albian-Cenomanian), northern Alaska [abstract]: American Association of Petroleum Geologists Annual Convention, Houston, Texas, 1979, Program, p. 128-129.
- McCulloch, David, and Hopkins, David, 1966, Evidence for an early Recent warm interval in northwestern Alaska: Geological Society of America Bulletin, v. 77, no. 10, p. 1089-1107, illus., table.
- Miller, M. M., and Anderson, J. H., 1974a, Alaska Glacier Commemorative Project, Phase IV; Pleistocene-Holocene sequences in the Alaska-Canadian Boundary Range: National Geographic Society, Research Report, v. 7, p. 197-223, illus., maps.
- 1974b, Out-of-phase Holocene climatic trends in the maritime and continental sectors of the Alaska-Canada boundary range [abstract], in Quaternary Environments Symposium: Abstracts with Program, p. 25-26, York University, Toronto.
- Miller, M. M., Anderson, J. H., and Mahaney, W. C., ed., (no year or title found): York University Atkinson Collection, Toronto, Ontario, no. 5, p. 33-58, illus., charts, maps.
- Moore, L. V., and Urban, J. B., 1977, An early Late Devonian (Frasnian) palynology assemblage from the type locality of the Nation River Formation, east-central Alaska [abstract], in Palynology, v. 1, American Association of Stratigraphic Palynologists, 8th Annual Meeting, Houston, Texas, October 1975, Proceedings, p. 175.
- Nichols, Harvey, 1974, Arctic North American paleoecology; the recent history of vegetation and climate deduced from pollen analysis, in Ives, J.D., and Barry, R. G., eds., Arctic and alpine environments: Methuen, London, p. 637-667, illus., map.
- Nybakken, B. H. H., 1967, The paleoecology of southwest Umnak Island and southwest Kodiak Island, Alaska [abstract]: Dissertation Abstracts, Section B, Science and Engineering, v. 28, no. 2, p. 488B.

- Plafker, George, and MacNeill, F. S., 1966, Stratigraphic significance of Tertiary fossils from the Orca Group in the Prince William Sound region, Alaska, in Geological Survey research 1964: U.S. Geological Survey Professional Paper 550-D, p. 62-68, 4 figures.
- Scott, R. A., 1967a, Availability of palynological material from Naval Petroleum Reserve No. 4, I; Simpson test well no. 1, and Simpson core tests nos. 13 and 14: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1967b, Availability of palynological material from Naval Petroleum Reserve No. 4, II; Koalak test well no. 1: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1968a, Availability of palynological material from Naval Petroleum Reserve No. 4, III; East Oumalik test well no. 1: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1968b, Availability of palynological material from Naval Petroleum Reserve No. 4, IV; North Simpson test well no. 1: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1968c, Availability of palynological material from Naval Petroleum Reserve No. 4, V; Oumalik test well no. 1: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1968d, Availability of palynological material from Naval Petroleum Reserve No. 4, VI; South Barrow test well no. 3: U.S. Geological Survey Open-File Report, 1 p.
- _____, 1968e, Availability of palynological material from Naval Petroleum Reserve No. 4, VII; Topagoruk test well no. 1 (supplemental set): U.S. Geological Survey Open-File Report, 1 p.
- _____, 1968f, Availability of palynological material from Naval Petroleum Reserve No. 4, VIII; Gubik test well no. 2 (supplemental set): U.S. Geological Survey Open-File Report, 1 p.
- _____, 1968g, Availability of palynological material from Naval Petroleum Reserve No. 4, IX; Gubik test well no. 1 (supplemental set): U.S. Geological Survey Open-File Report, 1 p.
- _____, 1968h, Availability of palynological material from Naval Petroleum Reserve No. 4, X; Avak test well no. 1: U.S. Geological Survey Open-File Report, 1 p.
- _____, 1968i, Availability of palynological material from Naval Petroleum Reserve No. 4, XI; Meade test well no. 1: U.S. Geological Survey Open-File Report, 1 p.
- _____, 1969a, Availability of palynological material from Naval Petroleum Reserve No. 4, XII; Square Lake test well no. 1: U.S. Geological Survey Open-File Report, 1 p.

- Scott, R. A., 1969b, Availability of palynological material from Naval Petroleum Reserve No. 4, XIII; South Barrow test well no. 4, Knifeblade test wells nos. 1, 2, 2A: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1969c, Availability of palynological material from Naval Petroleum Reserve No. 4, XIV; Wolf Creek test wells nos. 1, 2, 3; South Barrow test wells nos. 1, 2: U.S. Geological Survey Open-File Report, 2 p.
- _____, 1969d, Availability of palynological material from Naval Petroleum Reserve No. 4, XV; Skull Cliff core test no. 1: U.S. Geological Survey Open-File Report, 1 p.
- _____, 1969e, Availability of palynological material from Naval Petroleum Reserve No. 4, XVI; Fish Creek test well no. 1: U.S. Geological Survey Open-File Report, 1 p.
- _____, 1969f, Availability of palynological material from Naval Petroleum Reserve No. 4, XVII; Sentinel Hill core test no 1: U.S. Geological Survey Open-File Report, 1 p.
- _____, 1969g, Availability of palynological material from Naval Petroleum Reserve No. 4, XVIII; Umiat test wells nos. 1 and 2, East Topagoruk test well no. 1: U.S. Geological Survey Open-File Report, 2 p.
- Scott, R. A., and Doherty, L. I., 1967, Palynological evidence for Devonian age of the Nation River Formation, east-central Alaska, in Geological Survey Research 1967: U.S. Geological Survey Professional Paper 575-B, p. 45-49, illus.
- Sher, A. V., 1974, Pleistocene mammals and stratigraphy of the far northeast USSR and North America, part 1, in International Geology Review, v. 16, no. 7: American Geological Institute, p. 1-89, illus., maps.
- Sirkin, L. A., and Tuthill, S., 1971a, Late Pleistocene palynology and stratigraphy of Controller Bay region, Gulf of Alaska, in Etudes sur le Quaternaire dans le Monde, v. 1: Association Francaise Etude Quaternaire Bulletin Supplement, no. 4, p. 197-208, illus., map.
- _____, 1971b, Late Pleistocene palynology and stratigraphy of Controller Bay region, Gulf of Alaska [abstract], in Les niveaux marine quaternaires, part 1, Holocene: Quaternaria, v. 14, p. 17-18 (French and English).
- Stanley, E. A., 1966, Cretaceous pollen and spore assemblages from northern Alaska, in Palaeophytic and Mesophytic palynology--International Conference of Palynology, 2nd, Utrecht, 1966: Review of Paleobotany and Palynology, v. 1, no. 1-4 (spec. vol.), p. 229-234, illus., tables.
- Tabbert, R. L., 1967, Upper Cretaceous pollen and spores from Ivishak River area, Arctic Alaska [abstract]: Review of Paleobotany and Palynology, v. 2, nos. 1-4, p. 8.
- Terasmae, J., and Hughes, O. L., 1966, Late-Wisconsinan chronology and history of vegetation in the Ogilvie Mountains, Yukon Territory, Canada: Paleobotanist, v. 15, nos. 1-2, p. 235-242, illus.

- Tschudy, B. D., 1969, Species of Aquilapollenites and Fibulapollis from two Upper Cretaceous localities in Alaska: U.S. Geological Survey Professional Paper 643-A, p. 1-17.
- Tschudy, R. H., 1976, Stratigraphic distribution of species of the megaspore genus Minerisporites in North America: U.S. Geological Survey Professional Paper 743-E, p. 1-11.
- Wahrhaftig, Clyde, Wolfe, J. A., Leopold, E. B., and Lanphere, M. A., 1969, The coal-bearing group in Nenana coal field, Alaska: U.S. Geological Survey Bulletin 1274-D, p. 1-30, illus., tables.
- Wiggins, V. D., 1969, Two Lower Cretaceous dinoflagellates species from Alaska: Micropaleontology, v. 15, no. 2, p. 145-150, illus.
- _____, 1972, Two new Lower Cretaceous dinoflagellate genera from southern Alaska: Review of Paleobotany and Palynology, v. 14, no. 3-4, p. 297-308, illus., map.
- _____, 1973, Upper Triassic dinoflagellates from arctic Alaska: Micropaleontology, v. 19, no. 1, p. 1-16, illus., map.
- _____, 1975, The dinoflagellate family Pareodiniaceae; a discussion: Geoscience and Man, v. 11, p. 95-115.
- Wolfe, J. A., Hopkins, D. M., and Leopold, E. B., 1966, Tertiary stratigraphy and paleobotany of the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 398-A, p. 1-29, illus., tables.
- Yeend, W. E., 1977, Tertiary and Quaternary deposits at the Palisades, central Alaska: U.S. Geological Survey Journal of Research, v. 5, no. 6, p. 747-752, illus., table, chart, map.

Radiolaria

- Hogan, L. G. Scheidegger, K. F., Kulm, L. D. Dymond, J., and Mikklesen, N., 1978, Biostratigraphy and tectonic implications of ^{40}Ar - ^{39}Ar dates of ash layers from the northeast Gulf of Alaska: Geological Society of America Bulletin, v. 89, no. 8, p. 1259-1264.
- Holdsworth, B. K., Jones, D. L., and Allison, Carol, 1978, Upper Devonian radiolarians separated from chert of the Ford Lake Shale, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 6, p. 775-788, 2 figures, map.
- Tappan, Helen, 1960, Cretaceous biostratigraphy of northern Alaska: American Association of Petroleum Geologists Bulletin, v. 44, no. 3, p. 273-297, figures 1-7, plates 1-2.

MEGAFOSSILS

Faunal Assemblages

- Addicott, W. O., 1969, Tertiary climatic change in the marginal northeastern Pacific Ocean: *Science*, v. 165, no. 3893, p. 583-586.
- Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of selected stratigraphic sections in the Gulf of Alaska Tertiary province: U.S. Geological Survey Open-File Report 78-491, 2 sheets.
- Allison, R. C., 1971, A Pleistocene invertebrate fauna from Amchitka Island, Aleutian Islands, Alaska [abstract]: *Geological Society of America Abstracts with Programs*, v. 3, no. 2, p. 224.
- 1978, Late Oligocene through Pleistocene molluscan faunas in the Gulf of Alaska region: *Veliger*, v. 21, no. 2, p. 171-188, 2 figures, 2 tables.
- Armstrong, A. K., 1970, Mississippian dolomites from the Lisburne Group, Killik River, Mount Bupto region, Brooks Range, Alaska: *American Association of Petroleum Geologists Bulletin*, v. 54, no. 2, p. 251-264, 10 figures.
- Atwood, W. W., 1911, Geology and mineral resources of parts of the Alaska Peninsula: U.S. Geological Survey Bulletin 467, 137 p.
- 1912, Some Triassic fossils from southeastern Alaska: *Journal of Geology*, v. 20, p. 653-655.
- Bowsher, A. L., and Dutro, J. T., Jr., 1950, Stratigraphy and paleontology of the Mississippian rocks in the central part of the Brooks Range, Alaska [abstract]: *Geological Society of America Bulletin*, v. 61, no. 12, pt. 2, p. 1445.
- 1957, The Paleozoic section in the Shainin Lake area, central Brooks Range, Alaska, in *Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, northern Alaska, 1944-53 -- Part 3, Areal geology*: U.S. Geological Survey Professional Paper 303-A, 40 p., 6 plates, 4 figures.
- Brabb, E. E., 1969, Six new Paleozoic and Mesozoic formations in east-central Alaska: U.S. Geological Survey Bulletin 1274-I, 126 p., tables.
- Brooks, A. H., 1900a, A reconnaissance in the White and Tanana River basins, Alaska, in 1898: U.S. Geological Survey, 20th Annual Report, pt. 7, p. 425-494.
- 1900b, A reconnaissance from Pyramid Harbor to Eagle City, Alaska, including a description of the copper deposits of the upper White and Tanana Rivers: U.S. Geological Survey, 21st Annual Report, pt. 2, p. 331-391.
- 1902a, Preliminary report on the Ketchikan mining district, Alaska, with an introductory sketch of the geology of southeastern Alaska: U.S. Geological Survey Professional Paper 1, 120 p.

- Brooks, A. H., 1902b, Geological reconnaissance in southeastern Alaska: Geological Society of America Bulletin, v. 13, p. 253-266.
- _____, 1906, The geography and geology of Alaska: U.S. Geological Survey Professional Paper 45, 327 p.
- _____, 1921, Note on the Tertiary geology of Alaska: Pan-Pacific Scientific Conference, 1st; Bernice P. Bishop Museum Special Publication 7, pt. 3, p. 797-800.
- Brooks, A. H., and others, 1901, A reconnaissance of the Cape Nome and adjacent gold fields of Seward Peninsula, Alaska, in 1900: U.S. Geological Survey Special Publication, 222 p.
- Brooks, A. H., and Kindle, E. M., 1908, Paleozoic and associated rocks of the upper Yukon, Alaska: Geological Society of America Bulletin, v. 19, p. 255-314, 2 plates.
- Brown, J. S., 1924, The Nixon Fork country and silver-lead prospects near Ruby [Alaska]: U.S. Geological Survey Bulletin 783-D, p. 97-150.
- Bruest, E., 1945, L'Alaska: Payot, Paris, 451 p., 36 figures, 13 maps, and 14 photographs.
- Buckland, W., 1839, Geology, in Richardson, J., and others, The zoology of Captain Beechey's voyage, p. 157-180, illus., London. (See California State Mining Bureau, Annual Report, Bulletin 30, p. 145-147 (1904)).
- Buddington, A. F., and Chapin, Theodore, 1929, Geology and mineral deposits of southeastern Alaska: U.S. Geological Survey Bulletin 800, 398 p.
- Burchard, E. F., 1913, Marble resources of Ketchikan and Wrangell districts [Alaska]: U.S. Geological Survey Bulletin 542-B, p. 52-77.
- Burk, C. A., 1965, Geology of the Alaska Peninsula--island arc and continental margin: Geological Society of America Memoir 99, pts. 1-3, 250 p.
- Cairnes, D. D., 1913, Geological section along the Yukon-Alaska boundary between Yukon and Porcupine Rivers [abstract]: Geological Society of America Bulletin, v. 24, no. 4, p. 678-679.
- _____, 1914a, Geological section along the Yukon-Alaska boundary line between Yukon and Porcupine Rivers: Geological Society of America Bulletin, v. 25, p. 179-204, plates 4-8.
- _____, 1914b, The Yukon-Alaska International Boundary, between Porcupine and Yukon Rivers: Canada Geological Survey Memoir 67, 161 p., 16 plates, 2 figures, 2 maps.
- Capps, S. R., 1916, The Chisana-White River district, Alaska: U.S. Geological Survey Bulletin 630, 130 p.
- _____, 1933, The eastern portion of Mount McKinley National Park: U.S. Geological Survey Bulletin 836-D, p. 219-300.

- Capps, S. R., 1937, Kodiak and adjacent islands, Alaska: U.S. Geological Survey Bulletin 800-C, p. 111-184.
- _____, 1940, Geology of the Alaska Railroad region: U.S. Geological Survey Bulletin 907, 201 p.
- Case, E. C., 1919, The environment of vertebrate life in the late Paleozoic in North America; a paleogeographic study: Carnegie Institution of Washington Publication 283, 273 p., 8 figures.
- Chapin, Theodore, 1918, The structure and stratigraphy of Gravina and Revillagigedo Islands, Alaska: U.S. Geological Survey Professional Paper 120-D, p. 83-100.
- Churkin, Michael, Jr., and Brabb, E. E., 1967, Devonian rocks of the Yukon - Porcupine Rivers area and their tectonic relation to other Devonian sequences in Alaska: Alberta Society of Petroleum Geologists, International Symposium Devonian System, v. 2, p. 227-258, plates 1-5.
- Clark, B. L., 1932, Fauna of the Poul and Yakataga Formations (upper Oligocene) of southern Alaska: Geological Society of America Bulletin, v. 43, no. 3, p. 797-846, plates 14-21.
- _____, 1933, Fauna of Yakataga Formation of southern Alaska [abstract]: Pan-Am. Geologist, v. 58, no. 1, p. 79; also in Geological Society of America Bulletin, v. 44, p. 168, 1933.
- Clark, D. L., 1978, Paleontologic response to post-Jurassic crustal plate movements in the Arctic Ocean: University of Wisconsin, Madison, 26 p.
- Coats, R. R., 1947a, Progress of investigations in 1946, Part 5 of Geology of northern Adak Island (Alaska): U.S. Geological Survey Alaska Volcano Investigative Report 2, p. 73-85.
- _____, 1947b, Progress of investigations in 1946, Part 7 of Reconnaissance geology of some western Aleutian Islands (Alaska): U.S. Geological Survey Alaskan Volcano Investigative Report 2, p. 97-105.
- _____, 1956, Geology of northern Adak Island, Alaska: U.S. Geological Survey Bulletin 1028-C, p. 47-67.
- Cohen, Gaston, 1968, L'isthme de Bering et ses vicissitudes--paléogéographie et migrations: Science Progrès-La Nature, no. 3399, p. 241-248, illus.
- Collier, A. J., 1902, A reconnaissance of the northwestern portion of Seward Peninsula, Alaska: U.S. Geological Survey Professional Paper 2, 70 p.
- _____, 1905, Coal fields of the Cape Lisburne region [Alaska]: U.S. Geological Survey Bulletin 259, p. 172-185.
- _____, 1906, Geology and coal resources of the Cape Lisburne region, Alaska: U.S. Geological Survey Bulletin 278, 54 p., 9 plates.

- Collier, A. J., Hess, F. L., Smith, P. S., and Brooks, A. H., 1908, The gold placers of parts of Seward Peninsula, Alaska, including the Nome, Council, Kougarok, Port Clarence, and Goodhope precincts: U.S. Geological Survey Bulletin 328, 343 p.
- Cooper, G. A., and others, 1942, Correlation of the Devonian sedimentary formations of North America: Geological Society of America Bulletin, v. 53, no. 12, p. 1729-1794, 1 plate, 1 figure.
- Crane, R. C. and Wiggins, V. D., 1976, Iperovich Formation, significant Jurassic-Neocomian map unit in northern Brooks Range foldbelt [abstract]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, AAPG-SEG Pacific Section Meeting, p. 2177.
- Dall, W. H., 1869, Observations on the geology of Alaska, in Coast Pilot of Alaska, by George Davidson: U.S. Coast Survey, Pacific Coast, pt. 1, app. 1, p. 193-202.
- _____, 1896, Report on coal and lignite of Alaska: U.S. Geological Survey 17th Annual Report, pt. 1, p. 763-875.
- _____, 1904, Neozoic invertebrate fossils, a report on collections made by the expedition, in Volume 4, Geology and Paleontology, of Harriman Alaska Expedition: New York, Doubleday, Page and Co., p. 99-122, plates 9, 10; reprinted by Smithsonian Institution, 1910.
- _____, 1920, Pliocene and Pleistocene fossils from the arctic coasts of Alaska and the auriferous beaches of Nome, Norton Sound, Alaska: U.S. Geological Survey Professional Paper 125-C, p. 23-37, 12 plates: Abstract by R. W. Stone, in Washington Academy of Sciences Journal, v. 10, no. 11, p. 327.
- Dall, W. H., and Harris, G. D., 1892, Correlation papers--Neocene: U.S. Geological Survey Bulletin 84, 349 p.
- Davies, A. M., 1929, Faunal migrations since the Cretaceous period: Geological Association of London Proceedings, v. 40, p. 4, p. 307-327.
- _____, 1934, Tertiary faunas; a textbook for oil-field paleontologists and students of geology--Volume II, The sequence of Tertiary faunas: London, Thomas Murby and Co., 252 p., illus.
- Dawson, G. M., 1894, Geological notes on some of the coasts and islands of the Bering Sea and vicinity: Geological Society of America Bulletin, v. 5, p. 117-146.
- Detterman, R. L., Reiser, H. N., Brosgé, W. P., and Dutro, J. T., Jr., 1975, Post-Carboniferous stratigraphy, northeastern Alaska: U.S. Geological Survey Professional Paper 886, 46 p., illus., strat. cols., map.
- Durham, J. W., 1944, Megafaunal zones of the Oligocene of northwestern Washington: University of California Publications, Department of Geological Sciences Bulletin, v. 27, no. 5, p. 101-212, plates 13-18.

- Durham, J. W., 1950, Cenozoic marine climates of the Pacific coast: Geological Society of America Bulletin, v. 61, no. 11, p. 1243-1264.
- 1952, Early Tertiary marine faunas and continental drift: American Journal of Science, v. 250, p. 321-343.
- Durham, J. W., and Sasa, Yasuo, 1961, A comparison of the fauna of the Poronai Formation of Japan with west American middle Tertiary faunas [abstract]: Pacific Science Congress, 9th, Bangkok, Thailand, 1957, Proceedings, v. 12, p. 276.
- Durham, J. W., and MacNeill, F. S., 1965, Cenozoic marine faunal migrations through the Bering Strait region [abstract]: International Association Quaternary Research Congress, 7th, Boulder, Colorado, 1965, General Session Abstracts, p. 116.
- 1967, Cenozoic migrations of marine invertebrates through the Bering Strait region, in Hopkins, D. M., ed., The Bering land bridge: Stanford, California, Stanford University Press, p. 326-349.
- Dutro, J. T., Jr., 1952, Stratigraphy and paleontology of the Noatak and associated formations, Brooks Range, Alaska: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Special Report 33, 144 p.; [abstract] 1953, in Geological Society of America Bulletin, v. 64, no. 12, pt. 2, p. 1415; open-file, 1954.
- 1953, Stratigraphy and paleontology of the Noatak and associated formations, Brooks Range, Alaska: Ph.D. dissertation, Yale University, New Haven, Connecticut.
- 1956, Annotated bibliography of Alaskan Paleozoic paleontology: U.S. Geological Survey Bulletin 1021-H, p. 253-287.
- Dutro, J. T., Jr., and Armstrong, A. K., 1970, Biostratigraphy of Carboniferous of northern Alaska [abstract], in International Symposium on Arctic Geology, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, p. 2478.
- Dutro, J. T., Jr., Bowsher, A. L., and Brosgé, W. P., 1951, Facies in Carboniferous rocks of northern Alaska [abstract]: Geological Society of America Bulletin, v. 62, no. 12, p. 1434-1435.
- Dutro, J. T., Jr., Reiser, H. N., Detterman, R. L., and Brosgé, W. P., 1971, Early Paleozoic fossils in the Neruokpuk Formation, northeast Alaska: U.S. Geological Survey Open-File Report 71-91 (499), 5 p.
- Eakin, H. M., 1918a, Gold placer mining in the Porcupine district: U.S. Geological Survey Bulletin 662-B, p. 93-100.
- 1918b, The Cosna-Nowitna region, Alaska: U.S. Geological Survey Bulletin 667, 54 p.
- 1919, The Porcupine gold placer district, Alaska: U.S. Geological Survey Bulletin 699, 29 p.

- Ekman, Sven, 1953, Zoogeography of the sea: London, Sedgwick and Jackson Ltd., 417 p.
- Emerson, B. K., Gilbert, G. K., Palache, Charles, Dall, W. H., Ulrich, E. O., and Knowlton, F. H., 1904, Geology and paleontology: Harriman Alaskan Expedition, v. 4, 173 p. (Washington, D.C., Smithsonian Institution).
- Emmons, S. F., 1898, Map of Alaska showing known gold-bearing rocks, with descriptive text containing sketches of the geography, geology, and gold deposits and routes to the gold fields: U.S. Geological Survey Special Publication, 44 p., 1 map.
- Etheridge, R., 1878, Paleontology of the coasts of the Arctic lands visited by the late British expedition under Captain Sir George Nares: Geological Society of London Quarterly Journal, v. 35, p. 568-639, plates 25-29.
- Fay, A. H., 1907, Geology and mining of the tin deposits of Cape Prince of Wales, Alaska: American Institute of Mining Engineers Bulletin, v. 17, p. 769-787.
- Foerste, A. F., 1924, Upper Ordovician faunas of Ontario and Quebec: Canada Geological Survey Memoir 138, p. 1-255, 46 plates.
- Fraser, G. D., and Barnett, H. F., 1959, Geology of the Delarof and westernmost Andreanof Islands, Aleutian Islands, Alaska: U.S. Geological Survey Bulletin 1028-I, p. 211-248.
- Frebold, Hans, 1960, Correlation with other arctic regions (northern Alaska), in The Jurassic faunas of the Canadian Arctic; Lower Jurassic and lowermost Middle Jurassic ammonites: Canada Geological Survey Bulletin 59, p. 30.
- Geist, O. W., 1962, Collecting Pleistocene fossils and natural history material in arctic Alaska river basins 1959, 1960, and 1961: Office of Naval Research, Arctic Institute of North America, 252 p.
- Girty, G. H., 1905, The relations of some Carboniferous faunas: Washington Academy of Science Proceedings, v. 7, p. 1-26.
- _____, 1906, Report on fossil invertebrates of the Cape Lisburne region, Alaska: U.S. Geological Survey Bulletin 278, p. 22-26.
- _____, 1909, Upper Carboniferous: Journal of Geology, v. 17, no. 4, p. 305-319.
- _____, 1927, Descriptions of Carboniferous and Triassic fossils, in Mansfield, G. R., Geography, geology, and mineral resources of part of southeastern Idaho: U.S. Geological Survey Professional Paper 152, 453 p., 70 plates, 46 figures.
- Grantz, Arthur, Jones, D. L., and Lanphere, M. A., 1966, Stratigraphy, paleontology, and isotopic ages of upper Mesozoic rocks in the southwestern Wrangell Mountains, Alaska: U.S. Geological Survey Professional Paper 550-C, p. 39-47, illus., tables.

- Gryc, George, 1947, Progress report on taxonomic and stratigraphic study of macrofossils: U.S. Geological Survey Investigation of Naval Petroleum Reserve No. 4 and adjacent areas Regular Report 7, 10 p.; open-file, 1954.
- _____, 1951, Paleontology, in Payne, T. G., and others, Geology of the arctic slope of Alaska: U.S. Geological Survey Oil and Gas Investigations Map OM-126, scale 1:1,000,000, 3 sheets, text.
- Gryc, George, Dutro, J. T., Jr., Brosge, W. P., Tailleur, I. L., and Churkin, Michael, Jr., 1967, Devonian of Alaska, in International Symposium on the Devonian System, Calgary, 1967 Proceedings, v. 1, Calgary, Alberta: Alberta Society of Petroleum Geologists, p. 703-716, illus.
- Hanna, G. D., 1919, Geological notes on the Pribilof Islands, Alaska, with an account of the fossil diatoms: American Journal of Science, ser. 4, v. 48, p. 216-224.
- Harrington, C. R., 1978, Quaternary vertebrate faunas of Canada and Alaska and their suggested chronological sequence: Syllogeus, no. 15, 105 p.
- Heusser, C. J., 1960, Late Pleistocene environments of North Pacific North America--an elaboration of late glacial and postglacial climatic, physiographic and biotic changes: American Geographical Society Special Publication 35, 308 p.
- Hopkins, D. M., 1965, Chetvertichnye morskije transgressii na Alyaske (Quaternary transgressions in Alaska), in Antropogenovye period v Arktike i subarktike (Anthropogene period in the Arctic and subarctic): Nauchno-Issledovatel'skiy Institut Geologii Arktiki Trudy, v. 143, p. 131-154 (in Russian); English translation by American Geological Institute, 53 p.
- _____, 1967, Introduction, in Hopkins, D. M., ed., The Bering land bridge, Stanford, California, Stanford University Press, p. 1-6.
- _____, 1976, A model for ancient population movements in and through Beringia [abstract], in Abstracts of the 4th Biennial Meeting of the American Quaternary Association: American Quaternary Association, National Conference Abstracts, no. 4, p. 5-7.
- Hopkins, D. M., and MacNeil, F. S., 1960, A marine fauna probably of late Pliocene age near Kivalina, Alaska: U.S. Geological Survey Professional Paper 400-B, p. 339-342.
- Hopkins, D. M., MacNeil, F. S., Merklin, R. L., and Petrov, O. M., 1965, Quaternary correlations across Bering Strait: Science, v. 147, n. 3662, p. 1107-1114.
- Hopkins, D. M., Rowland, R. W., Echols, R. E., and others, 1974, Anvilian (early Pleistocene) marine fauna from western Seward Peninsula, Alaska: Quaternary Research, v. 4, no. 4, p. 441-470.

- Howell, B. F., and others, 1944, Correlation of the Cambrian formations of North America: Geological Society of America Bulletin, v. 55, no. 8, p. 993-1003, 1 plate.
- Hume, G. S., 1925, The Paleozoic outlier of Lake Timiskaming, Ontario and Quebec: Canada Department of Mines, Geological Survey Memoir 145, 129 p., 16 plates, 7 figures.
- Hyatt, Alpheus, 1896, Report of the Mesozoic fossils from Alaska: U.S. Geological Survey Annual Report 17, part 1, appendix 3, p. 907-908.
- Imlay, R. W., 1961, Characteristic Lower Cretaceous megafossils from northern Alaska: U.S. Geological Survey Professional Paper 335, 74 p., 24 plates, 1 figure.
- Imlay, R. W., and Detterman, R. L., 1973, Jurassic paleobiogeography of Alaska: U.S. Geological Survey Professional Paper 801, 34 p.
- Imlay, R. W., and Reeside, J. B., 1954, Correlation of the Cretaceous formations of Greenland and Alaska: Geological Society of America Bulletin, v. 65, no. 3, p. 240-241.
- Isbister, A. K., 1855, On the geology of the Hudson's Bay territories and of portions of the Arctic and northwestern regions of America; with a colored geological map: Geological Society of London Quarterly Journal, v. 11, p. 497-520; without map: American Journal of Science, ser. 2, v. 21, p. 313-338, 1856.
- _____, 1908a, Geological reconnaissance of the Porcupine valley, Alaska: Geological Society of America Bulletin, v. 19, p. 315-338.
- _____, 1908b, Occurrence of the Silurian fauna in western America: American Journal of Science, ser. 4, v. 25, no. 146, p. 125-129.
- _____, 1909, The section at Cape Thompson, Alaska: American Journal of Science, ser. 4, v. 28, no. 168, p. 520-528.
- _____, 1911, The faunal succession in the Port Clarence limestone, Alaska: American Journal of Science, ser. 4, v. 32, no. 191, p. 334-349.
- _____, 1919, The discovery of a Portage fauna in the Mackenzie River valley: Canada Geological Survey Museum Bulletin 29, 8 p. 2 plates.
- Jones, D. L., and Clark, S. H. B., 1973, Upper Cretaceous (Maestrichtian) fossils from the Kenai-Chugach Mountains, Kodiak and Shumagin Islands, southern Alaska: U.S. Geological Survey Journal of Research, v. 1, no. 2, p. 125-136, illus., map.
- Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474, 3 plates, 4 figures.

- Jones, D. L., and Miller, J. W., 1976, Geologic map of the Alaskan Peninsula, with emphasis on upper Mesozoic fossil localities: U.S. Geological Survey Open-File Report 76-76, scale 1:500,000, 2 sheets.
- Karlstrom, T. N. V., 1959, Pleistocene physical and biological environments of Pacific coastal, south-central and southwestern Alaska [abstract]: Canadian Oil and Gas Industries, v. 12, no. 12, p. 56.
- Karlstrom, T. N. V., and Ball, G. E., eds., 1969, Introduction, *in* The Kodiak Island refugium, its geology, flora, fauna and history: Ryerson Press (for Boreal Institute, University of Alberta), Toronto, Ontario, p. 2-6, illus., tables.
- Keen, A. M., and Bentson, Herdis, 1944, Check list of California Tertiary marine Mollusca: Geological Society of America Special Paper 56, 280 p.
- Keim, C. J., 1962, Arctic fossil exploration: Explorer's Journal, v. 40, no. 2, p. 41-43.
- Kellum, L. B., and Norton, Marilyn, 1946, Guide fossils of the Middle Jurassic Tuxedni sandstone, Alaska [abstract]: Geological Survey of America Bulletin, v. 57, no. 12, pt. 2, p. 1210-1211.
- Kindle, E. M., 1907, Notes on the Paleozoic faunas and stratigraphy of southeastern Alaska: Journal of Geology, v. 15, no. 4, p. 314-337, illus.
- Kindle, E. M., and Burling, L. D., 1914, Report of the invertebrate paleontologist: Canada Geological Survey, Summary Report for 1913, p. 330-321.
- Kirk, Edwin, 1918, An Ordovician fauna from southeastern Alaska (near Wrangell) [abstract]: Geological Society of America Bulletin, v. 29, no. 1, p. 143-144.
- _____, 1929, Ordovician, Silurian and Devonian of Alaska [abstract]: Geological Society of America Bulletin, v. 40, no. 1, p. 227-229.
- Knopf, Adolph, 1908, Geology of the Seward Peninsula tin deposits, Alaska: U.S. Geological Survey Bulletin 358, 71 p.
- _____, 1909, Some features of the Alaska tin deposits: Economic Geology, v. 4, no. 3, p. 214-223.
- Kobayashi, T., 1936, Three contributions to the Cambro-Ordovician faunas: Japanese Journal of Geology and Geography, v. 13, no. 1-2, p. 163-184, 2 plates, 4 figures.
- Lane, H. R., and Ormiston, A. R., 1973, Biostratigraphy of the Salmontrout Limestone, east-central Alaska [abstract]: Geological Society of America Abstracts with Programs, v. 5, no. 4, p. 330.
- Leffingwell, E. deK., 1919, The Canning River region, northern Alaska: U.S. Geological Survey Professional Paper 109, 251 p., 35 plates, 33 figures.

- MacNeil, F. S., 1973, Marine fossils from the Unga Conglomerate Member of the Bear Lake Formation, Cape Aliaksin, Alaska Peninsula, Alaska: Tohoku University Science Report, ser. 2, spec. volume, no. 6, p. 117-123.
- MacNeil, F. S., Wolfe, J. A., Miller, D. G., and Hopkins, D. M., 1961, Correlations of Tertiary formations of Alaska: American Association of Petroleum Geologists Bulletin, v. 45, p. 1801-1809.
- Maddren, A. G., 1914, Minerals deposits of the Yakataga district, in Brooks, A. H., and others, Mineral resources of Alaska--Report on progress of investigations in 1913: U.S. Geological Survey Bulletin 592, p. 119-153.
- Martin, G. C., 1905, The petroleum fields of the Pacific coast of Alaska, with an account of the Bering River coal deposits: U.S. Geological Survey Bulletin 250, 64 p.
- _____, 1908, Geology and mineral resources of the Controller Bay region, Alaska: U.S. Geological Survey Bulletin 335, 141 p.
- _____, 1926, The Mesozoic stratigraphy of Alaska: U.S. Geological Survey Bulletin 776, 493 p.
- Matthews, J. V., Jr., 1974, Wisconsin environment of interior Alaska: Pollen and microfossil analysis of a 27-meter core from the Isabella Basin (Fairbanks, Alaska): Canadian Journal of Earth Science, v. 11, no. 6, p. 826-841, illus., map.
- McCulloch, D. S., 1967, Quaternary geology of the Alaskan shore of Chukchi Sea, chapter 5, in Hopkins, D. M., ed., The Bering land bridge: Stanford California, Stanford University Press, p. 91-120.
- Meek, C. E., 1923, Notes on the stratigraphy and Pleistocene fauna from Peard Bay, arctic Alaska: California University Department of Geology Science Bulletin, v. 14, no. 13, p. 409-422.
- Mendenhall, W. C., 1902, Reconnaissance from Fort Hamlin to Kotzebue Sound, Alaska: U.S. Geological Survey Professional Paper 10, 68 p.
- Mendenhall, W. C., and Schrader, F. C., 1903, The mineral resources of the Mount Wrangell district, Alaska: U.S. Geological Survey Professional Paper 15, 71 p.
- Mertie, J. B., Jr., 1923, Geology and gold placers of the Chandalar district, Alaska: U.S. Geological Survey Bulletin 773-E, p. 215-263.
- _____, 1926, The Paleozoic geology of interior Alaska [abstract]: Washington Academy of Sciences Journal, v. 16, no. 3, p. 78-79.
- _____, 1930, Geology of the Eagle-Circle district, Alaska: U.S. Geological Survey Bulletin 816, 168 p.

- Mertie, J. B., Jr., 1933a, Notes on the geography and geology of Lituya Bay in Smith, P. S., and others, Mineral resources of Alaska--Report on progress of investigations in 1930: U.S. Geological Survey Bulletin 836-B, p. 117-135.
- _____, 1933b, The Tatonduk-Nation district: U.S. Geological Survey Bulletin 836-E, p. 347-443.
- _____, 1937a, The Kaiyuh Hills: U.S. Geological Survey Bulletin 868-D, p. 145-178.
- _____, 1937b, The Yukon-Tanana region, Alaska: U.S. Geological Survey Bulletin 872, 276 p.
- _____, 1938, The Nushagak district, Alaska: U.S. Geological Survey Bulletin 903, 96 p.
- _____, 1942, Tertiary deposits of the Eagle-Circle district, Alaska: U.S. Geological Survey Bulletin 917-D, p. iii, 213-264, illus., maps.
- Mertie, J. B., Jr., and Harrington, G. L., 1924, The Ruby-Kuskokwim region, Alaska: U.S. Geological Survey Bulletin 754, 129 p.
- Miller, A. K., Youngquist, W., and Collinson, C., 1954, Ordovician cephalopod fauna of Baffin Island: Geological Society of America Memoir 62, 234 p., 63 plates, 20 figures.
- Miller, D. J., 1951, Preliminary report on the geology and oil possibilities of the Yakataga district, Alaska: U.S. Geological Survey Open-File Report.
- _____, 1957, Geology of the southeastern part of the Robinson Mountains, Yakataga district, Alaska: U.S. Geological Survey Oil and Gas Investigations Map OM-187, 2 sheets.
- _____, 1961, Geology of the Lituya district, Gulf of Alaska Tertiary Province, Alaska: U.S. Geological Survey Open-File Report.
- Miller, D. J., Payne, T. G., and Gryc, George, 1959, Geology of possible petroleum provinces in Alaska: U.S. Geological Survey Bulletin 1094, 127 p.
- Moffit, F. H., 1912, Headwater regions of Gulkana and Susitna Rivers, Alaska: U.S. Geological Survey Bulletin 498, 82 p.
- _____, 1914, Geology of the Hanagita-Bremner region, Alaska: U.S. Geological Survey Bulletin 576, 56 p.
- _____, 1918, The upper Chitina valley, Alaska, with a description of the igneous rocks by R. M. Overbeck: U.S. Geological Survey Bulletin 675, 82 p.
- _____, 1928, Notes on the geology of upper Mizina River [Alaska]: U.S. Geological Survey Bulletin 813-D, p. 143-166.

- Moffit, F. H., 1929, The Slana district, upper Copper River region: U.S. Geological Survey Bulletin 824-B, p. 111-124.
- _____, 1933, The Suslota Pass district, upper Copper River region, Alaska: U.S. Geological Survey Bulletin 844-C, p. 137-162.
- _____, 1938a, Geology of the Chitina valley and adjacent area, Alaska: U.S. Geological Survey Bulletin 894, 137 p.
- _____, 1938b, Geology of the Slana-Tok district, Alaska: U.S. Geological Survey Bulletin 904, 54 p.
- _____, 1941, Geology of the upper Tetling River district, Alaska: U.S. Geological Survey Bulletin 917-B, p. 115-157.
- _____, 1943, Geology of the Nutzotin Mountains, Alaska, with a section on the igneous rocks, by R. G. Wayland: U.S. Geological Survey Bulletin 933-B, p. 103-199.
- Moffit, F. H., and Knopf, Adolph, 1910, Mineral resources of the Nabesna-White River district, Alaska, with a section on the Quaternary, by S. R. Capps: U.S. Geological Survey Bulletin 417, 64 p.
- Moffit, F. H., and Mertie, J. B., Jr., 1923, The Kotsina-Kuskulana district, Alaska: U.S. Geological Survey Bulletin 745, 149 p.
- Moore, G. W., 1969, New formations on Kodiak and adjacent islands, Alaska: U.S. Geological Survey Bulletin 1274-A, p. 27-35.
- Moore, R. C., and others, 1944, Correlation of Pennsylvanian formations of North America: Geological Society of America Bulletin, v. 55, no. 6, p. 657-706, 1 plate.
- Nayudu, Y. R., and Enbysk, B. J., 1964, Biolithology of northeast Pacific surface sediments: Marine Geology, v. 2, p. 310-342.
- Nelson, S. J., 1965, Field methods in paleontology: Canadian Petroleum Geologists Bulletin, v. 13, no. 1, 136 p., 42 plates.
- _____, 1971, Horizon identification in northern Canada and Alaska: Calgary, Alberta, Commercial Printers (Calgary) Ltd., p. 1-236.
- _____, 1975, Paleontological field guides; northern Canada and Alaska: Bulletin of Canada Petroleum Geology., v. 23, no. 2, p. 428-683, illus., charts, plates.
- Ovenshine, A. T., and Webster, G. D., 1970, Silurian conodonts from southeastern Alaska [abstract]: Geological Society of America Abstracts with Programs, pt. 3, Cordilleran Sec., p. 51-52.
- Palache, Charles, 1904, Geology about Chichagof Cove, Stepovak Bay (Alaska), with notes on Popof and Unga Islands, in Volume 4, Geology and Paleontology, of Harriman Alaska Expedition: New York, Doubleday, Page and Co., p. 69-88.

- Patton, W. W., Jr., 1966, Regional geology of the Kateel River quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-437, scale 1:250,000.
- Patton, W. W., Jr., and Miller, T. P., 1966, Regional geologic map of the Hughes quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-459, scale 1:250,000.
- Péwé, T. L., 1975, Quaternary geology of Alaska: U.S. Geological Survey Professional Paper 835, 145 p., illustrations, map.
- Péwé, T. L., and Mahaney, W. C. (chairperson), 1975, Quaternary stratigraphy of Alaska [abstract]: Quaternary Stratigraphy Symposium, Abstracts with Program, May 23-25, York University, Toronto, Canada.
- Péwé, T. L., and Mahaney, W. C., eds., 1976, Late Cenozoic history of Alaska, in Quaternary stratigraphy of North America: Dowden, Hutchinson and Ross, Stroudsburg, Pennsylvania, p. 493-506.
- Plafker, George, 1967, Geologic map of the Gulf of Alaska Tertiary Province, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-484, scale 1:500,000.
- 1970, Possible future petroleum resources in the Pacific-margin Tertiary basin, Alaska, in Cram, Ira, ed., Future petroleum provinces of the United States--their geology and potential: American Association of Petroleum Geologists Memoir 15, v. 1, p. 120-135.
- Plafker, George, and MacNeil, F. S., 1966, Stratigraphic significance of Tertiary fossils from the Orca Group in the Prince William Sound region, Alaska: U.S. Geological Survey Professional Paper 550-D, p. 62-68, 4 figures.
- Plafker, George, and Miller, D. J., 1957, Reconnaissance geology of the Malaspina district, Alaska: U.S. Geological Survey Oil and Gas Investigations Map OM-189, scale 1:125,000.
- Powers, H. A., Coats, R. R., and Nelson, W. H., 1960, Geology and submarine physiography of Amchitka Island, Alaska: U.S. Geological Survey Bulletin 1028-P, p. 521-554.
- Prindle, L. M., 1908, The Fairbanks and Rampart quadrangles, Yukon-Tanana region, Alaska, with a section on the Rampart placers, by F. L. Hess, and a paper on the water supply of the Fairbanks region, by C. C. Covert: U.S. Geological Survey Bulletin 337, 102 p.
- 1909, The Fortymile quadrangle, Yukon-Tanana region, Alaska: U.S. Geological Survey Bulletin 375, 52 p.
- 1913a, A geologic reconnaissance of the Fairbanks quadrangle, Alaska, with a detailed description of the Fairbanks district, by L. M. Prindle and F. J. Katz, and an account of lode mining near Fairbanks, by P. S. Smith: U.S. Geological Survey Bulletin 525, 220 p.

- Prindle, L. M., 1913b, A geologic reconnaissance of the Circle quadrangle, Alaska: U.S. Geological Survey Bulletin 538, 82 p.
- Prindle, L. M., and Hess, F. L., 1906, The Rampart gold placer region, Alaska: U.S. Geological Survey Bulletin 280, 54 p.
- Quaide, W., 1955, Enquiry into the paleontologic and geologic history of the Naval Petroleum Reserve No. 4 and adjoining areas: Washington, D.C., Arctic Institute of North America, mimeograph.
- Reid, H. F., 1896, Glacier Bay and its glaciers: U.S. Geological Survey 16th Annual Report, pt. 1, p. 415-461.
- Ross, C. P., 1933, Mineral deposits near the West Fork of the Chulitna River, Alaska: U.S. Geological Survey Bulletin 849-E, p. 289-333.
- Russell, I. C., 1891, An expedition to Mount St. Elias, Alaska: National Geographic Magazine, v. 3, p. 53-204.
- _____, 1893, Second expedition to Mount St. Elias: U.S. Geological Survey 23rd Annual Report, pt. 2, p. 1-91.
- Sainsbury, C. L., 1965, Previously undescribed Middle(?) Ordovician, Devonian(?), and Cretaceous(?) rocks, White Mountain area, near McGrath, Alaska: U.S. Geological Survey Professional Paper 525-C, p. 91-95, illus.
- Sainsbury, C. L., Dutro, J. T., Jr., and Churkin, Michael, Jr., 1971, The Ordovician-Silurian boundary in the York mountains, western Seward Peninsula, Alaska: U.S. Geological Survey Professional Paper 750-C, p. 52-57, illus., maps.
- Savage, N. M., Eberlein, G. D., and Churkin, M., Jr., 1977, Devonian faunas of the southern Alexander Archipelago, southeast Alaska [abstract]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1157.
- Scholl, D. W., Greene, H. G., and Marlow, M. S., 1970, Eocene age of the Adak "Paleozoic(?)" rocks, Aleutian Islands, Alaska: Geological Society of America Bulletin, v. 81, no. 12, p. 3583-3592.
- Scholl, D. W., Greene, H. G., Addicott, W. O., Evitt, W. R., Pierce, R. L., Mamay, S. H., and Marlow, M. S., 1969, Adak "Paleozoic" site, Aleutians--in fact of Eocene age [abstract]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 459.
- Schrader, F. C., 1900, Preliminary report on a reconnaissance along the Chandalar and Koyukuk River, Alaska, in 1899: U.S. Geological Survey 21st Annual Report, pt. 11, p. 441-486.
- _____, 1902, Geological section of the Rocky Mountains in northern Alaska: Geological Society of America Bulletin, v. 13, p. 233-252, plates 40-43.

- Schrader, F. C., 1904, A reconnaissance in northern Alaska across the Rocky Mountains, along Koyukuk, John, Anaktuvuk, and Colville Rivers and the Arctic coast to Cape Lisburne, in 1901, with notes by W. J. Peters: U.S. Geological Survey Professional Paper 20, 139 p.
- Schuchert, Charles, 1896, Report on Paleozoic fossils from Alaska: U.S. Geological Survey 17th Annual Report, pt. 1, app. 2, p. 864-865, p. 898-906.
- Shimer, H. W., and Shrock, R. R., 1944, Index fossils of North America: New York, 837 p., 303 plates.
- Silberling, N. J., and Tozer, E. T., 1968, Biostratigraphic classification of the marine Triassic in North America: Geological Society of America Special Paper 110, p. 1-63.
- Smith, J. P., Climatic relations of the Tertiary and Quaternary faunas of the California region: California Academy of Sciences Proceedings, ser. 4, v. 9, no. 4, p. 123-173.
- 1927, Northeastern (Firth and Canning River areas) and northwestern Cape Lisburne and Cape Thompson areas, in Upper Triassic marine invertebrate faunas of North America: U.S. Geological Survey Professional Paper 141, p. 12, 18.
- Smith, P. S., 1910, Geology and mineral resources of the Solomon and Casadepaga quadrangles, Seward Peninsula, Alaska: U.S. Geological Survey Bulletin 433, 234 p.
- 1913, The Noatak-Kobuk region, Alaska: U.S. Geological Survey Bulletin 536, 160 p.
- 1915, Notes on the geology of Gravina Island, Alaska: U.S. Geological Survey Professional Paper 95-H, p. 97-105.
- 1917, The Lake Clark - central Kuskokwim region, Alaska: U.S. Geological Survey Bulletin 655, 162 p.
- 1939, Areal geology of Alaska: U.S. Geological Survey Professional Paper 192, 100 p.
- Smith, P. S., and Mertie, J. B., 1930, Geology and mineral resources of northwestern Alaska: U.S. Geological Survey Bulletin 815, 351 p.
- Spencer, A. C., 1906, The Juneau gold belt, Alaska: U.S. Geological Survey Bulletin 287, p. 1-137.
- Spurr, J. E., 1898, Geology of the Yukon gold district, Alaska: U.S. Geological Survey 18th Annual Report, pt. 3, p. 87-392.
- 1900, A reconnaissance in southwestern Alaska in 1898: U.S. Geological Survey 20th Annual Report, pt. 7, p. 31-264.

- Spurr, J. E., and Post, W. S., 1899, Report of the Kuskokwim expedition, in Maps and descriptions of routes of exploration in Alaska in 1898, with general information concerning the territory: U.S. Geological Survey Special Publication, 138 p., 10 maps.
- Stanley-Brown, Joseph, 1892, Geology of the Pribilof Islands (Alaska): Geological Society of America Bulletin, v. 3, p. 496-500.
- Steidtmann, Edward, and Cathcart, S. H., 1922, Geology of the York tin deposits, Alaska: U.S. Geological Survey Bulletin 733, 130 p.
- Swartz, C. K., and others, 1942, Correlation of the Silurian formations of North America: Geological Society of America Bulletin, v. 53, no. 4, p. 533-538, 1 plate.
- Szabo, B. J., and Gard, L. M., 1975, Age of the South Bight II marine transgression at Amchitka Island, Aleutians: Geology, v. 3, no. 8, p. 457-459, tables, section, map.
- Tailleur, I. L., 1973, A skeleton in Triassic rocks in the Brooks Range foothills: Arctic, v. 26, no. 1, p. 79-80.
- Tailleur, I. L., Mamet, B. L., and Dutro, J. T., Jr., 1973, Revised age and structural interpretations of Nuka Formation at Nuka Ridge, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 57, no. 7, p. 1348-1352, illus., map.
- Taliaferro, N. L., 1932, Geology of the Yakataga, Katalla, and Nichaeak districts, Alaska: Geological Society of America Bulletin, v. 43, no. 3, p. 749-782.
- 1933, Oligocene sediments of the Yakataga Controller Bay region, Alaska [abstract]: Geological Society of America Bulletin, v. 44, pt. 1, p. 167-168.
- Teichert, Curt, 1937, Ordovician and Silurian faunas from arctic Canada: Report of Fifth Thule Expedition, 1921-24, v. 1, no. 5, 169 p., 24 plates.
- Troedsson, G. T., 1929, On the Middle and Upper Ordovician faunas of northern Greenland: pt. 2, Meddelelser om Grønland, Bd. 72, Afd. 1, 197 p., 56 plates, 12 figures.
- Ulrich, E. O., 1904, Fossils and age of the Yakatat Formation: Harriman Alaska Expedition, v. 4, p. 125-146.
- Vershchagin, V. N., Muzylev, S. A., and Sey, I. T., eds., 1972, Geology of northeastern Asia: Volume 2, Stratigraphy and paleogeography (Geologiya Severo-Vostochnoy Azii, tom 2, stratigrafiya i paleogeografiya): Izvestiya Nedra. Lenigrade Otdeleniye, 527 p., illus., maps.
- Waskey, F. H., 1946, Memories of Nelson Island, Alaska: Rocks and Minerals, v. 21, no. 6, p. 350-353.

- Weller, J. M., and others, 1948, Correlation of the Mississippian formations of North America: Geological Society of America Bulletin, v. 59, no. 2, p. 91-196, 2 plates, 7 figures.
- Williams, J. S., 1941, Late Paleozoic faunas of Alaska [abstract]: Geological Society of America Bulletin, v. 52, no. 12, p. 1978.
- 1942, Ecological studies of late Paleozoic faunas: National Research Council, Division of Geology and Geography Annual Report., app. N., p. 41, 42.
- 1946, Mississippian of southeastern Alaska [abstract]: American Association of Petroleum Geologists, abstracts of papers given at 1946 meeting, Chicago, p. 57-58.
- 1947, Permian rocks of the upper Yukon region, Alaska [abstract]: Geological Society of America Bulletin, v. 58, no. 12, p. 1241.
- Williams, J. S., and Reed, J. C., 1946, Permian stratigraphy of southeastern Alaska [abstract]: Geological Society of America Bulletin, v. 57, no. 12, p. 1243.
- Willis, Bailey, 1912, Index to the stratigraphy of North America: U.S. Geological Survey Professional Paper 71, 894 p., 1 plate, 19 figures.
- Wilson, A. E., 1952, Reports on fossils collected by B. Shindman during the summer of 1949 at Igloolik, Barrow Harbour, Cunningham Inlet, Beechey Island, Prince of Wales Island, etc.: Canada Geological Survey Stratigraphy and Paleontology Division Office Report D7/52.
- Wood, G. V., and Armstrong, A. K., 1975, Diagenesis and stratigraphy of Lisburne Group limestones: U.S. Geological Survey Professional Paper 857, 47 p., 25 figures, 2 plates.
- Wright, C. W., 1906, A reconnaissance of Admiralty Island, Alaska: U.S. Geological Survey Bulletin 287, p. 138-154.
- 1915, Geology and ore deposits of Copper Mountain and Kasaan Peninsula, Alaska: U.S. Geological Survey Professional Paper 87, 110 p.
- Wright, F. E., and Wright, C. W., 1908, The Ketchikan and Wrangell mining districts, Alaska: U.S. Geological Survey Bulletin 347, 210 p.
- Yuferev, O. V., 1970, Carboniferous sediments of the northeastern USSR, Alaska, and Yukon (Kamennougol'nyye otlozheniya severo-vostoka SSSR, Alyaski i Yukona): Geologiya Geofiziki (Akademiya Nauk SSSR, Sibirsk Otdeleniye), no. 11, p. 61-71.

Invertebrata

Annelida

- Allison, C. W., 1975, Primitive fossil flatworm from Alaska; new evidence bearing on ancestry of the Metazoa: *Geology*, v. 3, no. 11, p. 649-652.
- Kontrimavichus, V. L., 1976, Rasseleniye gel'mintov pri migratsiyakh mlekopitayischchikh cherez Beringiyskuyu sushu (na primere kun'ikh) (The distribution of helminths during mammal migrations via the Bering land bridge, based on data from *Mustelidae*); *Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok*, p. 376-382 (including English summary), tables.

Arthropoda

Crustacea

- Churkin, Michael, Jr., 1966, Morphology and stratigraphic range of phyllocarid crustacean *Caryocaris* from Alaska and the Great Basin: *Paleontology*, v. 9, pt. 3, p. 371-380, illus.
- Rathbun, M. J., 1926, The fossil stalked-eye Crustacea of the Pacific slope of North America: *U.S. National Museum Bulletin* 138, p. 42-44, 57-58.

Insecta

(Also see Amber)

- Hopkins, D. M., Gitterman, R. E., and Matthews, J. V., Jr., 1976, Interstadial mammoth remains and associated pollen and insect fossils, Kotzebue Sound area, northwestern Alaska: *Geology*, v. 4, no. 3, p. 169-172, table, section, map.
- Hopkins, D. M., Matthews, J. V., Wolfe, J. A., and Silberman, M. L., 1971, A Pliocene flora and insect fauna from the Bering Strait region: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 9, p. 211-231, illus., maps.
- Hurd, P. D., Jr., Smith, R. F., and Usinger, R. L., 1958, Cretaceous and Tertiary insects in Arctic and Mexican amber: *International Congress of Entomology*, 10th, Montreal, Canada, 1956, *Proceedings*, v. 1, p. 851.
- Ives, J. D., and Barry, R. G., eds., 1974, Biological refugia and the nunatak hypothesis, in *Arctic and alpine environments*: Methuen, London, p. 605-636, illus., tables, maps.
- Kurentsov, A. I., 1976, Znachenkiye beringiyskikh suyazey v zoogeografii golarkticheskoy entomofauny (The significance of relationships between the Bering Strait region and Holarctic insect zoogeography), in *Beringiya v Kaynozoye* (Kontrimavichus, V. L., ed., *et al.*) p. 405-410 (including English summary): *Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok*.

- Matthews, J. V., Jr., 1968, A paleoenvironmental analysis of the three late Pleistocene coleopterous assemblages from Fairbanks, Alaska: Master's thesis, University of Alaska.
- 1970, Two new species of *Micropeplus* from the Pliocene of western Alaska with remarks on the evolution of Micropeplinae (Coleoptera: Staphylinidae): Canadian Journal of Zoology, v. 48, no. 4, p. 779-788, illus.
- 1974a, Quaternary environments at Cape Deceit (Seward Peninsula, Alaska): Evolution of a tundra ecosystem: Geological Society of America Bulletin, v. 85, no. 9, p. 1353-1384, illus., maps.
- 1974b, Wisconsin environment of interior Alaska: Pollen and macrofossil analysis of a 27-meter core from the Isabella Basin (Fairbanks, Alaska): Canadian Journal of Earth Sciences, v. 11, no. 6, p. 826-841, illus., map.
- 1977, Coleoptera fossils: their potential value for dating and correlation of late Cenozoic sediments: Canadian Journal of Earth Sciences, v. 14, no. 10, p. 2339-2347, tables, maps.
- Muesebeck, C. F. W., 1963, A new ceraphronid from Cretaceous amber (Hymenoptera, Proctotrupoidea) (Kuk Inlet): Journal of Paleontology, v. 37, no. 1, p. 129-130.

Trilobita

- Chamberlain, C. K., 1977, Carboniferous and Permian trilobites from Ellesmere Island and Alaska: Journal of Paleontology, v. 51, no. 4, p. 758-771, plates, maps.
- Dutro, J. T., Jr., Brosigé, W. P., and Reiser, H. N., 1972, Significance of recently discovered Cambrian fossils and reinterpretation of Neruokpuk Formation, northeastern Alaska: American Association of Petroleum Geologists Bulletin, v. 56, no. 4, p. 808-815, illus., map.
- Fritz, W. H., 1974, Cambrian biostratigraphy, northern Yukon Territory and adjacent areas, in Report of activities, Part A, April to October 1973, Structural geology, stratigraphy, and paleontology: Canada Geological Survey Paper 74-1, p. 309-313, illus., map.
- Hooper, C. L., 1881, Report of the cruise of the U.S. Revenue Steamer Corwin in the Arctic Ocean: U.S. Treasury Department Document 118, 71 p., plates, map.
- Kobayashi, Teiichi, 1935, The Briscola fauna of the late Upper Cambrian in Alaska, with descriptions of a few Upper Cambrian trilobites from Montana and Nevada: Japanese Journal of Geology and Geography, v. 12, nos. 3-4, p. 39-57, 3 plates.
- 1936, Cambrian and Lower Ordovician trilobites from northwestern Canada: Journal of Paleontology, v. 10, no. 3, p. 157-167, 1 plate.

- Mertie, J. B., Jr., 1931, A geologic reconnaissance of the Dennison Fork district, Alaska: U.S. Geological Survey Bulletin 827, 44 p.
- Ormiston, A. R., 1969, The trilobite Koneprusia in the Lower Devonian of Alaska: Journal of Paleontology, v. 43, no. 5, p. 1210-1212, 1 figure.
- 1978, Monorakos (Trilobita) from the Ordovician of the Seward Peninsula, Alaska: Journal of Paleontology, v. 52, no. 2, p. 345-352, 1 plate.
- Palmer, A. R., 1968, Cambrian trilobites of east-central Alaska: U.S. Geological Survey Professional Paper 559-B, p. 1-115, illus.
- Ross, R. J., Jr., 1965, Early Ordovician trilobites from the Seward Peninsula, Alaska: Journal of Paleontology, v. 39, no. 1, p. 17-20, 1 plate.

Brachiopoda

- Brabb, E. E., and Grant, R. E., 1971, Stratigraphy and paleontology of the revised type section for the Tahkandit limestone (Permian) in east-central Alaska: U.S. Geological Survey Professional Paper 703, 26 p.
- Churkin, M., 1971, Stratigrafiya silura i devona Alyaski i granitsa silura i devona (Silurian and Devonian stratigraphy of Alaska and the Silurian - Devonian boundary): Mezhdunar, Simpozium Granitsa Silura Devona, Biostratigraphy, Silura, Nizhego Srednego Devona, Trudy, v. 1, no. 3, p. 253-271 (including English summary), illus., maps.
- Cooper, G. A., 1936, New Cambrian brachiopods from Alaska: Journal of Paleontology, v. 10, no. 3, p. 210-214, 1 plate.
- 1944, Phylum Brachiopoda, in Shimer, H. W., and Shrock, R. R., Index fossils of North America: New York, John Wiley and Sons, Inc., 837 p., 303 plates.
- Eakin, H. M., 1918, Gold placer mining in the Porcupine district: U.S. Geological Survey Bulletin 662-B, p. 93-100.
- Gebhardt, R. L., 1972, A systematic study of the Pennsylvanian brachiopods from Rainbow Mountain, east-central Alaska: M.S. thesis, University of Alaska.
- Grant, R. E., 1971, Taxonomy and autecology of two Arctic Permian rhynchonellid brachiopods, in Paleozoic perspectives, a paleontological tribute to G. Arthur Cooper: Smithsonian Contributions to Paleobiology, no. 3, p. 313-345.
- Hooper, C. L., 1881, Report of the cruise of the U.S. Revenue Steamer Corwin in the Arctic Ocean: U.S. Treasury Department Document 118, 71 p., plates, map.
- Kindle, E. M., 1907, Notes of the Paleozoic faunas and stratigraphy of southeastern Alaska: Journal of Geology, v. 15, no. 4, p. 314-337, illus.

- Kirk, Edwin, 1918, Paleozoic glaciation in southeastern Alaska: American Journal of Science, ser. 4, v. 46, no. 273, p. 511-515.
- 1922, Brooksina, a new pentameroid genus from the Upper Silurian of southeastern Alaska (Kosciusko Island): U.S. National Museum Proceedings, v. 60, art. 19, 8 p., 1 plate.
- 1926, Harpidium, a new pentameroid brachiopod genus from southeastern Alaska: U.S. National Museum Proceedings, 1925, v. 66, art. 32, 7 p., 2 plates.
- 1927a, New American occurrence of Stringocephalus (Prince of Wales Island): American Journal of Science, ser. 5, v. 13, no. 75, p. 219-222.
- 1927b, Cymbidium, a new genus of Silurian pentameroid brachiopods from Alaska: U.S. National Museum Proceedings, 1927, v. 69, art. 33, 5 p., 1 plate.
- Kirk, Edwin, and Amsden, T. W., 1952, Upper Silurian brachiopods from southeastern Alaska: U.S. Geological Survey Professional Paper 233-C, p. 53-66, 4 plates, 6 figures.
- Knopf, Adolph, 1912, The Sitka mining district, Alaska: U.S. Geological Survey Bulletin 504, 32 p.
- Kobayashi, Teiichi, 1935, The Briscoia fauna of the late Upper Cambrian in Alaska, with descriptions of a few Upper Cambrian trilobites from Montana and Nevada: Japanese Journal of Geology and Geography, v. 12, nos. 3-4, p. 39-57, 3 plates.
- MaoNeil, F. S., 1957, Cenozoic megafossils of northern Alaska: U.S. Geological Survey Professional Paper 294-C, p. 99-126, plates 11-17.
- Maddren, A. G., 1912, Geologic investigations along the Canada-Alaska boundary: U.S. Geological Survey Bulletin 520-K, p. 297-314.
- Meek, F. B., 1867, Remarks of the geology of the valley of Mackenzie River, with figures and descriptions of fossils from that region in the museum of the Smithsonian Institution, chiefly collected by the late Robert Kennicott, Esq.: Chicago Academy of Science Transactions, v. 1, p. 61-114, 5 plates.
- Mendenhall, W. C., 1905, Geology of the central Copper River region, Alaska: U.S. Geological Survey Professional Paper 41, 133 p.
- Mertie, J. B., Jr., 1918, The gold placers of the Tolovana district: U.S. Geological Survey Bulletin 662-D, p. 221-277.
- 1927, The Chandalar-Sheenjek district: U.S. Geological Survey Bulletin 810-B, p. 87-139.

- Richter, D. H., and Dutro, J. T., Jr., 1975, Revision of the type Mankomen Formation (Pennsylvanian and Permian), Eagle Creek area, eastern Alaska Range, Alaska: U.S. Geological Survey Bulletin 1395-B, 25 p., illus., strat. cols., map.
- Ross, R. J., Jr., and Dutro, J. T., Jr., 1966, Silicified Ordovician brachiopods from east-central Alaska: Smithsonian Miscellaneous Collection, v. 149, no. 7, 22 p., illus.
- Savage, N. M., Eberlein, G. D., and Churkin, Michael, Jr., 1978, Upper Devonian brachiopods from the Port Refugio Formation, Suemez Island, southeastern Alaska: Journal of Paleontology, v. 52, no. 4, p. 370-393, 2 plates.
- Smith, P. S., and Mertie, J. B., Jr., 1930, Geology and mineral resources of northwestern Alaska: U.S. Geological Survey Bulletin 815, 351 p.
- Ulrich, E. O., and Cooper, G. A., 1936, New genera and species of Ozarkian and Canadian brachiopods: Journal of Paleontology, v. 10, no. 7, p. 616-631.
- , 1938, Ozarkian and Canadian brachiopoda: Geological Society of America Special Paper 13, 323 p., 14 figures, 57 plates.
- Waterhouse, J. B., 1971, The Permian brachiopod genus Terrakea Booker, 1930, in Paleozoic perspectives; a paleontological tribute to G. Arthur Cooper: Smithsonian Contributions to Paleobiology, no. 3, p. 347-361, illus., maps.
- Wright, C. W., 1904, The Porcupine placer district, Alaska: U.S. Geological Survey Bulletin 236, 35 p.

Bryozoa

- Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p., 39 plates.
- Morris, P. A., 1976, Middle Pliocene temperature implications based on the Bryozoa Hippothoa (Cheilostomata-Ascopora): Journal of Paleontology, v. 50, no. 6, p. 1143-1149, illus., table, map.
- Richter, D. H., and Dutro, J. T., Jr., 1975, Revision of the type Mankomen Formation (Pennsylvanian and Permian), Eagle Creek area, eastern Alaska Range, Alaska: U.S. Geological Survey Bulletin 1395-B, 25 p., illus., strat. cols., map.

Coelenterata

Anthozoa

- Armstrong, A. K., 1970a, Carbonate facies and the lithostrotionid corals of the Mississippian Kogruek Formation, DeLong Mountains, northwestern Alaska: U.S. Geological Survey Professional Paper 664, 38 p., 14 plates, 37 figures.
- _____, 1970b, Mississippian rugose corals, Peratrovich Formation, Prince of Wales Island, southeastern Alaska: U.S. Geological Survey Professional Paper 534, 44 p., 13 plates, 30 figures.
- _____, 1970c, Foraminifera and rugose coral zones of Mississippian - Pennsylvanian Lisburne Group, Brooks Range, arctic Alaska [abstract]: American Association of Petroleum Geologists Bulletin, v. 54, no. 3, p. 559.
- _____, 1972a, Biostratigraphy of Mississippian lithostrotionid corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 743-A, 28 p., 9 plates, 25 figures.
- _____, 1972b, Pennsylvanian carbonates, paleoecology, and rugose colonial corals, north flank, eastern Brooks Range, arctic Alaska: U.S. Geological Survey Professional Paper 747, 21 p., 8 plates, 16 figures.
- _____, 1973a, Carboniferous colonial rugose corals, biostratigraphy, and paleoecology, Lisburne Group, arctic Alaska [abstract]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 768.
- _____, 1973b, Lithostrotion reiseri n. sp., a ceroid colonial coral from Meramec age beds, Lisburne Group, arctic Alaska: U.S. Geological Survey Journal of Research, v. 1, no. 2, p. 137-145, illus., maps.
- _____, 1975a, Carboniferous corals of Alaska, a preliminary report: U.S. Geological Survey Professional Paper 823-C, p. 45-57, charts, maps.
- _____, 1975b, Stratigraphy and paleoecology of Carboniferous corals, Lisburne Group, Brooks Range, arctic Alaska: American Paleontology Bulletin, v. 67, no. 287, p. 17-35, 5 figures.
- Armstrong, A. K., and Dutro, J. T., Jr., 1969, Carbonate facies and coral zonation, Mississippian Kogruek Formation, Lisburne Group, DeLong Mountains, Brooks Range, northwestern Alaska [abstract]: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 704.
- Armstrong, A. K., and Mamet, B. L., 1970, Biostratigraphy and dolomite porosity trends of the Lisburne Group (with discussion), in Proceedings of the geological seminar on the North Slope of Alaska: American Association of Petroleum Geologists, Pacific Section, Los Angeles, California, p. N1-N16, 12 figures.
- _____, 1977, Carboniferous microfacies, microfossils and corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p., 47 plates, 19 figures.

- Armstrong, A. K., Mamet, B. L., and Dutro, J. T., Jr., 1971, Lisburne Group, Cape Lewis-Niak Creek, northwestern Alaska: U.S. Geological Survey Professional Paper 750-B, p. 23-34, 9 figures.
- Bassler, R. S., 1937, The Paleozoic rugose coral family Paleocyclidae: Journal of Paleontology, v. 11, no. 3, p. 189-201, plates 30-32.
- 1950, Faunal lists and descriptions of Paleozoic corals: Geological Society of America Memoir 44, 315 p., 20 plates.
- Brooks, A. H., 1902, Preliminary report on the Ketchikan mining district, Alaska, with an introductory sketch of the geology of southeastern Alaska: U.S. Geological Survey Professional Paper 1, 120 p.
- Churkin, Michael, Jr., 1971, Stratigrafiya silura i devona Alyaski i granitsa silura i devona (Silurian and Devonian stratigraphy of Alaska and the Silurian - Devonian boundary): Mezhdunar, Simpozium Granitsa Silura Devona, Biostratigraphy, Silura, Nizhego Srednego Devona, Trudy, v. 1, no. 3, p. 253-271 (with English summary), illus., maps.
- 1975, Geologic and paleogeographic setting of Paleozoic corals in Alaska: U.S. Geological Survey Professional Paper 823-A, p. 1-11, illus., charts, maps.
- Churkin, Michael, Jr., and Brabb, E. E., 1965, Ordovician, Silurian, and Devonian biostratigraphy of east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 49, no. 2, p. 172-185, illus., tables.
- Churkin, Michael, Jr., Merriam, C. W., Rowett, C. L., and others, 1971, Paleozoic corals of Alaska; their stratigraphic occurrence and correlation [abstract], in Mezhdunarodnyy paleontologicheskii simposium po korallam (Coelenterata) Tezisy Doladov: Akademiya Nauk SSSR Sibirskoye Otdeleniye Institut Geologii i Geofiziki--Otdeleniye Obschestva Biologii, Komissii Izucheniya Iskop. Korallov, Novosibirsk, p. 120-121.
- Cushing, H. P., 1895, Notes on the areal geology of Glacier Bay, Alaska: New York Academy of Sciences Transactions, v. 15, p. 24-34.
- Dutro, J. T., Jr., 1951, Devonian faunas of the western Brooks Range, Alaska [abstract]: Geological Society of America Bulletin, v. 62, no. 12, pt. 2, p. 1434.
- Eakin, H. M., 1914, The Iditarod-Ruby region, Alaska: U.S. Geological Survey Bulletin 578, 45 p.
- Eichwald, Eduard von, 1871, Geognostisch-paleontologische Bemerkungen über die Halbinsel Mangischlak und die aleutischen Inseln: St. Petersburg, Russia, p. 88-200, 20 plates.
- Emerson, B. K., 1904, General geology, notes on the stratigraphy and igneous rocks: Alaska, v. 4, Harriman Alaska Expedition, p. 11-56.

- Harker, Peter, and McLaren, D. J., 1950, Sciophyllum, a new rugose coral from the Canadian Arctic: Canada Department of Mines and Technical Surveys, Geological Survey Bulletin 15, p. 29-34, 1 plate.
- Hayasaka, I., 1936, On some North American species of Lithostrotionella: Tohoku Imperial University Memoirs, v. 13, no. 5, Geology no. 12, p. 47-73, plates 11-17.
- Hill, D., 1948, The distribution and sequence of Carboniferous coral faunas: Geological Magazine, v. 85, no. 3, p. 121-148.
- Kirk, Edwin, 1918, Paleozoic glaciation in southeastern Alaska: American Journal of Science, ser. 4, v. 46, no. 273, p. 511-515.
- Knopf, Adolph, 1912, The Sitka mining district, Alaska: U.S. Geological Survey Bulletin 504, 32 p.
- Loney, R. A., Brew, D. A., Muffler, L. J. P., and Pomeroy, J. S., 1975, Reconnaissance geology of Chichagof, Baranof, and Kruzof Islands, southeastern Alaska: U.S. Geological Survey Professional Paper 792, 105 p.
- Maddren, A. G., 1912, Geologic investigations along the Canada-Alaska boundary: U.S. Geological Survey Bulletin 520-K, p. 297-314.
- Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p., 39 plates.
- Martin, G. C., 1922, Gold lodes in the upper Kuskokwim region: U.S. Geological Survey Bulletin 722-E, p. 149-161.
- Meek, F. B., 1867, Remarks on the geology of the valley of Mackenzie River, with figures and descriptions of fossils from that region, in the museum of the Smithsonian Institution, chiefly collected by the late Robert Kennicott, Esq.: Chicago Academy of Sciences Transactions, v. 1, p. 61-114, 5 plates.
- Mertie, J. B., Jr., 1918, The gold placers of the Tolovana district: U.S. Geological Survey Bulletin 662-D, p. 221-277.
- Minato, Masao, and Rowett, C. L., 1968, Modes of reproduction in rugose corals: Lethaia, v. 1, no. 2, p. 175-183, illus.
- Moffit, F. H., 1915, The Broad Pass region, Alaska, with section on Quaternary deposits, igneous rocks, and glaciation, by J. E. Pogue: U.S. Geological Survey Bulletin 608, 80 p.
- _____, 1938, Geology of the Slana-Tok district, Alaska: U.S. Geological Survey Bulletin 904, 54 p.
- Oliver, W. A. Jr., 1964, New occurrences of the rugose coral Rhisophyllum in North America: U.S. Geological Survey Professional Paper 475-D, p. 149-158.

- Oliver, W. A., Jr., Merriam C. W., and Churkin, Michael, Jr., 1975, Ordovician, Silurian, and Devonian corals of Alaska: U.S. Geological Survey Professional Paper 823-B, p. 13-43, tables, charts, plates, maps.
- Prindle, L. M., and Hess, F. L., 1905, Rampart placer region: U.S. Geological Survey Bulletin 259, p. 104-119.
- Rowett, C. L., 1969, Upper Paleozoic stratigraphy and corals from the east-central Alaska range, Alaska: Arctic Institute of North America Technical Paper 23, 120 p., illus., map.
- 1971, Reconnaissance biostratigraphy of the lower Permian in the Slana area, eastern Alaska Range, Alaska: Pacific Geology, v. 3, p. 31-44, illus., maps.
- 1975, Stratigraphic distribution of Permian corals in Alaska: U.S. Geological Survey Professional Paper 823-D, p. 59-75, chart, plates, map.
- Rowett, C. L., and Timmer, R., 1973, Lophophyllid, hapsiphyllid, and polycoelid corals of Pennsylvanian age from the east-central Alaska Range: Pacific Geology, no. 6, p. 1-6, illus., map.
- Sando, W. J., 1977, North American Mississippian coral biostratigraphy, in Kauffman, E. G., and Hazel, J. E., eds., Concepts and methods of biostratigraphy: Dowden, Hutchinson, and Ross, Stroudsburg, Pennsylvania, 483-496, illus., table, maps.
- Smith, P. S., 1913, The Noatak-Kobuk region, Alaska: U.S. Geological Survey Bulletin 536, 160 p.
- Smith, S., 1945, Upper Devonian corals of the Mackenzie River region, Canada: Geological Society of America Special Paper 59, 126 p., 35 plates.
- Steidtmann, Edward, and Cathcart, S. H., 1922, Geology of the York tin deposits, Alaska: U.S. Geological Survey Bulletin 733, 130 p.
- Stevenson, J. J., 1893, Some notes on southeastern Alaska and its people: Scottish Geographic Magazine, v. 9, no. 2, p. 66-83.
- Tchudinove, I. I., Churkin, Michael, Jr., and Eberlein, G. D., 1974, Devonian syringoporoid corals from southeastern Alaska: Journal of Paleontology, v. 48, no. 1, p. 125-134, 3 plates.
- Troedsson, G. T., 1929, On the Middle and Upper Ordovician faunas of northern Greenland: pt. 2, Meddelelser, om Grønland, Bd. 72, Afd. 1, 197 p., 56 plates, 12 figures.
- Vaughan, T. W., 1941, New corals; one Recent, Alaska; three Eocene, Alabama and Louisiana: Journal of Paleontology, v. 15, no. 3, p. 280-284.
- Wahrhaftig, Clyde, 1968, Schists of the central Alaska Range: U.S. Geological Survey Bulletin 1254-E, p. 1-22, illus.

Wright, C. W., 1904, The Porcupine placer district, Alaska: U.S. Geological Survey Bulletin 287, p. 138-154.

Scyphozoa

Branson, C. C., 1962, Conostichus, a scyphomedusan (Pennsylvanian) index fossil: Oklahoma Geology Notes, v. 22, no. 10, p. 251-253; erratum, no. 11, p. 304.

Echinodermata

Crinoidea

Bassler, R. S., and Moodey, M. W., 1943, Bibliographic and faunal index of Paleozoic pelmatozoan echinoderms: Geological Society of America Special Paper 45, 735 p.

Eakin, H. M., 1914, The Iditarod-Ruby region, Alaska: U.S. Geological Survey Bulletin 578, 45 p.

Johnson, J. G., and Lane, N. G., 1969, Two new Devonian crinoids from central Nevada: Journal of Paleontology, v. 43, no. 1, p. 69-73, plate 14.

Kirk, Edwin, 1937a, Clistoorinus, a new Carboniferous crinoid genus (Kuiu Island): Washington Academy of Sciences Journal, v. 27, no. 3, p. 105-111.

———, 1937b, Clistocrinus, a new name for Clistoorinus Kirk: Washington Academy of Sciences Journal, v. 27, no. 9, p. 373-374.

Mertie, J. B., Jr., 1927, The Chandalar-Sheenjek district: U.S. Geological Survey Bulletin 810-B, p. 87-139.

Moore, R. C., and Laudon, L. R., 1943, Evolution and classification of Paleozoic crinoids: Geological Society of America Special Paper 46, 153 p., 14 plates, 18 figures, table.

Springer, Frank, 1926, The genus Pentacrinus in (northern) Alaska (Jurassic): U.S. National Museum Proceedings, v. 67, art. 5, 7 p.

Strimple, H. L., Allison, R. C., and Kline, G. L., 1971, Fossil crinoid studies from Alaska: University of Kansas Paleontological Contributions Paper 56, p. 9-15.

Wright, C. W., 1904, The Porcupine placer district, Alaska: U.S. Geological Survey Bulletin 236, 35 p.

Echinoidea

Durham, J. W., 1957, Notes on echinoids: Journal of Paleontology, v. 31, no. 3, p. 625-631, plate 72.

Durham, J. W., 1959, Scutellaster oregonensis in the Pacific coast Pliocene (U.S. and Alaska) [abstract]: Geological Society of America Bulletin, v. 70, no. 12, pt. 2, p. 1715-1716.

Wagner, C. D., 1974, Fossil and recent sand dollar echinoids of Alaska: Journal of Paleontology, v. 48, no. 1, p. 105-123, illus.

Graptolithina

Brooks, A. H., 1911, The Mount McKinley region, Alaska, with descriptions of the igneous rocks and of the Bonnifield and Kantishna districts, by L. M. Prindle: U.S. Geological Survey Professional Paper 70, 234 p.

Buddington, A. F., 1923, Mineral deposits of the Wrangell district [Alaska]: U.S. Geological Survey Bulletin 739-B, p. 51-75.

Cairnes, D. D., 1913, Geological section along the Yukon-Alaska boundary between Yukon and Porcupine Rivers [abstract]: Geological Society of America Bulletin, v. 24, no. 4, p. 678-679.

Carter, Claire, and Laufeld, Sven, 1975, Ordovician and Silurian fossils in well cores from North Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 457-464, illus., map.

Churkin, Michael, Jr., 1971, Stratigrafiya silura i devona Alyaski i granitsa silura i devona (Silurian and Devonian stratigraphy of Alaska and the Silurian-Devonian boundary): Mezhdunar. Simpozium Granitsa Silura Devona, Biostratigraphy, Silura, Nizhego Srednego Devona, Trudy, v. 1, no. 3, p. 253-271 (English summary incl.), illus., maps.

Churkin, Michael, Jr., and Brabb, E. E., 1965, Ordovician, Silurian, and Devonian biostratigraphy of east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 49, no. 2, p. 172-185, illus., tables.

Churkin, Michael, Jr., and Carter, Claire, 1970, Early Silurian graptolites from southeastern Alaska and their correlation with graptolitic sequences in North America and the Arctic: U.S. Geological Survey Professional Paper 653, 51 p., 4 plates, tables.

Churkin, Michael, Jr., Carter, Claire, and Eberlein, G. D., 1970 (1971), Graptolite succession across the Ordovician-Silurian boundary in south-eastern Alaska: Geological Society of London Quarterly Journal, v. 126, pt. 3, no. 504, p. 319-330, illus., tables, maps.

Churkin, Michael, Jr., Jaeger, Herman, and Eberlein, G. D., 1970, Lower Devonian graptolites from southeastern Alaska: Lethaia, v. 3, no. 2, p. 183-202, illus.

Isbister, A. K., 1908, Geologic reconnaissance of the Porcupine valley, Alaska: Geological Society of America Bulletin, v. 19, p. 315-338.

- Johnson, J. G., 1977, Status of Devonian studies in western and Arctic North America [abstract]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1038.
- Lanphere, M. A., Churkin, Michael, Jr., and Eberlein, G. D., 1977, Radiometric age of the Monogratus cyphus graptolite zone in southeastern Alaska: an estimate of the age of the Ordovician-Silurian boundary: Geological Magazine, v. 114, no. 1, p. 15-24, illus., table, map.
- Ross, R. J., Jr., 1967, Anomalograptus from the Seward Peninsula: Journal of Paleontology, v. 41, no. 5, p. 1276-1278, 1 figure.
- Ruedemann, R., 1947, Graptolites of North America: Geological Society of America Memoir 19, 652 p., 92 plates.
- Wedow, Helmuth, Jr., 1954, Reconnaissance for radioactive deposits in the Eagle-Nation area, east-central Alaska, 1948: U.S. Geological Survey Circular 316, 9 p., 1 plate, 1 figure.

Mollusca

- Addicott, W. O., 1971, Tertiary marine mollusks of Alaska--An annotated bibliography: U.S. Geological Survey Bulletin 1343, 30 p.
- Addicott, W. O., and Kanno, Saburo, 1969, Current paleontologic investigations on Cenozoic marine mollusks of the west coast of North America: Veliger, v. 12, no. 1, p. 135-139.
- Addicott, W. O., Kanno, Saburo, Sakamoto, Kenji, and Miller, D. J., 1971, Clark's Tertiary molluscan types from the Yakataga district, Gulf of Alaska: U.S. Geological Survey Professional Paper 750-C, p. 18-33.
- Addicott, W. O., and Plafker, George, 1971, Paleocene mollusks from the Gulf of Alaska Tertiary Province--A significant new occurrence on the North Pacific rim: U.S. Geological Survey Professional Paper 750-B, p. 48-52, illus.
- Allison, R. C., 1973, Marine paleoclimatology and paleoecology of a Pleistocene invertebrate fauna from Amchitka Island, Aleutian Islands, Alaska: Paleogeography, Paleoclimatology, Paleoecology, v. 13, no. 1, p. 15-48, illus.
- _____, 1977, Late Paleogene and Neogene molluscan faunas of the Gulf of Alaska region: correlation, paleoclimatology, and paleozoogeography [abstract]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 876.
- Ariey, Catherine, 1978, Molluscan biostratigraphy of the upper Poul Creek and lower Yakataga Formations, Yakataga District, Gulf of Alaska [abstract]: Stanford Publications, Geological Sciences, v. 14, p. 1-2. Also, in Alaska's mineral and energy resources, economics and land status: Alaska Geological Society Symposium, Program and Abstract, April 1979, Anchorage, Alaska, p. 15.

- Barth, T. F., 1956, Geology and petrology of the Pribilof Islands, Alaska: U.S. Geological Survey Bulletin 1028-F, p. 101-160.
- Bartsch, Paul, Rehder, H. A., and Shields, B. E., 1946, A bibliography and short biographical sketch of William Healy Dall: Smithsonian Miscellaneous Collection, v. 104, no. 15, 96 p.
- Berg, H. C., Jones, D. L., and Richter, D. H., 1972, Gravina-Nutzotin Belt--Tectonic significance of an upper Mesozoic sedimentary and volcanic sequence in southern and southeastern Alaska: U.S. Geological Survey Professional Paper 800-D, p. 1-24, illus., map.
- Boss, K. J., 1965, Catalogue of the family Pandoridae (Mollusca: Bivalvia): Harvard University Museum of Comparative Zoology, Department of Mollusks, Occasional Papers, Mollusks, v. 2, no. 33, p. 413-424.
- Boss, K. J., Rosewater, Joseph, and Ruhoff, F. A., 1968, The zoological taxa of William Healy Dall: U.S. National Museum Bulletin 287, 427 p.
- Carter, L. D., and others, 1977, Gubik and pre-Gubik Cenozoic deposits along Colville River near Ocean Point, North Slope, Alaska, in Blean, K.M., ed., The United States Geological Survey in Alaska--Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. 12-14.
- Cox, A. V., Hopkins, D. M., and Dalrymple, G. B., 1966, Geomagnetic polarity epochs, Pribilof Islands, Alaska: Geological Society of America Bulletin, v. 77, no. 9, p. 883-909.
- Dall, W. H., 1882, Note on Alaska Tertiary deposits: American Journal of Science, ser. 3, v. 24, no. 139, p. 67-68.
- _____, 1885a, New or specially interesting shells of the Point Barrow expedition, 1884: U.S. National Museum Proceedings, 1884, v. 7, p. 523-526.
- _____, 1885b, Report on the mollusks, in Report of the international polar expedition to Point Barrow, Alaska: International Polar Expedition 1882-1883, Report, p. 177-184.
- _____, 1899, The mollusk fauna of the Pribilof Islands, in Part 3 of The fur seal islands of the North Pacific Ocean: United States--Fishery Reports, no. 20, p. 539-546.
- _____, 1909, Material toward a bibliography of publications on the post-Eocene marine mollusks of the northwest coast of America, 1865-1908: U.S. Geological Survey Professional Paper 59, p. 192-216.
- _____, 1919a, On some Tertiary fossils from the Pribilof Islands (Alaska): Washington Academy of Sciences Journal, v. 9, no. 1, p. 1-3.
- _____, 1919b, Mollusks, Recent and Pleistocene: Canadian Arctic Expedition 1913-1918, Report, v. 8, pt. A, Ottawa, Canada.
- _____, 1921, Summary of the marine shell-bearing mollusks of the northwest coast of America: U.S. National Museum Bulletin 112, 217 p., 22 plates.

- Denton, G. H., and Armstrong, R. L., 1969, Miocene-Pliocene glaciations in southern Alaska: *American Journal of Science*, v. 267, p. 1121-1142.
- Elliott, H. S., 1875, A report on the condition of affairs in the Territory of Alaska: U.S. Treasury Department, unpaginated.
- Grant, U. S., 4th, and Gale, H. R., 1931, Catalogue of the marine Pliocene and Pleistocene Mollusca of California: *San Diego Society of Natural History Memoirs*, v. 1, 1036 p., 32 plates, 15 figures, 3 tables.
- Hagg, R., 1924, Stangenaskraniets skalbank: *Geologiska Föreningens; Stockholm Förhandlingar*, v. 46, no. 5, p. 443-492.
- Hopkins, D. M., 1959, Cenozoic history of the Bering land bridge (Alaska): *Science*, v. 129, no. 3362, p. 1519-1528.
- , 1967, Quaternary marine transgressions in Alaska, Chapter 4 in Hopkins, D. M., ed., *The Bering land bridge*: Stanford, California, Stanford University Press, p. 47-90, illus., tables.
- Hopkins, D. M., MacNeil, F. S., and Leopold, E. B., 1960, The coastal plain at Nome, Alaska--a late Cenozoic type section for the Bering Strait region: *International Geological Congress, 21st, Copenhagen, 1960*, pt. 4, p. 46-57.
- Imlay, R. W., 1955, Characteristic Jurassic mollusks from northern Alaska: *U.S. Geological Survey Professional Paper 274-D*, p. 69-96, plates 8-13, 1 figure.
- Imlay, R. W., and Detterman, R. L., 1977, Some lower and middle Jurassic beds in Puale Bay-Alinchak Bay area, Alaska Peninsula: *American Association of Petroleum Geologists Bulletin*, v. 61, no. 4, p. 607-611, strat. col., map.
- Kanno, Saburo, 1971, Tertiary molluscan fauna from the Yakataga district and adjacent areas of southern Alaska: *Palaeontological Society of Japan Special Paper 16*, 142 p., illus., map.
- , 1975, Molluscan fauna from the Tertiary system developed in the Gulf of Alaska [abstract]: *Geological Society of America Special Paper 151*, (Contributions to Geology, Bering Sea basin and adjacent regions), p. 191.
- Kanno, Saburo, and Addicott, W. O., 1969, Summary of current investigations on Cenozoic marine mollusks of western North America, in Kotaka, Tamio, ed., *Symposium on Japanese Neogene Molluscan Faunas (in Japanese)*: *Fossils, Paleontological Society of Japan Journal*, no. 18, p. 55-61.
- MacNeil, F. S., 1957a, Cenozoic megafossils of northern Alaska: *U.S. Geological Survey Professional Paper 294-C*, p. 99-126, plates 11-17.
- , 1957b, Selected mollusks from the Poul Creek and Yakataga Formations, Yakataga and Malaspina districts, Alaska, showing tentative identifications and stratigraphic range: *U.S. Geological Survey Oil and Gas Investigations Map OM-187*, sheet 2, table 1.

- MacNeil, F. S., 1965, Evolution and distribution of the genus Mya and Tertiary migrations of Mollusca: U.S. Geological Survey Professional Paper 483-G, p. 1-51, 11 plates.
- 1970, New Pliocene Chlamys (Swiftonekten) and Beringius from the Alaska Peninsula: Nautilus, v. 84, no. 2, p. 69-74, 1 plate.
- MacNeil, F. S., Mertie, J. B., Jr., and Filsbry, H. A., 1943, Marine invertebrate faunas of the buried beaches near Nome, Alaska: Journal of Paleontology, v. 17, no. 1, p. 69-96.
- Mancini, E. A., and Deeter, T. M., 1977, Alaska Peninsula Late Cretaceous fore-arc deposition [abstract]: American Association of Petroleum Geologists Bulletin v. 61, no. 5, p. 811 (AAPG-SEPM Annual Meeting, Washington, D.C., June 12-16, 1977).
- Marincovich, Louie, 1976, Miocene mollusks from the Topsy Formation, Lituya District (Alaska), in Cobb, Edward H., ed., The United States Geological Survey in Alaska--Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 58.
- Mertie, J. B., Jr., 1931, A geologic reconnaissance of the Dennison Fork district, Alaska: U.S. Geological Survey Bulletin 827, 44 p.
- Miller, D. J., 1951, Preliminary report on the geology and oil possibilities of the Katalla district, Alaska: U.S. Geological Survey Open-File Report.
- 1953, Late Cenozoic marine glacial sediments and marine terraces of Middleton Island, Alaska: Journal of Geology, v. 61, no. 1, p. 17-42.
- 1971, Geology of the Yakataga district, Gulf of Alaska Tertiary Province, Alaska: U.S. Geological Survey Miscellaneous Geological Investigations Map I-610, scale 1:125,000.
- Mitchell, E. D., Jr., and Repenning, C. A., 1963, The chronologic and geographic range of desmostylians: Los Angeles County Museum Contribution to Science, no. 78, 20 p.
- Moffit, F. H., 1915, The Broad Pass region, Alaska, with sections on Quaternary deposits, igneous rocks, and glaciation, by J. E. Pogue: U.S. Geological Survey Bulletin 608, 80 p.
- Plafker, George, and Miller, D. J., 1954, Reconnaissance geology of the Malaspina district, Alaska: U.S. Geological Survey Open-File Report.
- Schaff, Ross, 1964, Eagle River exposure, in Guidebook, field trip routes, Anchorage to Sutton, 1963; Sutton to Caribou Creek, 1964--Oil fields, earthquake, geology: Alaska Geological Society, Anchorage, Alaska, p. 24.
- Schmoll, H. R., Szabo, B. J., Rubin, Meyer, and others, 1972, Radiometric dating of marine shells from the Bootlegger Cove clay, Anchorage area, Alaska: Geological Society of America Bulletin, v. 83, no. 4, p. 1107-1113.

- Troitskiy, S. L., 1974, Subarctic Pleistocene molluscan fauna, in Marine geology and oceanography of the Arctic seas: Springer-Verlag, New York, p. 257-270, maps.
- Tuthill, S. J., 1963, Preliminary report on the molluscan fauna of the Martin River Glacier and associated area: Veliger, v. 6, no. 2, p. 84-90.
- 1968, Paleoeologic implications of recent superglacial and proglacial molluscan habitats [abstract]: Geological Society of America Special Paper 101, p. 224-225.
- 1970, A comparison of the late Wisconsinan molluscan fauna of the Missouri Coteau district (North Dakota) with a modern Alaskan analogue [abstract]: Dissertation Abstracts, v. 30, no. 9, p. 4211B.
- Tuthill, S. J., and Laird, W. M., 1965, Molluscan fauna of the Martin River Glacier, south-central Alaska [abstract]: Geological Society of America Special Paper 82, p. 284-285.
- Waldron, H. H., 1961, Geologic reconnaissance of Frosty Peak volcano and vicinity, Alaska: U.S. Geological Survey Bulletin 1028-T, p. 677-708.

Cephalopoda

- Cobban, W. A., and Gryo, George, 1961, Ammonites from the Seabee Formation (Cretaceous) of northern Alaska: Journal of Paleontology, v. 35, no. 1, p. 176-190.
- Flower, R. H., 1941a, Cephalopods from the Seward Peninsula of Alaska: Bulletin of American Paleontology, v. 27, no. 102, 22 p., 2 plates.
- 1941b, Notes on structure and phylogeny of euryisiphonate cephalopods: Paleontographica Americana, v. 3, no. 13, 56 p., 3 plates, 3 figures.
- 1946, Alaskoceras and the Plectoceratidae: Journal of Paleontology, v. 20, no. 6, p. 620-624.
- 1968a, A Chazyan cephalopod fauna from Alaska: New Mexico Bureau of Mines and Mineral Resources Memoir 21, p. 21-22, 34-35, illus.
- 1968b, Endoceroids from the Canadian of Alaska: New Mexico Bureau of Mines and Mineral Resources Memoir 21, p. 14-17, 30-33, illus.
- Frebold, Hans, 1960, Correlation with other arctic regions (northern Alaska), in The Jurassic faunas of the Canadian Arctic; Lower Jurassic and lowermost Middle Jurassic ammonites: Canada Geological Survey Bulletin 59, p. 30.
- Frebold, Hans, and Tipper, H. W., 1973, Upper Bajocian - Lower Bathonian ammonite fauna and stratigraphy of Smithers area, British Columbia: Canadian Journal of Earth Science, v. 10, no. 7, p. 1109-1131 (including French summary), illus., maps.

- Gordon, Mackenzie, Jr., 1955, Alaska Carboniferous goniatites [abstract]:
Geological Society of America Bulletin, v. 66, no. 12, pt. 2, p. 1565.
- _____, 1957, Mississippian cephalopods of northern and eastern Alaska: U.S.
Geological Survey Professional Paper 283, 61 p., 6 plates.
- Hazzard, J.C., and others, 1950, Cretaceous rocks in the Kamishak Bay area,
Cook Inlet, Alaska: Science, v. 112, no. 2904, p. 226-227.
- Imlay, R. W., 1953, Callovian (Jurassic) ammonites from the United States and
Alaska, Part 2, Alaska Peninsula and Cook Inlet regions: U.S.
Geological Survey Professional Paper 249-B, p. 41-108, plates 25-55.
- _____, 1959, A new genera of Early Cretaceous (Albian) ammonites from Alaska:
Journal of Paleontology, v. 33, no. 1, p. 179-185, plates 29-30.
- _____, 1960, Early Cretaceous (Albian) ammonites from the Chitina Valley and
Talkeetna Mountains, Alaska: U.S. Geological Survey Professional Paper
354-D, p. 87-114, plates 11-19.
- _____, 1961, Late Jurassic ammonites from the western Sierra Nevada,
California: U.S. Geological Survey Professional Paper 374-D, p. 4-5,
11-12.
- _____, 1962a, Jurassic (Bathonian or early Callovian) ammonites from
Alaska and Montana: U.S. Geological Survey Professional Paper 374-C, p.
1-32.
- _____, 1962b, Late Bajocian ammonites from Cook Inlet region, Alaska: U.S.
Geological Survey Professional Paper 418-A, p. 1-15.
- _____, 1964, Middle Bajocian ammonites from the Cook Inlet region, Alaska:
U.S. Geological Survey Professional Paper 418-B, p. 1-61, plates 1-29.
- _____, 1970, Jurassic paleogeography of Alaska [abstract], in
International Arctic Geology Symposium, 2nd, San Francisco 1971,
Abstract Papers: American Association of Petroleum Geologists Bulletin,
v. 54, no. 12, p. 2487.
- _____, 1973, Jurassic ammonite succession in the United States, in Colloque du
Jurassique a Luxembourg 1967; Stratigraphie generale du Jurassique hors
de l'Europe, Fr.: Bureau de Recherches Geologiques et Minieres Memoire
75, p. 709-724, map.
- _____, 1975, Stratigraphic distribution and zonation of Jurassic (Callovian)
ammonites in southern Alaska: U.S. Geological Survey Professional Paper
836, 28 p., tables, charts, plates, map.
- _____, 1976, Middle Jurassic (Bajocian and Bathonian) ammonites from northern
Alaska: U.S. Geological Survey Professional Paper 854-P, 22 p.
- Jones, D. L., 1963, Upper Cretaceous (Campanian and Maestrichtian) ammonites
from southern Alaska: U.S. Geological Survey Professional Paper 432,
53 p., 36 plates.

- Jones, D. L., 1967, Cretaceous ammonites from the lower part of the Matanuska Formation, southern Alaska: U.S. Geological Survey Professional Paper 547, 49 p. 9 plates.
- 1973, Structural elements and biostratigraphical framework of Lower Cretaceous rocks in southern Alaska, in The Boreal Lower Cretaceous, p. 1-18: Seel House Press, Liverpool, England.
- Jones, D. L., and Grantz, Arthur, 1967, Cretaceous ammonites from the lower part of the Matanuska Formation, southern Alaska: U.S. Geological Survey Professional Paper 547, 49 p., illus., tables.
- Jones, D. L., Murphy, M. S., and Packard, E. L., 1965, The Lower Cretaceous (Albian) ammonite genera Leconteites and Brewericoeras: U.S. Geological Survey Professional Paper 503-F, p. 1-21, plates 1-11.
- Kummel, Bernhard, 1953, American Triassic coiled nautiloids: U.S. Geological Survey Professional Paper 250, 104 p.
- Matsumoto, Tatsuro, 1959, Cretaceous ammonites from the upper Chitina Valley, Alaska: Kyushu University Faculty of Science Memoir, Serial O, Geology, v. 8, no. 3, p. 49-50, illus., Fukuoka, Japan.
- Miller, A. K., 1947, Tertiary nautiloids of the Americas: Geological Society of America Memoir 23, 234 p., 100 plates.
- Miller, A. K., and Kummel, B., 1945, A new genus of early Paleozoic cephalopods from Alaska: Journal of Paleontology, v. 19, no. 3, p. 126-128, 1 plate.
- Miller, A. K., Youngquist, W., and Collinson, C., 1954, Ordovician cephalopod fauna of Baffin Island: Geological Society of America Memoir 62, 234 p., 63 plates, 20 figures.
- Murphy, M. A., 1967, The Aptian-Cenomanian members of the ammonite genus Tetragonites: University of California Publications in the Geological Sciences, v. 69, 78 p., illus., tables.
- Schenck, H. G., 1931, Cephalopods of the genus Aturia from western North America: University of California Publication, Department of Geological Sciences Bulletin, v. 19, no. 19, p. 435-490, plates 66-78.
- Silberling, N. J., 1970, Biostratigraphy of marine Triassic in northern Alaska [abstract], in International Symposium on Arctic Geology, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2504.
- Ulrich, E. O., Foerste, A. F., Miller, A. K., and Unklesbay, A. G., 1944, Ozarkian and Canadian cephalopods, pt. 3, Longicones and summary: Geological Society of America Special Paper 58, 226 p., 68 plates.
- Unklesbay, A. G., and Pauken, R., 1966, Pennsylvanian ammonoids from Alaska: Journal of Paleontology, v. 40, no. 6, p. 1379-1380, 1 plate.

Westerman, G. E. C., 1969, The ammonite fauna of the Kilagvik Formation at Wide Bay, Alaska Peninsula; Part II, Sonninia sowerbyi zone (Bajocian): Bulletin of American Paleontology, v. 57, no. 255, p. 5-226, illus.

Gastropoda

Addicott, W. O., 1965, Some western American Cenozoic gastropods of the genus Nassarius: U.S. Geological Survey Professional Paper 503-B, 24 p., 3 plates.

Bickley, W. B., Jr., 1970, Gigantism in a recent gastropod, Gyraulus parvus (Say), from south-central Alaska: Compass, v. 47, no. 3, p. 183-184, table.

Cushing, H. P., 1892, Notes on the geology of the vicinity of Muir Glacier: National Geographic Magazine, v. 4, p. 56-62.

Dall, W. H., 1908, Another large Miocene Scala: Nautilus, v. 22, no. 7, p. 80-81.

Durham, J. W., 1937, Gastropods of the family Epitonidae from Mesozoic and Cenozoic rocks of the west coast of North America, including one new species by F. E. Turner and one by R. A. Bramkamp: Journal of Paleontology, v. 11, no. 6, p. 479-512, plates 56-57.

Kirk, Edwin, 1918, Paleozoic glaciation in southeastern Alaska: American Journal of Science, ser. 4, v. 46, no. 273, p. 511-515.

_____, 1928, Bathmonterus, a new fossil gastropod genus from the Silurian of Alaska (Glacier Bay): U.S. National Museum Proceedings, v. 74, art. 18, 4 p., 1 plate.

Knight, J. B., 1941, Paleozoic gastropod genotypes: Geological Society of America Special Paper 32, 510 p., 96 plates, 32 figures.

Marinovich, Louie, Jr., 1977, Cenozoic Naticidae (Mollusca, Gastropoda) of the Northeastern Pacific: Bulletin of American Paleontology, v. 70, no. 294, p. 169-494, plates 17-42.

Merriam, C. W., 1941, Fossil turritellas from the Pacific coast region of North America: University of California Publications, Department of Geological Sciences Bulletin, v. 26, no. 1, p. 1-214, plates 1-41.

Nelson, C. M., 1974, Evolution of the Late Cenozoic gastropod Neptuna (Gastropoda: Buccinacea): Unpublished Ph.D. dissertation, University of California, Berkeley, 802 p., 66 plates.

_____, 1978, Neptunea (Gastropoda: Buccinacea) in the Neogene of the North Pacific and adjacent Bering Sea: Veliger, v. 21, no. 2, p. 203-215, 2 plates, list of fossil localities.

Smith, J. T., 1970, Taxonomy, distribution, and phylogeny of the Cymatid gastropods Argobuccinum, Fusitriton, Mediargo, and Priene: American Paleontology Bulletin, v. 56, no. 254, p. 445-573, plates 39-49.

- Yochelson, E. L., 1966, Some new Permian gastropods from Spitzbergen and Alaska: Norsk Polarinstitutt Arbok 1965, p. 31-35, illus.
- Yochelson, E. L., and Dutro, J. T., Jr., 1960, Late Paleozoic gastropoda from northern Alaska: U.S. Geological Survey Professional Paper 334-D, p. 111-147; [abstract] 1958, in Geological Society of America Bulletin, v. 69, no. 12, pt. 2, p. 1668.
- 1961, Mourlonia sablei, new name for Mourlonia minuta Yochelson and Dutro 1960, not Weller 1916 (correction to "Late Paleozoic gastropoda from northern Alaska", 1960): Journal of Paleontology, v. 37, no. 3, p. 725.

Pelecypoda

- Addicott, W. O., 1971, Some Paleogene mud pectens of the genus Propeamussim from Alaska and California: Veliger, v. 13, no. 3, p. 226-230, 1 plate.
- 1974, Giant pectinids of the eastern north Pacific margin; significance in Neogene zoogeography and chronostratigraphy: Journal of Paleontology, v. 48, no. 1, p. 180-194, illus., maps.
- Adegoke, O. S., 1967, New and oldest records of pelecypod Mya from western North America, south of Alaska: Nautilus, v. 80, no. 3, p. 91-95, figures 1-3.
- Coan, E. V., 1969a, The biogeography of certain west American tellinaceans [abstract]: The Echo, Western Society of Malacologists, 1st Annual Meeting, p. 11-12.
- 1969b, Recognition of an eastern Pacific Macoma in the Coralline Crag of England and its biogeographic significance: Veliger, v. 11, no. 3, p. 277-279.
- Coan, E. V., 1971, The northwest American Tellinidae: Veliger, V. 14, supplement, 63 p., 12 plates.
- Corgan, J. X., 1966, Mya on the Alaska Peninsula: Nautilus, v. 80, no. 1, p. 13-16, illus.
- Dall, W. H., 1907, On climatic conditions at Nome, Alaska, during the Pliocene, and on a new species of Pecten from the Nome gold-bearing gravels: American Journal of Science, ser. 4, v. 23, no. 138, p. 457-458, 1 figure.
- 1921, Two new Pliocene pectens from Nome, Alaska: Nautilus, v. 34, no. 3, p. 76-77.
- Detterman, R. L., and Jones, D. L., 1974, Mesozoic fossils from Augustine Island, Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 5, p. 868-870.

- Drewes, Harald, Fraser, G. D., Snyder, G. L., and Barnett, H. F., Jr., 1961, Geology of Unalaska Island and adjacent insular shelf, Aleutian Islands, Alaska: U.S. Geological Survey Bulletin 1028-S, p. 583-676.
- Erman, A., 1843, Archiv für wissenschaftliche Kunde Russland, v. 3: Berlin, G. Reimer, 725 p., illus.
- Gratacap, L. P., 1912, An unusual specimen of Mytilus middenforffi Grewingk, from Alaska: American Museum of Natural History Bulletin 31, p. 69-70, illus.
- Grewingk, Constantin, 1850, Beitrag zur Kenntniss der orographischen und geognostischen Beschaffenheit der Nord-West Küste Amerikas mit den anliegenden Inseln: Verhandlungen der Russisch-Kaiserlichen Mineralogischen Gesellschaft zu St. Petersburg, 1848-49, 351 p., 7 plates.
- Imlay, R. W., 1959, Succession and speciation of the pelecypod Aucilla: U.S. Geological Survey Professional Paper 314-G, p. 155-169, plates 16-19.
- 1960, Early Cretaceous (Albian) ammonites from the Chitina Valley and Talkeetna Mountains, Alaska: U.S. Geological Survey Professional Paper 354-D, p. 87-114, plates 11-19.
- 1967, The Mesozoic pelecypods Otapiria Marwick and Lupherella Imlay, new genus in the United States: U.S. Geological Survey Professional Paper 573-B, p. 1-11, illus., tables.
- Jones, D. L., 1963, Upper Cretaceous (Campanian and Maestrichtian) ammonites from southern Alaska: U.S. Geological Survey Professional Paper 432, 53 p., 36 plates, [1964].
- 1967, Cretaceous ammonites from the lower part of the Matanuska Formation, southern Alaska, with a stratigraphic summary, by Arthur Grantz: U.S. Geological Survey Professional Paper 547, 49 p., illus., tables.
- Jones, D. L., and Grantz, Arthur, 1964, Stratigraphic and structural significance of Cretaceous fossils from Tiglukpuk Formation, northern Alaska: American Association of Petroleum Geologists Bulletin, v. 48, no. 9, p. 1462-1474, 3 plates, 4 figures.
- Jones, D. L., and Gryc, George, 1960, Upper Cretaceous pelecypods of the genus Inoceramus from northern Alaska: U.S. Geological Survey Professional Paper 334-E, p. 149-165, plates 15-23, figures 30-33.
- Kanno, Saburo, 1971, The ecological significance of Thyasira bisecta Conrad: Nautilus, v. 84, no. 3, p. 96-101.
- Kauffman, E. G., 1969, Systematics and evolutionary position of a new Tertiary Thyasira (Bivalvia) from Alaska: Journal of Paleontology, v. 43, no. 5, p. 1099-1110, plate 127.

- Keen, A. M., 1954, Five new species and a new subgenus in the pelecypod family Cardiidae: American Paleontology Bulletin, v. 35, no. 153, 24 p., 1 plate.
- Kirk, Edwin, 1927a, Pycnodesma, a new molluscan genus from the Silurian of Alaska (Chichagof Island): U.S. National Museum Proceedings, v. 71, art. 20, 9 p., 2 plates.
- 1927b, Pycnodesma, a new name for Pycnodesma Kirk not Schramm: Washington Academy of Sciences Journal, v. 17, no. 21, p. 543.
- MacNeil, F. S., 1961, Lituyapekten, new subgenus of Patinopekten from Alaska and California: U.S. Geological Survey Professional Paper 354-J, p. 225-239, plates 35-36.
- 1965, Evolution and distribution of the genus Mya and Tertiary migrations of Mollusca: U.S. Geological Survey Professional Paper 483-G, p. 1-51, 11 plates.
- 1967, Cenozoic pectinids of Alaska, Iceland, and other northern regions: U.S. Geological Survey Professional Paper 553, 57 p., 25 plates.
- Martin, G. C., 1921, Preliminary report on petroleum in Alaska: U.S. Geological Survey Bulletin 719, 83 p.
- Masuda, Koichiro, 1972, Swiftopekten of the northern Pacific: Transactions and Proceedings of Paleontology Society of Japan, N.S., no. 87, p. 395-408.
- 1973, Molluscan biostratigraphy of the Japanese Neogene, in Neogene biostratigraphy and radiometric dating of Japan: Geological Society of Japan Memoir 8, p. 107-119 (with Japanese, English summaries), illus., map.
- Masuda, Koichiro, and Addicott, W. O., 1970, On Pecten (Amusium) condoni Hertlein from the west coast of North America: Veliger, v. 13, no. 2, p. 153-156, 1 plate.
- Miller, D. J., 1961, Stratigraphic occurrence of Lituyapekten in Alaska: U.S. Geological Survey Professional Paper 354-K, p. 241-248.
- Packard, E. L., and Jones, D. L., 1965, Cretaceous pelecypods of the genus Pinna from the west coast of North America: Journal of Paleontology, v. 39, no. 5, p. 910-915, illus.
- Parker, Pierre, 1949, Fossil and Recent species of the pelecypod genera Chione and Securella from the Pacific coast: Journal of Paleontology, v. 23, no. 6 p. 577-593, plates 89-95.
- Schenck, H. G., 1936, Nuclid bivalves of the genus Acila: Geological Society of America Special Paper 4, 149 p., 18 plates.
- Silberling, N. J., 1963, Field guide to halobid and monotid pelecypods of the Alaska Triassic: U.S. Geological Survey Open-File Report, 9 p.

- Silberling, N. J., 1970, Biostratigraphy of marine Triassic in northern Alaska [abstract], in International Symposium on Arctic Geology, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2504.
- Smith, P. S., and Eakin, H. M., 1911, A geologic reconnaissance in southeastern Seward Peninsula and the Norton Bay-Nulata region, Alaska: U.S. Geological Survey Bulletin 449, 146 p.
- Soot-Ryen, Tron, 1932, Pelecypods, with a discussion of possible migrations of Arctic pelecypods in Tertiary times, in Norwegian North Expedition "Maude," 1918-1925, Scientific Results: Bergen Geofysik Institutt, v. 5, no. 12, 35 p.
- Stoneley, Robert, 1967, The structural development of the Gulf of Alaska sedimentary province in southern Alaska: Geological Society of London Quarterly Journal, v. 123, p. 25-57.

Vertebrata

Mammalia

- Agadzhanyan, A. K., 1976, Istoriya stanovleniya kopytnykh lemmingov v pleystocene (The history of the collared lemmings in the Pleistocene), in Beringiya v Kaynozoye (Kontrimavichus, V. L., ed., et al.), p. 289-295 (including English summary), illus.: Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Anderson, Elaine, 1973, Ferret from the Pleistocene of central Alaska: Journal of Mammalogy, v. 54, no. 3, p. 778-779.
- , 1977, Pleistocene Mustelidae (Mammalia, Carnivora) from Fairbanks, Alaska: Harvard University Museum Comparative Zoology Bulletin, v. 148, no. 1, p. 21, tables, map.
- Anthony, H. E., 1949, Nature's deep freeze: Natural History, v. 58, no. 7, p. 296-301, illus.
- Carter, L. D., and others, 1977, Gubik and pre-Gubik Cenozoic deposits along the Colville River near Ocean Point, North Slope, Alaska, in Blean, K. M., ed., The United States Geological Survey in Alaska--Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. 12-14.
- Drewes, Harald, Fraser, G. D., Snyder, G. L., and Barnett, H. F., Jr., 1961, Geology of Unalaska Island and adjacent insular shelf, Aleutian Islands, Alaska: U.S. Geological Survey Bulletin 1028-S, p. 583-676.
- Gard, L. M., Jr., Lewis, G. E., and Whitmore, F. C., Jr., 1972, Steller's sea cow in Pleistocene interglacial beach deposits on Amchitka, Aleutian Islands: Geological Society of America Bulletin, v. 83, no. 3, p. 867-869.
- Geist, O. W., 1955, Vertebrate paleontological reconnaissance of the Old Crow River area, Yukon Territory, Canada (to Ammerman Mountain) [abstract]: Geological Society of America Bulletin, v. 66, no. 12, pt. 2, p. 1702.

- Gillespie, J. M., 1970, Mammoth hair; stability of keratin structure and constituent proteins: *Science*, v. 170, p. 1100-1102.
- Guthrie, R. D., 1966, The extinct wapiti of Alaska and Yukon Territory: *Canadian Journal of Zoology*, v. 44, no. 1, p. 47-57, illus., table.
- 1967, Differential preservation and recovery of Pleistocene large mammal remains in Alaska: *Journal of Paleontology*, v. 41, no. 1, p. 243-246, illus.
- 1968a, Paleoeecology of the large mammal community in interior Alaska during the late Pleistocene: *American Midland Naturalist*, v. 79, no. 2, p. 346-363, illus., table.
- 1968b, Paleoeecology of a late Pleistocene small mammal community from interior Alaska: *Arctic*, v. 21, no. 4, p. 223-224, illus., table.
- 1973, Mummified pika (*Ochotona*) carcass and dung pellets from Pleistocene deposits in interior Alaska: *Journal of Mammalogy*, v. 54, no. 4, p. 970-971, illus.
- 1976, Vliyaniye okruzhayushchey sredy na razmery tela, "sotsial'nyye" organy, parametry populyatsiy i vymiraniye mlekopitayushchikh Beringii (Environmental influences on body size, social organs, population size and extinction of mammals in the Bering Sea region), in *Beringiya v Kayozoye* (Kontrimavichus, V. L., ed., *et al.*), p. 296-322 (including English summary), illus.: *Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok*.
- Guthrie, R. D., and Matthews, J. V., Jr., 1971, The Cape Deceit fauna; Early Pleistocene mammalian assemblage from the Alaska Arctic: *Quaternary Research*, v. 1, no. 4, p. 474-510. (University of Washington, Quaternary Research Center.)
- Harington, C. R., 1969, Pleistocene remains of the lion-like cat (*Panthera atrox*) from the Yukon Territory and northern Alaska: *Canadian Journal of Earth Sciences*, v. 6, no. 5, p. 1277-1288, illus., tables.
- 1970a, Ice age mammal research in the Yukon Territory and Alaska, in *Early man and environments in northwest America*: University of Calgary Archaeological Association, Calgary, Canada, p. 35-51.
- 1970b, A Pleistocene muskox (*Ovibos moschatus*) from Grandview, Manitoba, and comments on the zoogeography of *Ovibos* (with French abstract): *Canada National Museum of Natural Science Publications in Paleontology*, no. 2, 13 p., illus., table.
- 1970c, Pleistocene muskox (*Ovibos moschatus*) from gravels of Illinoian age near Nome, Alaska: *Canadian Journal of Earth Sciences*, v. 7, no. 5, p. 1326-1331, illus., tables.

- Hoffman, R. S., 1976, *Ekologicheskiy i zoogeograficheskiy analiz migratsiy zhivotnykh cherez Beringiyakiy most sushi v ochetvichnom periode* (An ecological and zoogeographical analysis of animal migration across the Bering land bridge during the Quaternary period), in *Beringiya v Kaynozoye* (Kontrimavichus, V. L., ed., *et al.*), p. 354-367: Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Hopkins, D. M., Gitterman, R. E., and Matthews, J. V., Jr., 1976, Interstadial mammoth remains and associated pollen and insect fossils, Kotzebue Sound area, northwestern Alaska: *Geology*, v. 4, no. 3, p. 169-172, table, section, map.
- Klein, D. R., 1965, Postglacial distribution on patterns of mammals in the southern coastal regions of Alaska: *Arctic*, v. 18, no. 1, p. 7-20.
- Lindroth, C. H., 1970, Survival of animals and plants on ice-free refugia during the Pleistocene glaciations: *Endeavor*, v. 29, no. 108, p. 129-134, illus., maps.
- Matthews, J. V., Jr., 1976, Arctic-steppe; an extinct biome [abstract], in *Abstracts of the 4th Biennial Meeting of the American Quaternary Association: American Quaternary Association, National Conference Abstracts*, no. 4, p. 73-79.
- Nadler, C. F., Hoffman, R. S., Vorontsov, N. N., and others 1976, *Evolutsionnyye suvazi nekotorykh beringiyskikh mlekopitayushchikh* (Evolutionary relationships of some mammals in the Bering Sea region), in *Beringiya v Kaynozoye* (Kontrimavichus, V. L., ed., *et al.*), p. 325-336 (including English summary), illus.: Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Péwé, T. L., 1966, *Permafrost and its effect on life in the North: Corvallis, Oregon*, Oregon State University Press (also, in *Arctic biology*, 2nd edition), 40 p., illus., table, revised 1966, originally published 1957.
- Péwé, T. L., and Hopkins, D. M., 1967, Mammal remains of pre-Wisconsin age in Alaska, in Hopkins, D. M., ed., *The Bering land bridge*: Stanford, California, Stanford University Press, p. 266-270.
- Rausch, R. L., 1963, A review of the distribution of holarctic Recent mammals, in *Pacific Basin Biogeography Symposium, Pacific Science Congress, 10th: Honolulu, Hawaii*, Bishop Museum Press, p. 29-43.
- Repenning, C. A., and Fejfar, Oldrich, 1977, Holarctic correlation of microtid rodents, in *International Geological Correlation Programme, Project 73-1-24, Quaternary glaciation in the northern hemisphere*: Prague, p. 234-250.
- Repenning, C. A., and Tedford, R. H., 1977, Otarioid seals of the Neogene: U.S. Geological Survey Professional Paper 992, 93 p.
- Sher, A. V., 1974, Pleistocene mammals and stratigraphy of the far northeast USSR and North America, part 1, in *International Geology Review*, v. 16, no. 7: American Geological Institute, p. 1-89, illus. map.

- Sher, A. V., 1976, Rol' Beringiyskoy sushi v formirovani fauny mlekopitayushchikh Golarktiki v pozdnem Kaynozoye (The role of the Bering Sea region in the development of the holarctic mammalian fauna of the upper Cenozoic), in Beringiya v Kaynozoye (Kontrimavichus, V. L., ed., et al.), p. 227-241 (including English summary), map: Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Skinner, M. F., and Kaisen, O. C., 1947, The fossil Bison of Alaska and preliminary revision of the genus: American Museum of Natural History Bulletin, v. 89, art. 3, p. 123-256, illus., maps.
- Stock, Chester, 1942, A ground sloth in Alaska: Science, v. 95, no. 2474, p. 552-553.
- Tobin, Kh., 1976, Migratsii khobotnykh i zaytseabraznykh cherez Beringiyskiy most sushi v pozdnem Kaynozoye (Migrations of proboscideans and lagomorphs (Mammalia) via the Bering Strait land bridge in the upper Cenozoic), in Beringiya v Kaynozoye (Kontrimavichus, V. L., ed., and others), p. 248-257 (including English summary), illus.: Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Whitmore, F. C., Jr., and Foster, H. L., 1967, Panthera atrox (Mammalia: Felidae) from central Alaska: Journal of Paleontology, v. 41, no. 1, p. 247-251, illus., table.
- Whitmore, F. C., Jr., and Gard, L. M., Jr., 1977, Steller's sea cow (Hydrodamalis gigas) of late Pleistocene age from Amchitka, Aleutian Islands, Alaska: U.S. Geological Survey Professional Paper 1036, 19 p., tables, plates, map.
- Yanoshshi, D., 1976, Nekotoryye novyye dannyye o faunisticheskom obmene cherez Beringiyskiy most (Some new data on the faunal exchange via the Bering land bridge), in Beringiya v Kaynozoye (Kontrimavichus, V. L., ed., and others), p. 273-279 (including English summary), illus., map: Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Zazhigin, V. S., 1976, Ranniye etapy evolyutsii kolytnkh lemmingov Dicrostonychini, Microtinae, Rodentia; kharakternykh predstaviteley subarkticheskoy fauny Beringii (Early evolutionary stages of collared lemmings (Dicrostonychini, Microtinae, Rodentia) as characteristic representatives of the subarctic fauna of the Bering Sea region), in Beringiya v Kaynozoye (Kontrimavichus, V. D., ed., and others), p. 280-288 Dal'nevostochnyy Nauchnyy Tsentr, Vladivostok.
- Zimmerman, M. R., and Tedford, R. H., 1976, Histologic structures preserved for 21,300 years: Science, v. 194, p. 183-184, illus.

Picea

- Boucot, A. J., Dunkle, D. H., Potter, A., Savage, N. M., and Rohr, D., 1974, Middle Devonian orogeny in western North America?; a fish and other fossils: Journal of Geology, v. 82, no. 6, p. 691-708, illus., map.

- Brown, R. W., 1946, Fossil egg capsules of chimaeroid fishes (from Alaska Kattalla Formation): *Journal of Paleontology*, v. 20, no. 3, p. 261-266.
- Perkins, P. L., 1971, The dipnoan fish *Dipterus* from the middle Devonian (Givetian) of Alaska: *Journal of Paleontology*, v. 45, p. 554-555, illus.
- Sychevskaya, Ye. K., 1976, Rol' Beringiykoy sushi v rasselenii shchukovidnykh (role of Bering land bridge in the distribution of esocoid fishes), in *Beringiya v Kaynozoye* (Kontrimavichus, V. L., ed., and others, p. 242-248, (including English summary), illus., tables: *Akademiya Nauk SSSR Dal'nevostochnyy Nauchnyy Tsentr*, Vladivostok.

FLORA

Floral Assemblages

- Ager, T., 1976, Holocene vegetational history of the Lake Minchumina area, Mt. McKinley Quadrangle, Alaska [abstract], in *Abstracts of the 4th Biennial Meeting of the American Quaternary Association: American Quaternary Association, National Conference Abstracts*, no. 4, p. 96.
- Arnold, C. A., 1952a, Paleobotanical investigations in Naval Petroleum Reserve No. 4, Alaska: *Science* n.s., v. 116, no. 3003, p. 61-62.
- 1952b, A paleobotanical excursion in northern Alaska (NPR-4 area): *Asa Gray Bulletin*, n.s., v. 1, no. 3, p. 269-282.
- 1953, Some fossil woods from northern Alaska (Pt.) 2 of *Silicified plant remains from the Mesozoic and Tertiary of western North America: Michigan Academy of Science, Art, and Letters* 1952, v. 38, pt. 1, p. 9-20.
- Arnold, C. A., and Lowther, J. S., 1955, A new Cretaceous conifer from northern Alaska: *American Journal of Botany*, v. 42, no. 6, p. 522-528.
- Atwood, W. W., 1911, Geology and mineral resources of parts of the Alaska Peninsula: *U. S. Geological Survey Bulletin* 467, 137 p.
- Biske, S. F., 1971, Korrelyatsiya paleogenovykh i neogenovykh kontinental'nykh otlozheniy Alyaski i Serero-Vostoka Asii po paleobotanicheskim dannym (Correlation of Paleocene and Neocene continental deposits of Alaska and northeastern Asia based on paleobotanical data): *Geologiya i Geofizika*, n. 8, p. 29-33.
- Brabb, E. E., 1969, Six new Paleozoic and Mesozoic formations in east-central Alaska: *U.S. Geological Survey Bulletin* 1274-I, 126 p., tables.
- Burk, C. A., 1965, Geology of the Alaska Peninsula--island arc and continental margin: *Geological Society of America Memoir* 99, pts. 1-3, 250 p.
- Capps, S. R., 1937, Kodiak and adjacent islands, Alaska: *U.S. Geological Survey Bulletin* 800-C, p. 111-184.

- Collier, A. J., 1905, Coal fields of the Cape Lisburne region [Alaska]: U.S. Geological Survey Bulletin 259, p. 172-185.
- _____, 1906, Geology and coal resources of the Cape Lisburne region, Alaska: U.S. Geological Survey Bulletin 278, 54 p., 9 plates.
- Cooper, W. S., 1942, Vegetation of the Prince William Sound region, Alaska, with a brief excursion into post-Pliocene climatic history: Ecology Monographs, v. 12, no. 1, p. 1-22.
- Crane, R. C., and Wiggins, V. D., 1976, Iperovich Formation, significant Jurassic-Neocomian map unit in northern Brooks Range foldbelt [abstract]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, AAPG-SEG Pacific Section Meeting, p. 2177.
- Eakins, G. R., 1970, A petrified forest on Unga Island, Alaska: Alaska Division of Mines and Geology Special Report 3, 19 p., illus, map.
- Eichwald, Eduard von, 1871, Geognostisch-paleontologische Bemerkungen über die Halbinsel Mangischlak und die aleutischen Inseln: St. Petersburg, Russia, p. 88-200, 20 plates.
- Emmons, S. F., 1898, Map of Alaska showing known gold-bearing rocks, with descriptive text containing sketches of the geography, geology, and gold deposits and routes to the gold fields: U.S. Geological Survey Special Publication, 44 p., 1 map.
- Girty, G. H., 1906, Report on fossil invertebrates of the Cape Lisburne region, Alaska: U.S. Geological Survey Bulletin 278, p. 22-26.
- Goeppert, H. R., 1861, Über die Tertiärflora der Polargegenden: Schlesischen Gesellschaft Vaterland Kultur Abteilung Naturwissenschaftliche und Mededelinzen, 38te Jahresber., pt. 2, Abh., p. 195-207.
- Hamilton, T. D., 1976, Camp Century record vs. dated climatic records from Alaska and Siberia [abstract], in Abstracts of the 4th Biennial Meeting of the American Quaternary Association: American Quaternary Association, National Conference Abstracts, no. 4, p. 22-24.
- Hansen, R. M., and Lewellen, R. I., 1972, Plants discerned in 10,000-year-old arctic profiles [abstract]: Alaska Science Conference Proceedings, p. 27-28.
- Heer, Oswald, 1868, ...fossila vexter fran nordvestra Amerika...: Kungliga Svenska Vetenskaps-Akademiens Handlingar (Stockholm), Ofv. 24, p. 63-68.
- _____, 1869, Flora fossilus Alaskana: Kungliga Svenska Vetenskaps-Akademiens Handlingar (Stockholm), v. 8, no. 4, 41 p.
- Heusser, C. J., 1957, Pleistocene and postglacial vegetation of Alaska and the Yukon Territory, in Arctic biology: Oregon State University, 18th Annual Biology Colloquim, Corvallis, Oregon, 1957, p. 62-72.

- Heusser, C. J., Schuster, R. L., and Gilhey, A. K., 1954, Geobotanical studies the Taku Glacier (Alaska) anomaly: *Geographical Review*, v. 44, no. 2, p. 224-239.
- Holliok, Arthur, 1930, The Upper Cretaceous floras of Alaska: U.S. Geological Survey Professional Paper 159, p. 1-116, plates 1-86.
- _____, 1936, The Tertiary floras of Alaska: U.S. Geological Survey Professional Paper 182, 185 p., 122 plates.
- Hollick, C. A., 1911, Results of a preliminary study of so-called Kenai flora of Alaska: *American Journal of Science*, 4th ser., v. 31, p. 327-330.
- Hopkins, D. M., 1967, Introduction, in Hopkins, D. M., ed., *The Bering land bridge*: Stanford, California, Stanford University Press, p. 1-6.
- _____, 1970, Paleoclimatic speculations suggested by new data of the location of the spruce refugium in Alaska during the last glaciation [abstract], in American Quaternary Association Meeting, 1st, p. 67: American Quaternary Association, Seattle, Washington.
- Hopkins, D. M., and Benninghoff, W. S., 1961, Upper Tertiary sediments in Alaska and northwestern Canada [abstract], in *Geology of the Arctic*, v. 1: University of Toronto Press, Toronto, Ontario, p. 598.
- Isbister, A. K., 1855, On the geology of the Hudson's Bay territories and of portions of the Arctic and northwestern regions of America; with a colored geological map: *Geological Society of London Quarterly Journal*, v. 11, p. 497-520; without map: *American Journal of Science*, ser. 2, v. 21, p. 313-338, 1856.
- _____, 1909, The section at Cape Thompson, Alaska: *American Journal of Science*, ser. 4, v. 28, no. 168, p. 520-528.
- Johnson, A. W., and Packer, J. G., 1967, Distribution, ecology and cytology of the Ogotoruk Creek flora and the history of Beringia, in Hopkins, D. M., ed., *The Bering land bridge*: Stanford University Press, Stanford, California, p. 245-265, illus., tables.
- Karlstrom, T. N. V., and Ball, G. E., eds., 1969, Introduction in the Kodiak Island refugium, its geology, flora, fauna and history: Ryerson Press (for Boreal Institute, University of Alberta), Toronto, Ontario, p. 2-6, illus., tables.
- Knopf, Adolph, 1912, The Eagle River region, southeastern Alaska: U.S. Geological Survey Bulletin 502, 61 p.
- Knowlton, F. H., 1894a, Fossil flora of Alaska: *Geological Society of America Bulletin*, v. 5, p. 573-590.
- _____, 1894b, A review of the fossil flora of Alaska, with descriptions of new species: U.S. National Museum Proceedings, v. 17, p. 207-240; [abstract] in *American Journal of Science*, 3rd ser., v. 47, p. 137.

- Knowlton, F. H., 1895, Note on the examination of a collection of interglacial wood from Muir Glacier, Alaska: *Journal of Geology*, v. 3, p. 527-532.
- 1896, Report on fossil plants collected in Alaska: *U.S. Geological Survey Annual Report* 17th, pt. 1, p. 876-897.
- 1898, A catalogue of the Cretaceous and Tertiary plants of North America: *U.S. Geological Survey Bulletin* 152, 247 p.
- 1906, Report on Mesozoic fossil plants from northwestern Alaska: *U.S. Geological Survey Bulletin* 278, p. 29-30.
- 1914, The Jurassic flora of Cape Lisburne, Alaska: *U.S. Geological Survey Professional Paper* 85-D, p. 39-64.
- Krassiloiv, V. A., 1975, Climatic changes in eastern Asia as indicated by fossil floras; II, Late Cretaceous and Danian: *Palaeogeographic, Palaeoclimatology, Palaeoecology*, v. 17, no. 2, p. 157-172, illus., maps.
- Krog, Hildur, 1968, The macrolichens of Alaska: *Norsk Polarinstitutt Skrifter* 194, 180 p., illus.
- Lindroth, C. H., 1970, Survival of animals and plants on ice-free refugia during Pleistocene glaciations: *Endeavour*, v. 29, no. 108, p. 129-134, illus., maps.
- Lowther, J. S., 1955, The Lower Cretaceous flora of northern Alaska [abstract]: *Royal Society of Canada Minutes and Proceedings* 1955, p. 41.
- 1957, A Cretaceous flora from northern Alaska: Ph.D. dissertation, University of Michigan, Ann Arbor, Michigan, 212 p., abstract 1958 in *Dissertation Abstracts*, v. 18, no. 4, p. 1398.
- Magoon, L. B., Adkison, W. L., and Egbert, R. M., 1976, Map showing geology, wildcat wells, Tertiary plant fossil localities, K-Ar age dates, and petroleum operations, Cook Inlet area, Alaska: *U.S. Geological Survey Miscellaneous Investigations Map* I-1019, scale 1:250,000, 3 sheets.
- Mamay, S. H., 1963, Occurrence of *Pseudobornia* Nathorst in Alaska: *Paleobotanist*, v. 11, nos. 1-2, p. 19-22.
- Matthews, J. V., Jr., 1974, Quaternary environments at Cape Deceit (Seward) Peninsula, Alaska): *Evolution of a Tundra Ecosystem: Geological Society of America Bulletin*, v. 85, no. 9, p. 1353-1384, illus., maps.

- McCulloch, D. S., 1967, Quaternary geology of the Alaskan shore of Chukchi Sea, chapter 5 in Hopkins, D. M., ed., The Bering land bridge: Stanford California, Stanford University Press, p. 91-120.
- Mertie, J. B., Jr., 1930, Geology of the Eagle-Circle district, Alaska: U.S. Geological Survey Bulletin 816, 168 p.
- Moore, G. W., 1969, New formations on Kodiak and adjacent islands, Alaska: U.S. Geological Survey Bulletin 1274-A, p. 27-35.
- Nelson, S. J., 1971, Horizon identification in northern Canada and Alaska: Calgary, Alberta, Commercial Printers (Calgary) Ltd., p. 1-236.
- Newberry, J. S., 1898, The later extinct floras of North America (a posthumous work); Arthur Hollick, ed.: U.S. Geological Survey Monograph 35, 295 p.
- Scholl, D. W., Greene, H. G., and Marlow, M. S., 1970, Eocene age of the Adak "Paleozoic(?)" rocks, Aleutian Islands, Alaska: Geological Society of America Bulletin, v. 81, no. 12, p. 3583-3592.
- Scholl, D. W., and others, 1969, Adak "Paleozoic" site, Aleutians--in fact of Eocene age [abstract]: American Association of Petroleum Geologists Bulletin, v. 53, no. 2, p. 459.
- Schweger, C., and Hapgood, T., 1976, The late Pleistocene steppe-tundra of Beringia; a critique [abstract], in Abstracts of the 4th Biennial Meeting of the American Quaternary Association: American Quaternary Association, National Conference Abstracts, no. 4, p. 80-81.
- Shacklette, H. T., 1970, Vegetation of Amchitka Island, Aleutian Islands, Alaska: U.S. Geological Survey Professional Paper 648, 66 p., illus., map.
- Sher, A. V., 1974, Pleistocene mammals and stratigraphy of the far northeast USSR and North America, part 1, in International Geology Review, v. 16, no. 7: American Geological Institute, p. 1-89, illus., maps.
- Smiley, C. J., 1961, Paleobotanical investigations in arctic Alaska [abstract]: American Journal of Botany, v. 48, no. 6, pt. 2, p. 542.
- _____, 1964, Cretaceous floral succession and climatic change in northern Alaska [abstract]: Geological Society of America Special Paper 76, p. 224-225.
- _____, 1966a, Cretaceous floras from Kuk River area, Alaska--stratigraphic and climatic interpretations: Geological Society of America Bulletin, v. 77, no. 1, p. 1-14, illus., tables.
- _____, 1966b, Cretaceous paleobotany in arctic Alaska--Progress report [abstract]: Geological Society of America Special Paper 87, p. 229-230.

- Smiley C. J., 1967, Paleoclimatic interpretations of some Mesozoic floral sequences: American Association of Petroleum Geologists Bulletin, v. 51, no. 6, p. 849-863, illus., tables.
- _____, 1968, Cretaceous floral sequences in arctic Alaska [abstract]: Geological Society of America Special Paper 101, p. 206.
- _____, 1969a, Cretaceous floras of Chandler-Colville region, Alaska; stratigraphy and preliminary floristics: American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 482-502, illus., tables.
- _____, 1969b, Floral zones and correlations of Cretaceous Kukpowruk and Corwin Formations, northwestern Alaska: American Association of Petroleum Geologists Bulletin, v. 53, no. 10, p. 2079-2093, illus., maps.
- _____, 1970, Cretaceous floral sequences in Alaskan Arctic [abstract]: in International Symposium on Arctic Geology, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, p. 2504.
- _____, 1972a, Applicability of plant megafossil biostratigraphy to marine-nonmarine correlations; an example from Cretaceous of northern Alaska, in Paleontology-Paleontologie, Section 7: International Geological Congress, Proceedings; Congress Geological International Programme, no. 24, p. 413-421, illus., maps. Also as abstract: International Geological Congress Abstracts; Congres Geologique Internationale Resumes, no. 24, p. 243, 1972.
- _____, 1972b, Plant megafossils sequences, North Slope Cretaceous, in American Association of Stratigraphic Palynologists Annual Meeting, 3rd, Proceedings: Geoscience and Man, v. 4, p. 91-99, illus., maps.
- Smith, B. N., Rivera, E. R., and Keel, J. R., 1973, 400,000-year-old-pine wood from deep sediments near Prudhoe Bay, Alaska: Naturwissenschaften, v. 60, no. 4, p. 202, illus.
- Smith, P. S., and Mertie, J. B., Jr., 1930, Geology and mineral resources of northwestern Alaska: U.S. Geological Survey Bulletin 815, 351 p.
- Terasmae, J., and Hughes, O. L., 1966, Late-Wisconsinan chronology and history of vegetation in the Ogilvie Mountains, Yukon Territory, Canada: Paleobotanist, v. 15, nos. 1-2, p. 235-242, illus.
- Vereshchagin, V. N., Muzylev, S. A., and Sey, I. I., eds., 1972, Geology of northeastern Asia: Volume 2, Stratigraphy and paleogeography (Geologiya Severo-Vostochnoy Azii, tom 2, stratigrafiya i paleogeografiya): Izves Nedra. Leningrad Otdeleniye, 527 p., illus., maps.
- Wahrhaftig, Clyde, Wolfe, J. A., Leopold, E. B., and Lanphere, M. A., 1969, The coal-bearing group in the Nenana coal field, Alaska: U.S. Geological Survey Bulletin 1274-D, p. 1-30, illus., tables.

- Waldron, H. H., 1961, Geologic reconnaissance of Frosty Peak volcano and vicinity, Alaska: U.S. Geological Survey Bulletin 1028-T, p. 677-708.
- Ward, L. F., 1889, The geographical distribution of fossil plants: U.S. Geological Survey Annual Report, 8th, 1886-1887, p. 925.
- White, C. D., 1906, Report on fossil plants from the Cape Lisburne region, Alaska: U.S. Geological Survey Bulletin 278, p. 22.
- 1909, The upper Paleozoic floras, their succession and range: Journal of Geology, v. 17, no. 4, p. 320-341.
- 1929, Description of fossil plants found in some "Mother rocks" of petroleum from northern Alaska (Meade, Colville Rivers): American Association of Petroleum Geologists Bulletin, v. 13, no. 7, p. 841-848.
- Wik, Ole, 1973, Fossil forests of Glacier Bay: National Parks Conservation Magazine, v. 47, no. 7, p. 12-13.
- Willis, Bailey, 1912, Index to the stratigraphy of North America: U. S. Geological Survey Professional Paper 71, 894 p., 1 plate, 19 figures.
- Wolfe, J. A., 1966, Tertiary plants from the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 398-B, p. 1-32, 8 plates.
- 1969, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Open-File Report, 114 p.
- 1970, Biostratigraphy of nonmarine Tertiary of northern Pacific basin [abstract], in International Symposium of Arctic Geology, 2nd: American Association of Petroleum Geologists Bulletin, v. 54, p. 2512-2513.
- 1972, An interpretation of Alaskan Tertiary floras, in Floristics and paleofloristics of Asia and eastern North America, p. 201-233: Elsevier Publishing Co., Amsterdam, illus. map.
- 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p.
- 1978, A paleobotanical interpretation of Tertiary climates in the northern hemisphere: American Scientist, v. 66, no. 6, p. 694-703.
- Wolfe, J. A., and Hopkins, D. M., 1967, Climatic changes recorded by Tertiary land floras in northwestern North America, in Hatai, Katora, ed., Tertiary correlation and climatic changes in the Pacific: Pacific Science Congress, 11th, Tokyo, 1966, Symposium 25, p. 67-76.
- Wolfe, J. A., Hopkins, D. M., and Leopold, E. B., 1966, Tertiary stratigraphy and paleobotany of the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 398-A, p. 1-29, illus., tables.

- Wolfe, J. A., and Leopold, E. B., 1967, Neogene and early Quaternary vegetation of northwestern North America and northeastern Asia, in Hopkins, D. M., ed., *The Bering land bridge*: Stanford, California, Stanford University Press, p. 193-206, illus.
- Wright, C. W., 1906, A reconnaissance of Admiralty Island, Alaska: U.S. Geological Survey Bulletin 287, p. 138-154.
- Young, S., 1976, Is steppe tundra alive and well in Alaska ? [abstract] in Abstracts of the 4th Biennial Meeting of the American Quaternary Association: American Quaternary Association, National Conference Abstracts, no. 4, p. 84-88.
- Yurfsev, B. A., 1972, Phytogeography of northeastern Asia and the problem of Transberringtonian floristic interrelations, in *Floristics and paleofloristics of Asia and eastern North America*, p. 19-54, maps: Elsevier Publishing Co., Amsterdam.

Amber

(Also see Insecta)

- Langenheim, J. B., and Beck, C. W., 1968, Catalogue of infrared spectra of fossil resins (ambers)--Pt. 1, North and South America: Harvard University Botanical Museum Leaflets, v. 22, no. 3, p. 65-120, illus.
- Langenheim, R. L., Jr., Smiley, C. J., and Gray, Jane, 1960, Cretaceous amber from the arctic coastal plain of Alaska: Geological Society of America Bulletin, v. 71, no. 9, p. 1345-1356.
- Muesebeck, C. F. W., 1963, A new ceraphronid from Cretaceous amber (Hymenoptera, Proctotrupoidea): Journal of Paleontology, v. 37, no. 1, p. 129-130.
- Usinger, R. L., and Smith, R. F., 1957, Arctic amber: Pacific Discovery, v. 10, p. 15-19.

Bryophyta

- Iwatsuki, Zennoske, 1972, Distribution of bryophytes common to Japan and the United States, in *Floristics and paleofloristics of Asia and eastern North America*, p. 107-137, illus., maps: Elsevier Publishing Co., Amsterdam.
- Shacklette, H. T., 1961, Substrata relationships of some bryophyte communities on Latouche Island, Alaska: The Bryologist, v. 64, no. 1, p. 1-16.
- _____, 1965, Bryophytes associated with mineral deposits and solutions in Alaska: U.S. Geological Survey Bulletin 1198-C, p. 1-18.

Ichnofossils

- Armentrout, J. M., 1979, Glacial-marine trace and body-fossil associations, upper Yakataga Formation (Pliocene-Pleistocene), Gulf of Alaska [abstract]: American Association of Petroleum Geologists Annual Convention, Houston, Texas, 1979, Program, p. 47.
- Churkin, Michael, Jr., and Brabb, E. E., 1965, Occurrences and stratigraphic significance of Oldhamia, a Cambrian trace fossil, in east-central Alaska: U.S. Geological Survey Professional Paper 525-D, p. 120-124, figures 2-4.
- Ekdale, A. A., 1979, Trace fossil evidence for deep-water sedimentation in Cretaceous arc-trench gap, south-central Alaska [abstract]: American Association of Petroleum Geologists Annual Convention, Houston, Texas, 1979, Program, p. 77. Also [abstract]: American Association of Petroleum Geologists Bulletin, v. 63, no. 3, p. 443.

Problematical Fossils

- Boneham, R. F., and TAILLEUR, I. L., 1972, Leiosphaeidia (Aroritarcha) in the Mesozoic oil shales of northern Alaska: U.S. Geological Survey Professional Paper 800-B, p. 17-19, illus., map.
- Carter, Claire, and Laufeld, Even, 1975, Ordovician and Silurian fossils in well cores from North Slope of Alaska: American Association of Petroleum Geologists Bulletin, v. 59, no. 3, p. 457-464, illus., map.
- Churkin, Michael, Jr., and Carter, Claire, 1970, Devonian tentaculitids of east-central Alaska: Systematics and biostratigraphic significance: Journal of Paleontology, v. 44, no. 1, p. 51-68, plates 14-17.
- , 1971, Hemioricus, a new name for the tentaculitid genus Semicolus Churkin and Carter: Journal of Paleontology, v. 45, no. 3, p. 556.
- Dutro, J. T., Jr., 1951, Devonian faunas of the western Brooks Range, Alaska [abstract]: Geological Society of America Bulletin, v. 62, no. 12, pt. 2, p. 1434.
- Martin, G. C., 1922, Gold lodes in the upper Kuskokwim region [Alaska]: U.S. Geological Survey Professional Paper 722-E, p. 140-161.
- Ormiston, A. R., 1973, A coiled tenaculite from the Salmontrout Limestone, Alaska: Journal of Paleontology, v. 47, no. 6, p. 1065-1068.
-