

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Geologic bibliography for selected onshore sedimentary basins of
central and southern Alaska stressing basin analysis and including
an index of publicly available well and subsurface data

By

Pietro A. DiBona and C. E. Kirschner

Open-File Report
84-99

This report is preliminary and has not been edited or
reviewed for conformity with U.S. Geological Survey
standards and nomenclature

Any reference to specific vendors or trade names is
for descriptive purposes only and does not imply
endorsement by the U.S. Geological Survey

Menlo Park, California

1984

TABLE OF CONTENTS

Introduction	
Interior General	
Bethel Basin	
A. General	
B. Publicly available well/subsurface data	
Copper River Basin	
A. General	
B. Publicly available well/subsurface data	
Galena/Innoko Lowlands	
A. General	
B. Publicly available well/subsurface data	
Holitna Basin	
A. General	
Minchumina Basin	
A. General	
Nenana Basin	
A. General	
B. Publicly available well/subsurface data	
Northway Basin	
A. General	
Ruby Trough	
A. General	
Selawik/Kotzebue Basins	
A. General	
B. Publicly available well/subsurface data	
Susitna Basin	
A. General	
B. Publicly available well/subsurface data	
Yukon Flats/Kandik Basin	
A. General	
B. Publicly available well/subsurface data	

INTRODUCTION

The aim of this bibliography is to present those references pertaining to the geologic origin, nature, and extent of selected onshore basins of Alaska. We have assembled this bibliography as an initial part of an ongoing oil and gas evaluation project for the interior of Alaska. As such, this is not a complete listing of the literature available for interior Alaska, but rather is limited to those references pertaining specifically to basin analysis.

Widespread bibliographies exist for Alaska, and certain bibliographies for selected basins; however, we have designed this one to be more specific in both scope and extent. This bibliography was produced mainly by selecting references from existing Alaskan bibliographies. Bibliographies are available for selected basins of central Alaska and include the Copper River and mid-Tanana (Nenana) basins (Emmel and Coonrad, 1982) and the Susitna basin (Merritt and others, 1982). However, the bulk of the references for this bibliography came from more general bibliographies covering wide areas of the state and a variety of subjects. These included: (Alaska Geology Branch, unpublished reports, 1978-1983; Cobb, E. H., 1974a-f, 1975, 1976, 1977, 1978, 1979a-c; Fritts and Brown, 1971a-d; Fritts and Tuell, 1972; Fritts and others, 1972). In addition to these we reviewed information lists for specific organizations including the Alaska Division of Geological and Geophysical Surveys lists of reports and the Bureau of Mines Publications for Alaska.

We have defined eleven onshore basins in central Alaska and four onshore basins in southern Alaska. This bibliography covers all the basins from central Alaska and includes both Susitna and Copper River basins from southern Alaska (Fig. 1). The basins range from partially explored, those basins having limited geophysical exploration and limited exploratory

drilling, to virtually unexplored basins. The former includes the Bethel, Copper River, Galena, Nenana, Selawik, Susitna, and Yukon Flats/Kandik basins and the latter the Innoko, Holitna, Minchumina, Ruby, and Northway basins.

For many of the interior basins of Alaska a common origin and age is theorized (Grantz and Kirschner, 1975). The majority of the basins are distinctly linear, juxtaposed to the major strike-slip faults of Alaska, and are dominated by Tertiary sedimentary fill. Utilizing a Cook Inlet basin analogy and given the proper tectonic and depositional setting the interior onshore basins could hold petroleum potential. In addition to oil and gas potential the basins may contain economic quantities of uranium, coal, and non-fuel minerals. Although at a preliminary stage, the aim of our study is to delineate, analyze, and assess these basins through detailed mapping, paleontology, geophysical exploration, state-of-the-art geochemistry, and regional tectonic analyses.

The organization of this bibliography is by basins in alphabetical order. Under each basin heading is a general section that lists those references dealing with the framework geology, stratigraphy, and local and regional tectonics. The second section, where appropriate, is a listing of publicly obtainable well and subsurface data which is archived by the State of Alaska in Anchorage.

Alaska Division of Geological and Geophysical Surveys, 1983, List of Division of Geological and Geophysical Survey Reports by region and quadrangle:
Alaska Division of Geological and Geophysical Surveys, Information Circular 27, 46 p.

Alaska Geology Branch, 1978-1983, Monthly Alaskan literature compilation:
Alaska Geology Branch, Technical Data Unit, Menlo Park, California,
unpublished reports.

Bureau of Mines, 1981, Bureau of Mines Publications on Alaska, 1911-1981:
U.S. Department of the Interior, Bureau of Mines, Juneau, Alaska, 63 p.

Cobb, E. H., 1974a, Geological Survey published reports on Alaska, 1884-1914,
indexed by quadrangle: U.S. Geological Survey Open-file Report 74-345,
130 p.

_____, 1974b, Geological Survey published reports on Alaska, 1915-1939,
indexed by quadrangle: U.S. Geological Survey Open-file Report 74-335,
163 p.

_____, 1974c, Geological Survey published reports on Alaska, 1940-1959,
indexed by quadrangle: U.S. Geological Survey Open-file Report 74-261, 75
p.

_____, 1974d, Geological Survey published maps (other than topographic maps)
of Alaska indexed by quadrangle: U.S. Geological Survey Open-file Report
74-84, 38 p.

_____, 1974e, Reports of the Alaska Division of Geological and Geophysical
Surveys and predecessor agencies, 1913-1973, indexed by quadrangle: U.S.
Geological Survey Open-file Report 74-209.

_____, 1974f, Selected U.S. Bureau of Mines reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-file Report 74-52, 40 p.

_____, 1975, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1974, indexed by quadrangle: U.S. Geological Survey Open-file Report 75-128, 50 p.

_____, 1976, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1975, indexed by quadrangle: U.S. Geological Survey Open-file Report 76-332, 95 p.

_____, 1977, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1976, indexed by quadrangle: U.S. Geological Survey Open-file Report 77-177, 115 p.

_____, 1978, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1977, indexed by quadrangle: U.S. Geological Survey Open-file 78-283, 100 p.

_____, 1979a, Alaskan papers and abstracts published in American Association of Petroleum Geologists Bulletin, 1950-1978, indexed by quadrangle: U.S. Geological Survey Open-file Report 79-1475, 84 p.

_____, 1979b, Alaskan papers and abstracts published by the Geological Society of America, 1890-1978, indexed by quadrangle: U.S. Geological Survey Open-file Report 79-1640, 206 p.

_____, 1979c, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1978, indexed by quadrangle: U.S. Geological Survey Open-file Report 79-706, 191 p.

Emmel, K. S., and Coonrad, P. L., compilers, 1982, Geological literature on the Copper River and middle Tanana river basins, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.

Fritts, Crawford E., and Brown, Mildred E., 1971a, Bibliography of Alaskan Geology, 1831-1918: Alaska Division of Geological Survey, College, Alaska, 88 p.

_____, 1971b, Bibliography of Alaskan Geology, 1919-1949: Alaska Division of Geological Survey, College, Alaska, 92 p.

_____, 1971c, Bibliography of Alaskan Geology, 1950-1959: Alaska Division of Geological Survey, College, Alaska, 83 p.

_____, 1971d, Bibliography of Alaskan Geology, 1960-1964: Alaska Division of Geological Survey, College, Alaska, 81 p.

Fritts, Crawford E., and Tuell, Ellen J., 1972, Bibliography of Alaskan Geology, 1965-1968: Alaska Division of Geological Survey, College, Alaska, 112 p.

Fritts, Crawford E., Zesign, Elizabeth A., Tuell, Ellen J., and Brown, Mildred E., 1972, Bibliography of Alaskan Geology, 1969-1971: Alaska Division of Geological Survey, College, Alaska, 94 p.

Grantz, Arthur, and Kirschner, C. E., 1975, Tectonic framework of petroliferous rocks in Alaska: U.S. Geological Survey Open-file Report 75-149, 44 p.

Merritt, R. D., Eakins, G. R., and Clough, J. G., 1982, Coal investigation of the Susitna Lowland, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 142, 89 p.




FIGURE 1. - Index map of the sedimentary basins and exploratory wells covered by this report.

INTERIOR GENERAL

- Alaska Division of Geological and Geophysical Surveys, 1983, List of DGGs Reports by region and quadrangle: Alaska Division of Geological and Geophysical Surveys, Information Circular 27, 46 p.
- Arbenz, J. K., 1977, Overview of Alaska plate tectonics (abs.): American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 463-464.
- Barnes, D. F., 1967, Four preliminary gravity maps of parts of Alaska: U.S. Geological Survey Open-file Report (67-10), 5 p.
- _____, 1975, Tectonic implications gained from gravity and aeromagnetic measurements in Alaska (abs.), in Forbes, R. B., ed., Contributions to the geology of the Bering Sea Basin and adjacent regions: Geological Society of America Special Paper 151, p. 189.
- _____, 1976, Gravitational evidence for more Alaskan sedimentary basins (abs.): American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2174-2175.
- _____, 1977a, Bouger gravity map of Alaska: U.S. Geological Survey Geophysical Investigations Map GP-913, 1 sheet, scale 1:2,500,000.
- _____, 1977b, Gravity map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Map 77-169C, 1 sheet, scale 1:1,000,000.
- _____, 1977c, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169H, 1 sheet, scale 1:250,000.
- _____, 1977d, Preliminary Bouger gravity map of central Alaska: U.S. Geological Survey Open-file Map 77-168C, 1 sheet, scale 1:1,000,000.
- Beikman, H. M., 1974a, Preliminary geologic map of the southeast quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-612, scale 1:1,000,000.
- _____, 1974b, Preliminary geologic map of the southwest quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-611, 2 sheets, scale 1:1,000,000.
- _____, 1974c, Preliminary geologic map of the southeast quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-612, 2 sheets, scale 1:1,000,000.
- Beikman, H. M., Holloway, C. O., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file map 77-169B, 1 sheet, scale 1:1,000,000.
- Beikman, H. H., and Lathram, E. H., 1976, Preliminary geologic map of northern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-789, 2 sheets, scale 1:1,000,000.

- Biske, S. F., 1970, Correlation of Tertiary non-marine sediments in Alaska and northeastern Asia (abs.): American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2569-2470.
- Bureau of Mines, 1981, Bureau of Mines Publications on Alaska, 1911-1981: U.S. Department of the Interior, Bureau of Mines, Juneau, Alaska, 63 p.
- Churkin, Michael, Jr., 1973, Paleozoic and Precambrian rocks of Alaska and their role in its structural evolution: U.S. Geological Survey Professional Paper 740, 64 p.
- Cobb, E. H., 1979a, Alaskan papers and abstracts published by the Geological Society of America, 1890-1978, indexed by quadrangle: U.S. Geological Survey Open-file Report 79-1640.
- _____, 1979b, Selected Geologic Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1978, indexed by quadrangle: U.S. Geological Survey Open-file Report 79-706, 187 p.
- Decker, J. E., and Karl, Susan, 1977a, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168E, scale 1:1,000,000.
- _____, 1977b, Preliminary aeromagnetic profile of central Alaska: U.S. Geological Survey Open-file Report 77-168F, 1 sheet, scale 1:1,000,000.
- Dutro, J. T., Jr., 1960, Correlation chart of Paleozoic rocks in Alaska: U.S. Geological Survey Open-file Report 186, 1 sheet.
- Eberlein, G. D., Gassaway, J. S., and Beikman, H. M., 1977, Preliminary geologic map of central Alaska: U.S. Geological Survey Open-file Map 77-168A, 1 sheet, scale 1:1,000,000.
- Ehm, Arlen, 1983, Oil and Gas Basins Map of Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 32, scale 1:2,500,000.
- Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168G, 1 sheet, scale 1:1,000,000.
- Gedney, L. D., Shapiro, L. H., Van Wormer, J. D., and Weber, F. R., 1972, Correlation of epicenters with mapped faults, east-central Alaska, 1968-1971: United States Geological Survey Open-file Report 72-128, 7 p., scale 1:1,000,000, 1 sheet.
- Gilbert, W. G., 1979, Problems of Paleozoic correlation in central Alaska: given at 7th Geoscience Forum, Whitehorse, Yukon Territory, 1979, Mines and Geology, v. 28, no. 4, p. 5.
- Grantz, Arthur, 1966, Strike-slip faults in Alaska: U.S. Geological Survey Open-file Report (66-53), 82 p.

- Grantz, Arthur, and Kirschner, C. E., 1975, Tectonic framework of petroliferous rocks in Alaska: U.S. Geological Survey Open-file Report 75-149, 44 p.
- Grantz, Arthur, and Zietz, Isidore, 1960, Possible significance of broad magnetic highs over belts of moderately deformed sedimentary rocks in Alaska and California, in Geological Survey research 1960: U.S. Geological Survey Professional Paper 400-B, p. 8342-8347.
- Grantz, Arthur and (16) others, 1982, A continent-ocean transect (Corridor A-3) across central Alaska from the Pacific to the Arctic (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 501.
- Harley, P. T., and others, 1982, A handbook for management of oil and gas activities on lands in Alaska: U.S. Department of Interior Fish and Wildlife Service, FWS/OBS-80/23.
- Hite, D. M., and Nakayama, E. M., 1980, Present and potential petroleum basins of Alaska, in Landwehr, M. L., ed., New ideas, new methods, new developments, Institute on petroleum exploration and economics: Dallas, Texas, March 5-6, p. 511-560.
- Hollick, Arthur, 1930, The Upper Cretaceous floras of Alaska, with a description of the plant-bearing beds, by G. C. Martin: U.S. Geological Survey Professional Paper 159, 123 p.
- _____, 1936, The Tertiary floras of Alaska, with a chapter on the geology of the Tertiary deposits, by P. S. Smith: U.S. Geological Survey Professional Paper 182, 185 p.
- Imlay, R. W., and Detterman, R. L., 1973, Jurassic paleobiogeography of Alaska: U.S. Geological Survey Professional Paper 801, 34 p.
- Imlay, R. W., and Reeside, J. B., Jr., 1954, Correlation of the Cretaceous formations of Greenland and Alaska: Geological Society of America Bulletin, v. 65, no. 3, p. 223-246.
- Jones, D. L., Cox, Allan, Coney, Peter, and Beck, Myrd, 1982, The growth of western North America: Scientific American, v. 247, no. 5, p. 70-84.
- Jones, D. L., and Silberling, N. J., 1979, Mesozoic stratigraphy--The key to tectonic analysis of southern and central Alaska: U.S. Geological Survey Open-file Report 79-1200, 41 p.
- _____, 1982, Mesozoic stratigraphy - the key to tectonic analysis of southern and central Alaska, in Leviton, A. E., and others, ed., Frontiers of geological exploration of western North America: San Francisco, California, American Association of Petroleum Geologists, Pacific Division, p. 139-153.
- Jones, D. L., Silberling, N. J., Berg, H. C., and Plafker, George, 1981, Map showing tectonostratigraphic terranes of Alaska, columnar sections, and summary descriptions of terranes: U.S. Geological Survey Open-file Report 81-792, 20 p. + 2 pl., scale 1:2,500,000.

- Jones, D. L., Silberling, N. J., and Coney, P. J., 1982, Timing of major accretionary events in Alaska (abs.): EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 913-914.
- King, E. R., 1961, An aeromagnetic profile from Anchorage to Nome, Alaska: Geophysics, v. 26, no. 6, p. 716-726.
- Klein, R. M., Lyle, W. M., Dobey, P. L., and O'Conner, K. M., 1974, Energy and mineral resources of Alaska and impact of Federal Land policies on their availability, state of Alaska: Department of Natural Resources, Division of Geological and Geophysical Surveys Open-file Report 50.
- Lyle, W. M., and Bragg, N. J., 1974, Coal bibliography for Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-41, 31 p.
- MacNeil, F. S., Wolfe, J. A., Miller, D. J., and Hopkins, D. M., 1961, Correlations of Tertiary formations of Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1801-1809.
- Martin, G. C., 1926, The Mesozoic stratigraphy of Alaska: U.S. Geological Survey Bulletin 776, 493 p.
- McGee, D. L., and O'Connor, K. M., 1975, Mineral resource of Alaska and the impact of federal land policies on their availability, coal: Alaska Division of Geological and Geophysical Surveys Open-file Report 51, 29 p.
- Mertie, J. B., Jr., 1930, Mountain building in Alaska: American Journal of Science, 5th series, v. 20, p. 101-124.
- Miller, D. J., Payne, T. G., and Gryc, George, 1959, Geology of possible petroleum provinces in Alaska, with an annotated bibliography by E. H. Cobb: U.S. Geological Survey Bulletin 1094, 131 p.
- Miller, T. P., 1973, Distribution and chemical analyses of thermal springs in Alaska: U.S. Geological Survey Open-file Report (73-187), 1 sheet.
- Miller, T. P., Barnes, Ivan, and Patton, W. W., Jr., 1973, Geologic setting and chemical characteristics of hot springs in central and western Alaska: U.S. Geological Survey Open-file Report (73-188), 19 p.
- Morrone, J. F., compiler, 1982a, Bibliography of Alaskan geologic maps by 1:250,000 quadrangle: U.S. Geological Survey Open-file Report 82-195, 70 p.
- Mulligan, J. J., 1982, Coals in Alaska: Society of Mining Engineers, American Institute of Mining Engineers Preprint 82-412, 4 p.
- Oliver, W. A., Jr., Merriam, C. W., and Churkin, Michael, Jr., 1975, Ordovician, Silurian, and Devonian corals of Alaska: U.S. Geological Survey Professional Paper 823-B, p. 13-44.
- Patton, W. W., Jr., 1978, Maps and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1F, scale 1:1,000,000.

- Payne, T. G., 1955, Mesozoic and Cenozoic tectonic elements of Alaska: U.S. Geological Survey Miscellaneous Geology Investigations Map I-84, scale 1:5,000,000.
- Templeman-Kluit, D. J., 1976, The Yukon-Crystalline Terrane: Enigma in the Canadian Cordillera: Geological Society of America Bulletin, v. 87, no. 9, p. 1343-1357.
- U.S. Bureau of Mines, 1946, Analyses of Alaska coals, with a section on Coal Fields of Alaska, by George O. Gates: U.S. Bureau of Mines Technical Paper 682, 114 p.
- U.S. Geological Survey, 1983, Annual Report on Alaska's Mineral Resources: U.S. Geological Survey Circular 908, 48 p.
- Varnes, K. L., Charpentier, R. R., and Dolton, G. L., 1982, Conditional estimates and marginal probabilities for undiscovered recoverable oil and gas resources by province - statistical background data for U.S. Geological Survey Circular 860: U.S. Geological Survey Open-file Report 82-666A, 30 p.
- Varnes, K. L., and Dolton, G. L., 1982, Estimated areas and volumes of sedimentary rock in the United States by province - statistical background data for U.S. Geological Survey Circular 860: U.S. Geological Survey Open-file Report 82-666C, 12 p.
- Wolfe, J. A., and Tanai, T., 1980, The Miocene Seldovia Point flora from the Kenai Group, Alaska: U.S. Geological Survey Professional Paper 1105, 52 p.

BETHEL BASIN

A. General

Alaska Division of Geological and Geophysical Surveys, 1973a, Aeromagnetic map, Goodnews Quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 15, 1 sheet, scale 1:250,000.

_____, 1973b, Aeromagnetic map, southeast Bethel Quadrangle: Alaska Division of Geological and Geophysical Surveys Open-file Report 14, 1 sheet, scale 1:250,000.

Box, S. E., 1983, Tectonic synthesis of Mesozoic histories of the Togiak and Goodnews terranes, S. W. Alaska (abs.): Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 406.

Cady, W. M., Wallace, R. E., Hoare, J. M., and Webber, E. J., 1955, The central Kuskokwim region, Alaska: U.S. Geological Survey Professional Paper 268, scale 1:250,000.

Coonrad, W. L., 1957, Geologic reconnaissance in the Yukon-Kuskokwim delta region, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-223, 1 sheet, scale 1:500,000.

Dempsey, W. J., 1955, Aeromagnetic surveys across the Koyukuk geosyncline and Bethel basin, west-central Alaska (abs.): Geological Society of America Bulletin, v. 66, no. 12, p. 1702.

Dempsey, W. J., Meuchke, J. L., and Andreasen, G. E., 1957, Total intensity aeromagnetic profiles of Bethel Basin, Alaska: U.S. Geological Survey Open-file Report (57-33), 3 sheets.

Dupre, W. R., 1977, Late Quaternary history of the Yukon-Kuskokwim delta complex, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 9, no. 4, p. 413.

Eardley, A. J., 1938, Yukon channel shifting: Geological Society of America Bulletin, v. 49, no. 3, p. 343-357.

Globerman, B. R., Coe, R. S., Hoare, J. M., Decker, John, 1983, Paleomagnetism of Lower Cretaceous tuffs from Yukon-Kuskokwim delta region, western Alaska: Nature, v. 305, no. 5934, p. 516-520.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemester Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hoare, J. M., 1952, Analysis of the stratigraphy in the lower Kuskokwim region, Alaska (abs.): Geological Society of America Bulletin, v. 63, no. 12, p. 1332.

_____, 1961a, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 594-611.

- _____, 1961b, Preliminary geology along the lower Yukon River, Alaska: U.S. Geological Survey Open-file Map (61-64), 1 sheet, scale 1:500,000.
- _____, 1969, Geology and petrology of the volcanic rocks of Nunivak Island, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 1, pt. 3, p. 25.
- _____, 1970, Bering Sea basalts: their sequence and origin (abs.): American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2486.
- Hoare, J. M., and Condon, W. H., 1966, Geologic map of the Kwiguk and Black quadrangles, western Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-469, scale 1:250,000.
- _____, 1968a, Geologic map of the Hooper Bay quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-523, scale 1:250,000.
- _____, 1968b, Occurrence and origin of eclogite and peridotite inclusions in volcanic rocks of Nunivak Island, Alaska (abs.): Geological Society of America Special Paper 101, p. 311.
- _____, 1971, Geologic map of the Marshall quadrangle, western Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-668, scale 1:250,000.
- Hoare, J. M., Condon, W. H., Cox, Allan, and Dalrymple, G. B., 1968, Geology, paleomagnetism, and potassium-argon ages of basalts from Nunivak Island, Alaska, in Coats, R. R., Hay, R. L., and Anderson, C. A., eds., Studies in volcanology: Geological Society of America Memoir 116, p. 377-413.
- Hoare, J. M., Condon, W. H., and Patton, W. W., Jr., 1964, Occurrence and origin of laumontite in Cretaceous sedimentary rocks in western Alaska, in Geological Survey research 1964: U.S. Geological Survey Professional Paper 501-C, p. C74-C78.
- Hoare, J. M., and Conrad, W. L., 1959a, Geology of the Bethel quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-285, scale 1:250,000.
- _____, 1959b, Geology of the Russian Mission quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-292, scale 1:250,000.
- _____, 1961, Geologic map of the Goodnews quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-339, scale 1:250,000.
- _____, 1962, Preliminary geologic map of lower Yukon-Norton sound region, Alaska: U.S. Geological Survey Open-file map (62-62), 1 sheet, scale 1:500,000.
- _____, 1978a, Geologic map of the Goodnews and Hagemeister Islands quadrangles region, southwest Alaska: U.S. Geological Survey Open-file Report 78-98, scale 1:250,000.

- _____, 1978b, New geologic map of the Goodnews-Hagemeister Island quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. 850-855, B112-B113.
- _____, 1980, The Togiak Basalt, a new formation in southwestern Alaska: U.S. Geological Survey Bulletin 1482-C, p. C1-C11.
- _____, 1983a, Graywacke of Buchia Ridge and correlative lower Cretaceous rocks in the Goodnews Bay and Bethel quadrangles, southwestern Alaska: U.S. Geological Survey Bulletin 1529-C, p. C1-C17.
- _____, 1983b, Summit Island Formation, A new Upper Cretaceous Formation in southwestern Alaska: U.S. Geological Survey Bulletin 1529-B p. B1-B18.
- Hoare, J. M., Coonrad, W. L., Detterman, R. L., and Jones, D. L., 1975, Preliminary geologic map of the Goodnews A-3 quadrangle and parts of the A-2 and B-2 quadrangles, Alaska: U.S. Geological Survey Open-file Report 75-308, scale 1:63,360.
- Hoare, J. M., and Jones, D. L., 1981, Lower Paleozoic radiolarian chert and Associated rocks in the Tikehik Lakes area, southwestern Alaska, in Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B44-B454.
- Karl, Susan, and Hoare, J. M., 1979, Results of a preliminary paleomagnetic study of volcanic rocks from Nuyakuk Lakes southwestern Alaska; in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B74-B78.
- Lyle, W. M., Palmer, I. F., Jr., Bolm, J. C., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
- Mark, R. K., 1972, Strontium isotopic study of basalts from Nunivak Island, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 4, no. 3, p. 194-195.
- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2., p. 161-183.
- Palmer, I. F., Bolm, J. G., Flett, T., Lyle, W. M., Morehouse, J. A., Riehle, J., and Emmel, K. S., 1979, Hydrocarbon reservoir and source rock characteristics from selected areas of western Alaska, in Johnson, K. M., and Williams, J. R., eds., The United Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B86.

- Patricelli, J. A., Timmcke, T. A., and Abbott, W. H., 1982, Biostratigraphy, thermal maturity, and visual kerogen analysis of the Pan American Napatuk Creek No. 1, Bethel Basin, Alaska: Alaska Geological Society Symposium, Anchorage, Alaska, 1982, p. 40.
- Russell, I. C., 1890, Notes on the surface geology of Alaska: Geological Society of America Bulletin, v. 1, p. 99-162.
- Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemelster Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.
- Wilson, F. H., and Turner, D. L., 1975, Radiometric age map of Alaska--southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-84, 12 p., + map.

8. Publicly available well/subsurface data:

Terminated Development Contracts: (Reports available from U.S. Geological Survey Public Inquiries Office, Room 108, Skyline Building, 508 2nd Avenue, Anchorage, Alaska 99510.

Pan American Petroleum Corporation, 1960, Baird Inlet Development Contract, Bethel Basin, Alaska: (Geological memorandum, two seismic maps).

Shell Oil Company, 1960, Bethel Basin Project, Bethel Basin, Alaska: (Project Report, Reference Map.)

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date completed</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Reports(2)</u>	<u>Other(1)</u>
Pan American Petroleum Corporation	#1 Napatuk Creek	7N/78W/sec. 34	14,910	10/1/61	yes	yes	pyrolysis - fluorescence and vitrinite reflectance studies Biostratigraphy, visual kerogen analysis, and thermal maturation studies	palynology slides TAI/kerogen slides thin-sections of ditch spls. thin-sections of core chips vitrinite reflectance slides/plugs

1. Examination of slides and samples at the Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99501.

2. Reports and logs available from Petroleum Information, P.O. Box 10-2778, Anchorage, Alaska 99510.

COPPER RIVER BASIN

A. General

- Alaska Division of Geological and Geophysical Surveys, 1973, Aeromagnetic map, northeast corner of Gulkana Quadrangle, Alaska: Division of Geological and Geophysical Surveys Open-file Report 12, scale 1:250,000.
- Andreason, G. E., Dempsey, W. J., Henderson, J. R., and Gilbert, F. P., 1958, Aeromagnetic map of the Copper River Basin, Alaska: U.S. Geological Survey Investigations GP-156; scale 1:125,000.
- Andreason, G. E., Grantz, A., Zietz, Isidore, and Barnes, D. F., 1964, Geologic interpretation of magnetic and gravity data in the Copper River basin, Alaska: U.S. Geological Survey Professional Paper 316-H, p. 135-153.
- Armstrong, A. K., and MacKevett, E. M., Jr., 1977, The Triassic Chitistone Limestone, Wrangell Mountains, Alaska stressing detailed descriptions of sabkha facies and other rocks in lower parts of the Chitistone and their relations to Kennecott-type Copper deposits. U.S. Geological Survey Open-file Report 77-217, 72 p.
- , 1982, Stratigraphy and diagenetic history of the lower part of the Triassic Chitistone Limestone, Alaska: U.S. Geological Survey Professional Paper 1212-A, 26 p.
- Armstrong, A. K., MacKevett, E. M., and Silberling, N. J., 1970, The Chitistone and Nizina Limestones of the southern Wrangell Mountains, Alaska - a preliminary report stressing carbonate petrography and depositional environments: U.S. Geological Survey Professional Paper 650-D, p. D49-D62.
- Barker, F., and Grantz, A., 1982, Talkeetna formation in the southeastern Talkeetna mountains, southern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, p. 176.
- Barnes, D. F., 1977, Gravity map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-C, scale 1:1,000,000.
- Barnes, F. F., 1962, Geologic map of lower Matanuska Valley, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-359, scale 1:63,360.
- Beikman, H. M., 1974, Preliminary geologic map of the southeast quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-612, scale 1:1,000,000, 2 sheets.
- Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-8, scale 1:1,000,000.

- Berg, H. C., Jones, D. L., and Richter, D. H., 1972, Gravina-Nutzotin belt - Tectonic significance of an upper Mesozoic sedimentary and volcanic sequence in southern and southeastern Alaska, in Geological Survey research 1972: U.S. Geological Survey Professional Paper 800-D, p. D1-D24.
- Burns, L. E., Little, T. A., Newberry, R. J., Decker, J. E., and Pessel, G. H., 1983, Preliminary geologic map of parts of the Anchorage C-2, C-3, D-2, and D-3 quadrangles, Alaska: Alaska Division of Geological and Geophysical Report of Investigations Series map, 3 pl., scale 1:25,000.
- Chapin, T., 1918, The Nelchina-Susitna Region, Alaska: U.S. Geological Survey Bulletin 668, 67 p.
- Churkin, Michael, Jr., and Brabb, E. E., 1968, Permian stratigraphy and potential source of copper on south flank of eastern Alaska Range: U.S. Geological Survey Professional Paper 600-A, p. 40.
- Clardy, B. I., 1974, Origin of the Lower and Middle Tertiary Wishbone and Tsadka Formation, Matanuska Valley, Alaska: Fairbanks, Alaska, University of Alaska, M.S. thesis, 69 p.
- Csejtey, Béla, Jr., 1976, Tectonic implications of a late Paleozoic volcanic arc in the Talkeetna Mountains, south-central Alaska: *Geology*, v. 4, p. 49-52.
- Csejtey, Béla, Jr., Cox, D. P., Evarts, R. C., Stricker, G. D., and Foster, H. L., 1982, The Cenozoic Denali fault system and the Cretaceous accretionary development of southern Alaska: *Journal of Geophysical Research*, v. 87, no. 5, p. 3741-3754.
- Decker, J. E., and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Map 77-168A, scale 1:1,000,000.
- Decker, John, and Plafker, George, 1983, The Chugach Terrane - A Cretaceous subduction complex in southern Alaska (abs.): *Geological Society of America Abstracts with Programs*, v. 15, no. 5, p. 386.
- Emmel, K. S., and Coonrod, P. L., compilers, 1982, Geological literature on the Copper River and middle Tanana river basins, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
- Ferrians, O. J., 1966, Effects of the earthquake of March 27, 1964, in the Copper River basin area, Alaska: U.S. Geological Survey Professional Paper 543-E, p. E1-E28.
- Forbes, R. B., Carden, J. R., and Zdepski, J. M., 1977, The origin of low-level airborne radiometric anomalies in the Copper River basin region, Alaska: Boulder, U.S. Department of Energy Report GJBX-62(77), 57 p.
- Grantz, A., 1960, Generalized geologic map of the Nelchina area, Alaska, showing igneous rocks and larger faults: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-312, scale 1:96,000.

- _____, 1964, Stratigraphic reconnaissance of the Matanuska Formation in the Matanuska Valley, Alaska: U.S. Geological Survey Bulletin 1181-I, p. 11-133.
- _____, 1965, Geologic map and cross-sections of the Nelchina area: U.S. Geological Survey open-file report 255, 4 sheets.
- Grantz, A., and Fay, L. F., 1964, Geologic road log of the Matanuska Valley, Sutton to Caribou Creek, in Guidebook, field trip routes, Anchorage to Sutton, 1963, Sutton to Caribou Creek, 1964- Oil fields, earthquake, geology: Anchorage, Alaska, Alaska Geological Society, p. 16-22.
- Grantz, A., and Jones, D. L., 1960, Stratigraphy and age of the Matanuska formation, south-central Alaska: U.S. Geological Survey Professional Paper 400-B, p. 8347-8350.
- Grantz, A., Jones, D. L., and Lanphere, M. A., 1966, Stratigraphy, paleontology, and isotopic ages of upper Mesozoic rocks in the southwestern Wrangell Mountains, Alaska: U.S. Geological Survey Professional Paper 550-C, p. C39-C47.
- Grantz, A., White, D. E., Whitehead, H. C., and Togg, A. R., 1962, Saline springs, Copper River lowland, Alaska: American Association of Petroleum Geologists, v. 46, no. 11, p. 1990-2002.
- Henning, M. W., 1973, Geology and mineral review of the Bremner River drainage: Alaska Division of Geological and Geophysical Surveys Open-file Report 24, 13 p.
- Henning, M. W., and Dobey, P. L., 1973, Geologic and mineral evaluation of the Chitina and Bremner River drainage basins: Alaska Division of Geological and Geophysical Surveys Open-file Report 25, 25 p.
- Hillhouse, J. W., 1977, Paleomagnetism of the Triassic Nikolai greenstone, McCarthy quadrangle, Alaska: EOS, (American Geophysical Union Transactions) v. 58, p. 743.
- Hoffman, B. L., 1974, Geology of the Barnard Mountain area, Tonsina, Alaska: Fairbanks, Alaska, University of Alaska, M.S. thesis, 68 p.
- Jasper, M. W., 1967, Geochemical investigations along the Valdez to Chitina Highway in south-central Alaska, 1966: Alaska Division of Mines and Minerals Geochemical Report 15, 19 p.
- Jones, D. L., 1963, Upper Cretaceous (Campanian and Maestrichtian) ammonites from southern Alaska: U.S. Geological Survey Professional Paper 43, 53 p.
- _____, 1967, Cretaceous ammonites from the lower part of the Matanuska Formation, southern Alaska: U.S. Geological Survey Professional Paper 547, 49 p.
- Jones, D. L., and MacKevett, E. M., Jr., 1969, Summary of Cretaceous stratigraphy in part of the McCarthy quadrangle, Alaska: U.S. Geological Survey Bulletin 1274-K, 19 p.

- Mackevett, E. M., Jr., 1970a, Geology of the McCarthy B-4 quadrangle, Alaska: U.S. Geological Survey Bulletin 1333, p. 31.
- , 1970b, Geologic map of the McCarthy C-5 quadrangle, Alaska: U.S. Geological Survey GQ-899, scale 1:63,360.
- , 1971, Stratigraphy and general geology of the McCarthy C-5 quadrangle, Alaska: U.S. Geological Survey Bulletin 1323.
- , 1972, Geologic map of the McCarthy C-6 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-979, scale 1:63,360.
- , 1976, Folio of the McCarthy quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Map MF-773A, scale 1:250,000.
- Mackevett, E. M., Jr., and Plafker, George, 1974, The Border Ranges fault in south-central Alaska: U.S. Geological Survey Journal of Research, v. 2, no. 3, p. 323-329.
- Mackevett, E. M., Jr., and Smith, J. G., 1972, Geologic map of the McCarthy B-6 quadrangle Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-1035, scale 1:63,360.
- Mendenhall, W. C., 1905, Geology of the central Copper River Region, Alaska: U.S. Geological Survey Professional Paper 41, 133 p.
- Moffitt, F. H., 1912, Headwater regions of Gulkana and Susitna Rivers Alaska: U.S. Geological Survey Bulletin 498, 82 p.
- , 1938, Geology of the Chitina valley and adjacent area, Alaska: U.S. Geological Survey Bulletin 894, 137 p.
- , 1954, Geology of the eastern part of the Alaska Range and adjacent area: U.S. Geological Survey Bulletin 989-D, 218 p.
- Nichols, D. R., and Yehle, L. A., 1961, Analyses of gas and water from two mineral springs in the Copper River basin, Alaska, in Geological Survey research 1961: U.S. Geological Survey Professional Paper 424-D, p. D191-D194.
- , 1969, Engineering geologic map of the southeastern Copper River basin, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-524, scale 1:125,000.
- Pavlis, T. L., 1982, Origin and age of the Border Ranges fault of southern Alaska and its bearing on the late Mesozoic tectonic evolution of Alaska: Tectonics, v. 1, p. 343-368.
- Reitsema, R. H., 1979, Gases of mud volcanoes in the Copper River Basin, Alaska: Geochimica et Cosmochimica Acta, v. 43, no. 2, p. 183-187.
- Richter, D. H., 1964, Geology and mineral deposits of the Ahtell Creek area, Slana district, south-central Alaska: Alaska Division of Mines and Minerals Geologic Report 6, 17 p.

- _____, 1965, Geochemical investigation of the Slana district, south-central Alaska, 1963 and 1964: Alaska Division of Mines and Minerals Geochemical Report 2, 14 p.
- _____, 1966, Geology of the Slana District, south-central Alaska: Alaska Division of Mines and Minerals Geologic Report 21, 51 p.
- Richter, D. H., and Matson, N. A., Jr., 1971, Quaternary faulting in the eastern Alaska Range: Geological Society of America Bulletin, v. 82, p. 1529-1540.
- Richter, D. H., Smith, R. L., Yehle, L. A., and Miller, T. P., 1979, Geologic map of the Gulkana A-2 Quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-1520, scale 1:63,360.
- Rose, A. W., and Saunders, R. H., 1965, Geology and geochemical investigations near Paxson, northern Copper River basin, Alaska: Alaska Division of Mines and Minerals Geologic Report 13, 35 p.
- Saunders, R. H., and Rose, A. W., 1965, Geology and geochemical investigations near Paxson, northern Copper River Basin, Alaska: Division of Mines and Minerals Geologic Report 13, 35 p.
- Schrader, F. C., 1900, A reconnaissance of a part of Prince William Sound and the Copper River district, Alaska, in 1898: U.S. Geological Survey 20th Annual Report, p. 347-423.
- Silberling, N. J., and Richter, D. H., 1979, Recognition of Wrangellia in the Talkeetna and Clearwater Mountains, south-central Alaska (abs.): Geological Society of America Abstracts with Programs, v. 11, no. 7, p. 517.
- Steele, W. C., LeCompte, J. R., and Albert, N. R. D., 1979, Landsat data interpretation for various AMRAP quadrangles, Alaska, in Johnson, K. M., and Williams, J. R., eds., The U.S. Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B3-B4.
- Stephens, Christopher, and Lahr, J. C., 1979, Seismicity in southern and southeastern Alaska, in Johnson, K. M., and Williams, J. R., eds., The U.S. Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B3-B4.
- U.S. Geological Survey, 1979, Aeromagnetic map of part of the Valdez 10 by 30 Quadrangle, Alaska: U.S. Geological Survey Open-file Report 79-381, scale 1:250,000.
- Warfield, R. S., 1962, Bituminous coal deposits of the Matanuska coal field, Alaska - Central and western parts, Wishbone (Hill) district: U.S. Bureau of Mines Report of Investigations 5950, 190 p.
- Winkler, G. R., 1983, The Peninsula and Chugach terranes, southern Alaska: their composition and timing of their amalgamation (abs.): Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 386.

B. Publicly available well/subsurface data:

Alaska Geological Society, 1969, Southwest to northeast stratigraphic correlation section, Eureka to Rainbow, Copper River Basin, Alaska: Anchorage, Alaska, Alaska Geological Society, 1 sheet.

Alaska Oil and Gas Conservation Commission, 1976, Copper River Basin well location map: Anchorage, Alaska, Alaska Oil and Gas Conservation Commission, 1 sheet, scale 1:250,000.

Terminated Development Contracts: (Reports available from U.S. Geological Survey Public Inquiries Office, Room 108, Skyline Building, 508 2nd Avenue, Anchorage, Alaska 99510).

Atlantic Richfield Company, 1962, Rainbow Development Contract, Copper River Basin, Alaska: (geologic report, generalized geological map, stratigraphic cross-section).

Pan American Petroleum Corporation, 1965, Tolsona Development Contract, Copper River Basin Alaska: (transmittal letter and combined geophysical-geological interpretation map).

Union Oil Company of California, 1966, Crosswind Development Contract, Copper River Basin, Alaska: (geologic report, structure contour map, stratigraphic section sample description).

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date completed</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Reports(2)</u>	<u>Other(1)</u>
Aledo Oil Company	Eureka #1	2N12E/sec. 9	4,818	10/3/56	yes	no		
Aledo Oil Company	Eureka #2	2N/10W/sec. 18	8,546	5/6/63	yes	yes		
Amoco Production Co.	Ahtna #1	6N/1W/sec. 18	7,928	4/16/80	yes	yes		
Amoco Production Co.	Ahtna #A-1	5N/1W/sec. 28	5,677	8/6/80	yes	yes	Carbon isotope analysis Magnetic suscep- tibility analysis	
Atlantic Refining Co.	Rainbow #1	8N/5W/sec. 31	3,000	12/19/65	yes	yes		Foram. slides paly. slides
Atlantic Refining Co.	Rainbow #2	8N/5W/sec. 1	2,795	1/26/66	yes	yes		Foram. slides paly. slides
Consolidated Allied & Embassy, Miami	Tawawe Lake Unit #1	4N/8W/sec. 24	6,721	1/17/70	yes	yes		
Copper Valley Machine Works	Alicia #1	4N/4W/sec. 22?	?	?	no	no		
Mobil Oil Company	Salmonberry Lake #1	6N/6W/sec. 24	7,912	3/14/64	yes	yes		
Pan American Oil Corp.	Moose Creek #1	4N/3W/sec. 29	7,867	3/15/63	yes	yes	paleontological report	thin-section of ditch samples
Union Oil Co. of Calif.	Tazlina #1	4N/7W/sec. 10	8,837	10/29/62	yes	yes		

1. Examination of slides and samples at Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99510.

2. Reports and logs available from Petroleum Information, P.O. Box 10-2278, Anchorage, Alaska 99510.

GALENA/INNOKO LOWLANDS

A. General

- Aero Service Division, 1980a, Airborne gamma ray spectrometer and magnetometer survey of Nulato quadrangle, Final Report, v. 1, Report GJBX-73: Grand Junction, Colorado, U.S. Department of Energy.
- _____, 1980b, Airborne gamma ray spectrometer and magnetometer survey of Unalakleet quadrangle, Final Report, v. 1, Report No. GJBX-74: Grand Junction, Colorado, U.S. Department of Energy.
- Bickel, R. S., and Patton, W. W., Jr., 1957, Preliminary geologic map of the Nulato and Kateel Rivers area, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-249, scale 1:125,000.
- Cady, W. M., Wallace, R. E., Hoare, J. M., and Webber, E. J., 1955, The central Kuskokwim region, Alaska: U.S. Geological Survey Professional Paper 268, 132 p., scale 1:250,000.
- Cass, J. T., 1957, Reconnaissance geologic map of the Kateel River quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-243, scale 1:250,000.
- _____, 1959a, Reconnaissance geologic map of the Melozitna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-396, scale 1:250,000.
- _____, 1959b, Reconnaissance geologic map of the Nulato quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-291, scale 1:250,000.
- _____, 1959c, Reconnaissance geologic map of the Unalakleet quadrangle: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-288, scale 1:250,000.
- Chapman, R. M., 1963, Coal deposits along the Yukon River between Ruby and Anvik, Alaska: U.S. Geological Survey Bulletin 1155, p. 18-29.
- Dempsey, W. J., Meuschke, J. L., and Andreasen, G. E., 1957a, Total intensity aeromagnetic profiles from Hogatza uplift, Alaska: U.S. Geological Survey Open-file Report (57-36), 1 sheet.
- _____, 1957b, Total intensity aeromagnetic profiles from Koyukuk, Alaska: U.S. Geological Survey Open-file Report (57-35), 2 sheets.
- _____, 1957c, Total intensity aeromagnetic profiles of west Hogatza, Alaska: U.S. Geological Survey Open-file Report (57-34), 1 sheet.
- Eakin, H. M., 1914, The Iditarod-Ruby region, Alaska: U.S. Geological Survey Bulletin 578, 45 p.
- _____, 1916, The Yukon-Koyukuk region, Alaska: U.S. Geological Survey Bulletin 631, 88 p.

- Hiestand, T. C., 1957, Reconnaissance of Koyukuk basin, Alaska, via helicopter (abs.): Geological Society of America Bulletin, v. 68, no. 12, p. 1864.
- Hoare, J. M., 1961, Preliminary geology along the lower Yukon River, Alaska: U.S. Geological Survey Open-file Map (61-64), 1 sheet, scale 1:500,000.
- Hoare, J. M., and Condon, W. H., 1962, Preliminary geologic map of lower Yukon-Norton Sound region, Alaska: U.S. Geological Survey Open-file Map (62-62), 1 sheet, scale 1:500,000.
- Hoare, J. M., Condon, W. H., and Patton, W. W., Jr., 1964, Occurrence and origin of laumontite in Cretaceous sedimentary rocks in western Alaska, in Geological Survey Research 1964: U.S. Geological Survey Professional paper 501-C, p. C74-C78.
- Jones, D. L., Silberling, N. J., and Coney, P. J., 1983, Oceanic terranes of north-central and northern Alaska: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 428.
- Mertie, J. B., Jr., 1937, The Kaiyuh Hills, Alaska: U.S. Geological Survey Bulletin 868-D, p. 145-177.
- Mertie, J. B., Jr., and Harrington, G. L., 1924, The Ruby-Kuskokwim region, Alaska: U.S. Geological Survey Bulletin 754, 129 p.
- Pacht, J. A., and Wallace, W. K., 1983, Sedimentology of Cretaceous Kuskokwim Group, southwestern Alaska: A borderland complex (abs.), in American Association of Petroleum Geologists Annual Convention, Dallas, Texas, 1983, Book of Abstracts, p. 140.
- Patton, W. W., Jr., 1966, Regional geology of the Kateel River quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-437, scale 1:250,000.
- _____, 1970, Petroleum possibilities of Yukon-Koyukuk province, Alaska: American Association of Petroleum Geologists Memoir 15, v. 1, p. 100-104.
- _____, 1973, Reconnaissance geology of the northern Yukon-Koyukuk province, Alaska: U.S. Geological Survey Professional Paper 774-A, p. A1-A17.
- _____, 1983, Yukon-Koyukuk basin -- key to the tectonics of western Alaska (abs.): Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 408.
- Patton, W. W., Jr., and Bickel, R. S., 1955, Preliminary report on the stratigraphy and structure of Cretaceous rocks on the Shaktolik and lower Yukon Rivers (abs.): Geological Society of America Bulletin, v. 66, no. 12, p. 1707.
- _____, 1956, Geologic map and sections along part of the lower Yukon River, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-197, scale 1:200,000.

- Patton, W. W., Jr., and Hoare, J. M., 1968, The Kaltag fault, west-central Alaska; in Geological Survey Research 1968; U.S. Geological Survey Professional Paper 600-D, p. D147-D153.
- Patton, W. W., Jr., Miller, T. P., Chapman, R. M., and Yeend, Warren, 1978, Geologic map of the Melozitna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-1071, scale 1:250,000.
- Schrader, F. C., 1900, Preliminary report on a reconnaissance along the Chandlar and Koyukuk Rivers, Alaska, in 1899: U.S. Geological Survey 21st Annual Report, pt. 2, p. 441-486.
- Smith, P. S., 1917, The Lake Clark-central Kuskokwim region, Alaska: U.S. Geological Survey Bulletin 655, 162 p.
- U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.
- Wilson, F. H., and Turner, D. L., 1975, Radiometric age map of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 85, 12 p., 1 sheet, scale 1:1,000,000.
- Zeitz, Isidore, Patton, W. W., Jr., and Dempsey, W. J., 1959, Preliminary interpretation of total intensity aeromagnetic profiles of the Koyukuk area, Alaska: U.S. Geological Survey Open-file Report (59-132), 6 p.

B. Publicly available well/subsurface data:

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date completed</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Reports(2)</u>	<u>Other(1)</u>
Paul G. Benedum and others	Nulato Unit #1	10S/1E/sec. 12 (Kateel River meridian)	12,015	5/27/60	yes	yes	Visual kerogen and thermal maturation (vitrinite reflectance) Analysis	Foram. slides Paly. slides Nannoplankton slides thin-sections of core chips thermal altera- tion/kerogen slides. Vitrinite reflectance slides/plugs

28

1. Examination of slides and samples at the Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99510.
2. Reports and logs available from Petroleum Information, P.O. Box 10-2278, Anchorage, Alaska 99510.

HOLITNA BASIN

A. General

Aero Service Division, 1980a, Airborne gamma ray spectrometer and magnetometer survey of Sleetmute quadrangle, Final Report, v. 1, Report No. GJBX-79: Grand Junction, Colorado, U.S. Department of Energy.

_____, 1980b, Airborne gamma ray spectrometer and magnetometer survey of Iditarod quadrangle, Final Report, v. 1, Report No. GJBX-80: Grand Junction, Colorado, U.S. Department of Energy.

Barnes, D. F., 1973, U.S. Geological Survey, Alaskan gravity data, McGrath and Medfra quadrangles: U.S. Geological Survey Open-file Report (73-16), 2 sheets.

Bundtzen, T. K., Gilbert, W. G., and Blodgett, R. B., 1979, The Chilikadrotna Greenstone, an Upper Silurian metavolcanic sequence in the central Lake Clark quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 61, p. 31-35.

Bundtzen, T. K., and Laird, G. M., 1982, Geologic map of the Iditarod D-2 and eastern D-3 Quadrangles: Alaska Division of Geological and Geophysical Surveys Geologic Report 72, 1 sheet, scale 1:63,360.

Cady, W. M., Wallace, R. E., Hoare, J. M., and Webber, E. J., 1955, The central Kuskokwim region, Alaska: U.S. Geological Survey Professional Paper 268, 132 p, scale 1:250,000.

Eakins, G. R., Gilbert, W. G., and Bundtzen, T. K., 1978, Preliminary bedrock geology and mineral resources potential of west-central Lake Clark quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 118, 15 p.

Gilbert, W. G., 1982, Preliminary geologic map of the Cheeneetuk River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 153, 2 sheets, scale 1:63,360.

Hoare, J. M., 1961, Geology and tectonic setting of lower Kuskokwim-Bristol Bay region, Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 5, p. 594-611.

Lea, P. D., and Elias, S. A., 1983, Late Quaternary environments of the Holitna lowland, interior southwestern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 15, no. 6, p. 624-625.

Reed, B. L., and Elliott, R. L., 1970, Reconnaissance geologic map, analyses of bedrock and stream sediment samples, and an aeromagnetic map of parts of the southern Alaska Range: U.S. Geological Survey Open-file Report (70-271), scale 1:250,000.

Reed, B. L., and Lanphere, M. A., 1969, Age and chemistry of Mesozoic and Tertiary plutonic rocks in south-central Alaska: Geological Society of America Bulletin, v. 80, no. 1, p. 23-43.

- Smith, P. S., 1917, The Lake Clark-central Kuskokwim region, Alaska: U.S. Geological Survey Bulletin 655, 162 p.
- Spurr, J. E., 1900, A reconnaissance in southwestern Alaska in 1898: U.S. Geological Survey 20th Annual Report, part 7, p. 31-264.
- U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.
- Wallace, R. E., Cady, W. W., Webber, E. J., and Hoare, J. M., 1949, Thermal metamorphism in the central Kuskokwim region, Alaska (abs.): Geological Society of America Bulletin, v. 60, no. 12, p. 1946-1947.

MINCHUMINA BASIN

A. General

Aero Service Division, 1980a, Airborne gamma ray spectrometer and magnetometer survey of Medfra quadrangle, Final Report, v. 1, Report No. GJBX-76: Grand Junction, Colorado, U.S. Department of Energy.

_____, 1980b, Airborne gamma ray spectrometer and magnetometer survey of McGrath quadrangle, Final Report, v. 1, Report No. GJBX-77: Grand Junction, Colorado, U.S. Department of Energy.

Alaska Division of Geological and Geophysical Surveys, 1973, Aeromagnetic map, Talkeetna quadrangle, Alaska: Alaska Division Geological and Geophysical Surveys Open-file Map AOF-19, 1 sheet, scale 1:250,000.

Andreasen, G. E., 1960, Total intensity aeromagnetic profiles of the Minchumina area, Alaska: U.S. Geological Survey Open-file Report (60-8), 3 sheets.

Barnes, D. F., 1973, U.S. Geological Survey Alaskan gravity data, McGrath and Medfra quadrangles: U.S. Geological Survey Open-file (73-16), 2 sheets, scale 1:250,000.

Barnes, D. F., Olson, R. C., and Rambo, W. L., 1973, Tabulated gravity data from McGrath and Medfra quadrangles, Alaska: U.S. Geological Survey Open-file Report (73-17), 32 p.

Blodgett, R. B., 1983a, Paleobiogeographic affinities of Devonian fossils from the Nixon Fork terrane, southwestern Alaska, in Stevens, C. H., ed., 1983, Pre-Jurassic rocks in western North America suspect terranes: Los Angeles, California, Society of Economic Paleontologists and Mineralogists, p. 125-130.

_____, 1983b, Paleobiogeographic implications of Devonian fossils from the Nixon Fork Terrane, southwest Alaska: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 428.

Brooks, A. H., 1911, The Mount McKinley region, Alaska, with descriptions of the igneous rocks and of the Bonfield and Kantishna districts, by L. M. Prindle: U.S. Geological Survey Professional Paper 70, 234 p.

Bundtzen, T. K., 1979, Geology of the McGrath-Ophir area, Upper Kuskokwim region; given at Alaska Miners Association Convention, Anchorage, 1979: Mines and Geology Bulletin, v. 28, no. 4, p. 4-5.

Bundtzen, T. K., Kline, J. T., and Clough, J. G., 1982, Preliminary geologic map of the McGrath 8-2 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 149, 22 p., 1 sheet, scale 1:63,360.

Bundtzen, T. K., and Laird, G. M., 1980, Preliminary geology of the McGrath-upper Innoko River area, western interior Alaska: Alaska Division of Geological and Geophysical Surveys, Open-file Report 134, 35 p., 2 sheets, scale 1:63,360, 1:250,000.

- _____, 1983, Geologic map of the McGrath D-6 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 79, scale 1:63,360, 1 sheet.
- Bundtzen, T. K., and Turner, D. L., 1979, Geochronology of metamorphic and igneous rocks in Kantishna Hills, Mount McKinley quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 61, p. 25-30.
- Capps, S. R., 1919, The Kantishna region, Alaska: U.S. Geological Survey Bulletin 687, 116 p.
- Chapman, R. M., Churkin, Michael, Jr., Carter, Claire, and Trexler, J. H., Jr., 1981, Ordovician graptolites and early Paleozoic radiolarians in the Late Minchumina area date a regional shale and chert belt, in Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B32-B34.
- Churkin, Michael, Jr., Reed, B. L., Carter, Claire, and Winkler, G. R., 1977, Lower Paleozoic graptolitic section in the Terra Cotta Mountains, southern Alaska Range, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B37-B38.
- Clark, A. L., Clark, S. H. B., and Hawley, C. C., 1972, Significance of upper Paleozoic oceanic crust in the Upper Chulitna district, west-central Alaska Range, in Geological Paper 800-C, p. C95-C101.
- Collins, F. R., 1958, Vegetated sand dunes in central Alaska (abs.): Geological Society of America Bulletin, v. 69, no. 12, p. 1752.
- Dickey, D. B., 1982, Tertiary sedimentary rocks and tectonic implications of the Farewell fault zone, McGrath quadrangle, Alaska: Fairbanks, Alaska, M.S., University of Alaska, 54 p.
- Dutro, J. T., Jr., and Patton, W. W., Jr., 1981, Lower Paleozoic platform carbonate sequence in the Medfra quadrangle, west-central Alaska, in Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B42-B44.
- Eakin, H. M., 1918, The Cosna-Nowitna region, Alaska: U.S. Geological Survey Bulletin 667, 54 p.
- Gilbert, W. G., 1975, Outline of tectonic history of west-central Alaska Range (abs.): Geological Society of America Abstracts with Programs, v. 7, no. 3, p. 320.
- Gilbert, Wyatt, and Bundtzen, T. K., 1983a, Paleozoic stratigraphy of Farewell area, southwest Alaska Range, Alaska (abs.): Alaska Geological Society Symposium, New developments in the Paleozoic geology of Alaska and the Yukon, Anchorage, Alaska, 1983, Program and Abstracts, p. 10-11.

- _____, 1983b, Two-stage amalgamation of west-central Alaska (abs.): Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 428.
- Gilbert, W. G., and Solie, D. N., 1983, Preliminary bedrock geology of McGrath A-3 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 83-7, scale 1:40,000, 1 sheet.
- Gilbert, W. G., Solie, D. N., and Dickey, D. S., 1982, Preliminary geologic map of the McGrath B-3 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 148, 1 sheet, scale 1:40,000.
- Griscom, Andrew, 1979, Aeromagnetic and geologic interpretation maps of the Talkeetna quadrangle, Alaska: U.S. Geological Survey MF 870-B, scale 1:250,000.
- Henning, M. W., 1973, Geologic and mineral evaluation of the Navitna River drainage basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 23, 6 p.
- Herreid, Gordon, 1966a, Farewell area, central Alaska Range (abs.), in Alaska Division of Mines and Minerals Report for the year 1966: Juneau, Alaska, p. 82-83.
- _____, 1966b, Geology and geochemistry of the Nixon Fork area, Medfra quadrangle, Alaska: Alaska Division Mines and Minerals Geologic Report 22, 34 p.
- Jones, D. L., Silberling, N. J., Wardlaw, Bruce, and Richter, Don, 1981, Revised ages of Paleozoic and Mesozoic rocks in the Talkeetna quadrangle, south-central Alaska, in Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B; p. B46-B49.
- LeCompte, J. R., 1981, Maps showing interpretation of Landsat imagery of the Medfra quadrangle, Alaska: U.S. Geological Survey Open-file Report 80-811-D, 2 sheets, scale 1:250,000.
- MacDonald, K. L., 1983, Stratigraphy of the Ordovician and Silurian "Black Shale" unit of the McGrath quadrangle (abs.): Alaska Geological Society Symposium, New developments in the Paleozoic geology of Alaska and the Yukon, Anchorage, Alaska, 1983, Program and Abstracts, p. 19.
- Maloney, R. P., 1966, Investigation of the Nixon Fork area, Kuskokwim River basin, Alaska: U.S. Bureau of Mines Open-file Report 4-66, 24 p.
- Newell, K. D., 1975, Stratigraphy and structural geology of the Moose Creek area, central Alaska Range, Alaska: Madison, University of Wisconsin, M.S. thesis, 177 p., 1 pl.
- Patton, W. W., 1976, Newly discovered Upper Triassic and Lower Cretaceous strata in the northern Kuskokwim Mountains, in Cobb, E. H., Ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 42-43.

- _____, 1978, Juxtaposed continental and oceanic-island arc terranes in the Medfra quadrangle, west-central Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. 838-839.
- Patton, W. W., Jr., and Dutro, J. T., Jr., 1979, Age of the metamorphic complex in the northern Kuskokwim Mountains, west-central Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey Circular 804-B, 861-863.
- Patton, W. W., Jr., Dutro, J. T., Jr., and Chapman, R. M., 1977, Late Paleozoic and Mesozoic stratigraphy of the Nixon Fork area, Medfra quadrangle, Alaska, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. 838-840.
- Patton, W. W., Jr., Moll, E. J., Dutro, J. T., Jr., Silberman, M. L., and Chapman, R. M., 1980, Preliminary geologic map of the Medfra quadrangle, Alaska: U.S. Geological Survey Open-file Report 80-811, 1 sheet, scale 1:250,000.
- _____, 1983, Geology of the Medfra quadrangle, west-central Alaska, and its regional setting (abs.): Alaska Geological Society Symposium, New developments in the Paleozoic geology of Alaska and the Yukon, Anchorage, Alaska, 1983, Program and Abstracts, p. 21-22.
- Plumley, P. W., and Coe, R. S., 1983, Paleomagnetic data from Paleozoic rocks of the Nixon Fork Terrane, Alaska and their tectonic implications: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 428.
- Prindle, L. M., 1907, The Bonnipfield and Kantishna regions, Alaska: U.S. Geological Survey Bulletin 314, p. 205-226.
- Ragan, D. M., and Horlocker, Noel, 1963 Preliminary restudy of the Totatlanika schist in the northern Alaska Range (abs.): Geological Society of America Special Paper 73, p. 61.
- Reed, B. L., and Anderson, L. A., 1969, Aeromagnetic maps of parts of the southern Alaska Range: U.S. Geological Survey Open-file Report (69-215), scale 1:250,000, 6 p.
- Reed, B. L., and Elliott, R. L., 1970, Reconnaissance geologic map, analyses of bedrock and stream sediment samples, and an aeromagnetic map of parts of the southern Alaska Range: U.S. Geological Survey Open-file Report (70-271), scale 1:250,000, 158 p.
- Reed, B. L., and Lanphere, M. A., 1974, Offset plutons and history of movement along the McKinley strand of the Denali fault system, Alaska: Geological Society of America Bulletin, v. 85, no. 12, p. 1883-1892.
- Reed, B. L., and Nelson, S. W., 1977, Geologic map of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870-A, 1 sheet, scale 1:250,000.

- _____, 1980, Geologic map of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-1174, scale 1:250,000.
- Reed, J. C., Jr., 1957, Geology of the Mount McKinley quadrangle, Alaska (abs.): Geological Society of America Bulletin, v. 68, no. 12, p. 1784.
- Sainsbury, C. L., 1965, Previously undescribed Middle(?) Ordovician, Devonian(?), and Cretaceous(?) rocks, White Mountain area, near McGrath, Alaska, in Geological Survey research 1965: U.S. Geological Survey Professional Paper 525-C, scale 1:63,360.
- Silberman, M. L., Moll, E. J., Chapman, R. M., Patton, W. W., Jr., and Conner, C. L., 1979a, Potassium-argon age of granitic and volcanic rocks from Ruby, Medfra, and adjacent quadrangles, west-central Alaska, in Johnson, K. M., and Williams, J. R., ed., The United States Geological Survey in Alaska: Accomplishments during 1978, U.S. Geological Survey Circular 804-B, p. B64-B68.
- _____, 1979b, Precambrian age of metamorphic rocks from the Ruby province, Medfra and Ruby quadrangle-preliminary evidence from radiometric age data, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B64-B68.
- Sloan, E. G., Shearer, G. B., Eason, James, and Almquist, Carl, 1978, Preliminary investigations of coal outcrops near Farewell, Alaska, in Johnston, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B50.
- _____, 1979, Reconnaissance survey for coal near Farewell, Alaska: U.S. Geological Survey Open-file Report 79-410, 20 p.
- Solie, D. N., and Dickey, D. B., 1982, Coal occurrences and analyses, Farewell-White Mountain area, southwest Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 160, 17 p., 1 sheet.
- Solie, D. N., Bundtzen, T. K., and Gilbert, W. G., 1982, Upper Cretaceous-Lower Tertiary (abs.): American Association for the Advancement of Science, Arctic Division, Science in The North, 33rd Alaska Science Conference, Fairbanks, Alaska, p. 138.
- U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.
- _____, 1979, Aeromagnetic map of the Medfra 10 by 30 quadrangle, Alaska: U.S. Geological Survey Open-file Report 79-380, 1 sheet, scale 1:250,000.

NENANA BASIN

A. General

- Albanese, M. D., 1983, Bedrock geologic map of the Livengood B-4 quadrangle, east-central Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 83-3, scale 1:40,000, 1 sheet.
- Alaska Division of Geological and Geophysical Surveys, 1973, Aeromagnetic map, southeastern part of Fairbanks Quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 8, scale 1:250,000.
- Andreason, G. E., Wahrhaftig, Clyde, and Zietz, Isidore, 1964, Aeromagnetic reconnaissance of the east-central Tanana lowland, Alaska: U.S. Geological Survey Geophysical Investigations Map GP-447.
- Andreasen, M. J., 1964, Geology of the Cretaceous Cantwell Formation, McKinley Park area, Alaska - a preliminary report (abs.): Geological Society of America Special Paper 76, p. 299.
- Barnes, D. F., 1961, Gravity low at Minto flats, Alaska: U.S. Geological Survey Professional Paper 424-D, p. D254-D257.
- Barnes, F. F., Wahrhaftig, Clyde, Hickcox, C. A., Freedman, Jacob, and Hopkins, D. M., 1951, Coal Investigations in south-central Alaska, 1944-46: U.S. Geological Survey Bulletin 963-E, p. 137-213.
- Buffler, R. T., and Triplehorn, D. M., 1976, Depositional environments of the Tertiary coal-bearing Group, central Alaska in Miller, Thomas P., ed., Recent and Ancient sedimentary environments in Alaska, Alaska Geological Society Symposium Proceedings: Anchorage, Alaska, p. H1-H10.
- Bundtzen, T. K., 1983, Bedrock geologic outcrop map of the Livengood B-3 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 83-6, scale 1:40,000, 1 sheet.
- Bundtzen, T. K., and Smith, T. E., 1976, Progress report: Geology and mineral deposits of the Kantishna Hills, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 98, 80 p.
- Bundtzen, T. K., Smith, T. E., and Tosdal, R. M., 1976, Progress report: Geology and mineral deposits of the Kantishna Hills, Alaska: Alaska Division of Geological and Geophysical Surveys, Open-file Report 98.
- Bundtzen, T. K., and Turner, D. L., 1979, Geochronology of metamorphic and igneous rocks in the Kantishna Hills Mount McKinley Quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic report 61, p. 25-30.
- Capps, S. R., 1933, The eastern portion of Mount McKinley National Park: U.S. Geological Survey Bulletin 836, p. 219-300, scale 1:250,000.
- _____, 1940, Geology of the Alaska Railroad region: U.S. Geological Survey Bulletin 907, 201 p.
- Carter, L. D., and Galloway, J. P., 1978, Preliminary geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska: U.S. Geological Survey Open-file Report 78-794, scale 1:250,000, 3 sheets, 29 p.

- Chapman, R. M., and Yeend, W. E., 1979, Geologic reconnaissance of the east half of Kantishna River quadrangle and adjacent areas: U.S. Geological Circular 823-B, p. B30.
- Chapman, R. M., Yeend, W. E., Brosge, W. P., and Reiser, H. N., 1975, Preliminary geologic map of the Tanana and northeast part of the Kantishna River quadrangles, Alaska: U.S. Geological Survey Open-file Report 75-337, scale 1:250,000.
- _____, 1982, Reconnaissance geologic map of the Tanana quadrangle, Alaska: U.S. Geological Survey Open-file Report 82-734, scale 1:250,000, 18 p.
- Chapman, R. M., Weber, F. R., Taber, Bond, 1971, Preliminary geologic map of the Livengood quadrangle, Alaska: U.S. Geological Survey Open-file Report (71-66), scale 1:250,000.
- Chapman, R. M., Yeend, W. E., and Patton, W. W., Jr., 1975, Preliminary reconnaissance geologic map of the western half of Kantishna River quadrangle, Alaska: U.S. Geological Survey Open-file Report 75-351, scale 1:250,000.
- Csejtey, Béla, Jr., Mullen, Michael W., and Foster, Helen L., 1983, Tectonostratigraphic terranes versus facies changes in the central Alaska Range (abs.): Geological Society of America Abstracts with Program, v. 15, no. 5, p. 428.
- Dadisman, S. V., 1980, Radiometric ages of rocks in south-central Alaska and western Yukon Territory: U.S. Geological Survey Open-file Report 80-183, 80 p.
- Emmel, K. S., and Coonrod, P. L., compilers, 1982, Geological literature on the Copper River and middle Tanana River basins, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
- Foster, H. L., Jones, D. L., Keith, T. E. C., Wardlaw, B., and Weber, F. R., 1978, Late Paleozoic radiolarians and conodonts found in chert of Big Delta quadrangle: U.S. Geological Survey Circular 772-B, p. B34-B36.
- Forbes, R. B., and Weber, F. R., 1975, Progressive metamorphism of schists recovered from a deep drill hole near Fairbanks, Alaska: U.S. Geological Survey Journal of Research, v. 3, no. 6, p. 647-657.
- Gilbert, W. G., 1975, Outline of tectonic history of west-central Alaska Range (abs.): Geological Society of America Abstracts with Programs, v. 7, p. 320.
- _____, 1976, Evidence for early Cenozoic orogeny in central Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 51, p. 5-7.
- Gilbert, W. G., and Bundtzen, T. K., 1983, Two-stage amalgamation of west-central Alaska (abs.): Geological Society of America Abstracts with Program, v. 15, no. 5, p. 428.

- Gilbert, W. G., Ferrell, V. M., and Turner, D. L., 1976, The Teklanika Formation - A new Paleocene volcanic formation in the central Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 47, 16 p.
- Gilbert, W. G., and Redman, Earl, 1977, Metamorphic rocks of Toklat-Teklanika Rivers area, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 50, 13 p.
- Hanson, K., 1968, A seismic refraction profile and crustal structure in central interior Alaska: Anchorage, Alaska, University of Alaska, M.S. thesis, 59 p.
- Hanson, K., Berg, Edward, Gedney, L., 1968, A seismic refraction profile and crustal structure in central interior Alaska; Seismological Society of America Bulletin, v. 58, p. 1657-1665.
- Hickman, R. G., Craddock, Campbell, and Sherwood, K. W., 1977, Structural geology of the Nenana River segment of the Denali fault system, central Alaska range: Geological Society of America Bulletin, v. 88, no. 9, p. 1217-1230.
- _____, 1978, The Denali fault system and the tectonic development of southern Alaska: Tectonophysics, v. 47, no. 3/4, p. 247-273, illus.
- Hillhouse, J. W., and Grommé, C. S., 1982, Limits to northward drift of the Paleocene Cantwell formation, central Alaska: Geology, v. 10, no. 10, p. 552-556.
- Jones, D. L., Silberling, N. J., Coney, P., and Gilbert, W. G., 1983, Interpretive bedrock geologic map of the McKinley region and tectono-stratigraphic map of the Mount McKinley region: U.S. Geological Survey Open-file Report 83-11, 2 sheets, scale 1:250,000.
- Jones, D. L., Silberling, N. J., Gilbert, W. G., and Coney, P. J., 1982, Character, distribution, and tectonic significance of accretionary terranes in the central Alaska Range: Journal of Geophysical Research, v. 87, p. 3709-3717.
- LeCompte, J., 1981, Preliminary maps showing interpretation of landsat imagery of the Healy Quadrangle, Alaska; U.S. Geological Survey Open-file Report 81-768, scale 1:250,000.
- Miller, T. P., Barnes, Ivan, and Patton, W. W., Jr., 1973, Geologic setting and chemical characteristics of hot springs in central and western Alaska: U.S. Geological Survey Open-file Report 73-188, 19 p.
- Nokleberg, W. J., Aleinikoff, J. H., and Lange, Ian M., 1983, Origin and accretion of Andean-type and island arc terranes of Paleozoic age juxtaposed along the Hines Creek Fault, Mount Hayes quadrangle, eastern Alaska Range, Alaska (abs.) Geological Society of America Abstracts with Program, v. 15, no. 5, p. 427.

- Péwé, T. L., 1954, Evidence for possible marine Tertiary (?) sediments in central Alaska: American Association of Petroleum Geologists Bulletin, v. 38, p. 2222-2225.
- , 1958, Geology of the Fairbanks (D-2) quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-110, scale 1:63,360.
- Péwé, T. L., Bell, J. W., Forbes, R. B., and Weber, F. R., 1975, Geologic map of the Fairbanks D-2 SW quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-829-A, scale 1:24,000.
- , 1975, Geologic map of the Fairbanks D-2 NW quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-907, scale 1:24,000.
- , 1976, Geologic map of the Fairbanks D-2 SE quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-942, scale 1:24,000.
- Péwé, T. L., and Rivard, N. R., 1961, Geologic map and section of the Fairbanks D-3 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-340, scale 1:63,360.
- Péwé, T. L., Wahrhaftig, Clyde, and Weber, F. R., 1966, Geologic map of the Fairbanks Quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-455, scale 1:250,000, 5 p.
- Reed, J. C., Jr., 1961, Geology of the Mount McKinley quadrangle, Alaska: U.S. Geological Survey Bulletin 1108-A, p. A1-A36, scale 1:250,000.
- Robinson, M. S., 1983, Bedrock geologic map for the Livengood C-4 quadrangle, east-central Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 83-4, scale 1:40,000, 1 sheet.
- Selleck, B. W., and Panuska, Bruce, 1983, Sedimentological models for the coal-bearing group (Oligocene-Miocene) central Alaska Range (abs.): Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 683, no. 28360.
- Sherwood, K. W., and Craddock, Campbell, 1979, General geology of the central Alaska Range between the Nenana River and Mount Deborah: Fairbanks, Alaska Division of Geological and Geophysical Surveys Open-file Report 116, 22 p., 3 pls.
- Sherwood, K. W., Hickman, R. G., and Craddock, C., 1979, Structural evolution of the Paleocene Cantwell Basin along the Denali Fault system, south-central Alaska (abs.): Geological Society of America, Abstracts with Programs, v. 11, no. 7, p. 515-516.
- Smith, T. E., 1983, Bedrock geologic map of the Livengood C-3 quadrangle, east-central Alaska: Alaska Division of Geological and Geophysical Surveys Report of Investigations 83-5, scale 1:40,000, 1 sheet.

- Stevens, C. C., 1971, A provenance study of the Tertiary sandstones in the Healy Creek and Lignite Creek coal basins, Nenana coal field, Alaska: Anchorage, Alaska, University of Alaska, M.S. thesis, 122 p.
- Triplehorn, D. M., 1976, Clay mineralogy and petrology of the coal-bearing group near Healy, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 52, 14 p.
- Turner, D. L., Triplehorn, D. M., Naeser, C. W., Wolfe, J. A., 1980, Radiometric dating of ash partings in Alaskan coal beds and upper Tertiary paleobotanical stages: *Geology*, v. 8, p. 92-96.
- Wahrhaftig, Clyde, 1968, Schists of the central Alaska Range: U.S. Geological Survey Bulletin 1254-E, p. E1-E22.
- _____, 1970a, Geologic map of the Healy D-2 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-804, scale 1:63,360.
- _____, 1970b, Geologic map of the Healy D-3 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-805, scale 1:63,360.
- _____, 1970c, Geologic map of the Healy D-4 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-806, scale 1:63,360.
- _____, 1970d, Geologic map of the Healy D-5 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-807, scale 1:63,360.
- Wahrhaftig, 1970e, Late Cenozoic orogeny in the Alaska Range (abs.): Geological Society of America Abstracts with Programs, v. 2, p. 713-714.
- _____, 1973, Coal reserves of the Healy Creek and Lignite Creek Coal Basins, Nenana Coal field, Alaska: U.S. Geological Survey Open-file Report (73-355), 6 p., 28 sheets.
- Wahrhaftig, Clyde, and Hickcox, C. A., 1955, Geology and coal deposits, Jarvis Creek coal field, Alaska: U.S. Geological Survey Bulletin 989-G, p. 353-367.
- Wahrhaftig, Clyde, Turner, Donald L., Weber, Florence R., and Smith, Thomas E., 1975, Nature and timing of movement on Hines Creek strand of Denali fault system, Alaska: *Geology*, v. 3, no. 8, p. 463-466.
- Wahrhaftig, Clyde, Wolfe, J. A., and Leopold, E. B., 1967, Late Cenozoic floras of the Alaska Range: U.S. Geological Survey Professional Paper 575-A, p. 120-121.
- Western Geophysical Company of America, Aero Service Division, 1980, Airborne gamma-ray spectrometer and magnetometer survey; four corners detail area, portions of Kantishna River, Mount McKinley, Medfra, and Ruby Quadrangles, Alaska: Grand Junction, U.S. Department of Energy Report GJBX-116-80, 115 p.
- Williams, J. R., 1955, Preliminary geologic evolution of the Chena area, Alaska (abs.): Geological Society of America Bulletin, v. 66, no. 12, p. 1709-1710.

Williams, J. R., Péwé, T. L., and Paige, R. A., 1959, Geology of the Fairbanks (D-1) Quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-124.

Wolfe, J. A., and Wahrhaftig, Clyde, 1970, The Cantwell Formation of the central Alaska Range: U.S. Geological Survey Bulletin 1294-A, p. A41-A46.

Yeend, W. E., 1977, Tertiary and Quaternary deposits at the Palisades, central Alaska: U.S. Geological Survey Journal of Research, v. 5, no. 6, p. 747-752.

B. Publicly available well/subsurface data:

Terminated Development Contract: (Reports available from U.S. Geological Survey Public Inquiries Office, Room 108, Skyline Building, 508 2nd Avenue, Anchorage, Alaska 99510).

Union Oil Company of California, 1962, Nenana Development Contract: (Geologic report; seismic map, Bouger Gravity Map).

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date completed</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Other available data</u>	
							<u>Reports(2)</u>	<u>Other(1)</u>
Union Oil Co. of Calif. 42	Nenana #1	4S/10W/sec. 7	3,062	3/6/62	yes	yes	-	thin-section of ditch samples

1. Examination of slides and samples at Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99510.
2. Reports and logs available from Petroleum Information, P.O. Box 10-2278, Anchorage, Alaska 99510.

NORTHWAY BASIN

A. General

Alaska Division of Geological and Geophysical Surveys, 1973, Aeromagnetic map, Tanacross quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 11, scale 1:250,000.

Albert, N. R. D., 1975, Interpretation of Earth Resources Technology Satellite imagery of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-655-J, 2 sheets, scale 1:250,000.

_____, 1976, LANDSAT data interpretation of the Nabesna and McCarthy quadrangles, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 49-50.

Albert, N. R. D., and Steele, W. C., 1976, Interpretation of Landsat imagery of the Tanacross quadrangle, Alaska: U.S. Geological Survey Open-file Report 76-850, 26 p.

Barnes, D. F., and MacCarthy, G. R., 1956, Tests of geophysical prospecting techniques in areas of sporadic permafrost in interior Alaska (abs.): Geological Society of America Bulletin, v. 67, no. 12, p. 1805.

Barnes, D. F., and Morin, R. L., 1975, Gravity map of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-655-I, 1 sheet, scale 1:250,000.

Dadisman, S. V., 1980, Radiometric ages of rocks in south-central Alaska and western Yukon Territory: U.S. Geological Survey Open-file Report 80-183, 80 p.

Dobey, P. L., and Henning, M. W., 1973, Mineral evaluation of the D-2 land area, Nabesna quadrangle, using aeromagnetic and geochemical data: Alaska Division of Geology and Geophysics Surveys Open-file Report AOF-34, 10 p., 1 sheet, scale 1:250,000.

Foster, H. L., 1970, Reconnaissance geologic map of the Tanacross quadrangle, Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-593, 1 sheet, scale 1:250,000.

Foster, H. L., and Keith, T. E. C., 1969, Geology along the Taylor Highway, Alaska: U.S. Geological Survey Bulletin 1282, scale 1:125,000.

Griscom, Andrew, 1975, Aeromagnetic interpretation of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-655-H, sheet 2, scale 1:250,000.

_____, 1976, Aeromagnetic map and interpretation of the Tanacross quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-767-A, sheet 2, scale 1:250,000.

- Mertie, J. B., Jr., 1931, A geologic reconnaissance of the Dennison fork district, Alaska: U.S. Geological Survey Bulletin 827, 44 p.
- Moffitt, F. H., 1954, Geology of the eastern part of the Alaska Range and adjacent area: U.S. Geological Survey Bulletin 989-D, p. 63-218.
- Richter, D. H., 1971, Reconnaissance geologic map and section of the Nabesna A-3 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-655, 1 sheet, scale 1:63,360.
- _____, 1971, Reconnaissance geologic map and section of the Nabesna B-4 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-656, 1 sheet, scale 1:63,360.
- _____, 1973, Reconnaissance geologic map of the Nabesna A-4 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-789, 1 sheet, scale 1:63,360.
- _____, 1975a, Geologic map of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-655-A, 1 sheet, scale 1:250,000.
- _____, 1975b, Reconnaissance geologic map of the Nabesna B-3 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-904, 1 sheet, scale 1:63,360.
- Richter, D. H., 1976, Geologic map of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Investigations Series I-932, scale 1:250,000.
- Richter, D. H., and Jones, D. L., 1970, Structure and stratigraphy of eastern Alaska Range, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502.
- _____, 1973, Reconnaissance geologic map of the Nabesna A-2 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-749, 1 sheet, scale 1:63,360.
- Richter, D. H., Matson, N. A., Jr., and Schmoll, H. R., 1973, Reconnaissance geologic map of the Nabesna A-1 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-807, 1 sheet, scale 1:63,360.
- _____, 1976, Geologic map of the Nabesna C-4 quadrangle, Alaska: U.S. Geological Survey Geological Quadrangle Map GQ-1303, 1 sheet, scale 1:63,360.
- U.S. Geological Survey, 1975, Aeromagnetic map of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-655-H, scale 1:250,000.
- _____, 1976, Folio of the Tanacross quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-767-A, scale 1:250,000.

RUBY TROUGH

A. General

Aero Service Division, 1980, Airborne gamma ray spectrometer and magnetometer survey of Ruby quadrangle, Final Report, v. 1, Report No. GJBX-75: Grand Junction, Colorado, U.S. Department of Energy.

Cass, J. T., 1959a, Reconnaissance geologic map of the Melozitna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-290, scale 1:250,000.

_____, 1959b, Reconnaissance geologic map of the Ruby quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-289, scale 1:250,000.

Chapman, R. M., 1974, Metamorphic rock sequence between Rampart and Tanana dated, in Carter, Claire, ed., United States Geological Survey Alaska Program, 1974: United States Geological Survey Circular 700, p. 42-43.

Chapman, R. M., and Patton, W. W., Jr., 1978, Preliminary summary of the geology in the northwest part of the Ruby quadrangle, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B39-B41.

_____, 1979, Two upper Paleozoic sedimentary rock units identified in southwestern part of the Ruby quadrangle, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B59-B61.

Chapman, R. M., and Yeend, W. E., 1972, Preliminary geologic map of the northeastern part of the Tanana quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-342, scale 1:250,000.

Chapman, R. M., Yeend, W. E., Brosge, W. P., and Reiser, H. N., 1975, Preliminary geologic map of the Tanana and northeast part of the Kantishna River quadrangles, Alaska: U.S. Geological Survey Open-file Report 75-337, scale 1:250,000.

_____, 1982, Reconnaissance geologic map of the Tanana quadrangle, Alaska: U.S. Geological Survey Open-file Report 82-734, scale 1:250,000.

Chapman, R. M., Yeend, W. E., and Patton, W. W., Jr., 1975, Preliminary reconnaissance geologic map of the Western half of the Kantishna River quadrangle, Alaska: U.S. Geological Survey Open-file Report 75-351, scale 1:250,000.

Dillon, J. T., Adams, D. D., and Adler, Penny, 1983, Geologic map of the Melozitna A-4 quadrangles, Alaska: Alaska Division of Geological and Geophysical Survey Report of Investigations 83-18, scale 1:63,360.

Eakin, H. M., 1912, The Rampart and Hot Springs region: U.S. Geological Survey Bulletin 520, p. 271-286.

- _____, 1913, A geologic reconnaissance of a part of the Rampart quadrangle, Alaska: U.S. Geological Survey Bulletin 535, 38 p.
- _____, 1918a, The Yukon-Koyukuk region, Alaska: United States Geological Survey Bulletin 631, 88 p.
- _____, 1918b, The Cosna-Nowitna region, Alaska: U.S. Geological Survey Bulletin, 667, 54 p.
- Eardley, A. J., 1938, Unconsolidated sediments and topographic features of the lower Yukon valley: Geological Society of America Bulletin, v. 49, no. 2, p. 303-341.
- Henning, M. W., 1973, Geologic and mineral evaluation of the Nowitna River drainage basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 23, 6 p.
- Mertie, J. B., Jr., 1937, The Yukon-Tanana region, Alaska: U.S. Geological Survey Bulletin 872, 276 p.
- Mertie, J. B., Jr., and Harrington, 1924, The Ruby-Kuskokwim region, Alaska: U.S. Geological Survey Bulletin 754, 129 p.
- Paige, R. A., 1959, Tertiary geology of the Cheyenne Creek area, Alaska: Seattle, University of Washington, M.S. thesis, 66 p.
- Patton, W. W., Jr., 1973, Reconnaissance geology of the northern Yukon-Koyukuk province, Alaska: U.S. Geological Survey Professional Paper 774-A, p. A1-A17.
- _____, 1977, Pre-Ordovician unconformity in central Alaska, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B39.
- Patton, W. W., Jr., and Bickel, R. S., 1956, Geologic map and sections along part of the lower Yukon River, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-197, 1 sheet, scale 1:250,000.
- Patton, W. W., Jr., and Hoare, J. M., 1968, The Kaltag fault, west-central Alaska, in Geological Survey research 1968: U.S. Geological Survey Professional Paper 600-D, p. D147-D153.
- Patton, W. W., Jr., Miller, T. P., Chapman, R. M., and Yeend, Warren, 1978, Geologic map of the Melozitna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-1701, scale 1:250,000.
- Silberman, M. L., Moll, E. J., Chapman, R. M., Patton, W. W., Jr., and Connor, C. L., 1979, Potassium-argon age of granitic and volcanic rocks from Ruby, Medfra, and adjacent quadrangles, west-central Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey 804-B, p. 863-866.

Silberman, M. L., Moll, E. J., Patton, W. W., Jr., Chapman, R. M., and Connor, C. L., 1979, Precambrian age of metamorphic rocks from the Ruby province, Medfra and Ruby quadrangles - preliminary evidence from radiometric age data, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B64-B68.

U.S. Geological Survey, 1973a, Aeromagnetic survey, Melozitna A-1 quadrangle, northeast Alaska: U.S. Geological Survey Open-file Map (73-307), 1 sheet, scale 1:63,360.

_____, 1973b, Aeromagnetic survey, Tanana quadrangle, northeast Alaska: U.S. Geological Survey Open-file Map (73-308), 1 sheet, scale 1:250,000.

_____, 1976, Aeromagnetic survey, west half of Ruby quadrangle, Alaska: U.S. Geological Survey Open-file Map 76-188, 1 sheet, scale 1:250,000.

White, M. G., Stevens, J. M., and Matzko, J. J., 1963, Radiometric traverse along the Yukon River from Fort Yukon to Ruby, Alaska, 1949: U.S. Geological Survey Bulletin 1155, p. 82-89.

Yeend, W. E., 1977, Tertiary and Quaternary deposits at the Palisades, central Alaska: U.S. Geological Survey Journal of Research, v. 5, no. 6, p. 747-752.

SELAWIK/KOTZEBUE BASINS

A. General

Alaska Division of Geological and Geophysical Surveys, 1973a, Aeromagnetic map, Bendeleben quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Map AOF-3, 1 sheet, scale 1:250,000.

_____, 1973b, Aeromagnetic map, southwestern part of Selawik quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Map AOF-1, 1 sheet, scale 1:250,000.

_____, 1975a, Aeromagnetic map, northeastern part of Selawik quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-78, 3 p., 1 sheet, scale 1:250,000.

_____, 1975b, Aeromagnetic map, northwestern part of Shungnak quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Map AOF-79, 3 p., 1 sheet, scale 1:250,000.

Andreasen, G. E., 1960a, Total intensity aeromagnetic profiles of Cape Epsenberg, Alaska: U.S. Geological Survey Open-file Report (60-5), 2 sheets.

_____, 1960b, Total intensity aeromagnetic profiles of Kobuk River, Alaska: U.S. Geological Survey Open-file Report (60-7), 5 sheets.

Asher, R. R., 1969, Geology and geochemistry of parts of the Bendeleben A-5 and A-6 quadrangles, Seward Peninsula, Alaska (abs.), in Alaska Division of Mines and Geology, Report for the year 1969: College, Alaska, p. 6.

_____, 1970, Geology and geochemistry of the Belt Creek - Libbey River area, Seward Peninsula, Alaska: Alaska Division of Mines and Geology Geochemical Report 22, 44 p.

Barnes, D. F., 1971, Preliminary Bouger anomaly and specific gravity maps of Seward Peninsula and Yukon Flats, Alaska: U.S. Geological Survey Open-file Report 467, 11 p.

Barnes, D. F., and Allen, R. V., 1962, Preliminary results of gravity measurements between Kotzebue and Point Hope, Alaska, in U.S. Geological Survey TEI-779, p. 80-86, issued by U.S. Atomic Energy Commission Office of Technical Information, Oak Ridge, Tenn.

Barnes, D. F., and Hudson, Travis, 1977, Bouger gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Barnes, D. F., and Tailleux, I. L., 1970, Preliminary interpretation of geophysical data from the Lower Noatak River basin, Alaska: U.S. Geological Survey Open-file Report (70-18), scale 1:250,000.

- Brosge, W. P., and Tailleir, I. L., 1970, Depositional history of northern Alaska, in Adkison, W. L., and Brosge, M. M., eds., Geological seminar on the north slope of Alaska: American Association of Petroleum Geologists, Pacific Section, Menlo Park, California, Proceedings, p. 01-017.
- Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.
- Cederstrom, D. J., 1953, Test well at Kotzebue (abs.): Geological Society of America Bulletin, v. 64, no. 12, p. 1406.
- Collier, A. J., 1902, A reconnaissance of the northwestern portion of Seward Peninsula, Alaska: U.S. Geological Survey Professional Paper 2, 70 p.
- Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.
- Eittreim, Stephen, Grantz, Arthur, and Whitney, O. T., 1978, Isopach maps of Tertiary sediments, Hope Basin, southern Chukchi Sea, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-906, 1 sheet, scale 1:1,000,000.
- Ellersieck, Inyo, Tailleir, I. L., Mayfield, C. F., and Curtis, S. M., 1979, A new find of Upper Cretaceous or Tertiary sedimentary rocks in the Noatak Valley, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B13.
- Fernald, A. T., 1964, Surficial geology of the Central Kobuk River valley, northwestern Alaska: U.S. Geological Survey Bulletin 1181-K, scale 1:250,000.
- Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1981, Geology and petroleum potential of the Norton basin area, Alaska: U.S. Geological Survey Open-file Report 81-1316, 51 p. + 5 tables, 29 figs.
- _____, 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
- Fritts, C. E., 1969, Geology and geochemistry of the Cosmos Hills, Ambler River and Shungnak quadrangles, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 39, scale 1:63,360.
- Gilbert, W. G., Wiltse, M. A., Carden, J. R., Forbes, R. B., and Hackett, S. W., 1977, Geology of Ruby Ridge, southwestern Brooks Range, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 58, 16 p., 1 sheet.
- Grantz, Arthur, Hanna, W. F., and Wallace, S. L., 1971, Chukchi Sea seismic reflection profiles and magnetic data, 1970, between northern Alaska and Herald Island, U.S. Geological Survey Open-file Report (71-125), 35 sheets.

- Hackett, S. W., 1977, Aeromagnetic map of southwestern Brooks Range, Alaska, in Short notes on Alaskan geology - 1978: Alaska Division of Geological and Geophysical Surveys Geologic Report 61, p. 15-18.
- Herreid, Gordon, 1965, Geology of the Omilak-Otter Creek area, Bendeleben quadrangle, Seward Peninsula, Alaska: Alaska Division of Mines and Minerals Geologic Report 11, 12 p.
- _____, 1966, The geology and geochemistry of the Inmachak River map area, Seward Peninsula, Alaska: Alaska Division of Mines and Minerals Geologic Report 23, 25 p.
- Holmes, M. A., 1978, Tectonic framework and geologic evolution of the southern Chukchi sea continental shelf: Seattle, Washington, Ph.D. thesis, University of Washington, 143 p.
- Hopkins, D. M., 1959, History of Imuruk Lake, Seward Peninsula, Alaska: Geological Society of America Bulletin, v. 70, no. 8, p. 1033-1046.
- _____, 1963, Geology of the Imuruk Lake area, Seward Peninsula, Alaska: U.S. Geological Survey Bulletin 1141c, scale 1:125,000.
- Hopkins, D. M., Giterman, R. E., and Matthews, J. V., Jr., 1976, Interstadial mammoth remains and associated pollen and insect fossils, Kotzebue Sound area, northwestern Alaska: Geology, v. 4, no. 3, p. 169-172.
- Hudson, Travis, 1977a, Genesis of a zoned granite stock, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-35, scale 1:31,680.
- _____, 1977b, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.
- _____, 1977c, Preliminary geologic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Map 77-167-A, 1 sheet, scale 1:1,000,000.
- Hudson, Travis, and Plafker, George, 1978, Kigluaik and Bendeleben faults, Seward Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B47-B50.
- Johnson, G. R., and Sainsbury, C. L., 1974, Aeromagnetic and generalized geologic map of the west-central part of the Seward Peninsula, Alaska: U.S. Geological Survey Geophysical Investigations Map GP-881, 1 sheet, scale 1:125,000.
- Mayfield, C. F., Silberman, M. L., and Tailleur, I. L., 1982b, Precambrian metamorphic rocks from the Hub Mountain terrane, Baird Mountains quadrangle, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 18-22.
- Mayfield, C. F., and Tailleur, I. L., 1978, Bedrock geology map of the Ambler River quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-120A, scale 1:250,000.

- Mayfield, C. F., Tailleux, I. L., and Ellersieck, Inyo, 1983, Stratigraphy, structure, and palinspastic synthesis of the western Brooks Range, northwestern Alaska: U.S. Geological Survey Open-file Report 83-779, 58 p., 5 plates.
- McCulloch, David, and Hopkins, David, 1966, Evidence for an early recent warm interval in northwestern Alaska: Geological Society of America Bulletin, v. 77, no. 10, p. 1089-1107.
- Mendenhall, W. C., 1902, Reconnaissance from Fort Hamlin to Kotzebue Sound Alaska, by way of Dall, Kanati, and Kowak rivers: U.S. Geological Survey Professional Paper 10, 68 p.
- Miller, T. P., and Anderson, L. A., 1969, Airborne radioactivity and total intensity magnetic survey of the southern Kobuk-Selawik Lowland, western Alaska: U.S. Geological Survey Open-file Report 372, 6 p.
- Miller, T. P., Grybeck, D. G., Elliott, R. L., and Hudson, Travis, 1972, Preliminary geologic map of the eastern Solomon and southeastern Bendeleben quadrangles, eastern Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report (72-256), 11 p., scale 1:250,000.
- Mull, C. G., Tailleux, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S., 1982, New upper Paleozoic and lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.
- Mull, C. G., Tailleux, I. L., Mayfield, C. F., and Pessel, G. H., 1976, New structural and stratigraphic interpretations, central and western Brooks Range and Arctic Slope, in Cobb, E. H., ed., The United States Geological Survey in Alaska -- Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 24-26.
- Newman, G. W., Mull, C. G., and Watkins, N. D., 1979, Northern Alaska paleomagnetism, plate rotation, and tectonics, in Sisson, A., ed., The Relationship of Plate Tectonics to Alaskan Geology and Resources: Proceedings of Alaska Geological Society Symposium, p. C1-C7.
- Oil and Gas Journal, 1973, First SOCAL test in Alaska's remote Selawik Basin is dry: Oil and Gas Journal, January 13, 1973, p. 21.
- Ostenso, N. A., 1968, A gravity survey of the Chukchi Sea region, and its bearing on westward extension of structure in northern Alaska: Geological Society of America Bulletin, v. 79, p. 241-254.
- Patton, W. W., Jr., 1973, Reconnaissance geology of the northern Yukon-Koyukuk province, Alaska: U.S. Geological Survey Professional Paper 774-A, p. A1-A17.
- Patton, W. W., Jr., and Dutro, J. T., Jr., 1979, Age of the metamorphic complex in the northern Kuskokwim Mountains, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska -- Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B61-B62.

- Patton, W. W., Jr., and Miller, T. P., 1968, Regional geologic map of the Selawik and southeastern Baird Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-530, scale 1:250,000.
- Patton, W. W., Jr., Miller, T. P., and TAILLEUR, I. L., 1968, Regional geologic map of the Shungnak and southern part of the Ambler River quadrangles, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-554, scale 1:250,000.
- Patton, W. W., Jr., TAILLEUR, I. L., Brosgé, W. P., and Lanphere, M. A., 1977, Preliminary report on the ophiolites of northern and western Alaska, in Coleman, R. G., and Irwin, W. P., eds., North American ophiolites: Oregon Department of Geology and Mineral Industries Bulletin 95, p. 51-57.
- Pessel, G. H., 1977, Probable karst topography near Jade Mountains, southwestern Brooks Range, Alaska, in Short notes on Alaskan geology - 1977: Alaska Division of Geological and Geophysical Surveys Geologic Report 55, p. 3-5.
- Plafker, George, Hudson, Travis, and Jones, D. L., 1978, Upper Triassic radiolarian chert from the Kobuk volcanic sequence in the southern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. 845-847.
- Ruppel, B. D., and McHendrie, A. G., 1976, Free-air gravity anomaly map of the eastern Chukchi and southern Bering Sea: U.S. Geological Survey Miscellaneous Field Studies Map MF-785, 1 sheet, scale 1:2,000,000.
- Sainsbury, C. L., 1969, The A. J. Collier thrust belt of the Seward Peninsula, Alaska: Geological Society of America Bulletin, v. 80, no. 12, p. 2595-2596.
- _____, 1975a, Geology, ore deposits, and mineral potential of the Seward Peninsula, Alaska: U.S. Bureau of Mines Open-file Report 73-75, 108 p.
- _____, 1975b, Stratigraphy and tectonics of the Seward Peninsula, Alaska (abs.), in Forbes, R. B., ed., Contributions to the geology of the Bering Sea Basin and adjacent regions: Geological Society of America Special Paper 151, p. 184-185.
- Sainsbury, C. L., Coleman, R. G., and Kachadoorian, Reuben, 1970, Blueschist and related greenschist facies rocks of the Seward Peninsula, Alaska: U.S. Geological Survey Professional Paper 700-B, p. 833-842.
- Sainsbury, C. L., Hudson, Travis, Kachadoorian, Reuben, and Richards, Thomas, 1970, Geology, mineral deposits, and geochemical and radiometric anomalies, Serpentine Hot Springs area, Seward Peninsula, Alaska: U.S. Geological Survey Bulletin 1312-H, scale 1:63,360.

- Sainsbury, C. L., Kachadoorian, Reuben, Hudson, Travis, Smith, T. E., Richards, T. R., and Todd, W. E., 1969, Reconnaissance geologic maps and sample data, Teller A-1, A-2, A-3, B-1, B-2, B-3, C-1, and Bendeleben A-6, B-6, C-6, D-5, D-6 quadrangles, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report (69-236), 49 p., scale 1:63,360.
- Smith, P. S., 1913, The Noatak-Kobuk region, Alaska: U.S. Geological Survey Bulletin 536, 160 p.
- Tailleur, I. L., Brosge, W. P., and Reiser, H. N., 1967, Palinspastic analysis of Devonian rocks in northwestern Alaska, in Oswald, D. H., ed., International Symposium on the Devonian System, Calgary, 1967, v. 2: Calgary, Alberta Society of Petroleum Geologists, p. 1345-1363.
- Turner, D. L., Forbes, R. B., and Dillon, J. T., 1979, K-Ar geochronology of the southwestern Brooks Range, Alaska: Canadian Journal of Earth Sciences Bulletin, v. 16, no. 9, p. 1789-1804.
- Turner, D. L., Forbes, R. B., and Mayfield, C. F., 1978, K-Ar geochronology of the Survey Pass, Ambler River, and eastern Baird Mountains quadrangles, southwestern Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-254, 41 p., map scale 1:250,000.
- U.S. Geological Survey, 1969, Airborne geophysical surveys in Seward Peninsula area, Alaska: U.S. Geological Survey Open-file Report (69-294), 11 sheets.

B. Publicly available well/subsurface data:

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date completed</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Reports(2)</u>	<u>Other(1)</u>
Standard Oil Company of California	Cape Epsenberg #1	12N/25W/sec. 25	8,373		yes	yes	Visual Kerogen, thermal maturation, (vitrinite reflectance) TOC and Rock Eval. Pyrolysis Analysis Isotopic Age Dating	Foram. slides Paly. slides Nanno. slides Siliccas micro- fossil slides TAI/Kerogen slides Vitrinite/ reflectance slides/plugs
Standard Oil Company of California	Nimiuk Point #1	16N/16W/sec. 34	6,311		yes	yes	Visual Kerogen, thermal maturation, (vitrinite reflectance) TOC and Rock Eval. Pyrolysis Analysis Isotopic Age Dating Mineral Analysis	Foram. slides Paly. slides Nanno. slides Siliceous microslides TAI/Kerogen slides Vitrinite reflectance slides/plugs

1. Examination of slides and samples at the Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99510.
2. Reports and logs available from Petroleum Information, P.O. Box 10-2278, Anchorage, Alaska 99510.

SUSITNA BASIN

A. General

Adkison, W. L., Kelley, J. S., and Newman, K. R., 1975, Lithology and palynology of Tertiary rocks exposed near Capps Glacier and along Chuitna River, Tyonek quadrangle, south Alaska: U.S. Geological Survey Open-file Report 75-21, scale 1:250,000.

Alaska Division of Geological and Geophysical Surveys, 1973a, Aeromagnetic map, Anchorage quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Map AOF-21, 1 sheet, scale 1:250,000.

_____, 1973b, Aeromagnetic map, Talkeetna Quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Map 21, 1 sh., scale 1:250,000.

_____, 1973c, Aeromagnetic map, Talkeetna Mountains Quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Map 20, 1 sh., scale 1:250,000.

Anderson, G. S., 1969, Geology and geochemistry of the wells Mountain area, Talkeetna Mountains Quadrangle, Alaska (abs.): in Alaska Division of Mines and Geology, Alaska Division of Geological and Geophysical Surveys, p. 7.

Anderson, R. E., 1969, Geology and geochemistry of the Diana Lakes area, western Talkeetna Mountains, Alaska: Alaska Division of Mines and Geology Geologic Report 34, 27 p.

Barnes, F. F., 1960, Coal-bearing strata of the Matanuska coal field, Alaska (abs.): Geological Society of America Bulletin, v. 71, no. 12, p. 1820-1821.

_____, 1962, Geologic map of the lower Matanuska Valley, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-359, 1 sheet, scale 1:63,360.

_____, 1966, Geology and coal resources of the Beluga-Yentna region, Alaska: U.S. Geological Survey Bulletin 1202-C, scale 1:250,000.

Barnes, F. F., and Ford, D. M., 1952, Coal prospects and coal exploration and development in the lower Matanuska Valley, Alaska, in 1950: U.S. Geological Survey Circular 154, 5 p.

Barnes, F. F., and Sokol, Daniel, 1959, Geology and coal resources of the Little Susitna district, Matanuska coal field, Alaska: U.S. Geological Survey Bulletin 1058-D, p. 118, scale 1:63,360.

Berg, H. C., Jones, D. L., and Richter, D. H., 1972, Gravina-Nutzotin belt--Tectonic significance of an upper Mesozoic sedimentary and volcanic sequence in southern and southeastern Alaska, in Geological Survey research 1972: U.S. Geological Survey Professional Paper 800-D, p. D1-D24.

Bergquist, H. R., 1961, Foraminiferal zonation in Matanuska Formation, Squaw Creek-Nelchina River area, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1994-2011.

Capps, S. R., 1914, Th Yenta district, Alaska: U.S. Geological Survey Bulletin 534, 75 p.

_____, 1927, Geology of the Upper Matanuska Valley, Alaska, with a section of igneous rocks by J. B. Mertie, Jr.: U.S. Geological Survey Bulletin 791, 92 p.

_____, 1928, Exploration in the Mount Spurr region, Alaska (abs.): Geological Society of America Bulletin, v. 39, no. 1, p. 154-155.

_____, 1935, The southern Alaska Range: U.S. Geological Survey Bulletin 862, scale 1:250,000, 101 p.

_____, 1940, Geology of the Alaska Railroad region: U.S. Geological Survey Bulletin 907, scale 1:250,000, 201 p.

Capps, S. R., and Tuck, Ralph, 1935, The Willow Creek-Kashwitna district, Alaska: U.S. Geological Survey Bulletin 864-B, p. 95-113.

Carden, J. R., and Decker, J. E., 1977, Tectonic significance of the Knik River schist terrane, south-central Alaska: Alaska Division of Geological and Geophysical Surveys Geological Report 55, p. 7-9.

Carter, R. D., and Adkison, W. L., 1972, Correlation of subsurface Tertiary rocks, Cook Inlet Basin, Alaska: U.S. Geological Survey Open-file Report 72-64, 8 p.

Cederstrom, D. J., Trainer, F. T., and Walker, R. M., 1964, Geology and ground-water resources of the Anchorage area, Alaska: U.S. Geological Survey Water-Supply Paper 1773, scale 1:63,360.

Chapin, Theodore, 1918, The Nelchina-Susitna region, Alaska: U.S. Geological Survey Bulletin 668, 67 p.

Chleborad, A. F., Yehle, L. A., Schmoll, H. R., and Gardner, C. A., 1980, Preliminary field geotechnical and geophysical logs from a drill hole in the Capps coal field, Cook Inlet region, Alaska: U.S. Geological Survey Open-file Report 80-393, 17 p. + 2 sheets.

Clardy, B. I., 1978, Stratigraphy of the Matanuska-Susitna area, northeastern Cook Inlet basin, Alaska: Louisiana Land and Exploration Company, Western Division, 15 p.

Clark, A. L., Clark, S. H. B., and Hawley, C. C., 1972, Significance of upper Paleozoic oceanic crust in the Upper Chulitna district, west-central Alaska Range, in Geological Survey research 1972: U.S. Geological Survey Professional Paper 800-C, p. C95-C101.

- Clark, A. L., and Hawley, C. C., 1968, Reconnaissance geology, mineral occurrences and geochemical anomalies of the Yentna district, Alaska: U.S. Geological Survey Open-file Report (68-35), 64 p.
- Clark, S. H. B., 1972, Reconnaissance bedrock geologic map of the Chugach Mountains near Anchorage, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-350, scale 1:250,000.
- Clark, S. H. B., Yount, M. E., and Bartsch, S. R., 1976, Reconnaissance geologic map and geochemical analyses of stream-sediment and rock samples of the Anchorage A-7 and A-8 quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-765, scale 1:63,360.
- Csejtey, Béla, Jr., 1974, Reconnaissance geologic investigations in the Talkeetna Mountains: U.S. Geological Survey Open-file Report 74-147, scale 1:63,360.
- , 1976, Tectonic implications of a late Paleozoic volcanic arc in the Talkeetna Mountains, south-central Alaska: *Geology*, v. 4, p. 49-52.
- Csejtey, Béla, Jr., and Griscom, Andy, 1978, Preliminary aeromagnetic interpretive map of the Talkeetna Mountains quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-558C, 14 p. + 2 sheets, scale 1:250,000.
- Csejtey, Béla, Jr., Nelson, W. H., Jones, D. L., Silberling, N. J., Dean, R. M., Morris, M. S., Lanphere, M. A., Smith, J. G., and Silberman, M. L., 1978, Reconnaissance geologic map and geochronology, Talkeetna Mountains quadrangle, northern part of Anchorage quadrangle, and southwest corner of Healy quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-558A, 60 p., 1 sheet, scale 1:250,000.
- Csejtey, Béla, Jr., and St. Aubin, D. R., 1981, Evidence for northwestward thrusting of the Talkeetna superterrane, and its regional significance, in Albert, N.R.D., and Hudson, Travis, eds., *The United States Geological Survey in Alaska: Accomplishments during 1979*: U.S. Geological Survey Circular 832-B, p. B49-B51.
- Detterman, R. L., Hudson, Travis, Plafker, George, Tysdal, R. G., and Hoare, J. M., 1976, Reconnaissance geologic map along Bruin Bay and Lake Clark faults in Kenai and Tyonek quadrangles, Alaska: U.S. Geological Survey Open-file 76-477.
- Detterman, R. L., Plafker, George, Hudson, Travis, Tysdal, R. G., and Pavoni, Nazario, 1974, Surface geology and Holocene breaks along the Susitna segment of the Castle Mountain fault, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-618, scale 1:24,000.
- Detterman, R. L., Plafker, George, Tysdal, R. G., and Hudson, Travis, 1976, Geology and surface features along part of the Talkeetna segment of the Castle Mountain-Caribou fault system, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-738, scale 1:63,360.

- Detterman, R. L., Reed, B. L., and Lanphere, M. A., 1965, Jurassic plutonism in the Cook Inlet region, Alaska, in Geological Survey research, 1965: U.S. Geological Survey Professional Paper 525-D, p. D16-D21.
- Dickenson, K. A., 1978, Sedimentary facies in Tertiary rocks in the Tyonek Quadrangle (abs.): U.S. Geological Survey Professional Paper 1109, p. 84.
- Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.
- Eldridge, G. H., 1900, A reconnaissance in the Sushitna basin and adjacent territory, Alaska, in 1898: U.S. Geological Survey 20th Annual Report, pt. 7, p. 1-29.
- Feulner, A. J., 1968, Data on wells in the Matanuska-Susitna Borough area, Alaska: U.S. Geological Survey Open-file Report, 25 p.
- Fuchs, W. A., 1979, Tertiary tectonic history of the Castle Mountain-Caribou fault system in the Talkeetna Mountains, Alaska (abs.): Geological Society of America, Abstracts with Programs, v. 11, no. 7, p. 429.
- Gatto, L. W., Merry, C. J., McKim, H. L., and Lawson, D. E., 1980, Environmental analysis of the Upper Susitna River Basin using Landsat imagery: Hanover, New Hampshire, Cold Regions Research and Engineering Laboratory Report 80-4, 41 p.
- Gilbert, W. G., 1976, Evidence for early Cenozoic orogeny in central Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Reprt 51, p. 5-7.
- Grantz, Arthur, 1960a, Geologic map of the Talkeetna Mountains A-1 quadrangle and the south third of the Talkeetna Mountains B-1 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geological Investigations Map I-314, scale 1:48,000.
- _____, 1960b, Geologic map of the Talkeetna Mountains A-2 quadrangle, Alaska and the contiguous area to the north and northwest: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-313, scale 1:48,000.
- _____, 1961a, Geologic map of the north two-thirds of Anchorage D-1 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-343, scale 1:48,000.
- _____, 1961b, Geologic map and cross sections of the Anchorage D-2 quadrangle and northernmost part of the Anchorage D-3 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-342, scale 1:48,000.
- _____, 1964, Stratigraphic reconnaissance of the Matanuska Formation in the Matanuska Valley, Alaska: U.S. Geological Survey Bulletin 1181-I, p. 11-133.

- _____, 1965, Geologic map and cross sections of the Nelchina area, south-central Alaska: U.S. Geological Survey Open-file Report (65-65), scale 1:63,360.
- Grantz, Arthur, and Wolfe, J. A., 1961, Age of Arkose Ridge Formation, south-central Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1762-1765.
- Griscom, Andrew, 1979, Aeromagnetic and geologic interpretation maps of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870B, 2 sheets + 5 p., scale 1:250,000.
- Hackett, S. W., 1976, Regional gravity survey of Beluga Basin and adjacent area, Cook Inlet region, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-100, 38 p.
- _____, 1977, Gravity survey of Beluga basin and adjacent area, Cook Inlet region, south-central Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 49, 26 p.
- _____, 1978a, Preliminary geological interpretation (basement complex) of aeromagnetic map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107J, 1 sheet, scale 1:63,360.
- _____, 1978b, Provisional geophysical interpretation of simple Bouger gravity map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107I, 1 sheet, scale 1:63,360.
- _____, 1979a, Preliminary geophysical interpretation (basement complex) of aeromagnetic map, Talkeetna-Kashwitna Rivers area, Alaska: Anchorage, Alaska Division of Geological and Geophysical Surveys Open-file Report 107J, scale 1:63,360.
- _____, 1979b, Provisional geophysical interpretation of simple Bouger gravity map, Talkeetna-Kashwitna Rivers area, Alaska: Anchorage, Alaska Division of Geological and Geophysical Surveys Open-file Report 107I, scale 1:63,360.
- Hartman, D. C., Pessel, G. H., and McGee, D. L., 1974, Kenai Group of Cook Inlet Basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-49, 5 p.
- Hawley, C. C., and Clark, A. L., 1973, Geology and mineral deposits of the Chulitna-Yentna mineral belt, Alaska: U.S. Geological Survey Professional Paper 758-A, scale 1:250,000.
- Henning, M. W., and Pessel, G. H., 1980, Reconnaissance geology of the Nelchina Glacier deposit, north-central Chugach Mountains: Alaska Division of Geological and Geophysical Surveys Open-file Report 126, 5 p.
- Hillhouse, J. W., 1977, Paleomagnetism of the Triassic Nikolai Greenstone, McCarthy quadrangle, Alaska: Canadian Journal Earth Sciences, v. 14, p. 2578-2592.

- Hollick, Arthur, 1963, The Tertiary floras of Alaska: U.S. Geological Survey Professional Paper 182, 185 p.
- Hopkins, D. M., 1951, Lignite deposits near Broad Pass station, Alaska: in Coal investigations in south-central Alaska, 1944-46: U.S. Geological Survey Bulletin 963-D, p. 187-191.
- Jolley, T. R., Toenges, A. L., and Turnbull, L. A., 1952, Bituminous-coal deposits in the vicinity of Eska, Matanuska valley coal field, Alaska: U.S. Bureau of Mines Report of Investigations 4838, 87 p.
- Jones, D. L., 1967, Cretaceous ammonites from the lower part of the Matanuska Formation, southern Alaska: U.S. Geological Survey Professional Paper 547, 49 p.
- Jones, D. L., Silberling, N. J., Csejtey, Bela, Jr., Nelson, W. H., and Blome, C. D., 1980, Age and structural significance of ophiolite and adjoining rocks in the Upper Chulitna district, south-central Alaska: U.S. Geological Survey Professional Paper 1121-A, p. A1-A21, + 2 pl.
- Landes, K. K., 1927, Geology of the Knik-Matanuska district, Alaska: U.S. Geological Survey Bulletin 792, p. 51-72.
- Lockhart, Davey, 1979, Susitna basin resource bibliography-supplement 1979: Alaska Department of Natural Resources, Division of Research and Development, Land and Resource Planning Section in cooperation with U.S. Department of Agriculture, 244 p.
- Magoon, L. B., Adkison, W. L., and Egbert, R. M., 1976, Map showing geology, wildcat wells, Tertiary plant fossil localities, K-Ar age dates, and petroleum operations, Cook Inlet area, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1019, 3 sheets, scale 1:250,000.
- May, R. R., and Warfield, R. S., 1957, Investigations of subbituminous-coal beds near Houston, westward extremity of Matanuska coal field, Alaska: U.S. Bureau of Mines Report Investigations 5350, 20 p.
- McGee, D. L., 1973, Coal reserves, Beluga and Chuitna Rivers and Capps Glacier areas, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-30, 5 p.
- , 1978, Bedrock geology and coal occurrences, Talkeetna-Kashwitna area, Susitna River Basin, Alaska: Anchorage, Alaska Division of Geological and Geophysical Surveys Open-file Report 107E, scale 1:63,360.
- McGee, D. L., Emmel, K. S., Coonrad, P. L., and Clautice, K. H., 1977, Bibliography of Cook Inlet, 1969-1976: Alaska Division of Geological and Geophysical Surveys Special Report 27, 33 p.
- McGee, D. L., and Henning, M. W., 1977, Reconnaissance geology south-central Talkeetna Mountains, Alaska: Alaska Division Geological and Geophysical Surveys Open-file Report 103, 1 sheet, scale 1:63,360.

- McGee, D. L., and O'Conner, K. M., 1975, Cook Inlet basin subsurface coal reserve study: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-74, 24 p.
- Merritt, R. D., Eakins, G. R., and Clough, J. G., 1982, Coal investigation of the Susitna Lowland, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 142, 89 p.
- Nelson, W. H., Csejtey, Béla, Jr., and Dean, R. M., 1976, Reconnaissance geology of the western Talkeetna Mountains quadrangle, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 47-48.
- Reed, B. L., and Elliott, R. L., 1970, Reconnaissance geologic map, analyses of bedrock and stream sediment samples, and an aeromagnetic map of parts of the southern Alaska Range: U.S. Geological Survey Open-file Report (70-271), scale 1:250,000.
- Reed, B. L., and Lanphere, M. A., 1972, Generalized geologic map of the Aleutian Range Batholith showing K-Ar ages of the plutonic rocks: U.S. Geological Survey Miscellaneous Field Studies Map MF-342, scale 1:1,000,000.
- _____, 1974, Offset plutons and history of movement along the McKinley strand of the Denali fault system, Alaska: Geological Society of America Bulletin, v. 85, no. 12, p. 1883-1892.
- Reed, B. L., and Nelson, S. W., 1978, Geologic map of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Field Studies Map MF-870a, scale 1:250,000.
- Reger, R. D., and Carver, C. L., 1978, Reconnaissance geology of the Talkeetna-Kashwitna area, Susitna River Basin, Alaska: Anchorage, Alaska Division of Geological and Geophysical Surveys Open-file Report 107A, scale 1:63,360.
- Richter, D. H., 1963a, Geology of the Portage Creek-Susitna River area: Alaska Division of Mines and Minerals Geologic Report 3, 2 sheets.
- _____, 1963b, Portage Creek-Susitna River area (abs.) in Alaska Division of Mines and Minerals, Report for the year 1963: Juneau, Alaska, p. 47.
- Rose, A. W., 1967, Geology of an area on the upper Talkeetna River, Talkeetna Mountains quadrangle, Alaska: Alaska Division of Mines and Minerals Geologic Report 32, 7 p.
- Schmoll, H. R., and Dobrovolsky, Ernest, 1972, Generalized geologic map of Anchorage and vicinity, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-787-A; scale 1:24,000.
- Smith, T. E., 1976, Geologic map of the western Clearwater Mountains, south-central Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 29, 1 sheet, scale 1:63,360.

- _____, 1981, Geology of the Clearwater Mountains, south-central Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 60, 72 p.
- Triplehorn, D. M., 1976, Contributions to clay mineralogy and petrology, Cook Inlet basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report AOF-102, 18 p.
- Turner, D. L., Smith, T. E., and Forbes, R. B., 1974, Geochronology of offset along the Denali fault system in Alaska (abs.): Geological Society of America Abstracts with Programs, v. 6, no. 3, p. 268-269.
- Warfield, R. S., 1963, Investigation of a subbituminous coal deposit suitable for opencut mining, Beluga River coalfield, Alaska: U.S. Bureau of Mines Report of Investigations 6238, 100 p.
- Waring, G. A., 1934, Core drilling for coal in the Moose Creek area, Alaska: U.S. Geological Survey Bulletin 857-E, p. 155-173.
- Wescott, E. M., and White, W. K., 1982, Gravity survey of the Lower Susitna basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 162, 7 p., 2 sheets, scale 1:63,360.
- Winkler, G. R., 1978, Framework grain mineralogy and provenance of sandstone from the Arkose Ridge and Chickaloon Formations, Matanuska Valley, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. 870-873.
- Wolfe, J. A., Hopkins, D. M., and Leopold, E. B., 1966, Tertiary stratigraphy and paleobotany of the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 398-A, p. A1-A29.

B. Publicly available well/subsurface data:

Terminated Development Contracts: (Reports available from U.S. Geological Survey Public Inquiries Office, Room 108, Skyline Building, 508 2nd Avenue, Anchorage, Alaska 99510).

Pure Oil Company, 1965?, Report of Exploration in the Kahiltna River Development contract area: (Summary report, two seismic maps).

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date completed</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Reports(2)</u>	<u>Other(1)</u>
Union Oil Company of California	Trail Ridge Unit #1	T20N/R10W/ sec. 9	13,708'	12/13/80	yes	yes	-	-
Union Texas Petroleum Co	Pure Kahiltna River State #1	T23N/R8W/ sec. 33	7,265'	3/10/64	yes	yes	-	-

1. Examination of slides and samples at the Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99510.
2. Reports and logs available from Petroleum Information, P.O. Box 10-2278, Anchorage, Alaska 99510.

YUKON FLATS/KANDIK BASIN

A. General

- Allison, C. W., and Moorman, M. A., 1973, Microbiota from the late Proterozoic Tindir Group, Alaska: *Geology*, v. 1, no. 2, p. 65-68.
- Andreason, G. E., 1960, Total intensity aeromagnetic map of the Yukon Flats-Kandik area, Alaska: U.S. Geological Survey Open-file Report (60-9), 8 sheets.
- Aleinikoff, J. N., Dunsel-Bacon, Cynthia, and Foster, Helen L., 1979, Geochronological studies in the Yukon-Tanana upland, east-central Alaska: U.S. Geological Survey Circular 823-B, p. B34.
- Barnes, D. F., 1971, Preliminary Bouger anomaly and specific gravity maps of Seward Peninsula and Yukon Flats, Alaska: U.S. Geological Survey Open-file Report (71-14), 11 p.
- Brabb, E. E., 1961, Reconnaissance of the Kandik and Nation Rivers, east-central Alaska; in *Geological Survey research 1961*: U.S. Geological Survey Professional Paper 424-B, p. 8218.
- _____, 1965, Stratigraphy and oil possibilities of Mesozoic rocks in Kandik basin, east-central Alaska (abs.): *American Association of Petroleum Geologists Bulletin*, v. 49, no. 10, p. 1757-1758.
- _____, 1967, Stratigraphy of the Cambrian and Ordovician rocks of east-central Alaska: U.S. Geological Survey Professional Paper 559-A, p. A1-A30.
- _____, 1969, Six new Paleozoic and Mesozoic formations in east-central Alaska: U.S. Geological Survey Bulletin 1274-I, 11-126.
- _____, 1970, Preliminary geologic map of the Black River quadrangle, east-central Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-601, scale 1:250,000.
- Brabb, E. E., and Churkin, Michael, Jr., 1967, Stratigraphic evidence for the Late Devonian age of the Nation River Formation, east-central Alaska, in *Geological Survey research 1967*, U.S. Geological Survey Professional Paper 575-D, p. D4-D15.
- _____, 1969a, Age of Nation River Formation, east-central Alaska: *American Association of Petroleum Geologists*, v. 53, no. 2, p. 430-433.
- _____, 1969b, Geologic map of the Charley River quadrangle, east-central Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-573, scale 1:250,000.
- Brabb, E. E., and Grant, R. E., 1971, Stratigraphy and paleontology of the revised type-section for the Tahkandit limestone (Permian) in east-central Alaska: U.S. Geological Survey Professional Paper 703, 26 p.

- Brabb, E. E., and Hamachi, B. R., 1977, Chemical composition of Precambrian, Paleozoic, Mesozoic, and Tertiary rocks from east-central Alaska: U.S. Geological Survey Open-file Report 77-631, 166 p.
- Brooks, A. H., and Kindle, E. M., 1908, Paleozoic and associated rocks of the upper Yukon, Alaska: Geological Society of America Bulletin, v. 19, p. 225-314.
- Brosge, W. P., Brabb, E. E., and King, E. R., 1970, Geologic interpretation of reconnaissance aeromagnetic survey of northeastern Alaska: U.S. Geological Survey Bulletin 1271-F, p. F1-F14.
- Brosge, W. P., and Conradi, Arthur, Jr., 1971, Magnetic susceptibility of crystalline rock samples, Yukon River-Porcupine River area, east-central Alaska: U.S. Geological Survey Open-file Report (71-55), 8 p.
- Brosge, W. P., Lanphere, M. A., Reiser, H. N., and Chapman, R. M., 1969, Probable Permian age of the Rampart group, central Alaska: U.S. Geological Survey Bulletin 1294-B, p. B1-B18.
- Brosge, W. P., Reiser, H. N., Dutro, J. T., Jr., and Churkin, Michael, Jr., 1966, Geologic map and stratigraphic sections, Porcupine River Canyon, Alaska: U.S. Geological Survey Open-file Report (66-10), 4 sheets, scale 1:63,360.
- Brosge, W. P., Reiser, H. N., Yeend, Warren, 1973, Reconnaissance geologic map of the Beaver quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-525, scale 1:250,000.
- Cairnes, D. D., 1914, Geological section along the Yukon-Alaska boundary line between Porcupine and Yukon rivers: Geological Society of America Bulletin, v. 25, p. 179-204.
- Chapman, R. M., Weber, F. R., Churkin, Michael, Jr., and Carter, Claire, 1980, The Livengood Dome Chert, a new ordovician formation in central Alaska, and its relevance to displacement on the Tintina fault: U.S. Geological Survey Professional Paper 1126-F, p. F1-F13.
- Chapman, R. M., Weber, F. R., and Taber, Bond, 1971, Preliminary geologic map of the Livengood quadrangle, Alaska: U.S. Geological Survey Open-file Report (71-66), scale 1:250,000.
- Chapman, R. M., and Yeend, W. E., 1972, Preliminary geologic map of the northeastern part of the Tanana quadrangle, Alaska, Map MF-342, scale 1:250,000.
- Church, R. E., and Durfee, M. C., 1962, Geology of the Fossil Creek area, White Mountains, Alaska (abs.): Geological Society of America Special Paper 68, p. 113.
- Churkin, Michael, Jr., 1966, Lower Paleozoic rocks of Alaska (abs.): Canadian Petroleum Geology Bulletin, v. 14, p. 603.

- Churkin, Michael, Jr., and Brabb, E. E., 1965a, Occurrence and stratigraphic significance of *Oldhamia*, a Cambrian trace fossil, in east-central Alaska, in Geological Survey research 1965: U.S. Geological Survey Professional Paper 525-D, p. D120-D124.
- _____, 1965b, Ordovician, Silurian, and Devonian biostratigraphy of east-central Alaska: American Association of Petroleum Geologists Bulletin, v. 49, no. 2, p. 172-185.
- _____, 1967, Devonian rocks of the Yukon-Porcupine rivers area and their tectonic relation to other Devonian sequences in Alaska, in Oswald, D. H., ed., International Symposium on the Devonian System, Calgary, 1967, v. 2: Calgary, Alberta, Society of Petroleum Geologists, p. 226-258.
- _____, 1969, Prudhoe Bay discovery forces a look at other Alaska petroliferous areas: Oil and Gas Journal, v. 67, no. 45, p. 104-110.
- _____, 1973, Paleozoic and Precambrian rocks of Alaska and their role in its structural evolution: U.S. Geological Survey Professional Paper 740, 64 p.
- Churkin, Michael, Jr., and Carter, Claire, 1970, Devonian tentaculitids of east-central Alaska; systematics and biostratigraphic significance: Journal of Paleontology, v. 44, no. 1, p. 51-68.
- Churkin, Michael, Carter, Claire, and Trexler, J. H., Jr., 1980, Collision deformed Paleozoic continental margin of Alaska-Foundation for microplate accretion: Geological Society of America Bulletin, v. 91, no. 10, p. 648-654.
- Churkin, Michael, Jr., Foster, H. L., and Chapman, R. M., 1982, Terranes and suture zones in east-central Alaska: Journal of Geophysical Research, v. 87, p. 3718-3730.
- Clardy, B. I., 1979, Paleozoic stratigraphic framework of the Kandik Basin and northeastern Yukon Flats basin, east-central Alaska: Anchorage, Alaska, Alaska Geological Society Symposium, April 23-25, p. 16-17.
- Clark, S. H. B., and Foster, H. L., 1969, Preliminary geologic map of the Eagle D-2 and D-3 quadrangles, Alaska: U.S. Geological Survey Open-file Report (69-43), 1 sheet, scale 1:63,360.
- Clautice, K. H., and Mowatt, T. C., 1981, Trona occurrences within the Yukon Flats basin, Alaska: U.S. Bureau of Mines Open-file Report 69-81, 34 p.
- Clough, J. G., 1980, Fossil algae in Lower Devonian limestones, east-central Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 63, p. 19-21.
- Collier, A. J., 1903, Coal resources of the Yukon basin, Alaska: U.S. Geological Survey Bulletin 213, p. 276-283.
- Cushing, Grant, and Foster, Helen L., 1982, Recumbent folding in the northeastern Yukon-Tanana upland, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, p. 158.

- Davies, William E., 1972, The Tintina trench and its reflection in the structure of the Circle area, Yukon-Tanana upland, Alaska: International Geologic Congress, 24th Annual meeting, Montreal, Canada, sec. 3, p. 211-216.
- Foster, H. L., 1972, Geologic map of the Eagle Quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-922, scale 1:250,000.
- Foster, H. L., and Keith, T. E. C., 1974, Ultramafic rocks of the Eagle quadrangle, east-central Alaska: U.S. Geological Survey Journal of Research, v. 2, no. 6, p. 657-669.
- Hudson, Travis, Foster, H. L., and Weber, F. R., 1977, The Shaw Creek Fault, east-central Alaska, in Blean, K. M., ed., The United States Geological Survey in Alaska: accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. 833-834.
- Kindle, E. M., 1908, Geologic reconnaissance of the Porcupine Valley, Alaska: Geological Society of America Bulletin, v. 19, p. 315-338.
- Lane, H. R., and Ormiston, A. R., 1979, Siluro-Devonian biostratigraphy of the Salmon trout River area, east-central Alaska: *Geologica et Palaeontologica*, no. 13, p. 39-96.
- Laudon, L. R., Hartwig, A. E., Morgridge, D. L., and Omernik, J. B., 1966, Middle and late Paleozoic stratigraphy, Alaska-Yukon border area between Yukon and Porcupine rivers: American Association of Petroleum Geologists Bulletin, v. 50, no. 9, p. 1868-1889.
- LeCompte, James, 1981, Landsat features maps of the Circle quadrangle, Alaska: U.S. Geological Survey Open-File Report 81-782, scale 1:250,000.
- Long, 1981, Dextral strike slip faults in the Canadian Cordillera and depositional environments of related fresh-water intermontane coal basins, in Miall, A. D., ed., Sedimentation and tectonics in alluvial basins: Geological Association of Canada, Special paper 23, p. 153-186.
- Mertie, J. B., Jr., 1930, Geology of the Eagle-Circle District, Alaska: U.S. Geological Survey Bulletin 816, scale 1:250,000.
- , 1942, Tertiary deposits of the Eagle-Circle District, Alaska: U.S. Geological Survey Bulletin 917d, scale 1:250,000.
- Moore, M. G., 1979, Stratigraphy and depositional environments of the carboniferous Calico Bluff Formation, east-central Alaska: University of Alaska, Fairbanks, M.S. thesis.
- , 1982, Depositional environments and processes of Calico Bluff Formation (Carboniferous), east-central Alaska (abs): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 609.

- Moore, L. V., and Urban, J. B., 1977, An Early Late Devonian (Frasnian) palynology assemblage from the type locality of the Nation River Formation, east-central Alaska (abs.): in, Palynology, v. 1, American Association Strat. Palynologists, 8th Annual Meeting, Houston, Texas, October 1975, Proc., p. 175.
- Nilsen, T. H., Brabb, E. E., and Simoni, T. R., Jr., 1974, The Nation River Formation - A Devonian turbidite in east-central Alaska (abs.): Geological Society of America Abstracts with Programs: v. 6, no. 7, p. 1051-1052.
- _____, 1976, Deep sea fan deposition of the Devonian National River Formation, Yukon-Kandik area, Alaska: in Miller, Thomas P., ed., Recent and Ancient Sedimentary Environments in Alaska: Alaska Geological Society Symposium, Anchorage, Alaska, p. E1-E20.
- Palmer, A. R., 1968, Cambrian trilobites of east-central Alaska: U.S. Geological Survey Professional Paper 559-B, p. B1-B115.
- Payne, M. W., 1979, Evidence for a shelf to basin transition in Mississippian Calico Bluff Formation, east-central Alaska: Anchorage, Alaska, Alaska Geological Society Symposium, Alaska's Mineral and Energy Resources, Economics, and Land Status, April 23-25, p. 15.
- Payne, M. W., and Allison, C. W., 1978, Precambrian-Cambrian sedimentary rocks from east-central Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 553.
- _____, 1981, Paleozoic continental margin sedimentation in east-central Alaska: Geology, v. 9, no. 6, p. 274-279.
- Roddick, J. A., 1967, Tintina Trench: Journal of Geology, v. 75, p. 23-33.
- Schoennagel, F. A., 1977, Mississippian unconformities in northern Alaska related to Antler tectonic pulses: American Association of Petroleum Geologists Bulletin, v. 61, p. 435-442.
- Scott, R. A., and Doherty, L. I., 1967, Palynological evidence for Devonian age of the Nation River Formation, east-central Alaska, in Geological Survey research 1967: U.S. Geological Survey Professional Paper 575-B, p. 845-849.
- U.S. Geological Survey, 1973, Aeromagnetic survey, Beaver A-4, A-5, A-6, B-4, B-5, B-6, C-4, C-5, C-6, D-4, D-5, D-6 quadrangles, northeast Alaska: U.S. Geological Survey Open-file maps, 12 sheets, scale 1:63,360.
- _____, 1974a, Aeromagnetic map of eastern half of the Beaver quadrangle, northeastern Alaska: U.S. Geological Survey Open-file map (74-102), 1 sheet, scale 1:250,000.
- _____, 1974b, Aeromagnetic map of the Circle quadrangle, northeastern Alaska: U.S. Geological Survey Open-file map (74-101), 1 sheet, scale 1:250,000.

- Weber, F. R., and Foster, H. L., 1982, Tertiary(?) conglomerate and Quaternary faulting in the Circle Quadrangle, Alaska: U.S. Geological Survey Circular 844, p. 58-60.
- White, M. G., Stevens, J. M., and Matzko, J. J., 1963, Radiometric traverse along the Yukon River from Fort Yukon to Ruby, Alaska, 1949: U.S. Geological Survey Bulletin 1155, p. 82-89.
- Williams, J. R., 1960, Cenozoic sediments beneath the central Yukon Flats, Alaska, in Geological Survey research 1960: U.S. Geological Survey Professional Paper 400-B, p. 8329.
- , 1962, Geologic reconnaissance of the Yukon-flats district, Alaska: U.S. Geological Survey Bulletin 1111-H, p. 289-331.
- Williams, J. S., 1947, Permian rocks of the upper Yukon region, Alaska (abs.): Geological Society of America Bulletin, v. 58, no. 12, p. 1241.
- Young, G. M., 1981, Stratigraphy and depositional setting of the Late Proterozoic Tindir Group, east-central Alaska (abs.): Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 587.
- , 1982, The Late Proterozoic Tindir Group, east-central Alaska: Evolution of a continental margin: Geological Society of America Bulletin, v. 93, no. 8, p. 759-783.

B. Publicly available well/subsurface data:

Well data:

<u>Company</u>	<u>Well Name</u>	<u>Location</u>	<u>T.D. (feet)</u>	<u>Date spud</u>	<u>Logs(2) available</u>	<u>Well(1) samples</u>	<u>Reports(2)</u>	<u>Other(1)</u>
Louisiana Land and Exploration Company	Doyon Ltd. #1 (43-32)	10N/27E/sec. 32	11,044	2/17/76	yes	yes	-	-
Louisiana Land and Exploration Company	Doyon Ltd. #2 (14-31)	16N/28E/sec. 31	9,123	2/28/77	yes	yes	-	-
Louisiana Land and Exploration Company	Doyon Ltd. #3 (12X-20)	23N/28E/sec. 20	13,533	5/31/77	yes	yes	-	-

1. Examination of slides and samples at the Alaska Oil and Gas Conservation Commission, 3001 Porcupine Drive, Anchorage, Alaska 99510.

2. Reports and logs available from Petroleum Information, P.O. Box 10-2278, Anchorage, Alaska 99510.