

DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

Geological Literature
of the Alaska Peninsula to 1985

by

F.H. Wilson¹, S.Z. Gajewski¹, and L.A. Angeloni¹

Open-File Report 86-176

This report is preliminary and has not been reviewed for conformity with Geological Survey editorial standards and stratigraphic nomenclature.

¹U.S. Geological Survey, Anchorage, Alaska 99508

Geological Literature of the Alaska Peninsula to 1985

F.H. Wilson, S.Z. Gajewski, and L.A. Angeloni

INTRODUCTION

The geology of the Alaska Peninsula has been studied since the middle of the 19th century. Interest in coal, oil, and mineral exploration as well as studies of earthquakes and volcanoes resulted in an extensive geologic literature background for the Alaska Peninsula.

This bibliography on the geology and related subjects of the Alaska Peninsula was prepared as background for the U.S. Geological Survey Regional Alaska Mineral Resource Assessment Program II study of the Alaska Peninsula. The project area includes the following 1:250,000 scale quadrangles: Afognak, Bristol Bay, Chignik, Cold Bay, False Pass, Iliamna, Kaguyak, Karluk, Kodiak, Lake Clark, Mt. Katmai, Naknek, Port Moller, Simeonof Island, Stepovak Bay, Sutwik Island, Trinity Islands, Ugashik, and Unimak. This bibliography includes these quadrangles and selected references on the adjacent offshore areas of the Gulf of Alaska and Bristol Bay (Fig. 1).

SOURCES

Sources used for this bibliography include Geo-Ref computer data files, U.S. Geological Survey and State of Alaska published reports and bibliographies, and personal library files, including those of the late E. H. Cobb (U.S. Geological Survey, Menlo Park, CA.).




Figure 1. Location map for the Alaska Peninsula geological bibliography.

ALASKA PENINSULA BIBLIOGRAPHY

- Abbot, C. G., and Fowle, F. E., 1913, Volcanoes and climate: Smithsonian Miscellaneous Collections, v. 60, no. 29, 24 p.
- Addicott, W. O., 1971, Tertiary marine mollusks of Alaska: An annotated bibliography: U.S. Geological Survey Bulletin 1343, 30 p.
- Addicott, W. O., 1973, Neogene marine mollusks of the Pacific coast of North America: An annotated bibliography, 1797-1969: U.S. Geological Survey Bulletin 1362, 210 p.
- Addicott, W. O., 1977, Significance of pectinids in Tertiary biochronology of the Pacific Northwest states [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 874.
- Ager, T. A., and Sims, J. D., 1984, Post-glacial pollen and tephra records from lakes in Cook Inlet region, southern Alaska, in Coonrad, W. L., and Elliot, R. L., eds., The United States Geological Survey in Alaska--Accomplishments during 1981: U.S. Geological Survey Circular 868, p. 103-105.
- Alaska Construction and Oil, 1984, Unga Island mining data announced: Alaska Construction and Oil, v. 25, no. 3, p. 31.
- Alaska Construction and Oil, 1984, Petroleum update: Alaska Construction and Oil, v. 25, no. 8, p. 164.
- Alaska Department of Mines, 1949, Report of the Commissioner of Mines for the Biennium ended December 31, 1948: Alaska Department of Mines, 50 p.
- Alaska Department of Mines, 1951, Report of the Commissioner of Mines for the Biennium ended December 31, 1950: Alaska Department of Mines, 57 p.
- Alaska Department of Mines, 1953, Report of the Commissioner of Mines for the Biennium ended December 31, 1952: Alaska Department of Mines, 66 p.
- Alaska Department of Mines, 1955, Report of the Commissioner of Mines for the Biennium ended December 31, 1954: Alaska Department of Mines, 110 p.
- Alaska Department of Mines, 1957, Report of the Commissioner of Mines for the Biennium ended December 31, 1956: Alaska Department of Mines, 103 p.
- Alaska Department of Mines, 1959, Report of the Commissioner of Mines for the Biennium ended December 31, 1958: Alaska Department of Mines, 83 p.
- Alaska Division of Geological and Geophysical Surveys, 1974, Annual Report 1973: Alaska Division of Geological and Geophysical Surveys, p. 12-14.
- Alaska Division of Geological and Geophysical Surveys, 1976, Biennial Report, 1974-75: Alaska Division of Geological and Geophysical Surveys, p. 13-36.

- Alaska Division of Geological and Geophysical Surveys, 1976, Short notes on Alaskan geology: Alaska Division of Geological and Geophysical Surveys Geologic Report 51, p. 19-22.
- Alaska Division of Geological and Geophysical Surveys, National Geophysical Data Center, and National Oceanic and Atmospheric Administration for U.S. Department of Energy, 1983, Geothermal resources of Alaska: Alaska Division of Geological and Geophysical Surveys, scale 1:2,500,000.
- Alaska Division of Mines and Minerals, 1961, Report for the year 1961: Alaska Division of Mines and Minerals, p.20,32-33.
- Alaska Division of Mines and Minerals, 1962, Report for the year 1962: Alaska Division of Mines and Minerals, p.34.
- Alaska Division of Mines and Minerals, 1963, Report for the year 1963: Alaska Division of Mines and Minerals, p.35,43,53-55.
- Alaska Division of Mines and Minerals, 1964, The great Alaska earthquake, March 27, 1964: Alaska Division of Mines and Minerals Miscellaneous Paper 1, 3 p.
- Alaska Division of Mines and Minerals, 1965, Report for the year 1965: Alaska Division of Mines and Minerals, p. 12-13.
- Alaska Geographic, 1982, Alaska's glaciers; A closer look: Alaska Geographic, v. 9, no. 1, p. 62-128.
- Alaska Mines and Geology, 1977, A geologic rarity on the horizon?: Alaska Mines and Geology, v. 26, no. 2. p. 10-11.
- Alaska Mines and Geology, 1984, Latest gold ranks with best: Alaska Mines and Geology, v. 23, no. 2, p. 13.
- Albert, N. R. D., 1982, Preliminary map showing reconnaissance photogeologic interpretation of SLAR imagery of the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 81-141, scale 1:250,000, 5 sheets.
- Allaway, W. H., Jr., 1982, Sedimentology and petrography of the Shelikof formation, Alaska Peninsula: San Jose, Calif., San Jose State University, M.S. thesis, 77 p.
- Allaway, W. H., Jr., Detterman, R. L., Miller, J. W., and Magoon, L. B., 1984, Stratigraphic clarification of the Shelikof Formation, Alaska Peninsula: U.S. Geological Survey Bulletin 1537-A, 27 p.
- Allaway, W. H., Jr., and Miller, J. W., 1984, Newly recognized sedimentary environments in the Shelikof Formation, Alaska, in Coonrad, W. L., and Elliot, R. L., eds., The United States Geological Survey in Alaska: Accomplishments during 1981: U.S. Geological Survey Circular 868, p. 34-37.

- Allen, E.T., and Zies, E.G., 1923, A chemical study of the fumaroles of the Katmai region: National Geographic Society Contributed Technical Papers, Katmai Series 2, p.79-155.
- Allison, R. C., 1977, Late Paleogene and Neogene molluscan faunas of the Gulf of Alaska region: Correlation, paleoclimatology, paleozoogeography [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 876.
- Allison, R. C., 1978, Late Oligocene through Pleistocene molluscan faunas in the Gulf of Alaska region: The Veliger, v. 21, no. 2., p. 171-188.
- Allison, R. C., and Addicott, W. O., 1973, The Mytilus middendorffi group (Bivalvia) of the North Pacific Miocene [abs.]: Geological Society of America Abstracts with Programs, v. 5, no. 1, p. 2-3.
- Allison, R. C., and Addicott, W. O., 1976, The North Pacific Miocene record of Mytilus (Plicatomytilus), a new subgenus of Bivalvia: U.S. Geological Survey Professional Paper 962, 22 p.
- Allison, R. C., and Armentrout, J. M., 1985, Alaska Peninsula Cenozoic stratigraphy: Stratigraphic sequences and current research [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 655.
- Allison, R. C., and Marincovich, Louie, Jr., 1979, Asiatic molluscs in late Paleogene and Neogene strata of the western Gulf of Alaska: Prospects for circum-north Pacific correlation [abs.]: Pacific Science Congress, 14th, Khabarovsk, U.S.S.R., 1979, Abstracts of Papers, sec. B-3, p. 15-17.
- Allison, R. C., and Marincovich, Louie, Jr., 1981, A late Oligocene or earliest Miocene molluscan fauna from Sitkinak Island, Alaska: U.S. Geological Survey Professional Paper 1233, 11 p., 3 plates.
- Amestad-Fruth, Elizabeth, and Kaufman, Aaron, 1963, Uranium series disequilibria in Recent volcanic rocks [abs.]: EOS (American Geophysical Union Transactions), v. 44, no. 1, p. 108.
- Anderson, R. E., 1968, Sitkinak Island coal, southwestern Alaska [abs.], in Report for the year 1968: Alaska Division of Mines and Geology, p. 27.
- Anderson, R. E., 1970, Tectonic overview of Bering Sea-Aleutian Ridge region [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2467.
- Andreassen, G. E., Dempsey, W. J., Vargo, J. L., and others, 1963, Aeromagnetic map of part of the Naknek quadrangle, Alaska: U.S. Geological Survey Geophysical Investigation Map GP-353, scale 1:125,000.
- Andreassen, G. E., Dempsey, W. J., Vargo, J. L., 1963, Aeromagnetic map of parts of the Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Geophysical Investigations Map GP-354, scale 1:125,000.

- Andreasen, G. E., Zeitz, Isidore, and Grantz, Arthur, 1958, Aeromagnetic reconnaissance of Cook Inlet area, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 42, p. 219-220.
- Andrew, M. E., Smith, O. P., and McKee, J. M., 1985, Extremal analysis of hindcast and measured wind and wave data at Kodiak, Alaska: Vicksburg, Mississippi, U.S. Army Engineer Waterways Experiment Station, Technical Report CERC 85-4. (Available from U.S. Department of Commerce, National Technical Information Service, Springfield, VA. 22161.)
- Anna, K., 1971, An aeromagnetic survey in the Valley of Ten Thousand Smokes, Alaska: Fairbanks, Alaska, University of Alaska, M.S. thesis, 97 p.
- Antevs, Ernst, 1929, Maps of the Pleistocene glaciations: Geological Society of America Bulletin, v. 40, no. 4, p. 631-720.
- Arbenz, J. K., 1977, Overview of Alaska plate tectonics [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 463-464.
- Armentrout, J. M., 1979, Cenozoic stratigraphy, Kodiak Island archipelago, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 3, p. 66.
- Armentrout, J. M., 1979, Paleocene plutonism in southern Alaska [abs.]: Pacific Science Congress, 14th, Khabarovsk, U.S.S.R., 1979, Abstracts of Papers, sec. B-4, p. 46-47.
- Armentrout, J. M., 1985, Depositional environment and geologic age of Neogene rocks at Cape Aliaksin, Beaver Bay, Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 655-656.
- Armentrout, J. M., and Anderson, G. A., 1980, Hydrocarbon potential of Sitkalidak formation, Eocene submarine fan complex, Kodiak Island archipelago, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 64, no. 5, p. 67.
- Armstrong, R. L., Harakal, J. E., and Hollister, V. F., 1976, Age determination of late Cenozoic porphyry copper deposits of the North American Cordillera: Institute of Mining and Metallurgical Transactions, Section B, v. 85, p. 239-244.
- Askren, D. R., 1972, Holocene stratigraphic framework - southern Bering Sea continental shelf: Seattle, Wash., University of Washington, M.S. thesis, 104 p.
- Askren, D. R., Creager, J. S., Sternberg, R. W., and Echols, R. J., 1977, Shelf sediments, benthic foraminifera, and dynamics of the southeastern Bering Sea [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 883-884.
- Atwater, Tanya, 1970, Implications of plate tectonics for the Cenozoic tectonic evolution of western North America: Geological Society of America Bulletin, v. 81, no. 12, p. 3513-3536.

- Atwood, W. W., 1908, Geologic studies in southwestern Alaska [abs.]: Science, new ser., v. 28, p. 933.
- Atwood, W. W., 1909, Geologic studies in the Alaska Peninsula [abs.]: Science, new ser., v. 29, p. 636.
- Atwood, W. W., 1909, Mineral resources of southwestern Alaska: U.S. Geological Survey Bulletin 379, p. 108-152.
- Atwood, W. W., 1910, Geologic studies in the Alaska Peninsula [abs.]: Geological Society of America Bulletin, v. 20, p. 700.
- Atwood, W. W., 1911, Geology and mineral resources of parts of the Alaska Peninsula: U.S. Geological Survey Bulletin 467, 137 p.
- Austin, W. A., Molnia, B. F., and Schwab, W. G., 1982, Bathymetric map of the north Aleutian shelf, Bristol Bay, Alaska: U.S. Geological Survey Open-File Report 82-1035.
- Averitt, Paul, 1961, Coal reserves of the United States - a progress report: U.S. Geological Survey Bulletin 1136, 116 p.
- Averitt, Paul, 1969, Coal resources of the United States, Jan. 1, 1967: U.S. Geological Survey Bulletin 1275, 116 p.
- Averitt, Paul, 1975, Coal resources of the United States, January 1, 1974: U.S. Geological Survey Bulletin 1412, 131 p.
- Averitt, Paul, and Berryhill, L. R., 1950, Coal resources of the United States, a progress report, November 1, 1950: U.S. Geological Survey Circular 94, 33 p.
- Averitt, Paul, Berryhill, L. R., and Taylor, D. A., 1953, Coal resources of the United States, a progress report, October 1, 1953: U.S. Geological Survey Circular 293, 49 p.
- Bailey, K. A., Cooper, A. K., Marlow, M. S., and Scholl, D. W., 1976, Preliminary residual magnetic map of the eastern Bering Shelf and parts of western Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-7167, scale 1:2,500,000.
- Bain, H. F., 1946, Alaska's minerals as a basis for industry: U.S. Bureau of Mines Information Circular 7379, 89 p.
- Baker, Marcus, 1900, Alaskan geographic names: U.S. Geological Survey 21st Annual Report, part 2, p. 487-509.
- Baker, Marcus, 1901, Geographic dictionary of Alaska: U.S. Geological Survey Bulletin 187, 446 p.
- Baker, Marcus, 1906, Geographic dictionary of Alaska (2d ed.) rev. by James McCormick: U.S. Geological Survey Bulletin 299, 690 p.

- Balding, G. O., 1976, Water availability, quality, and use in Alaska: U.S. Geological Survey Open-File Report 76-513, 236 p.
- Barnes, D. F., 1967, Four preliminary gravity maps of parts of Alaska: U.S. Geological Survey Open-File Report 67-10, 6 p., scale approx. 1:1,500,000.
- Barnes, D. F., 1968, Alaskan gravity base station network: U.S. Geological Survey Open-File Report 68-4, 45 p.
- Barnes, D. F., 1969, Effects of geologic processes on the gravity anomalies at the southern Alaska continental margin [abs.]: EOS (American Geophysical Union Transactions), v. 50, no. 11, p. 604.
- Barnes, D. F., 1969, Lack of isostatic adjustment on two Alaskan continental margins [abs.]: Geological Society of America Abstracts with Programs, v. 1, pt. 7, p. 254-256.
- Barnes, D. F., 1976, Bouguer gravity map of Alaska: U.S. Geological Survey Open-File Map 76-70, scale 1:2,500,000.
- Barnes, D. F., 1976, Gravitational evidence for more Alaskan sedimentary basins [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, p. 2174-2175.
- Barnes, D. F., 1976, New gravity map of Alaska, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 2, 5-6.
- Barnes, D. F., 1977, Bouguer gravity map of Alaska: U.S. Geological Survey Geophysical Investigation Map GP-913, scale 1:2,500,000.
- Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-File Report 77-169-B, scale 1:1,000,000.
- Barnes, D. F., and Allen, R. V., 1965, Reconnaissance marine and shoreline geophysical data from area south and west of Kodiak Island, Alaska [abs.]: Geological Society of America Special Paper 82, p. 354.
- Barnes, D. F., Lucas, W. H., Mace, E. V., and Malloy, R. J., 1966, Reconnaissance gravity and other geophysical data from continental end of Aleutian arc [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, p. 644.
- Barnes, F. F., 1967, Coal resources of Alaska: U.S. Geological Survey Bulletin 1242-B, p. B1-B36.
- Barnes, Ivan, 1978, Provenance and geochemistry of carbon dioxide-rich ground waters, Circum-Pacific region [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1208-1209.

- Barnes, Ivan, Irwin, W. P., and White, D. E., 1978, Global distribution of carbon dioxide discharges, and major zones of seismicity: U.S. Geological Survey Water-Resources Investigations Open-File Report 78-39, 12 p.
- Barnes, Ivan and McCoy, G. A., 1979, Possible role of mantle-derived CO₂ in causing two "phreatic" explosions in Alaska: *Geology*, v. 7, no. 9, p. 434-435.
- Barrash, Warren, and Venkatakrishna, Ramesh, 1982, Timing of late Cenozoic volcanic and tectonic events along the western margin of the North American plate: *Geological Society of America Bulletin*, v. 93, p. 977-989.
- Barrett, S. A., 1978, A three-dimensional magnetic model of Augustine Volcano: Fairbanks, Alaska, University of Alaska, M.S. thesis, 175 p.
- Bartsch-Winkler, Susan, 1980, Geologic maps in Alaska published by the U.S. Geological Survey, post-1930; scales 1:20,000 to 1:63,360 (through June, 1980): U.S. Geological Survey Open-File Report 80-1251, 15 p.
- Bartsch-Winkler, Susan, 1980, Geologic maps in Alaska published by the U.S. Geological Survey, post-1930; scales 1:96,000 to 1:250,000 (through June, 1980): U.S. Geological Survey Open-File Report 80-1252, 15 p.
- Baseau, Neil, 1980, Geothermal energy in Alaska: Geo-heat Utilization Center Quarterly Bulletin, v. 5, p. 1-3.
- Baur, R., and Hanna, D., 1978, State of Alaska coal haul road system report: Alaska Department of Transportation and Public Facilities, Transportation Planning Division, 26 p.
- Beavan, J., Bilham, R., and Hurst, K., 1983, Coherent tilt signals observed in the Shumagin Islands seismic gap [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 18, p. 258.
- Beavan, J., Hauksson, E., McNutt, S. R., Bilham, R., and Jacob, K. H., 1983, Tilt and seismicity changes in the Shumagin seismic gap: *Science*, v. 222, no. 4621, p. 322-325.
- Becker, G. F., 1898, Reconnaissance of the gold fields of southern Alaska, with some notes on general geology: U.S. Geological Survey 18th Annual Report, pt. 3, Economic Geology, p. 1-86.
- Beikman, H. M., 1974, Preliminary geologic map of the southeast quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-612, scale 1:1,000,000, 2 sheets.
- Beikman, H. M., 1974, Preliminary geologic map of the southwest quadrant of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-611, scale 1:1,000,000, 2 sheets.

- Beikman, H. M., 1975, Preliminary geologic map of the Alaska Peninsula and Aleutian Islands: U.S. Geological Survey Miscellaneous Field Studies Map MF-674, scale 1:1,000,000, 2 sheets.
- Beikman, H. M., 1980, Geologic map of Alaska: U.S. Geological Survey Special Map, scale 1:2,500,000, 2 sheets.
- Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-File Report 77-169-G, scale 1:1,000,000.
- Berg, Eduard, 1968, Tectonic movement and deformation release in Alaska: Air Force Office of Scientific Research Report AFOSR-68-1933, contract AF-AFOSR-701-66, 39 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Berg, Eduard, 1973, Crustal structure in Alaska: Tectonophysics, v. 20, n. 1-4, p. 165-182.
- Berg, Eduard, and Kienle, Juergen, 1966, Gravity measurements in the Katmai Volcano area, Alaska: University of Alaska Geophysical Institute Report UAG-R-176, contract AF-AFOSR-701-64, NSF-GP-4360, 2 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Berg, Eduard, Kubota, Susumu, and Kienle, Juergen, 1967, Preliminary determination of crustal structure in the Katmai National Monument, Alaska: Bulletin of the Seismological Society of America, v. 57, no. 6, p. 1367-1392.
- Berg, H. C., and Cobb, E. H., 1967, Metalliferous lode deposits of Alaska: U.S. Geological Survey Bulletin 1246, 254 p.
- Berry, A. L., Dalrymple, G. B., Lanphere, M. A., and Von Essen, J. C., 1976, Summary of miscellaneous K-Ar age measurements, U.S. Geological Survey, Menlo Park, California, for the years 1972-74: U.S. Geological Survey Circular 727, 13 p.
- Berryhill, R. V., 1963, Reconnaissance of beach sands, Bristol Bay, Alaska: U.S. Bureau of Mines Report of Investigations 6214, 48 p.
- Berwick, V. K., Childers, J. M., and Kuentzel, M. A., 1964, Magnitude and frequency of floods in Alaska south of the Yukon River: U.S. Geological Survey Circular 493, 15 p.
- Beyer, B. J., 1980, Petrology and geochemistry of ophiolite fragments in a tectonic melange, Kodiak Islands, Alaska: Santa Cruz, Calif., University of California, Ph.D. thesis, 231 p.
- Beyer-Hill, Betsy, 1975, Layered gabbroic and ultramafic rocks in a tectonic melange, Kodiak Islands, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 7, p. 1116.

- Beyer-Hill, Betsy, and Brannon, J., 1976, Layered basic and ultrabasic rocks, Kodiak Islands, Alaska: The lower portion of a dismembered ophiolite [abs.]: EOS (American Geophysical Union Transactions), v. 57, p. 1027.
- Black, L. T., 1983, Some problems in interpretation of Aleut prehistory: Arctic Anthropology, v. 20, n. 1, p. 49-78.
- Black, R. F., 1954, Permafrost - a review: Geological Society of America Bulletin, v. 65, no. 9, p. 839-855.
- Black, R. F., 1966, Late Pleistocene to Recent history of Bering Sea-Alaska coast and man: Arctic Anthropology, v. 3, n. 2, p. 7-22.
- Black, R. F., 1974, Holocene glacier fluctuations in Aleutians and Antarctica [abs]: American Quaternary Association, p. 73
- Black, R. F., 1979, Holocene sea level and climate in the Aleutian Islands, Alaska [abs.], in Science for Alaska, Alaska Science Conference, 30th, Fairbanks, Alaska, 1979, Proceedings: Alaska Division American Association for the Advancement of Science and Alaska Division American Chemical Society, p. 45.
- Black, R. F., 1980, Isostatic, tectonic, and eustatic movements of sea level in the Aleutian Islands, Alaska, in Moerner, N., ed., Earth rheology, isotasy, and eustasy: New York, J. Wiley and Sons, p. 231-248.
- Black, R. F., 1982, Holocene sea-level changes in the Aleutian Islands: New data from Atka Island, in Colquhoun, D. J., ed., Holocene sea level fluctuations, magnitude and causes: I.G.C.P. n. 61, 12 p.
- Blanton, S. L., Jr., 1976, Geology of Bering Shelf [abs.]: American Association of Petroleum Geologists, v. 60, no. 11, p. 2067.
- Blanton, S. L., Jr., 1977, Geology of Bering Shelf [abs.]: American Association of Petroleum Geologists, v. 61, no. 3, p. 465.
- Blasko, D. P., 1976, Oil and gas exploration on the Iniskin Peninsula, Alaska: U.S. Bureau of Mines Open-File Report 69-76, 19 p.
- Blasko, D. P., 1976, Oil and gas seeps in Alaska; Alaska Peninsula, western Gulf of Alaska: U.S. Bureau of Mines Report of Investigations 8122, 78 p.
- Bliss, J. D., 1983, Alaska - basic data for thermal springs and wells as recorded in GEOTHERM: U.S. Geological Survey Open-File Report 83-426, 119p.
- Blome, C. D., 1981, Middle Jurassic (Calloviaian) radiolaria from southern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 411.
- Blome, C. D., and Albert, N. R. D., 1985, Carbonate concretions: An ideal sedimentary host for microfossils: Geology, v. 13, p. 212-215.

- Bolm, J. G., McCulloh, T. H., and Stewart, R. J., 1982, Diagenesis of sandstones in Lower Cook Inlet basin, Alaska and its implications for Mesozoic petroleum plays [abs.]: Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 8.
- Bordet, Pierre, Marinelli, G., Mitterbergher, M., and Tazieff, H., 1963, Contributions a l'etude volcanologique du Katmai et de la Vallee des Dix Mille Fumees (Alaska) [with an English abstract]: Memoires de la Societe Belgie de Geologie, de Paleontologie, et d'Hydrologie, Ser. 8, no. 7, 70 p.
- Bordet, Pierre, and Tazieff, Haroun, 1963, The eruption of Katmai and the Valley of Ten Thousand Smokes, Alaska, and on the problem of ignimbrites: Geological Society of France Bulletin, 7th ser., v. 5, no. 2, p. 210-213.
- Bottge, R. G., 1974, Potential mineral resources in selected D.2 lands: U.S. Bureau of Mines Open-File Report 9-74, 55 p.
- Bouchon, M., and Aki, K., 1984, Simulations of long-period, near-field motion for the great Alaskan earthquake of 1964 [abs.]: Geological Society of America Abstracts with Programs, V. 16, no. 5, p. 271.
- Bouma, A. H., 1981, Submarine topography and physiography of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 81-1335, 28 p.
- Bouma, A. H., and Hampton, M. A., 1976, Preliminary report on the surface and shallow subsurface geology of Lower Cook Inlet and Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 76-695, 36 p.
- Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from Lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-File Report 78-727, 29 p.
- Bouma, A. H., and Hampton, M. A., 1979, Volcanic ash in surficial sediments of the Kodiak Shelf, western Gulf of Alaska: U.S. Geological Survey Professional Paper 1150, p. 152.
- Bouma, A. H., Hampton, M. A., Frost, T. P., Torresan, M. E., Orlando, R. D., and Whitney, J. W., 1978, Bottom characteristics of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 78-236, 90 p.
- Bouma, A. H., Hampton, M. H., Whitney, J. W., and Noonan, W. G., 1978, Physiography of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-728, 16 p.
- Bouma, A. H., and Nilsen, T. H., 1978, Turbidite facies and deep-sea fans - with examples from Kodiak Island, Alaska: Offshore Technology Conference, Houston, Tex., 1978, Proceedings, Paper no. OTC 3116, p. 559-570.

- Bouma, A. H., Nilsen, T. H., Moore, G. W., and Bolm, J. G., 1977, Eocene and Oligocene deep-sea fan deposits, Kodiak and adjacent islands, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 907-908.
- Box, Stephen E., 1984, Early Cretaceous arc-continent collision and subsequent strike-slip disruption in southwest Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, p. 272.
- Boyce, R. L., 1982, Depositional systems in the Naknek formation, late Jurassic, Lower Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 551.
- Brockway, Ronald, Alexander, B., Day, P., Lyle, W. M., Hiles, R., Decker, W., Polski, W., and Reed, B. L., 1975, Bristol Bay region, stratigraphic correlation section, southwest Alaska: Anchorage, The Alaska Geological Society.
- Brooks, A. H., 1902, The coal resource of Alaska: U.S. Geological Survey 22nd Annual Report, Part 3, p. 515-571.
- Brooks, A. H., 1906, The geography and geology of Alaska, a summary of existing knowledge, with a section on climate by Cleveland Abbe, Jr., and a topographic map and description thereof, by R. U. Goode: U.S. Geological Survey Professional Paper 45, 327 p.
- Brooks, A. H., 1906, Geologic reconnaissance map of Alaska [abs.]: Geological Society of America Bulletin, v. 17, p. 695-700.
- Brooks, A. H., 1906, The mining industry in 1905: U.S. Geological Survey Bulletin 284, p. 4-9.
- Brooks, A. H., 1907, The mining industry in 1906: U.S. Geological Survey Bulletin 314, p. 19-39.
- Brooks, A. H., 1908, The distribution of mineral resources in Alaska: U.S. Geological Survey Bulletin 345, p. 18-29.
- Brooks, A. H., 1908, The mining industry in 1907: U.S. Geological Survey Bulletin 345, p. 30-53.
- Brooks, A. H., 1909, The mining industry in 1908: U.S. Geological Survey Bulletin 379, p. 21-62.
- Brooks, A. H., 1909, Mineral resources of Alaska, in U.S. Geological Survey, Papers on the conservation of mineral resources (reprinted from report of the National Conservation Commission, February, 1909): U.S. Geological Survey Bulletin 394, p. 172-207.
- Brooks, A. H., 1910, Alaska coal and its utilization: U.S. Geological Survey Bulletin 442, p. 47-100.
- Brooks, A. H., 1911, The mining industry in 1909: U.S. Geological Survey Bulletin 442, p. 20-46.

- Brooks, A. H., 1911, The mining industry in 1910: U.S. Geological Survey Bulletin 480, p. 21-42.
- Brooks, A. H., 1911, Geologic features of Alaskan metalliferous lodes: U.S. Geological Survey Bulletin 480, p. 43-93.
- Brooks, A. H., 1912, The mining industry in 1911: U.S. Geological Survey Bulletin 520, p. 17-44.
- Brooks, A. H., 1913, The mining industry in 1912: U.S. Geological Survey Bulletin 542, p. 18-51.
- Brooks, A. H., 1914, Mineral deposits of Alaska: U.S. Geological Survey Bulletin 592, p. 18-44.
- Brooks, A. H., 1914, The Alaskan mining industry in 1913: U.S. Geological Survey Bulletin 592, p. 45-74.
- Brooks, A. H., 1915, The Alaskan mining industry in 1914: U.S. Geological Survey Bulletin 622, p. 15-68.
- Brooks, A. H., 1916, The Alaskan mining industry in 1915: U.S. Geological Survey Bulletin 642, p. 16-71.
- Brooks, A. H., 1918, The Alaskan mining industry in 1916: U.S. Geological Survey Bulletin 662, p. 11-62.
- Brooks, A. H., 1921, The future of Alaska mining: U.S. Geological Survey Bulletin 714, p. 5-57.
- Brooks, A. H., 1922, The Alaskan mining industry in 1920: U.S. Geological Survey Bulletin 722, p. 7-67.
- Brooks, A. H., 1923, The Alaska mining industry in 1921: U.S. Geological Survey Bulletin 739, p. 1-44.
- Brooks, A. H., 1925, Alaska's mineral resources and production, 1923: U.S. Geological Survey Bulletin 773, p. 3-52.
- Brooks, A. H., and Capps, S. R., 1924, The Alaska mining industry in 1922: U.S. Geological Survey Bulletin 755, p. 3-49.
- Brooks, A. H., and Martin, G. C., 1921, The Alaskan mining industry in 1919: U.S. Geological Survey Bulletin 714, p. 59-95.
- Brophy, J. G., and Marsh, B. D., 1983, Petrology and geochemistry of the Cold Bay volcanic center, Alaska Peninsula, southwestern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 6, p. 534.
- Brophy, J. G., and Marsh, B. D., 1984, The origin of hi-Al arc basalts at the Cold Bay volcanic center, SW Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 455.

- Brown, F. R., 1947, Apollo Mine (Unga Island): Alaska Territorial Department of Mines Miscellaneous Report MR 138-1, 20 p., 2 sheets.
- Brown, L., Klein, J., Middleton, R., Sacks, I. S., and Tera, F., 1982, ¹⁰Be in island-arc volcanoes and implications for subduction: *Nature*, v. 299, no. 5885, p. 718-720.
- Bruns, T. R., and Bayer, Kenneth, 1977, Multichannel seismic reflection data acquired on the M/V Cecil H. Green in the Gulf of Alaska, June-August, 1975: U.S. Geological Survey Open-File Report 77-352, 22 p.
- Bruns, T. R., Lewis, S. D., Blackman, D. K., von Huene, R., and Ladd, J. W., 1983, Structure and tectonics of the Shumagin continental margin, western Gulf of Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 870.
- Bruns, T. R., and Plafker, G., 1976, Structural elements of offshore Gulf of Alaska Tertiary province [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2176.
- Bruns, T. R., and von Huene, Roland, 1977, Sedimentary basins on the Shumagin shelf, western Gulf of Alaska, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B97.
- Bruns, T. R., von Huene, Roland, Culotta, R. C., and Lewis, S. D., 1985, Summary geologic report for the Shumagin Outer Continental Shelf (OCS) planning area, Alaska: U.S. Geological Survey Open-File Report 85-32, 59 p.
- Bruns, T. R., von Huene, Roland, Lewis, S. D., and Ladd, J. W., 1985, Structure of Shumagin continental margin, western Gulf of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 657.
- Buffler, R. T., 1976, Geologic map of south Augustine Island, Lower Cook Inlet, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF 96, 3 p., scale 1:2000.
- Buffler, R. T., 1976b, Geology of south Augustine Island, Lower Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 4, p. 654.
- Bundtzen, T. K., Eakins, G. R., and Conwell, C. N., 1982, Review of Alaska's mineral resources: Alaska Department of Commerce and Economic Development, Office of Mineral Development, 4 plates.
- Burbach, S. P., 1977, Depositional environments of the Kodiak Shelf, Alaska: College Station, Tex., Texas A and M University, M. S. thesis, 92 leaves.

- Burk, C. A., 1965, Geology of the Alaska Peninsula - Island arc and continental margin: Geological Society of America Memoir 99, 250 p., scales 1:250,000 and 1:500,000, 3 sheets.
- Burk, C. A., 1966, The Aleutian arc and Alaska continental margin: Geological Survey of Canada Paper 66-15, p. 206-214.
- Burk, C. A., 1966, Geologic history of the Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 50, no. 3, pt. 1, p. 645.
- Burkhard, Nardia, von Huene, Roland, McHendrie, Craig, Ruppel, Byron, and Bruns, Terry, 1980, Free-air gravity anomaly map, western Gulf of Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1173, scale 1:500,000.
- Burns, L. E., 1984, The Border Ranges mafic and ultramafic complex: Plutonic core of an intraoceanic volcanic island [abs.], in Howell, D. G., Jones, D. L., Cox, Allan, and Nur, Amos, eds., Proceedings of the Circum-Pacific Terrane Conference: Stanford University Publications in the Geological Sciences, v. XVIII, p. 40.
- Burrell, D. C., 1979, Distribution and dynamics of heavy metals in Alaskan shelf environments subject to oil development, in U.S. Department of Commerce, 1985, Outer Continental Shelf Environmental Assessment Program: Anchorage, Alaska, U.S. Department of Commerce, NOAA, OCSEAP, Final reports of principal investigators, v. 33, p. 3-99.
- Byers, F. M., Jr., 1952, Orogenic significance of two volcanic suites at Unimak Island, Alaska [abs.]: Geological Society of America Bulletin, v. 63, no. 12, p. 1323.
- Byrne, Tim, 1980, Orientation of progression deformation during accretion, Ghost Rocks formation, Kodiak Islands, Alaska [abs.]: Geological Society of America Abstracts with Program, v. 12, no. 3, p. 100.
- Byrne, Tim, 1981, Structural geology of Ghost Rocks Formation melange terranes, Kodiak Island, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 421.
- Byrne, T. B. ("Tim"), 1981, Tectonic and structural evolution of the Ghost Rocks Formation, Kodiak Island, Alaska: Santa Cruz, Calif., University of California, Ph.D. dissertation, 184 p.
- Byrne, Tim, 1984, Accretions, underplating and obduction in an ancient convergent margin, Kodiak Island, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 1, p. 7.
- Byrne, Tim, 1984, Early deformation in melange terranes of the Ghost Rocks Formation, Kodiak Island, Alaska, in Raymond, L. A., ed., Melanges: Their nature, origin, and significance: Geological Society of America Special Paper 198, p. 21-51.

- Cadle, R. D., Mroz, E. J., and Hobbs, P. V., 1977, Particles in the eruption cloud from St. Augustine Volcano: *Science*, v. 199, no. 4327, p. 455-458.
- California Mining Journal, 1983, Alaska Apollo outlining ore reserves: *California Mining Journal*, v. 53, no. 4, p. 25-26.
- Capps, S. R., 1922, The Cold Bay district: U.S. Geological Survey Bulletin 739, p. 77-116.
- Capps, S. R., 1932, Glaciation in Alaska: U.S. Geological Survey Professional Paper 170-A, p. 1-8.
- Capps, S. R., 1934, Notes on the geology of the Alaska Peninsula and Aleutian Islands: U.S. Geological Survey Bulletin 857-D, p. 141-155.
- Capps, S. R., 1935, The southern Alaska Range: U.S. Geological Survey Bulletin 862, 101 p., scale 1:250,000, 2 plates.
- Capps, S. R., 1937, Kodiak and adjacent islands, Alaska: U.S. Geological Survey Bulletin 880-C, p. 111-184, scale 1:250,000.
- Capps, S. R., 1937, Kodiak and vicinity, Alaska: U.S. Geological Survey Bulletin 868-C, p. 93-134, scale 1:250,000.
- Carden, J. R., 1978, The comparative petrology of blueschists and greenschists in the Brooks Range and Kodiak-Seldovia schist belts: Fairbanks, Alaska, University of Alaska, Ph.D. dissertation, 258 p.
- Carden, J. R., Connelly, W., Forbes, R. B., and Turner, D. L., 1977, Blueschists of the Kodiak Islands, Alaska: An extension of the Seldovia schist terrane: *Geology*, v. 5, p. 529-533.
- Carden, J. R., and Forbes, R. B., 1976, Discovery of blueschists on Kodiak Island, in *Short Notes on Alaskan Geology*: Alaska Geological and Geophysical Surveys Geologic Report 51, p. 19-22.
- Carnes, R. D., 1976, Active Alaskan placer operations, 1975: U.S. Bureau of Mines Open-File Report 98-76, 91 p.
- Case, J. E., 1980, Magnetic expression and mineralization of some Tertiary plutons on Prince William Sound and the Alaska Peninsula, southern Alaska [abs.]: *Geological Society of America Abstracts with Programs*, v. 12, no. 3, p. 101.
- Case, J. E., 1985, Some geophysical guides to ore in southern and southwestern Alaska [abs.], in *Krafft, Kathleen, ed., U.S. Geological Survey Research on Mineral Resources-1985, Program and Abstracts*: U.S. Geological Survey Circular 949, p. 5-7.
- Case, J. E., Barnes, D. F., Datterman, R. L., Morin, R. L., and Sikora, R. F., 1981, Gravity anomaly and interpretation map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-J, 5 p., scale 1:250,000.

- Case, J. E., Cox, D. P., Detra, D. E., Detterman, R. L., and Wilson, F. H., 1981, Maps showing aeromagnetic survey and geologic interpretation of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-B, 8 p., scale 1:250,000, 2 maps.
- Case, J. E., Cox, D. P., Detra, D. E., Detterman, R. L., and Wilson, F. H., 1982, Aeromagnetic survey of the Chignik and Sutwik Island quadrangles, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 88-89.
- Case, J. E., Detterman, R. L., and Wilson, F. H., 1980, Tertiary volcanic centers on the Alaska Peninsula: U.S. Geological Survey Professional Paper 1175, p. 111.
- Cederstrom, D. J., 1952, Summary of ground-water development in Alaska, 1950: U.S. Geological Survey Circular 169, 37 p.
- Cederstrom, D. J., Johnston, P. M., and Subitsky, Seymour, 1953, Occurrence and development of ground water in permafrost regions: U.S. Geological Survey Circular 275, 49 p.
- Chaigneau, Marcel, and Bordet, Pierre, 1963, Gaz occlus dans les verres de la Vallee des Dix Mille Fumees (Katmai, Alaska): Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences, v. 256, no. 14, p. 3167-3169.
- Chan, Majorie, A., Hayes, J. B., and Harms, J. C., 1981, Petrofacies and depositional environments of Upper Jurassic Naknek formation, Lower Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists, v. 65, no. 5, p. 909-910.
- Chaney, R. W., 1937, Plant fossils in the making: Carnegie Institute Washington News Service Bulletin, School Edition, v. 4, no. 11, p. 99-102.
- Chase, T. E., Miller, C. P., Thomas, J. A., Seekins, B. A., Young, J. D., and Carpenter, C. E., 1979, Bathymetry of Gulf of Alaska, Bering Sea and Beaufort Sea: U.S. Geological Survey Open-File Report 80-81, scale 1:2,770,702 at latitude 62°N.
- Chase, T. E., Miller, C. P., Thomas, J. A., Seekins, B. A., Young, J. D., and Carpenter, C. E., 1979, Map of sedimentary basins of offshore Alaska: U.S. Geological Survey Open-File Report 80-182, scale 1:2,770,702.
- Childers, J. M., 1970, A proposed streamflow-data program for Alaska: U.S. Geological Survey Open-File Report 70-62, 55 p.
- Childers, J. M., 1970, Flood frequency in Alaska: U.S. Geological Survey Open-File Report 70-63, 30 p.

- Childs, J. R., Cooper, A. K., and Wright, A. W., 1981, Residual magnetic map of Umnak Plateau region, southeastern Bering Sea: U.S. Geological Survey Geophysical Investigations Map GP-939, scale 1:1,000,000.
- Christie, J. S., and Wolfhard, M. R., 1977, Pyramid porphyry copper-molybdenum prospect, Alaska [abs.], in Annual Meeting, Geological Association of Canada, 1977: Society of Economic Geologists Program with Abstracts, v. 2, p.12.
- Churkin, Michael, Jr., 1973, Paleozoic and Precambrian rocks of Alaska and their role in its structural evolution: U.S. Geological Survey Professional Paper 740, 64 p.
- Churkin, Michael, Jr., 1983, Tectonostratigraphic terranes of Alaska and northeastern U.S.S.R- a record of collision and accretion, in Hashimoto, M., and Uyeda, S., eds., Accretion tectonics in Circum-Pacific regions: Tokyo, Terra Scientific Publishing Co., p. 37-42.
- Churkin, Michael, Jr., and Carter, Claire, 1979, Continental and oceanic basement terranes of Alaska - implications for plate motions in Alaska - Chukotka [abs.]: Pacific Science Congress, 14th, Khabarovsk, U.S.S.R., 1979, Abstracts of Papers, sec. B 2, p. 8-10.
- Clark, A. L., Berg, H. C., Cobb, E. H., Eberlein, G. D., MacKevett, E. M., Jr., and Miller, T. P., 1974, Metal provinces of Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-834, scale 1:5,000,000.
- Clark, G. A., 1912, The Katmai eruption (June, 1912): Seismological Society of America Bulletin, v. 2, p. 226-229.
- Clark, S. C., Frey, Herbert, and Thomas, H. H., 1985, Satellite magnetic anomalies over subduction zones: The Aleutian Arc anomaly: Geophysical Research Letters, v. 12, no. 1, p. 41-44.
- Clocchiatti, R. and Bassett, A. M., 1978, Skeletal growth and melt inclusions in quartz crystals of rhyodacite ignimbrites of the Valley of Ten Thousand Smokes, Katmai, Alaska: EOS (American Geophysical Union Transactions), v. 59, no. 4, p. 225.
- Coats, D. A., Kanamori, H., and Houston, H., 1984, Simulation of strong motion from the 1964 Alaskan earthquake [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 275.
- Coats, R. R., 1950, Volcanic activity in the Aleutian arc: U.S. Geological Survey Bulletin 974-B, p. 35-49.
- Cobb, E. H., 1960, Antimony, bismuth, and mercury occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-11, scale 1:2,500,000.
- Cobb, E. H., 1960, Chromite, cobalt, nickel, and platinum occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-8, scale 1:2,500,000.

- Cobb, E. H., 1960, Copper, lead, and zinc occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-9, scale 1:2,500,000.
- Cobb, E. H., 1960, Molybdenum, tin, and tungsten occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-10, scale 1:2,500,000.
- Cobb, E. H., 1962, Lode gold and silver occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-32, scale 1:2,500,000.
- Cobb, E. H., 1964, Industrial minerals and construction materials occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-41, scale 1:2,500,000.
- Cobb, E. H., 1964, Iron occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-40, scale 1:2,500,000.
- Cobb, E. H., 1964, Placer gold occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-38, 15 p., scale 1:2,500,000.
- Cobb, E. H., 1970, Antimony occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-52, 4 p., scale 1:2,500,000.
- Cobb, E. H., 1970, Bismuth occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-53, 2 p., scale 1:2,500,000.
- Cobb, E. H., 1970, Mercury occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-54, 2 p., scale 1:2,500,000.
- Cobb, E. H., 1970, Uranium occurrences in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-56, 3 p., scale 1:2,500,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Afognak quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-470, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Bristol Bay quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-456, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Chignik quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-374, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Cold Bay quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-441, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Karluk quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-459, scale 1:250,000.

- Cobb, E. H., 1972, Metallic mineral resources map of the Kodiak quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-460, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Mount Katmai quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-461, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Naknek quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-442, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Port Moller quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-443, scale 1:250,000.
- Cobb, E. H., 1972, Metallic mineral resources map of the Trinity Islands quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-468, scale 1:250,000.
- Cobb, E. H., 1973, Index of metallic mineral deposits of Alaska compiled from reports in open files of the U.S. Geological Survey and U.S. Bureau of Mines through 1972: U.S. Geological Survey Open-File Report 73-47, 87 p.
- Cobb, E. H., 1973, Placer deposits of Alaska: U.S. Geological Survey Bulletin 1374, 213 p.
- Cobb, E. H., 1974, Geological Survey maps (other than topographic maps) of Alaska indexed by quadrangle: U.S. Geological Survey Open-File Report 74-84, 38 p.
- Cobb, E. H., 1974, Geological Survey Open-file reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-File Report 74-7, 116 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1884-1914, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-345, 126 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1915-1939, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-335, 159 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1940-1959, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-261, 71 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1960-1973, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-210, 163 p.

- Cobb, E. H., 1974, Index of metallic mineral deposits of Alaska compiled from published reports of Federal and State agencies through 1972: National Technical Information Service PB-233 217/AS, 590 p.
- Cobb, E. H., 1974, Reports of the Alaska Division of Geological and Geophysical Surveys and predecessor agencies, 1913-1973, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-209, 112 p.
- Cobb, E. H., 1974, Selected U.S. Bureau of Mines reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-File Report 74-52, 40 p.
- Cobb, E. H., 1974, Synopsis of the mineral resources and geology of Alaska: U.S. Geological Survey Bulletin 1307, 53 p.
- Cobb, E. H., 1975, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1974, indexed by quadrangle: U.S. Geological Survey Open-File Report 75-128, 46 p.
- Cobb, E. H., 1976, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Iliamna, Lake Clark, Lime Hills, and McGrath quadrangles, Alaska: U.S. Geological Survey Open-File Report 76-485, 101 p.
- Cobb, E. H., 1977, Placer deposits map of central Alaska: U.S. Geological Survey Open-File Report 77-168B, 64 p., scale 1:1,000,000.
- Cobb, E. H., 1977, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1976, indexed by quadrangle: U.S. Geological Survey Open-File Report 77-177, 115 p.
- Cobb, E. H., 1979, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Afognak, Karluk, Kodiak, and Trinity Islands quadrangles, Alaska: U.S. Geological Survey Open-File Report 79-860, 47 p.
- Cobb, E. H., 1980, Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in fifteen quadrangles in southwestern and west-central Alaska (Atka, Attu, Bristol Bay, Chignik, Cold Bay, Hagemester Island, Mount Katmai, Naknek, Port Moller, Rat Islands, Saint Lawrence, Stepovak Bay, Ugashik, Unalaska, Unimak): U.S. Geological Survey Open-File Report 80-909, 103 p.
- Cobb, E. H., 1982, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1981, indexed by quadrangle: U.S. Geological Survey Open-File Report 82-384, 132 p.
- Cobb, E. H., 1983, Occurrences of lead minerals in Alaska: U.S. Geological Survey Open-File Report 83-73, scale 1:2,500,000.
- Cobb, E. H., 1983, Occurrences of zinc minerals in Alaska: U.S. Geological Survey Open-File Report 83-199, scale 1:2,500,000.

- Cobb, E. H., 1984, Map showing occurrences of lode gold and silver in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-84, 16 p., scale 1:2,500,000.
- Cobb, E. H., 1984, Map showing occurrences of molybdenum minerals in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-86, scale 1:2,500,000.
- Cobb, E. H., 1984, Map showing occurrences of placer gold in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-83, 18 p., scale 1:2,500,000.
- Cobb, E. H., 1984, Map showing occurrences of tungsten minerals in Alaska: U.S. Geological Survey Mineral Investigation Resource Map MR-85, scale 1:2,500,000.
- Cobb, E. H., Dusel-Bacon, Cynthia, MacKevett, E. M., Jr., and Berg, H. C., 1977, Map showing distribution of mineral deposits (other than organic fuels and construction materials) in Alaska: U.S. Geological Survey Open-File Report 77-496, 45 p., scale 1:2,500,000.
- Cobb, E. H., and Kachadoorian, Reuben, 1961, Index of metallic and nonmetallic mineral deposits of Alaska compiled from published reports of Federal and State agencies through 1959: U.S. Geological Survey Bulletin 1139, 363 p.
- Cobb, E. H., and Reed, B. L., 1981, Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Iliamna, Lake Clark, Lime Hills, and McGrath quadrangles, Alaska, Supplement to Open-File Report 76-485, Part A- Summaries to January 1, 1981: U.S. Geological Survey Open-File Report 81-1343-B, 26 p.
- Cobb, E. H., and Reed, B. L., 1981, Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Iliamna, Lake Clark, Lime Hills, and McGrath quadrangles, Alaska, Supplement to Open-File Report 76-485, Part B- Lists of references to January 1, 1981: U.S. Geological Survey Open-File Report 81-1343-B, 21 p.
- Cobb, E. H., Wanek, A. A., Grantz, Arthur, and Carter, Claire, 1968: Summary report on the geology and mineral resources of the Bering Sea, Bogoslof, Simeonof, Semidi, Tuxedni, St. Lazaria, Hazy Islands, and Forrester Island National Wildlife Refuges, Alaska: U.S. Geological Survey Bulletin 1260-K, p. K1-K28.
- Coe, R. S., Globberman, B. R., Plumley, P. W., and Thrupp, G. A., 1984, Paleomagnetic investigation of tectonostratigraphic terranes of Alaska, in Howell, D. G., Jones, D. L., Cox, Allan, and Nur, Amos, eds., Proceedings of the Circum-Pacific Terrane Conference: Stanford University Publications in the Geological Sciences, v. XVIII, p. 63-65.

- Coe, R. S., Globberman, B. R., Plumley, P. W., and Thrupp, G. A., 1985, Palaeomagnetic results from Alaska and their tectonic implications, in Howell, D. G., ed., Tectonostratigraphic terranes of the Circum-Pacific region: Houston, Tex., Circum-Pacific Council for Energy and Mineral Resources, p. 85-108.
- Cohee, G. V., Bates, R. G., and Wright, W. B., 1969, Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1967: U.S. Geological Survey Bulletin 1274-A, p. A1-A59.
- Cole, G. A. J., 1923, The floor of the Valley of Ten Thousand Smokes (Alaska): Nature, v. 112, no. 8, p. 251.
- Collins, K. M., and Stadnychenko, Ann, 1981, Gulf of Alaska and Lower Cook Inlet summary report 2 June, 1981: U.S. Geological Survey Open-File Report 81-607, 49 p.
- Connolly, W. R., 1976, Mesozoic geology of the Kodiak Islands and its bearing on the tectonics of southern Alaska: Santa Cruz, Calif., University of California, Ph. D dissertation, 234 p.
- Connolly, William, 1978, Uyak complex, Kodiak Islands, Alaska: A Cretaceous subduction complex: Geological Society of America Bulletin, v. 89, p.755-769.
- Connolly, William, Hill, Malcolm, Beyer-Hill, Betsy, and Moore, J. C., 1976, The Uyak Formation, Kodiak Islands, Alaska; An early Mesozoic subduction zone complex [abs.]: Geological Society of America Abstracts with Programs, v. 8, n. 3, p. 364.
- Connolly, William, and Moore, J. C., 1975, Tectonic mixing during subduction, Kodiak Islands, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 3, p. 306.
- Connolly, William, and Moore, J. C., 1979, Geologic map of the northwest side of Kodiak and adjacent islands, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1057, scales 1:250,000 and 1:63,360, 2 sheets.
- Connolly, William, and Smirnov, Leonid, 1980, Reply to comments on "Axes of elongation of petrified stumps in growth position as possible indicators of paleosouth, Alaska Peninsula": Geology, v. 9, n. 10, p. 437.
- Conrad, W. K., Kay, S. M., and Kay, R. W., 1983, Magma mixing in the Aleutian arc: Evidence from cognate inclusions and composite xenoliths: Journal of Volcanology and Geothermal Research, v. 18, p. 279-295.
- Conwell, C. N., and Triplehorn, D. M., 1978, Herendeen Bay-Chignik coals, southern Alaska Peninsula: Alaska Division of Geological and Geophysical Surveys Special Report 8, 15 p., scale 1:125,000, 2 plates.

- Cooper, A. K., Bailey, K. A., Howell, J. I., Marlow, M. S., and Scholl, D. W., 1976, Preliminary residual magnetic map of the Bering Sea Basin and the Kamchatka Peninsula: U.S. Geological Survey Miscellaneous Field Studies Map MF-715, scale 1:2,500,000.
- Cooper, A. K., Marlow, M. S., Parker, A. W., and Childs, J. R., 1979, Structure-contour map on acoustic basement in the Bering Sea: U.S. Geological Survey Miscellaneous Field Studies Map MF-1165, scale 1:2,500,000.
- Cooper, A. K., McLean, Hugh, and Marlow, M. S., 1985, Crustal structure of Bristol Bay region, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 659.
- Cooper, A. K., Scholl, D. W., and Marlow, M. S., 1976, Plate tectonic model for the evolution of the eastern Bering Sea Basin: Geological Society of America Bulletin, v. 87, no. 8, p. 119-1126.
- Cooper, A. K., Scholl, D. W., Vallier, T. L., and Scott, E. W., 1979, Resource report for the deep-water areas of proposed OCS lease sale no. 70, St. George Basin, Alaska: U.S. Geological Survey Open-File Report 80-246, 91 p.
- Corgan, J. X., 1966, Mya on the Alaska Peninsula: Nautilus, v. 80, no. 1, p. 13-16.
- Coury, A. B., Hendricks, T. A., and Tyler, T. F., 1978, Map of prospective hydrocarbon provinces of the world, North and South America: U.S. Geological Survey Miscellaneous Field Studies Map MF-1044A, scale 1:20,000,000.
- Coury, A. B., Hendricks, T. A., and Tyler, T. F., 1979, Bibliography for map of prospective hydrocarbon provinces of the world: U.S. Geological Survey Open-File Report 79-201, 88 p.
- Cowan, D. S., and Boss, R. F., 1978, Tectonic framework of the south-western Kenai Peninsula, Alaska: Geological Society of America Bulletin, v. 89, no. 1, p. 155-158.
- Cox, D. P., Detra, D. E., and Detterman, R. L., 1981, Mineral resource maps, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-K, scale 1:250,000, 2 sheets.
- Crane, W. R., 1915, Chignik Bay, Alaska coal fields: The Colliery Engineer, v. 35, no. 9, p. 457-461.
- Crick, Richard, W., 1971, Potential petroleum reserves Cook Inlet, Alaska, in Cram, Ira, H., ad., Future petroleum provinces of the United States - their geology and potential: Tulsa, Okla., American Association of Petroleum Geologists Memoir 15, v. 1, p. 109-119.
- Crosby, W. O., 1928, Certain aspects of glacial erosion: Geological Society of America Bulletin, v. 39, no. 4, p. 1171-1181.

- Cruz, E. L., and Cobb, E. H., 1984, Map showing occurrences of mercury minerals in Alaska: U.S. Geological Survey Mineral Investigations Resource Map MR-87, scale 1:2,500,000.
- Curtin, G. C., Grim, W. D., King, H. D., Cooley, E. F., Forn, C. L., Hoffman, J. D., O'Leary, R. M., and Tripp, R. B., 1979, Reconnaissance geochemical studies in Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B4-B5.
- Curtis, G. H., 1955, Importance of Novarupta during eruption of Mt. Katmai, Alaska in 1912 [abs.]: Geological Society of America Bulletin, v. 66, no. 12, p. 1547.
- Curtis, G. H., 1968, The stratigraphy of the ejecta from the 1912 eruption of Mount Katmai and Novarupta, Alaska, in Coats, R. R., Hay, R. L. and Anderson, C. A., eds., Studies in volcanology: Boulder, Colo., Geological Society of America Memoir 116, p. 153-210.
- Curtis, G. H., Williams, Howel, and Juhle, Werner, 1954, Evidence against assimilation of andesite by rhyolite in the Valley of Ten Thousand Smokes, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 35, no. 2, p. 378.
- Dahners, L. A., 1947, Pumice deposits, (Augustine Island): Alaska Territorial Department of Mines Mineral Investigations MI-103-1, 14 p.
- Daily, I. M., 1912, Report on the eruption of Katmai volcano: Geological Society of America Bulletin, v. 44, p. 641-644.
- Daley, E. E., and Swanson, S. E., 1985, Low pressure fractionation in arc volcanoes: An example from Augustine Volcano, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 17, n. 7, p. 558.
- Dall, W. H., 1896, Report of coal and lignite of Alaska: U.S. Geological Survey 17th Annual Report, Part 1, p. 771-914
- Dall, W. H., 1904, Eocene fossils from Alaska Peninsula, in Neozoic invertebrate fossils: Harriman Alaska Expedition, v. 4, p. 99-110.
- Dall, W. H., 1904, Miocene fossils from the Shumagin Islands, in Neozoic invertebrate fossils: Harriman Alaska Expedition, v. 4, p. 111-120.
- Dall, W. H., and Harris, G. D., 1892, Correlation papers; Neogene: U.S. Geological Survey Bulletin 84, p. 232-268.
- Davidson, D. F., and Powers, H. A., 1959, Selenium content of some volcanic rocks from western United States and Hawaiian Islands: U.S. Geological Survey Bulletin 1084-C, p. 69-81.
- Davies, J. N., 1983, Seismic, volcanic, and tsunami mitigation in Alaska - an unmet need: Alaska Division of Geological and Geophysical Surveys Report of Investigations 83-11, 13 p.

- Davies, J. N., and House, Leigh, 1979, Aleutian subduction zone seismicity, volcano-trench separation and their relation to great thrust-type earthquakes [abs.], in Science for Alaska, Alaska Science Conference, 30th, Fairbanks, Alaska, 1979, Proceedings: Alaska Division American Association for the Advancement of Science and Alaska Division American Chemical Society, p. 47.
- Davies, J. N., House, L., Jacob, K. H., Nakamura, K., and Perez, O., 1977, Comprehensive study of the seismotectonics of the Aleutian Arc; Annual report, March 1, 1976- February 28, 1977: U.S. Department of Energy contract EY-76-S-02-3134, 86 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161]
- Davies, J. N., Jacob, K. H., Beavan, J., Bilham, R., and House, L., 1978, Comprehensive study of the seismotectonics of the eastern Aleutian Arc and associated volcanic systems; Annual progress report, March 1, 1977- February 28, 1978: U.S. Department of Energy contract EY-76-S-02-3134, 111 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161]
- Davies, J. N., Jacob, K. H., and House, L., 1975, Comprehensive study of the seismotectonics of the Aleutian arc; Annual progress report, March 1, 1974- February 28, 1975: Columbia University, Lamont-Doherty Geological Observatory contract AT(11-1)-3134, 48 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161]
- Davies, J. N., Sykes, L., House, L., and Jacob, K., 1979, Seismotectonic setting of the Shumagin Islands region, Alaska: Evidence for a setting gap and a region of high seismic potential [abs.], in Science for Alaska, Alaska Science Conference, 30th, Fairbanks, Alaska, 1979, Proceedings: Alaska Division American Association for the Advancement of Science and Alaska Division American Chemical Society, p. 72.
- Davies, J. N., Sykes, L., House, L., and Jacob, K., 1981, Shumagin seismic gap, Alaska Peninsula: History of great earthquakes, tectonic setting, and evidence for high seismic potential: Journal of Geophysical Research, v. 86, no. 5, p. 3821-3855.
- Davison, R., and Jacob, K. H., 1983, Seismic moment release in the Aleutian Arc: A plate-kinematic interpretation of the instrumental and historic record [abs.]: EOS (American Geophysical Union Transactions), v. 64, no.18, p. 258.
- Dawson, G. M., 1894, Geological notes on some of the coasts and islands of Bering Sea and vicinity: Geological Society of America Bulletin, v. 5, p. 117-146.
- Dacker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-File Report 77-168-E, scale 1:1,000,000.

- Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-File Report 77-169-J, scale 1:1,000,000.
- Decker, John, and Plafker, George, 1983, The Chugach Terrane - a Cretaceous subduction complex in southern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 386.
- Decker, R. W., 1964, Geophysical investigations in Katmai National Monument, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 45, no. 1, p. 124.
- Deeter, T. M., Wingate, F. H., and Mancini, E. A., 1978, Upper Cretaceous arc-trench gap sedimentation on the Alaska Peninsula: Geology, v. 6, no. 7, p. 437-439.
- Deeter, T. M., Wingate, F. H., and Mancini, E. A., 1983, Upper Cretaceous sedimentation on the Alaska Peninsula: Journal of the Alaska Geological Society, v. 3, p. 19-23.
- DeLong, S. E., Hodges, F. N., and Arculus, R. J., 1975, Ultramafic and mafic inclusions, Kanaga Island, Alaska, and occurrence of alkaline rocks in island arcs: Journal of Geology, v. 83, p. 721-736.
- Denton, G. H., and Field, W. O., 1975, Glaciers of the Aleutian range and Kodiak Island, in Field, W. O., ed., Mountain Glaciers of the Northern Hemisphere, v. 2, Alaska and adjacent Canada, Arctic Canada, North Atlantic Islands: Hanover, N. H., U.S. Army Corps of Engineers Cold Regions Research and Engineering Laboratory, p. 621-640.
- Detra, D. E., and Cooley, E. F., 1980, Distributions and abundance of copper in minus-80-mesh stream-sediment and non-magnetic heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053C, scale 1:250,000, 2 sheets.
- Detra, D. E., and Cooley, E. F., 1980, Distribution and abundance of silver and arsenic in non-magnetic heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053G, scale 1:250,000, 2 sheets.
- Detra, D. E., and Cooley, E. F., 1980, Distribution and abundance of bismuth, tin and tungsten in non-magnetic heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053H, scale 1:250,000.
- Detra, D. E., Cooley, E. F., Day, G. W., O'Leary, R. M., Holloway, C. D., and Yount, M. E., 1978, Results and statistical summary from analyses of stream-sediment and heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-File Report 78-345, 96 p., 2 plates.

- Detra, D. E., Cooley, E. F., Hopkins, R. T., Jr., O'Leary, R. M., and Jefferies, D. R., 1978, Final results and statistical summary from analyses of stream-sediment and heavy-mineral concentrate-samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-File Report 78-1090, 105 p., 2 plates.
- Detra, D. E., and Day, G. W., 1980, Distribution and abundance of molybdenum in minus-80-mesh stream-sediment and non-magnetic-heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053F, scale 1:250,000, 2 sheets.
- Detra, D. E., Detterman, R. L., Cox, D. P., Wilson, F. H., and Theodore, T. G., 1982, Reconnaissance geochemical studies in the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska, in Conrad, W. L., editor, The United States Geological Survey in Alaska: Accomplishments in 1980: U.S. Geological Survey Circular 844, p. 87-88.
- Detra, D. E., and Hopkins, R. T., Jr., 1980, Distribution and abundance of lead in minus-80-mesh stream-sediment and non-magnetic heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053D, scale 1:250,000, 2 sheets.
- Detra, D. E., and O'Leary, R. M., 1980, Distribution and abundance of zinc in minus-80-mesh stream-sediment and non-magnetic-heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053E, scale 1:250,000, 2 sheets.
- Detra, D. E., Risoli, D. A., O'Leary, R. M., Hurrell, J. A., and Everman, W. E., 1981, Analytical data and statistical summary from the analyses of stream-sediment and heavy-mineral-concentrate samples collected in Bristol Bay, Ugashik, and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 81-963, 88 p., scale 1:250,000, 3 plates.
- Detterman, R. L., 1968, Recent volcanic activity on Augustine Island, Alaska, in Geological Survey Research 1968: U.S. Geological Survey Professional Paper 600-C, p. C126-C129.
- Detterman, R. L., 1969, Analysis of selected limestone samples from Iliamna and Bruin Bays, Iliamna quadrangle, Alaska: U.S. Geological Survey Open-File Report 69-70, p. 6.
- Detterman, R. L., 1973, Geologic map of the Iliamna B-2 quadrangle, Augustine Island, Alaska: U.S. Geological Survey Quadrangle Map GQ-1068, scale 1:63,360.
- Detterman, R. L., 1978, Interpretation of depositional environments in the Chignik Formation, Alaska Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B62-B63.

- Detterman, R. L., 1982, Late Mesozoic and Tertiary stratigraphy of the Alaska Peninsula [abs.]: Alaska Geological Society Symposium, 1982, Program with Abstracts, p. 5.
- Detterman, R. L., 1983, Late Mesozoic and Tertiary stratigraphy for the Alaska Peninsula [abs.]: Journal of the Alaska Geological Society, v. 3, p. 55.
- Detterman, R. L., 1985, The Paleogene sequence on the Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 661.
- Detterman, R. L., 1986, Glaciation of the Alaska Peninsula, in Hamilton, T. D., Reed, K. M., and Thorson, R. M., Glaciation in Alaska - the geologic record: Anchorage, Alaska, Alaska Geological Society, p. 151-170.
- Detterman, R. L., Allaway, W. H., Jr., Day, G. W., Hopkins, D. M., O'Leary, R. M., and Svec, Edward, 1982, Locality map for scintillometer and analytical data collected in 1981, Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-53, scale 1:250,000.
- Detterman, R. L., Allaway, W. H., Jr., O'Leary, R. M., Gruzinski, A. L., Hurrell, J. T., and Risoli, D. A., 1980, Sample location map and analytical data for rock samples collected in 1979, Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 80-142, scale 1:250,000.
- Detterman, R. L., Allaway, W. H., Jr., O'Leary, R. M., Houston, David, and Risoli, D. A., 1981, Sample location map and analytical data for rock samples collected in 1980, Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 81-173, scale 1:250,000.
- Detterman, R. L., Allaway, W. H., Jr., and Rossiter, R. H., 1981, Locality map and scintillometer data for the Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 81-253, scale 1:250,000.
- Detterman, R. L., and Case, J. E., 1980, Holocene volcano on the Alaska Peninsula: U.S. Geological Survey Professional Paper 1175, p. 110.
- Detterman, R. L., Case, J. E., Cox, D. P., Detra, D. E., Miller, T. P., and Wilson, F. H., 1981, The Alaskan Mineral Resource Assessment Program: Background information to accompany folio of geologic and resource maps of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Circular 802, p. 16.
- Detterman, R. L., Case, J. E., and Wilson, F. H., 1979, Paleozoic rocks on the Alaska Peninsula, in Johnson, K. M., and Williams, J. R., ed., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. 85-86.

- Detterman, R. L., Case, J. E., Wilson, F. H., Yount, M. E., and Allaway, W. H. Jr., 1983, Generalized geologic map of the Ugashik, Bristol Bay, and part of Karluk quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1539-A, scale 1:250,000.
- Detterman, R. L., Case, J. E., and Yount, E. M., 1984, Map showing onshore energy resources of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF 1053-L, scale 1:250,000, 2 sheets.
- Detterman, R. L., and Cobb, E. H., 1972, Metallic mineral resources map of the Iliamna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-364, scale 1:250,000.
- Detterman, R. L., and Hartsock, J. K., 1966, Geology of the Iniskin-Tuxedni region, Alaska: U.S. Geological Survey Professional Paper 512, 78 p., 6 plates.
- Detterman, R. L., Hudson, Travis, and Hoare, J. M., 1975, Bruin Bay Fault inactive during the Holocene, in Yount, M. E., ed., United States Geological Survey Alaska 1975 Program: U.S. Geological Survey Circular 722, p. 45.
- Detterman, R. L., and Jones, D. L., 1974, Mesozoic fossils from Augustine Island, Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin v. 58, no. 5, p. 868-870.
- Detterman, R. L., and Miller, J. W., 1984, Late Mesozoic paleobiogeography and tectonics of the Alaska Peninsula [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 278.
- Detterman, R. L., Miller, J. W., and Case, J. E., 1985, Megafossil locality map, checklists, and stratigraphic sections of Ugashik, Bristol Bay and part of Karluk quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1539-B, scale 1:250,000, 3 sheets.
- Detterman, R. L., Miller, T.P., Yount, M.E., and Wilson, F.H., 1979, Generalized geologic map of Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053A, scale 1:250,000.
- Detterman, R. L., Miller, T. P., Yount, M. E., and Wilson, F. H., 1981, Geologic map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1229, scale 1:250,000.
- Detterman, R. L., Miller, T.P., Yount, M. E., and Wilson, F. H., 1981, Quaternary geologic map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-1292, scale 1:250,000.
- Detterman, R. L., and Reed, B. L., 1964, Preliminary map of the geology of the Iliamna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Geological Investigations Map I-407, scale 1:250,000.

- Detterman, R. L., and Reed, B. L., 1965, Geochemical reconnaissance of stream sediments in the Iliamna quadrangle, Alaska: U.S. Geological Survey Open-File Report 65-41, scale 1:500,000.
- Detterman, R. L., and Reed, B. L., 1968, Geology of the Iliamna quadrangle, Alaska: U.S. Geological Survey Open-File Map 68-72, scale 1:200,000, 2 sheets.
- Detterman, R. L., and Reed, B. L., 1973, Surficial deposits of the Iliamna quadrangle, Alaska: U.S. Geological Survey Bulletin 1368-A, 64 p., scale 1:250 000.
- Detterman, R. L., and Reed, B. L., 1980, Stratigraphy, structure, and economic geology of the Iliamna quadrangle, Alaska: U.S. Geological Survey Bulletin 1368-B, 86 p., scale 1:250,000.
- Detterman, R. L., Reed, B. L., and Rubin, Meyer, 1965, Radiocarbon dates from Iliamna Lake, Alaska, in Geological Survey Research 1965: U.S. Geological Survey Professional Paper 525-D, p. D34-D36.
- Detterman, R. L., Wilson, F. H., Case, J.E., and Shew, N., 1982, Offset of Tertiary arcs on the Alaska Peninsula: U.S. Geological Survey Professional Paper 1375, p. 79.
- Detterman, R. L., Wilson, F. H., Yount, M. E., and Miller, T. P., 1986, Quaternary geologic map of the Ugashik, Bristol Bay, and part of the Karluk quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Investigations Map I-1801 (in press).
- Detterman, R. L., Yount, M. E., and Case, J. E., 1981, Megafossil sample locality map, checklists, and stratigraphic sections of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-N, scale 1:250,000, 2 sheets.
- Dickinson, K. A., Morrone, J. E., and Roberts, M. F., 1983, Summary of radiometric anomalies in Alaska: U.S. Geological Survey Open-File Report 83-169, 1 sheet.
- Dickinson, W. R., 1982, Compositions of sandstones in circum-Pacific subduction complexes and fore-arc basins: American Association of Petroleum Geologists Bulletin, v. 66, n. 2, p. 121-137.
- Ditullio, L. D., and Byrne, Tim, 1984, Deformation history of the Cretaceous/Paleocene Ghost Rocks melange, Kodiak Island, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 45, p. 1119.
- Ditullio, L. D., and Byrne, Tim, 1985, Kinematic evidence for tectonic origin of a melange: Cretaceous/Paleocene Ghost Rocks formation, Kodiak Island, Alaska [abs.]: Geological Society of America Abstracts with Programs. v. 17, no. 6, p. 351.

- Dobbs, S., and Hauksson, E., 1983, Temporal variation in patterns of stress within the subducted slab in the Shumagin gap, Alaska? [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 870.
- Dolton, G. L., Carlson, K. H., Charpentier, R. R., Coury, A. B., Crovelli, R. A., Frezon, S. E., Kahn, A. S., Lister, J. H., McMullin, R. H., Pike, R. S., Powers, R. B., Scott, E. W., and Varnes, K. L., 1981, Estimates of undiscovered recoverable resources of conventionally producible oil and gas in the United States, a summary: U.S. Geological Survey Open-File Report 81-192, 17 p.
- Dumond, D. E., 1965, Recent archeological research in Katmai National Monument [abs.], in Science in Alaska, Alaskan Science Conference, 15th, College, Alaska, 1964, Proceedings: Alaska Division American Association for the Advancement of Science, p. 210-211.
- Dumond, D. E., 1979, People and pumice on the Alaska Peninsula, in Sheets, P. D., and Grayson, D. K., (eds.), Volcanic activity and human ecology: New York, Academic Press, p. 373-390.
- Dunbar, C. O., Baker, A. A., Cooper, G. A., King, P. B., McKee, E. D., Miller, A. K., Moore, R. C., Newell, N. D., Romer, A. S., Sellards, E. H., Skinner, J. W., Thomas, H. D., and Wheeler, H. E., 1960, Correlation of the Permian formations of North America: Geological Society of America Bulletin, v. 71, no. 12, p. 1763-1805.
- Dunlavey, J. M., Childs, J. R., and von Huene, R. E., 1980, Bathymetric map of the western Gulf of Alaska: U.S. Geological Survey Open-File Report 80-1093, scales 1:500,000, 1:250,000, 13 sheets.
- Dutro, J. T., Jr., 1956, Annotated bibliography of Alaskan Paleozoic paleontology: U.S. Geological Survey Bulletin 1021-H, p. 253-287.
- Dutro, J. T., Jr., 1960, Correlation chart of Paleozoic rocks in Alaska: U.S. Geological Survey Open-File Chart.
- Dutro, J. T., Jr., and Payne, T. C., 1954, Geologic map of Alaska: U.S. Geological Survey, scale 1:2,500,000.
- Eakins, G. R., 1968, A petrified forest on Unga Island, Alaska Peninsula [abs.], in Alaska Division of Mines and Geology, Report for the year 1968: Alaska Division of Mines and Minerals, p. 23.
- Eakins, G. R., 1969, A sulfur deposit, Stepovak Bay, Alaska Peninsula [abs.], in Alaska Division of Mines and Geology, Report for the year 1969: Alaska Division of Mines and Minerals, p. 10.
- Eakins, G. R., 1969, Petrified forest, Unga Island, Alaska [abs.] in Alaska Division of Mines and Geology, Report for the year 1969: Alaska Division of Mines and Minerals, p. 10.
- Eakins, G. R., 1969, Uranium in Alaska: Alaska Division of Mines and Geology Geologic Report 38, 50 p.

- Eakins, G. R., 1970, A petrified forest on Unga Island, Alaska: Alaska Division of Mines and Geology Special Report 3, 19 p.
- Eakins, G. R., 1970, Mineralization near Stepovak Bay, Alaska Peninsula, Alaska: Alaska Division of Mines and Geology Special Report 4, 12 p.
- Eakins, G. R., and Forbes, R. B., 1976, Investigation of Alaska's uranium potential: Alaska Division of Geological and Geophysical Surveys Special Report 12, 372 p.
- Eckel, E. B., 1967, Effects of the earthquake of March 27, 1964, on air and water transport, communications, and utilities systems in south-central Alaska: U.S. Geological Survey Professional Paper 545-B, p. B1-B27.
- Eckel, E. B., 1970, The Alaska earthquake, March 27, 1964: Lessons and conclusions: U.S. Geological Survey Professional Paper 546, 57 p.
- Egbert, R. M., 1982, Sedimentology and petrography of the middle and upper Jurassic rocks in the Tuxedni Bay area, Cook Inlet, Alaska: San Jose, Calif., San Jose State University, M. S. thesis, 127 p.
- Egiazorv, B. K., Ermakov, B. V., Vaker, V. A., Zagorskaya, N. G., Kemeneva, G. I., Koopilova, T. N., Litvinov, E. M., Pichugina, G. K., Anikayev, N. P., Drabkin, I. E., Titov, V. A., Gershanovich, L. V., Grigorenko, Y. P., and Erlich, E. N., 1970, Main tectonic features of northern part of Pacific mobile belt [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2479-2480.
- Eisenhuth, H. P., 1965, Index of surface-water records to December 31, 1963 - Alaska: U.S. Geological Survey Circular 516, 17 p.
- Eisenhuth, H. P., 1968, Index of surface water records to September 30, 1967- Alaska: U.S. Geological Survey Circular 585, 18 p.
- Elvers, Douglas, Yellin, Martin, and Peter, George, 1965, Crustal structure of an area 120 miles wide and 600 miles long across the Aleutian Trench southwest of Kodiak Island [abs.]: EOS (American Geophysical Union Transactions), v. 45, no. 1, p. 47.
- Escher, B. G., 1922, On the hot "lahar" (mud flow) of the Valley of Ten Thousand Smokes, Alaska: Koninklijke Akademie van Wetenschappen, Proceedings Science Section, v. 24, p. 282-293.
- Eslinger, Eric, and Yeh, H. W., 1977, Oxygen and hydrogen isotopes and mineralogy of sediments from DSDP Leg 18, Site 180 [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 969-970.
- Espenshade, G. H., and Broedel, C. H., 1952, Annotated bibliography and index map of sulfur and pyrite deposits in the United States and Alaska (including references to July 1, 1951): U.S. Geological Survey Circular 157, 48 p.

- Espinosa, A. F., 1984, Seismicity of Alaska and the Aleutian Islands 1960-1983: U.S. Geological Survey Open-File Report 84-855, scale 1:12,500,000.
- Estes, S. A., 1978, Seismotectonic studies of Lower Cook Inlet, Kodiak Island and the Alaska Peninsula areas of Alaska: Fairbanks, Alaska, University of Alaska, M.S. thesis, 142 p.
- Fabiano, E. B., and Peddie, N. W., 1981, Magnetic intensity in the United States - epoch 1980: U.S. Geological Survey Miscellaneous Investigations Series Map I-1370, scale 1:5,000,000.
- Fairchild, D. T., 1977, Paleoenvironments of the Chignik Formation, Alaska Peninsula: Fairbanks, Alaska, University of Alaska, M.S. thesis, 168 p.
- Farrar, Edward, and Dixon, J. M., 1979, Subduction of the Kula Ridge at the Aleutian Trench: Geological Society of America Bulletin, part I, v. 90, no. 7, p. 699-702.
- Federman, A. N., and Scheidigger, K. F., 1981, A comparison of abyssal and terrestrial deposits of tephra from the 1912 eruption of Katmai/Novarupta [abs.]: EOS (American Geophysical Union Transactions), v. 62, no. 45, p. 1062.
- Federman, A. N., and Scheidigger, K. F., 1984, Compositional heterogeneity of distal tephra deposits from the 1912 eruption of Novarupta, Alaska: Journal of Volcanology and Geothermal Research, v. 21, p. 233-254.
- Fenner, C. N., 1920, Geology of the Katmai region, Alaska, and the great eruption of 1912, [abs.]: Geological Society of America Bulletin, v. 31, no. 1, p. 140.
- Fenner, C. N., 1920, The Katmai region, Alaska and the great eruption of 1912: Journal of Geology, v. 28, no. 7, p. 569-606.
- Fenner, C. N., 1920, The Katmai region, Alaska, and the great eruption of 1912 [abs.]: Journal of the Washington Academy of Sciences, v. 11, p. 394.
- Fenner, C. N., 1922, Evidences of assimilation during the Katmai eruption of 1912 [abs.]: Geological Society of America Bulletin, v. 33, no. 1, p. 129.
- Fenner, C. N., 1923, The origin and mode of emplacement of the great tuff deposit of the Valley of Ten Thousand Smokes: National Geographic Society Contributed Technical Papers, Katmai Series, v. 1, no. 1, 74 p.
- Fenner, C. N., 1923, The origin and mode of emplacement of the great tuff deposit in the Valley of Ten Thousand Smokes: Science, v. 57, p. 496-497.
- Fenner, C. N., 1924, Moving pictures of the Valley of Ten Thousand Smokes, Alaska [abs.]: Geological Society of America Bulletin, v. 35, no. 1, p. 112.

- Fenner, C. N., 1924, Moving pictures of the Valley of Ten Thousand Smokes, Alaska [abs.]: Pan American Geologist, v. 41, p. 156.
- Fenner, C. N., 1925, Earth movements accompanying the Katmai eruption, Pt. I: Journal of Geology, v. 33, no. 2, p. 116-139.
- Fenner, C. N., 1925, Earth movements accompanying the Katmai eruption, Pt. II: Journal of Geology, v. 33, no. 3, p. 193-233.
- Fenner, C. N., 1926, The Katmai magmatic province: Journal of Geology, v. 35, no. 7, pt. 2, p. 673-772.
- Fenner, C. N., 1930, Mount Katmai and Mount Mageik: Zeitschrift fur Vulkanologie, v. 13, no. 1, p.1-24.
- Fenner, C. N., 1937, Tuffs and other volcanic deposits of Katmai and Yellowstone Park: EOS (American Geophysical Union Transactions), 18th Annual Meeting, Part 1, p. 236-239.
- Fenner, C. N., 1938, The phenomenon of Falling Mountain (Alaska): American Journal of Science, 5th Ser., v. 35A, p. 35-48.
- Fenner, C. N., 1950, The chemical kinetics of the Katmai eruption, Alaska - Pt. 1: American Journal of Science, v. 248, no. 9, p. 593-627.
- Fenner, C. N., 1950, The chemical kinetics of the Katmai eruption, Alaska - Pt. 2: American Journal of Science, v. 248, no. 10, p. 697-725.
- Ferrians, O. J., Jr., 1965, Permafrost map of Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-445, scale 1:2,500,000.
- Feulner, A. J., 1963, Data on wells in the King Salmon area, Alaska: Alaska Department of Health and Welfare - Water Hydrological Data 24, 18 p.
- Feulner, A. J., Childers, J. M., and Norman, V. W., 1971, Water resources of Alaska: U.S. Geological Survey Open-File Report 71-105, 60 p.
- Feulner, A. J., and Reed, K. M., 1977, Bibliography of reports by members of the U.S. Geological Survey on the water resources of Alaska, 1870 through 1976: U.S. Geological Survey Open-File Report 77-687, 112 p.
- Field, M. E., Clarke, S. H., Jr., Greene, R. G., Molnia, B. F., Carlson, P. R., Hampton, M. A., and Bouma, A. H., 1978, Seafloor instability on Pacific continental margin [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1216-1217.
- Fierstein, Judy, and Hildreth, Wes, 1984, Grain-size of pyroclastic deposits of Novarupta, Katmai National Park, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 45, p.1149.
- Finklestein, Kenneth, 1979, Crenulate bay beach morphology, sediment transport and compactional variations, Kodiak Island, Alaska: Geological Society of America Abstracts with Programs, v. 11, no. 4, p. 178.

- Finklestein, Kenneth, 1979, Variations of morphology and sediment transport within crenulate-bay beaches [abs.]: American Association of Petroleum Geologists Bulletin, v. 63, no. 3, p. 450.
- Finklestein, Kenneth, 1982, Morphological variations and sediment transport in crenulated-bay beaches, Kodiak Island, Alaska: Marine Geology, v. 47, no. 3-4, p. 261-281.
- Fischer, R. P., 1975, Vanadium resources in titaniferous magnetite deposits: U.S. Geological Survey Professional Paper 926B, p. B1-B10.
- Fisher, D. M., 1984, Kinematics of duplex accretions as determined by incremental strain studies, Kodiak Island, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 509.
- Fisher, D. M., 1985, Strain variations within an accreted slate belt, Kodiak Island, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 6, p. 355.
- Fisher, M. A., 1976, Geology of offshore Lower Cook Inlet, Alaska, from seismic data [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, p. 2180-2181.
- Fisher, M. A., 1976, Interpretation and description of seismic data from Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 76-561, 185 p.
- Fisher, M. A., 1978, Structure and tectonic setting continental shelf southwest of Kodiak Island, Alaska [abs.]: American Association of Petroleum Geologist Bulletin, v. 62, no. 3, p. 513.
- Fisher, M. A., 1979, Structure and tectonic setting of continental shelf southwest of Kodiak Island, Alaska: American Association of Petroleum Geologists Bulletin, v. 63, no. 3, p. 301-310.
- Fisher, M. A., 1980, Petroleum geology of Kodiak Shelf: American Association of Petroleum Geologists Bulletin, v. 64, n. 8, p. 1140-1157.
- Fisher, M. A., 1981, Location of the Border Ranges Fault southwest of Kodiak Island, Alaska: Geological Society of America Bulletin, part I, v. 92, no. 1, p. 19-30.
- Fisher, M. A., Bruns, T. R., von Huene, Roland, 1981, Transverse tectonic boundaries near Kodiak Island, Alaska: Geological Society of America Bulletin, part I, v. 92, no. 1, p. 10-18.
- Fisher, M. A, and Holmes, M. L., 1980, Large-scale structure of deep strata beneath Kodiak shelf, Alaska: Geological Society of America Bulletin, part I, v. 91, no. 4, p. 218-224.
- Fisher, M. A., and Magoon, L. B., 1977, Geologic framework of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 77-136, 73 p.

- Fisher, M. A., and Magoon, L. B., 1978, Geologic framework of Lower Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 62, n. 3, p. 373-402.
- Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS lease sale 88: Southwestern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.
- Fisher, M. A., Moore, G. W., von Huene, Roland, and McClellan, P. H., 1981, Map of marine magnetic data from Shelikof Strait to Sutwik Island, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1227, scale 1:500,000.
- Fisher, M. A., and von Huene, Roland, 1980, Structure of Upper Cenozoic strata beneath Kodiak shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 64, no. 7, p. 1014-1033.
- Fisher, M. A., and von Huene, Roland, 1982, Map showing the geological structure of the continental shelf southeast and southwest of Kodiak Island, Alaska, from 24-fold seismic data: U.S. Geological Survey Miscellaneous Field Studies Map MF-1457, scale 1:500,000.
- Fisher, M. A., and von Huene, Roland, 1984, Geophysical investigations of a suture zone: The Border Ranges fault of southern Alaska: Journal of Geophysical Research v. 89, no. B13, p. 11,333-357.
- Fisher, M. A., and von Huene, Roland, 1984, Tectonics of the Kodiak Shelf during the past 5 MY: Implications for analysis of the 1964 Alaska earthquake [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 283.
- Fisher, M. A., von Huene, Roland, Smith, G. L., and Bruns, T. R., 1983, Possible seismic reflections from the downgoing Pacific plate, 275 kilometers arcward from eastern Aleutian trench: Journal of Geophysical Research, n. 88, no. B7, p. 5835-5849.
- Fisher, M. A., von Huene, Roland, and Steele, W. C., 1983, Marine free-air gravity map of the western Gulf of Alaska, Lower Cook Inlet and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 83-52, scale 1:500,000, 2 sheets.
- Fitzgerald, Gerald, 1951, Surveying and mapping in Alaska: U.S. Geological Survey Circular 101, 24 p.
- Fogleman, K. A., Stephens, C. D., Lahr, J. C., Rogers, J. A., Cancilla, R. S., Tam, Roy, Freiberg, J. A., and, Melnick, J. P., 1983, Catalog of earthquakes in southern Alaska April-June 1980: U.S. Geological Survey Open-File Report 83-14, 56 p.

- Fogleman, K. A., Stephens, C. D., Lahr, J. C., Rogers, J. A., Cancilla, R. S., Tam, Roy, Helton, S. M., Freiberg, J. A., and Melnick, J. P., 1983, Catalog of earthquakes in southern Alaska July-September 1980: U.S. Geological Survey Open-File Report 83-15, 56 p.
- Fogleman, K., Stephens, C., Lahr, J. C., Helton, S., and Allan, M., 1978, Catalog of earthquakes in southern Alaska, October-December 1977: U.S. Geological Survey Open-File Report 78-1097, 28 p.
- Forbes, R. B., Carden, J. R., and Connelly, W., 1976, The Kodiak-Chugach-Chichagof terranes; A newly defined Alaskan blueschist belt [abs.]: EOS (American Geophysical Union Transactions) v. 57, n. 4, p. 351.
- Forbes, R. B., Carden, J. R., Turner, D. L., and Connelly, William, 1977, Regional tectonic implications of Alaskan blueschist terranes, in Sisson, Alexander, ed., The relationship of plate tectonics to Alaskan geology and resources: Alaskan Geological Society Symposium, 6th, Anchorage, Alaska, 1977, Proceedings, p. L1-L28.
- Forbes, R. B., and Hoskin, C. M., 1969, Dredged trachyte and basalt from Kodiak seamount and the adjacent Aleutian trench, Alaska: Science, v. 166, no. 3904, p. 502-504.
- Forbes, R. B., Ray, D. K., Katsura, T., Matsumoto, H., Haramura, H., and Furst, M. J., 1969, The comparative chemical composition of continental vs. island arc andesites in Alaska: Oregon Department of Geology and Mineral Industries Bulletin 65, p. 111-120.
- Foster, H. L., and Karlstrom, T. N. V., 1967, Ground breakage and associated effects in the Cook Inlet area, Alaska, resulting from the March 27, 1964 earthquake: U.S. Geological Survey Professional Paper 543-F, p. F1-F28.
- Franks, S. G., and Hite, D. M., 1980, Controls of zeolite cementation in upper Jurassic sandstones, Lower Cook Inlet, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 5, p. 708.
- Freethy, G. W., and Scully, D. R., 1980, Water resources of the Cook Inlet basin, Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-620, scale 1:100,000, 4 sheets.
- French, B. M., and Muller, E. H., 1969, Savonoski crater, Alaska; A possible meteorite impact structure [abs.]: Meteoritics, v. 4, no. 3, p. 174-175.
- French, B. M., Muller, E. H., and Ward, P. L., 1972, Savonoski crater, Alaska; A possible meteorite impact structure: Meteoritics, v. 7, no. 2, p. 97-107.
- Fry, W. H., 1912, Mineral content of volcanic ashes from Kodiak (Alaska): Science, new ser., v. 36, p. 681-682.

- Fujita, K., 1979, Tectonics of divergent and convergent plate margins; I. Membrane stresses near mid-ocean ridge-transform intersections; II. Teleseismic relocation of central Aleutian earthquakes; III. Tectonics of the margins of the western Bering Sea: Evanston, Ill., Northwestern University, Ph.D dissertation, 308 p.
- Funk, J. M., 1973, Late Quaternary geology of Cold Bay, Alaska, and vicinity: Storrs, Conn., University of Connecticut, M.S. thesis, 45 p.
- Funk, J. M., 1973, The late Quaternary history of Cold Bay, Alaska and its implications to the configuration of the Bering Land Bridge [abs.]: Geological Society of America Abstracts with Programs, v. 5, no. 2, p. 162.
- Galloway, J. P., 1984, Bibliography of published radiocarbon dates for Alaska: U.S. Geological Survey Open-File Report 84-21, 42 p.
- Galloway, W. E., 1974, Deposition and diagenetic alteration of sandstone in northeast Pacific arc-related basins: Implications for graywacke genesis: Geological Society of America Bulletin, v. 85, no. 3, p. 379-390.
- Gardner, J. V., and Vallier, T. L., 1977, Underway geophysical data collected on U.S.G.S. cruise 54-76, southern Beringian shelf: U.S. Geological Survey Open-File Report 77-524, 5 p.
- Gardner, J. V., and Vallier, T. L., 1978, Underway seismic data collected on U.S.G.S. cruise 56-77, southeastern Bering Sea: U.S. Geological Survey Open-File Report 78-322, 5 p.
- Gardner, J. V., Vallier, T. L., and Dean, W. E., 1978, Grain size, total carbon, mineralogy, and inorganic geochemical data from surface sediments of the southern Bering Sea Outer Continental Shelf: U.S. Geological Survey Open-File Report 78-923, 32 p.
- Gardner, J. V., Vallier, T. L., Dean, W. E., Kvenvolden, K. A., and Redden, G. D., 1979, Sedimentology and geochemistry of surface sediments and the distribution of faults and potentially unstable sediments, St. George Basin region of the Outer Continental Shelf, southern Bering Sea: U.S. Geological Survey Open-File Report 79-1562, 88 p.
- Gassaway, L. D., 1935, Black sand deposits of Kodiak Island: Alaska Territorial Department of Mines Miscellaneous Report MR 135-1, 6 p.
- Gates, G. O., 1944, Part of the Herendeen Bay coal field, Alaska: U.S. Geological Survey Open-File Report 3, 5 p.
- Gates, G. O., Grantz, Arthur, and Patton, W. W., Jr., 1968, Geology and natural resources of Alaska, in Beebe, B. W., ed., Natural gases in rocks of Cenozoic age: American Association of Petroleum Geologists Memoir 9, v. 1, p. 3-48.

- Gedney, Larry, Matteson, Charles, and Forbes, R. B., 1979, Seismic refraction profiles of the ash flow in the Valley of Ten Thousand Smokes, Katmai National Monument, Alaska: *Journal of Geophysical Research*, v. 75, no. 14, p. 2619-2624.
- Geo-Logic, 1977, Alaska Peninsula petroleum source rock and reservoir study: St. Helena, Geo-Logic, 75 p.
- Gerin, Marybeth, 1979, Gazetteer of coastal and offshore features of the Bering Sea and Aleutian Arc: U.S. Geological Survey Open-File Report 79-1219, 49 p.
- Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-File Report 78-208, 63 p.
- Gershonovich, D. E., 1967, Late Quaternary sediment of Bering Sea and Gulf of Alaska, *in* Hopkins, D. M., ed., *The Bering land bridge*: Stanford, California, Stanford University Press, p. 32-46.
- Gibowicz, S. J., 1969, Regional residuals of the travel times of P waves: *Academie Polonaise des Sciences Bulletin, Serie des Sciences Geologiques et Geographiques*, v. 17, no. 3-4, p. 227-233.
- Gibowicz, S. J., 1969, The azimuth effect of the long period P waves: *Academie Polonaise des Sciences Bulletin, Serie des Sciences Geologiques et Geographiques*, v. 17, no. 3-4, p. 217-226.
- Gibson, W. M., 1958, Gulf of Alaska trough parallels Aleutian Trench: *Geological Society of America Bulletin*, v. 69, no. 5, p. 611-613.
- Gibson, W. M., 1960, Submarine topography in the Gulf of Alaska: *Geological Society of America Bulletin*, v. 71, no. 7, p. 1087-1107.
- Goeppert, H. R., 1861, *Über die Tertiärflora der Polargegenden*: *Schlesischen Gesell. Vaterl. Kultur., Abt. Naturwiss. u. Med., 39th Jahreschen., pt. 2, Abh.*, p. 195-207.
- Goldthwait, R. P., 1974, Patterned ground other than soil/ice wedges [abs.]: *Geological Society of America Abstracts with Programs*, v. 6, no. 7, p. 759.
- Gorshkov, G. S., 1962, On the classification and terminology of Pelee and Katmai type eruptions: *Bulletin Volcanologique*, v. 24, p. 155-165.
- Grantz, Arthur, 1963, Aerial reconnaissance of the Outer Shumagin Islands, Alaska: U.S. Geological Survey Professional Paper 475-B, p. B106-B109.
- Grantz, Arthur, and Cobb, E. H., 1968, Simeonof and Semidi National Wildlife Refuges, *in* Cobb, E. H., Wanek, A. A., Grantz, Arthur, and Carter, Claire, eds., *Summary report on the geology and mineral resources of the Bering Sea, Bogoslof, Simeonof, Semidi, Tuxedni, Saint Lazarus, Hazy Islands and Forrester Island National Wildlife Refuges, Alaska*: U.S. Geological Survey Bulletin 1260-K, 28 p.

- Grantz, Arthur, and Kirschner, C. E., 1975, Tectonic framework of petroliferous rocks in Alaska: U.S. Geological Survey Open-File Report 75-149, 44 p.
- Grantz, Arthur, Plafker, George, and Kachadoorian, Reuben, 1964, Alaska's Good Friday earthquake, March 27, 1964, a preliminary evaluation: U.S. Geological Survey Circular 491, 35 p.
- Gray, Jane, and Browning, J. L., 1959, Caytonialean microspores from the Jurassic and Cretaceous of Alaska [abs.]: Geological Society of America Bulletin, v. 70, no. 12, p. 1722.
- Grewingk, C. I., 1850, Beitrag zur kenntwiss der orographischen und geognostischen beschaffenheit der nord-west kuste Amerikas mit den angeliengenden inseln: Gedruckt bei K. Kray, St. Petersburg, 351 p.
- Griggs, R. F., 1917, The Valley of Ten Thousand Smokes: National Geographic Society explorations in the Katmai district of Alaska: National Geographic Magazine, v. 31, no. 1, p. 13-68.
- Griggs, R. F., 1918, The Valley of Ten Thousand Smokes: An account of the discovery and exploration of the most wonderful volcanic region in the world: National Geographic Magazine, v. 33, no. 2, p. 115-169.
- Griggs, R. F., 1918, The eruption of Katmai: Nature, v. 101, no. 25, p. 497-499.
- Griggs, R. F., 1918, Are the Ten Thousand Smokes real volcanoes?: Ohio Journal of Science, v. 19, p. 97-116.
- Griggs, R. F., 1918, The great hot mudflow of the Valley of Ten Thousand Smokes (Katmai, Alaska): Ohio Journal of Science, v. 19, p. 117-142.
- Griggs, R. F., 1919, The character of the eruption (of Katmai) as indicated by its effects on nearby vegetation: Ohio Journal of Science, v. 19, no. 3, p. 173-209.
- Griggs, R. F., 1919b, The Katmai National Monument and the Valley of Ten Thousand Smokes: Science, v. 49, p. 236-237.
- Griggs, R. F., 1920, The great Mageik landslide (Katmai district, Alaska): Ohio Journal of Science, v. 20, no. 8, p. 325-354.
- Griggs, R. F., 1921, Our greatest national monument: The National Geographic Society completes its explorations in the Valley of Ten Thousand Smokes: National Geographic Magazine, v. 40, no. 3, p. 219-292.
- Griggs, R. F., 1922, The Valley of Ten Thousand Smokes: Washington, D. C., National Geographic Society, 341 p.
- Griggs, R. F., 1923, Observations on the incandescent sand flow of the Valley of Ten Thousand Smokes: Koninklijke Akademie van Wetenschappen, Amsterdam, Proceedings Ser. Science, v. 25, p. 42-50.

- Grim, P. J., and Erickson, B. H., 1969, Fracture zones and magnetic anomalies south of the Aleutian trench: *Journal of Geophysical Research*, v. 74, p. 1488-1494.
- Grow, J. A., and Atwater, Tanya, 1970, Mid-Tertiary tectonic transition in the Aleutian Arc: *Geological Society of America Bulletin*, v. 81, no. 12, p. 3715-3721.
- Gruening, Ernest, 1963, Lonely wonders of Katmai: *National Geographic Magazine*, v. 123, no. 6, p. 800-831.
- Gryc, George, 1971, Summary of potential petroleum resources of region 1 (Alaska and Hawaii)- Alaska, in Cram, Ira, H., ed., *Future petroleum provinces of the United States - their geology and potential*: Tulsa, Oklahoma, American Association of Petroleum Geologists Memoir 15, v. 1, p. 55-67.
- Gryc, George, Miller, D. J., and Payne, T. G., 1951, Alaska: *American Association of Petroleum Geologists Bulletin*, v. 35, no. 2, p. 151-168.
- Guild, P. W., 1981, Preliminary metallogenic map of North America: A numerical listing of deposits: *U.S. Geological Survey Circular* 858-A, p. A1-A93.
- Guild, P. W., 1981, Preliminary metallogenic map of North America: An alphabetical listing of deposits: *U.S. Geological Survey Circular* 858-B, p. B1-B72.
- Guild, P. W., McCartney, W. D., Leach, G. B., Dengo, Gabriel, Ellitsgaard-Rasmussen, K., Salas, G. P., and Reyna, J. G., 1981, Preliminary metallogenic map of North America: *U.S. Geological Survey Special Geologic Map*, scale 1:5,000,000, 4 sheets.
- Haberman, R. E., 1983, Teleseismic detection in the Aleutian Island arc: *Journal of Geophysical Research*, v. 88, n. B6, p. 5056-5064.
- Hackett, S. W. 1976, Regional gravity of Beluga Basin and adjacent area, Cook Inlet region, Alaska: *Alaska Division of Geological and Geophysical Surveys Open-File Report* 100, 38 p.
- Hackett, S. W., 1976, Speculative tectonic evolution of the Cenozoic Shelikof Trough, south-central Alaska: *Alaska Division of Geological and Geophysical Surveys Geologic Report* 51, p 13-17.
- Hackett, S. W., 1981, Tabulated gravity field data, Alaska Peninsula area, Alaska: *Alaska Division of Geological and Geophysical Surveys Open-File Report* 136, 20 p.
- Hamilton, T. D., 1973, Geomorphic role of snow and ice during the Katmai eruption [abs.]: *Geological Society of America Abstracts with Programs*, v. 5, no. 1, p. 48-49.

- Hampton, M. A., 1981, Grain size composition of seafloor sediment, Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 81-659, 78 p.
- Hampton, M. A., 1982, Lower Cook Inlet environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS lease sale 88: Southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 95-105.
- Hampton, M. A., 1982, Shallow faulting, bottom instability, and movement of sediment in Lower Cook Inlet and western Gulf of Alaska [abs.]: (OCSEAP) Alaska Office Newsletter, no. 15, p. 59-64.
- Hampton, M. A., 1982, Shelikof Strait environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS lease sale 88: Southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 106-114.
- Hampton, M. A., 1982, Synthesis report: Environmental geology of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-197, 55 p.
- Hampton, M. A., 1982, Synthesis report: Environmental geology of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 82-59, 76 p.
- Hampton, M. A., 1983, Geology of the Kodiak Shelf, Alaska: Environmental considerations for resource development: Continental Shelf Research, v. 1, no. 3, p. 77-80.
- Hampton, M. A., 1983, Geotechnical framework study of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 83-171, 87 p.
- Hampton, M. A., 1983, Geotechnical framework study of Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 83-200, 122 p.
- Hampton, M. A. 1985, Quaternary sedimentation in Shelikof Strait, Alaska: Marine Geology, v. 62, no.3-4, p. 213-253.
- Hampton, M. A., and Bouma, A. H., 1976, Seismic profiles of Lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER, June-July 1976: U.S. Geological Survey Open-File Report 76-848, 6 p., and microfilm.
- Hampton, M. A., and Bouma, A. H., 1977, Seismic reflection records showing stable and unstable slopes near the shelf break, western Gulf of Alaska: U.S. Geological Survey Open-File Report 77-702, 30 p.
- Hampton, M. A., and Bouma, A. H., 1977, Slope instability near the shelf break, western Gulf of Alaska, in Richards, A. F., ed., Marine slope stability: Marine Geotechnology 2, p. 309-337.
- Hampton, M. A., and Bouma, A. H., 1978, Generalized thickness map of unconsolidated surficial units, Kodiak shelf, western Gulf of Alaska: U.S. Geological Survey Open-File Report 78-729, scale 1:517,240, 9 sheets.

- Hampton, M. A., and Bouma, A. H., 1978, Quaternary sedimentation and environmental geology of the Kodiak shelf, western Gulf of Alaska [abs.]: International Congress on Sedimentology, 10th, July 1978, Jerusalem, Israel, p. 28.
- Hampton, M. A., and Bouma, A. H., 1979, Notes on the acquisition of high resolution seismic reflection profiles, side-scanning sonar records, and sediment samples from Lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S8-78-WG, August 1978: U.S. Geological Survey Open-File Report 79-1311, 17 p.
- Hampton, M. A., and Bouma, A. H., 1980, Notes on the acquisition of high-resolution seismic reflection profiles, side-scanning sonar records, and sediment samples from Lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S8-79-WG July-August, 1979: U.S. Geological Survey Open-File Report 80-985, 52 p.
- Hampton, M. A., Bouma, A. H., Frost, T. P. and Colburn, I. P., 1979, Volcanic ash in surficial sediments of the Kodiak shelf - an indicator of sediment dispersal patterns: Marine Geology, v. 29, no. 1/4, p. 347-356.
- Hampton, M. A., Bouma, A. H., Pulpan, H., and von Huene, Roland, 1979, Geo-environmental assessments of the Kodiak Shelf, western Gulf of Alaska: Offshore Technology Conference, Houston, Texas, 1979, Proceedings, no. 11, v. 1, p. 365-376, (Paper OTC 3399).
- Hampton, M. A., Bouma, A. H., Torresan, M. E., and Colburn, I. P., 1978, Analysis of microtextures on quartz sand grains from Lower Cook Inlet, Alaska: Geology, v. 6, no. 2, p. 105-110.
- Hampton, M. A., Johnson, K. H., Torresan, M. E., and Winters, W. J., 1981, Description of seafloor sediment and preliminary geo-environmental report, Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 81-1133, 87 p.
- Hampton, M. A., and Kvenvolden, K. A., 1981, Geology and geochemistry of gas-charged sediments on Kodiak Shelf, Alaska: Geo-Marine Letters, v. 1, no. 2, p. 141-147.
- Hanks, C. L., Rogers, J. F., and Wallace, W. K., 1985, The western Alaska range flysch terrane: What is it and where did it come from? [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 6, p. 359.
- Hansen, W. R., Eckel, E. B., Schaem, W. E., Lyle, R. E., George, Warren, and Chance, Genie, 1966, The Alaska earthquake, March 27, 1964: Field investigations and reconstruction effort: U.S. Geological Survey Professional Paper 541, 111 p.
- Hanson, B. M., 1957, Middle Permian limestone on Pacific side of Alaska Peninsula: American Association of Petroleum Geologists Bulletin, v. 41, no. 10, p. 2376-2378.

- Hanson, Eric, Sherman, Greg, and Knaebel, Jeff, 1981, Preliminary report on the mineral potential of the Alaskan Peninsula: U.S. Bureau of Mines Open-File Report 36-81, 38 p.
- Harmon, R. S., Strong, D. F., Hoefs, J., and Moorbath, S., 1984, Augustine volcano, Alaska: Chemical and isotopic character [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 530.
- Hastings, D. S., Robinson, A. G., and Robinson, N. M., Jr., 1983, Stratigraphy, depositional history, and reservoir potential of Cretaceous and early Tertiary rocks of Lower Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 67, no. 3, p. 480.
- Hatten, Charles, W., 1971, Petroleum potential of Bristol Bay basin, Alaska, in Cram, Ira, H., ed., Future petroleum provinces of the United States - their geology and potential: Tulsa, Oklahoma, American Association of Petroleum Geologists Memoir 15, v. 1, p. 105-108.
- Hauksson, Egill, 1982, Upper mantle P-wave (Pn) velocities within the Shumagin seismic network, eastern Aleutians, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 1039.
- Hauksson, Egill, 1983, Regular or precursory seismicity, 1973-1983, in the Shumagin seismic gap, Alaska? [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 18, p. 258.
- Hauksson, Egill, 1983, Structure of the Benioff zone beneath the Shumagin Islands, Alaska: Relocation of local earthquakes using 3-D ray tracing [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 870.
- Hauksson, Egill, 1985, Structure of the Benioff zone beneath the Shumagin Islands, Alaska: Relocations of local earthquakes using three-dimensional ray tracing: Journal of Geophysical Research, v. 90, no. B1, p. 635-649.
- Hauksson, Egill, Armbruster, John, and Dobbs, Steven, 1984, Seismicity patterns (1963-1983) as stress indicators in the Shumagin seismic gap, Alaska: Bulletin of the Seismological Society of America, v. 74, no. 6, p. 2541-2558.
- Hauksson, Egill, and Jacob, K. H., 1983, Analysis of seismic gap, Alaska: U.S. Geological Survey Open-File Report 83-918, p. 221-224.
- Hayes, M. O., Brown, P. J., and Michel, J. A., 1976, Morphology and sediments of Lower Cook Inlet, with a preliminary assessment of the impact of petroleum development [abs.]: Geological Society of America Abstracts with Programs, v. 8, p. 908.
- Hayes, M. O., and Michel, J. A., 1982, Shoreline sedimentation within a forearc embayment, Lower Cook Inlet, Alaska: Journal of Sedimentary Petrology, v. 52, p. 251-263.

- Hays, J. D., and Ninkovich, Dragoslav, 1974, North Pacific deep-sea ash chronology of present Aleutian underthrusting, in Hays, J. D., ed., Geological Investigations of the North Pacific: Geological Society of America Memoir 126, p. 263-290.
- Hazzard, J. C., 1950, Lower Cretaceous rocks of Cape Kaguyak north of Kukak Bay, Alaska: Science, v. 112, no. 2904, p. 227.
- Hazzard, J. C., Bryan, J. J., Borax, Eugene, and Shoemaker, Richard, 1950, Geology of Kamishak Bay area, Cook Inlet [abs.]: American Association of Petroleum Geologists Bulletin, v. 34, no. 12, p. 2377.
- Hazzard, J. C., Bryan, J. J., Borax, Eugene, and Shoemaker, Richard, 1950, Cretaceous rocks in the Kamishak Bay area, Cook Inlet, Alaska: Science, v. 112, no. 2904, p. 226-227.
- Hedervari, P., 1975, Connection between the underthrusting of lithosphere and surficial volcanism in the seismic belt of the Aleutian-Alaska region: Modern Geology, v. 5, p. 143-153.
- Heggie, D. T., and Klinkhammer, G. P., 1982, Copper and manganese in the Bristol Bay region of the Bering Sea [abs.]: EOS (American Geophysical Union Transactions), v. 63, p. 99.
- Heiken, Grant, 1972, Morphology and petrography of volcanic ashes: Geological Society of America Bulletin, v. 83, no. 7, p. 1961-1987.
- Hein, J. R., Bouma, A. H., and Hampton, M. A., 1977, Distribution of clay minerals in Lower Cook Inlet and Kodiak shelf sediment, Alaska: U.S. Geological Survey Open-File Report 77-581, 17 p.
- Hein, J. R., Bouma, A. H., Hampton, M. A., and Ross, Robin, 1979, Clay mineralogy, fine-grained sediment dispersal, and inferred current patterns, Lower Cook Inlet and Kodiak Shelf, Alaska: Sedimentary Geology, v. 24, no. 3/4, p. 291-306.
- Hein, J. R., Scholl, D. W., and Miller, Jacqueline, 1978, Episodes of Aleutian ridge explosive volcanism: Science, v. 199, p. 137-141.
- Helwig, James, and Hall, G. A., 1974, Steady-state trenches?: Geology, v. 2, no. 7, p. 309-316.
- Herreid, Gordon, and Richter, D., 1963, Paint River area, Kamishak Bay, Alaska Peninsula [abs.], in Alaska Division of Mines and Minerals Report for the Year 1963: Alaska Division of Mines and Minerals, p. 43.
- Heusser, C. J., 1958, Late Pleistocene environments and chronology of Pacific coastal Alaska [abs.]: Geological Society of America Bulletin, v. 69, no. 12, p. 1753-1754.
- Heusser, C. J., 1963, Postglacial palynology and archeology in the Naknek River drainage area, Alaska: American Antiquity, v. 29, p. 74-81.

- Heusser, C. J., 1983, Pollen diagrams from the Shumagin Islands and adjacent Alaska Peninsula, southwestern Alaska: *Boreas*, v. 12, p. 279-295.
- Higbie, R. G., 1975, The Katmai eruption and the Valley of Ten Thousand Smokes: National Geographic Society Research Report, v. 8, p. 141-170.
- Hildreth, Wes, 1978, Katmai 1912; Constraints on the differentiation of thermally and compositionally zoned magma chambers, in International Geodynamics Conference "Western Pacific and Magma Genesis", Tokyo, Japan: Science Council of Japan, p. 248.
- Hildreth, Wes, 1983, The compositionally zoned eruption of 1912 in the Valley of Ten Thousand Smokes, Katmai National Park, Alaska: *Journal of Volcanology and Geothermal Research*, v. 18, p. 1-59.
- Hildreth, Wes, Fierstein, J. E., Grunder, Anita, and Jager, Larry, 1984, The 1912 eruption in the Valley of Ten Thousand Smokes, Katmai National Park: A summary of the stratigraphy and petrology of the ejecta, in Coonrad, W. L., and Elliott, R. L., eds., *The United States Geological Survey in Alaska: Accomplishments during 1981: U.S. Geological Survey Circular 868*, p. 37-39.
- Hildreth, Wes, and Grunder, A. L., 1980, The Valley of Ten Thousand Smokes tuff: II. Compositional and isotopic variability of the ejecta [abs.]: *Geological Society of America Abstracts with Programs*, v. 12, no.3.
- Hill, M. D., 1979, Volcanic and plutonic rocks of the Kodiak-Shumagin shelf, Alaska: Subduction deposits and near-trench magmatism: Santa Cruz, Calif., University of California, Ph. D. dissertation, 183 p.
- Hill M. D., and Gill, J. B., 1976, Mesozoic greenstones of diverse ages from the Kodiak Islands, Alaska [abs.]: *EOS (American Geophysical Union Transactions)*, v. 57, no. 12, p. 1021.
- Hill, M. D., and Morris, J. D., 1977, Near-trench plutonism in southwestern Alaska [abs.]: *Geological Society of America Abstracts with Programs*, v. 9, no. 4, p. 436-437.
- Hill, M. D., and Morris, Julie, 1982, Source rocks for Paleocene granitic intrusions of the Kodiak-Shumagin shelf, southwest Alaska: Evidence from Nd and Pb isotopes: *EOS*, v. 63, no. 18, P. 462.
- Hill, M. D., Morris, Julie, and Whelan, Joseph, 1981, Hybrid granodiorites intruding the accretionary prism, Kodiak, Shumagin, and Sanak Islands, southwest Alaska: *Journal of Geophysical Research*, v. 86, no. 11, p. 10569-10590.
- Hill, M. D., and Whelan, Joseph, 1979, Involvement of sediment anatexis in the genesis of early Tertiary granodiorite and granite, southwestern Alaska [abs.]: *Geological Society of America Abstracts with Programs*, v. 11, no. 7, p. 444.

- Hill, T. P., and Werner, M. A., 1972, Chemical composition of sedimentary rocks in Alaska, Idaho, Oregon, and Washington: U.S. Geological Survey Professional Paper 771, 319 p.
- Hogan, L. G., Scheidegger, K. F., Kulm, L. D., Dumond, J., and Mikkelsen, N., 1978, Biostratigraphic and tectonic implications of ^{40}Ar - ^{39}Ar dates of ash layers from the northeast Gulf of Alaska: Geological Society of America Bulletin, v. 89, no. 8, p. 1259-1264.
- Holden, J. C. and Kienle, J., 1977, Geometry of a subducted plate and anti-arc segmentations of Aleutian volcanic chain [abs.]: EOS (American Geophysical Union Transactions) v. 58, no. 3, p. 168.
- Holden, K. D., 1980, Isopach map of upper Holocene marine sediments, Outer Continental Shelf, Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 80-2032, scale 1:150,000.
- Hollick, Arthur, 1925, A new fossil species of Hydrangea [Tertiary, Alaska Peninsula]: Torrey Botanical Club Bulletin, v. 52, no. 1, p. 21-22.
- Hollick, Arthur, 1930, The upper Cretaceous floras of Alaska, with a description of the plant-bearing beds, by G. C. Martin: U.S. Geological Survey Professional Paper 159, 123 p.
- Hollick, Arthur, 1936, The Tertiary floras of Alaska, with a chapter on the geology of the Tertiary deposits, by P. S. Smith: U.S. Geological Survey Professional Paper 182, 185 p.
- Holloway, C. D., 1977, Maps showing coal fields and distribution of coal-bearing rocks in the western part of southern Alaska: U.S. Geological Survey Open-File Report 77-169-I, scale 1:1,000,000.
- Holmes, M. L., Meeder, C. A., and Creager, K. C., 1978, Sonobuoy refraction data near Kodiak, Alaska: U.S. Geological Survey Open-File Report 78-368, 79 p.
- Hoose, P. J., Holden, K. J., and Lybeck, Lynn, 1980, Isopach map of Holocene marine sediments, Outer Continental Shelf, Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 80-2033, scale 1:250,000.
- Hoose, P. J., and Whitney, John, 1980, Map showing selected geologic features of the Outer Continental Shelf, Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 80-2035, scale 1:250,000.
- Hopkins, B. A., 1983, Geologic maps on Alaska published by the U.S. Geological Survey, post-1930: Scales 1:20,000 to 1:63,360 (through October 1982): U.S. Geological Survey Open-File Report 83-578, 17 p.
- Hopkins, B. A., 1983, Geologic maps on Alaska published by the U.S. Geological Survey, post-1930: Scales 1:96,000 to 1:250,000 (through October 1982): U.S. Geological Survey Open-File Report 83-577, 19 p.

- Hopkins, D. M., Karlstrom, T. N. V., and others, 1955, Permafrost and ground water in Alaska: U.S. Geological Survey Professional Paper 264-F, p. 113-146.
- Horn, D. R., Delach, M. N., and Horn, B. M., 1969, Distribution of volcanic ash layers and turbidites in the North Pacific: Geological Society of America Bulletin, v. 80, no. 9, p. 1715-1723.
- House, L. S., and Jacob, K. H., 1982, Spatial and temporal effects on stresses in the downgoing plate beneath the eastern Aleutians [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 18, p. 439.
- House, L. S., and Jacob, K. H., 1983, Earthquakes, plate subduction, and stress reversals in the eastern Aleutian arc: Journal of Geophysical Research, v. 88, no. B11, p. 9347-9373.
- Houston, Heidi, and Kanamori, Hiroo, 1984, The effect of asperities on short-period seismic radiation with application to the 1964 Alaskan earthquake [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 290.
- Howard, K. A., Aaron, J. M., Brabb, E. E., Brock, M. R., Gower, H. D., Hunt, S. J., Milton, D. J., Prowell, D. C., Wallace, R. E., and Witkind, I. J., 1978, Preliminary map of young faults in the United States as a guide to possible fault activity: U.S. Geological Survey Miscellaneous Field Studies Map MF-916, scales 1:5,000,000 and 1:7,500,000, 2 sheets.
- Howell, D. G., and von Huene, Roland, 1978, Trench-slope basins off Kodiak Island, a modern analog for some late Cretaceous rocks of central California [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 109-110.
- Hubbard, B. R., 1931, A world inside a mountain: Aniakchak, the new volcanic wonderland of the Alaska Peninsula, is explored: National Geographic, v. 60, no. 9, p. 319-345.
- Hubbard, B. R., 1931, Geologic features of Aniakchak and Veniaminoff craters, Alaska [abs.]: Journal of the Washington Academy of Sciences, v. 21, no. 2, p. 29-30.
- Hudson, Travis, 1979, Calc-alkaline plutonism along the Pacific rim of southern Alaska: U.S. Geological Survey Open-File Report 79-953, 31 p.
- Hudson, Travis, 1983, Calc-alkaline plutonism along the Pacific rim of southern Alaska: Geological Society of America Memoir, v. 94, no. 6, p. 1280-1290.
- Hudson, Travis, Plafker, George, and Peterman, Z. E., 1977, Paleogene anatexis in flyschoid rocks along the Gulf of Alaska margin [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 4, p. 439.

- Hunter, R. E., Sallenger, A. H., and Dupre, W. R., 1979, Maps showing directions of longshore sediment transport along the Alaskan Bering Sea coast: U.S. Geological Survey Miscellaneous Field Studies Map MF-1049, 7 p., scales 1:2,500,000 and 1:250,000, 5 sheets.
- Hutchins, J. P., 1908, Prospecting and mining gold placers in Alaska: U.S. Geological Survey Bulletin 345, p. 54-77.
- Imlay, R. W., 1952, Correlation of the Jurassic formations of North America, exclusive of Canada: Geological Society of America Bulletin, v. 63, no. 9, p. 953-992.
- Imlay, R. W., 1953, Callovian (Jurassic) ammonites from the United States and Alaska: U.S. Geological Survey Professional Paper 249, p. 41-108.
- Imlay, R. W., 1959, Succession and speciation of the pelecypod Aucella: U.S. Geological Survey Professional Paper 314-G, p. 155-169.
- Imlay, R. W., 1964, Middle Bajocian ammonites from the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 418-B, p. B1-B61.
- Imlay, R. W., 1970, Jurassic paleogeography of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2487.
- Imlay, R. W., 1975, Stratigraphic distribution and zonation of Jurassic (Callovian) ammonites in southern Alaska: U.S. Geological Survey Professional Paper 836, 28 p, 6 plates.
- Imlay, R. W., 1980, Middle Jurassic (Bathonian) ammonites from southern Alaska: U.S. Geological Survey Professional Paper 1091, 54 p.
- Imlay, R. W., 1981, Early Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1148, 49 p., 12 plates.
- Imlay, R. W., 1982, Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
- Imlay, R. W., 1984, Early and middle Bajocian (middle Jurassic) ammonites from southern Alaska: U.S. Geological Survey Professional Paper 1322, 38 p.
- Imlay, R. W., and Detterman, R. L., 1973, Jurassic paleobiogeography of Alaska: U.S. Geological Survey Professional Paper 801, 34 p.
- Imlay, R. W., and Detterman, R. L., 1977, Some lower and middle Jurassic beds in Puale Bay, Alinchak Bay area, Alaska Peninsula: American Association of Petroleum Geologists Bulletin, v. 61, n. 4, p. 607-611.
- Imlay, R. W., and Miller, D. J., 1949, Reconnaissance geology of Wide Bay, Puale Bay, and Chinitna Bay areas, southern Alaska: U.S. Geological Survey Administrative Report, 22 p.

- Imlay, R. W., and Reeside, J. B., 1954, Correlation of Cretaceous formations of Greenland and Alaska: Geological Society of America Bulletin, v. 65, no. 3, p. 223-246.
- Irwin, W. P., and Coleman, R. G., 1972, Preliminary map showing global distribution of alpine-type ultramafic rocks and blueschists: U.S. Geological Survey Miscellaneous Field Studies Map MF-340, scale 1:40,000,000.
- Ivanhoe, L. F., 1962, Right lateral slip movement along the Lake Clark Fault, Alaska: Geological Society of America Bulletin, v. 73, p. 911.
- Jackson, J. B., and Dorrier, R. T., 1980, Outer continental shelf oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 80-1028, 78 p.
- Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June, 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.
- Jacob, K. H., 1983, Aleutian seismic gaps quantified: High probability for great Shumagin earthquake in next 10 years [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 18, p. 258.
- Jacob, K. H., Davies, J. N., Beavan, J., Johnson, D., and House, L., 1979, Comprehensive study of the seismotectonics of the eastern Aleutian arc and associated volcanic systems, annual progress report, March 1, 1978-February 28, 1979: U.S. Department of Energy contract EY-76-S-02-3134, 114 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Jacob, K. H., Davies, J. N., and House, L., 1981, Comprehensive study of the seismotectonics of the eastern Aleutian arc and associated volcanic systems, annual progress report, March 1, 1980-February 28, 1981: U.S. Department of energy contract AS02-76ER03134, 76 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Jacob, K. H., Davies, J. N., and Sykes, L. R., 1980, Comprehensive study of the seismotectonics of the eastern Aleutian arc and associated volcanic systems, annual progress report, March 1, 1979-February 29, 1980: U.S. Department of Energy contract EY-76-S-02-3134, 111 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.

- Jacob, K. H., Nakamura, Kazuaki, and Davies, J. N., 1977, Trench-volcano gap along the Alaska-Aleutian arc: Facts, and speculations on the role of terrigenous sediments for subduction, in Talwani, Manik and Pitman, W. C., III, eds., Island arcs, deep sea trenches and back-arc basins: EOS (American Geophysical Union), Maurice Ewing Series, v. 1, p. 243-258.
- Jasper, M. W., 1953, McNeil copper group (Paint River): Alaska Territorial Department of Mines Prospects Examined PE 103-1, 38 p.
- Jasper, M. W., 1954, Kodiak Exploration Company - scheelite prospect (Anton Larson Bay): Alaska Territorial Department of Mines Prospects Examined PE 131-7, 12 p.
- Jasper, M. W., 1955, McNeil copper group (Paint River): Alaska Territorial Department of Mines Prospects Examined PE 103-2, 24 p.
- Jasper, M. W., 1955, Folly prospect (Paint River): Alaska Territorial Department of Mines Prospects Examined PE 103-3, 11 p.
- Jasper, M. W., 1955, Grubstakes, Inc. (Lower Cook Inlet): Alaska Territorial Department of Mines Prospects Examined PE 103-4, 9 p.
- Jasper, M. W., and Robinson, W. D., 1958, Coal occurrences on Sitkinak Island (Trinity Islands): Alaska Territorial Department of Mines Prospects Examined PE 135-1, 8 p, 2 sheets.
- Johnston, D. A., 1976, Evidence for a zoned magma chamber 6-10 km beneath Augustine Volcano, Alaska [abs]: Geological Society of America Abstracts with Programs, v. 8, p. 942-943.
- Johnston, D. A., 1978, Magma mixing prior to eruptions of Augustine volcano, Alaska - Implication for the eruption and magmatic evolution of the volcano [abs.]: Geological Society of America Abstract with Programs, v. 10, p. 110-111.
- Johnston, D. A., 1978, Volatiles, magma mixing, and the mechanism of eruption of Augustine volcano, Alaska: Seattle, Wash., University of Washington, Ph. D. dissertation, 187 p.
- Johnston, D. A., 1979, Volcanic gas studies at Alaskan volcanoes, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B83-B84.
- Johnston, D. A., 1979, Onset of volcanism at Augustine Volcano, Lower Cook Inlet, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B78-B80.
- Johnston, D. A., and Detterman, R. L., 1979, Revision of the recent eruption history of Augustine Volcano - elimination of the "1902 eruption", in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B80-B83.

- Johnston, D. A., and Grunder, A. L., 1980, The Valley of Ten Thousand Smokes Tuff: II. Compositional and isotopic variability of the ejecta [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 3, p. 111.
- Johnston, D. A., and Hildreth, W., 1980, The Valley of Ten Thousand Smokes Tuff: I. Emplacement, compaction, and welding [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 3, p. 113.
- Johnston, D. A., and Schmincke, H. U., 1977, Triggering of explosive volcanic eruptions by mixing of basaltic and silicic magmas [abs.]: Geological Society of America Abstract with Programs, v. 9, p. 1041.
- Johnston, D. A., Schmincke, H. U., and Kienle, J., 1977, The eruption of Augustine Volcano, Alaska and evaluation of the hazards for future eruptions [abs.]: Geological Society of America Abstracts with Programs, v. 9, n. 4, p. 442-443.
- Jones, A. E., 1923, Earthquakes recorded at the Kodiak and Dutch Harbor stations: The Volcano Letter, n. 377, p. 1-4.
- Jones, B. C., and Sears, D. W., 1982, Oil and gas developments in Alaska in 1981: American Association of Petroleum Geologists Bulletin, v. 66, no. 11, p. 1747-1755.
- Jones, D. L., 1963, Upper Cretaceous (Campanian and Maestrichtian) ammonites from southern Alaska: U.S. Geological Survey Professional Paper 432, 53 p.
- Jones, D. L., Blake, M. C., Jr., Bailey, E. H., and McLaughlin, R. J., 1978, Distribution and character of upper Mesozoic subduction complexes along the west coast of North America: Tectonophysics, v. 47, p. 207-222.
- Jones, D. L., and Clark, S. H. B., 1973, Upper Cretaceous (Maestrichtian) fossils from the Kenai-Chugach Mountains, Kodiak and Shumagin Islands, southern Alaska: U.S. Geological Survey Journal of Research, v. 1, no. 2, p. 125-136.
- Jones, D. L., and Detterman, R. L., 1966, Cretaceous stratigraphy of the Kamishak Hills, Alaska Peninsula, in Geological Survey Research 1966: U.S. Geological Survey Professional Paper 550-D, p. D53-D58.
- Jones, D. L., and Miller, J. W., 1976, Geologic map of the Alaska Peninsula, with emphasis on upper Mesozoic fossil localities: U.S. Geological Survey Open-File Report 76-76, scale 1:500,000, 2 sheets.
- Jones, D. L., Silberling, N. J., Berg, H. C., and Plafker, George, 1981, Map showing tectonostratigraphic terranes of Alaska, columnar sections, and summary description of terranes: U.S. Geological Survey Open-File Report 81-792, 20 p., scale 1:2,500,000, 2 plates.

- Jones, D. L., Silberling, N. J., and Coney, P. J., 1982, Timing of major accretionary events in Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 913-914.
- Jones, D. L., Silberling, N. J., and Hillhouse, J. W., 1978, Microplate tectonics of Alaska - significance for the Mesozoic history of the Pacific coast of North America, in Pacific Coast Paleogeography Symposium, 2nd, Sacramento, California, 1978, Mesozoic Paleogeography of the Western United States: Los Angeles, Society of Economic Paleontologists and Mineralogists, p. 71-74.
- Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-File Report 78-127, 54 p.
- Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.
- Juhle, R. W., 1955, Iliamna volcano and its basement: U.S. Geological Survey Open-File Report 55-77, 74 p.
- Kachadoorian, Reuben, and Plafker, George, 1967, Effects of the earthquake of March 27, 1964, on the communities of Kodiak and nearby islands: U.S. Geological Survey Professional Paper 542-F, p. F1-F41.
- Kachadoorian, Reuben, and Slaster, W. H., 1978, Pillar Mountain landslide, Kodiak, Alaska: U.S. Geological Survey Open-File Report 78-217, 21 p.
- Kanamori, H., 1984, The impact of the 1964 Alaskan earthquake on seismology [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 292.
- Karig, D. E., and Sharman, G. F., III, 1975, Subduction and accretion in trenches: Geological Society of America Bulletin, v. 86, no. 3, p. 377-389.
- Karlstrom, T. N. V., 1957, Tentative correlation of Alaskan glacial sequences: Science, v. 125, no. 3237, p. 73-74.
- Karlstrom, T. N. V., 1960, Surficial deposits of Alaska: U.S. Geological Survey Professional Paper 400B, p. B333-B335.
- Karlstrom, T. N. V., 1964, Quaternary geology of the Kenai lowland and glacial history of Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 443, 69 p.
- Karlstrom, T. N. V., 1969, Regional setting and geology, in Karlstrom, T. N. V., and Ball, G. E., eds., The Kodiak Island Refugium, its geology, flora, fauna, and history: Toronto, Ontario, Ryerson Press, p. 20-54.
- Karlstrom, T. N. V., and Ball, G. E., 1969, The Kodiak Island Refugium, its geology, flora, fauna, and history: Toronto, Ontario, Ryerson Press, 262 p.

- Karlstrom, T. N. V., and others, 1964, Surficial geology of Alaska: U.S. Geological Survey Investigations Map I-357, scale 1:1,584,000, 2 sheets.
- Kay, R. W., 1976, Aleutian volcanism, its regional setting and geochemical characteristics [abs.]: International Geological Congress Abstracts - Congress Geological Institutes Resumes, v. 1, no. 25, p. 56-57.
- Kay, R. W., 1978, Aleutian magnesian andesites: Melts from subducted Pacific Ocean crust: Journal of Volcanology and Geothermal Research, v. 4, p. 117-132.
- Kay, S. M., Citron, G. P. and Kay, R. W., 1980, Geochemical and petrologic trends in three periods of plutonism in the Aleutian Island arc: Geological Society of America Abstracts with Programs, v. 12, no. 7, p. 459.
- Kay, S. M., and Kay, R. W., 1982, Mafic mineralogy in calc-alkaline Aleutian volcanic rocks: Evidence for primitive magmas and magma mixing [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 526.
- Kay, S. M., Kay, R. W., and Citron, G. P., 1982, Tectonic controls on tholeiitic and calc-alkaline magmatism in the Aleutian arc: Journal of Geophysical Research, v. 87, no. B5, p. 4051-4072.
- Keith, T. E. C., 1984, Preliminary observations on fumarole distribution and alteration, Valley of 10,000 Smokes, Alaska, in Reed, K. M., and Bartsch-Winkler, Susan, eds., The United States Geological Survey in Alaska: Accomplishments in 1982: U.S. Geological Survey Circular 939, p. 82-85.
- Keith, T. E. C., 1985, Active hydrothermal alteration in the vicinity of the Novarupta dome, Valley of 10,000 Smokes, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 66, no. 46, p. 1154.
- Keller, A. S., 1955, General geology of the Katmai area, Alaska [abs.]: Geological Society of America Bulletin, v. 66, no. 12, p. 1703.
- Keller, A. S., and Cass, J. T., 1956, Petroliferous sand of the Chignik formation at Chignik Lagoon, Alaska: U.S. Geological Survey Open-File Report 56-71, 5 p.
- Keller, A. S., and Raiser, H. N., 1959, Geology of the Mount Katmai area, Alaska: U.S. Geological Survey Bulletin 1058-G, p. 261-298, scale 1:250,000.
- Kelley, J. S., and Denman, J. M., 1972, Geological literature on the Alaska Peninsula and adjacent areas: Alaska Division of Geological and Geophysical Surveys, 64 p.
- Kellum, L. B., 1947, Exploration and evaluation of petroleum possibilities in southwestern Alaska [abs.]: Oil and Gas Journal, v. 45, n. 97, p. 116.

- Kellum, L. B., Davies, S. N., and Swinney, C. M., 1945, Geology and oil possibilities of the southwestern part of the Wide Bay anticline, Alaska: U.S. Geological Survey Open-File Report, 17 p.
- Kellum, L. B., and Norton, Marilyn, 1946, Guide fossils of the middle Jurassic Tuxedni sandstone, Alaska [abs.]: Geological Society of America Bulletin, v. 57, n. 12, pt. 2, p. 1210-1211.
- Kellum, L. B., and Wedow, Helmuth, Jr., 1946, Geology and petroleum possibilities of the northern part of the Iniskin - Chinitna Peninsula (Alaska) [abs.]: Geological Society of America Bulletin, v. 57, n. 12, pt. 2, p. 1211.
- Kelly, T. E., 1961, General geology and hydrocarbons of Cook Inlet basin, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, p. 419.
- Kelsey, S. T., Jr., 1945, Naknek (Alaska) airport construction on Bering Sea: Pacific Builder and Engineer, v. 51, no. 9, p. 60-62.
- Kennedy, G. C., and Waldron, H. H., 1955, Geology of the Pavlof Volcano and vicinity, Alaska: U.S. Geological Survey Bulletin 1028-A, 19 p., scale 1:100,000.
- Kienle, Juergen, 1969, Gravity survey of Katmai National Monument: Fairbanks, Alaska, University of Alaska, Ph. D. dissertation, 151 p.
- Kienle, Juergen, 1969, Gravity traverses in the Valley of Ten Thousand Smokes, Katmai National Monument, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 50, no. 4, p. 340.
- Kienle, Juergen, 1970, Gravity traverses in the Valley of Ten Thousand Smokes, Katmai National Monument, Alaska: Journal of Geophysical Research, v. 75, no. 32, p. 6641-6649.
- Kienle, Juergen, 1972, Volcanogenic micro-earthquakes of Augustine Volcano, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 53, n. 11, p. 1044.
- Kienle, Juergen, Bingham, Douglas, and Forbes, R.B., 1970, Seismic geologic evidence of pre-1912 tuff deposits in the Valley of Ten Thousand Smokes, Katmai National Monument, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 51, no. 11, p. 829.
- Kienle, Juergen, and Forbes, R. F., 1972, Augustine Volcano research project [abs.], in Science in Alaska, Alaska Science Conference, 23rd, Anchorage, 1972, Proceedings: Arctic Division American Association for the Advancement of Science, p. 58-59.
- Kienle, Juergen, and Forbes, R. F., 1974, Alaskan volcano studies, with special reference to Augustine Volcano, in Colp, J. L., and others, eds., The utilization of volcano energy: Sandia National Lab, p. 205-223.

- Kienle, Juergen, and Forbes, R. F., 1976, Augustine- evolution of a volcano: University of Alaska, Fairbanks, Geophysical Institute Annual Report 1975-76, p. 26-48.
- Kienle, Juergen, and Harlow, D. H., 1971, Recent microearthquake swarm activity at Augustine Volcano, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 52, no. 11.
- Kienle, Juergen, Kyle, P. R., Self, Stephen, Motyka, R. J., and Lorenz, Volker, 1980, Ukinrek maars, Alaska: I. April 1977 eruption sequence, petrology and tectonic setting: Journal of Volcanology and Geothermal Research, v. 7, no. 1-2, p. 11-37.
- Kienle, Juergen, Self, Steve, Motyka, R. J., Huot, J. P., and Lalla, D. J., 1978, Formation of 2 maars behind the Aleutian volcanic arc, in April, 1977 [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 112.
- Kienle, Juergen, and Shaw, G. E., 1977, Augustine Volcano eruption: Initial explosive phase, Jan. 1976 - input in the atmosphere: University of Alaska, Fairbanks Geophysical Institute Report UAG R-249, Seismological Report 1, 48 p.
- Kienle, Juergen, and Shaw, G. E., 1979, Plume dynamics, thermal energy and long-distance transport of vulcanian eruption clouds from Augustine Volcano, Alaska [abs.]: Journal of Volcanology and Geothermal Research, v. 6, no. 1-2, p. 139-164.
- Kienle, Juergen, and Swanson, S. E., 1980, Volcanic hazards from future eruptions of Augustine Volcano, Alaska: University of Alaska Geophysical Institute Report UAG R-275, 122 p.
- Kienle, Juergen, and Swanson, S. E., 1982, Plate subduction and volcanism in the eastern Aleutian Arc: 1. Seismicity [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 529-530.
- Kienle, Juergen, and Swanson, S. E., 1983, Volcanism in the eastern Aleutian arc: Late Quaternary and Holocene centers, tectonic setting and petrology, in Sheridan, M. F., and Barberi, F. eds., Explosive volcanism, developments in volcanology v. 3: New York, Elsevier, p. 393-432.
- Kienle, Juergen, Swanson, S. E., and Pulpan, H., 1981, Volcanic center in the Katmai area, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 62, p. 430.
- Kienle, Juergen, Swanson, S. E., and Pulpan, H., 1983, Magmatism and subduction in the eastern Aleutian arc, in Shimozuru, D., and Yokoyama, I., eds., Arc volcanism: Physics and tectonics: Tokyo, Japan, Terra Scientific Publishing Co., p. 191-224.
- Kienle, Juergen, and Turner, D. L., 1976, The Shumagin-Kodiak batholith, a Paleozoic magmatic arc?: Alaska Division Geologic and Geophysical Surveys Geologic Report 51, p. 9-11.

- Kimball, A. L., 1972, Reconnaissance of Ugashik beach sands, Bristol Bay, Alaska: U.S. Bureau of Mines Open-File Report 21-72, 28p.
- Kind, N. V., 1972, Late Quaternary climatic changes and glacial events in the old and new world: Radiocarbon geochronology: International Geological Congress, 24th, Montreal, Canada, 1972, section 12, p. 55-61.
- King, P. B., 1969, Tectonic map of North America: U.S. Geological Survey, scale 1:5,000,000, 2 sheets.
- King, P. B., 1969, The tectonics of North America - A discussion to accompany the tectonic map of North America, scale 1:5,000,000: U.S. Geological Survey Professional Paper 628-M, 95 p., scale 1:5,000,000, 2 sheets.
- King, P. B., and Edmonston, G. J., 1972, Generalized tectonic map of North America: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-688, scale 1:15,000,000.
- Kirk, M. V., 1959, Summary of Jurassic stratigraphy of Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 43, no. 1, p. 260.
- Kirschner, C. E., 1955, Reconnaissance observations on the geology of the Trinity Islands (Alaska) [abs.]: Geological Society of America Bulletin, v. 66, no. 12, pt. 2, p. 1705.
- Kirschner, C. E., 1957, Reconnaissance observations on the geology of the Trinity Islands, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, p. 354.
- Kirschner, C. E., 1959, Reconnaissance observations on the geology of the Trinity Islands (Alaska) [abs.]: Alaskan Science Conference, 6th-7th, 1955-1957, Proceedings, p. 81-83.
- Kirschner, C. E., and Grantz, Arthur, 1974, Tectonic framework of petroliferous rocks in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7., p. 1446-1447.
- Kirschner, C. E., and Lyon, C. A., 1973, Stratigraphic and tectonic development of Cook Inlet, in Pitcher, Max, G., ad., Arctic geology: Tulsa, American Association of Petroleum Geologists Memoir 19, p. 396-407.
- Kirschner, C. E., and Minard, D. L., 1948, Geology of the Iniskin Peninsula, Alaska: U.S. Geological Survey Oil and Gas Inventory Preliminary Map 95, scale 1:4000.
- Klein, R. M., Lyle, W. M., Dobey, P. L., and O'Connor, K. M., 1974, Energy and mineral resources of Alaska and the impact of federal land policies on their availability; Oil and gas: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-50, 24 p.

- Klein, R. M., and O'Connor, K. M., 1975, An evaluation of energy alternatives, Alaska and western United States and review of EIS 74-90, Section F (Energy Alternatives): Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-75, 35 P.
- Knappen, R. S., 1929, Geology and mineral resources of the Aniakchak district: U.S. Geological Survey Bulletin 797, p.161-223.
- Knappen, R. S., 1933, Aniakchak and Veniaminof volcanoes, Alaska [abs.]: Geological Society of America Bulletin, v. 44, no. 1, p. 90-91.
- Knowlton, F. H., 1894, Fossil flora of Alaska [abs.]: Geological Society of America Bulletin, v. 5, p. 573-590.
- Knowlton, F. H., 1896, Report on the fossil plants collected in Alaska in 1895 as well as an enumeration of those previously known from the same region, with a table showing their relative distribution: U.S. Geological Survey 17th Annual Report, pt. 1, app. 1, p. 876-897.
- Knowlton, F. H., 1898, A catalogue of the Cretaceous and Tertiary plants of North America: U.S. Geological Survey Bulletin 152, 247 p.
- Koschmann, A. H., and Bergendahl, M. H., 1968, Principal gold-producing districts of the United States: U.S. Geological Survey Professional Paper 610, 283 p.
- Kosco, D. G., 1981, Part I: The Mt. Edgecombe volcanic field, Alaska - an example of tholeiitic and calc-alkaline volcanism. Part II: Characteristics of andesitic to dacitic volcanism at Katmai National Park, Alaska: Berkeley, Calif., University of California, Ph. D. dissertation, 258 p.
- Kosco, D. G., 1981, Characteristics of andesitic to dacitic volcanism at Katmai National Park, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 490.
- Kover, Allan, M., and Martin, Shiela, E., compilers, 1984, Ugashik, Alaska side-looking airborne radar (SLAR) image map set: U.S. Geological Survey, 1 p., scale 1:250,000, 7 sheets.
- Kowalik, Zygmunt, and Murty, T. S., 1984, Computation of tsunami amplitudes resulting from a predicted major earthquake in the Shumagin seismic gap: Geophysical Research Letters, v. 11, no. 12, p. 1243-1246.
- Kubota, S., and Berg, E., 1967, Evidence for magma in the Katmai volcanic range: Bulletin Volcanologique, v. 31, p. 175-214.
- Kulm, L. D., von Huene, Roland, Duncan, J. R., Ingle, J. C., Kling, S. A., Musich, L. M., Weser, O., Piper, D. J. W., Pratt, R. M., Schrader, Hans-Joachim, and Wise, S. W., Jr., 1972, Results of Leg XVIII DSDP [abs.]: Geological Society of America Abstracts with Programs, v. 4., no. 3, p. 187-188.

- Kummel, Bernhard, Jr., 1953, American Triassic coiled nautiloids: U.S. Geological Survey Professional Paper 250, 104 p.
- Kummel, Bernhard, Jr., 1954, Jurassic nautiloids from western North America: Journal of Paleontology, v. 28, no. 3, p. 320-324.
- Kvenvolden, K. A., and von Huene, Roland, 1984, Potential for generation of natural gas in sediments of the convergent margin of the Aleutian trench area: U.S. Geological Survey Open-File Report 84-404, 58 p.
- LaBelle, R. P., Samuels, W. B., and Lanfear, K. J., 1980, Oilspill analysis for the Cook Inlet and Shelikof Strait (Proposed Sale 60) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 80-863, 81 p.
- Lalla, D. J., and Kienle, Juergen, 1974, Infrared radiation thermometry of Augustine Volcano, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 56, n. 12, p. 1199.
- Lalla, D. J., and Kienle, Juergen, 1978, Evolution of seismicity at Augustine Volcano, 1970 to 1976 eruption [abs.]: Geological Society of America Abstracts with Programs, v. 10, p. 113.
- Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National Interest Lands, proposed Lake Clark National Park: A summary report: U.S. Bureau of Mines Open-File Report 114-78, 18 p.
- Lamke, R. D., 1972, Floods in the summer of 1971 in south-central Alaska: U.S. Geological Survey Open-File Report 72-215, 88 p.
- Lankford, S. M., and Magoon, L.B., 1978, Petrography of the upper Jurassic through Oligocene sandstone in the Cape Douglas- Kamishak Hills area, Lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B-60-B62.
- Lanphere, M. A., and Reed, B. L., 1973, Timing of Mesozoic and Cenozoic plutonic events in circum-Pacific North America: Geological Society of America Bulletin, v. 84, no. 12, p. 3773-3782.
- Lawton, J. L., 1982, Earthquake activity at the Kodiak continental shelf, Alaska, determined by land and ocean bottom seismograph networks: Austin, Tex., University of Texas, M.S. thesis, 56 leaves + illustrations.
- Lawton, Jeff, Frohlich, Cliff, Pulpan, Hans, and Latham, G. V., 1982, Earthquake activity at the Kodiak continental shelf, Alaska, determined by land and ocean bottom seismograph networks: Seismological Society of America Bulletin, v. 72, no. 1, p. 207-220.
- LeCompte, J. R., 1981, Preliminary maps showing interpretation of Landsat imagery of the Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 81-776, scale 1:250,000, 2 sheets.

- LeCompte, J. R., and Steele, W. C., 1981, Maps showing interpretation of Landsat imagery of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-0, scale 1:250,000, 2 sheets.
- Lewis, S. D., Ladd, J. W., Bruns, T. R., Hayes, D. E., and von Huene, Roland, 1984, Growth patterns of submarine canyons and slope basins, eastern Aleutian Trench, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 45, p. 869.
- Li, V. C., 1983, Stress transfer and non-linear stress accumulation at the Aleutians [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 766.
- Lincoln, F. C., 1910, Some economic gold deposits of Alaska: Engineering and Mining Journal, v. 90, p. 551-554.
- Lindroth, C. H., 1969, The biological importance of Pleistocene refugia, in Karlstrom, T. N. V., and Ball, G. E., eds., The Kodiak Island refugium, its geology, flora, fauna, and history: Toronto, Ontario, Ryerson Press, p. 7-17.
- Lisowski, Michael, Savage, J. C., and Prescott, W. H., 1984, Horizontal-strain observations in the Shumagin Island and Yakutaga seismic gaps, Alaska, in Coonrad, W. L., and Elliot, R. L., eds., The United States Geological Survey in Alaska: Accomplishments during 1981: U.S. Geological Survey Circular 868, p. 9-10.
- Lohr, E. W., 1957, Chemical character of public water supplies of the larger cities in Alaska, Hawaii, and Puerto Rico, 1954: U.S. Geological Survey Water-Supply Paper 1460-A, p. 1-39.
- Lorenz, Volker, 1982, The 1977 explosive eruptions of the Ukinrek Maars, Alaska: Terra Cognita 2, p. 205-206.
- Los Alamos National Laboratory, 1983, The geochemical atlas of Alaska: U.S. Department of Energy, 49 plates, 6 mylar overlays.
- Lovering, T. S., 1955, Alteration near an acid halogen-sulfur fumarole [abs.]: Geological Society of America Bulletin, v. 66, no. 12, p. 1590.
- Lovering, T. S., 1957, Halogen-acid alteration of ash at Fumarole No. 1, Valley of Ten Thousand Smokes, Alaska: Geological Society of America Bulletin, v. 68, no. 12, p. 1585-1604.
- Lucke, J. B., 1954, Katmai shore lines and glaciers [abs.]: Geological Society of America Bulletin, v. 65, no. 12, p. 1279.
- Lucke, J. B., 1954, Preliminary report on the shorelines, glaciation and non-volcanic rocks of Katmai National Monument, in Luntz, R. S., compiler, Interim report on Katmai Project, Katmai National Monument, Alaska: U.S. National Park Service, p. 50-54.

- Luckman, M. A., and McNutt, S. R., 1984, Large-scale velocity structure of the crust and upper mantle in the vicinity of Pavlof Volcano, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 45, p. 1002.
- Luttrell, G. W., 1959, Annotated bibliography on the geology of selenium: U.S. Geological Survey Bulletin 1019-M, p. 867-972.
- Lyle, W. M., 1979, Tertiary formations and associated Mesozoic rocks in the Alaska Peninsula area, Alaska, and their petroleum reservoir and source rock potential: Alaska Division of Geological and Geophysical Surveys Geologic Report 62, 65p.
- Lyle, W. M., and Dobey, P. L., 1973, Geology and mineral evaluation of the Aniakchak River drainage, Alaska Peninsula: Alaska Division of Geologic and Geophysical Surveys Open-File Report AOF-26, 18 p.
- Lyle, W. M., and Dobey, P. L., 1974, Geologic evaluation of the Haredeen Bay area, Alaska Peninsula: Alaska Division of Geologic and Geophysical Surveys Open-File Report AOF-48, 20 p.
- Lyle, W. M., and Morehouse, J. A., 1977, Physical parameters of potential petroleum reservoir and source rocks in the Kamishak-Iniskin-Tuxedni region, Lower Cook Inlet, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 104, 76 p., 13 plates.
- Lyle, W. M., Morehouse, J. A., Palmer, I. F., Jr., and Bolm, J. G., 1979, Tertiary formations and associated Mesozoic rocks in the Alaska Peninsula area, Alaska, and their petroleum-reservoir and source-rock potential: Alaska Division of Geological and Geophysical Surveys Geologic Report 62, 65 p., 19 plates.
- Lyle, William, Morehouse, Jeff, Palmer, I. F., Jr., Bolm, J. G., Moore, G. W., and Nilsen, T. H., 1978, Tertiary formations in the Kodiak Island area, Alaska, and their petroleum and source-rock potential: Alaska Division of Geological and Geophysical Surveys Open-File Report 114, 48 p.
- MacGregor, A. G., 1952, Eruptive mechanisms: Mt. Pelee, the Soufriere of St. Vincent and the Valley of Ten Thousand Smokes, Alaska: Bulletin. Volcanologique, v. 12, p. 49-74.
- MacKeith, P., Benson, C., and Kienle, J., 1979, Preliminary studies on the "North" glacier draining Mt. Redoubt, Alaska [abs.], in Science for Alaska, Alaska Science Conference, 30th, Fairbanks, Alaska, 1979, Proceedings: Alaska Division American Association for the Advancement of Science and Alaska Division American Chemical Society, p. 208.
- MacKevett, E. M., and Plafker, George, 1974, The Border Ranges fault in south-central Alaska: U.S. Geological Survey Journal of Research, v. 2, no. 3, p. 323-329.
- MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-File Report 78-1-E, 45 p., scale 1:1,000,000, 2 sheets.

- MacNeil, F. S., 1965, Evolution and distribution of the genus Mya, and Tertiary migrations of Mollusca: U.S. Geological Survey Professional Paper 483-G, p. G1-G51.
- MacNeil, F. S., 1967 Cenozoic pectinids of Alaska, Iceland, and other northern regions: U.S. Geological Survey Professional Paper 553, 57 p.
- MacNeil, F. S., 1973, Marine fossils from the Unga conglomerate member of the Bear Lake Formation, Cape Aliaksin, Alaska Peninsula, Alaska: Tohoku University, Science Reports, Series 2, Special Volume, no. 6, p. 117-123.
- MacNeil, F. S., Wolfe, J. A., Miller, D. J., and Hopkins, D. M., 1961, Correlation of Tertiary formations of Alaska: American Association of Petroleum Geologists Bulletin, v. 45, no. 11, p. 1801-1809.
- Maddren, A. G., 1919, The beach placers of the west coast of Kodiak Island, Alaska: U.S. Geological Survey Bulletin 692, p. 299-319.
- Maddren, A. G., 1919, Sulphur on Unalaska and Akun Islands and near Stepovak Bay: U.S. Geological Survey Bulletin 692, p. 283-298.
- Madonna, J. A., 1975, Zeolite deposits of possible economic significance on the northern Alaska Peninsula: Alaska Division of Geological and Geophysical Surveys Open-File Report 87, 27 p.
- Madonna, J. A., 1981, Clinoptilite and mordenite deposits of possible value at Iliamna Lake, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 13-15.
- Magoon, L. B., Adkison, W. L., Chmelik, F. B., Dolton, G. L., Fisher, M. A., Hampton, M. A., Sable, E. G., and Smith, R. A., 1976, Hydrocarbon potential, geologic hazards, and infrastructure for exploration and development of the Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 76-449, 124 p.
- Magoon, L. B., Adkison, W. L., and Egbert, R. M., 1976, Map showing geology, wildcat wells, Tertiary plant fossil localities, K-Ar age dates, and petroleum operations, Cook Inlet area, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1019, scale 1:250,000, 3 sheets.
- Magoon, L. B., Adkison, W. L., and Wolfe, J. A., 1976, Geologic framework of Lower Cook Inlet, Alaska, with emphasis to onshore geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 60, no. 12, p. 2185.
- Magoon, L. B., Bouma, A. H., Fisher, M. A., Hampton, M. A., Scott, E. W., and Wilson, C. L., 1979, Resource report for proposed OCS Sale No. 60, Lower Cook Inlet-Shelikof Strait: U.S. Geological Survey Open-File Report 79-600, 38 p.

- Magoon, L. B., and Claypool, G. E., 1977, Origin of Cook Inlet oil [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 466.
- Magoon, L. B., and Claypool, G. E., 1977, Origin of Cook Inlet oil, in Sisson, Alexander, ed., The relationship of plate tectonics to Alaskan geology and resources: Alaska Geological Society Symposium, 6th, Anchorage, Alaska, 1977, p. G1-G17.
- Magoon, L. B., and Claypool, G. E., 1979, Petroleum geology of Cook Inlet basin, Alaska - an exploration model: U.S. Geological Survey Open-File Report 79-548, 23 p., 3 tables and 19 figs.
- Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - an exploration model: American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.
- Magoon, L. B., Egbert, R. M., and Petering, George, 1977, Upper Jurassic and Cretaceous rocks of the Kamishak Hills - Douglas River area, Lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B57-B59.
- Magoon, L. B., Griesbach, F. B., and Egbert, R. M., 1980, Nonmarine upper Cretaceous rocks, Cook Inlet, Alaska: American Association of Petroleum Geologists Bulletin, v. 64, n. 8, p. 1259-1266.
- Magoon, L. B., Hampton, M. A., Sable, E. G., Smith, R. A., and Chmelik, F. B., 1975, Hydrocarbon potential, geologic hazards and the technology, time-frame, and infrastructure of the Lower Cook Inlet, Alaska: A preliminary assessment: U.S. Geological Survey Open-File Report 75-549, 74 p.
- Magoon, L. B., and Kirschner, C. E., 1981, Evolution of sedimentary systems during Mesozoic and Cenozoic in southern Alaska - an overview: American Association of Petroleum Geologists Bulletin, v. 65, n. 5, p. 953.
- Mancini, E. A., and Deeter, T. M., 1977, Alaska Peninsula late Cretaceous fore-arc deposition [abs.]: American Association of Petroleum Geologist Bulletin, v. 61, no. 5, p. 811.
- Mancini, E. A., Deeter, T. M., and Wingate, F. H., 1978, Upper Cretaceous arc-trench gap sedimentation on the Alaska Peninsula: Geology, no. 6, no. 7, p. 437-439.
- Marincovich, Louie, Jr., 1980, Paleogene molluscan biostratigraphy and paleoecology of the Gulf of Alaska region [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 7., p. 476.
- Marincovich, Louie, Jr., 1981, Asiatic molluscs in Miocene fauna of the Alaska Peninsula: U.S. Geological Survey Professional Paper 1375, p. 178-179.

- Marincovich, Louie, Jr., 1981, Late Miocene mollusks of Tachilni Formation, Alaska Peninsula, Alaska, in Ikebe, N., Chiji, M., Tsuchi, R., Morozumi, Y., and Kawata, T., eds., Proceedings of IGCP - 114 international workshop on Pacific Neogene biostratigraphy: Osaka Museum of Natural History, 123 p.
- Marincovich, Louie, Jr., 1981, Tyrannoberingius rex, a new genus and species of Miocene gastropod from Alaska: Journal of Paleontology, v. 55, no. 1, p. 176-179.
- Marincovich, Louie, Jr., 1983, Molluscan paleontology, paleoecology, and North Pacific correlations of the Miocene Tachilni Formation, Alaska Peninsula, Alaska: Bulletins of American Paleontology, v. 84, no. 317, 155 p.
- Marincovich, Louie, Jr., and McCoy, Scott, Jr., 1984, An overview of Paleogene molluscan biostratigraphy and paleoecology of the Gulf of Alaska region: Paleogeography, Paleoclimatology, and Paleoecology, v. 47, p. 91-102.
- Marlow, M. S., 1977, Resource assessment and geophysical exploration of the southern Bering Sea shelf, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B97-B98.
- Marlow, M. S., Alpha, T. R., Scholl, D. W., and Buffington, E. C., 1975, Bering Sea shelf, Alaska: U.S. Geological Survey Open-File Report 75-1, 2 sheets.
- Marlow, M. S., and Cooper, A. K., 1980, Mesozoic and Cenozoic structural trends under southern Bering Sea shelf: American Association of Petroleum Geologists Bulletin, v. 64, no. 12, p. 2139-2155.
- Marlow, M. S., and Cooper, A. K., 1980, Multichannel seismic-reflection profiles collected in 1976 in the southern Bering Sea Shelf: U.S. Geological Survey Open-File Report 80-389, 2 p.
- Marlow, M. S., and Cooper, A. K., 1983, Wandering terranes in southern Alaska: The Aleutia microplate and implications for the Bering Sea: Journal of Geophysical Research, v. 88, n. B4, p. 3439-3446.
- Marlow, M. S., Cooper, A. K., Parker, A. W., and Childs, J. R., 1979, Isopach map of strata above acoustic basement in the Bering Sea: U.S. Geological Survey Miscellaneous Field Studies Map MF-1164, scale 1:250,000.
- Marlow, M. S., Cooper, A. K., and Scholl, D. W., 1977, Mesozoic structural trends beneath the southern Bering Sea shelf [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 4, p. 460-461.
- Marlow, M. S., Cooper, A. K., Scholl, D. W., and Alpha, T. R., 1976, Twenty-four channel seismic reflection data acquired on the R/V S. P. Lee in the Bering Sea, September 1975, and structure contours of acoustic basement beneath the southern Bering Sea shelf: U.S. Geological Survey Open-File Report 76-652, 4 p., and 15 microfilm cards.

- Marlow, M. S., Cooper, A. K., Scholl, D. W., and McLean, H., 1982, Ancient plate boundaries in the Bering Sea region, in Leggett, J. K., ed., Trench-forearc geology: Sedimentation and tectonics on modern and ancient active plate margins: London, Geological Society of London Special Publication 10, p. 201-211.
- Marlow, M. S., Gardiner, J. V., Vallier, T. L., McLean, Hugh, Scott, E. W., and Lynch, M. B., 1979, Resource report for proposed OCS lease sale no. 70, St. George Basin, shelf area, Alaska: U.S. Geological Survey Open-File Report 79-1650, 79 p.
- Marlow, M. S., McLean, Hugh, Cooper, A. K., Vallier, T. L., Gardner, J. V., McMullin, Robert, and Lynch, M. B., 1980, A preliminary summary of regional geology, petroleum potential, environmental geology, and technology for exploration and development for proposed OCS Lease Sale # 75, Northern Aleutian Shelf, Bering Sea, Alaska: U.S. Geological Survey Open-File Report 80-653, 54 p.
- Marlow, M. S., McLean, Hugh, Vallier, T. L., Scholl, D. W., Gardner, J. V., and Powers, Richard, 1976, Preliminary report on the regional geology, oil and gas potential and environmental hazards of the Bering Sea shelf south of St. Lawrence Island, Alaska: U.S. Geological Survey Open-File Report 76-785, 98 p.
- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Buffington, E. C., 1976, Structure and evolution of Bering Sea shelf south of St. Lawrence Island: American Association of Petroleum Geologists Bulletin, v. 60, no. 2, p. 161-183.
- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Jones, D. L., 1979, Mesozoic rocks from the Bering Sea: The Alaska-Siberian connection [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 3, p. 90.
- Marlow, M. S., Scholl, D. W., Cooper, A. K., and Jones, D. L., 1979, Shallow-water upper Jurassic rocks dredged from the Bering Sea continental margin [abs.]: American Association of Petroleum Geologists Bulletin, v. 63, no. 3, p. 490-491.
- Marsh, B. D., and Leitz, R. E., 1978, Geology of Amak Island, Aleutian Islands, Alaska: Journal of Geology, v. 87, no. 6, p. 715-723.
- Marshak, R. S., and Karig, D. E., 1977, Triple junctions as a cause for anomalously near-trench igneous activity between the trench and volcanic arc: Geology, v. 5, no. 4, p. 233-236.
- Martin G. C., 1904, Petroleum fields of Alaska and the Bering River coal fields: U.S. Geological Survey Bulletin 225, p. 365-382.
- Martin, G. C., 1905, Gold deposits of the Shumagin Islands, in Brooks, A. H., Report on progress of investigations of mineral resources of Alaska in 1904: U.S. Geological Survey Bulletin 259 (Series A, Economic Geology 52), p. 100-101.

- Martin, G. C., 1905, Notes on the petroleum fields of Alaska: U.S. Geological Survey Bulletin 259, p. 128-139.
- Martin, G. C., 1905, The petroleum fields of the Pacific coast of Alaska, with an account of the Bering River coal deposits: U.S. Geological Survey Bulletin 250, 64 p.
- Martin, G. C., 1906, Markets for Alaska coal: U.S. Geological Survey Bulletin 284, p. 18-29.
- Martin, G. C., 1907, The Alaska coal fields: U.S. Geological Survey Bulletin 314, p. 40-46.
- Martin, G. C., 1908, Geology and mineral resources of the Controller Bay region: U.S. Geological Survey Bulletin 335, p. 31-34, 65-112.
- Martin, G. C., 1913, The recent eruption of Katmai Volcano in Alaska: An account of one of the most tremendous volcanic explosions known in history: National Geographic Magazine, v. 24, p. 131-181.
- Martin, G. C., 1913, Mineral deposits of Kodiak and the neighboring islands: U.S. Geological Survey Bulletin 542, p. 125-136.
- Martin, G. C., 1916, Triassic rocks of Alaska: Geological Society of America Bulletin, v. 27, no. 4, p. 685-718.
- Martin, G. C., 1919, The Alaskan mining industry in 1917: U.S. Geological Survey Bulletin 692, p. 11-42.
- Martin, G. C., 1920, The Alaskan mining industry in 1918: U.S. Geological Survey Bulletin 712, p. 11-52.
- Martin, G. C., 1921, Preliminary report on petroleum in Alaska: U.S. Geological Survey Bulletin 719, 83 p.
- Martin, G. C., 1925, The outlook for petroleum near Chignik: U.S. Geological Survey Bulletin 773, p. 209-213.
- Martin, G. C., 1926, The Mesozoic stratigraphy of Alaska: U.S. Geological Survey Bulletin 776, 493 p.
- Martin, G. C., and Katz, F. J., 1910, Outline of the geology and mineral resources of the Iliamna and Clark Lakes region: U.S. Geological Survey Bulletin 442, p. 179-200.
- Martin, G. C., and Katz, F. J., 1912, A geologic reconnaissance of the Iliamna region, Alaska: U.S. Geological Survey Bulletin 485, 138 p.
- Martin, Lawrence, 1910, Alaskan earthquakes of 1899: Geological Society of America Bulletin, v. 21, p. 339-406.

- Marvin, R. F., 1974, A tabulation of K-Ar, Rb-Sr, and Pb-U ages obtained from materials within the United States (including Alaska and Hawaii) during the years 1956 through 1964: U.S. Geological Survey Open-File Report 74-1068, 174 p.
- Marvin, R. F., 1974, A tabulation of K-Ar, Rb-Sr, and Pb-U ages obtained from materials within the United States (including Alaska and Hawaii) during the years 1965-1968: U.S. Geological Survey Open-File Report 74-1069, 245 p.
- Marvin, R. F., 1974, A tabulation of K-Ar, Rb-Sr, and Pb-U ages obtained from materials within the United States (including Alaska and Hawaii) during the years 1969 through 1971: U.S. Geological Survey Open-File Report 74-1070, 193 p.
- Massoth, G. J., Feely, R. A., Appriou, P. Y., and Ludwig, S. J., 1979, Anomalous concentrations of particulate manganese in Shelikof Strait, Alaska; An indicator of sediment-sea water exchange process [abs.]: EOS (American Geophysical Union Transactions), v. 60, no. 46, p. 852.
- Masuda, K., 1977, Neogene Pectinidae of the northern Pacific, in Ujiié, H. and Saito, T., eds., Proceedings of the First International Congress on Pacific Neogene Stratigraphy: Tokyo, Japan, Science Council of Japan, p. 366-368.
- Mather, K. F., 1925, Mineral resources of the Kamishak Bay region: U.S. Geological Survey Bulletin 773, p. 159-181.
- Matumoto, Tosimatu, 1971, Seismic body waves observed in the vicinity of Mount Katmai, Alaska, and evidence for the existence of molten chambers: Geological Society of America Bulletin, v. 82, no. 10, p. 2905-2920.
- Matumoto, Tosimatu, and Molnar, Peter, 1967, A shadow effect on S-waves observed in the vicinity of Mount Katmai, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 48, no 1, p. 199.
- Matumoto, Tosimatu, and Ward, P. L., 1966, A seismological study of Mount Katmai and vicinity, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 47, no. 1, p. 196.
- Matumoto, Tosimatu, and Ward, P. L., 1967, Microearthquake study of Mount Katmai and vicinity, Alaska: Journal of Geophysical Research, v. 72, no. 10, p. 2557-2568.
- Mauk, F. J., and Kienle, Juergen, 1973, Microearthquakes at St. Augustine Volcano, Alaska, triggered by earthtides: Science, v. 182, no. 4110, p. 386-389.
- McCann, T., and Pickerill, R. K., 1985, Ichnology of the Cretaceous Kodiak formation, Alaska [abs.], in Joint Annual Meeting, Geological Society of Canada and Mineralogical Society of Canada, Fredericton, University of New Brunswick, 1985, Program with Abstracts, v. 10: St. John's, Newfoundland, Geological Association of Canada, Department of Earth Sciences, Memorial University of Newfoundland, p. A38.

- McCarthy, Jill, and Scholl, D. W., 1985, Mechanism of subduction accretion along the central Aleutian trench: Geological Society of America Bulletin, v. 96, no. 6, p. 691-701.
- McClellan, P. H., Arnal, R. E., Barron, J. A., von Huene, Roland, Fisher, M. A., and Moore, G. W., 1980, Biostratigraphic results of dart-coring in the western Gulf of Alaska, and their tectonic implications: U.S. Geological Survey Open-File Report 80-63, 24 p.
- McClellan, P. H., Fisher, M. A., Barron, J. A., Arnal, R. E., Kling, S. A., and Moore, G. W., 1980, New biostratigraphic results of dredging and dart coring in the western Gulf of Alaska and their tectonic implications: U.S. Geological Survey Open-File Report 80-1237, 25 p.
- McClellan, P. H., Fisher, M. A., von Huene, Roland, and Moore, G. W., 1982, Summary and discussion of microfossil biostratigraphy in the western Gulf of Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 148-151.
- McClelland, Lindsay, 1978, Summary of 1977 global volcanic activity [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 116.
- McCulloch, M. T., and Perfit, M. R., 1981, $^{143}\text{Nd}/^{144}\text{Nd}$, $^{87}\text{Sr}/^{86}\text{Sr}$, and trace element constraints on the petrogenesis of Aleutian Island Arc magmas: Earth and Planetary Science Letters, v. 56, 1981, p. 167-179.
- McGavock, C. B., Jr., 1934, Large craters of the Alaskan Peninsula [abs.]: Virginia Academy of Science Proceedings, 1933-34, p. 54.
- McGee, D. L., 1972, Geology and mineral resources of Kodiak Island and vicinity: Alaska Division of Geological and Geophysical Surveys Open-file AOF Report 31, 7 p.
- McGee, D. L., 1972, Gulf of Alaska petroleum seeps: Alaska Division of Geological and Geophysical Surveys Open-File Report 32, 7 p.
- McGee, D. L., Emmel, K. S., Coonrad, P. L., and Clautice, K. H., 1977, Bibliography of Cook Inlet (1969-1976): Alaska Division of Geological and Geophysical Surveys Report, 33 p.
- McGee, D. L., and O'Connor, K. M., 1975, Mineral resources of Alaska and the impact of federal land policies on their availability - coal: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-51, 26 p.
- McKelvey, V. E., and Wang, F. F. H., 1969, World subsea mineral resources: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-632, 17 p., scales 1:60,000,000 and 1:39,283,000, 5 sheets.

- McLean, Hugh, 1977, Organic geochemistry, lithology, and paleontology of Tertiary and Mesozoic rocks from wells on the Alaska Peninsula: U.S. Geological Survey Open-File Report 77-813, 63 p.
- McLean, Hugh, 1978, Stratigraphy and sedimentology of Tertiary strata in Cold Bay area of Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2357.
- McLean, Hugh, 1978, Tertiary sedimentary rocks of the Alaska Peninsula between Pavlof Bay and False Pass; Their geology and petroleum potential, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B65-66.
- McLean, Hugh, 1979, Observations on the geology and petroleum potential of the Cold Bay-False Pass area, Alaska Peninsula: U.S. Geological Survey Open-File Report 79-1605, 34 p.
- McLean, Hugh, 1979, Sandstone petrology; Upper Jurassic Naknek Formation of the Alaska Peninsula and coeval rocks on the Bering Shelf: Journal of Sedimentary Petrology, v. 49, no. 4, p. 1263-1267.
- McLean, Hugh, 1979, Tertiary stratigraphy and petroleum potential of Cold Bay-False Pass area, Alaska Peninsula: American Association of Petroleum Geologists Bulletin, v. 63, no. 9, p. 1522-1526.
- McLean, Hugh, Engelhardt, C. L., and Howell, D. G., 1978, Reconnaissance geologic map of the Cold Bay and False Pass quadrangles, Alaska: U.S. Geological Survey Open-File Report 78-323, scale 1:250,000.
- McManus, D. A., and Creager, J. S., 1984, Sea level data for parts of the Bering-Chukchi shelves of Beringia from 19,000 to 10,000 ¹⁴C year B. P.: Quaternary Research, v. 21, p. 317-325.
- McMullin, R. H., 1982, Resources assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: Southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
- McNutt, S., 1983, Seismic and eruptive activity of Pavlof Volcano, 1973-1983, related to Shumagin seismic gap? [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 18, p. 258.
- McNutt, S., 1984, Eruption cycles and characteristics, and the state of stress at Pavlof Volcano, eastern Aleutians [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 15, p. 242.
- McNutt, S., and Mori, J., 1983, Analysis of B-type earthquakes and explosions at Pavlof Volcano, Alaska: EOS (American Geophysical Union Transactions), v. 64, no. 5, p. 45.

- McNutt, S. R., and Beavan, R. J., 1981, Volcanic earthquakes at Pavlof Volcano correlated with the solid earth tide: *Nature*, v. 294, December 17, p. 615-618.
- McNutt, S. R., and Beavan, R. J., 1984, Periodic eruptions of Pavlof Volcano, Alaska: The effects of sea level and an aseismic slip event [abs.]: *EOS (American Geophysical Union Transactions)*, v. 65, no. 45, p. 1149.
- Meinel, A. B., Meinel, M. P., and Shaw, G. E., 1976, Trajectory of the Mt. St. Augustine 1976 eruption ash cloud: *Science*, v. 193, no. 4251, p. 420-423.
- Menard, H. W., 1952, Pleistocene and Recent sediments from the floor of the northeastern Pacific Ocean [abs.]: *Geological Survey of America Bulletin*, v. 63, no. 12, p. 1278.
- Menard, H. W., 1953, Pleistocene and Recent sediments from the floor of the northeastern Pacific Ocean: *Geological Society of America Bulletin*, v. 64, no. 9, p. 1279-1293.
- Menard, H. W., and Dietz, R. S., 1951, Submarine geology of the Gulf of Alaska: *Geological Society of America Bulletin*, v. 62, no. 10, p. 1263-1285.
- Menyaylov, I. V., 1969, Fumarolnyye gazy piroklasticheskikh potokov vulkanov Bezymyannogo i Katmai, in *Vulkany i izverzheniya*: Moscow, Izdatelstvo Nauka, p. 78-81.
- Merrill, G. P., 1922, New meteorites Cold Bay, Alaska; Navajo, Arizona: *American Journal of Science*, 5th series, v. 3, p. 153-154.
- Merrill, G. P., 1922, On meteoric irons from Alpine, Brewster County, Texas, and Signal Mountain, Lower California, and a pallasite from Cold Bay, Alaska: *U.S. National Museum Proceedings*, v. 61, art. 4, 4 p.
- Mertie, G. P., 1937, Glacial features of the Nushagak district, Alaska [abs.]: *Journal of Washington Academy of Science*, v. 27, p. 222-223.
- Mertie, J. B., 1938, The Nushagak district, Alaska: *U.S. Geological Survey Bulletin* 903, 96 p.
- Miller, B. M., Thomsen, H. L., Dolton, G. L., Coury, A. B., Hendricks, T. A., Lennartz, F. E., Powers, R. B., Sable, E. G., and Vanres, K. L., 1975, Geological estimates of undiscovered recoverable oil and gas resources in the United States: *U.S. Geological Survey Circular* 725, 78 p.
- Miller, D. J., Payne, T. G., and Gryc, George, 1959, Geology of possible petroleum provinces in Alaska, with an annotated bibliography by E. H. Cobb: *U.S. Geological Survey Bulletin* 1094, 131 p.
- Miller, J. W., Detterman, R. L., and Case, J. E., 1982, Lower Cretaceous (Albian) rocks on the Alaska Peninsula, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980*: *U.S. Geological Survey Circular* 844, p. 83-87.

- Miller, J. W., and Detterman, R. L., 1985, The Buchia zones in upper Jurassic rocks on the Alaska Peninsula, in Bartsch-Winkler, Susan, and Reed, K. M., eds., The United States Geological Survey in Alaska: Accomplishments during 1983: U.S. Geological Survey Circular 945, p. 51-53.
- Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovia Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p.
- Miller, T. P., 1973, Distribution and chemical analyses of thermal springs in Alaska: U.S. Geological Survey Open-File Report 73-187, 164 p., scale 1:2,500,000.
- Miller, T. P., 1978, Post-caldera airfall pumice at Aniakchak caldera: U.S. Geological Survey Professional Paper 1109, p. 84.
- Miller, T. P., 1980, Alaska Peninsula volcanoes: U.S. Geological Survey Professional Paper 1175, p. 60.
- Miller, T. P., 1984, Two-stage volcanism at the Ugashik-Peulik volcanic center, Alaska Peninsula [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 322.
- Miller, T. P., and Barnes, Ivan, 1976, Potential for geothermal energy in Alaska - summary, in Halbouty, M. T., and Liar, H. M., eds., Circum-Pacific energy and mineral resources: Tulsa, Okla., American Association of Petroleum Geologists Memoir 25, p. 149-153.
- Miller, T. P., and Smith, R. L., 1975, Alaska geothermal study, in Yount, M. E., ed., The U.S. Geological Survey Alaska Program, 1975: U.S. Geological Survey Circular 722, p. 39.
- Miller, T. P., and Smith, R. L., 1975, Ash flows on the Alaska Peninsula; A preliminary report on their distribution, composition, and age [abs.]: Geological Society of America Abstracts with Programs, v. 7, n. 7, p. 1201.
- Miller, T. P., and Smith, R. L., 1976, "New" volcanoes in the Aleutian volcanic arc, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 11.
- Miller, T. P., and Smith, R. L., 1976, Spectacular mobility of ash flows around Aniakchak and Fisher calderas, Alaska: Geology, v. 5, no. 3, p. 173-176.
- Miller, T. P., and Smith, R. L., 1983, Calderas of the eastern Aleutian arc [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 877.
- Mining Journal, 1983, Unga Island preliminary reserves, industry in action: Mining Journal, v. 301, no. 7741, p. 474.

- Moffit, F. H., 1922, Geology of the vicinity of Tuxedni Bay, Cook Inlet: U.S. Geological Survey Bulletin 722, p. 141-147.
- Moffit, F. H., 1923, The Iniskin Bay district: U.S. Geological Survey Bulletin 739C, p. 117-132.
- Moffit, F. H., 1927, The Iniskin-Chinitna Peninsula and the Snug Harbor district, Alaska: U.S. Geological Survey Bulletin 789, 71 p.
- Moffit, F. H., 1927, Mineral industry of Alaska in 1925: U.S. Geological Survey Bulletin 792, p. 1-39.
- Molenaar, C. M., 1980, Cretaceous stratigraphy, Chignik area, Alaska Peninsula, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 64, no. 5, p. 752.
- Molnia, B. F., and Schwab, W. C., 1985, Potential geological hazards of north Aleutian Shelf, Bristol Bay, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 2, p. 289.
- Molnia, B. F., Schwab, W. C., and Austin, W. A., 1983, Map of potential geologic hazards on the north Aleutian Shelf (lease sale 92), Bering Sea: U.S. Geological Survey Open-File Report 83-247, 4 p.
- Moore, G. W., 1967, Preliminary geologic map of Kodiak Island and vicinity, Alaska: U.S. Geological Survey Open-File Map 271, scale 1:250,000.
- Moore, G. W., 1969, New formations on Kodiak and adjacent islands, Alaska: U.S. Geological Survey Bulletin 1274-A, p. A27-A35.
- Moore, G. W., 1975, Subduction model suggested by the very thick Kodiak Formation, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 3 p. 350-351.
- Moore, G. W., 1982, Offshore survey of the Pillar Mountain landslide, Kodiak, Alaska: U.S. Geological Survey Open-File Report 82-960, 13 p.
- Moore, G. W., and Bolm, J. G., 1977, Orientation of late Cretaceous and early Tertiary subduction, Kodiak Island, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1099-1100.
- Moore, G. W., and Karig, D. E., 1976, Development of sedimentary basins on the lower trench slope: Geology, v. 4, no. 11, p. 693-697.
- Moore, G. W., Page, R. A., and Lahr, J. C., 1980, Earthquake potential for the Pillar Mountain landslide, Kodiak, Alaska: U.S. Geological Survey Open-File Report 80-1129, 18 p.
- Moore, G. W., and Sheehan, Cynthia, A., compilers, 1981, Evaluation of radar imagery for geologic and cartographic applications- summary report of investigations: U.S. Geological Survey Open-File Report 81-1358, 37 p.

- Moore, J. C., 1971, Late Mesozoic continental margin; Southern Alaska-Bering Sea shelf [abs.]: EOS (American Geophysical Union Transactions), v. 52, no. 4, p. 259.
- Moore, J. C., 1971, Structural evolution of the Cretaceous pre-Aleutian trench, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 3, no. 7, p. 650-651.
- Moore, J. C., 1972, Uplifted trench sediments, southern Alaska: Circum-pacific comparisons [abs.]: Geological Society of America Abstracts with Programs, v. 4, no. 3, p. 200-201.
- Moore, J. C., 1973, Complex deformation of Cretaceous trench deposits, southwestern Alaska: Geological Society of America Bulletin, v. 84, no. 6, p. 2005-2020.
- Moore, J. C., 1973, Cretaceous continental margin sedimentation, southwestern Alaska: Geological Society of America Bulletin, v. 84, no. 2, p. 595-613.
- Moore, J. C., 1974, The ancient continental margin of Alaska, in Burk, C. A., and Drake, C. L., eds., The geology of continental margins: New York, Springer-Verlag, p. 811-816.
- Moore, J. C., 1974, Geologic and structural map of part of the Outer Shumagin Islands, southwestern Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-815, scale 1:63,360.
- Moore, J. C., 1974, Geologic and structural map of the Sanak Islands, southwestern Alaska: U.S. Geological Survey Investigations Map I-817, scale 1:63,360.
- Moore, J. C., 1974, Sedimentary and tectonic history of Cretaceous flysch in southwestern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 57, no. 4, p. 795-796.
- Moore, J. C., 1977, Effects of convergence rate on structural style of accreted trench deposits [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1101.
- Moore, J. C., 1978, Orientation of underthrusting during latest Cretaceous and earliest Tertiary time, Kodiak Islands, Alaska: Geology, v. 6, no. 4, p. 209-213.
- Moore, J. C., 1978, Plate-tectonic interpretation of Mesozoic and Cenozoic rocks of Aleutian Islands, Alaska Peninsula, and Shumagin-Kodiak shelf [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1228-1229.
- Moore, J. C., and Allwardt, Alan, 1978, Progressive deformation in a Tertiary subduction zone, Kodiak Islands, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 59, no. 12, p. 1184.

- Moore, J. C., and Allwardt, Alan, 1980, Progressive deformation of a Tertiary trench slope, Kodiak Islands, Alaska: *Journal of Geophysical Research*, v. 85, n. B9, p. 4741-4756.
- Moore, J. C., Byrne, Tim, Plumley, P. W., Reid, Mary, Gibbons, Helen, and Coe, R. S., 1983, Paleogene evolution of the Kodiak Islands, Alaska: Consequences of ridge-trench interaction in a more southerly latitude: *Tectonics*, v. 2, n. 3, p. 265-293.
- Moore, J. C., and Connelly, William, 1976, Subduction, arc volcanism, and forearc sedimentation during the early Mesozoic, S. W. Alaska [abs.]: *Geological Society of America Abstracts with Programs*, v. 8, no. 3, p. 397-398.
- Moore, J. C., and Connelly, William, 1977, Mesozoic magmatism and accretion, southwest Alaska [abs.]: *American Association of Petroleum Geologists Bulletin* v. 61, n. 3, p. 466.
- Moore, J. C., and Connelly, William, 1977, Tectonic history of the continental margin of southwestern Alaska: Late Triassic to earliest Tertiary, in Sisson, Alexander, ed., *The relationship of plate tectonics to Alaskan geology and resources: Alaska Geological Society Symposium*, 6th, Anchorage, Alaska, 1977, *Proceedings*, p. H1-H29.
- Moore, J. C., Plumley, P., Coe, R., Gibbons, H., Byrne, T., Reid, M., and Engebretson, D., 1982, Models of northward motion of the Kodiak Islands during the Tertiary [abs.]: *EOS (American Geophysical Union Transactions)*, v. 63, n. 45, p. 915.
- Moore, J. C., Sample, J., and Roeske, S. M., 1985, Kodiak accretionary complex: Emplacement, landward tilting, and uplift [abs.]: *Geological Society of America Abstracts with Programs*, v. 17, no. 6, p. 371.
- Moore, J. C., Sample, J., Roeske, S., and Davies, D., 1984, Kodiak accretionary complex: Structural evolution and terrane relations [abs.]: *Geological Society of America Abstracts with Programs*, v. 16, no. 1, p. 52.
- Moore, J. C., and Wheeler, R. L., 1975, Orientation of slip during early Mesozoic subduction, Kodiak Islands, Alaska [abs.]: *Geological Society of America Abstracts with Programs*, v. 7, n. 7, p. 1203-1204.
- Moore, J. C., and Wheeler, R. L., 1978, Structural fabric of a melange, Kodiak Islands, Alaska: *American Journal of Science*, v. 278, no. 5, p. 739-765.
- Mori, J., 1982, Duration of P- and S-waves pulses for small earthquakes in the Shumagin Islands, Alaska [abs.]: *EOS (American Geophysical Union Transactions)*, v. 63, no. 18, p. 376.
- Morris, J. D., 1979, Sr-isotope geochemistry of near-trench pluton, southwest Alaska [abs.]: *Geological Society of America Abstracts with Program*, v. 11, no. 7, p. 483-484.

- Morris, J. D., and Hart, S. R., 1980, Transverse geochemical variations across the Aleutian Arc: Cold Bay to Amak [abs.]: EOS (American Geophysical Union Transactions) v. 61, p. 400.
- Morris, J. D., and Hart, S. R., 1983, Isotopic and incompatible element constraints on the genesis of island arc volcanics from Cold Bay and Amak Island, Aleutians, and implications for mantle structure: *Geochimica et Cosmochimica Acta*, v. 47, no. 11, p. 2015-2030.
- Motyka, R. J., 1977, Katmai caldera: Glacier growth, lake rise, and geothermal activity: Alaska Division of Geological and Geophysical Surveys Geologic Report 55, p. 17-21.
- Motyka, R. J., 1982, High temperature hydrothermal resources in the Aleutian Arc [abs.]: Alaska Geological Society Symposium, 1982, Program with Abstracts, p. 41-42.
- Motyka, R. J., 1983, High-temperature hydrothermal resources in the Aleutian arc: *Journal of the Alaska Geological Society*, v. 3, p. 87-99.
- Motyka, R. J., Ferrell, V. E., and Benson, C. S., 1977, Glaciological-volcanological investigations in Katmai National Monument: National Park Service- Pacific Northwest Region Science/Management Conference, 4th, Issaquah, Washington, 1977, p. 22.
- Motyka, R. J., Moorman, M. A., Liss, S. A., 1981, Assessment of thermal springs sites, Aleutian arc, Atka Island to Becherof(sic) - preliminary results and evaluation: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-144, 173 p.
- Moxham, R. M., 1951, Pumice deposits in the Alaska Peninsula-Cook Inlet region, Alaska: U.S. Geological Survey Open-File Report, 21 p.
- Moxham, R. M., and Nelson, A. E., 1952, Reconnaissance for radioactive deposits in the southern Cook Inlet region, Alaska, 1949: U.S. Geological Survey Circular 207, 7 p.
- Muller, E. H., 1952, The glacial geology of the Naknek district, Bristol Bay region, Alaska: Urbana, Ill., University of Illinois, Ph. D. dissertation, 98 p.
- Muller, E. H., 1952, Glacial history of the Naknek district, Alaska Peninsula, Alaska [abs.]: Geological Society of America Bulletin, v. 63, no. 12, p. 1284.
- Muller, E. H., 1953, Northern Alaska Peninsula and eastern Kilbuck Mountains, Alaska, in Páwé, T. L., and others, eds., Multiple glaciation in Alaska - a progress report: U.S. Geological Survey Circular 289, p. 2-3.
- Muller, E. H., 1956, Quaternary glaciation in the Bristol Bay region [abs.]: Alaskan Science Conference, 4th, Juneau, Alaska, 1953, Proceedings, p. 250.

- Muller, E. H., and Coulter, H. W., 1954, Observations on the Knife Creek glaciers, Katmai National Monument, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 35, p. 383.
- Muller, E. H., and Coulter, H. W., 1957, Incipient glacier development within Katmai caldera, Alaska: Journal of Glaciology, v. 3, no. 21, p. 13-17.
- Muller, E. H., and Coulter, H. W., 1957, The Knife Creek glaciers of Katmai National Monument, Alaska: Journal of Glaciology, v. 3, no. 22, p. 116-122.
- Muller, E. H., Juhle, Werner, and Coulter, H. W., 1954, Current volcanic activity in Katmai National Monument (Alaska): Science, v. 119, no. 3088, p. 319-321.
- Murray, H. W., 1945, Profiles of the Aleutian Trench: Geological Society of America Bulletin, v. 56, no. 7, p. 757-781.
- Naidu, A. S., Freitag, G., and Mowatt, T. C., 1976, Clay minerals in Recent sediments of the continental shelf, central and western Gulf of Alaska, in West, G. C., ed., Science in Alaska, Alaska Science Conference, 27th, Fairbanks, Alaska, 1976, Proceedings: American Association for the Advancement of Science, v. 1, p. 173.
- Naidu, A. S., and Mowatt, T. C., 1977, Composition, source, and dispersal pattern of clay minerals in southeast Bering Sea, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1109.
- Naidu, A. S., and Mowatt, T. C., 1983, Sources and dispersal patterns of clay minerals in surface sediments from the continental shelf areas off Alaska: Geological Society of America Bulletin, v. 94, p. 841-854.
- Nakamura, Kazuaki, Jacob, K. H., and Davies, J. N., 1977, Volcanoes as possible indicators of tectonic stress orientation - Aleutians and Alaska: Pure and Applied Geophysics, v. 115, n. 1-2, p. 87-112.
- Nakamura, Kazuaki, Plafker, George, Jacob, K. L., and Davies, J. N., 1980, A tectonic stress trajectory map of Alaska using information from volcanoes and faults: Bulletin of the Earthquake Research Institute, v. 55, p. 89-100.
- Nakamura, Kazuaki, and Uyeda, Seiya, 1980, Stress gradient in back-arc regions and plate subduction: Journal of Geophysical Research, v. 85, no. B11, p. 6419-6428.
- National Academy of Sciences, 1972, The Great Alaska earthquake of 1964, seismology and geodesy: Washington, D. C, National Academy of Sciences, 616 p.
- Naugler, F. P., and Wageman, J. M., 1973, Gulf of Alaska: Magnetic anomalies, fracture zones, and plate interaction: Geological Society of America Bulletin, v. 84, no. 5, p. 1575-1683.

- Nayudu, Y. R., 1958, Recent sediments of the Gulf of Alaska [abs.]: Geological Society of America Bulletin, v. 69, no. 12, p. 1697.
- Nayudu, Y. R., 1964, Volcanic ash deposits in the Gulf of Alaska and problems of correlation of deep-sea ash deposits: Marine Geology, v. 1, p. 194-212.
- Neal, R. J., and Swanson, S. E., 1983, Petrology and geo-chemistry of Westdahl and Pogromni volcanoes, Unimak Island, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 893.
- Nelson, C. M., 1978, Neptunes (Gastropoda: Buccinacea) in the Neogene of the North Pacific and adjacent Bering Sea: The Veliger, v. 21, no. 2, p. 203-215, 2 plates.
- Nelson, W. H., Carlson, Christine, and Case, J. E., 1983, Geologic map, Lake Clark quadrangle, Alaska: U. S Geological Survey Miscellaneous Field Studies Map MF-1114-A, scale, 1:250,000.
- Newberry, R. J., 1985, Overview of gold-bearing skarns of southern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no.4, p. 672-673.
- Newman, S., Macdougall, J. D., and Finkel, R. C., 1984, ^{230}Th - ^{238}U disequilibrium in island arcs: Evidence from the Aleutians and the Marianas: Nature, v.308, no. 5956, p. 268-270.
- Newton, C. R., 1983, Norian (late Triassic) molluscs of Cordilleran allochthonous terranes; Paleocology and paleozoogeography: Santa Cruz, Calif., University of California, Ph. D. dissertation, 184 p.
- Nilsen T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 83-86.
- Nilsen, T. H., 1984, Miocene back-arc tidal deposits of the Bear Lake formation, Alaska Peninsula, in Reed, K. M., and Bartsch-Winkler, Susan, eds., The United States Geological Survey in Alaska: Accomplishments during 1982: U.S. Geological Survey Circular 939, p. 85-88.
- Nilsen T. H., 1985, Sedimentology of tidally deposited Miocene Bear Lake formation, Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 673.
- Nilsen, T. H., and Bouma, A. H., 1977, Turbidite sedimentology and depositional framework of the upper Cretaceous Kodiak formation and related stratigraphic units, southern Alaska [abs.]: Geological Society of America Bulletin, v. 71, no. 12, p. 2087.

- Nilsen, T. H., and Moore, G. W., 1979, Reconnaissance study of upper Cretaceous to Miocene stratigraphic units and sedimentary facies, Kodiak and adjacent islands, Alaska, with a section on sedimentary petrology by Gary R. Winkler: U.S. Geological Survey Professional Paper 1093, 34 p.
- Northern Miner, 1983, Alaska Apollo reports encouraging drill results: The Northern Miner, v. 69, no. 23, p. 16.
- Northern Miner, 1984, Alaska Apollo financing for broader program: The Northern Miner, v. 70, no. 36, p. 17.
- Nowak, Michael, 1968, Archeological dating by means of volcanic ash strata: Eugene, Oreg., University of Oregon, Ph.D. dissertation, 220 p.
- Nybakken, B. H., 1966, The paleoecology of southwest Umnak Island and southwest Kodiak Island: Madison, Wis., University of Wisconsin, Ph.D. dissertation, 112 p.
- Oil and Gas Journal, 1985, MMS selects sale tracts in Alaska's Bristol Bay: Oil and Gas Journal, v. 83, no. 5, p. 32.
- Oil and Gas Journal, 1985, Interior tentatively schedules 1986 lease sale in Bristol Bay: Oil and Gas Journal, v. 83, no. 37, p. 70.
- Okada, Hiroaki, and Okada, Atsuko, 1974, The Hot Springs Village site, preliminary report of the 1972 excavations at Port Moller, Alaska: The Institute for Study of North Eurasian Cultures, Hokkaido University, Sapporo, Japan, 20 p., 14 plates.
- Okada, Hiroaki, Okada, Atsuko, Kotani, Yoshinobu, and Hattori, Keishi, 1976, The Hot Springs Village site (2), preliminary report of the 1974 excavations at Port Moller, Alaska: The Institute for Study of North Eurasian Cultures, Hokkaido University, Sapporo, Japan, 20 p., 20 plates.
- Okada, Hiroaki, Okada, Atsuko and Kotani, Yoshinobu, 1979, The Hot Springs Village site (3), preliminary report of the 1977 excavations at Port Moller, Alaska: The Institute for Study of North Eurasian Cultures, Hokkaido University, Sapporo, Japan, 49 p.
- Okimura, H., 1930, The eruption of Katmai, Alaska, 1912: Volcano Letter 305, p. 1-3.
- Oman, C. L., Dorrzapf, A. F., and Bradley, Leon, 1977, Vanadium content in United States coals [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1120.
- Orlando, R. C., and Martin, E. A., 1981, Grain size data compilation and parameters of sediment samples, Lower Cook Inlet, Alaska, 1976-1979: U.S. Geological Survey Open-File Report 81-827, 389 p.
- Orr, D. G., Trautwein, C. M., and Greenlee, D. D., 1983, Digital data base application to porphyry copper mineralization in Alaska: A case study [abs.]: Geophysics, v. 48, no. 4, p. 475.

- Overstreet, W. C., Crenshaw, G. L., Hubert, A. E., Rosenblum, Sam, and Smith, R. J., 1975, Experimental results of atomic absorption analyses for indium and thallium in 803 non-magnetic concentrates from Alaska: U.S. Geological Survey Open-File Report 75-253, 78 p.
- Overstreet, W. C., Hamilton, J.C., Boerngen, J. G., Rosenblum, Sam, Marsh, W. R., and Sainsbury, C. L., 1975, Minor elements in non-magnetic concentrates from Alaska: National Technical Information Service PB-238 989/AS, 440 p.
- Packer, D. R., Brogan, G. E., and Stone, D. B., 1975, New data on plate tectonics of Alaska, in Pavoni, N. and Green, R., eds., Recent crustal movements: Tectonophysics, v. 29, n. 1-4, p. 87-102.
- Packer, D. R., and Stone, D. B., 1974, Paleomagnetism of Jurassic rocks from southwestern Alaska and their implications: Canadian Journal of Earth Science, v. 11, p. 976-997.
- Page, R. A., Waller, J. A., and Stephens, C. D., 1982, Recent seismicity around Spurr, Redoubt, and Iliamna volcanos, southern Alaska [abs.], in Science in the North, Alaska Science Conference, 33rd, Fairbanks, Alaska, 1982, Proceedings: Arctic Division American Association for the Advancement of Science, p. 129.
- Paige, Sidney, 1906, The Herendeen Bay coal field: U.S. Geological Survey Bulletin 284, p. 101-108.
- Palache, Charles, 1904, Geology about Chichagof Cove, Stepovak Bay; With notes on Popof and Unga Islands (Alaska): Harriman Alaska Expedition, v. 4, p. 69-88.
- Palmer, I. F., Bolm, J. G., and Lyle, M. W., 1978, Petroleum potential of Tertiary formations on the Alaska Peninsula: U.S. Geological Survey Professional Paper 1100, p. 18.
- Palmer, L. A., 1922, The Cold Bay oil field, Alaska Peninsula: Pacific Mining News, v. 1, no. 6, p. 171-172.
- Pan, Kuo-Liang, Overstreet, W. C., Robinson, Keith, Hubert, A. E., and Crenshaw, G. L., 1980, Equivalent uranium and selected minor elements in magnetic concentrates from the Candle quadrangle, Solomon quadrangle, and elsewhere in Alaska: U.S. Geological Survey Professional Paper 1135, 115 p.
- Parkinson, L. J., Jr., 1960, Cretaceous strata of the Cape Douglas area, Alaska Peninsula, Alaska [abs.]: Geological Society of America Bulletin, v. 71, no. 12, p. 2087.
- Pavlis, T. L., 1983, Pre-Cretaceous crystalline rocks of the western Chugach Mountains, Alaska; Nature of the basement of the Jurassic Peninsular terrane: Geological Society of America Bulletin, v. 94, no. 11, p. 1329-1344.

- Pavlis, T. L., and Brahn, R. L., 1981, Processes in accretionary prisms: Implications from Neogene faulting in Cook Inlet forearc basin, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 527.
- Payne, T. G., 1955, Mesozoic and Cenozoic tectonic elements of Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-84, scale 1:5,000,000.
- Payne, T. G., and Gryc, George, 1951, Alaska petroleum in relation to geologic history [abs.]: Geological Society of America Bulletin, v. 62, no. 12, p. 1557.
- Peale, A. C., 1886, Lists and analyses of the mineral springs of the United States: U.S. Geological Survey Bulletin 32, 235 p.
- Pearson, C. F., 1977, Seismic refraction study of Augustine Volcano: Fairbanks, Alaska, University of Alaska, M.S. thesis, 131 p.
- Perfit, M. R., 1978, The petrochemistry and strontium isotopic composition of mafic basalts from the Aleutian Islands [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 7, p. 470.
- Perfit, M. R., Brueckner, Hannes, Lawrence, J. R., and Kay, R. W., 1980, Trace element and isotopic variations in a zoned pluton and associated volcanic rocks, Unalaska Island, Alaska: A model for fractionation in the Aleutian calc-alkaline suite: Contributions to Mineralogy and Petrology, v. 73, no. 1, p. 69-87.
- Perfit, M. R., Easter, J., and Kay, R. W., 1976, Geochemical constraints on Aleutian arc plutonism, Unalaska Island [abs.]: Geological Society of America Abstracts with Programs, v. 8, no. 6, p. 1046-47.
- Perrey, Alexis, 1866, Documents sur les tremblements de terre et les phenomenes volcaniques des Iles Aleutiennes, de la Peninsula d'Alaska et de la cote NO. d'Amerique (Documents on the earthquakes and volcanic phenomena of the Aleutian Islands, Alaska Peninsula, and of the northwest coast of America): Academie des Sciences, Arts et Belles-lettres, Dijon, Memoire, 2nd ser., v. 13, sec. sc., p. 121-151.
- Pessagno, E. A., Jr., and Blome C. D., 1982, Bizzare Nasseleriina (Radiolaria) from the middle and upper Jurassic of North America: Micropaleontology, v. 28, no. 3, p. 289-318.
- Peter G., 1966, Preliminary results of a systematic geophysical survey south of the Alaska Peninsula, in Continental margins and island arcs, International Upper Mantle Committee Symposium, Ottawa, 1965: Geological Survey of Canada Paper 66-15, p. 223-237.
- Peter, G., Elvers, D., and Yellin, M., 1964, Geological structure of the Aleutian trench southwest of Kodiak Island [abs.]: EOS (American Geophysical Union Transactions), v. 45, no. 1, p. 35.

- Petering, G. W., and Smith, T. N., 1981, Stratigraphic sections, Hallo Bay to Katmai Bay, Shelikof Strait, Alaska, 1979: U.S. Geological Survey Open-File Report 81-21.
- Petty-Ray Geophysical Division, Geosource, Inc., 1977, Marine high resolution geophysical survey - Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 77-358, 166 p., 22 figures, scale 1:96,000.
- Péwé, T. L., 1953, Brief review of Pleistocene events and climatic changes in Alaska: U.S. Geological Survey Open-File Report 53-217, 14 p.
- Péwé, T. L., and others, 1953, Multiple glaciation in Alaska, a progress report: U.S. Geological Survey Circular 289, 13 p.
- Péwé, T. L., 1975, Quaternary geology of Alaska: U.S. Geological Survey Professional Paper 835, 145 p.
- Pickthorn, L. B. G., Vallier, T. L., and Scholl, D. W., 1984, Geochronology of igneous rocks from the Aleutian island arc, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 328.
- Pickthorn, W. J., Yount, M. E., Cooley, E. F., O'Leary, R. M., Detra, D. E., and Ito, Gail, 1979, Sample location map and analytical data for rock samples collected in 1978, Chignik and Sutwik Island quadrangle, Alaska: U.S. Geological Survey Open-File Report 79-1506, scale 1:250,000.
- Piper, D. J. W., von Huene, Roland, and Duncan, J. R., 1973, Late Quaternary sedimentation in the active eastern Aleutian trench: Geology, v. 1, no. 1, p. 19-22.
- Plafker, George, 1969, Tectonics of the March 27, 1964, Alaska earthquake: U.S. Geological Survey Professional Paper 543-I, 74 p.
- Plafker, George, 1971, Possible future petroleum resources of Pacific-margin Tertiary basin, Alaska, in Cram, Ira, R., ed., Future petroleum provinces of the United States- their geology and potential: Tulsa, Okla., American Association of Petroleum Geologists Memoir 15, v. 1, p. 120-135.
- Plafker, George, 1972, Great earthquakes, tsunamis, and tectonic information in some circum-Pacific arcs [abs.]: Geological Society of America Abstracts with Programs, v. 4, no. 3, p. 218.
- Plafker, George, and Bruns, T. R., 1982, Late Cenozoic subduction - rather than accretion - at the eastern end of the Aleutian Arc [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 589.
- Plafker, George, Bruns, Terry, and Winkler, Gary, 1978, Plate tectonics in evaluation of southern continental margin [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 7, p. 1231-1232.

- Plafker, George, and Jones, D. L., 1982, The geology and tectonic evolution of Alaska, in Palmer, A. R., ed., 1982, Perspectives in regional geological synthesis; Planning for the Geology of North America: Boulder, Colo., Geological Society of America D-NAG Special Publication 1, p. 105-115.
- Plafker, George, Jones, D. L., and Pessagno, E. A., Jr., 1977, A Cretaceous accretionary flysch and melange terrane along the Gulf of Alaska margin, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B41-B43.
- Plafker, George, and Kachadoorian, Reuben, 1966, Geologic effects of the March 1964 earthquake and associated seismic sea waves on Kodiak and nearby islands, Alaska: U.S. Geological Survey Professional Paper 543-D, p. D1-D46.
- Plafker, George, Kachadoorian, Reuben, Eckel, E. B., and Mayo, L. R., 1969, Effects of the earthquake of March 27, 1964, on various communities: U.S. Geological Survey Professional Paper 542-G, p. G1-G50.
- Plafker, George, Keller, Gerta, Barron, J. A., and Blueford, J. R., 1985, Paleontologic data on the age of the Orca Group, Alaska: U.S. Geological Survey Open-File Report 85-429, 26 p.
- Plafker, George, and Mayo, L. R., 1965, Tectonic deformation, subaqueous slides and destructive waves associated with the Alaskan March 27, 1964 earthquake: An interim geologic evaluation: U.S. Geological Survey Open-File Report 65-124, 19 p.
- Plumley, P. W., Byrne, T. B., Coe, R. S., and Moore, J. C., 1981, Paleomagnetism of the Ghost Rocks volcanics on Kodiak indicated 24° northward displacement [abs.]: EOS (American Geophysical Union Transactions), v. 62, no. 45, p. 845.
- Plumley, P. W., Coe, R. S., Byrne, Tim, Reid, M. R., and Moore, J. C., 1982, Paleomagnetism of volcanic rocks of the Kodiak Islands indicates northward latitudinal displacement: Nature, v. 300, no. 5887, p. 50-52.
- Plumley, P. W., Coe, R. S., and Byrne, Tim, 1983, Paleomagnetism of the Paleocene Ghost Rock Formation, Prince William Terrane, Alaska: Tectonics, v. 2, no. 3, p. 295-314.
- Pratt, R. M., Rustein, M. S., Walton, F. W., and Buscher, J. A., 1972, Extension of Alaskan structural trends beneath Bristol Bay, Bering shelf, Alaska: Journal of Geophysical Research, v. 77, no. 26, p. 4994-4999.
- Pratt, R. M., Scheidegger, K. F., and Kulm, L. V. D., 1973, Volcanic ash from DSDP Site 178, Gulf of Alaska, in Musich, L. F., and Weser, O. E., eds., Initial reports of the Deep Sea Drilling Project, covering Leg 18 of the cruises of the drilling vessel Glomar Challenger, Honolulu, Hawaii to Kodiak, Alaska May-July 1971: Scripps Institute of Oceanography, p. 833-834.

- Pratt, Richard, and Walton, Fred, 1974, Bathymetric map of the Bering Shelf: Geological Society of America Map and Chart Series MC-7.
- Price, Chadderdon, 1977, Late Cenozoic volcanism in the Aleutian arc: Information from ash layers in the northeastern Gulf of Alaska: Geological Society of America Bulletin, v. 88, no. 3, p. 462-464.
- Pulpan, Hans, 1975, Alaska Peninsula telemetered seismic network: Phase II; Annual progress report: University of Alaska Geophysical Institute, contract AT(45-1)-2229, 8 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Pulpan, Hans, 1976, Alaska Peninsula telemetered seismic network; Annual report: Energy Research Development Administration contract EY-76-S-06-2229, 15 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Pulpan, Hans, 1978, Operation of a telemetered seismic network on the Alaska Peninsula; Annual report: U.S. Department of Energy contract EY-76-S-06-2229-006, 26 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Pulpan, Hans, and Frohlich, Cliff, 1982, Earthquake relocation by the JHD method in the Kodiak and Cook Inlet areas of Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 1024.
- Pulpan, Hans, and Frohlich, Cliff, 1985, Geometry of the subducted plate near Kodiak Island and Lower Cook Inlet, Alaska, determined from relocated earthquake hypocenters: Bulletin of the Seismological Society of America, v. 75, no. 3, p. 791-810.
- Pulpan, Hans, and Kienle, Juergen, 1977, Seismic and volcanic risk studies; Western Gulf of Alaska, in Environmental assessment of the Alaskan Continental Shelf; Hazards: U.S. Department Commerce, Environmental Research Lab, no. 17, p. 318-423.
- Pulpan, Hans, and Kienle, Juergen, 1979, Western Gulf of Alaska seismic risk studies: Offshore Technology Conference, 11th, Houston, Tex., 1979, Proceedings, v. 4, p. 2209-2218.
- Purington, C. W., 1905, Methods and costs of gravel and placer mining in Alaska: U.S. Geological Survey Bulletin 259, p. 32-46.
- Purington, C. W., 1905, Methods and costs of gravel and placer mining in Alaska: U.S. Geological Survey Bulletin 263, 273 p.
- Race, W. H., 1962, The mineral industry of the Kenai-Cook Inlet-Susitna region: Alaska Division of Mines and Minerals, 42 p.
- Ramdohr, Paul, 1962, Erzmikroskopische untersuchungen an magnetiten der exhalationen im Valley of Ten Thousand Smokes (with English abstract): Neues Jahrbuch fur Mineralogie Monatshefte, 1962, n. 3-4, p. 49-59.

- Ransome, A. L., and Kearns, W. H., 1954, Names and definitions of regions, districts, and subdistricts in Alaska (used by the Bureau of Mines in statistical and economic studies covering the mineral industry of the Territory): U.S. Bureau of Mines Information Circular 7679, 91 p.
- Rappeport, M. L., 1982, An analysis of oceanographic and meteorological conditions for central Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-128, 47 p.
- Rappeport, M. L., and Cacchione, D. A., 1982, Sediment dynamics, drag partitioning and tidal flow characteristics within a field of large sand waves, Lower Cook Trough, Cook Inlet, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 981.
- Ray, D. K., 1967, Geochemistry and petrology of the Mt. Trident andesites, Katmai National Monument, Alaska: Fairbanks, Alaska, University of Alaska, Ph. D dissertation, 213 p.
- Raymond, L. A., 1980, Episodic accretion and plutonism in southwestern Alaska: Earth and Planetary Science Letters, v. 49, p. 29-33.
- Rea, D. K., 1977, Plio-Pleistocene pan-Pacific volcanic variations [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1137-1138.
- Reck, Hans, 1930, Das Tal der Zehntausende Dampfe (Review of the Valley of Ten Thousand Smokes by R. F. Griggs, 1922): Zeitschrift Vulkanologie, v. 13, no. 1, p. 61-65.
- Reed, B. L., 1967, Results of stream sediment sampling and bedrock analyses in the eastern part of Iliamna quadrangle, and at Kasna Creek, Lake Clark quadrangle, Alaska: U.S. Geological Survey Open-File Report 67-185, 18 p.
- Reed, B. L., and Detterman, R. L., 1965, A preliminary report on some magnetite-bearing rocks near Frying Pan Lake, Iliamna D-7 quadrangle, Alaska: U.S. Geological Survey Open-File Report 65-133, 2 p.
- Reed, B. L., and Detterman, R. L., 1966, Result of stream sediment sampling in the Iliamna quadrangle, Alaska: U.S. Geological Survey Open-File Report 66-108.
- Reed, B. L., and Lanphere, M. A., 1969, Age and chemistry of Mesozoic and Tertiary plutonic rocks in south-central Alaska: Geological Society of America Bulletin, v. 80, no. 1, p. 23-43.
- Reed, B. L., and Lanphere, M. A., 1970, Plutonic belts of central and southern Alaska Range and Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 54, no. 12, p. 2502.
- Reed, B. L., and Lanphere, M. A., 1972, Generalized geologic map of the Alaska-Aleutian Range Batholith showing K-Ar ages of the plutonic rocks: U.S. Geological Survey Miscellaneous Field Studies Map MF-372, scale 1:1,000,000, 2 sheets.

- Reed, B. L., and Lanphere, M. A., 1973, Alaska-Aleutian range batholith: Geochronology, chemistry and relations to circum-Pacific plutonism: Geological Society of America Bulletin, v. 84, no. 8, p. 2583-2610.
- Reed, B. L., and Lanphere, M. A., 1973, Plutonic rocks of Alaska-Aleutian Range batholith, in Pitcher, Max, G., ed., Arctic geology: Tulsa, Okla., American Association of Petroleum Geologists Memoir 19, p. 421-428.
- Reed, B. L., and Lanphere, M. A., 1974, Chemical variations across the Alaska-Aleutian Range batholith: U.S. Geological Survey Journal of Research, v. 2, no. 3, p. 343-352.
- Reed, B. L., Lanphere, M. A., and Miesch, A. T., 1983, Chemical analyses of 102 tonalite samples for the Jurassic magmatic arc, Alaska-Aleutian Range batholith, Alaska: U.S. Geological Survey Open-File Report 83-94, 18 p.
- Reed, B. L., Miesch, A. T., and Lanphere, M. A., 1982, Jurassic magmatic arc in the Alaska-Aleutian Range batholith: Chemical variations and polarity [abs.]: Alaska Geological Society Symposium, 1982, Program with Abstracts, p. 5-6.
- Reed, B. L., Miesch, A. T., and Lanphere, M. A., 1982, Plutonic rocks of Jurassic age in the Alaska-Aleutian Range batholith: Chemical variations and polarity [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 226-227.
- Reed, B. L., Miesch, A. T., and Lanphere, M. A., 1983, Jurassic magmatic arc in the Alaska-Aleutian Range batholith-chemical variations and polarity: Journal of the Alaska Geological Society, v. 3, p. 15-17.
- Reed, B. L., Miesch, A. T., and Lanphere, M. A., 1983, Plutonic rocks of Jurassic age in the Alaska-Aleutian Range batholith: Chemical variations and polarity: Geological Society of America Bulletin, v. 94, no. 10, p. 1232-1240.
- Reed, K. M., ed., 1981, The U.S. Geological Survey in Alaska, 1981 programs: U.S. Geological Survey Circular 843, p. 16, 23, 78-80.
- Reed, R. K., Muench, R. D., and Schumacher, J. D., 1980, On baroclinic transport of the Alaskan Stream near Kodiak Island: National Oceanic and Atmospheric Administration Deep Sea Research Paper 27-7, p. 509-523.
- Reed, R. K., Schumacher, J. D., and Blaha, J. P., 1982, Eulerian measurements in the Alaskan Stream near Kodiak Island: Journal of Physical Oceanography, v. 11, no. 11, p. 1591-1595.
- Reeder, J. W., 1983, Preliminary dating of the caldera forming Holocene volcanic events for the eastern Aleutian Islands [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 668.

- Reeder, J. W., Lehr, J. C., and Thomas, June, 1977, Seismological aspects of the recent eruption of Augustine Volcano [abs.]: EOS (American Geophysical Union Transactions), v. 58, no. 12, p. 1188.
- Reeside, J. B., Applin, P. L., Colbert, E. H., Gregory, J. T., Hadley, H. D., Cummel, Bernhard, Lewis, P. J., Love, J. D., Maldonado-Koerdell, Manuel, McKee, E. D., McLaughlin, D. B., Muller, S. W., Reinemund, J. A., Rodgers, John, Sanders, John, Silberling, N. J., and Waage, Karl, 1957, Correlation of the Triassic formations of North America exclusive of Canada: Geological Society of America Bulletin, v. 68, no. 11, p. 1451-1514.
- The Resources Planning Team, compiler, 1975, Resources of Alaska, a regional summary: Anchorage, Joint Federal-State Land Use Planning Commission for Alaska, 622 p.
- Reyners, Martin, and Coles, K. S., 1982, Fine structure of the dipping seismic zone and subduction mechanics in the Shumagin Island, Alaska: Journal of Geophysical Research, v. 87, no. B1, p. 356-366.
- Richards, H. G., 1974, Tectonic evolution of Alaska: American Association of Petroleum Geologists Bulletin, v. 58, no. 1, p. 79-105.
- Richter, Donald, and Herreid, Gordon, 1963, Magnetic anomalies in Alaska, in Alaska Division of Mines and Minerals Report for the year 1963: Alaska Division of Mines and Minerals, p. 53-55.
- Richter, Donald, and Herreid, Gordon, 1965, Geology of the Paint River area, Iliamna quadrangle, Alaska: Alaska Division of Mines and Minerals Geologic Report 8, 18 p.
- Riehle, J. R., Updike, R. G., and Carpenter, B. A., 1982, Whole-rock and geochemical analyses, part of Unga and Popof Islands, Alaska: Alaska Division of Geologic and Geophysical Surveys Open-File Report AOF-174, scale 1:63,360.
- Robertson, Forbes, 1963, Modes of differentiation of igneous rocks on triangular diagrams [abs.]: Geological Society of America Special Paper 73, "Abstracts for 1962", p. 225.
- Roehm, J. C., 1936, Kizhuyak group (Kodiak Island): Alaska Territorial Department of Mines Prospects Examined PE 131-1, 4 p.
- Roehm, J. C., 1936, Ouzinkie group (Kodiak Island): Alaska Territorial Department of Mines Prospects Examined PE 131-2, 6 p.
- Roehm, J. C., 1936, Rambler group (Kodiak Island): Alaska Territorial Department of Mines Prospects Examined PE 131-3, 3 p.
- Roehm, J. C., 1936, Sonny Jim group (Kodiak Island): Alaska Territorial Department of Mines Prospects Examined PE 131-4, 3 p.
- Roehm, J. C., 1936, Brownbear group (Kodiak Island): Alaska Territorial Department of Mines Prospects Examined PE 131-5, 8 p.

- Roehm, J. C., 1941, Summary report of minerals-mining investigations in Kuichak district - June 5-July 6, 1941: Alaska Territorial Department of Mines Itinerary Report IR 1941, 11 p.
- Roehm, J. C., 1941, Millet copper property: Alaska Territorial Department of Mines Miscellaneous Report MR 103-1, 2 sheets.
- Roehm, J. C., 1947, Pumice deposits (Katmai National Monument): Alaska Territorial Department of Mines Mineral Investigations MI 126-1, 10 p.
- Roeske, S. M., 1984, Metamorphic petrology of the glaucophane-bearing Raspberry Schist, Kodiak Island, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 45, p. 1147.
- Roeske, S. M., 1984, The Raspberry Schist: A fault-bounded glaucophane schist, Kodiak Island, southern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 638.
- Roeske, S. M., 1985, The Raspberry Schist: Oldest accretionary complex of the Kodiak Islands [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 6, p. 405.
- Rose, A. W., and Richter, D. H., 1966, Anton Larsen Bay, Kodiak Island [abs.], in Alaska Division of Mines and Minerals, Report for the year 1966: Alaska Division of Mines and Minerals, p. 85.
- Rose, A. W., and Richter, D. H., 1967, Geology and stream sediment geochemistry of Anton Larsen Bay and vicinity, Kodiak Island, Alaska: Alaska Division of Mines and Minerals Geologic Report 31, 10 p.
- Ross, S. R., and Smith, R. L., 1961, Ash-flow tuffs; Their origin, geologic relations, and identification: U.S. Geological Survey Professional Paper 366, 81 p.
- Rowett, C. L., 1975, Stratigraphic distribution of Permian corals in Alaska: U.S. Geological Survey Professional Paper 823-D, p. 59-79.
- Rubenstone, J. L., 1984, Early Tertiary volcanism in the Aleutian Islands: Geochemical variations and tectonic implications [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 331.
- Rubenstone, J. L., Langmuir, C. H., and Hildreth, W., 1985, Isotope and trace element data bearing on the sources and evolution of magmas in the Katmai region, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 17, n. 7, p. 710.
- Rutstein, M. S., Buschur, J. A., Walton, F. W., Adelseck, C. G., and Pratt, R. M., 1972, Systematic geophysical survey, Bristol Bay, Alaska, NOAA, Ship Rainier, 1970: National Ocean Survey, Marine Geophysics Group Report NOAA-TM-NOS-GDB-1: NOAA-73010901, 21 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].

- Rutledge, F. A., and Mulligan, J. J., 1952, Investigation of the Millet copper deposit, Iliamna Lake, southwest Alaska: U.S. Bureau of Mines Report of Investigations 4932, 129 p.
- Rutledge, F. A., Thorne, R. L., Kearns, W. H., and Mulligan, J. J., 1953, Preliminary report: Nonmetallic deposits accessible to the Alaska Railroad as a possible source of raw material for the construction industry: U.S. Bureau of Mines Report of Investigations 4932, p. 71-77.
- Saarinen, T. F., and McPherson, H. J., 1983, Notices, watches and warnings: An appraisal of the USGS warning system with a case study from Kodiak, Alaska: Natural Hazard Research Working Paper no. 42, 291 p.
- Sallenger, A. H., Jr., and Dingler, J. R., 1979, Coastal processes and morphology of the Bering Sea coast of Alaska, in OCSEAP, 1979, Environmental assessment of the Alaskan Continental Shelf, final reports of principal investigators: Boulder, Colo., National Oceanic and Atmospheric Administration, v. 2, p. 377-441.
- Saltzer, C. E., 1973, An investigation of the seismicity of the Aleutian-Alaskan Arc: Milwaukee, Wis., University of Wisconsin, M.S. thesis, 147 p., illustrations.
- Sammel, E. A., 1979, Occurrence of low-temperature geothermal waters in the United States, in Muffler, L. J. P., ed., Assessment of geothermal resources of the United States, 1978: U.S. Geological Survey Circular 790, p. 86-131.
- Sample, Jim, 1984, The Kodiak Formation, Kodiak Island, Alaska: A record of continuous deformation at a rapidly accreting margin [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 643.
- Sample, Jim, 1985, An ancient underplated sequence preserved in the Kodiak Islands, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 6, p. 406.
- Samuels, W. B., Lanfear, K. J., and Nakassis, Anastase, 1980, An oilspill risk analysis for the Kodiak Island (proposed Sale 46) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 80-175, 108 p.
- Sando, W. J., Bamber, E. W., and Armstrong, A. K., 1975, Endemism and similarity indices: Clues to the zoogeography of North American Mississippian corals: Geology, v. 3, no. 11, p. 661-664.
- Sandstrom, M. W., Meradith, D., and Kaplan, I. R., 1983, Hydrocarbon geochemistry in surface sediments of Alaskan outer continental shelf: Part 2. Distribution of hydrocarbon gases: American Association of Petroleum Geologists Bulletin, v. 67, no. 11, p. 2047-2052.
- Sandstrom, M. W., Reed, W. E., and Kaplan, I. R., 1977, Recycling of organic matter in recent sediments from the southeastern Bering Sea and western Gulf of Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1154.

- Saunders, R. H., 1951, Peninsula Exploration Co. (Sitkalikdak Island): Alaska Territorial Department of Mines Prospect Examined 131-6, 23 p.
- Sbar, M. L., and Matumoto, Tosimatu, 1969, Refraction profiles in the Valley of Ten Thousand Smokes, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 50, no. 4, p. 340.
- Sbar, M. L., and Matumoto, Tosimatu, 1972, Refraction profiles in the Valley of Ten Thousand Smokes, Katmai, Alaska: Bulletin Volcanologique, v. 35, no. 2, p. 335-349.
- Schaff, R. G., and Updike, R. G., 1984, Lessons learned - and not learned - from the 1964 Alaskan earthquake [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 331.
- Scheidegger, K. F., Corliss, J. B., Jezek, P. A., and Ninkovich, D., 1977, Ash layer record of explosive volcanic eruptions of the Aleutian and Kamchatkan volcanic arcs [abs.]: EOS (American Geophysical Union Transactions), v. 58, no. 12, p. 1248.
- Scheidegger, K. F., Corliss, J. B., Jezek, P. A., and Ninkovich, D., 1978, Composition of ash layers derived from North Pacific volcanic arcs - variations in time and space [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 7, p. 485.
- Scheidegger, K. F., Corliss, J. B., Jezek, P. A., and Ninkovich, D., 1980, Composition of deep sea ash layers derived from North Pacific volcanic arcs; Variations in time and space: Journal of Volcanology and Geothermal Research, v. 7, no. 1-2, p. 107-137.
- Scheidegger, K. F., and Kulm, L. D., 1973, Explosive, cyclic Aleutian arc volcanism: Evidence from volcanic ash layers recovered from DSDP Site 178, Gulf of Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 5, no. 7, p. 795.
- Scheidegger, K. F., and Kulm, L. D., 1975, Late Cenozoic volcanism in the Aleutian Arc: Information from ash layers in the northeastern Gulf of Alaska: Geological Society of America Bulletin, v. 86, no. 10, p. 1407-1412.
- Scheidegger, K. F., and Kulm, L. D., 1977, Late Cenozoic volcanism in the Aleutian Arc: Information from ash layers in the northeastern Gulf of Alaska - Reply: Geological Society of America Bulletin, v. 88, no. 3, p. 462-464.
- Schlanger, S. O., and Combs, Jim, 1974, Oil accumulation in island arc-bounded marginal basins: The geological boundary conditions [abs.]: Geological Society of America Abstracts with Programs, v. 6, no. 7, p. 941-942.
- Schmincke, H. U., and Johnston, D. A., 1977, Contrasting pyroclastic flow deposits of the 1976 eruption of Augustine Volcano, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1161.

- Scholl, D. W., Cooper, A., Engdahl, E., Hein, J., Marlow, M., Marsh, B., McLean, H., Vallier, T., Vath, S., and Patton, W. W., Jr., 1982, The Aleutian-Bering Shelf transect A-1 [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 611.
- Scholl, D. W., Cooper, A. A., and Marlow, M. S., 1977, Indicators of plate tectonics in southern Alaska and adjacent deep-sea area, late Paleozoic through Cenozoic time [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 467-468.
- Scholl, D. W., and Creager, J. S., 1973, Geologic synthesis of leg 19 (DSDP) results; Far north Pacific and Aleutian Ridge, and Bering Sea: DSDP Initial Report v. 19, Kodiak, Alaska to Yokohama, Japan, July-September, 1971, p. 897-913.
- Scholl, D. W., and Hopkins, D. M., 1969, Newly discovered Cenozoic basins, Bering Sea Shelf, Alaska: American Association of Petroleum Geologists Bulletin, v. 53, p. 2067-2078.
- Scholl, D. W., and Marlow, M. S., 1970, Bering Sea seismic reflection profiles, 1969: U.S. Geological Survey Open-File Report 70-292, 18 sheets.
- Scholl, D. W., and Marlow, M. S., 1976, Sedimentary sequence in Aleutian trench: Implications for the depositional environment of Alaskan eugeosynclinal rocks [abs.], in Miller, T. P., ed., Recent and ancient sedimentary environments in Alaska: Alaska Geological Society Symposium, Anchorage, Alaska, 1975, Proceedings, p. S1-S2.
- Scholl, D. W., Marlow, M. S., MacLeod, N. S., and Buffington, E. C., 1976, Episodic Aleutian ridge igneous activity: Implications of Miocene and younger submarine volcanism west of Buldir Island: Geological Society of America Bulletin, v. 87, no. 4, p. 547-554.
- Scholl, D. W., and Vallier, T. L., 1982, First-order effects of Tertiary interaction between the Pacific and North American plates - evidence from the Aleutian ridge [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 913.
- Schumacher, Glenn, 1976, Bathymetric maps of the Gulf of Alaska: U.S. Geological Survey Open-File Report 76-822, scale 1:2,500,000, 2 sheets.
- Schumacher, Glenn, 1976, Bathymetric maps of the Aleutian Trench and Bering Sea: U.S. Geological Survey Open-File Report 76-821, scale 1:2,500,000, 2 sheets.
- Schumacher, J. D., Pearson, C. A., and Overland, J. E., 1982, On exchange of water between the Gulf of Alaska and Bering Sea continental shelves through Unimak Pass, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 4, p. 100.

- Schwarzbach, M., 1981, Comment on "Axes of elongation of petrified stumps in growth position as possible indicators of paleosouth, Alaska Peninsula": *Geology*, v. 9, no. 10, p. 436-437.
- Schweller, W. J., and Kulm, L. D., 1976, Trenches as convergent depositional basins [abs.]: *Geological Society of America Abstracts with Programs*, v. 8, no. 6, p. 1095.
- Science, 1937, Plant fossils in the making: *Science*, new ser., v. 85, no. 2206, Supplement, p. 10.
- Science Applications, Inc., 1980, Environmental assessment of the Alaskan Continental Shelf; Kodiak interim synthesis report, 1980: National Oceanic and Atmospheric Administration Report NOAA-80071607, contract NOAA-03-7-022-35213, 996 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Sadlacek, W. A., Mroz, E. J., Lazrus, A. L., and Gandrud, B. W., 1983, A decade of stratospheric sulfate measurements compared with observations of volcanic eruptions: *Journal of Geophysical Research*, v. 88, no. C6, p. 3741-3776.
- Seitz, J. F., 1963, Tungsten prospect on Kodiak Island, Alaska: U.S. Geological Survey Bulletin 1155, p. 72-77.
- Self, G. W., and Mahmood, A., 1977, Assessment of relative slope stability of Kodiak Shelf, Alaska, using high-resolution acoustic profiling data, in Richards, A. F., ed., *Marine slope stability: Marine Geotechnology* 2, p. 333-347.
- Self, Stephen, Kienle, Juergen, and Huot, Jean-Paul, 1978, Mechanisms and deposits of the 1977 Ukinrek maar-forming eruption, Alaska Peninsula [abs.]: *Geological Society of America Abstracts with Programs*, v. 10, no. 7, p. 489.
- Self, Stephen, Kienle, Juergen, and Huot, Jean-Paul, 1980, Ukinrek maars, Alaska, II: Deposits and formations of the 1977 craters: *Journal of Volcanology and Geothermal Research*, v. 7, no. 1-2, p. 39-65.
- Sharma, G. D., Naidu, A. S., and Hood, D. W., 1972, Bristol Bay: Model contemporary graded shelf: *American Association of Petroleum Geologists Bulletin*, v. 56, no. 10, p. 2000-2012.
- Shew, Nora and Wilson, F. H., Map and table showing radiometric ages of rocks in southwestern Alaska: U.S. Geological Survey Open-File Report 81-886, 25 p., scale 1:1,000,000.
- Shimer, H. W., 1934, Correlation chart of geologic formations of North America: *Geological Society of America Bulletin*, v. 45, no. 5, p. 909-935.
- Shimozura, D., and Kubo, N., 1983, Volcano spacing and subduction, in Shimozura, D., and Yokoyama, I., eds., *Arc volcanism: Physics and tectonics*: Tokyo, Terra Scientific Publishing Co., p. 141-151.

- Shipley, J. W., 1919, The Valley of Ten Thousand Smokes: Science, new ser., v. 49, no. 6, p. 589-591.
- Shipley, J. W., 1920, Some chemical observations on the volcanic emanations and incrustations in the Valley of Ten Thousand Smokes, Katmai, Alaska: American Journal of Science, 4th series, v. 50, no. 8, p. 141-153.
- Shor, G. G., Jr., 1959, Reconnaissance seismic-refraction studies of the Aleutian Ridge and Bering Sea [abs.]: Geological Society of America Bulletin, v. 70, no. 12, p. 1748-1749.
- Shor, G. G., Jr., 1960, Seismic-refraction studies at sea near southern and western Alaska [abs.]: Geological Society of America Bulletin, v. 71, no. 12, p. 2075.
- Shor, G. G., Jr., 1962, Determination of sediment thickness in the Gulf of Alaska using Rayleigh-wave dispersion- comments: Geological Society of America Bulletin, v. 73, no. 12, p. 1545.
- Shor, G. G., Jr., 1962, Seismic refraction studies near Kodiak, Alaska: Geophysics, v. 37, no. 4, p. 697-700.
- Shor, G. G., Jr., 1972, Travel-time plots for refraction stations near Kodiak, Alaska: Scripps Institution of Oceanography, Marine Physical Lab Report MPL-TM-233; MPL-U-13/72, 23 p.
- Shor, G. G., Jr., and von Huene, Roland, 1972, Marine seismic refraction studies near Kodiak, Alaska: Geophysics, v. 37, no. 4, p. 697-700.
- Shroder, J. F., Jr., and Sewall, R. E., Jr., 1981, Comment on "Axes of elongation of petrified stumps in growth position as possible indicators of paleosouth, Alaska Peninsula": Geology, v. 9, no. 10, p. 436.
- Shubert, D. H., 1962, Determination of sediment thickness in the Gulf of Alaska using Rayleigh-wave dispersion: Geological Society of America Bulletin, v. 73, no. 3, p. 399-401.
- Silver, E. A., von Huene, Roland, and Crouch, J. K., 1974, Tectonic significance of the Kodiak-Bowie seamount chain, northeastern Pacific: Geology, v. 2, no. 3, p. 147-150.
- Singer, D. A., and Ovenshine, A. T., 1979, Assessing metallic resources in Alaska: American Scientist, v. 67, no. 5, p. 582-589.
- Singer, D. A., and Ovenshine, A. T., 1979, The assessment of metallic mineral resources in Alaska: U.S. Geological Survey Open-File Report 78-1A, 40 p.
- Smirnoff, Leonid, and Connelly, William, 1980, Axes of elongation of petrified stumps in growth position as possible indicators of paleosouth, Alaska Peninsula: Geology, v. 8, no. 7, p. 547-548.

- Smith, J. P., 1927, Upper Triassic marine invertebrate faunas of North America: U.S. Geological Survey Professional Paper 141, 262 p.
- Smith, P. B., 1963, Possible Pleistocene-Recent boundary in the Gulf of Alaska, based on benthonic foraminifera, in Geological Survey Research 1963: U.S. Geological Survey Professional Paper 475-C, p. C73-C77.
- Smith, P. B., 1973, Foraminifera of the North Pacific Ocean: U.S. Geological Survey Professional Paper 766, 27 p.
- Smith, P. S., 1915, Mineral resources of the Lake Clark-Iditarod region: U.S. Geological Survey Bulletin 622, p. 247-271.
- Smith, P. S., 1916, Geology of the Lake Clark-Iditarod region, Alaska [abs.]: Geological Society of America Bulletin, v. 27, p. 114.
- Smith, P. S., 1916, Notes on the geology of the Lake Clark-Iditarod region [abs.]: Journal of the Washington Academy of Science, v. 6, p. 190-191.
- Smith, P. S., 1918, The Lake Clark-central Kuskokwim region: U.S. Geological Survey Bulletin 655, 162p.
- Smith, P. S., 1926, Mineral industry of Alaska in 1924: U. S. Geological Survey Bulletin 783, p. 29.
- Smith, P. S., 1932, Mineral industry of Alaska in 1929: U.S. Geological Survey Bulletin 824, p. 29.
- Smith, P. S., 1933, Mineral industry of Alaska in 1930: U.S. Geological Survey Bulletin 836, p. 31.
- Smith, P. S., 1933, Mineral industry of Alaska in 1931: U.S. Geological Survey Bulletin 844, p. 24.
- Smith, P. S., 1934, Mineral industry of Alaska in 1933: U.S. Geological Survey Bulletin 864, p. 81.
- Smith, P. S., 1936, Mineral industry of Alaska in 1934: U.S. Geological Survey Bulletin 868, p. 83.
- Smith, P. S., 1937, Mineral industry of Alaska in 1935: U.S. Geological Survey Bulletin 880, p. 88.
- Smith, P. S., 1938, Mineral industry in Alaska in 1936: U.S. Geological Survey Bulletin 897, p. 84, 93-94.
- Smith, P. S., 1939, Areal geology of Alaska: U.S. Geological Survey Professional Paper 192, 100 p.
- Smith, P. S., 1939, Mineral industry of Alaska in 1937: U.S. Geological Survey Bulletin 910, p. 99-100.
- Smith, P. S., 1939, Mineral industry of Alaska in 1938: U.S. Geological Survey Bulletin 917, p. 41, 84, 99.

- Smith, P. S., 1941, Mineral industry of Alaska in 1939: U.S. Geological Survey Bulletin 926, p. 37, 90-91.
- Smith, P. S., 1941, Past lode-gold production from Alaska: U.S. Geological Survey Bulletin 917-C, p. 159-212.
- Smith, P. S., 1942, Mineral industry of Alaska in 1940: U.S. Geological Survey Bulletin 933-A, p. 1-102.
- Smith, R. L., and Shaw, H. R., 1979, Igneous related geothermal systems, in Muffler, L. J. P., ed., Assessment of geothermal resources of the United States 1978: U.S. Geological Survey Circular 790, p. 12-17.
- Smith, R. L., Shaw, H. R., Luedke, R. G., and Russell, S. L., 1978, Comprehensive table giving physical data and thermal energy estimates for young igneous systems of the United States: U.S. Geological Survey Open-File Report 78-925, 15 p., 13 sheets.
- Smith, T. N., and Petering, G. W., 1981, Petroleum potential of Shelikof Strait based on outcrops in Katmai National Monument, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 65, no. 5, p. 994.
- Smith, T. N., and Petering, G. W., 1982, Petroleum potential of upper Mesozoic strata in Lower Cook Inlet basin on the basis of outcrops in Katmai National Monument [abs.]: Alaska Geological Society Symposium, 1982, Program with Abstracts, p. 6-7.
- Smith, T. N., and Petering, G. W., 1983, Petroleum potential of Upper Mesozoic strata in Lower Cook Inlet Basin on the basis of outcrops in Katmai National Monument [abs.]: Symposium on Western Alaska Geology and Resource Potential, Anchorage, Alaska, 1982, Proceedings, p. 55.
- Smith, W. R., 1925, Aniakchak Crater, Alaska Peninsula: U.S. Geological Survey Professional Paper 132, p. 139-145.
- Smith, W. R., 1925, The Cold Bay-Katmai district: U.S. Geological Survey Bulletin 733, p. 183-207.
- Smith, W. R., 1926, Geology and oil development of the Cold Bay district: U.S. Geological Survey Bulletin 783, p. 63-88.
- Smith, W. R., and Baker, A. A., 1924, The Cold Bay-Chignik district, Alaska: U.S. Geological Survey Bulletin 755, p. 151-218.
- Snodgrass, J. M., and Richards, A. F., 1956, Observations of underwater volcanic acoustics at Barcena Volcano, San Benedicto Island, Mexico, and Shelikof Strait, Alaska: EOS (American Geophysical Union Transactions), v. 37, no. 1, p. 97-104.
- Snyder, G. L., 1954, Eruption of Trident Volcano, Katmai National Monument, Alaska, February-June 1953: U.S. Geological Survey Circular 318, 7 p.

- Solovyev, S. E., 1968, Sanakh-Kad'yakskoye tsunami of 1788, in Problema tsunami: Moscow, Akademiya Nauk SSSR Otdeleniya Nauk o Zemli, Sovet po Seysmologii, p. 232-237.
- Sosman, R. B., 1919, The temperature inversions in the fumaroles of the Valley of Ten Thousand Smokes, Alaska Peninsula [abs.]: Journal of the Washington Academy of Sciences, v. 9, no. 10, p. 292-293.
- Southworth, C. S., 1984, The side-looking airborne radar program of the U.S. Geological Survey: Photogrammetric Engineering and Remote Sensing, v. 50, no. 10, p. 1467-1470.
- Spurr, J. E., 1900, A reconnaissance in southwestern Alaska in 1898: U.S. Geological Survey 20th Annual Report, Part 7, p. 31-264.
- St. Amad, Pierre, 1954, Tectonics of Alaska as deduced from seismic data [abs.]: Geological Society of America Bulletin, v. 65, no. 12, p. 1350.
- Stanley, K. W., 1968, Effects of the Alaska earthquake of March 27, 1964, on shore processes and beach morphology: U.S. Geological Survey Professional Paper 543-J, 21 p.
- Stanton, T. W., and Martin, G. C., 1905, Mesozoic section on Cook Inlet and Alaska Peninsula: Geological Society of America Bulletin, v. 16, p. 391-410.
- Stauder, W. M., and Bollinger, G. A., 1966, The S-wave project for focal mechanism studies - The Alaskan earthquake sequence of 1964- AFCRL AF19(628)-5100, Science Report 1 (AFCRL-66-572): Bedford, Mass., U.S. Air Force Cambridge Research Laboratory, Office of Aerospace Research, 124 p.
- Steele, W. C., LeCompte, J. R., and Albart, N. R. D., 1979, Landsat data interpretation for various AMRAP quadrangles, Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B3-B4.
- Stephens, C. D., Lahr, J. C., Fogleman, K. A., Heltyon, S. M., Cancilla, R. S., Tam, Roy, and Balsonada, K. A., 1980, Catalog of earthquakes in southern Alaska, October-December 1979: U.S. Geological Survey Open-File Report 80-2002, 53 p.
- Stephens, Christopher, and Lahr, J. C., 1979, Seismicity in southern and southeastern Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B104-B106.
- Stewart, R. J., 1975, Late Cenozoic explosive eruptions in the Aleutians and Kuril Island arcs: Nature, v. 258, p. 505-506.
- Stewart, R. J., 1976, Turbidites of the Aleutian abyssal plain: Mineralogy, provenance, and constraints for Cenozoic motion of the Pacific plate: Geological Society of America Bulletin, v. 87, no. 5, p. 793-808.

- Still, P. J., 1980, Index of streamflow and water-quality records to September 30, 1978, south-central Alaska: U.S. Geological Survey Open-File Report 80-600, 54 p.
- Still, P. J., 1980, Index of streamflow and water-quality records to September 30, 1978, southwestern Alaska: U.S. Geological Survey Open-File Report 80-551, 13 p.
- Still, P. J., Lamke, R. D., Vaill, J. E., Bigelow, B. B., and Van Maanen, J. L., 1984, Water resources data Alaska, water year 1983: U.S. Geological Survey Water-Data Report AK83-1, 357 p.
- Stith, J. L., Hobbs, P. V., and Radke, L. F., 1977, Observations of a nuée ardente from the St. Augustine Volcano: *Science*, v. 4, no. 7, p. 259-262.
- Stone, D. B., 1968, Geophysics in the Bering Sea and surrounding areas: *Tectonophysics*, v. 6, no. 6, p. 433-460.
- Stone, D. B., 1977, Paleomagnetism and paleogeographic reconstruction of southern Alaska [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 61, no. 3, p. 468.
- Stone, D. B., 1977, Paleomagnetism and paleogeographic reconstruction of southern Alaska, in Sisson, Alexander, ed., *The relationship of plate tectonics to Alaskan geology and resources: Alaska Geological Society Symposium, 6th, Anchorage, Alaska, 1977, Proceedings*, p. K1-K17.
- Stone, D. B., 1977, Plate tectonics, paleomagnetism and the tectonic history of the N.E. Pacific: *Geophysical Surveys*, v. 3, p. 3-37.
- Stone, D. B., 1980, Timing of accretions of Alaskan tectonostratigraphic terranes: EOS (*American Geophysical Union Transactions*), v. 61, no. 46, p. 114.
- Stone, D. B., 1981, Alaska: A geologic collage?: *Open Earth*, no. 12, p. 25-26.
- Stone, D. B., 1982, Plate tectonic setting of Alaska [abs.]: *Alaska Geological Society Symposium, 1982, Program with Abstracts*, p. 4.
- Stone, D. B., 1982, Southern Alaska came from equatorial latitudes, but how and when? [abs.]: EOS (*American Geophysical Union Transactions*), v. 63, no. 45, p. 913.
- Stone, D. B., Anna, K., and Tribble, M., 1971, Magnetic anomalies in the Valley of Ten Thousand Smokes [abs.]: EOS (*American Geophysical Union Transactions*), v. 52, no. 11, p. 925.
- Stone, D. B., and Packer, D. R., 1972, Paleomagnetic measurements in the Valley of Ten Thousand Smokes [abs.]: EOS (*American Geophysical Union Transactions*), v. 53, no. 11, p. 1132.

- Stone, D. B., and Packer, D. R., 1977, Tectonic implications of Alaska Peninsula paleomagnetic data: *Tectonophysics*, v. 37, no. 1-3, p. 183-201.
- Stone, D. B., and Packer, D. R., 1979, Paleomagnetic data from the Alaska Peninsula: *Geological Society of America Bulletin*, part I, v. 90, n. 6, p. 545-560.
- Stone, D. B., Panuska, B. C., and Packer, D. R., 1982, Paleolatitudes versus time for southern Alaska: *Journal of Geophysical Research*, v. 87, n. B5, p. 3697-3707.
- Stone, R. W., 1905, Coal resources of southwestern Alaska: *U.S. Geological Survey Bulletin* 259, p. 151-171.
- Stroh, Alfred, Jr., 1964, The Alaska earthquake- Navy operations at Kodiak: *Military Engineer*, v. 56, no. 372, p. 254-255.
- Swanson, S. E., and Kienle, Juergen, 1982, Petrology and segmentation in the eastern Aleutian Arc [abs.]: *Science in the North, Alaska Science Conference*, 33rd, Fairbanks, Alaska, 1982, *Proceedings: Arctic Division American Association for the Advancement of Science*, p. 145.
- Swanson, S. E., and Kienle, Juergen, 1982, Plate subduction and volcanism in the eastern Aleutian Arc: II. Petrology [abs.]: *Geological Society of America Abstracts with Programs*, v. 14, no. 7, p. 628.
- Swanson, S. E., Kienle, Juergen, and Fenn, P. M., 1981, Geology and petrology of Kaguyak crater, Alaska [abs.]: *EOS (American Geophysical Union Transactions)*, v. 62, no. 45., p. 1062.
- Swanson, S. E., Romick, J. D., Neal, R. J., and Hye, C. J., 1984, Magmatism in the oceanic continental transition of the Aleutian Arc [abs.]: *Geological Society of America Abstracts with Programs*, v. 16, no. 5, p. 335.
- Swanson, S. F., and Blum, J. D., 1984, Evolution of volcanic centers in the oceanic-continental transition of the Aleutian arc [abs.]: *Geological Society of America Abstracts with Programs*, v. 16, no. 6, p. 671.
- Sykes, L. B., 1972, Focal dimensions and tsunami generation for Alaska-Aleutian earthquakes [abs.]: *Geological Society of America Abstracts with Programs*, v. 4, no. 3, p. 245.
- Sykes, L. R., Kisslinger, J. B., House, Leigh, Davies, J. N., and Jacob, K. H., 1980, Rupture zones of great earthquakes in the Alaska-Aleutian arc, 1784 to 1980: *Science*, v. 210, p. 1343-1345.
- Taber, J. J., and McNutt, S. R., 1984, Temporal and spatial changes in seismicity associated with subduction near the Shumagin Islands, Alaska [abs.]: *EOS (American Geophysical Union Transactions)*, v. 65, no. 45, p. 987.

- Taber, J. J., Mori, J., and Beavan, J., 1984, February 14, 1983 earthquake sequence in the Shumagin seismic gap, Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 15, p. 241.
- Tams, E., 1924, Erdleben und ausbruch des Katmai: Zeitschrift fur Vulkanologie, v. 8, no. 3, p. 137-149.
- Tanner, W. F., 1973, Deep-sea trenches and the compression assumption: American Association of Petroleum Geologists Bulletin, v. 57, no. 11, p. 2195-2206.
- Texas Instruments, Inc., 1976, National uranium resource evaluation aerial gamma-ray and magnetic reconnaissance survey, Naknek quadrangle, Alaska: U.S. Department of Energy Open-File Map GJM-022(81), scale 1:250,000.
- Thompson, J. M., and Keith, T. E., 1984, Chloride and fluoride in waters draining the Valley of Ten Thousand Smokes, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 336.
- Thompson, T. L., 1974, Hypothesis for petroleum generation at convergent plate boundaries [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1459-1460.
- Thrasher, G. P., 1979, Geologic map of the Kodiak outer continental shelf, western Gulf of Alaska: U.S. Geological Survey Open-File Report 79-1267, scale 1:250,000, 2 sheets.
- Thrupp, G. A., and Coe, R. S., 1983, Paleomagnetism of Tertiary volcanic rocks of the Alaska Peninsula [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 407.
- Thrupp, G. A., and Coe, R. S., 1983, Preliminary results of a paleomagnetic study of Alaska Peninsula rocks [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 688.
- Thrupp, G. A., and Coe, R. S., 1984, Paleomagnetism of Tertiary volcanic rocks from the Alaska Peninsula: Is the Peninsular Terrane a coherent tectonic entity? [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 337.
- Thrupp, G. A., and Coe, R. S., 1985, Paleomagnetism of Eocene and Oligocene volcanic rocks on the Alaska Peninsula [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 6, p. 413.
- Thrupp, G. A., and Coe, R. S., 1985, Tectonic implications of paleomagnetism of Paleogene volcanic rocks on the Alaska Peninsula [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 680-681.
- Tobin, D. G., and Sykes, L. R., 1966, Relationship of hypocenters of earthquakes to the geology of Alaska: Journal of Geophysical Research, v. 71, no. 6, p. 1659-1667.

- Triplehorn, D. M., 1976, Large kaolinite crystals in the Chignik Formation (Upper Cretaceous), Herendeen Bay: Alaska Division of Geological and Geophysical Surveys Geologic Report 51, p. 23-25.
- Tripp, R. B., and Detra, D. E., 1980, Maps showing mineralogical data for heavy-mineral-concentrate of stream sediments in the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-I, scale 1:250,000, 2 sheets.
- Trumbull, James, Lyman, John, Pepper, J. F., and Thomasson, E. M., 1958, An introduction to the geology and mineral resources of the continental shelves of the Americas: U.S. Geological Survey Bulletin 1067, 92 p.
- Turner, B. W., Thrasher, G. P., Shearer, G. B., and Holden, K. D., 1979, Bathymetric maps of the Kodiak Outer Continental Shelf, western Gulf of Alaska: U.S. Geological Survey Open-File Report 79-263, scale 1:250,000, 13 sheets.
- Turner, D. L., Forbes, R. B., Albanese, Mary, Macbeth, Joyce, Lockhart, A. B., and Seed, S. M., 1980, Geothermal energy resources of Alaska: University of Alaska Geophysical Institute, UAG-R-279, 19 p.
- Turner, D. L., Grybeck, Donald, and Wilson, F. H., 1975, Radiometric dates from Alaska - A 1975 compilation: Alaska Division of Geological and Geophysical Surveys Special Report 10, 64 p.
- Tysdal, R. G., and Plafker, George, 1978, Age and continuity of the Valdez Group, southern Alaska, in Sohl, N. F., and Wright, W. B., Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1977: U.S. Geological Survey Professional Paper 1093, p. 23-29.
- Underwood, M. B., Vallier, T. L., Gardner, J. V., and Barron, J. A., 1979, Grain size, mineralogy, and carbon/carbonate content of Miocene and Pliocene samples from dredge hauls, DSDP holes 184B and 185, and the Sandy River well, southern Bering Sea continental margin and Alaska Peninsula: U.S. Geological Survey Open-File Report 79-450, 35 p.
- University of Alaska Geophysical Institute, 1973, Installation and operation of a telemetered seismic network on the Alaska Peninsula: University of Alaska contract AT(45-1)-2229, 7 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- University of Alaska Geophysical Institute, 1979, Operation of a telemetered seismic network on the Alaska Peninsula: U.S. Department of Energy Report RLO-2229-T6-6, contract EY-76-5-06-2229-006, 17 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- University of Alaska Geophysical Institute, 1981, Operation of a telemetered seismic network on the Alaska Peninsula, annual report: U.S. Department of Energy Report RLO-2229-T6-7, contract AT06-76ER70006, 19 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].

- University of Alaska Geophysical Institute, 1983, Operation of a telemetered seismic network on the Alaska Peninsula, final report: U.S. Department of Energy Report DOE/ER/70006-T6-9; RLO-2229-T6-9, contract AT06-76ER-70006, 29 p. [available from U.S. Department of Commerce National Technical Information Service, Springfield, VA 22161].
- Urdike, R. G., 1983, Survey monitoring system, Pillar Mountain landslide area Kodiak, Alaska: Alaska Division of Geological and Geophysical Surveys Geological Report 57, 16 p.
- U.S. Bureau of Mines, 1946, Analyses of Alaska coals, with a section on coal fields of Alaska, by George O. Gates: U.S. Bureau of Mines Technical Paper 682, 114 p.
- U.S. Bureau of Mines, 1973, Alaska 1:250,000 scale quadrangle map overlays showing mineral deposit locations, principal minerals, and number and type of claims: U.S. Bureau of Mines Open-File Report OFR 20-73, 153 sheets.
- U.S. Department of the Interior, 1980, Final environmental impact statement, proposed Alaska Peninsula National Wildlife Refuge, Alaska: U.S. Department of the Interior, 339 p.
- U.S. Geological Survey, 1898, Map of Alaska showing known gold-bearing rocks with descriptive text containing sketches of the geography, geology, and gold deposits and routes to the gold fields: U.S. Geological Survey Special Publication, p. 20-22, 29, 41-42.
- U.S. Geological Survey, 1899, Maps and descriptions of routes of exploration in Alaska in 1898, with general information concerning the Territory: U.S. Geological Survey Special Publication, 138 p.
- U.S. Geological Survey, 1904, Work in 1903 - southern and southwest Alaska: U.S. Geological Survey 25th Annual Report, p. 72-75.
- U.S. Geological Survey, 1904, Oil and coal fields of southwest Alaska: U.S. Geological Survey 25th Annual Report, p. 82.
- U.S. Geological Survey, 1958, Quantity and quality of surface waters of Alaska, October 1950 to September 1953: U.S. Geological Survey Water-Supply Paper 1466, 243 p.
- U.S. Geological Survey, 1958, Quantity and quality of surface waters of Alaska, October 1953 to September 1956: U.S. Geological Survey Water-Supply Paper 1486, 229 p.
- U.S. Geological Survey, 1960, Petroleum and natural gas- Alaska: U.S. Geological Survey Professional Paper 400A, p. A13.
- U.S. Geological Survey, 1960, Quantity and quality of surface waters of Alaska, 1957: U.S. Geological Survey Water-Supply Paper 1500, 100 p.
- U.S. Geological Survey, 1960, Quantity and quality of surface waters of Alaska, 1958: U.S. Geological Survey Water-Supply Paper 1570, 120 p.

- U.S. Geological Survey, 1961, Geological Survey Research, 1961; Synopsis of geologic and hydrologic results: U.S. Geological Survey Professional Paper 424-A, p. A42.
- U.S. Geological Survey, 1961, Quantity and quality of water of Alaska, 1959: U.S. Geological Survey Water-Supply Paper 1640, 114 p.
- U.S. Geological Survey, 1962, Geological Survey Research 1962: U.S. Geological Survey Professional Paper 450-A, p. A53.
- U.S. Geological Survey, 1962, Quantity and quality of surface water of Alaska, 1960: U.S. Geological Survey Water-Supply Paper 1720, 122 p.
- U.S. Geological Survey, 1963, Geological Survey Research 1963; Summary of investigations, prepared by members of the Conservation, Geologic, and Water Resources Divisions: U.S. Geological Survey Professional Paper 475-A, p. A102-103.
- U.S. Geological Survey, 1964, Compilation of records of surface waters of Alaska, October 1950 to September 1960: U.S. Geological Survey Water-Supply Paper 1740, 490 p.
- U.S. Geological Survey, 1964, Geological Survey Research 1964: U.S. Geological Survey Professional Paper 501-A, p. A44, A117.
- U.S. Geological Survey, 1965, Map showing extent of glaciations in Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-415, scale 1:2,500,000.
- U.S. Geological Survey, 1965, Geological Survey Research 1965: U.S. Geological Survey Professional Paper 525-A, p. A63, A103-104.
- U.S. Geological Survey, 1966, Geological Survey Research 1966: U.S. Geological Survey Professional Paper 550-A, p. A92.
- U.S. Geological Survey, 1967, Geological Survey Research 1967: U.S. Geological Survey Professional Paper 575-A, p. A93-A94.
- U.S. Geological Survey, 1968, Geological Survey Research 1968: U.S. Geological Survey Professional Paper 600-A, p. A39, A41.
- U.S. Geological Survey, 1969, Geological Survey Research 1969: U.S. Geological Survey Professional Paper 650-A, p. A52, A135.
- U.S. Geological Survey, 1970, Geological Survey Research 1970: U.S. Geological Survey Professional Paper 700-A, p. A82.
- U.S. Geological Survey, 1971, Geological Survey Research 1971: U.S. Geological Survey Professional Paper 750-A, p. A53.
- U.S. Geological Survey, 1971, Surface water supply of the United States, 1961-65 - part 15, Alaska: U.S. Geological Survey Water-Supply Paper 1996, 433 p.

- U.S. Geological Survey, 1972, Geological Survey Research 1972: U.S. Geological Survey Professional Paper 800-A, p. A93.
- U.S. Geological Survey, 1972, The status of mineral resource information on the major land withdrawals of the Alaska Native Claims Settlement Act of 1971: U.S. Geological Survey Open-File Report 72-394, 164 p.
- U.S. Geological Survey, 1973, Geological Survey Research 1973: U.S. Geological Survey Professional Paper 850, p. 68, 127.
- U.S. Geological Survey, 1973, United States Geological Survey Alaska program, 1973: U.S. Geological Survey Circular 683, p. 34, 44.
- U.S. Geological Survey, 1975, Geological Survey Research 1975: U.S. Geological Survey Professional Paper 975, p. 63, 109.
- U.S. Geological Survey, 1976, Augustine volcano erupts: U.S. Geological Survey Earthquake Information Bulletin, v. 8, no. 4, p. 23.
- U.S. Geological Survey, 1976, Geological Survey Research 1976: U.S. Geological Survey Professional Paper 1000, p. 40-41, 82, 149.
- U.S. Geological Survey, 1977, Geological Survey Research, 1977: U.S. Geological Survey Professional Paper 1050, p. 84-85, 142-143.
- U.S. Geological Survey, 1978, Aeromagnetic map of Chignik and Sutwik Island quadrangles, Alaska, 1:250,000: U.S. Geological Survey Open-File Report 78-262, scale 1:250,000.
- U.S. Geological Survey, 1978, Aeromagnetic maps of Chignik and Sutwik Island quadrangles, Alaska, 1:63,360: U.S. Geological Survey Open-File Report 78-263, scale 1:63,360, 11 sheets.
- U.S. Geological Survey, 1978, Geological Survey Research 1978: U.S. Geological Survey Professional Paper 1100, p. 18, 84, 155.
- U.S. Geological Survey, 1979, Geological Survey Research 1979: U.S. Geological Survey Professional Paper 1150, p. 24, 152.
- U.S. Geological Survey, 1979, Seismic engineering report January-April 1979: U.S. Geological Survey Circular 818-A, p. 2.
- U.S. Geological Survey, 1980, Aeromagnetic map of Afognak Island and vicinity, Alaska: U.S. Geological Survey Open-File Report 80-57, scale 1:250,000.
- U.S. Geological Survey, 1980, Geological Survey Research 1980: U.S. Geological Survey Professional Paper 1175, p. 60, 110-111.
- U.S. Geological Survey, 1980, Water resources data for Alaska - water year 1978: National Technical Information Service PB-80 143 910, 434 p.

- U.S. Geological Survey, 1981, Geological Survey Research fiscal year 1981: U.S. Geological Survey Professional Paper 1375, p. 79.
- U.S. Geological Survey, 1982, Geological Survey Research 1981: U.S. Geological Survey Professional Paper 1275, p. 89.
- U.S. Geological Survey, 1982, Aeromagnetic map of the Ugashik-Karluk area, Alaska: U.S. Geological Survey Open-File Report 81-1158, scale 1:250,000.
- U.S. Geological Survey, 1982, Water resources data, Alaska, water year 1981: U.S. Geological Survey Water-Data Report AK-81-1, 395 p.
- U.S. Geological Survey, 1984, Aeromagnetic map of parts of the Ugashik and Karluk 1° by 2° quadrangles, Alaska: U.S. Geological Survey Open-File Report 84-351, scale 1:250,000, 2 sheets.
- Van Ruymbeke, M., and De Becker, M., 1982, Confirmation of the tidal influence on the Alaska-Aleutian earthquakes [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 51, p. 1257.
- Van Wormer, J. D., Davies, J., and Gedney, L., 1974, Seismicity and plate tectonics in south central Alaska: Bulletin of the Seismological Society of America, v. 64, no. 5, p. 1467-1475.
- Van Wormer, J. D., Davies, John, and Gedney, Larry, 1974, Some characteristics of the subduction zone in south central Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 6, no. 3, p. 270.
- Varnes, K. L., Dolton, G. L., and McMullin, R. H., 1981, Oil and gas resource assessment areas, U.S. Geological Survey, Geologic Division, 1980, Alaska, Regions 1 and 1A: U.S. Geological Survey Open-File Report 81-84A, scale 1:5,000,000.
- Viglino, J. A., Harmon, R. S., Borthwick, J., Nehring, N. L., Motyka, R. J., White, L. D., and Johnston, D. A., 1985, Stable-isotope evidence for a magmatic component in fumarole condensate from Augustine Volcano, Cook Inlet, Alaska, USA: Chemical Geology, v. 49, no. 1-3, p. 141-157.
- Volcano Letter, 1953, Eruption of Trident Volcano, Alaska: Volcano Letter, no. 519, p. 7.
- Volcano Letter, 1953, Activity of Trident Volcano: Volcano Letter, no. 520, p. 5-6.
- von Eichwald, C. E., 1871, Die Miocan und Kreide formation von Alaska und den Aleutischen Inseln (The Miocene and Cretaceous formations of Alaska and the Aleutian Islands), in von Eichwald, C. E., ed., Geognostisch-palaeontologische Bemerkungen über die Halbinseln Mangischlak und die aleutischen Inseln (Geognostical-paleontological observations on the Mangyshlak Peninsula (Caspian Sea, east coast) and the Aleutian Islands): St. Petersburg, USSR, Buchdruckerei der Kaiserlichen Akademie der Wissenschaften, p. 88-200.

- von Huene, Roland, 1972, Structure of the continental margin and tectonism at the eastern Aleutian Trench: Geological Society of America Bulletin, v. 83, no. 12, p. 3613-3626.
- von Huene, Roland, 1974, Modern trench sediments, in Burk, C. A., and Drake, C. L., eds., The geology of continental margins: New York, Springer-Verlag, p. 207-211.
- von Huene, Roland, 1977, A structural interpretation of eastern Aleutian Trench and adjacent continental margin off Kodiak Island, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 838-839.
- von Huene, Roland, 1979, Structure of the outer convergent margin off Kodiak Island, Alaska, from multichannel seismic records, in Watkins, J. S., Montadert, L., and Dickerson, P. W., eds., Geological and geophysical investigations of continental margins: Tulsa, Okla., American Association of Petroleum Geologists Memoir 29, p. 261-272.
- von Huene, Roland, 1983, Structural style and pore pressure along the eastern Aleutian trench [abs.]: EOS (American Geophysical Union Transactions), v. 64, no. 45, p. 828.
- von Huene, Roland, 1984, Observed strain and the stress gradient across some forearc areas of modern convergent margins, in International Geological Congress, 27th, Moscow, U.S.S.R., 1984, Proceedings v. 23: Utrecht, Netherlands, VNU Science Press, p. 155-188.
- von Huene, Roland, Box, S., Detterman, B., Fischer, M., Moore, C., and Pulpan, H., 1985, Continental-ocean transect A-2: Kodiak to Kuskokwim, Alaska: Geological Society of America Transect Series Map A-2.
- von Huene, Roland, Bouma, Arnold, Moore, George, Hampton, Monty, Smith, Rodney, and Dolton, Gordon, 1976, A summary of petroleum potential, environmental geology, and the technology, time frame, and infrastructure for exploration and development of the western Gulf of Alaska: U.S. Geological Survey Open-File Report 76-325, 92 p.
- von Huene, Roland, and Bruns, T. R., 1977, Late Tertiary Gulf of Alaska plate tectonic model based on continental margin geology [abs.]: American Association of Petroleum Geologists Bulletin, v. 61, no. 3, p. 469.
- von Huene, Roland, Bruns, Terry, and Fisher, Michael, 1981, Subduction-related structure along eastern Aleutian trench: American Association of Petroleum Geologists Bulletin, v. 65, no. 5, p. 1004.
- von Huene, Roland, Detterman, R. L., Fisher, M. A., Moore, J. C., and Pulpan, Hans, 1982, Aleutian arc-trench system from the Kodiak shelf to the Kuskokwim Mountains, Alaska: Transect A-2 [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 639.
- von Huene, Roland, and Fisher, M. A., 1984, Recent deformation on the Kodiak Shelf related to the 1964 Alaska earthquake [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 338.

- von Huene, Roland, Fisher, M. A., Bruns, T. R., and Shor, G. G., Jr., 1977, Continental margins of the Gulf of Alaska and late Cenozoic plate boundaries, in Sisson, Alexander, ed., The relationship of plate tectonics to Alaskan geology and resources: Alaska Geological Society Symposium, 6th, Anchorage, Alaska, 1977, Proceedings, p. J1-J33.
- von Huene, Roland, Fisher, M. A., Hampton, M. A., and Lynch, Maurice, 1980, Petroleum potential, environmental geology, and the technology for exploration and developments of the Kodiak lease sale area 61: U.S. Geological Survey Open-File Report 80-1082, 70 p.
- von Huene, Roland, Hampton, M. A., Fisher, M. A., Varchol, D. J., and Cochrane, G. R., 1980, Map showing near-surface geologic structures of Kodiak Shelf, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1200, scale 1:500,000.
- von Huene, Roland, Lathram, Ernest, H., and Reimnitz, Erk, 1971, Possible petroleum resources of offshore Pacific-margin Tertiary basin, Alaska, in Cram, Ira, H., ed., Future petroleum provinces of the United States--their geology and potential: Tulsa, Okla., American Association of Petroleum Geologists Memoir 15, v. 1, p. 136-151.
- von Huene, Roland, Moore, J. C., and Moore, G. W., 1979, Cross-section of Alaska Peninsula; Kodiak Island-Aleutian Trench: Geological Society of America Map and Chart Series MC-28A, 3 p.
- von Huene, Roland, Moore, G. W., Moore, J. C., and Stephens, C. D., 1979, Cross section, Alaska Peninsula - Kodiak Island - Aleutian Trench: Summary: Geological Society of America Bulletin, pt. 1, v. 90, no. 5, p.427-430.
- von Huene, Roland, and Shor, G. G., Jr., 1969, The structure and tectonic history of the eastern Aleutian Trench: Geological Society of America Bulletin, v. 80, no. 10, p. 1889-1902.
- von Huene, Roland, Smith, Rodney, Hampton, Monty, Moore, George, and Dolton, Gordon, 1975, A preliminary summary of petroleum potential, environmental geology, and the technology, time frame and infrastructure for explorations and development of the western Gulf of Alaska: U.S. Geological Survey Open-File Report 75-536, 54 p.
- Vrolijk, P. J., 1984, Stable isotope and paleohydrologic evolution of veins in the Kodiak accretionary complex [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 684.
- Vrolijk, P. J., and Byrne, Tim, 1984, Fluid evolution during early melange deformation [abs.]: EOS (American Geophysical Union Transactions), v. 65, no. 45, p. 1147.
- Waesche, H. H., 1937, Volcanos in the National Parks: Volcano Letter, no. 450, p. 1-4.

- Wahrhaftig, Clyde, 1965, Physiographic divisions of Alaska: U.S. Geological Survey Professional Paper 482, 52 p.
- Waldron, H. H., 1961, Geologic reconnaissance of Frosty Peak volcano and vicinity, Alaska: U.S. Geological Survey Bulletin 1028-T, p. 677-708.
- Wallace, J. H., and Smith, H. B., 1955, Bibliography of U.S. Geological Survey trace elements and related reports to June 1, 1954: U.S. Geological Survey Bulletin 1019B, p. 63-144.
- Wallace, W. K., 1983, Major lithologic belts of southwestern Alaska and their tectonic implications: Geological Society of America Abstracts with Programs, v. 15, n. 5, p. 406-407.
- Wallace, W. K., and Engebretson, D. C., 1982, Correlations between plate motions and late Cretaceous to Paleogene magmatism in southwestern Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 63, no. 45, p. 915.
- Wallace, W. K., and Engebretson, D. C., 1984, Relationships between plate motions and late Cretaceous to Paleocene magmatism in southwestern Alaska: Tectonics, v. 3, n. 2, p. 295-315.
- Waller, R. M., 1966, Effects of the March 1964 Alaska earthquake on the hydrology of south-central Alaska: U.S. Geological Survey Professional Paper 544-A, p. 28 p.
- Wanek, A. A., 1974, Coal in Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 58, no. 7, p. 1461.
- Ward, L. F., 1889, The geographical distribution of fossil plants: U.S. Geological Survey 8th Annual Report, part 2, p. 663-960.
- Ward, P. L., and Matumoto, T., 1967, A summary of volcanic and seismic activity in Katmai National Monument, Alaska: Bulletin Vulcanologique, v. 31, p. 107-129.
- Ward, P. L., and Ward, Sandra, 1966, Volcanic activity in Katmai National Monument in early August, 1965: Earthquake Notes, v. 37, no. 3, p. 19-34.
- Warfield, R. S., 1963, Examination of coal deposits, Sitkinak Island, Alaska: U.S. Bureau of Mines Open-File Report 42, 10 p.
- Warfield, R. S., 1967, Resume of information on Alaskan bituminous coals with particular emphasis on coking characteristics: U.S. Bureau of Mine Open-File Report 11-67, 20 p.
- Waring, G. A., 1917, Mineral springs of Alaska, with a chapter on the chemical character of some surface waters of Alaska, by R. B. Dole and A. A. Chambers: U.S. Geological Survey Water-Supply Paper 418, 118 p.

- Waring, G. A., 1965, Thermal springs of the United States and other countries of the world - a summary; Revised by R. R. Blankenship and Ray Bentall: U.S. Geological Survey Professional Paper 492, p. 50-54.
- Weber, Florence, 1985, Late Quaternary glaciation of the Pavlof Bay and Port Moller areas, Alaska, in Bartsch-Winkler, Susan, ed., The United States Geological Survey in Alaska: Accomplishments during 1984: U.S. Geological Survey Circular 967, p. 42-44.
- Wedge, Helmuth, Jr., White, M. G., and Moxham, R. M., 1952, Interim report on an appraisal of the uranium possibilities of Alaska: U.S. Geological Survey Open-File Report 52-165, 124 p., 5 tables, 8 figures.
- Weeks, J. B., 1970, Water-resources reconnaissance of the Old Harbor area, Kodiak Island, Alaska: U.S. Geological Survey Open-File Report 70-364, 8 p.
- Westermann, G. E. G., 1964, The ammonite fauna of the Kialagvik formation at Wide Bay, Alaska Peninsula; Part I. Lower Bajocian (Aalenian): Bulletins of American Paleontology, v. 47, no. 216, p. 327-503.
- Westermann, G. E. G., 1969, The ammonite fauna of the Kialagvik Formation at Wide Bay, Alaska Peninsula; Part II. Sonninia sowerbyi zone (Bajocian): Bulletins of American Paleontology, v. 57, no. 255, p. 5-266.
- White, D. E., and Williams, D. L., eds., 1975, Assessment of geothermal resources of the United States - 1975: U.S. Geological Survey Circular 726, 155 p.
- Whitney, John, and Holden, K. D., 1980, Bathymetric map of the Outer Continental Shelf of Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 80-2031, scale 1:250,000.
- Whitney, John, Holden, K. D., and Lybeck, Lynn, 1980, Isopach map of Quaternary glacial-marine sediments, Outer Continental Shelf, Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 80-2034, scale 1:250,000.
- Whitney, John, Hoose, P. J., Smith, L. M., and Lybeck, Lynn, 1980, Geologic cross sections of the Outer Continental Shelf of Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 80-2036.
- Whitney, J. W., Levinson, R. A., and van Alstine, D. R., 1985, Paleomagnetism of early Tertiary Alaska Peninsula rocks and implications for docking of Peninsular terrane [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4.
- Whitney, J. W., and Thurston, D. K., 1981, Geologic constraints for petroleum development in Lower Cook Inlet, Alaska, Outer Continental Shelf lease area, in Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823B, p. B122-B125.

- Whitten, C. A., 1965, Cartographic and geodetic effects of Alaskan earthquake [abs.]: Geological Society of America Special Paper 82, p. 222-223.
- Wiggins, V. D., 1969, The lower Cretaceous dinoflagellate species from Alaska: Micropaleontology, v. 15, no. 2, p. 145-150.
- Wilcox, R. E., 1959, Some effects of recent volcanic ash falls, with special reference to Alaska: U.S. Geological Survey Bulletin 1028-N, p. 409-476.
- Williams, Howel, 1955, Preliminary notes on geological work done on Mt. Katmai and in the Valley of Ten Thousand Smokes, Alaska, in Luntz, R. S., compiler, Interim report on Katmai Project, Katmai National Monument: U.S. National Park Service, p. 55-61.
- Williams, Howel, Curtis, G. H., and Juhle, R. W., 1956, Mount Katmai and the Valley of Ten Thousand Smokes, Alaska (a new interpretation of the great eruptions of 1912) [abs.]: Pacific Science Conference, 8th, University of the Philippines, Quezon, 1953, Proceedings, v. 2, p. 129.
- Willis, Bailey, 1912, Index to stratigraphy of North America, accompanied by a geologic map of North America, compiled by the United States Geologic Survey in cooperation with the Geological Survey of Canada and the Instituto Geologico de Mexico, under the supervision of Bailey Willis and G. W. Stose: U.S. Geological Survey Professional Paper 71, 894 p.
- Wilson, Alfonso, and Iseri, K. T., 1968, River discharge to the sea from the shores of the conterminous United States, Alaska, and Puerto Rico - a contribution to the International Hydrological Decade: U.S. Geological Survey Hydrologic Investigations Atlas HA-282, 2 sheets.
- Wilson, C. R., and Forbes, R. B., 1969, Infrasonic waves from Alaskan volcanic eruptions: Journal of Geophysical Research, v. 74, no. 18, p. 4511-4522.
- Wilson, C. R., and Forbes, R. B., 1969, Infrasonic waves from Alaskan volcanic eruptions [abs.]: EOS (American Geophysical Union Transactions), v. 50, no. 4, p. 341.
- Wilson, C. W., 1981, Bibliographic references to Alaskan fossils, 1839 - May 1979: U.S. Geological Survey Open-File Report 81-624, 72 p.
- Wilson, Druid, Keroher, G. C., and Hansen, B. E., 1959, Index to the geologic names of North America: U.S. Geological Survey Bulletin 1056-B, p. 407-622.
- Wilson, F. H., 1978, Map showing preliminary results of K-Ar studies in the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-File Map 78-1064, scale 1:250,000.
- Wilson, F. H., 1979, K-Ar geochronology and Tertiary igneous history Chignik and Sutwik Island area, Alaska Peninsula, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 7, p. 541-542.

- Wilson, F. H., 1980, Late Mesozoic and Cenozoic tectonics and age of porphyry copper prospects Chignik and Sutwik Island quadrangles, Alaska Peninsula: Hanover, N. H., Dartmouth College, Ph. D. dissertation, 177 p., 5 plates.
- Wilson, F. H., 1980, Late Mesozoic and Cenozoic tectonics and age of porphyry copper prospects Chignik and Sutwik Island quadrangles, Alaska Peninsula: U.S. Geological Survey Open-File Report 80-543, 94 p., 5 plates.
- Wilson, F. H., 1981, Map and table showing radiometric ages of rocks in the Aleutian Islands and Alaska Peninsula: U.S. Geological Survey Open-File report 81-471, 23 p., scale 1:1,000,000.
- Wilson, F. H., 1981, K-Ar ages on intrusive rocks and altered zones in the Chignik and Sutwik Island quadrangles, in Albert, Nairn, and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B45-B46.
- Wilson, F. H., 1982, Map and tables showing preliminary results of K-Ar age studies in the Ugashik quadrangle, Alaska Peninsula: U.S. Geological Survey Open-File Report 82-140, scale 1:250,000.
- Wilson, F. H., 1985, The Meshik arc - an Eocene to earliest Miocene magmatic arc on the Alaska Peninsula: Alaska Division of Geological and Geophysical Surveys Professional Report No. 88, 14 p.
- Wilson, F. H., 1985, Meshik and Aleutian arc- Tertiary volcanism on Alaska Peninsula, Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 69, no. 4, p. 683.
- Wilson, F. H., Case, J. E., and Detterman, R. L., 1985, Preliminary description of a Miocene zone of structural complexity in the Port Moller and Stepovak Bay quadrangles, Alaska, in Bartsch-Winkler, Susan, and Reed, K. M., eds., The United States Geological Survey in Alaska: Accomplishments in 1983: U.S. Geological Survey Circular 945, p. 54-56.
- Wilson, F. H., and Cox, D. P., 1983, Geochronology, geochemistry, and tectonic environment of porphyry mineralization in the central Alaska Peninsula: U.S. Geological Survey Open-File Report 83-783, 24 p.
- Wilson, F. H., Detterman, R. L., and Case, J. E., 1985, The Alaska Peninsula terrane: A definition: U.S. Geological Survey Open-File Report 85-450, 19 p.
- Wilson, F. H., Detterman, R. L., Case, J. E., and Yount, M. E., 1980, Two Cenozoic igneous events on the Alaska Peninsula: U.S. Geological Professional Paper 1175, p. 110.

- Wilson, F. H., Detterman, R.L., and Silberman, M.L., 1978, New ages on intrusive rocks and altered zones in Alaska Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska: Accomplishments in 1977: U.S. Geological Survey Circular 772-B, p. B63-B65.
- Wilson, F. H., Gaum, W.C., and Herzon, P.L., 1981, Map and tables showing geochronology and whole-rock geochemistry of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-M, scale 1:250,000, 3 sheets.
- Wilson, F. H., and Shew, Nora, 1982, Preliminary results of K-Ar age determinations from the Ugashik quadrangle, Alaska Peninsula, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments in 1980: U.S. Geological Survey Circular 844, p. 86-87.
- Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity based on radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments in 1980: U.S. Geological Survey Circular 844, p. 13-15.
- Wilson, F. H., Shew, Nora, Detterman, R. L., and Case, J. E., 1981, Tertiary volcanic and hypabyssal rocks in the Ugashik quadrangle: U.S. Geological Survey Professional Paper 1275, p. 89.
- Wilson, F. H., and Turner, D. L., 1975, Radiometric age map of Alaska - Aleutian Islands: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-83, 10 p., scale 1:1,000,000.
- Wilson, F. H., and Turner, D. L., 1975, Radiometric age map of Alaska - southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-84, 12 p., scale 1,000,000.
- Wilson, F. H., and York, J. E., 1985, Processing of Landsat imagery to map surface mineral alteration on the Alaska Peninsula, Alaska [abs.], in Krafft, Kathleen, ed., U.S. Geological Survey Research on Mineral Resources - 1985, Program and Abstracts: U.S. Geological Survey Circular 949, p. 56-57.
- Wilson, F. H., and York, J. E., 1985, Techniques of processing Landsat MSS imagery to map surface rock and mineral alteration on the Alaska Peninsula, Alaska [abs.], in Technology and the Scientist, Alaska Science Conference, 36th: Fairbanks, University of Alaska, 1985, Proceedings, p. 157.
- Winkler, G. R., 1976, Reconnaissance geochemistry and tectonics of Gulf of Alaska greenstones [abs.]: Geological Society of America Abstracts with Programs, v. 8, no. 3, p. 421.
- Winkler, G. R., 1983, The Peninsular and Chugach terranes, southern Alaska: Their composition and timing of their amalgamation [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 386.

- Winslow, M. A., 1982, Uplift and tilting in the Shumagin gap, southwestern Alaska, Part I. Geologic studies - final report: National Science Foundation Geophysics Section, contract EAR 79-10608.
- Winslow, M. A., and Hickman, S. H., 1978, Evidence for Quaternary uplifted terraces and tilting in a seismic gap: The Shumagin Islands, southwest Alaska [abs.]: EOS (American Geophysical Union Transactions), v. 59, no. 12, p. 1125.
- Wisehart, R. M., 1971, Paleoenvironmental analysis of the Bear Lake Formation (upper and middle Miocene), Alaska Peninsula, Alaska: Los Angeles, Calif., University of California, M.S. thesis, 112 p.
- Wolfe, J. A., 1966, Tertiary plants from the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 398B, p. B1-B32.
- Wolfe, J. A., 1969, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Open-File Report 69-323, 111 p.
- Wolfe, J. A., 1984, Paleogene floras from the Gulf of Alaska region, in Taylor, T. N., and Smoot, E. L., eds., 1984, Paleobotany, Part II, Triassic through Pliocene: New York, Van Nostrand Reinhold, p. 268-277.
- Woodman, Betzi, 1983, Shumagin Island gold mine shows promise of good returns: Alaska Construction and Oil, v. 24, no. 9, p. 28-29.
- Woodruff, L. G., and Anderson, A. T., Jr., 1980, An arrested state of magma mixing, Pavlof Volcano, Alaska: EOS (American Geophysical Union Transactions), v. 61, no. 6, p. 68.
- Woodruff, L. G., and Anderson, A. T., Jr., 1983, Fracture vesiculation of andesitic magma, Pavlof area, Alaska: Journal of Geology, v. 91, no. 3, p. 323-329.
- Workman, W. B., 1979, The significance of volcanism in the prehistory of subarctic northwest North America, in Sheets, P. D., and Grayson, D. K., eds., Volcanic activity and human ecology: New York, Academic Press, p. 339-372.
- Yockelson, E. L., and Saunders, B. W., 1967, A bibliographic index of North American late Paleozoic Hyolitha, Amphineura, Scaphopoda, and Gastropoda: U.S. Geological Survey Bulletin 1210, 271 p.
- York, James, Wilson, F. H., and Gamble, B. M., 1984, Detection of surface alteration on the Alaska Peninsula using Landsat multispectral scanner data [extended abs.]: Remote Sensing for Exploration Geology Symposium, Colorado Springs, Colo., April 16-19, 4 p.
- York, James, Wilson, F. H., and Gamble, B. M., 1985, Digital image processing techniques for detecting surface alteration - an application on the Alaska Peninsula, in Bartsch-Winkler, Susan, and Reed, K. M., eds., The United States Geological Survey in Alaska: Accomplishment in 1983: U.S. Geological Survey Circular 945, p. 56-58.

- Yount, M. E., Cooley, E. F., and O'Leary, R. M., 1978, Sample location map, analytical data, and statistical summary of rock samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-File Report 78-557, scale 1:250,000.
- Yount, M. E., Miller, T. P., Emanuel, R. P., and Wilson, F. H., 1985, Eruption in an ice-filled caldera, Mount Veniaminof, Alaska Peninsula, in Bartsch-Winkler, Susan, and Reed, K. M., eds., The United States Geological Survey in Alaska: Accomplishments in 1983: U.S. Geological Survey Circular 945, p. 59-60.
- Yount, M. E., Wilson, F. H., and Miller, J. W., 1985, Newly discovered Holocene volcanic vents, Port Moller and Stepovak Bay quadrangles, Alaska Peninsula, in Bartsch-Winkler, Susan, and Reed, K. M., eds., The United States Geological Survey in Alaska: Accomplishments in 1983: U.S. Geological Survey Circular 945, p. 60-62.
- Zeis, E. G., 1924, Fumarolic incrustations of the Katmai region [abs.]: Geological Society of America Bulletin, v. 35, no. 1, p. 123.
- Zeis, E. G., 1924, The fumarolic incrustations of the Valley of Ten Thousand Smokes: National Geographic Society Contributed Technical Papers, Katmai Series, v. 1, no. 1, p. 157-179.
- Zeis, E. G., 1924, Hot springs of the Valley of Ten Thousand Smokes: Journal of Geology, v. 32, no. 4, p. 303-310.
- Zeis, E. G., 1929, The Valley of Ten Thousand Smokes: Pt. 1 - The fumarolic incrustations and their bearing on ore deposition: National Geographic Society Contributed Technical Papers, Katmai Series, v. 1, no. 4, p. 26-27, 40-41.
- Zeitz, Isidore, Andreasen, G. E., and Grantz, Arthur, 1960, Regional aeromagnetic surveys of possible petroleum provinces in Alaska: U.S. Geological Survey Professional Paper 400B, p. B75.
- Zenone, Chester, and Anderson, G. S., 1978, Summary of the nation's ground-water resources - Alaska: U.S. Geological Survey Professional Paper 813-P, p. P1-P28.
- Zhuravlev, D. Z., Chernyshev, I. V., Tsvetkov, A. A., Borsuk, A. M., Agapova, A. A., and Serdyuk, N. I., 1983, Variation in $^{143}\text{Nd}/^{144}\text{Nd}$ and $^{87}\text{Sr}/^{86}\text{Sr}$ isotope ratios in igneous rocks of the Aleutian Island Arc, as related to the problem of their petrogenesis: Doklady-Earth Science Sections, v. 270, May-June 1983, p. 171-175.
- Zoback, M. L., Zoback, M. D., and Schlitz, M. E., 1984, Index of stress data for the Pacific plate: U.S. Geological Survey Open-File Report 84-157, 62 p.
- Zobin, V. M., 1970, One of the patterns characterizing the orientation of tephra in "directional eruptions" of volcanoes: Academy of Sciences of the USSR, Lectures, Earth Sciences Section, V. 190, no. 1-6, p. 15-17.